



## West Nile virus disease cases and presumptive viremic blood donors reported to ArboNET, United States, 2003

State	Neuroinvasive disease cases*	Non-neuroinvasive disease cases	Total cases <sup>†</sup>	Deaths	Presumptive viremic blood donors <sup>‡</sup>
Alabama	25	12	37	3	0
Arizona	7	6	13	1	3
Arkansas	23	2	25	0	0
California	2	1	3	0	1
Colorado	621	2,326	2,947	63	83
Connecticut	12	5	17	0	0
Delaware	12	5	17	2	0
District of Columbia	3	0	3	0	0
Florida	61	33	94	6	1
Georgia	27	23	50	4	9
Idaho	0	1	1	0	0
Illinois	30	24	54	1	1
Indiana	15	32	47	4	0
Iowa	81	66	147	6	5
Kansas	89	2	91	4	101
Kentucky	11	3	14	1	2
Louisiana	101	23	124	8	5
Maryland	49	24	73	8	9
Massachusetts	12	5	17	1	1
Michigan	14	5	19	2	6
Minnesota	48	100	148	4	23
Mississippi	34	53	87	1	4
Missouri	39	25	64	8	7
Montana	75	147	222	4	5
Nebraska	194	1,748	1,942	29	183
Nevada	2	0	2	0	0
New Hampshire	2	1	3	0	0
New Jersey	21	13	34	3	8
New Mexico	74	135	209	4	10
New York	57	14	71	11	2
North Carolina	16	8	24	2	0
North Dakota	94	523	617	5	64
Ohio	84	24	108	8	4
Oklahoma	56	23	79	0	20
Pennsylvania	145	92	237	8	2
Rhode Island	5	2	7	1	0
South Carolina	3	3	6	0	0
South Dakota	151	888	1,039	14	63
Tennessee	21	5	26	1	3
Texas	431	289	720	37	66
Utah	0	1	1	0	0
Vermont	0	3	3	0	0
Virginia	19	7	26	1	1
West Virginia	1	1	2	0	1
Wisconsin	7	10	17	0	0
Wyoming	92	283	375	9	21
<b>Total</b>	<b>2,866</b>	<b>6,996</b>	<b>9,862</b>	<b>264</b>	<b>714</b>

\*Includes cases reported as meningitis or encephalitis.

<sup>†</sup>Includes confirmed and probable cases.

<sup>‡</sup>Presumptive viremic blood donors (PVDs) are people who had no symptoms at the time of donating blood through a blood collection agency, but whose blood tested positive when screened for the presence of West Nile virus RNA. Some PVDs develop symptoms after donation; of the 714 PVDs, 144 (20%) developed clinical illness and are also included as disease cases.