

SUPPORTING TABLE 1. Ovarian Cancer: Number of Cases Diagnosed Among Females Ages 15 to 99 Years by Stage at Diagnosis, Calendar Period, and US State (Grouped by US Census Region) Between 2001 and 2009^a

	SEER Summary Stage 2000	2001-2003			2004-2009		
		All Races	White	Black	All Races	White	Black
UNITED STATES							
	No. of patients	56,390	49,893	4,262	116,459	101,717	9,440
	Localized (%)	15.9	15.7	15.4	14.2	13.9	14.5
	Regional (%)	18.9	18.9	16.4	18.9	19.0	15.7
	Distant (%)	53.5	54.1	51.0	56.8	57.4	55.3
	Unknown (%)	11.7	11.3	17.2	10.1	9.7	14.5
NORTHEAST							
New England							
Connecticut (SEER)	No. of patients	964	914	34	1,921	1,778	92
	Localized (%)	14.4	14.7	11.8	14.0	13.6	17.4
	Regional (%)	18.6	18.8	20.6	22.1	21.8	23.9
	Distant (%)	61.4	60.8	64.7	59.8	60.6	56.5
	Unknown (%)	5.6	5.7	2.9	4.2	4.0	2.2
Massachusetts (NPCR)	No. of patients	1,836	1,749	45	3,602	3,406	98
	Localized (%)	13.9	13.8	8.9	14.6	14.3	19.4
	Regional (%)	20.4	20.4	15.6	22.5	22.3	17.3
	Distant (%)	58.9	58.9	68.9	57.0	57.5	57.1
	Unknown (%)	6.8	6.9	6.7	5.9	5.9	6.1
New Hampshire (NPCR)	No. of patients	320	310	-	709	689	-
	Localized (%)	19.1	19.7	0.0	15.2	15.2	0.0
	Regional (%)	24.1	24.5	0.0	21.7	22.1	0.0
	Distant (%)	42.5	41.6	100.0	56.3	57.5	100.0
	Unknown (%)	14.4	14.2	0.0	6.8	5.2	0.0
Rhode Island (NPCR)	No. of patients	252	239	-	463	431	14
	Localized (%)	24.2	23.8	25.0	-	-	-
	Regional (%)	14.7	15.1	12.5	-	-	-
	Distant (%)	55.6	55.6	62.5	-	-	-
	Unknown (%)	5.6	5.4	0.0	-	-	-
Mid Atlantic							
New Jersey (NPCR/SEER)	No. of patients	2,557	2,255	211	4,780	4,145	433
	Localized (%)	15.9	15.6	17.5	15.3	14.9	18.0
	Regional (%)	17.5	17.6	15.2	19.0	19.1	15.2
	Distant (%)	57.4	58.2	56.9	57.4	58.1	54.7
	Unknown (%)	9.2	8.7	10.4	8.3	7.9	12.0
New York (NPCR)	No. of patients	5,323	4,566	543	10,463	8,797	1,132
	Localized (%)	17.2	16.8	17.7	16.0	15.3	16.8
	Regional (%)	21.4	21.4	19.5	19.6	19.7	17.8
	Distant (%)	47.5	47.9	47.5	56.8	57.5	57.5
	Unknown (%)	13.8	13.8	15.3	7.6	7.5	7.9
Pennsylvania (NPCR)	No. of patients	3,750	3,465	205	7,456	6,856	475
	Localized (%)	17.5	17.3	16.6	14.0	13.9	13.7
	Regional (%)	20.0	20.2	17.1	20.0	20.1	18.7
	Distant (%)	53.0	53.0	56.1	59.1	59.3	59.4
	Unknown (%)	9.5	9.5	10.2	6.8	6.7	8.2
SOUTH							
South Atlantic							
Delaware (NPCR)	No. of patients	208	175	27	433	369	50
	Localized (%)	16.3	17.1	14.8	9.5	9.8	6.0
	Regional (%)	23.1	23.4	22.2	20.3	20.6	18.0
	Distant (%)	50.5	49.1	51.9	64.7	64.2	68.0
	Unknown (%)	10.1	10.3	11.1	5.5	5.4	8.0
Florida (NPCR)	No. of patients	4,889	4,433	380	9,766	8,771	769
	Localized (%)	14.6	14.6	12.4	12.7	12.6	13.7
	Regional (%)	15.7	15.7	15.3	17.6	17.6	16.6
	Distant (%)	58.3	58.7	55.5	60.3	60.8	57.9
	Unknown (%)	11.5	11.0	16.8	9.3	9.0	11.8
Georgia (NPCR/SEER)	No. of patients	1,829	1,437	365	3,965	3,085	797
	Localized (%)	14.7	14.3	15.9	15.2	14.5	17.3
	Regional (%)	18.2	18.0	18.1	18.9	20.0	14.6
	Distant (%)	57.6	58.0	57.0	59.3	59.4	60.5
	Unknown (%)	9.6	9.7	9.0	6.6	6.1	7.7

SUPPORTING TABLE 1. *Continued*

SEER Summary Stage 2000		2001-2003			2004-2009		
		All Races	White	Black	All Races	White	Black
Maryland (NPCR)	No. of patients	1,143	909	196	2,368	1,791	469
	Localized (%)	-	-	-	-	-	-
	Regional (%)	-	-	-	-	-	-
	Distant (%)	-	-	-	-	-	-
	Unknown (%)	-	-	-	-	-	-
North Carolina (NPCR)	No. of patients	1,939	1,642	263	4,180	3,501	598
	Localized (%)	20.4	19.5	25.5	14.4	14.1	16.7
	Regional (%)	21.6	22.4	16.7	20.6	21.1	17.2
	Distant (%)	49.2	49.6	47.1	58.3	58.7	57.4
	Unknown (%)	8.8	8.4	10.6	6.6	6.1	8.7
South Carolina (NPCR)	No. of patients	991	789	187	1,946	1,546	375
	Localized (%)	17.8	18.0	17.1	15.8	16.0	15.2
	Regional (%)	19.0	20.0	15.0	18.1	18.8	15.2
	Distant (%)	51.3	51.8	49.2	57.8	58.5	55.5
	Unknown (%)	12.0	10.1	18.7	8.2	6.7	14.1
West Virginia (NPCR)	No. of patients	563	546	15	974	949	16
	Localized (%)	18.5	18.5	20.0	12.7	12.8	18.8
	Regional (%)	21.1	21.4	13.3	18.9	18.9	18.8
	Distant (%)	46.9	46.9	40.0	57.1	57.2	50.0
	Unknown (%)	13.5	13.2	26.7	11.3	11.2	12.5
East South Central							
Alabama (NPCR)	No. of patients	1,076	875	188	2,274	1,869	383
	Localized (%)	17.5	17.7	14.4	14.4	13.6	17.8
	Regional (%)	20.1	21.0	16.5	19.0	19.9	14.6
	Distant (%)	54.8	55.1	55.9	60.7	61.2	59.3
	Unknown (%)	7.6	6.2	13.3	5.8	5.3	8.4
Kentucky (NPCR/SEER)	No. of patients	987	939	44	2,092	2,011	66
	Localized (%)	13.2	13.2	13.6	16.0	15.9	18.2
	Regional (%)	20.1	20.2	18.2	20.7	20.6	21.2
	Distant (%)	56.2	56.3	56.8	55.7	56.1	47.0
	Unknown (%)	10.5	10.2	11.4	7.6	7.4	13.6
Mississippi (NPCR)	No. of patients	184	131	50	1,143	858	271
	Localized (%)	17.4	16.8	20.0	14.6	14.0	16.2
	Regional (%)	15.2	14.5	16.0	20.2	21.0	18.1
	Distant (%)	51.6	51.9	50.0	58.1	58.4	57.2
	Unknown (%)	15.8	16.8	14.0	7.1	6.6	8.5
Tennessee (NPCR)	No. of patients	414	365	45	2,699	2,382	278
	Localized (%)	16.9	17.0	15.6	17.3	17.6	14.0
	Regional (%)	26.8	27.1	24.4	20.6	20.4	21.2
	Distant (%)	47.6	47.7	46.7	55.4	55.1	59.4
	Unknown (%)	8.7	8.2	13.3	6.7	6.8	5.4
West South Central							
Louisiana (NPCR/SEER)	No. of patients	950	718	224	1,749	1,344	387
	Localized (%)	12.8	13.0	12.1	13.4	13.5	13.7
	Regional (%)	17.9	17.5	18.8	19.5	19.6	18.3
	Distant (%)	61.9	61.8	62.5	61.5	61.5	61.8
	Unknown (%)	7.4	7.7	6.7	5.5	5.4	6.2
Oklahoma (NPCR)	No. of patients	920	795	44	1,703	1,451	70
	Localized (%)	16.5	15.6	11.4	13.2	13.3	11.4
	Regional (%)	25.2	25.8	25.0	17.9	17.8	17.1
	Distant (%)	47.1	47.0	52.3	57.7	57.8	60.0
	Unknown (%)	11.2	11.6	11.4	11.3	11.0	11.4
Texas (NPCR)	No. of patients	3,829	3,412	331	8,132	7,166	704
	Localized (%)	16.8	16.7	14.5	14.1	13.9	13.1
	Regional (%)	16.9	17.2	13.3	15.8	15.9	14.6
	Distant (%)	51.2	51.5	52.3	58.7	59.1	58.5
	Unknown (%)	15.0	14.6	19.9	11.5	11.1	13.8
MIDWEST							
East North Central							
Michigan (NPCR/SEER)	No. of patients	2,545	2,266	225	5,034	4,418	473
	Localized (%)	16.8	16.5	19.6	14.7	14.4	15.4
	Regional (%)	19.8	20.3	15.1	19.6	20.2	15.6
	Distant (%)	51.9	51.9	54.2	48.9	49.1	48.0
	Unknown (%)	11.5	11.3	11.1	16.7	16.3	20.9

SUPPORTING TABLE 1. *Continued*

SEER Summary Stage 2000		2001-2003			2004-2009		
		All Races	White	Black	All Races	White	Black
Ohio (NPCR)	No. of patients	2,790	2,542	193	5,714	5,158	448
	Localized (%)	19.5	19.7	14.5	15.0	14.6	16.1
	Regional (%)	24.5	24.5	23.8	18.9	19.1	14.7
	Distant (%)	40.3	40.4	39.9	56.1	56.3	57.4
	Unknown (%)	15.8	15.4	21.8	10.0	10.0	11.8
Wisconsin (NPCR)	No. of patients	1,474	1,414	38	2,973	2,819	90
	Localized (%)	-	-	-	-	-	-
	Regional (%)	-	-	-	-	-	-
	Distant (%)	-	-	-	-	-	-
	Unknown (%)	-	-	-	-	-	-
West North Central							
Iowa (SEER)	No. of patients	862	843	-	1,685	1,652	14
	Localized (%)	14.3	14.1	25.0	13.9	13.7	21.4
	Regional (%)	19.0	19.0	12.5	19.5	19.5	7.1
	Distant (%)	58.7	58.8	62.5	59.8	59.8	71.4
	Unknown (%)	8.0	8.1	0.0	6.9	7.0	0.0
Nebraska (NPCR)	No. of patients	473	461	-	956	929	14
	Localized (%)	16.9	16.9	12.5	12.7	12.9	7.1
	Regional (%)	18.2	18.2	12.5	21.7	22.0	7.1
	Distant (%)	54.1	54.9	25.0	57.1	56.7	71.4
	Unknown (%)	10.8	10.0	50.0	8.6	8.4	14.3
WEST							
Mountain							
Colorado (NPCR)	No. of patients	970	922	19	2,206	2,104	48
	Localized (%)	18.1	18.0	21.1	14.9	14.8	12.5
	Regional (%)	18.0	17.9	21.1	20.0	20.1	14.6
	Distant (%)	56.1	56.6	36.8	60.2	60.2	70.8
	Unknown (%)	7.7	7.5	21.1	4.9	4.9	2.1
Idaho (NPCR)	No. of patients	275	269	-	647	631	-
	Localized (%)	12.7	12.6	-	14.4	14.3	-
	Regional (%)	18.2	18.6	-	18.9	18.9	-
	Distant (%)	60.7	60.6	-	61.4	61.8	-
	Unknown (%)	8.4	8.2	-	5.4	5.1	-
Montana (NPCR)	No. of patients	251	243	-	548	526	-
	Localized (%)	17.5	17.3	-	10.4	10.3	-
	Regional (%)	22.7	21.8	-	20.3	20.0	-
	Distant (%)	52.6	53.5	-	61.5	61.8	-
	Unknown (%)	7.2	7.4	-	7.8	8.0	-
New Mexico (SEER)	No. of patients	410	374	-	849	763	12
	Localized (%)	12.4	12.3	0.0	15.0	15.5	0.0
	Regional (%)	20.2	20.3	25.0	19.9	19.9	25.0
	Distant (%)	57.1	57.0	75.0	55.0	54.5	58.3
	Unknown (%)	10.2	10.4	0.0	10.1	10.1	16.7
Utah (SEER)	No. of patients	440	430	-	865	830	-
	Localized (%)	16.4	16.7	0.0	15.8	15.9	0.0
	Regional (%)	17.0	17.0	0.0	18.5	18.7	20.0
	Distant (%)	63.4	63.3	100.0	61.8	62.0	40.0
	Unknown (%)	3.2	3.0	0.0	3.8	3.4	40.0
Wyoming (NPCR)	No. of patients	116	114	-	239	236	-
	Localized (%)	14.7	14.9	0.0	16.3	16.1	-
	Regional (%)	19.0	19.3	0.0	23.0	23.3	-
	Distant (%)	56.0	55.3	100.0	55.2	55.1	-
	Unknown (%)	10.3	10.5	0.0	5.4	5.5	-
Pacific							
Alaska (NPCR)	No. of patients	95	78	-	231	167	-
	Localized (%)	20.0	20.5	0.0	18.2	18.6	0.0
	Regional (%)	18.9	20.5	50.0	21.2	24.0	0.0
	Distant (%)	55.8	53.8	0.0	52.8	49.7	75.0
	Unknown (%)	5.3	5.1	50.0	7.8	7.8	25.0
California (NPCR/SEER)	No. of patients	7,793	6,675	314	16,281	13,591	797
	Localized (%)	14.7	13.9	14.3	14.7	14.1	12.2
	Regional (%)	16.3	15.7	12.7	18.5	18.0	15.1
	Distant (%)	63.1	64.7	63.4	60.9	61.8	65.5
	Unknown (%)	5.8	5.8	9.6	5.9	6.1	7.3

SUPPORTING TABLE 1. *Continued*

	SEER Summary Stage 2000	2001-2003			2004-2009		
		All Races	White	Black	All Races	White	Black
Hawaii (SEER)	No. of patients	258	74	-	565	159	-
	Localized (%)	14.7	9.5	0.0	13.5	10.7	25.0
	Regional (%)	25.2	14.9	0.0	23.2	22.0	25.0
	Distant (%)	55.8	70.3	100.0	59.6	62.9	50.0
	Unknown (%)	4.3	5.4	0.0	3.7	4.4	0.0
Oregon (NPCR)	No. of patients	1,003	958	-	2,061	1,957	13
	Localized (%)	14.8	14.5	0.0	12.8	12.6	7.7
	Regional (%)	18.9	19.0	50.0	19.5	19.3	15.4
	Distant (%)	58.6	58.8	50.0	61.6	62.0	76.9
	Unknown (%)	7.7	7.7	0.0	6.1	6.2	0.0
Washington (NPCR/SEER)	No. of patients	1,711	1,566	36	2,787	2,582	40
	Localized (%)	13.3	13.0	2.8	12.6	11.9	17.5
	Regional (%)	18.4	17.9	30.6	17.0	16.8	15.0
	Distant (%)	63.3	64.2	61.1	63.6	64.2	57.5
	Unknown (%)	5.0	4.9	5.6	6.9	7.1	10.0

Abbreviations: NPCR, National Program of Cancer Registries; SEER indicates Surveillance, Epidemiology, and End Results program.

^a Stage at diagnosis is the SEER Summary Stage 2000 (SS2000). Information on stage was not available for 2 states (Maryland and Wisconsin) or for Rhode Island for cases diagnosed between 2004 and 2009.

SUPPORTING TABLE 2. Ovarian Cancer: Age-Standardized Net Survival (%) at 1, 3, and 5 Years Among Females Ages 15 to 99 Years by Race, Calendar Period, and US State (Grouped by US Census Region) between 2001 and 2009^a

Years	2001-2003						2004-2009					
	All Races		White		Black		All Races		White		Black	
	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI
UNITED STATES												
1	72.3	71.9-72.7	73.3	72.9-73.7	59.8	58.2-61.3	73.3	73.0-73.6	74.2	73.9-74.5	62.5	61.4-63.6
3	50.9	50.4-51.3	51.6	51.1-52.1	39.4	37.8-41.0	52.8	52.4-53.1	53.6	53.2-54.0	41.6	40.3-42.9
5	39.6	39.1-40.0	40.1	39.6-40.6	29.6	28.1-31.1	41.0	40.5-41.5	41.7	41.2-42.2	31.1	29.5-32.7
NORTHEAST												
New England												
1	77.8	75.1-80.5	78.6	75.8-81.4	68.1	52.4-83.7	77.1	75.1-79.1	77.6	75.5-79.6	67.2	57.5-77.0
3	54.7	51.3-58.0	55.2	51.8-58.7	54.4	37.5-71.4	54.2	51.4-57.0	54.3	51.5-57.2	52.4	41.2-63.7
5	40.2	36.8-43.6	40.5	37.0-43.9	42.9	26.2-59.7	43.4	39.9-46.8	43.1	39.5-46.8	41.7	32.1-51.2
Massachusetts												
1	73.6	71.5-75.7	73.9	71.8-76.0	65.3	51.3-79.4	75.6	74.2-77.1	75.6	74.1-77.1	71.5	60.5-82.4
3	50.8	48.4-53.2	50.8	48.4-53.3	48.2	33.2-63.2	55.5	53.5-57.5	55.3	53.3-57.4	45.1	36.1-54.0
5	40.1	37.7-42.5	39.9	37.5-42.4	34.7	20.2-49.1	43.5	40.9-46.0	43.0	40.4-45.6	41.7	29.4-54.0
New Hampshire												
1	75.1	70.0-80.2	75.2	70.0-80.4	-	-	74.1	70.7-77.6	74.9	71.4-78.4	-	-
3	52.0	45.9-58.1	53.2	46.9-59.5	-	-	54.8	50.2-59.3	55.1	50.4-59.8	-	-
5	43.8	37.4-50.3	44.7	38.1-51.3	-	-	40.2	34.3-46.2	40.9	34.7-47.0	-	-
Rhode Island												
1	77.9	72.6-83.2	78.2	72.8-83.6	-	-	72.2	68.0-76.3	72.3	68.0-76.6	84.6	64.6-100.0
3	51.9	45.0-58.8	51.9	44.8-58.9	-	-	54.0	48.8-59.2	54.0	48.6-59.4	73.4	45.9-100.0
5	42.5	35.5-49.5	42.2	35.0-49.3	-	-	50.0	43.9-56.0	49.5	43.2-55.8	74.1	46.3-100.0
Mid Atlantic												
New Jersey												
1	70.7	68.9-72.5	71.5	69.6-73.4	59.3	52.6-66.0	72.9	71.6-74.3	74.3	72.9-75.7	58.2	53.5-62.9
3	50.3	48.3-52.3	51.2	49.0-53.3	38.7	32.4-45.0	52.3	50.5-54.1	53.4	51.5-55.3	38.4	32.5-44.3
5	39.2	37.2-41.3	39.9	37.7-42.0	28.9	23.0-34.8	39.4	37.0-41.8	40.4	37.9-42.9	26.6	20.5-32.7
New York												
1	71.3	70.0-72.5	72.2	70.9-73.6	61.6	57.3-65.9	73.9	73.0-74.8	75.0	74.0-75.9	64.7	61.7-67.8
3	50.1	48.7-51.5	50.8	49.3-52.4	42.3	37.9-46.6	53.6	52.4-54.8	54.7	53.4-56.0	43.5	39.8-47.2
5	39.7	38.2-41.1	40.3	38.8-41.9	31.5	27.4-35.5	43.0	41.4-44.6	43.8	42.1-45.5	34.8	30.3-39.4
Pennsylvania												
1	71.7	70.3-73.2	72.4	71.0-73.9	57.5	50.7-64.3	72.2	71.1-73.3	72.8	71.7-73.9	63.0	58.2-67.8
3	50.3	48.7-52.0	51.0	49.3-52.7	33.3	27.0-39.7	52.3	50.9-53.7	52.4	51.0-53.9	49.8	44.2-55.4
5	39.8	38.2-41.5	40.1	38.3-41.8	27.3	21.4-33.3	40.2	38.4-42.0	40.4	38.5-42.2	38.1	30.9-45.3
SOUTH												
South Atlantic												
Delaware												
1	76.1	70.2-82.0	76.5	70.3-82.7	85.6	72.4-98.8	76.6	72.4-80.8	77.6	73.1-82.0	74.3	61.6-87.0
3	55.6	48.3-62.8	56.4	48.7-64.2	53.0	34.2-71.8	52.4	46.6-58.2	55.0	48.9-61.2	36.3	19.7-52.9
5	45.4	37.8-53.0	46.8	38.7-54.9	46.5	27.3-65.6	44.3	37.0-51.6	47.0	39.1-54.9	23.0	2.8-43.3
Florida												
1	74.0	72.7-75.2	75.2	73.9-76.5	58.5	53.2-63.8	75.4	74.5-76.3	76.4	75.5-77.3	63.2	59.5-66.9
3	51.1	49.6-52.5	52.0	50.5-53.6	39.1	33.7-44.6	56.1	54.9-57.3	57.0	55.7-58.2	45.1	40.7-49.6
5	40.9	39.4-42.4	41.7	40.1-43.3	29.6	24.6-34.7	47.3	45.8-48.9	47.8	46.2-49.4	39.6	34.4-44.8
Georgia												
1	70.1	67.9-72.3	71.8	69.4-74.2	62.6	57.2-68.0	70.3	68.8-71.9	72.4	70.7-74.1	61.6	57.6-65.6
3	49.3	46.9-51.8	51.2	48.5-54.0	31.9	26.5-37.2	49.8	47.8-51.7	51.7	49.5-53.9	42.1	37.5-46.7
5	39.2	36.7-41.7	40.8	38.0-43.5	31.9	26.5-37.2	37.1	34.6-39.7	39.0	36.1-41.8	31.3	26.0-36.7
Maryland												
1	72.5	69.8-75.2	73.1	70.2-76.0	68.6	61.3-75.8	72.0	70.1-74.0	73.9	71.8-76.1	63.3	58.2-68.4
3	51.0	47.9-54.1	52.7	49.3-56.1	43.0	35.2-50.8	50.9	48.4-53.5	52.9	50.1-55.8	42.2	36.1-48.2
5	39.3	36.2-42.4	40.8	37.4-44.3	31.6	24.2-38.9	37.8	34.7-40.9	41.4	37.9-45.0	21.3	15.0-27.6
North Carolina												
1	65.4	63.2-67.5	66.7	64.4-69.0	56.1	49.8-62.5	74.2	72.8-75.6	75.7	74.2-77.2	64.3	60.1-68.4

SUPPORTING TABLE 2. Continued

Years	2001-2003						2004-2009						
	All Races		White		Black		All Races		White		Black		
	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	
(NPCR)	3	51.1	48.7-53.4	52.1	49.6-54.6	44.5	37.9-51.1	54.3	52.4-56.2	56.5	54.5-58.6	40.6	36.0-45.2
	5	39.3	37.0-41.6	40.3	37.8-42.7	33.1	26.8-39.5	43.5	41.0-45.9	45.3	42.6-48.0	30.8	25.8-35.8
South Carolina (NPCR)	1	75.2	72.4-78.0	78.9	75.9-81.8	57.3	50.2-64.4	76.5	74.5-78.6	79.3	77.1-81.4	63.3	58.1-68.4
	3	53.5	50.2-56.8	56.3	52.6-60.0	39.6	32.6-46.6	54.2	51.4-56.9	56.4	53.4-59.5	42.6	36.0-49.2
	5	40.6	37.3-43.9	42.5	38.8-46.2	31.8	25.0-38.6	41.7	38.2-45.2	43.6	39.7-47.4	27.4	19.7-35.2
West Virginia (NPCR)	1	66.8	62.9-70.7	66.6	62.6-70.5	68.1	44.8-91.5	67.5	64.3-70.6	67.7	64.5-70.8	45.6	20.5-70.7
	3	45.2	41.0-49.5	45.3	41.0-49.6	36.6	11.5-61.6	49.1	45.2-53.0	49.1	45.2-53.1	30.7	7.5-54.0
	5	33.3	29.2-37.5	32.8	28.6-37.0	36.6	11.5-61.6	33.4	28.6-38.2	33.1	28.2-38.0	33.5	8.1-58.9
East South Central													
Alabama (NPCR)	1	71.4	68.6-74.1	74.1	71.2-77.1	57.3	50.2-64.4	70.1	68.1-72.0	72.1	69.9-74.2	59.4	54.2-64.6
	3	49.2	46.1-52.4	51.9	48.5-55.4	35.0	28.1-41.9	49.0	46.5-51.5	50.6	47.8-53.4	40.3	34.4-46.2
	5	37.9	34.7-41.1	40.2	36.6-43.8	24.5	18.1-30.9	36.2	32.9-39.4	37.3	33.7-41.0	27.3	21.3-33.4
Kentucky (NPCR/SEER)	1	70.3	67.4-73.2	70.6	67.7-73.6	69.3	55.4-83.2	72.3	70.3-74.4	72.0	69.9-74.1	78.1	67.5-88.8
	3	48.0	44.6-51.3	48.1	44.6-51.5	50.3	34.7-65.8	50.8	48.1-53.6	51.0	48.2-53.8	41.1	28.3-53.8
	5	37.4	34.1-40.7	37.7	34.3-41.1	34.7	19.7-49.6	36.4	32.8-39.9	36.8	33.1-40.5	16.5	10.1-22.9
Mississippi (NPCR)	1	78.9	72.7-85.2	83.9	77.4-90.4	69.0	56.0-82.0	71.2	68.4-74.0	76.9	73.9-79.9	51.5	45.4-57.5
	3	50.7	43.1-58.4	55.8	46.8-64.7	45.6	31.4-59.8	49.3	45.6-52.9	54.8	50.6-59.1	29.2	23.2-35.1
	5	35.9	28.5-43.2	38.1	29.3-46.9	37.2	23.3-51.1	40.3	35.6-45.0	44.4	38.8-49.9	23.5	18.4-28.6
Tennessee (NPCR)	1	71.2	66.8-75.7	74.0	69.4-78.6	54.1	39.5-68.8	72.1	70.3-73.9	73.1	71.2-75.0	61.9	55.6-68.2
	3	48.6	43.6-53.7	49.5	44.0-54.9	44.3	29.4-59.2	53.1	50.7-55.5	54.1	51.5-56.6	44.2	36.8-51.7
	5	37.2	32.2-42.2	37.9	32.5-43.3	33.5	19.2-47.8	40.5	37.3-43.7	41.4	38.1-44.8	30.6	22.0-39.2
West South Central													
Louisiana (NPCR/SEER)	1	67.6	64.5-70.6	70.8	67.4-74.1	55.4	48.8-61.9	69.0	66.8-71.3	71.6	69.0-74.1	58.9	53.6-64.2
	3	46.1	42.8-49.4	48.3	44.6-52.1	37.1	30.3-43.8	46.4	43.5-49.4	50.0	46.7-53.3	33.1	26.8-39.4
	5	34.9	31.6-38.2	37.4	33.7-41.1	24.8	18.5-31.2	35.5	31.8-39.1	38.5	34.3-42.7	16.8	11.7-21.8
Oklahoma (NPCR)	1	71.2	68.3-74.2	71.2	68.0-74.3	74.3	61.0-87.6	72.9	70.6-75.1	73.5	71.2-75.9	63.3	51.9-74.6
	3	51.4	48.0-54.9	51.6	48.0-55.2	47.1	31.6-62.6	55.7	52.7-58.6	57.0	53.9-60.1	40.3	28.8-51.8
	5	40.4	37.0-43.9	40.1	36.4-43.8	37.5	22.0-53.1	41.3	37.3-45.2	42.5	38.2-46.7	37.8	27.0-48.5
Texas (NPCR)	1	73.4	71.9-74.9	74.7	73.1-76.2	57.9	52.5-63.4	74.0	73.0-75.1	74.7	73.6-75.8	63.7	59.7-67.8
	3	51.0	49.3-52.7	52.4	50.6-54.2	35.1	29.9-40.2	53.1	51.7-54.5	53.9	52.4-55.4	39.3	34.6-44.0
	5	39.5	37.8-41.3	40.8	38.9-42.6	24.4	19.5-29.2	39.8	38.0-41.6	40.7	38.8-42.7	25.5	20.5-30.5
MIDWEST													
East North Central													
Michigan (NPCR)	1	70.7	68.9-72.6	72.1	70.2-74.0	52.8	45.8-59.9	70.8	69.5-72.2	71.7	70.3-73.1	61.0	56.1-65.8
	3	50.3	48.2-52.4	51.1	48.9-53.3	35.5	29.0-42.1	50.8	49.1-52.6	51.6	49.7-53.4	41.3	35.6-47.1
	5	38.1	36.1-40.2	38.6	36.4-40.8	27.9	21.5-34.3	39.7	37.9-41.9	40.3	37.9-42.6	32.2	25.6-38.8
Ohio (NPCR)	1	71.9	70.2-73.7	72.4	70.6-74.2	64.1	57.3-70.9	74.4	73.2-75.7	75.0	73.7-76.2	67.0	62.0-72.1
	3	50.8	48.8-52.8	51.4	49.3-53.4	42.2	35.1-49.3	52.5	50.9-54.1	53.5	51.7-55.2	39.8	34.0-45.7
	5	39.2	37.2-41.2	39.7	37.6-41.8	30.1	23.2-36.9	39.5	37.4-41.6	40.0	37.7-42.2	31.2	24.8-37.5
Wisconsin (NPCR)	1	77.9	75.7-80.1	77.7	75.5-80.0	79.9	67.0-92.9	77.9	76.3-79.6	78.2	76.5-79.9	74.4	63.5-85.2
	3	55.4	52.6-58.1	55.5	52.7-58.3	49.6	33.3-65.9	54.1	51.8-56.4	54.6	52.3-57.0	49.1	35.7-62.5
	5	42.1	39.3-44.9	41.8	38.9-44.6	47.6	31.2-64.0	40.8	37.8-43.8	41.5	38.4-44.5	35.1	23.9-46.3
West North Central													
Iowa	1	73.1	70.2-76.0	73.4	70.5-76.3	-	-	71.4	69.1-73.6	71.4	69.2-73.7	62.7	36.3-89.0

SUPPORTING TABLE 2. Continued

Years		2001-2003						2004-2009					
		All Races		White		Black		All Races		White		Black	
		NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI
3	(SEER)	51.7	48.2-55.1	51.9	48.4-55.4	-	-	49.4	46.4-52.3	49.3	46.4-52.3	53.0	22.5-83.5
5		38.4	34.9-41.9	38.8	35.3-42.3	-	-	34.7	31.0-38.4	35.0	31.3-38.7	18.0	0.0-42.1
1	Nebraska (NPCR)	75.1	71.2-79.0	75.3	71.3-79.2	-	-	74.6	71.7-77.5	75.1	72.2-78.0	49.4	21.6-77.1
3		49.6	44.9-54.3	50.0	45.2-54.8	-	-	52.7	48.7-56.6	53.4	49.5-57.4	24.7	0.1-49.3
5		36.4	31.7-41.2	36.4	31.6-41.2	-	-	38.5	33.7-43.3	39.0	34.1-43.8	24.8	0.1-49.5
WEST													
Mountain													
1	Colorado (NPCR)	75.6	72.7-78.6	75.5	72.5-78.5	73.9	54.7-93.2	75.0	73.1-77.0	75.2	73.2-77.2	66.0	52.2-79.8
3		52.7	49.2-56.2	52.9	49.3-56.5	48.8	26.4-71.3	56.1	53.5-58.7	55.9	53.2-58.5	55.9	40.2-71.7
5		40.5	37.1-44.0	40.5	37.0-44.0	39.2	17.1-61.2	43.5	40.0-46.9	43.4	39.9-46.9	50.0	31.5-68.5
1	Idaho (NPCR)	69.7	64.3-75.1	69.7	64.3-75.1	-	-	74.0	70.5-77.4	74.6	71.0-78.1	-	-
3		49.8	44.1-55.5	49.7	43.9-55.5	-	-	51.5	46.8-56.2	51.5	46.6-56.3	-	-
5		38.4	32.7-44.1	38.6	32.8-44.3	-	-	38.8	32.4-45.2	38.2	31.6-44.7	-	-
1	Montana (NPCR)	77.7	72.0-83.4	77.2	71.4-83.0	-	-	73.5	69.6-77.3	73.4	69.4-77.3	-	-
3		56.7	49.8-63.7	57.1	50.1-64.1	-	-	51.3	46.1-56.4	51.6	46.3-56.8	-	-
5		39.1	32.3-45.8	40.0	33.1-46.8	-	-	39.4	33.1-45.7	40.0	33.6-46.3	-	-
1	New Mexico (SEER)	71.3	66.9-75.8	72.1	67.5-76.6	-	-	71.0	67.8-74.2	70.7	67.4-74.1	75.9	52.3-99.5
3		52.5	47.5-57.4	52.4	47.2-57.6	-	-	50.7	46.5-54.8	50.9	46.5-55.2	43.5	14.3-72.7
5		40.0	35.0-45.0	40.2	34.9-45.5	-	-	42.3	36.9-47.8	41.2	35.4-47.0	50.3	16.6-84.1
1	Utah (SEER)	69.9	65.5-74.4	70.2	65.6-74.7	-	-	71.6	68.4-74.8	72.5	69.3-75.7	-	-
3		47.4	42.5-52.3	47.4	42.5-52.4	-	-	50.8	46.7-54.8	51.5	47.3-55.6	-	-
5		36.1	31.4-40.9	36.3	31.5-41.1	-	-	41.5	36.9-46.1	41.8	37.1-46.6	-	-
1	Wyoming (NPCR)	73.6	65.4-81.9	73.9	65.6-82.2	-	-	76.6	71.1-82.1	76.8	71.3-82.4	-	-
3		49.5	40.4-58.7	49.6	40.4-58.7	-	-	57.5	49.9-65.0	57.5	49.9-65.1	-	-
5		38.4	29.6-47.2	38.3	29.5-47.1	-	-	35.8	26.3-45.3	35.7	26.2-45.2	-	-
Pacific													
1	Alaska (NPCR)	85.7	76.9-94.5	86.7	77.3-96.2	-	-	68.9	61.6-76.2	71.8	63.5-80.0	-	-
3		55.0	42.9-67.1	52.4	39.5-65.2	-	-	54.2	46.0-62.5	60.5	50.6-70.4	-	-
5		34.9	25.2-44.7	29.3	20.2-38.4	-	-	45.1	35.2-54.9	51.4	40.2-62.5	-	-
1	California (NPCR/SEER)	72.0	70.9-73.0	72.7	71.7-73.8	58.7	53.0-64.5	72.2	71.4-72.9	72.6	71.8-73.4	60.4	56.5-64.2
3		50.7	49.5-51.9	51.1	49.8-52.3	34.3	29.0-39.7	52.0	51.0-53.0	52.2	51.1-53.2	39.8	35.3-44.2
5		39.6	38.4-40.8	39.7	38.5-41.0	24.8	20.0-29.6	40.5	39.2-41.8	40.6	39.3-42.0	29.8	24.8-34.8
1	Hawaii (SEER)	75.5	70.6-80.5	70.9	60.4-81.4	-	-	72.0	67.9-76.1	72.9	65.4-80.3	-	-
3		55.5	49.3-61.8	49.0	37.4-60.7	-	-	49.9	44.9-54.9	49.6	40.1-59.0	-	-
5		42.7	36.3-49.1	40.2	28.7-51.8	-	-	41.2	35.1-47.2	36.4	26.3-46.4	-	-
1	Oregon (NPCR)	75.0	72.3-77.7	75.1	72.3-77.8	-	-	73.2	71.2-75.2	73.2	71.1-75.2	68.7	44.0-93.5
3		52.4	49.2-55.7	51.7	48.4-55.1	-	-	52.0	49.2-54.7	51.5	48.7-54.3	60.9	34.4-87.4
5		39.7	36.4-43.0	39.2	35.9-42.6	-	-	40.5	37.0-44.0	39.7	36.2-43.3	41.6	9.5-73.8
1	Washington (NPCR)	75.7	73.6-77.8	76.4	74.3-78.6	52.8	36.3-69.3	74.3	72.7-76.0	74.5	72.8-76.2	64.8	49.5-80.1
3		52.6	50.1-55.1	53.0	50.4-55.6	29.7	14.4-45.1	53.1	51.0-55.2	52.7	50.5-54.9	53.9	37.1-70.7
5		40.8	38.2-43.3	40.5	37.8-43.2	27.4	12.3-42.5	41.2	38.4-44.0	40.3	37.4-43.2	48.3	29.3-67.4

Abbreviations: CI, confidence interval; NPCR, National Program of Cancer Registries; NS, net survival; SEER, Surveillance, Epidemiology, and End Results program.
^aUnstandardized estimates are italicized.

SUPPORTING TABLE 3. Ovarian Cancer: Five-Year Age-Standardized Net Survival (%) Among Females Ages 15 to 99 Years by Stage at Diagnosis, Race, Calendar Period, and US State (Grouped by US Census Region) Between 2001 and 2009

		2001-2003						2004-2009					
		All Races		White		Black		All Races		White		Black	
SEER Summary Stage 2000 ^a		NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI
UNITED STATES													
NORTHEAST													
New England													
Connecticut (SEER)													
All stages	39.6	39.1-40.0	40.1	39.6-40.6	29.6	28.1-31.1	41.0	40.5-41.5	41.7	41.2-42.2	31.1	29.5-32.7	
Localized	84.8	83.3-86.2	84.9	83.3-86.4	78.8	71.9-85.7	86.4	84.8-87.9	86.9	85.2-88.5	80.9	74.8-86.9	
Regional	53.9	52.8-55.1	54.7	53.5-55.9	38.6	34.3-42.9	60.9	59.7-62.2	61.6	60.3-62.9	45.3	40.7-49.9	
Distant	25.2	24.7-25.7	25.8	25.2-26.4	16.3	14.7-18.0	27.4	26.9-28.0	28.0	27.4-28.7	18.6	16.8-20.5	
Unknown	33.1	31.9-34.4	33.7	32.4-35.1	26.8	23.3-30.2	32.6	31.3-33.9	33.6	32.2-35.0	25.7	22.0-29.4	
Massachusetts (NPCR)													
All stages	40.2	36.8-43.6	40.5	37.0-43.9	42.9	26.2-59.7	43.4	39.9-46.8	43.1	39.5-46.8	41.7	32.1-51.2	
Localized	84.5	74.3-94.8	84.0	73.5-94.4	-	-	84.5	74.6-94.4	83.4	73.2-93.6	100.0	100.0-100.0	
Regional	68.7	59.4-77.9	69.1	59.6-78.6	23.9	6.7-41.0	27.3	23.2-31.4	27.3	23.1-31.6	28.3	18.8-37.7	
Distant	24.3	20.7-28.0	24.4	20.7-28.2	19.6	7.6-31.6	21.6	9.1-34.1	23.6	10.1-37.0	-	-	
Unknown	40.1	37.7-42.5	39.9	37.5-42.4	34.7	20.2-49.1	43.5	40.9-46.0	43.0	40.4-45.6	41.7	29.4-54.0	
New Hampshire (NPCR)													
All stages	56.4	50.4-62.5	55.9	49.8-62.1	27.1	11.1-43.0	28.7	25.5-31.9	28.2	24.9-31.4	20.4	0.0-42.3	
Localized	27.3	24.6-30.1	27.1	24.2-29.9	27.1	11.1-43.0	28.7	25.5-31.9	28.2	24.9-31.4	20.4	0.0-42.3	
Regional	16.1	8.5-23.8	15.6	7.9-23.3	-	-	8.1	1.7-14.6	7.4	1.3-13.5	-	-	
Distant	43.8	37.4-50.3	44.7	38.1-51.3	-	-	40.2	34.3-46.2	40.9	34.7-47.0	-	-	
Unknown	87.6	75.5-99.6	87.6	75.5-99.6	-	-	86.5	71.7-100.0	90.6	75.9-100.0	-	-	
Rhode Island (NPCR)													
All stages	16.9	16.5-32.3	24.9	16.7-33.1	-	-	24.2	18.4-30.0	23.5	17.7-29.3	-	-	
Localized	42.5	35.5-49.5	42.2	35.0-49.3	-	-	50.0	43.9-56.0	49.5	43.2-55.8	74.1	46.3-100.0	
Regional	86.8	75.2-98.5	85.8	73.4-98.1	-	-	25.2	9.9-40.5	35.1	16.0-54.2	-	-	
Distant	45.5	28.5-62.6	46.8	29.4-64.2	-	-	-	-	-	-	-	-	
Unknown	25.8	17.8-33.7	25.6	17.5-33.7	-	-	-	-	-	-	-	-	
Mid Atlantic													
New Jersey (NPCR/SEER)													
All stages	39.2	37.2-41.3	39.9	37.7-42.0	28.9	23.0-34.8	39.4	37.0-41.8	40.4	37.9-42.9	26.6	20.5-32.7	
Localized	84.3	77.9-90.7	83.9	77.4-90.5	95.8	86.5-100.0	85.9	78.8-93.1	86.6	79.2-94.0	62.4	49.3-75.5	
Regional	56.0	50.6-61.3	56.9	51.2-62.6	49.3	30.9-67.7	60.5	54.4-66.5	61.7	55.3-68.1	47.1	31.2-63.0	
Distant	23.9	21.6-26.2	24.6	22.2-27.1	13.4	7.9-18.9	24.7	21.9-27.5	25.7	22.8-28.7	12.1	6.3-17.9	
Unknown	35.5	29.1-41.8	36.2	29.2-43.1	24.1	6.2-42.1	32.9	25.7-40.0	35.1	27.0-43.2	30.9	16.6-45.2	
New York (NPCR)													
All stages	39.7	38.2-41.1	40.3	38.8-41.9	31.5	27.4-35.5	43.0	41.4-44.6	43.8	42.1-45.5	34.8	30.3-39.4	
Localized	81.7	77.1-86.4	82.0	77.0-87.0	75.5	61.9-89.1	88.5	83.9-93.1	88.8	83.8-93.9	84.5	72.8-96.1	
Regional	49.8	46.4-53.2	51.4	47.7-55.1	36.4	27.0-45.8	59.4	55.4-63.4	60.3	56.0-64.5	45.4	33.7-57.1	
Distant	26.8	25.0-28.6	27.4	25.4-29.3	21.9	16.8-27.0	28.5	26.6-30.5	29.6	27.5-31.7	18.8	14.0-23.7	
Unknown	26.7	23.3-30.1	26.1	22.4-29.9	23.2	17.0-29.3	39.4	34.4-44.3	37.4	32.1-42.7	49.4	36.2-62.6	
Pennsylvania (NPCR)													
All stages	39.8	38.2-41.5	40.1	38.3-41.8	27.3	21.4-33.3	40.2	38.4-42.0	40.4	38.5-42.2	38.1	30.9-45.3	
Localized	86.6	81.4-91.9	85.7	80.2-91.1	88.3	76.2-100.0	84.6	76.7-92.4	84.0	76.0-92.0	97.3	89.1-100.0	
Regional	52.8	48.7-56.9	53.3	49.1-57.6	42.0	25.2-58.8	62.1	57.6-66.5	62.8	58.4-67.2	42.3	23.7-60.8	

SUPPORTING TABLE 3. Continued

SEER Summary Stage 2000 ^a	2001-2003						2004-2009					
	All Races		White		Black		All Races		White		Black	
	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI
Distant	23.4	21.5-25.4	23.4	21.4-25.5	16.0	9.8-22.2	26.0	23.9-28.1	25.9	23.7-28.0	26.6	20.5-36.6
Unknown	31.7	26.1-37.3	33.4	27.4-39.4	14.6	0.0-29.4	32.0	25.8-38.3	33.5	26.8-40.3	19.5	2.4-36.6
SOUTH												
South Atlantic												
Delaware (NPCR)	45.4	37.8-53.0	46.8	38.7-54.9	46.5	27.3-65.6	44.3	37.0-51.6	47.0	39.1-54.9	23.0	2.8-43.3
Localized	92.4	78.6-100.0	91.0	75.5-100.0	-	-	90.2	75.8-100.0	88.5	72.5-100.0	-	-
Regional	64.4	48.8-79.9	62.4	45.4-79.4	-	-	65.6	49.9-81.4	66.4	50.4-82.5	-	-
Distant	26.1	17.6-34.6	27.0	17.7-36.3	22.0	1.9-42.1	30.9	23.2-38.5	34.7	26.2-43.3	8.4	0.0-20.1
Unknown	40.5	19.0-62.0	41.4	18.1-64.7	-	-	32.4	7.7-57.1	28.1	3.3-52.9	-	-
All stages	40.9	39.4-42.4	41.7	40.1-43.3	29.6	24.6-34.7	47.3	45.8-48.9	47.8	46.2-49.4	39.6	34.4-44.8
Localized	84.7	80.2-89.1	84.1	79.5-88.6	94.0	85.7-100.0	89.0	84.7-93.3	88.8	84.3-93.2	95.2	85.5-100.0
Regional	56.2	52.0-60.4	57.0	52.7-61.4	46.9	35.8-58.1	65.5	61.7-69.3	66.1	62.0-70.1	52.5	40.4-64.6
Distant	27.2	25.5-29.0	28.1	26.3-29.9	16.4	11.5-21.3	34.4	32.5-36.4	34.7	32.6-36.7	28.9	23.0-34.8
Unknown	39.6	35.0-44.2	41.8	36.9-46.7	19.3	8.9-29.7	47.0	42.3-51.6	48.4	43.4-53.4	36.5	25.2-47.7
All stages	39.2	36.7-41.7	40.8	38.0-43.5	31.9	26.5-37.2	37.1	34.6-39.7	39.0	36.1-41.8	31.3	26.0-36.7
Localized	83.6	75.0-92.1	81.6	72.9-90.4	88.9	77.3-100.0	84.6	75.8-93.5	84.7	73.5-96.0	74.4	59.5-89.3
Regional	62.5	56.1-69.0	63.0	55.9-70.1	60.5	46.5-74.6	53.5	46.9-60.1	54.5	47.0-61.9	45.3	33.9-56.7
Distant	24.4	21.7-27.1	27.1	23.9-30.3	13.1	8.8-17.4	24.3	21.3-27.2	26.9	23.5-30.3	16.0	10.6-21.4
Unknown	27.8	20.7-34.8	27.6	19.6-35.5	29.2	12.6-45.9	22.1	14.9-29.4	21.9	14.2-29.6	30.8	14.5-47.0
All stages	39.3	36.2-42.4	40.8	37.4-44.3	31.6	24.2-38.9	37.8	34.7-40.9	41.4	37.9-45.0	21.3	15.0-27.6
Localized	-	-	-	-	-	-	-	-	-	-	-	-
Regional	-	-	-	-	-	-	-	-	-	-	-	-
Distant	-	-	-	-	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-	-
All stages	39.3	37.0-41.6	40.3	37.8-42.7	33.1	26.8-39.5	43.5	41.0-45.9	45.3	42.6-48.0	30.8	25.8-35.8
Localized	73.3	66.5-80.1	73.4	66.1-80.7	76.1	61.9-90.2	81.8	74.5-89.1	83.7	76.1-91.2	70.3	54.3-86.3
Regional	47.4	42.0-52.8	47.8	42.2-53.3	46.5	30.8-62.3	64.4	58.6-70.2	65.6	59.2-72.1	50.0	38.0-62.0
Distant	22.6	19.9-25.4	24.4	21.3-27.4	11.8	6.5-17.1	30.9	27.9-33.9	33.1	29.8-36.5	18.9	13.1-24.7
Unknown	42.2	34.5-49.9	43.8	35.3-52.3	32.0	11.8-52.3	26.3	18.6-34.1	27.7	19.3-36.1	18.9	4.3-33.5
All stages	40.6	37.3-43.9	42.5	38.8-46.2	31.8	25.0-38.6	41.7	38.2-45.2	43.6	39.7-47.4	27.4	19.7-35.2
Localized	81.7	72.1-91.4	84.6	74.8-94.3	74.3	57.4-91.1	82.4	72.7-92.1	84.3	73.8-94.8	86.2	73.4-99.0
Regional	49.6	41.9-57.4	52.1	43.9-60.4	29.8	11.8-47.7	62.8	54.2-71.4	62.6	53.3-71.8	67.9	49.0-86.7
Distant	26.5	22.4-30.5	27.3	22.7-31.8	23.6	15.7-31.6	29.5	25.3-33.7	32.0	27.5-36.5	15.5	8.7-22.2
Unknown	31.7	23.3-40.0	31.8	20.4-43.2	34.2	16.8-51.5	19.4	12.1-26.7	21.2	13.2-29.3	20.5	6.0-35.0
All stages	33.3	29.2-37.5	32.8	28.6-37.0	36.6	11.5-61.6	33.4	28.6-38.2	33.1	28.2-38.0	33.5	8.1-58.9
Localized	75.4	63.6-87.3	72.5	60.3-84.6	-	-	81.8	68.7-95.0	82.2	68.5-95.9	-	-
Regional	38.2	29.3-47.1	39.0	30.1-48.0	-	-	44.4	34.4-54.4	43.9	33.8-54.1	-	-
Distant	18.9	13.9-23.9	18.0	13.0-22.9	-	-	21.5	15.6-27.3	21.5	15.6-27.4	-	-
Unknown	16.8	7.7-25.9	17.7	8.1-27.3	-	-	18.7	10.0-27.4	18.0	9.7-26.4	-	-
All stages	37.9	34.7-41.1	40.2	36.6-43.8	24.5	18.1-30.9	36.2	32.9-39.4	37.3	33.7-41.0	27.3	21.3-33.4
Localized	68.3	59.1-77.4	71.9	61.2-82.5	66.1	45.5-86.8	74.5	63.3-85.7	72.2	60.0-84.3	76.3	57.9-94.8
Regional	48.1	40.6-55.6	50.0	41.8-58.1	35.7	18.1-53.2	59.2	51.3-67.1	57.1	48.3-65.9	63.0	47.7-78.3
Unknown	-	-	-	-	-	-	-	-	-	-	-	-

SUPPORTING TABLE 3. Continued

SEER Summary Stage 2000 ^a	2001-2003						2004-2009					
	All Races		White		Black		All Races		White		Black	
	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI
Distant	24.1	20.3-27.9	25.6	21.4-29.8	15.5	8.4-22.6	22.9	19.3-26.6	25.1	21.0-29.3	11.8	7.4-16.2
Unknown	26.2	15.7-36.7	28.6	15.3-41.9	15.7	1.0-30.5	27.1	18.2-36.0	20.5	7.5-33.5	28.7	9.9-47.6
All stages	37.4	34.1-40.7	37.7	34.3-41.1	34.7	19.7-49.6	36.4	32.8-39.9	36.8	33.1-40.5	16.5	10.1-22.9
Localized	77.9	64.8-91.0	77.4	64.2-90.6	-	-	75.1	63.4-86.8	75.2	63.5-86.9	81.2	57.3-100.0
Regional	53.2	45.0-61.4	53.0	44.6-61.4	-	-	61.1	51.8-70.4	61.5	52.0-71.0	48.8	7.3-90.2
Distant	24.3	20.5-28.1	24.6	20.7-28.6	17.2	2.5-31.9	19.6	15.6-23.6	20.0	15.8-24.2	6.5	0.0-16.0
Unknown	28.1	18.4-37.8	27.9	17.7-38.0	-	-	32.2	23.6-40.8	33.2	24.3-42.1	-	-
All stages	35.9	28.5-43.2	38.1	29.3-46.9	37.2	23.3-51.1	40.3	35.6-45.0	44.4	38.8-49.9	23.5	18.4-28.6
Localized	76.9	57.0-96.9	74.2	48.3-100.0	80.9	57.1-100.0	70.1	53.8-86.4	68.5	50.1-86.8	87.9	73.1-100.0
Regional	56.3	36.5-76.1	56.2	32.0-80.3	-	-	54.2	44.5-64.0	60.2	49.4-71.1	44.2	27.4-61.7
Distant	20.1	13.3-27.0	20.7	10.5-30.9	16.7	2.3-31.2	28.4	22.7-34.1	33.3	26.3-40.3	13.2	7.5-18.8
Unknown	45.1	26.3-64.0	50.2	28.2-72.1	-	-	47.7	35.8-59.5	44.1	27.9-60.2	44.2	21.0-67.3
All stages	37.2	32.2-42.2	37.9	32.5-43.3	33.5	19.2-47.8	40.5	37.3-43.7	41.4	38.1-44.8	30.6	22.0-39.2
Localized	77.9	66.2-89.5	76.4	64.4-88.4	-	-	75.3	64.5-86.1	77.0	65.9-88.0	67.4	46.5-88.3
Regional	38.3	29.6-47.1	41.5	31.9-51.1	9.8	0.0-24.5	59.8	52.7-66.9	61.7	54.5-68.8	52.0	31.6-72.4
Distant	21.8	15.8-27.8	22.1	15.7-28.4	21.5	4.1-38.8	24.7	20.8-28.6	24.8	20.7-29.0	20.8	14.0-27.6
Unknown	37.2	19.9-54.4	34.0	15.6-52.5	-	-	27.4	17.7-37.1	29.2	19.6-38.8	37.6	0.0-76.6
West South Central												
Louisiana	34.9	31.6-38.2	37.4	33.7-41.1	24.8	18.5-31.2	35.5	31.8-39.1	38.5	34.3-42.7	16.8	11.7-21.8
Localized	78.6	68.5-88.7	81.0	69.5-92.4	78.4	59.4-97.5	82.9	72.4-93.3	89.3	79.6-99.0	69.7	48.6-90.7
Regional	52.1	42.3-61.9	57.1	46.2-68.1	39.2	19.1-59.4	48.4	39.7-57.2	53.0	43.4-62.6	22.7	9.4-35.9
Distant	22.7	19.2-26.3	25.5	21.1-29.8	11.5	6.6-16.3	23.0	18.8-27.1	25.6	20.8-30.4	16.7	10.1-23.2
Unknown	23.2	11.7-34.7	13.5	4.2-22.8	44.5	16.3-72.7	26.7	19.7-33.8	24.2	17.2-31.2	28.1	8.6-47.5
All stages	40.4	37.0-43.9	40.1	36.4-43.8	37.5	22.0-53.1	41.3	37.3-45.2	42.5	38.2-46.7	37.8	27.0-48.5
Localized	81.4	70.8-92.0	79.7	67.6-91.9	-	-	89.3	78.9-99.6	88.8	78.2-99.4	-	-
Regional	48.9	42.0-55.7	49.6	42.4-56.8	28.9	3.0-54.9	51.8	42.4-61.2	54.5	44.3-64.7	41.0	7.4-74.6
Distant	26.5	22.2-30.9	26.7	22.1-31.4	29.1	10.0-48.1	27.6	23.1-32.2	28.1	23.3-33.0	30.9	11.4-50.4
Unknown	28.3	18.9-37.8	27.8	17.8-37.8	-	-	37.8	28.6-47.0	38.1	28.7-47.5	-	-
All stages	39.5	37.8-41.3	40.8	38.9-42.6	24.4	19.5-29.2	39.8	38.0-41.6	40.7	38.8-42.7	25.5	20.5-30.5
Localized	88.7	82.7-94.7	89.2	83.4-95.1	78.0	59.1-96.9	88.4	82.1-94.6	90.1	83.9-96.3	86.2	73.4-99.0
Regional	44.9	40.4-49.3	46.6	41.9-51.3	28.7	15.2-42.2	57.9	52.4-63.4	60.1	54.3-66.0	34.0	21.7-46.3
Distant	23.5	21.5-25.4	24.7	22.6-26.8	10.5	6.4-14.7	26.7	24.5-28.8	27.4	25.1-29.6	16.0	10.9-21.1
Unknown	48.3	43.5-53.0	50.0	44.8-55.2	37.4	27.4-47.4	38.6	33.6-43.7	39.3	34.1-44.5	18.6	12.5-24.7
MIDWEST												
East North Central												
Michigan	38.1	36.1-40.2	38.6	36.4-40.8	27.9	21.5-34.3	39.7	37.5-41.9	40.3	37.9-42.6	32.2	25.6-38.8
Localized	85.8	79.3-92.3	86.9	80.1-93.6	81.6	67.6-95.6	92.4	85.9-98.9	92.8	85.9-99.8	93.6	83.8-100.0
Regional	50.1	45.0-55.1	51.5	46.2-56.8	36.8	19.1-54.4	51.0	45.9-56.1	51.8	46.7-56.9	43.9	30.1-57.7
Distant	23.4	21.0-25.8	23.8	21.2-26.4	14.3	8.6-19.9	27.8	24.5-31.2	28.5	25.0-32.0	20.4	12.7-28.1
Unknown	30.4	24.9-35.9	28.7	23.1-34.3	28.0	8.7-47.3	28.6	24.8-32.5	29.5	25.3-32.7	25.2	15.8-34.6
All stages	39.2	37.2-41.2	39.7	37.6-41.8	30.1	23.2-36.9	39.5	37.4-41.6	40.0	37.7-42.2	31.2	24.8-37.5
Localized	86.9	80.8-93.0	87.2	81.0-93.4	78.9	62.5-95.3	91.1	84.5-97.7	90.6	83.5-97.7	90.0	78.5-100.0
Regional	47.3	43.0-51.6	47.8	43.3-52.4	39.5	24.6-54.4	65.0	59.3-70.7	66.0	60.0-72.0	43.7	29.3-58.0

SUPPORTING TABLE 3. Continued

SEER Summary Stage 2000 ^a	2001-2003						2004-2009					
	All Races		White		Black		All Races		White		Black	
	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI
Wisconsin (NPCR)	21.6	19.1-24.2	21.7	19.0-24.3	20.7	12.1-29.2	26.5	23.8-29.1	26.9	24.1-29.6	23.8	16.0-31.6
Unknown	25.3	20.8-29.7	25.6	20.9-30.3	20.7	7.6-33.7	10.2	6.7-13.7	9.8	5.9-13.7	11.8	0.6-23.0
All stages	42.1	39.3-44.9	41.8	38.9-44.6	47.6	31.2-64.0	40.8	37.8-43.8	41.5	38.4-44.5	35.1	23.9-46.3
Localized	-	-	-	-	-	-	-	-	-	-	-	-
Regional	-	-	-	-	-	-	-	-	-	-	-	-
Distant	-	-	-	-	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-	-
West North Central												
Iowa (SEER)	38.4	34.9-41.9	38.8	35.3-42.3	39.2	17.1-61.2	34.7	31.0-38.4	35.0	31.3-38.7	18.0	0.0-42.1
Localized	82.1	71.1-93.0	81.9	70.8-93.0	-	-	83.4	75.1-91.7	83.8	75.4-92.2	-	-
Regional	64.4	55.0-73.9	64.7	55.2-74.1	-	-	58.8	49.1-68.4	58.8	49.1-68.4	-	-
Distant	23.8	19.9-27.7	24.3	20.4-28.2	-	-	18.4	14.6-22.2	18.4	14.4-22.3	0.0	0.0-0.2
Unknown	9.0	1.6-16.5	9.1	1.6-16.7	-	-	13.5	4.2-22.7	13.5	4.2-22.7	-	-
All stages	36.4	31.7-41.2	36.4	31.6-41.2	-	-	38.5	33.7-43.3	39.0	34.1-43.8	24.8	0.1-49.5
Localized	83.2	70.0-96.5	84.4	71.3-97.6	-	-	91.3	78.9-100.0	91.3	78.9-100.0	-	-
Regional	53.5	41.8-65.2	53.9	42.0-65.8	-	-	60.3	47.9-72.7	60.6	48.2-73.0	-	-
Distant	21.4	16.3-26.4	21.2	16.2-26.3	-	-	24.4	19.0-29.8	24.9	19.4-30.4	19.0	0.0-43.7
Unknown	18.1	7.6-28.6	15.6	5.3-25.9	-	-	19.3	6.6-32.0	17.4	4.4-30.5	-	-
WEST												
Mountain												
Colorado (NPCR)	40.5	37.1-44.0	40.5	37.0-44.0	39.2	17.1-61.2	43.5	40.0-46.9	43.4	39.9-46.9	50.0	31.5-68.5
Localized	91.0	82.4-99.6	91.4	82.8-100.0	-	-	87.7	76.8-98.6	86.6	75.5-97.8	-	-
Regional	56.6	47.8-65.5	56.5	47.3-65.7	-	-	67.4	59.1-75.8	66.5	58.0-75.1	-	-
Distant	26.1	22.2-30.0	26.3	22.3-30.2	-	-	28.3	24.1-32.4	28.4	24.2-32.6	35.0	12.3-57.8
Unknown	24.6	15.2-34.0	20.5	10.4-30.6	-	-	39.7	30.4-48.9	38.7	29.3-48.0	-	-
All stages	38.4	32.7-44.1	38.6	32.8-44.3	-	-	38.8	32.4-45.2	38.2	31.6-44.7	-	-
Localized	91.9	78.4-100.0	91.6	77.7-100.0	-	-	89.1	73.6-100.0	89.1	73.6-100.0	-	-
Regional	72.8	59.1-86.6	72.8	59.1-86.6	-	-	53.4	40.0-66.9	54.4	40.7-68.2	-	-
Distant	23.5	17.3-29.7	23.8	17.4-30.1	-	-	23.3	15.6-30.9	23.4	15.7-31.0	-	-
Unknown	22.2	5.0-39.4	18.7	2.3-35.0	-	-	4.0	0.0-10.3	4.4	0.0-11.3	-	-
All stages	39.1	32.3-45.8	40.0	33.1-46.8	-	-	39.4	33.1-45.7	40.0	33.6-46.3	-	-
Localized	82.1	67.4-96.8	86.2	71.7-100.0	-	-	94.1	82.5-100.0	94.0	82.4-100.0	-	-
Regional	56.7	41.2-72.2	56.0	40.0-72.0	-	-	50.6	33.7-67.5	50.4	33.4-67.3	-	-
Distant	24.7	17.1-32.2	25.3	17.6-33.0	-	-	28.8	21.3-36.2	30.2	22.9-37.6	-	-
Unknown	24.1	4.3-43.9	24.1	4.3-43.9	-	-	23.5	7.8-39.2	23.1	7.6-38.6	-	-
All stages	40.0	35.0-45.0	40.2	34.9-45.5	-	-	42.3	36.9-47.8	41.2	35.4-47.0	50.3	16.6-84.1
Localized	83.3	71.2-95.3	80.9	67.7-94.2	-	-	71.3	60.3-82.3	67.3	55.6-79.0	-	-
Regional	58.4	46.0-70.8	56.4	43.6-69.1	-	-	60.0	44.2-76.6	65.4	54.1-76.6	-	-
Distant	26.8	21.5-32.1	27.6	21.9-33.2	-	-	30.4	24.2-36.5	30.9	24.3-37.4	-	-
Unknown	37.6	20.7-54.5	40.5	22.6-58.5	-	-	27.7	11.8-43.5	23.3	7.1-39.4	-	-
All stages	36.1	31.4-40.9	36.3	31.5-41.1	-	-	41.5	36.9-46.1	41.8	37.1-46.6	-	-
Localized	69.6	57.9-81.3	69.6	57.9-81.3	-	-	85.2	72.8-97.6	85.6	73.3-98.0	-	-
Regional	67.4	53.9-80.8	67.1	53.5-80.6	-	-	63.2	49.1-77.3	63.2	49.1-77.3	-	-

SUPPORTING TABLE 3. Continued

SEER Summary Stage 2000 ^a	2001-2003						2004-2009					
	All Races		White		Black		All Races		White		Black	
	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI
Distant	22.5	17.6-27.5	22.7	17.7-27.8	-	-	28.4	22.9-33.9	28.1	22.5-33.7	-	-
Unknown	8.5	0.0-21.8	8.5	0.0-21.8	-	-	10.1	0.0-22.2	11.9	0.0-26.1	-	-
All stages	38.4	29.6-47.2	38.3	29.5-47.1	-	-	35.8	26.3-45.3	35.7	26.2-45.2	-	-
Localized	89.4	74.4-100.0	89.4	74.4-100.0	-	-	90.0	77.3-100.0	89.8	76.6-100.0	-	-
Regional	71.0	50.1-91.9	71.0	50.1-91.9	-	-	65.2	44.1-86.3	65.2	44.1-86.3	-	-
Distant	19.8	9.7-29.8	18.7	8.8-28.7	-	-	19.1	10.3-28.0	19.1	10.3-28.0	-	-
Unknown	44.0	16.5-71.4	44.0	16.5-71.4	-	-	13.6	0.0-32.3	13.6	0.0-32.3	-	-
Pacific												
Alaska (NPCR)	34.9	25.2-44.7	29.3	20.2-38.4	-	-	45.1	35.2-54.9	51.4	40.2-62.5	-	-
Localized	81.7	61.5-100.0	77.0	53.9-100.0	-	-	87.8	63.5-100.0	100.0	91.9-100.0	-	-
Regional	35.4	11.9-58.9	39.9	14.1-65.6	-	-	73.9	56.5-91.4	69.4	48.6-90.1	-	-
Distant	29.4	16.8-42.0	29.5	15.5-43.5	-	-	32.4	23.6-41.1	37.6	26.9-48.3	-	-
Unknown	-	-	-	-	-	-	55.8	30.3-81.4	64.1	34.6-93.5	-	-
All stages	39.6	38.4-40.8	39.7	38.5-41.0	24.8	20.0-29.6	40.5	39.2-41.8	40.6	39.3-42.0	29.8	24.8-34.8
Localized	89.9	85.6-94.1	90.4	85.8-95.0	83.4	70.4-96.5	81.5	76.9-86.0	82.3	77.5-87.0	75.1	56.0-94.3
Regional	63.7	60.3-67.1	64.8	61.1-68.5	55.6	38.9-72.2	67.6	64.0-71.1	68.4	64.5-72.2	44.9	31.3-58.5
Distant	26.9	25.6-28.2	27.4	26.0-28.8	16.8	11.8-21.7	27.2	25.7-28.7	27.6	26.0-29.2	18.9	13.5-24.4
Unknown	23.1	18.7-27.6	23.5	18.5-28.5	7.1	0.0-15.5	20.8	16.7-24.8	20.5	16.2-24.8	17.8	5.4-30.2
All stages	42.7	36.3-49.1	40.2	28.7-51.8	-	-	41.2	35.1-47.2	36.4	26.3-46.4	-	-
Localized	94.0	83.5-100.0	-	-	-	-	87.2	73.7-100.0	98.8	86.7-100.0	-	-
Regional	68.1	57.2-78.9	55.6	27.1-84.0	-	-	51.2	41.2-61.3	48.1	22.5-73.7	-	-
Distant	23.9	17.2-30.6	33.7	20.4-47.0	-	-	29.4	22.6-36.3	26.3	16.1-36.4	-	-
Unknown	9.4	0.0-23.4	-	-	-	-	11.3	0.0-26.6	-	-	-	-
All stages	39.7	36.4-43.0	39.2	35.9-42.6	-	-	40.5	37.0-44.0	39.7	36.2-43.3	41.6	9.5-73.8
Localized	82.6	72.8-92.4	82.2	72.4-92.1	-	-	91.6	81.0-100.0	87.8	76.8-98.7	-	-
Regional	55.7	47.6-63.8	55.6	47.3-63.8	-	-	62.3	52.8-71.7	61.5	52.0-70.9	-	-
Distant	26.3	22.5-30.1	25.7	21.8-29.5	-	-	27.0	22.9-31.0	27.1	22.9-31.3	26.0	0.0-55.6
Unknown	24.8	13.5-36.1	22.9	11.7-34.1	-	-	6.6	0.2-13.0	7.3	0.5-14.2	-	-
All stages	40.8	38.2-43.3	40.5	37.8-43.2	27.4	12.3-42.5	41.2	38.4-44.0	40.3	37.4-43.2	48.3	29.3-67.4
Localized	90.6	81.2-99.9	89.6	79.8-99.4	-	-	92.8	84.1-100.0	91.5	81.7-100.0	-	-
Regional	59.0	52.4-65.7	59.0	52.1-66.0	47.2	18.1-76.3	67.4	59.9-74.8	67.8	60.3-75.3	-	-
Distant	28.6	25.7-31.5	28.6	25.6-31.7	15.6	0.8-30.3	29.5	26.2-32.7	28.8	25.5-32.2	38.1	15.2-61.0
Unknown	17.1	7.7-26.4	17.5	7.6-27.5	-	-	21.3	13.3-29.2	20.4	12.8-28.1	-	-

Abbreviations: CI, confidence interval; NPCR, National Program of Cancer Registries; NS, net survival; SEER, Surveillance, Epidemiology, and End Results program.
^a Stage at diagnosis is the SEER Summary Stage 2000 (SS2000). Information on stage was not available for 2 states (Maryland and Wisconsin) or for Rhode Island for cases diagnosed between 2004 and 2009. Unstandardized estimates are italicized.