

August 1958

Issue No. 58

VD **STATISTICAL LETTER**



U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
Public Health Service

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
Public Health Service
Bureau of State Services – Communicable Disease Center
Venereal Disease Branch
Office of Statistics

LIMITED EDITION

This paper has been prepared for a special audience, and should not be listed in reading lists or periodicals as available on request.

C O N T E N T S

	Page
NOTE - Notes on Computation of City Morbidity Rates	1
MORBIDITY:	
Summary, Continental United States, By Race, Sex, and Disease	2
By State and Territory:	
By Disease and Reporting Source for January - March 1958	3
By Disease for January - March 1958	4
Rates per 100,000 population, By Disease for January - March 1958	5
By Cities:	
With Population over 200,000:	
By Disease for January - March 1958	6
Rates per 100,000 population, By Disease for January - March 1958	7
With Population 50,000 to 200,000:	
By Disease and Rates per 100,000 population for Calendar Year 1957	8-11
EPIDEMIOLOGICAL ACTIVITY FOR JANUARY - MARCH 1958:	
By State and Territory:	
Investigations and Percent of Suspects Examined:	
1 - Civilian	12
11 - Military	13
Contacts Obtained	14
By Regions:	
Contacts Named per Patient Interviewed	15
Percent of Contacts and Suspects Examined	16
Yield per 1,000 Persons Examined	17
DIAGNOSTIC OBSERVATIONS IN PUBLIC CLINICS:	
By State and Territory:	
January - March 1958	18

NOTES ON COMPUTATION OF CITY MORBIDITY RATES

In the past, the venereal disease rates for cities have been computed from 1950 census data. Because many of the cities have grown so much in the past 8 years, the rates calculated from 1950 data may in some instances be almost twice as large as they would be if computed from current population statistics. Therefore, starting with this issue of the "Statistical Letter", the populations used in computing rates for cities with populations of 50,000 to 200,000 in 1950 are current estimates made by "Sales Management Survey of Buying Power." These population estimates are copyrighted and cannot be reproduced but there is no restriction on reproduction of the rates.

For purposes of continuity of data, venereal disease rates for cities with populations of more than 200,000 will be computed from 1950 population statistics through Fiscal Year 1958, but beginning with cases reported in Fiscal Year 1959 (first quarter data to be published in February 1959) current population estimates by "Sales Management Survey of Buying Power" will be used.

VENEREAL DISEASE MORBIDITY SUMMARY CONTINENTAL UNITED STATES

January - March 1958

SOURCE OF REPORT	COLOR AND SEX		TOTAL SYPHILIS	SYPHILIS					GONORRHEA	OTHER VD			TOTAL OTHER VD
				Primary and Secondary	Early Latent	Late and Late Latent	Congenital	Not Stated		Chancroid	Granuloma Inguinale	Lympho- granuloma Venereum	
BY PRIVATE PHYSICIANS	White and Unknown	Male	3201	291	268	2421	95	126	3183	16	1	2	19
		Female	2936	93	369	2126	238	110	876	1		1	2
	Nonwhite	Male	2031	108	322	1477	50	74	3446	15		4	19
		Female	2562	139	527	1693	108	95	1104	4	1	3	8
	Total,		10730	631	1486	7717	491	405	8609	36	2	10	48
BY CLINICS, HOSPITALS, OR OTHER INSTITUTIONS	White and Unknown	Male	²¹⁹² 3500	²⁰⁵ 208	²⁹⁸ 516	²²⁰⁹ 2696	46	34	4268	65	3	8	76
		Female	1431	55	196	1085	80	15	2459	9		1	10
	Nonwhite	Male	5740	479	774	4214	203	70	25283	246	46	66	358
		Female	5162	301	880	3611	329	41	12584	62	27	18	107
	Total,		¹⁵¹²⁵ 15833	¹⁰⁴⁰ 1043	²¹⁴⁸ 2366	¹¹¹¹⁹ 11606	658	160	44594	382	76	93	551
TOTAL ALL SOURCES	White and Unknown	Male	⁵⁴⁹³ 6701	⁴⁹⁶ 499	⁵⁶⁶ 784	⁴⁶³⁰ 5117	141	160	7451	81	4	10	95
		Female	4367	148	565	3211	318	125	3335	10		2	12
	Nonwhite	Male	7771	587	1096	5691	253	144	28729	261	46	70	377
		Female	7724	440	1407	5304	437	136	13688	66	28	21	115
	Total.		²⁵⁸⁵⁵ 26563	¹⁶⁷¹ 1674	³⁶³⁴ 3852	¹⁸⁸³⁶ 19323	1149	565	53203	418	78	103	599

Source: Form PHS-688
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
7/16/58 LBH: gh

Corrected 1959

CASES OF SYPHILIS AND GONORRHEA REPORTED TO THE PUBLIC HEALTH SERVICE
BY STATE AND TERRITORIAL HEALTH DEPARTMENTS
AND
CASES REPORTED BY PRIVATE PHYSICIANS AS A PERCENTAGE OF TOTAL CASES
(Known Military Cases Excluded)

January - March 1958

States By Region	SYPHILIS																																			
	TOTAL SYPHILIS *						PRIMARY AND SECONDARY						EARLY LATENT						LATE AND LATE LATENT						CONGENITAL						GONORRHEA					
	Total All Sources	Private Physi- cians	Per- cent	Total All Sources	Private Physi- cians	Per- cent	Total All Sources	Private Physi- cians	Per- cent	Total All Sources	Private Physi- cians	Per- cent	Total All Sources	Private Physi- cians	Per- cent	Total All Sources	Private Physi- cians	Per- cent	Total All Sources	Private Physi- cians	Per- cent	Total All Sources	Private Physi- cians	Per- cent												
Connecticut	138	70	50.7	14	6	42.9	42	20	47.6	75	38	50.7	4	3	75.0	308	141	45.8																		
Maine	8	6	75.0	3	2	66.7	0	0		4	4	100.0	1	0		20	14	70.0																		
Massachusetts	509	299	58.7	67	39	58.2	63	42	66.7	339	192	56.6	40	26	65.0	343	79	23.0																		
New Hampshire	21	19	90.5	3	3	100.0	2	2	100.0	13	11	84.6	3	3	100.0	10	10	100.0																		
Rhode Island	91	54	59.3	1	1	100.0	8	5	62.5	59	37	62.7	3	3	100.0	37	23	62.7																		
Vermont	2	2	100.0	0	0		1	1	100.0	1	1	100.0	0	0		15	15	100.0																		
REGION I TOTAL	769	450	58.5	88	51	58.0	116	70	60.3	491	283	57.6	51	35	68.6	733	282	38.5																		
Delaware	157	64	40.8	5	2	40.0	32	13	40.6	103	41	39.8	7	4	57.1	87	24	27.6																		
New Jersey	1307	680	52.0	20	13	65.0	138	64	46.4	1107	580	52.4	42	23	54.8	1277	369	28.9																		
New York	3368	1208	35.9	242	109	45.0	369	105	28.5	2678	957	35.7	79	37	46.8	3361	623	18.5																		
Pennsylvania	569	142	25.0	35	7	20.0	101	29	28.7	413	103	24.9	19	3	15.8	1089	97	8.9																		
REGION II TOTAL	5401	2094	38.8	302	131	43.4	640	211	33.0	4301	1681	39.1	147	67	45.6	5814	1113	19.1																		
District of Columbia	265	63	23.8	32	4	12.5	50	5	10.0	175	51	29.1	8	3	37.5	2251	45	2.0																		
Kentucky	433	307	70.9	27	18	66.7	12	5	41.7	344	239	69.5	17	15	88.2	771	142	18.4																		
Maryland	552	62	11.2	50	12	24.0	88	11	12.5	376	33	8.8	24	4	16.7	1467	121	8.2																		
North Carolina	660	214	32.4	49	7	14.3	125	34	27.2	441	161	36.5	45	12	26.7	2647	214	8.1																		
Virginia	1039	508	48.9	35	12	34.3	132	71	53.8	785	372	47.4	41	16	39.0	1682	400	23.8																		
West Virginia	310	226	72.9	11	7	63.6	31	23	74.2	231	168	72.7	29	20	69.0	360	111	30.8																		
REGION III TOTAL	3259	1380	42.3	204	60	29.4	438	149	34.0	2352	1024	43.5	164	70	42.7	9178	1033	11.3																		
Alabama	301	139	46.2	48	16	33.3	106	37	34.9	125	76	60.8	14	7	50.0	751	165	22.0																		
Florida	577	277	48.0	45	11	24.4	112	67	59.8	388	191	49.2	32	8	25.0	2396	117	4.9																		
Georgia	984	529	53.8	159	36	22.6	265	141	53.2	434	264	60.8	40	14	35.0	2887	58	2.0																		
Mississippi	237	45	19.0	31	3	9.7	39	8	20.5	155	23	14.8	12	1	8.3	2066	118	5.7																		
South Carolina	1100	517	47.0	75	52	69.3	202	121	59.9	704	309	43.9	119	35	29.4	1078	137	12.7																		
Tennessee	376	163	43.4	32	10	31.3	54	11	20.4	267	135	50.6	23	7	30.4	2875	280	9.7																		
REGION IV TOTAL	3575	1670	46.7	390	128	32.8	778	385	49.5	2073	1008	48.6	240	72	30.0	12053	875	7.3																		
Illinois	1524	509	33.4	120	31	25.8	258	100	38.8	1064	364	34.2	82	14	17.1	4892	412	8.4																		
Indiana	305	232	76.1	23	13	56.5	22	19	86.4	240	182	75.8	20	18	90.0	565	107	18.9																		
Michigan	1119	595	53.2	20	14	70.0	188	106	56.4	690	346	50.1	39	16	41.0	1966	498	25.3																		
Ohio	1739	903	51.9	34	15	44.1	237	133	56.1	1393	705	50.6	75	50	66.7	1717	327	19.0																		
Wisconsin	228	215	94.3	19	18	94.7	27	22	81.5	135	128	94.8	10	10	100.0	251	55	21.9																		
REGION V TOTAL	4915	2454	49.9	216	91	42.1	732	380	51.9	3522	1725	49.0	226	108	47.8	9391	1399	14.9																		
Iowa	357	313	87.7	3	3	100.0	2	1	50.0	321	283	88.2	20	17	85.0	212	123	58.0																		
Kansas	331	251	75.8	4	3	75.0	21	14	66.7	289	222	76.8	17	12	70.6	420	111	26.4																		
Minnesota	44	31	70.5	5	5	100.0	7	5	71.4	30	20	66.7	2	1	50.0	243	112	46.1																		
Missouri	349	177	50.7	10	7	70.0	50	18	36.0	271	138	50.9	18	14	77.8	1491	164	11.0																		
Nebraska	63	40	63.5	0	0		3	1	33.3	35	34	97.1	5	5	100.0	190	117	61.6																		
North Dakota	15	15	100.0	1	1	100.0	2	2	100.0	11	11	100.0	0	0		26	26	100.0																		
South Dakota	46	19	41.3	2	0	0.0	6	2	33.3	35	16	45.7	3	1	33.3	106	21	19.8																		
REGION VI TOTAL	1205	846	70.2	25	19	76.0	91	43	47.3	1012	724	71.5	65	50	76.9	2688	674	25.1																		
Arkansas	700	240	34.3	61	30	49.2	68	33	48.5	550	171	31.1	21	6	28.6	1320	805	61.0																		
Louisiana	2070	6	0.3	15	0	0.0	135	2	1.5	1850	4	0.2	52	0	0.0	1225	32	2.6																		
New Mexico	436	191	43.8	21	6	28.6	66	26	39.4	332	148	44.6	15	9	60.0	372	201	54.0																		
Oklahoma	334	237	71.0	10	8	80.0	33	18	54.5	264	193	73.1	27	18	66.7	962	216	22.5																		
Texas	709	256	36.1	97	32	33.0	160	49	30.6	389	129	33.2	30	13	43.3	3371	781	23.2																		
REGION VII TOTAL	4249	930	21.9	204	76	37.3	462	128	27.7	3385	645	19.1	145	46	31.7	7250	2035	28.1																		
Colorado	85	55	64.7	12	8	66.7	14	7	50.0	54	36	66.7	5	4	80.0	222	40	18.0																		
Idaho	10	4	40.0	2	0	0.0	3	2	66.6	5	2	40.0	0	0		48	9	18.8																		
Montana	55	51	92.7	2	2	100.0	6	6	100.0	31	27	87.1	3	3	100.0	71	71	100.0																		
Utah	40	33	82.5	1	0	0.0	3	3	100.0	36	30	83.3	0	0		41	40	97.6																		
Wyoming	13	11	84.6	0	0		1	1	100.0	11	9	81.8	0	0		14	9	64.3																		
REGION VIII TOTAL	203	154	75.9	17	10	58.8	27	19	70.4	137	104	75.9	8	7	87.5	396	169	42.7																		
Arizona	172	57	33.1	27	13	48.1	23	9	39.1	118	32	27.1	4	3	75.0	503	195	38.8																		
California	2380	1672	70.3	42	22	52.4	380	76	20.0	2400	1600	66.7	75	13	17.3	4606	701	15.2																		
Nevada	43	41	95.3	2	2	100.0	7	6	85.7	31	30	96.8	3	3	100.0	40	13	32.5																		
Oregon	194	128	66.0	7	5	71.4	14	6	42.9	157	102	65.0	15	14	93.3	201	72	35.8																		
Washington	198	121	61.1	5	3	60.0	6	4	66.7	181	111	61.3	6	3	50.0	350	48	13.7																		
REGION IX TOTAL	2987	1752	58.7	228	65	28.5	760	101	13.2	2050	523	25.5	103	36	35.0	5700	1029	18.1																		
CONFIDENTIAL U. S.	25455	10730	42.2	1671	631	37.8	3634	1486	40.9	18836	7717	41.0	1149	491	42.7	5320																				

CASES OF VENEREAL DISEASE REPORTED TO THE PUBLIC HEALTH SERVICE
BY STATE AND TERRITORIAL HEALTH DEPARTMENTS
(Known Military Cases Excluded)

January - March 1958

States By HEW Regions	SYPHILIS					GONORRHEA	CHANCROID	GRANULOMA- INGUINALE	LYMPHO- GRANULOMA VENEREUM
	Total * Syphilis	Primary & Secondary	Early Latent	Late & Late Latent	Congenital				
Connecticut	138	14	42	75	4	308	0	0	0
Maine	8	3	0	4	1	20	0	0	0
Massachusetts	509	67	63	339	40	343	1	0	0
New Hampshire	21	3	2	13	3	10	0	0	0
Rhode Island	91	1	8	59	3	37	0	0	0
Vermont	2	0	1	1	0	15	0	0	0
REGION I TOTAL	769	88	116	491	51	733	1	0	0
Delaware	157	5	32	103	7	87	0	0	3
New Jersey	1307	20	138	1107	42	1277	5	3	1
New York	3368	242	369	2678	79	3361	26	6	11
Pennsylvania	569	35	101	413	19	1089	5	2	0
REGION II TOTAL	5401	302	640	4301	147	5814	36	11	15
District of Columbia	265	32	50	175	8	2251	7	3	18
Kentucky	433	27	12	344	17	771	1	0	1
Maryland	552	50	88	376	24	1467	3	1	4
North Carolina	660	49	125	441	45	2647	20	5	3
Virginia	1039	35	132	785	41	1682	6	0	0
West Virginia	310	11	31	231	29	360	2	0	0
REGION III TOTAL	3259	204	438	2352	164	9178	39	13	27
Alabama	301	48	106	125	14	751	9	3	3
Florida	577	45	112	388	32	2396	47	13	13
Georgia	984	159	265	434	40	2887	52	16	9
Mississippi	237	31	39	155	12	2066	31	1	2
South Carolina	1100	75	202	704	119	1078	8	5	3
Tennessee	376	32	54	267	23	2875	19	4	34
REGION IV TOTAL	3575	390	778	2073	240	12053	166	42	34
Illinois	1524	120	258	1064	82	4892	11	2	0
Indiana	305	23	22	240	20	565	2	0	0
Michigan	1119	20	188	690	39	1966	45	0	1
Ohio	1739	34	237	1393	75	1717	11	0	0
Wisconsin	228	19	27	135	10	251	0	0	1
REGION V TOTAL	4915	216	732	3522	226	9391	69	2	1
Iowa	357	3	2	321	20	212	1	0	0
Kansas	331	4	21	289	17	420	3	0	0
Minnesota	44	5	7	30	2	243	0	0	0
Missouri	349	10	50	271	18	1491	14	0	1
Nebraska	63	0	3	55	5	190	1	0	0
North Dakota	15	1	2	11	0	26	0	0	0
South Dakota	46	2	6	35	3	106	0	0	0
REGION VI TOTAL	1205	25	91	1012	65	2688	19	0	1
Arkansas	700	61	68	550	21	1320	4	3	1
Louisiana	2070	15	135	1850	52	1225	18	1	3
New Mexico	436	21	66	332	15	372	1	0	0
Oklahoma	334	10	33	264	27	962	4	0	5
Texas	709	97	160	389	30	3371	24	5	9
REGION VII TOTAL	4249	204	462	3385	145	7250	51	9	9
Colorado	85	12	14	54	5	222	4	0	0
Idaho	10	2	3	5	0	48	0	0	0
Montana	55	2	6	31	3	71	0	0	0
Utah	40	1	3	36	0	41	0	0	0
Wyoming	13	0	1	11	0	14	0	0	0
REGION VIII TOTAL	203	17	27	137	8	396	4	0	0
Arizona	172	27	23	118	4	503	4	0	2
California	2380 1672	107 184	518 300	1563 1076	75	4606	26	1	14
Nevada	43	2	7	31	3	40	0	0	0
Oregon	194	7	14	157	15	201	1	0	0
Washington	198	5	6	181	6	350	2	0	0
REGION IX TOTAL	2987 2279	228 225	568 350	2050 1563	103	5700	33	1	16
CONTINENTAL U. S.	26581 25855	1674 1671	3892 3634	19223 18836	1149	53203	418	78	103
Puerto Rico	317	11	67	220	19	768	3	0	0
Virgin Islands	46	0	23	23	0	47	0	0	0
Alaska	5	2	0	1	1	33	1	0	1
Hawaii	36	0	1	26	4	65	0	0	4
Canal Zone	11	1	0	8	0	100	3	0	5
TERRITORY TOTAL	415	14	91	278	24	1013	7	0	0
U. S. & TERRITORIES	26978 26270	1688 1685	3943 3725	19501 19114	1173	54216	425	78	108

* Includes cases with stage "not stated".

Source: Form PHS - 688
REV-PHS-BSS-CDC-VD Branch
Office of Statistics
7/14/58 LBH/MPS:gh

*Corrected
1959*

RATES OF VENEREAL DISEASE REPORTED TO THE PUBLIC HEALTH SERVICE
BY STATE AND TERRITORIAL HEALTH DEPARTMENTS
(Known Military Cases Excluded)
Rates per 100,000 Population

January - March 1958

States By Region	SYPHILIS					GONORRHEA	CHANCROID	GRANULOMA- INGUINALE	LYMPHO- GRANULOMA VENereum
	Total * Syphilis	Primary & Secondary	Early Latent	Late & Late Latent	Congenital				
Connecticut	24.64	2.50	7.50	13.39	.71	55.00	.00	.00	.00
Maine	3.45	1.29	.00	1.73	.43	8.63	.00	.00	.00
Massachusetts	42.33	5.57	5.24	28.19	3.33	28.52	.08	.00	.00
New Hampshire	14.87	2.12	1.42	9.20	2.12	7.08	.00	.00	.00
Rhode Island	43.86	.48	3.86	28.43	1.46	17.83	.00	.00	.00
Vermont	2.14	.00	1.07	1.07	.00	16.04	.00	.00	.00
REGION I TOTAL	31.56	3.61	4.76	20.15	2.09	30.08	.04	.00	.00
Delaware	146.05	4.65	29.77	95.81	6.51	80.93	.00	.00	2.79
New Jersey	93.69	1.43	9.89	79.36	3.01	91.54	.36	.22	.07
New York	85.09	6.11	9.32	67.66	2.00	84.91	.66	.15	.28
Pennsylvania	20.65	1.27	3.67	14.99	.69	39.53	.18	.07	.00
REGION II TOTAL	65.74	3.68	7.79	52.35	1.79	70.77	.44	.13	.18
District of Columbia	131.03	15.82	24.72	86.53	3.96	1112.98	3.46	1.48	8.90
Kentucky	57.75	3.60	1.60	45.88	2.27	102.83	.13	.00	.13
Maryland	78.10	7.07	12.45	53.20	3.40	207.57	.42	.14	.14
North Carolina	59.77	4.44	11.32	39.94	4.08	239.71	1.81	.45	.36
Virginia	114.24	3.85	14.51	86.31	4.51	194.94	.66	.44	.33
West Virginia	62.78	2.23	6.28	46.75	5.87	72.91	.41	.00	.00
REGION III TOTAL	78.22	4.90	10.51	56.45	3.94	220.29	.94	.31	.65
Alabama	38.52	6.14	13.56	15.99	1.79	96.10	1.15	.38	.38
Florida	57.69	4.50	11.20	38.79	3.20	239.54	4.70	1.30	1.30
Georgia	106.41	17.19	28.66	46.93	4.33	312.19	5.62	1.73	.97
Mississippi	43.73	5.72	7.20	28.60	2.21	381.18	5.72	.18	.37
South Carolina	190.64	13.00	35.01	122.31	20.60	186.83	1.39	.87	.69
Tennessee	43.68	3.72	6.27	31.22	2.67	334.01	2.21	.46	.35
REGION IV TOTAL	76.29	8.32	16.60	44.24	5.12	257.20	3.54	.90	.73
Illinois	63.60	5.01	10.77	44.40	3.42	204.15	.46	.08	.00
Indiana	26.96	2.03	1.94	21.22	1.77	49.94	.18	.00	.00
Michigan	57.47	1.03	9.66	35.43	2.00	100.98	2.31	.00	.00
Ohio	75.77	1.48	10.33	60.70	3.27	74.81	.48	.00	.04
Wisconsin	23.65	1.97	2.80	14.00	1.04	25.03	.00	.00	.00
REGION V TOTAL	56.28	2.47	8.38	40.33	2.59	107.53	.79	.02	.01
Iowa	51.07	.43	.29	45.92	2.36	30.33	.14	.00	.00
Kansas	63.20	.76	4.01	55.18	3.25	30.19	.57	.00	.00
Minnesota	5.31	.60	.34	3.62	.24	29.32	.00	.00	.00
Missouri	33.05	.95	4.73	25.66	1.70	141.19	1.33	.00	.09
Nebraska	17.51	.00	.83	15.29	1.39	52.81	.28	.00	.00
North Dakota	9.32	.62	1.24	6.83	.00	16.15	.00	.00	.00
South Dakota	26.47	1.15	3.45	20.14	1.73	61.01	.00	.00	.00
REGION VI TOTAL	31.69	.66	2.39	26.62	1.71	70.70	.50	.00	.03
Arkansas	160.55	13.99	15.60	126.15	4.82	302.75	.92	.69	.23
Louisiana	273.54	1.98	17.34	244.47	6.87	161.88	2.38	.13	.40
New Mexico	216.65	10.43	32.80	164.97	7.45	184.84	.50	.00	.00
Oklahoma	59.56	1.78	5.88	47.08	4.81	171.56	.71	.00	.00
Texas	31.68	4.33	7.15	17.38	1.34	150.61	1.07	.22	.00
REGION VII TOTAL	101.34	4.87	11.02	80.73	3.46	172.91	1.22	.21	.21
Colorado	20.83	2.94	3.43	13.24	1.23	54.41	.98	.00	.00
Idaho	6.29	1.26	1.89	3.15	.00	30.19	.00	.00	.00
Montana	33.33	1.21	3.64	18.79	1.82	43.03	.00	.00	.00
Utah	18.89	.47	1.42	17.00	.00	19.36	.00	.00	.00
Wyoming	16.83	.00	1.29	14.24	.00	18.12	.00	.00	.00
REGION VIII TOTAL	19.88	1.67	2.54	13.42	.78	38.79	.39	.00	.00
Arizona	61.93	9.72	8.28	42.48	1.44	181.10	1.44	.00	.72
California	70.00	5.50	15.24	45.97	2.21	135.47	.76	.03	.41
Nevada	66.93	3.11	10.89	48.25	4.67	62.26	.00	.00	.00
Oregon	43.99	1.59	3.17	35.60	3.40	45.58	.23	.00	.00
Washington	29.85	.75	.90	27.29	.90	52.77	.30	.00	.00
REGION IX TOTAL	41.00	4.79	11.72	42.36	2.13	117.62	.68	.02	.33
47.03		4.64	7.22	32.25					
CONTINENTAL U. S.	603.70	39.93	85.3	447.23	2.70	124.92	.98	.18	.24
Puerto Rico	55.81	1.94	11.80	38.73	3.35	135.21	.53	.00	.00
Virgin Islands	707.69	.00	353.85	353.85	.00	723.08	.00	.00	.00
Alaska	12.12	4.85	.00	2.42	2.42	80.00	2.42	.00	.00
Hawaii	25.99	.00	.72	18.77	2.89	46.93	.00	.00	.72
Canal Zone	112.82	10.26	.00	82.05	.00	1025.64	30.77	.00	41.03
TERRITORY TOTAL	54.32	1.83	11.91	36.39	3.14	132.59	.92	.00	.65
U. S. & TERRITORIES	60.59	3.89	8.59	44.09	2.71	125.08	.98	.18	.25
62.24		3.89	8.59	45.22					

* Includes cases with stage "not stated".

Source: Form PHS - 688
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
7/15/58 LBR/MPS: gh

Collected 1959

CASES OF VENEREAL DISEASE REPORTED TO THE PUBLIC HEALTH SERVICE
BY CITY HEALTH DEPARTMENTS
(Known Military Cases Excluded)

January - March 1958

Cities	SYPHILIS					GONORRHEA	CHANCROID	GRANULOMA- INGUINALE	LYMPHO- GRANULOMA VENEREUM
	Total * Syphilis	Primary & Secondary	Early Latent	Late & Late Latent	Congen- ital				
Akron	107	2	12	85	8	200	0	0	0
Atlanta	172	11	37	96	6	1749	38	8	3
Baltimore	240	36	25	155	10	1392	3	1	0
Birmingham	220	3	46	165	2	209	4	2	1
Boston	171	37	16	113	3	218	0	0	0
Buffalo	124	7	7	109	1	286	0	1	0
Chicago	1116	114	200	734	68	4453	10	2	0
Cincinnati	224	1	45	170	8	265	4	0	1
Cleveland	251	8	42	189	12	484	1	0	0
Columbus	95	2	5	80	8	211	4	0	0
Dallas	89	6	15	68	0	780	1	3	1
Dayton	58	8	5	44	1	175	1	0	0
Denver	47	4	7	35	1	187	4	0	0
Detroit	640	4	99	429	20	1222	40	0	0
Fort Worth	16	4	7	5	0	187	3	0	0
Honolulu	22	0	1	16	4	51	0	0	1
Houston	356	43	61	233	15	780	13	2	2
Indianapolis	140	14	9	111	6	373	1	0	0
Jacksonville	72	7	10	53	2	366	6	2	2
Jersey City	74	2	16	51	5	89	3	0	1
Kansas City	261	2	30	221	8	241	6	0	0
Long Beach	27	0	2	20	3	70	0	0	1
Los Angeles	561	75	134	319	33	2202	5	0	7
Louisville	127	4	1	118	4	282	1	0	1
Memphis	99	6	20	65	8	1401	2	1	1
Miami	85	13	27	42	3	306	3	3	3
Milwaukee	81	6	16	45	2	227	0	0	0
Minneapolis	17	2	1	14	0	147	0	0	0
Newark	318	8	36	262	12	629	1	0	0
New Orleans	654	10	44	561	11	529	14	0	3
New York City	2861	205	337	2263	56	2606	26	6	11
Norfolk	76	8	7	53	3	632	2	2	0
Oakland	98	7	9	69	9	317	1	1	0
Oklahoma City	53	1	7	44	1	395	3	0	0
Omaha	20	2	1	16	1	81	0	0	0
Philadelphia	298	20	50	217	11	908	5	2	0
Pittsburgh	152	10	39	109	3	90	0	0	0
Portland	92	1	5	78	8	128	0	0	0
Providence	53	2	2	34	1	48	0	0	0
Richmond	282	4	31	230	8	309	2	0	2
Rochester	43	14	1	27	1	102	0	1	0
St. Louis	300	6	44	243	7	1056	8	0	1
St. Paul	5	0	1	4	0	45	0	0	0
San Antonio	14	0	6	7	1	129	4	0	0
San Diego	11	6	2	2	1	197	8	0	0
San Francisco	150	45	31	72	2	539	4	0	2
Seattle	136	3	6	122	5	233	1	0	0
Syracuse	12	0	0	11	1	97	0	0	0
Toledo	174	0	11	162	11	90	0	0	0
Washington, D. C.	265	32	50	175	8	2251	7	3	18
Worcester	4	0	0	3	1	21	0	0	0
San Juan	47	3	11	32	1	259	0	0	0

* Includes cases with stage "not stated".

Source: Forms PHS - 688 and PHS - 562
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
7/15/58 LBH/MPS: gh

RATES OF VENEREAL DISEASE REPORTED TO THE PUBLIC HEALTH SERVICE
BY CITY HEALTH DEPARTMENTS
(Known Military Cases Excluded)
Rates per 100,000 Population

January - March 1958

Cities	SYPHILIS					GONORRHEA	CHANCROID	GRANULOMA- INGUINALE	LYMPHO- GRANULOMA VENEREUM
	Total * Syphilis	Primary & Secondary	Early Latent	Late & Late Latent	Congen- ital				
Akron	155.64	2.91	17.45	123.64	11.64	290.91	.00	.00	.00
Atlanta	145.15	9.28	31.22	81.01	5.06	1475.95	32.07	6.75	2.53
Baltimore	101.05	15.16	10.53	65.26	4.21	586.11	1.26	.42	.00
Birmingham	269.94	3.68	56.44	202.45	2.45	256.44	4.91	2.45	1.23
Boston	85.39	18.48	7.99	56.43	1.50	108.86	.00	.00	.00
Buffalo	55.17	3.11	3.11	48.50	.44	127.25	.00	.44	.00
Chicago	123.28	12.59	22.09	81.08	7.51	491.91	1.10	.22	.00
Cincinnati	177.78	.79	35.71	134.92	6.35	210.32	3.17	.00	.79
Cleveland	109.73	3.50	18.36	82.62	5.25	211.58	.44	.00	.00
Columbus	101.06	2.13	5.32	85.11	8.51	224.47	4.26	.00	.00
Dallas	82.03	5.53	13.82	62.67	.00	718.89	.92	2.76	.92
Dayton	95.08	13.11	8.20	72.13	1.64	286.89	1.64	.00	.00
Denver	45.19	3.85	6.73	33.65	.96	179.81	3.85	.00	.00
Detroit	138.38	.86	21.41	92.76	4.32	264.22	8.65	.00	.00
Fort Worth	22.94	5.73	10.04	7.17	.00	268.10	4.30	.00	.00
Honolulu	35.48	.00	1.61	25.81	6.45	82.26	.00	.00	1.61
Houston	238.93	28.86	40.94	156.38	10.07	523.49	8.72	1.34	1.34
Indianapolis	131.15	13.11	8.43	103.98	5.62	349.41	.94	.00	.00
Jacksonville	140.49	13.66	19.51	103.41	3.90	714.15	11.71	3.90	3.90
Jersey City	99.00	2.68	21.40	68.23	6.69	119.06	4.01	.00	1.34
Kansas City	228.45	1.75	26.26	193.44	7.00	210.94	5.25	.00	.00
Long Beach	43.03	.00	3.19	31.87	4.78	111.55	.00	.00	1.59
Los Angeles	113.90	15.23	27.21	64.77	6.70	447.11	1.02	.00	1.42
Louisville	104.74	3.30	.82	97.32	3.30	232.58	.82	.00	.82
Memphis	82.16	4.98	16.60	53.94	6.64	1162.66	1.66	.83	.83
Miami	136.55	20.88	43.37	67.47	4.82	491.57	4.82	4.82	4.82
Milwaukee	50.86	3.77	10.05	28.26	1.26	142.54	.00	.00	.00
Minneapolis	13.03	1.53	.77	10.73	.00	112.64	.00	.00	.00
Newark	289.75	7.29	32.80	238.72	10.93	573.12	.91	.00	.00
New Orleans	458.95	7.02	30.88	393.68	7.72	371.23	9.82	.00	2.11
New York City	145.01	10.39	17.08	114.70	2.84	132.08	1.32	.30	.56
Norfolk	142.06	14.95	13.08	99.07	5.61	1181.31	3.74	3.74	.00
Oakland	52.97	3.78	4.86	37.30	4.86	171.35	.54	.54	.00
Oklahoma City	86.89	1.64	11.48	72.13	1.64	647.54	4.92	.00	.00
Omaha	31.87	3.19	1.59	25.50	1.59	129.08	.00	.00	.00
Philadelphia	57.53	3.86	9.65	41.89	2.12	175.29	.97	.39	.00
Pittsburgh	40.19	2.64	10.31	28.82	.79	23.79	.00	.00	.00
Portland	98.40	1.07	5.35	83.42	8.56	136.90	.00	.00	.00
Providence	85.14	3.21	3.21	54.62	1.61	77.11	.00	.00	.00
Richmond	490.43	6.96	53.91	100.00	13.91	537.39	3.48	.00	3.48
Rochester	51.81	16.87	1.20	32.53	1.20	122.89	.00	1.20	.00
St. Louis	140.02	2.80	20.54	113.42	3.27	492.88	3.73	.00	.47
St. Paul	6.43	.00	1.29	5.14	.00	57.88	.00	.00	.00
San Antonio	11.20	.00	4.80	5.60	.80	103.20	3.20	.00	.00
San Diego	7.90	4.31	1.44	1.44	.72	141.47	5.75	.00	.00
San Francisco	77.42	23.23	16.00	37.16	1.03	278.19	2.06	.00	1.03
Seattle	74.22	1.64	3.27	66.58	2.73	127.15	.55	.00	.00
Syracuse	21.72	.00	.00	19.91	1.81	175.57	.00	.00	.00
Toledo	228.95	.00	14.47	213.16	14.47	118.42	.00	.00	.00
Washington, D. C.	131.03	15.82	24.72	86.53	3.96	1112.98	3.46	1.48	8.90
Worcester	7.88	.00	.00	5.91	1.97	41.38	.00	.00	.00
San Juan	83.56	5.33	19.56	56.89	1.78	460.44	.00	.00	.00

* Includes cases with stage "not stated".

Source: Forms PHS - 688 and PHS - 562
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
7/15/58 LBH/MPs: gh

CASES AND RATES ⁴/ OF EARLY SYPHILIS, TOTAL SYPHILIS AND GONORRHEA
REPORTED TO THE PUBLIC HEALTH SERVICE BY CITIES
WITH 50,000 - 200,000 POPULATION IN 1950

Calendar Years 1956-1957

Cities	EARLY SYPHILIS 1/				TOTAL SYPHILIS				GONORRHEA			
	Cases Reported		Rates		Cases Reported		Rates		Cases Reported		Rates	
	1956	1957	1956	1957	1956	1957	1956	1957	1956	1957	1956	1957
REGION I												
<u>Connecticut</u>												
Bridgeport	N.A.	N.A.	N.A.	N.A.	140	133	83.3	79.2	165	218	98.2	129.8
Hartford	N.A.	N.A.	N.A.	N.A.	155	125	82.4	66.5	223	351	118.6	186.7
New Britain	N.A.	N.A.	N.A.	N.A.	10	21	12.2	25.3	25	33	30.5	39.8
New Haven	N.A.	N.A.	N.A.	N.A.	356	181	215.8	108.4	748	489	453.3	292.8
Stamford	N.A.	N.A.	N.A.	N.A.	63	35	75.0	41.2	54	42	64.3	49.4
Waterbury	N.A.	N.A.	N.A.	N.A.	36	62	32.4	55.9	30	30	27.0	27.0
<u>Massachusetts</u>												
Brockton	8	5	12.3	7.9	30	21	46.2	33.3	8	10	12.3	15.9
Brookline	7	6	11.3	9.5	34	35	54.8	55.6	8	7	12.9	11.1
Cambridge	15	8	12.5	6.6	66	47	55.0	38.8	36	31	30.0	25.6
Fall River	3	4	2.7	3.7	24	25	21.4	22.9	17	16	15.2	14.7
Holyoke	2	2	3.6	3.7	21	14	38.2	25.9	7	3	12.7	5.6
Lawrence	5	2	6.3	2.7	24	21	30.0	28.0	5	7	6.3	18.9
Lowell	7	6	7.3	6.3	29	22	30.2	23.2	23	18	24.0	26.3
Lynn	9	12	8.7	12.1	47	51	45.2	51.5	12	26	11.5	26.3
Malden	5	9	8.3	15.0	18	19	30.0	31.7	9	11	15.0	18.3
Medford	1	5	1.5	7.5	13	26	19.4	38.8	10	7	14.9	10.4
New Bedford	3	6	2.8	5.6	49	42	45.4	38.9	18	9	16.7	8.3
Newton	4	8	4.6	9.0	13	25	14.9	28.1	11	9	12.6	10.1
Pittsfield	3	2	5.4	3.6	12	11	21.4	19.6	2	5	3.6	8.9
Quincy	3	3	3.4	3.5	15	13	17.2	15.3	7	13	8.0	15.3
Somerville	6	8	6.5	8.4	32	44	34.8	46.3	12	12	13.0	12.6
Springfield	18	44	10.7	26.2	154	159	91.1	94.6	110	105	65.1	62.5
<u>New Hampshire</u>												
Manchester	2	1	2.3	1.2	39	36	45.3	41.9	6	4	7.0	4.7
<u>Rhode Island</u>												
Cranston	1	0	1.6	.0	21	19	34.4	31.1	10	6	16.4	9.8
Pawtucket	6	1	7.3	1.2	45	34	54.9	41.5	7	21	8.5	25.6
Woonsocket	3	0	5.9	.0	20	12	39.2	23.5	0	5	.0	9.8
REGION II												
<u>Delaware</u>												
Wilmington	48	48	42.9	42.9	295	494	263.4	441.1	214	219	191.1	195.5
<u>New Jersey</u>												
Atlantic City	7	18	11.3	29.0	129	141	208.1	227.4	92	118	148.4	190.3
Bayonne	4	4	5.0	5.1	17	35	21.3	44.3	5	6	6.3	7.6
Camden	12	11	9.2	8.5	114	139	87.7	106.9	56	98	43.1	75.4
Clifton	3	1	3.9	1.3	11	24	14.5	30.8	5	8	6.6	10.3
East Orange	5	9	6.0	10.6	4	97	48.2	114.1	43	55	51.8	64.7
Elizabeth	14	13	12.1	11.0	111	88	95.7	74.6	77	99	66.4	83.9
Hoboken	4	6	7.8	11.8	36	47	70.6	92.2	4	14	7.8	27.5
Irvington	1	1	1.6	1.6	11	26	17.7	41.3	2	7	3.2	11.1
Passaic	5	5	8.6	8.6	22	49	37.9	84.5	32	32	55.2	55.2
Paterson	43	14	30.5	9.9	281	149	199.3	105.7	307	330	217.7	234.0
Trenton	64	40	48.5	29.6	206	317	156.1	234.8	203	200	153.8	148.1
Union City	1	7	1.8	12.5	16	23	28.6	41.1	1	7	1.8	12.5
<u>New York</u>												
Albany	8	5	5.7	3.5	46	98	32.9	69.5	N.A.	N.A.	N.A.	N.A.
Binghamton	16	1	19.5	1.2	25	5	30.5	6.1	N.A.	N.A.	N.A.	N.A.
Mt. Vernon	3	2	3.9	2.6	59	36	77.6	47.4	N.A.	N.A.	N.A.	N.A.
New Rochelle	6	1	8.6	1.4	54	15	77.1	20.8	N.A.	N.A.	N.A.	N.A.
Niagara Falls	4	3	4.0	2.9	68	17	67.3	16.5	N.A.	N.A.	N.A.	N.A.
Schenectady	2	0	2.1	.0	18	17	18.8	17.5	N.A.	N.A.	N.A.	N.A.
Troy	0	1	.0	1.3	63	26	82.9	34.2	N.A.	N.A.	N.A.	N.A.
Utica	2	1	1.9	1.0	37	26	35.2	24.8	N.A.	N.A.	N.A.	N.A.
Yonkers	7	5	4.3	3.0	32	32	19.6	19.5	N.A.	N.A.	N.A.	N.A.

4/
CASES AND RATES OF EARLY SYPHILIS, TOTAL SYPHILIS AND GONORRHEA
REPORTED TO THE PUBLIC HEALTH SERVICE BY CITIES
WITH 50,000 - 200,000 POPULATION IN 1950

Calendar Years 1956-1957

Cities (Continued)	EARLY SYPHILIS 1/				TOTAL SYPHILIS				GONORRHEA			
	Cases Reported		Rates		Cases Reported		Rates		Cases Reported		Rates	
	1956	1957	1956	1957	1956	1957	1956	1957	1956	1957	1956	1957
REGION II (continued)												
<u>Pennsylvania</u>												
Allentown	1	2	.9	1.8	2	7	1.8	6.2	0	0	.0	.0
Altoona	3	3	3.9	3.9	10	10	13.2	13.2	2	2	2.6	2.6
Bethlehem	2	5	2.9	6.8	4	6	5.7	8.1	0	0	.0	.0
Chester	26	23	36.1	31.1	89	216	123.6	291.9	73	41	101.4	55.4
Erie	4	10	2.9	7.3	48	36	35.3	26.3	20	19	14.7	13.9
Harrisburg	6	1	6.5	1.1	61	22	65.6	23.7	53	36	57.0	38.7
Johnstown	2	2	3.1	3.1	8	9	12.3	13.8	2	1	3.1	1.5
Lancaster	1	2	1.5	3.1	11	5	16.9	7.7	1	5	1.5	7.7
McKeesport	2	0	3.8	.0	3	0	5.8	.0	0	0	.0	.0
Reading	1	5	.9	4.4	18	30	15.9	26.5	73	44	64.6	38.9
Scranton	1	2	.8	1.6	13	8	10.2	6.3	1	2	.8	1.6
Wilkes Barre	2	1	2.7	1.4	39	17	52.7	23.0	3	1	4.1	1.4
York	0	1	.0	1.6	0	7	.0	11.1	0	0	.0	.0
REGION III												
<u>Kentucky 2/3/</u>												
Covington	N.A.	0	N.A.	.0	N.A.	22	N.A.	35.5	N.A.	23	N.A.	37.1
Lexington	N.A.	6	N.A.	10.0	N.A.	79	N.A.	131.7	N.A.	272	N.A.	453.3
<u>North Carolina 2/</u>												
Ashville	20	28	15.0	20.9	35	56	26.3	41.8	177	199	133.1	148.5
Charlotte	30	60	13.1	25.4	140	427	61.1	180.9	1714	1354	748.5	573.7
Durham	19	8	17.0	7.0	68	32	60.7	28.1	1292	1533	1153.6	1344.7
Greensboro	71	24	33.0	10.9	384	167	178.6	75.9	447	513	207.9	233.2
Raleigh	44	37	28.2	23.1	245	139	157.1	86.9	344	376	220.5	235.0
Winston-Salem	20	34	11.8	19.3	54	83	31.8	47.2	890	1060	523.5	602.3
<u>Virginia</u>												
Alexandria	10	12	12.0	13.5	52	63	62.7	70.8	160	102	192.8	114.6
Arlington County	6	35	3.7	21.9	49	62	30.4	38.8	54	44	33.5	27.5
Fairfax County	4	12	3.0	6.6	39	54	28.9	29.7	36	23	26.7	12.6
Portsmouth	27	26	27.3	25.2	107	105	108.1	101.9	900	992	909.1	963.1
Roanoke	24	22	24.0	21.6	229	323	229.0	316.7	180	86	180.0	84.3
<u>West Virginia</u>												
Charleston	11	10	4.5	4.1	308	217	127.3	88.9	194	265	80.2	108.6
Huntington	6	8	5.4	7.1	79	67	70.5	59.3	38	52	33.9	46.0
Wheeling	5	7	6.6	9.1	51	48	67.1	62.3	20	17	26.3	22.1
REGION IV												
<u>Alabama 2/</u>												
Gadsden	8	14	7.8	13.6	17	20	16.5	19.4	58	40	56.3	38.8
Mobile	25	29	9.4	10.7	50	50	18.8	18.4	594	696	223.3	255.9
Montgomery	66	61	42.6	38.4	413	179	266.5	112.6	636	582	410.3	366.0
<u>Florida</u>												
Orlando	58	55	85.3	71.4	156	297	229.4	385.7	82	65	120.6	84.4
St. Petersburg	19	26	13.9	17.9	223	181	162.8	124.8	130	74	94.9	51.0
Tampa	72	54	30.5	22.5	360	159	152.5	66.3	809	1054	342.8	439.2
<u>Georgia 2/</u>												
Augusta	65	78	39.2	47.6	94	120	56.6	73.2	539	256	324.7	156.1
Columbus	57	44	42.5	29.9	157	115	117.2	78.2	862	798	643.3	542.9
Macon	59	37	46.1	27.4	182	114	142.2	84.4	1347	1388	1052.3	1028.1
Savannah	123	135	74.5	81.8	355	268	215.2	162.4	746	604	452.1	366.1
<u>Mississippi 2/</u>												
Jackson	27	27	16.6	16.5	84	129	51.5	78.7	1060	1108	650.3	675.6
<u>South Carolina 2/</u>												
Charleston	126	90	66.7	46.4	456	329	241.3	169.6	1141	1152	603.7	593.8
Columbia	253	137	150.6	78.7	802	652	477.4	374.7	1925	1585	1145.8	910.9
Greenville	200	102	108.1	51.5	483	268	261.1	135.4	928	994	501.6	502.0
<u>Tennessee</u>												
Chattanooga	34	47	24.5	32.6	121	70	87.1	48.6	2114	1882	1520.9	1306.9
Knoxville	6	10	4.7	7.7	70	66	54.3	50.8	599	442	464.3	340.0
Nashville	32	37	18.3	20.7	134	251	76.6	140.2	1440	1220	822.9	681.6

CASES AND RATES ^{4/} OF EARLY SYPHILIS, TOTAL SYPHILIS AND GONORRHEA
REPORTED TO THE PUBLIC HEALTH SERVICE BY CITIES
WITH 50,000 - 200,000 POPULATION IN 1950

Calendar Years 1956-1957

Cities (Continued)	EARLY SYPHILIS 1/				TOTAL SYPHILIS				GONORRHEA			
	Cases Reported		Rates		Cases Reported		Rates		Cases Reported		Rates	
	1956	1957	1956	1957	1956	1957	1956	1957	1956	1957	1956	1957
REGION V												
<u>Illinois</u>												
Aurora	3	3	5.6	5.3	18	15	33.3	26.3	14	35	25.9	61.4
Berwyn	5	3	9.3	5.6	11	8	20.4	14.8	1	3	1.9	5.6
Cicero	1	1	1.5	1.5	5	11	7.4	16.2	2	4	2.9	5.9
Decatur	9	7	12.7	9.6	63	56	88.7	76.7	155	121	218.3	165.8
East St. Louis	21	43	24.4	48.9	122	321	141.9	364.8	581	467	675.6	530.7
Evanston	8	9	10.7	12.0	72	58	96.0	77.3	61	59	81.3	78.7
Joliet	15	19	25.4	30.6	50	68	84.7	109.7	65	52	110.2	83.9
Oak Park	1	1	1.5	1.6	4	5	6.2	8.2	2	3	3.1	4.9
Peoria	10	8	8.7	6.8	47	60	40.9	50.8	244	77	212.2	65.3
Rockford	2	16	1.8	13.8	7	58	6.1	50.0	50	123	43.9	106.0
Springfield	11	3	12.6	3.4	48	63	55.2	71.6	38	65	43.7	73.9
<u>Indiana</u>												
East Chicago	N.A.	15	N.A.	26.3	N.A.	130	N.A.	228.1	N.A.	9	N.A.	15.8
Evansville	N.A.	3	N.A.	2.1	N.A.	24	N.A.	16.9	N.A.	11	N.A.	7.7
Fort Wayne	N.A.	10	N.A.	6.8	N.A.	60	N.A.	41.1	N.A.	18	N.A.	12.3
Gary	N.A.	17	N.A.	10.1	N.A.	80	N.A.	47.3	N.A.	37	N.A.	21.9
Hammond	N.A.	3	N.A.	2.8	N.A.	16	N.A.	15.1	N.A.	6	N.A.	5.7
Muncie	N.A.	2	N.A.	2.8	N.A.	9	N.A.	12.7	N.A.	7	N.A.	9.9
South Bend	N.A.	9	N.A.	6.7	N.A.	31	N.A.	23.0	N.A.	178	N.A.	131.9
Terre Haute	N.A.	7	N.A.	8.8	N.A.	36	N.A.	45.0	N.A.	123	N.A.	153.8
<u>Michigan</u>												
Bay City	3	5	5.3	8.6	8	9	14.0	15.5	15	16	26.3	27.6
Dearborn	5	16	4.0	12.3	29	49	23.4	37.7	43	30	34.7	23.1
Flint	40	20	21.1	10.3	166	111	87.4	56.9	495	444	260.5	227.7
Grand Rapids	8	13	4.2	6.9	102	100	54.0	52.9	505	541	267.2	286.2
Jackson	7	13	13.0	23.6	10	36	18.5	65.4	36	45	66.7	81.8
Kalamazoo	6	6	10.0	7.5	21	24	35.0	30.0	77	192	128.3	240.0
Lansing	18	11	17.6	10.7	74	50	72.5	48.5	228	193	223.5	187.4
Pontiac	13	15	15.7	17.9	51	39	61.4	46.4	190	156	228.9	185.7
Saginaw	57	75	58.2	75.8	126	171	128.6	172.7	172	121	175.5	122.2
<u>Ohio</u>												
Canton	24	10	19.5	8.1	86	43	69.9	34.7	161	148	130.9	119.4
Hamilton	9	6	13.6	9.0	57	48	86.4	71.6	14	29	21.2	43.3
Lima	7	10	12.7	17.9	62	64	112.7	114.3	21	6	38.2	10.7
Lorain	21	15	38.2	26.3	105	88	190.9	154.4	45	12	81.8	21.1
Springfield	15	17	17.9	19.8	75	98	89.3	114.0	45	60	53.6	69.8
Youngstown	48	44	27.4	24.3	249	243	142.3	134.3	351	209	200.6	115.5
<u>Wisconsin 2/</u>												
Green Bay	N.A.	N.A.	N.A.	N.A.	46	30	42.6	27.5	2	0	1.9	.0
Kenosha	N.A.	N.A.	N.A.	N.A.	41	40	49.4	47.1	6	11	7.2	12.9
Madison	N.A.	N.A.	N.A.	N.A.	70	52	37.8	27.4	16	16	8.6	8.4
Racine	N.A.	N.A.	N.A.	N.A.	66	33	55.5	27.0	32	30	26.9	24.6
REGION VI												
<u>Iowa</u>												
Cedar Rapids	4	0	5.1	.0	63	78	79.7	95.1	32	21	40.5	25.6
Des Moines	4	3	4.9	3.6	61	59	74.4	71.1	44	36	53.7	43.4
Sioux City	9	16	5.0	8.4	180	239	100.6	125.1	268	200	149.7	104.7
Waterloo	6	3	6.3	3.2	60	76	63.2	80.0	85	115	89.5	121.1
	8	0	10.8	.0	56	59	757.0	78.7	44	34	59.5	45.3
<u>Kansas 2/</u>												
Kansas City	17	14	8.8	7.1	356	306	183.5	156.1	954	810	491.8	413.3
Topeka	12	5	9.4	3.9	98	111	77.2	86.0	112	117	88.2	90.7
Wichita	29	10	9.2	3.2	239	199	75.6	63.4	291	188	92.1	59.9
<u>Minnesota</u>												
Duluth	3	3	2.8	2.8	11	13	10.3	12.1	8	3	7.5	2.8
<u>Missouri</u>												
St. Joseph	3	2	3.6	2.4	34	32	40.5	38.1	26	15	31.0	17.9
Springfield	5	2	5.4	2.1	30	27	32.6	28.4	37	29	40.2	30.5
<u>Nebraska</u>												
Lincoln	2	1	1.7	.8	65	42	54.2	34.7	50	81	41.7	66.9

4/
CASES AND RATES OF EARLY SYPHILIS, TOTAL SYPHILIS AND GONORRHEA
REPORTED TO THE PUBLIC HEALTH SERVICE BY CITIES
WITH 50,000 - 200,000 POPULATION IN 1950

Calendar Years 1956-1957

Cities (Continued)	EARLY SYPHILIS 1/				TOTAL SYPHILIS				GONORRHEA			
	Cases Reported		Rates		Cases Reported		Rates		Cases Reported		Rates	
	1956	1957	1956	1957	1956	1957	1956	1957	1956	1957	1956	1957
REGION VI (continued)												
South Dakota												
Sioux Falls	4	3	6.5	4.7	21	19	33.9	29.7	6	1	9.7	1.6
REGION VII												
Arkansas												
Little Rock	28	9	23.7	7.6	240	217	203.4	182.4	715	578	605.9	485.7
Louisiana												
Baton Rouge	18	9	11.8	5.7	247	206	161.4	131.2	143	93	93.5	59.2
Shreveport	38	57	23.2	33.1	182	403	111.0	234.3	1130	958	689.0	557.0
New Mexico												
Albuquerque	19	36	11.0	20.7	108	154	62.8	88.5	298	225	173.3	129.3
Oklahoma												
Tulsa	15	15	6.4	6.1	159	149	67.7	60.8	335	304	142.6	124.1
Texas 2/												
Amarillo	N.A.	N.A.	N.A.	N.A.	38	34	34.5	28.8	275	282	250.0	239.0
Austin	N.A.	N.A.	N.A.	N.A.	11	44	5.8	22.7	316	463	165.4	238.7
Beaumont	N.A.	N.A.	N.A.	N.A.	31	49	13.8	21.3	285	380	126.7	165.2
Corpus Christie	N.A.	N.A.	N.A.	N.A.	36	0	15.4	.0	358	0	153.0	.0
El Paso	N.A.	N.A.	N.A.	N.A.	252	262	96.2	89.4	421	271	160.7	92.5
Galveston	N.A.	N.A.	N.A.	N.A.	22	17	16.7	13.8	167	197	126.5	160.2
Laredo	N.A.	N.A.	N.A.	N.A.	20	34	30.8	50.7	82	126	126.2	188.1
Lubbock	N.A.	N.A.	N.A.	N.A.	26	60	17.0	37.0	107	82	69.9	50.6
San Angelo	N.A.	N.A.	N.A.	N.A.	14	0	18.7	.0	48	27	64.0	36.0
Waco	N.A.	N.A.	N.A.	N.A.	54	57	38.0	40.1	452	410	318.3	288.7
Wichita Falls	N.A.	N.A.	N.A.	N.A.	17	13	13.4	10.2	198	116	155.9	90.6
REGION VIII												
Colorado												
Pueblo	4	4	4.1	4.2	13	22	13.4	23.2	28	27	28.9	28.4
Utah												
Ogden	6	8	9.1	11.9	33	41	50.0	61.2	27	17	40.9	25.4
Salt Lake City	13	4	6.4	1.9	61	71	29.9	34.0	42	93	20.6	44.5
REGION IX												
Arizona												
Phoenix	65	28	41.7	16.3	216	102	138.5	59.3	653	449	418.6	261.0
Tucson	12	19	21.8	20.4	71	221	129.1	237.6	183	226	332.7	243.0
California												
Alameda	2	N.A.	2.7	N.A.	10	N.A.	13.5	N.A.	31	N.A.	41.9	N.A.
Berkeley	20	14	16.4	11.6	102	114	83.6	94.2	63	87	51.6	71.9
Fresno 2/	43	37	13.6	11.3	170	167	53.6	51.2	330	323	104.1	99.1
Pasadena	10	15	8.4	12.6	33	41	27.7	34.5	124	142	104.2	119.3
Richmond 2/	25	20	7.2	5.6	282	236	81.0	65.9	196	191	56.3	53.4
Sacramento 2/	13	18	3.3	4.4	105	74	26.9	18.0	315	367	80.8	89.5
San Bernardino	11	29	12.8	33.7	30	63	34.9	73.3	108	139	125.6	161.6
San Jose	13	16	11.8	12.4	64	62	58.2	48.1	73	93	66.4	72.1
Stockton 2/	328	28	142.6	12.1	1604	105	697.4	45.5	372	270	161.7	116.9
Washington 2/												
Spokane	10	3	3.8	1.1	36	27	13.8	10.1	109	91	41.8	34.0
Tacoma	7	7	2.3	2.3	51	57	16.8	18.5	112	86	36.8	27.9

1/ Early Syphilis includes Primary and Secondary and Early Latent Syphilis.
Includes Surrounding County all Years.
Six months data for Calendar Year 1957. Rate on annual basis.
Population estimates as of January 1, 1956 for cases reported in 1956, and
as of January 1, 1957 for cases reported in 1957. Copyright, Sales
Management Survey of Buying Power, reproduction now licensed.

Source: Forms PHS-688, PHS-562, and Special Reports
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
6/5/58 LBH:MPS/lbh

VOLUME OF CASE-FINDING INVESTIGATIONS AND PERCENTAGE OF SUSPECTS EXAMINED
1. - CONTACTS AND OTHER SUSPECTS AMONG CIVILIANS
ALL AREAS REPORTING

January - March 1958

States By HEW Regions	Total Contacts * and Suspects		Contacts of Clinic Cases								Contacts of Private Physician Cases		Positive STS and Other Suspects	
			Syphilis				Gonorrhea							
			Pri. & Sec.		Early Latent		Other							
Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined	
Connecticut	981	87.3	14	57.1	14	71.4	42	61.9	108	44.4	0	-	790	95.3
Maine	8	62.5	0	-	0	-	0	-	0	-	7	57.1	0	85.4
Massachusetts	1135	72.9	72	59.7	50	80.0	76	81.6	316	55.7	17	52.9	260	85.4
New Hampshire	6	66.7	0	-	0	-	0	-	0	-	5	80.0	1	100.0
Rhode Island	8	100.0	0	-	0	-	0	-	1	100.0	1	100.0	2	62.5
Vermont	17	76.5	0	-	0	-	0	-	0	-	9	88.9	8	92.6
REGION I TOTAL	2155	79.5	86	59.3	64	78.1	118	74.6	425	52.9	39	66.7	1061	
Delaware	249	72.3	12	83.3	12	83.3	2	50.0	51	80.4	30	76.7	84	66.7
New Jersey	2705	81.0	37	86.5	78	76.9	28	78.6	582	63.1	62	77.4	1910	86.8
New York	3693	70.8	194	67.5	175	68.6	221	65.2	1774	69.7	510	84.1	512	83.2
Pennsylvania	1531	57.3	107	61.7	34	70.6	63	55.6	698	50.6	4	100.0	587	64.6
REGION II TOTAL	8178	71.7	350	68.3	299	71.6	314	64.3	3105	64.3	606	83.2	3093	81.4
District of Columbia	1713	79.1	93	79.6	114	84.2	31	71.0	1073	80.2	17	58.8	302	78.8
Kentucky	1416	72.1	55	70.9	18	55.6	4	75.0	233	64.4	51	80.4	1053	73.8
Maryland	506	85.8	36	97.2	34	82.4	44	95.5	18	100.0	0	-	372	85.4
North Carolina	3654	82.0	173	87.3	170	87.6	245	93.1	1626	75.6	83	96.4	1343	92.1
Virginia	2424	80.6	84	77.4	100	73.0	92	93.5	822	68.7	61	86.9	1104	87.0
West Virginia	866	82.6	10	60.0	18	72.2	11	90.9	122	59.8	20	85.0	685	84.1
REGION III TOTAL	10579	80.1	451	82.0	454	81.3	427	91.6	3994	74.4	232	86.6	4859	
Alabama	2274	45.9	292	39.7	396	34.8	110	45.5	1133	50.0	83	31.3	233	57.1
Florida	2591	81.6	107	86.0	88	69.3	15	86.7	1424	77.9	20	90.0	846	87.0
Georgia	8791	91.4	827	85.7	406	83.7	43	88.4	3045	86.2	178	90.4	1732	96.1
Mississippi	3275	86.0	153	94.1	106	81.1	171	93.6	1345	80.0	31	90.3	1445	90.3
South Carolina	2469	86.2	170	87.6	196	80.6	24	91.7	781	71.4	66	89.4	1231	96.0
Tennessee	3626	85.7	211	65.9	208	88.5	31	100.0	2040	84.1	40	95.0	995	92.3
REGION IV TOTAL	23026	83.6	1760	76.6	1400	69.1	394	79.7	9768	78.3	418	78.9	6482	91.6
Illinois	6377	66.6	342	67.8	242	71.9	173	86.7	3098	61.1	347	53.6	1913	74.7
Indiana	585	63.2	21	52.4	11	72.7	4	75.0	315	53.0	32	81.3	198	77.8
Michigan	6920	70.1	57	64.9	371	69.8	553	89.2	2124	60.0	46	47.8	3760	73.3
Ohio	3568	75.6	92	59.8	59	64.4	98	74.5	895	65.1	106	77.4	2286	80.7
Wisconsin	94	77.7	3	66.7	1	-	0	-	72	75.0	2	100.0	16	93.8
REGION V TOTAL	17544	69.8	515	65.4	684	70.0	828	86.8	6504	61.1	533	59.7	8173	75.8
Iowa	543	77.2	1	100.0	0	-	6	50.0	109	75.2	90	84.4	336	76.5
Kansas	696	74.6	4	100.0	14	42.9	6	100.0	238	62.2	66	80.3	356	81.5
Minnesota	443	87.8	0	-	1	-	0	-	28	67.9	63	57.1	338	95.6
Missouri	1868	73.1	24	79.2	65	73.8	45	80.0	937	68.4	77	93.5	712	76.7
Nebraska	298	90.6	3	100.0	1	100.0	0	-	51	74.5	72	91.7	171	94.7
North Dakota	52	86.5	0	-	0	-	0	-	0	-	18	61.1	33	100.0
South Dakota	196	67.9	2	100.0	1	100.0	1	-	37	89.2	2	50.0	149	61.7
REGION VI TOTAL	4096	76.7	34	85.3	82	68.3	58	77.6	1400	68.6	388	81.2	2095	81.3
Arkansas	1903	94.0	193	96.9	116	96.6	31	87.1	360	89.7	85	98.8	1118	94.4
Louisiana	4766	83.0	64	95.3	77	76.6	252	83.7	668	60.0	2	100.0	3627	87.1
New Mexico	901	92.5	16	93.8	28	89.3	102	91.2	61	96.7	0	-	694	92.4
Oklahoma	1404	72.1	3	66.7	1	100.0	24	66.7	677	82.4	43	76.7	655	61.2
Texas	6522	84.1	230	80.0	314	80.9	260	86.9	3160	81.2	0	-	2534	88.0
REGION VII TOTAL	15496	84.4	506	88.7	536	84.1	669	85.7	4926	79.3	130	91.5	8628	86.8
Colorado	411	71.3	7	71.4	5	100.0	6	83.3	175	46.9	12	33.3	200	95.5
Idaho	62	87.1	2	50.0	0	-	0	-	26	92.3	6	66.7	28	89.3
Montana	34	35.3	0	-	0	-	5	-	29	41.4	0	-	0	-
Utah	127	85.8	0	-	5	100.0	4	100.0	47	89.4	45	71.1	24	100.0
Wyoming	54	79.6	0	-	0	-	0	-	1	100.0	4	50.0	49	81.6
REGION VIII TOTAL	688	74.3	9	66.7	10	100.0	15	60.0	278	57.9	67	62.7	301	93.0
Arizona	688	61.9	16	62.5	4	75.0	22	81.8	195	44.6	0	-	450	68.2
California	6727	66.5	471	72.8	297	64.0	251	92.0	2737	61.2	178	61.2	2633	70.0
Nevada	37	70.3	0	-	0	-	1	100.0	21	57.1	0	-	13	93.1
Oregon	410	88.8	3	33.3	8	75.0	0	-	97	83.5	27	74.1	262	83.0
Washington	363	76.6	3	66.7	9	55.6	7	100.0	195	72.3	7	71.4	141	72.1
REGION IX TOTAL	8225	67.7	493	72.2	318	64.2	281	91.5	3245	61.5	212	63.2	3499	
CONTINENTAL U. S.	89987	77.6	4204	75.8	3847	72.8	3104	83.7	33545	70.8	2625	75.8	38191	83.0
Puerto Rico	837	85.9	25	92.0	76	85.5	81	91.4	363	82.4	0	-	288	88.5
Virgin Islands	N.A.	-	-	-	-	-	-	-	-	-	-	-	-	-
Alaska	10	50.0	2	100.0	1	-	1	-	6	50.0	0	-	0	97.5
Hawaii	239	87.9	0	-	0	-	7	85.7	52	75.0	19	42.1	161	91.8
Canal Zone	N.A.	-	-	-	-	-	-	-	-	-	-	-	-	-
TERRITORY TOTAL	1086	86.0	27	92.6	77	84.4	89	89.9	421	81.0	19	42.1	449	
U. S. & TERRITORIES	91073	77.7	4231	75.9	3924	73.0	3193	83.9	33966	71.0	2644	75.5	38640	83.1
Cities (incl. above)														
Detroit	2499	71.0	13	69.2	159	74.2	257	90.7	849	60.8	11	54.5	1206	73.6
New York	2872	67.4	158	65.2	156	67.9	221	65.2	1724	70.6	23	73.9	244	73.8
Philadelphia	1069	54.8	76	51.3	23	60.9	52	48.1	573	50.6	1	100.0	309	65.4
Pittsburgh	301	59.5	12	91.7	1	-	0	-	65	41.5	0	-	222	63.1
Chicago	5605	66.6	333	69.1	216	75.5	168	87.5	2962	61.8	97	63.9	1579	71.5
Baltimore	N.A.	-	-	-	-	-	-	-	-	-	-	-	-	-

* Totals include Other VD not shown separately.

Source: Form PHS - 2127
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
MFR/LBH:gh 7/17/58

Stat. Ltr. 58
Page 12

VOLUME OF CASE-FINDING INVESTIGATIONS AND PERCENTAGE OF SUSPECTS EXAMINED
11. - CIVILIAN CONTACTS OF ARMED FORCES PERSONNEL AND SELECTEE AND SEPARATEE SUSPECTS
ALL AREAS REPORTING

January - March 1958

States By Region	Total Contacts * and Suspects		Contacts of Military Cases								Selectees and Separatees	
			Syphilis				Gonorrhea					
			Pri. & Sec.		Early Latent		Other					
Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined	
Connecticut	24	70.8	0	-	0	-	0	-	12	58.3	12	83.3
Maine	18	44.4	0	-	0	-	0	-	18	44.4	0	-
Massachusetts	179	72.1	17	82.4	1	100.0	0	-	147	69.4	14	85.7
New Hampshire	4	75.0	0	-	0	-	0	-	4	75.0	0	-
Rhode Island	8	100.0	1	100.0	0	-	0	-	6	100.0	1	100.0
Vermont	2	.0	0	-	0	-	0	-	0	-	1	.0
REGION I TOTAL	235	70.2	18	83.3	1	100.0	0	-	187	67.4	28	82.1
Delaware	15	93.3	0	-	0	-	0	-	13	92.3	2	100.0
New Jersey	84	63.1	0	-	1	.0	0	-	47	53.2	36	77.8
New York	176	51.7	14	71.4	4	25.0	0	-	110	47.3	46	56.5
Pennsylvania	137	56.9	7	42.9	0	-	1	.0	94	53.2	27	77.8
REGION II TOTAL	412	57.3	21	61.9	5	20.0	1	.0	264	52.7	111	69.4
District of Columbia	74	40.5	1	.0	1	100.0	0	-	69	37.7	3	100.0
Kentucky	114	38.6	3	100.0	0	-	1	100.0	102	34.3	4	50.0
Maryland	26	61.5	0	-	0	-	0	-	26	61.5	0	-
North Carolina	486	66.7	3	100.0	3	66.7	5	60.0	424	63.4	45	95.6
Virginia	348	73.6	11	81.8	2	50.0	0	-	318	72.6	12	83.3
West Virginia	57	50.9	0	-	0	-	0	-	44	45.5	13	69.2
REGION III TOTAL	1105	63.3	18	83.3	6	66.7	6	66.7	983	60.7	77	87.0
Alabama	327	40.1	2	50.0	5	60.0	4	50.0	287	39.7	23	34.8
Florida	200	66.0	1	100.0	3	.0	0	-	173	65.3	20	85.0
Georgia	242	67.8	23	21.7	4	75.0	9	33.3	199	73.9	6	100.0
Mississippi	102	75.5	7	71.4	3	100.0	2	50.0	78	75.6	11	81.8
South Carolina	285	67.7	16	81.3	1	.0	2	100.0	232	66.8	28	75.0
Tennessee	196	87.2	14	78.6	0	-	0	-	165	87.3	16	93.8
REGION IV TOTAL	1352	64.2	63	57.1	16	56.3	17	47.1	1134	64.6	104	73.1
Illinois	93	52.7	1	100.0	4	25.0	3	.0	66	54.5	19	57.9
Indiana	46	54.3	0	-	0	-	0	-	34	41.2	11	90.9
Michigan	89	41.6	1	.0	0	-	0	-	70	32.9	16	75.0
Ohio	131	53.4	3	33.3	0	-	12	91.7	89	42.7	25	76.0
Wisconsin	6	50.0	0	-	0	-	0	-	4	75.0	2	.0
REGION V TOTAL	365	50.4	5	40.0	4	25.0	15	73.3	263	43.3	73	71.2
Iowa	15	66.7	0	-	0	-	0	-	9	55.6	6	83.3
Kansas	60	60.0	3	100.0	2	100.0	0	-	52	53.8	3	100.0
Minnesota	5	20.0	0	-	0	-	0	-	5	20.0	0	-
Missouri	108	60.2	3	33.3	1	100.0	1	100.0	97	58.8	4	75.0
Nebraska	18	66.7	1	100.0	0	-	0	-	17	64.7	0	-
North Dakota	4	75.0	0	-	0	-	0	-	1	.0	3	100.0
South Dakota	14	71.4	0	-	0	-	0	-	13	76.9	1	.0
REGION VI TOTAL	224	61.2	7	71.4	3	100.0	1	100.0	194	57.7	17	82.4
Arkansas	94	74.5	4	100.0	1	100.0	0	-	87	72.4	2	100.0
Louisiana	175	59.4	4	50.0	6	100.0	0	-	151	55.0	14	92.9
New Mexico	59	72.9	1	100.0	0	-	0	-	52	73.1	6	66.7
Oklahoma	206	68.9	2	50.0	6	83.3	0	-	186	68.8	8	62.5
Texas	646	70.7	27	74.1	12	91.7	1	100.0	529	69.8	62	74.2
REGION VII TOTAL	1180	69.2	38	73.7	25	92.0	1	100.0	1005	67.8	92	76.1
Colorado	50	48.0	5	40.0	1	100.0	0	-	42	47.6	2	50.0
Idaho	3	33.3	1	.0	0	-	0	-	2	50.0	0	-
Montana	44	25.0	1	.0	0	-	1	.0	42	26.2	0	-
Utah	6	50.0	0	-	0	-	0	-	5	40.0	0	-
Wyoming	1	.0	0	-	0	-	0	-	1	.0	0	-
REGION VIII TOTAL	104	37.5	7	28.6	1	100.0	1	.0	92	37.0	2	50.0
Arizona	79	40.5	2	50.0	0	-	1	.0	73	41.1	3	33.3
California	612	31.7	13	30.8	4	25.0	3	100.0	577	31.5	0	-
Nevada	6	83.3	0	-	1	.0	0	-	4	100.0	1	100.0
Oregon	24	62.5	0	-	1	100.0	0	-	17	64.7	6	50.0
Washington	78	55.1	0	-	0	-	0	-	73	56.2	1	.0
REGION IX TOTAL	799	36.2	15	33.3	6	33.3	4	75.0	744	36.0	11	45.5
CONTINENTAL U. S.	5776	59.4	192	63.0	67	67.2	46	60.9	4866	57.6	515	74.8
Puerto Rico	222	82.4	9	88.9	1	100.0	0	-	203	83.3	6	50.0
Virgin Islands	N.A.											
Alaska	44	47.7	0	-	0	-	0	-	43	48.8	0	-
Hawaii	81	80.2	0	-	0	-	0	-	81	80.2	0	-
Canal Zone	N.A.											
TERRITORY TOTAL	347	77.5	9	88.9	1	100.0	0	-	327	78.0	6	50.0
U. S. & TERRITORIES	6123	60.5	201	64.2	68	67.6	46	60.9	5193	58.9	521	74.5
Cities (incl. above)												
Detroit	29	41.4	0	-	0	-	0	-	23	30.4	5	80.0
New York	122	48.4	9	77.8	4	25.0	0	-	77	44.2	30	50.0
Philadelphia	42	45.2	1	.0	0	-	1	.0	35	45.7	4	75.0
Pittsburgh	38	60.5	5	40.0	0	-	0	-	18	61.1	8	75.0
Chicago	55	54.5	0	-	3	.0	2	.0	32	62.5	18	55.6
Baltimore	N.A.											

* Totals include Other VD not shown separately.

Source: Form PHS - 2127
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
MFR/LBR:gh 7/17/58

**CONTACTS OBTAINED IN HEALTH DEPARTMENTS AND PUBLIC CLINICS
ALL AREAS REPORTING**

January - March 1958

States By NEW Regions	Primary and Secondary Syphilis				Early Latent Syphilis				Gonorrhea			
	Cases Reported a/	Percent of Cases Interviewed	Contacts Obtained		Cases Reported a/	Percent of Cases Interviewed	Contacts Obtained		Male Cases Reported b/	Percent of Male Cases Interviewed c/	Contacts Obtained	
			Number per Number Case Reported	Number Case Reported			Number per Number Case Reported	Number Case Reported			Number per Number Case Reported	Number Case Reported
Connecticut	8	137.5	8	1.00	22	77.3	8	.36	130	166.2	152	1.17
Maine	1	.0	-	-	0	-	-	-	4	.0	-	-
Massachusetts	28	117.9	60	2.14	21	123.8	33	1.57	174	140.8	308	1.77
New Hampshire	0	-	-	-	0	-	-	-	0	-	-	-
Rhode Island	0	-	-	-	3	.0	-	-	11	81.8	10	.91
Vermont	0	-	-	-	0	-	-	-	0	-	-	-
REGION I TOTAL	37	118.9	68	1.84	46	93.5	41	.89	319	147.3	470	1.47
Delaware	3	33.3	3	1.00	19	10.5	6	.32	34	55.9	29	.85
New Jersey	7	128.6	34	4.86	74	45.9	79	1.07	554	70.0	504	.91
New York	133	96.7	247	2.71	264	59.8	201	1.97	2215	106.7	1758	.88
Pennsylvania	28	57.1	77	2.75	72	19.4	20	.28	749	85.0	660	.88
REGION II TOTAL	171	88.4	361	2.80	429	41.6	306	1.15	3552	94.8	2951	.92
District of Columbia	28	100.0	95	3.39	45	80.0	128	2.84	1147	77.1	1062	.93
Kentucky	9	122.2	34	3.78	7	42.9	14	2.00	410	37.1	184	.45
Maryland d/	7	185.7	51	7.29	54	27.8	38	.70	36	69.4	38	1.06
North Carolina	42	119.0	219	5.21	91	59.3	169	1.86	1623	67.3	1635	1.01
Virginia	23	95.7	72	3.13	61	59.0	77	1.26	539	96.5	765	1.42
West Virginia	4	50.0	6	1.50	8	100.0	24	3.00	133	60.2	92	.69
REGION III TOTAL	113	111.5	477	4.22	266	57.1	450	1.69	3886	70.8	3776	.97
Alabama	32	131.3	184	5.75	69	95.7	259	3.75	503	97.0	677	1.35
Florida	34	102.9	150	4.41	45	73.3	107	2.38	1553	99.7	1808	1.16
Georgia	123	100.0	599	4.87	124	80.6	362	2.92	1808	95.1	2724	1.51
Mississippi	28	92.9	128	4.57	31	58.1	62	2.00	1207	54.8	937	.78
South Carolina	23	134.8	167	7.26	81	55.6	216	2.67	728	60.7	789	1.08
Tennessee	22	136.4	181	8.23	43	102.3	187	4.35	1391	89.4	2046	1.47
REGION IV TOTAL	262	109.5	1409	5.38	393	77.9	1193	3.04	7190	84.9	8981	1.25
Illinois	89	62.9	328	3.69	158	51.9	266	1.68	3590	87.5	4696	1.31
Indiana	10	110.0	17	1.70	3	266.7	13	4.33	188	86.7	207	1.10
Michigan	6	100.0	62	10.33	82	143.9	322	3.93	985	172.9	1918	1.95
Ohio	19	142.1	85	4.47	104	36.5	52	.50	920	100.8	861	.94
Wisconsin	1	100.0	0	.00	5	100.0	0	.00	151	131.1	62	.41
REGION V TOTAL	125	80.8	492	3.94	352	71.3	653	1.86	5834	105.1	7744	1.33
Iowa	0	-	-	-	1	200.0	3	3.00	47	121.3	97	2.06
Kansas	1	100.0	4	4.00	7	71.4	7	1.00	177	140.7	301	1.70
Minnesota	0	-	-	-	2	.0	-	-	81	98.8	33	.41
Missouri	3	100.0	13	4.33	32	81.3	65	2.03	777	103.0	872	1.12
Nebraska	0	-	1	.00	2	.0	-	-	20	215.0	63	3.15
North Dakota	0	-	-	-	4	.0	-	-	0	-	-	-
South Dakota	2	50.0	2	1.00	4	50.0	7	1.75	53	26.4	19	.36
REGION VI TOTAL	6	100.0	20	3.33	48	72.9	82	1.71	1155	107.6	1385	1.20
Arkansas	31	129.0	252	8.13	35	71.4	113	3.23	243	80.2	260	1.07
Louisiana	15	113.3	69	4.60	133	30.8	81	.61	797	75.0	790	.99
New Mexico	15	26.7	8	.53	40	47.5	40	1.00	126	15.1	26	.21
Oklahoma	2	100.0	2	1.00	15	53.3	1	.07	382	194.2	695	1.82
Texas	65	104.6	262	4.03	111	112.6	319	2.87	1691	153.5	3188	1.87
REGION VII TOTAL	128	102.3	593	4.63	334	65.3	554	1.66	3239	128.1	4959	1.53
Colorado	4	75.0	8	2.00	7	42.9	4	.57	90	180.0	177	1.97
Idaho	2	.0	-	-	1	100.0	1	1.00	23	34.8	12	.52
Montana	0	.0	-	-	0	-	-	-	0	-	-	-
Utah	1	.0	-	-	0	-	-	-	1	500.0	10	10.00
Wyoming	0	-	-	-	0	-	-	-	3	33.3	1	.33
REGION VIII TOTAL	7	42.9	8	1.14	8	112.5	5	.63	117	150.4	200	1.71
Arizona	14	85.7	26	1.86	14	28.6	9	.64	218	84.4	225	1.03
California	142	97.9	536	3.77	224	50.0	324	1.45	2666	143.8	2879	1.06
Nevada	0	-	-	-	1	.0	-	-	23	73.9	25	1.09
Oregon	2	150.0	4	2.00	8	62.5	6	.75	79	110.1	105	1.33
Washington	2	50.0	2	1.00	2	50.0	3	1.50	192	78.6	175	.91
REGION IX TOTAL	160	88.8	568	3.55	249	94.0	342	1.37	3178	134.5	3409	1.07
CONTINENTAL U. S.	10009	96.1	3996	3.96	2125	64.0	3626	1.71	28472	99.6	33875	1.19
Puerto Rico	11	100.0	24	2.18	67	73.1	71	1.06	410	75.6	369	.90
Virgin Islands	N.A.	-	-	-	-	-	-	-	-	-	-	-
Alaska	2	100.0	2	1.00	0	-	1	-	12	33.3	4	.33
Hawaii	0	-	-	-	1	100.0	1	1.00	4	100.0	5	1.25
Canal Zone	N.A.	-	-	-	-	-	-	-	-	-	-	-
TERRITORY TOTAL	13	100.0	26	2.00	68	75.0	73	1.07	426	74.6	378	.89
U. S. & TERRITORIES	10022	96.2	4022	3.94	2193	64.3	3699	1.69	28898	99.2	34253	1.19
Cities (incl. above)												
Detroit	2	50.0	13	6.50	59	91.5	143	2.42	742	99.6	733	.99
New York	112	97.1	170	2.43	251	58.4	177	1.99	1864	131.1	1758	1.15
Philadelphia	19	47.4	55	2.89	38	26.3	13	.34	647	89.2	559	.86
Pittsburgh	6	50.0	7	1.17	25	8.0	4	.16	46	71.7	58	1.26
Chicago	89	62.9	315	3.54	144	47.9	249	1.73	3489	85.8	4543	1.30
Baltimore	N.A.	-	-	-	-	-	-	-	-	-	-	-

a/ Cases reported by Clinics, Hospitals, and Institutions on Morbidity Report PHS - 688
b/ Male Cases reported by Clinics, Hospitals, and Institutions on Morbidity Report PHS - 688
c/ Some areas may have over 100 percent because some females were interviewed.
d/ Excludes Baltimore.
e/ Includes females for Hawaii only.

Source: Forms PHS - 688 and PHS - 2127
HEW-PHS-BOS-CDC-VD Branch
Office of Statistics
7/18/58 MFR/LBH: gh

*Corrected
1959*

CONTACTS NAMED PER PATIENT INTERVIEWED

CONTACT INDICES

January - March 1958

Source	U. S.	Region								
		I	II	III	IV	V	VI	VII	VIII	IX
<u>Military</u>										
P & S Syphilis	2.41	1.29	1.00	2.50	2.86	5.50	2.00	2.56	2.60	2.00
Gonorrhea	1.16	1.54	1.30	1.16	1.14	1.09	1.16	1.41	1.44	.89
Other V. D.	1.39	-	-	1.00	1.00	1.00	-	.83	2.00	1.82
<u>Civilian</u>										
P & S Syphilis	4.12	1.55	3.17	3.79	4.91	4.87	3.33	4.53	2.67	3.59
Early Latent	2.67	.95	2.76	2.96	3.90	2.60	2.34	2.54	.56	1.46
Other Syphilis	.88	.85	1.98	1.61	1.89	1.03	.49	.87	.70	.32
Gonorrhea	1.19	1.00	.97	1.37	1.47	1.26	1.11	1.20	1.14	.80
Other V. D.	.49	1.50	.04	1.97	1.83	.42	.80	.85	1.00	.24
<u>All Persons</u> <u>Interviewed</u>	1.24	1.07	1.11	1.53	1.75	1.18	1.16	1.27	1.22	.74

Source: Form PHS - 2127
 HEW-PHS-BSS-CDC-VD Branch
 Office of Statistics
 MFR/LBH: gh 7/17/58

PERCENT OF CONTACTS AND SUSPECTS EXAMINED

January - March 1958

Source	U. S.	Region								
		I	II	III	IV	V	VI	VII	VIII	IX
<u>Military Activity</u>										
<u>Contacts</u>										
P & S Syphilis	63.0	83.3	61.9	83.3	57.1	40.0	71.4	73.7	28.6	33.3
Early Latent	67.2	100.0	20.0	66.7	56.3	25.0	100.0	92.0	100.0	33.3
Other Syphilis	60.9	-	-	66.7	47.1	73.3	100.0	100.0	-	75.0
Gonorrhea	57.6	67.4	52.7	60.7	64.6	43.3	57.7	67.8	37.0	36.0
Other V. D.	56.7	-	60.0	80.0	38.9	80.0	100.0	68.4	100.0	31.6
Selectees & Separates	74.8	82.1	69.4	87.0	73.1	71.2	82.4	76.1	50.0	45.5
<u>Total Military</u>	59.4	70.2	57.3	63.3	64.2	50.4	61.2	69.2	37.5	36.2
<u>Civilian Activity</u>										
<u>Contacts</u>										
P & S Syphilis	75.8	59.3	68.3	82.0	76.6	65.4	85.3	88.7	66.7	72.2
Early Latent	72.8	78.1	71.6	81.3	69.1	70.0	68.3	84.1	100.0	64.2
Other Syphilis	83.7	74.6	64.3	91.6	79.7	86.8	77.6	85.7	60.0	91.5
Gonorrhea	70.8	52.9	64.3	74.4	78.3	61.1	68.6	79.3	57.9	61.5
Other V. D.	69.7	38.5	47.4	76.6	69.0	72.7	33.3	87.8	37.5	58.3
Private Physicians Contacts	75.8	66.7	83.2	86.6	78.9	59.7	81.2	91.5	62.7	63.2
Positive STS	83.0	92.6	81.4	84.1	91.6	75.8	81.3	86.8	93.0	72.1
<u>Total Civilian</u>	77.6	79.5	71.7	80.1	83.6	69.8	76.7	84.4	74.3	67.7
<u>Total Caseload Activity</u>	76.5	78.6	71.0	78.5	82.5	69.4	75.9	83.3	69.4	64.9
<u>All Contacts</u>										
Syphilis	76.6	71.4	67.6	84.7	73.5	75.5	75.1	85.9	65.1	74.0
Gonorrhea	69.2	57.4	63.4	71.6	76.9	60.4	67.3	77.4	52.7	56.8
Total Contacts	70.9	61.8	64.4	74.5	76.0	63.9	68.1	79.3	54.0	60.5
All Other Suspects	82.6	88.7	77.8	83.2	92.1	74.7	81.3	86.7	86.3	70.6

Source: Form PHS - 2127
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
MFR/LBH: gh 7/18/58

Stat. Ltr. 58
Page 16

EPIDEMIOLOGIC YIELD PER 1,000 PERSONS EXAMINED
Cases Brought or Returned to Treatment
Continental United States

January - March 1958

Source	U. S.	Region								
		I	II	III	IV	V	VI	VII	VIII	IX
<u>Civilian P & S Syphilis Contacts</u>										
P & S Syphilis	102	118	109	89	92	107	103	127	167	112
Early Latent	48	59	75	65	36	62	69	51	167	31
Other Syphilis	13	0	29	19	14	9	69	2	0	11
Gonorrhea	19	0	25	19	17	9	0	45	0	8
Other V. D.	0	0	0	0	1	0	0	0	0	0
Prophylactic Rx.	190	0	222	176	199	326	414	200	0	20
<u>Civilian Gonorrhea Contacts</u>										
P & S Syphilis	0	0	0	0	1	1	0	0	0	1
Early Latent	1	0	1	1	1	2	2	0	0	1
Other Syphilis	0	0	1	1	0	0	1	0	6	0
Gonorrhea	396	342	272	645	373	315	215	488	379	317
Other V. D.	1	0	1	0	1	0	0	0	0	0
Prophylactic Rx.	439	311	595	215	510	535	487	247	87	539
<u>All Military Contacts</u>										
P & S Syphilis	4	21	6	2	4	8	0	3	0	0
Early Latent	2	7	6	3	1	0	0	3	0	0
Other Syphilis	0	7	0	0	0	0	0	0	0	0
Gonorrhea	391	225	201	489	263	318	358	489	500	500
Other V. D.	0	0	0	0	0	0	0	1	0	0
Prophylactic Rx.	360	423	560	256	552	333	358	247	132	254
<u>All Civilian Contacts</u>										
P & S Syphilis	12	14	11	9	14	8	3	12	11	17
Early Latent	10	12	13	12	9	8	5	14	11	8
Other Syphilis	9	12	13	14	7	7	12	12	32	5
Gonorrhea	292	184	207	459	280	227	189	357	323	226
Other V. D.	2	0	1	3	2	1	0	2	0	1
Prophylactic Rx.	349	167	471	182	417	414	453	205	74	385
<u>All Civilian Other Suspects</u>										
P & S Syphilis	9	10	17	9	13	6	2	8	3	6
Early Latent	35	19	45	34	28	47	22	32	16	40
Other Syphilis	225	65	301	254	150	305	172	270	84	143
Gonorrhea	52	56	13	51	51	33	159	57	304	27
Other V. D.	2	0	1	2	3	0	0	2	3	8
Prophylactic Rx.	13	10	24	14	12	13	14	6	28	20
<u>All Persons Examined</u>										
P & S Syphilis	10	12	14	8	13	7	2	9	5	11
Early Latent	23	18	32	22	17	30	16	24	13	22
Other Syphilis	119	48	166	129	70	168	112	154	60	69
Gonorrhea	173	97	102	263	177	123	176	197	324	146
Other V. D.	2	0	1	2	3	0	0	2	2	4
Prophylactic Rx.	177	76	233	106	242	195	173	96	51	207

Source: Form PHS - 2127
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
MFR/LBH: gh 7/17/58

DIAGNOSTIC OBSERVATIONS FOR VENEREAL DISEASE IN PUBLIC CLINICS

January - March 1958

States By HEW Regions	Diagnostic Observations Completed *			Persons Infected		Persons Given Prophylactic Treatment
	Number	Annual Rate Per 100,000 Population	Ratio To Last Year	Number	Percent of Observations	
Connecticut	553	98.75	.92	42	7.6	1
Maine	N.A.					
Massachusetts	694	57.71	.92	454	65.4	86
New Hampshire	N.A.					
Rhode Island	32	15.42	.22	18	56.3	30
Vermont	N.A.					
REGION I TOTAL	1279	64.92	.85	514	40.2	117
Delaware	289	268.84	.59	110	38.1	29
New Jersey	6177	442.80	.69	938	15.2	293
New York	12692	320.65	.70	4356	34.3	1819
Pennsylvania	2550	92.56	.53	1336	52.4	768
REGION II TOTAL	21708	264.23	.67	6740	31.0	2909
District of Columbia	5828	2881.58	1.00	2724	46.7	135
Kentucky	8776	1170.52	1.19	943	10.7	37
Maryland	1636	231.48	.39	173	10.6	62
North Carolina	37149	3364.19	.94	3449	9.3	787
Virginia	10686	1174.94	.90	1839	17.2	138
West Virginia	3509	710.68	1.14	352	10.0	29
REGION III TOTAL	67584	1622.18	.94	9480	14.0	1188
Alabama	5443	696.48	1.25	806	14.8	1145
Florida	49697	4968.46	1.62	3004	6.0	858
Georgia	57644	6233.47	.99	5010	8.7	1423
Mississippi	30284	5587.46	.78	3292	10.9	696
South Carolina	15196	2633.63	.96	1788	11.8	429
Tennessee	7742	899.45	.59	2761	35.7	566
REGION IV TOTAL	166006	3542.45	1.03	16661	10.0	5117
Illinois	23447	978.49	1.98	6250	26.7	2064
Indiana	758	67.01	1.08	523	69.0	0
Michigan	9130	468.93	1.06	3505	38.4	529
Ohio	11912	519.05	1.38	1851	15.5	3465
Wisconsin	452	46.88	1.06	211	46.7	0
REGION V TOTAL	45699	523.25	1.51	12340	27.0	6058
Iowa	164	23.46	1.12	91	55.5	11
Kansas	1304	248.97	.94	299	22.9	45
Minnesota	825	99.55	1.06	10	1.2	0
Missouri	6968	659.85	.79	1799	25.8	306
Nebraska	1045	290.48	.72	64	6.1	2
North Dakota	N.A.					
South Dakota	501	288.35	.69	24	4.8	3
REGION VI TOTAL	10807	296.82	.81	2287	21.2	367
Arkansas	19804	4542.21	1.17	1126	5.7	205
Louisiana	35453	4684.91	1.27	2930	8.3	214
New Mexico	1901	944.60	1.12	229	12.0	88
Oklahoma	6870	1225.15	1.03	894	13.0	410
Texas	44493	1987.85	1.02	3311	7.4	1156
REGION VII TOTAL	108521	2588.19	1.12	8490	7.8	2073
Colorado	3954	969.12	.90	221	5.6	33
Idaho	877	551.57	.67	40	4.6	8
Montana	N.A.					
Utah	52	24.56	.63	17	32.7	0
Wyoming	150	194.17	.77	14	9.3	2
REGION VIII TOTAL	5033	587.97	.83	292	5.8	43
Arizona	11014	3965.44	1.09	467	4.2	20
California	N.A.					
Nevada	83	129.18	.03	23	27.7	12
Oregon	717	162.59	1.02	177	24.7	48
Washington	4093	617.11	.98	334	8.2	248
REGION IX TOTAL	15907	1099.88	.89	1001	6.3	328
CONTINENTAL U. S.	442544	1167.45	1.03	57805	13.1	18200
Puerto Rico	50046	8810.92	.90	2347	4.7	3665
Virgin Islands	N.A.					
Alaska	27	65.45	.48	24	88.9	0
Hawaii	117	84.48	.84	32	27.4	4
Canal Zone	N.A.					
TERRITORY TOTAL	50190	6712.14	.90	2403	4.8	3669
U. S. & TERRITORIES	492734	1274.70	1.01	60208	12.2	21869
Cities (incl. above)						
Detroit	3785	818.38	1.11	1554	41.1	198
New York	6742	341.71	.59	3988	59.2	1586
Philadelphia	1665	321.43	.87	801	48.1	718
Pittsburgh	359	212.11	.99	258	71.9	27
Chicago	19861	2193.98	2.30	5754	29.0	1723
Baltimore	N.A.					

* A diagnostic observation is an examination of a person to determine the presence or absence of venereal disease (other than observations to determine response to therapy). Observations are excluded for persons given prophylactic treatment, transferred to another clinic, or lapsing from observation before the diagnosis is completed.

Source: Form PHS - 721-1
HEW - PHS-ESS-CDC-VD Branch
Office of Statistics
7/16/58 MFS/MFR: gh

N.A. Not available.