

November 1958

Issue No. 59

VD **STATISTICAL LETTER**



U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
Public Health Service

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
Public Health Service
Bureau of State Services – Communicable Disease Center
Venereal Disease Branch
Office of Statistics

LIMITED EDITION

This paper has been prepared for a special audience, and should not be listed in reading lists or periodicals as available on request.

CONTENTS

MORBIDITY:

FOR APRIL - JUNE 1958:

Summary, Continental United States By Race, Sex and Disease	1
By State and Territory:	
By Disease and Reporting Source	2
By Disease	3
Rates per 100,000 population, By Disease	4
By Cities:	
By Disease	5
Rates per 100,000 population, By Disease	6

FOR FISCAL YEAR 1958:

Summary, Continental United States, By Race, Sex and Disease	7
By State and Territory:	
By Disease and Reporting Source	8
By Disease	9
Rates per 100,000 population, By Disease	10
By Cities:	
By Disease	11
Rates per 100,000 population, By Disease	12
Summary, Cases and Rates By Source and Disease	13

EPIDEMIOLOGICAL ACTIVITY:

FOR APRIL - JUNE 1958:

By State and Territory:	
Contacts Obtained	14
Investigations and Percent of Suspects Examined:	
1 - Civilian	15
11 - Military	16
By Region:	
Percent of Contacts and Suspects Examined	17
Yield Per 1,000 Persons Examined	18
Contacts Named Per Patient Interviewed	19

FOR FISCAL YEAR 1958:

Summary, Continental United States	20
By State and Territory:	
Investigations and Percent and Suspects Examined:	
1 - Civilian	21
11 - Military	22
Contacts Obtained	23
By Region:	
Percent of Contacts and Suspects Examined	24
Yield Per 1,000 Persons Examined	25
Contacts Named Per Patient Interviewed	19

DIAGNOSTIC OBSERVATIONS IN PUBLIC CLINICS:

By State and Territory:	
April - June 1958	26
Fiscal Years 1950 - 1958:	
By Number of Diagnostic Observations	27
Rates per 100,000 population	28
Fiscal Year 1958	29

REPORTED BLOOD SPECIMENS EXAMINED FOR SYPHILIS BY LABORATORIES:

By State and Territory:	
Fiscal Years 1950 - 1958	30

SELECTEES:

Summary, Fiscal Years 1954 - 1958	31
By State and Territory:	
Disposition of Syphilis Suspects, For Fiscal Year 1958	32

SEPARATEES:

Summary, Fiscal Years 1954 - 1958	31
By State and Territory:	
Disposition of Syphilis Suspects for Fiscal Year 1958	33

FIRST ADMISSIONS TO STATE MENTAL HOSPITALS FOR ALL PSYCHOSES DUE TO SYPHILIS, 1946 - 1956

	34
--	----

VENEREAL DISEASE MORBIDITY SUMMARY
CONTINENTAL UNITED STATES

April - June 1958

SOURCE OF REPORT	COLOR AND SEX		TOTAL SYPHILIS	SYPHILIS					GONORRHEA	OTHER VD			TOTAL OTHER VD
				Primary and Secondary	Early Latent	Late and Late Latent	Congenital	Not Stated		Chancroid	Granuloma Inguinale	Lympho-granuloma Venereum	
BY PRIVATE PHYSICIANS	White and Unknown	Male	3222	238	294	2523	78	89	3437	12	1	5	18
		Female	3034	71	326	2315	227	95	903				
	Nonwhite	Male	2055	119	340	1459	54	83	3330	17	3	6	26
		Female	2604	104	554	1755	109	82	938	4	6	2	12
	Total		10915	532	1514	8052	468	349	8608	33	10	13	56
			2824	198	316	2209							
BY CLINICS, HOSPITALS, OR OTHER INSTITUTIONS	White and Unknown	Male	5095	212	1042	3740	60	41	4371	51	4	6	61
		Female	1669	55	234	1288	79	13	2439	15	1	3	19
	Nonwhite	Male	7064	511	991	5223	247	92	27159	229	31	67	327
		Female	6258	343	1079	4482	320	34	13349	52	39	17	108
	Total		20086	1121	3346	14733	706	180	47318	347	75	93	515
			19815	1107	2620	13202							
			6046	436	610	4732							
TOTAL ALL SOURCES	White and Unknown	Male	8317	450	1336	6263	138	130	7808	63	5	11	79
		Female	4703	126	560	3603	306	108	3342	15	1	3	19
	Nonwhite	Male	9119	630	1331	6682	301	175	30489	246	34	73	353
		Female	8862	447	1633	6237	429	116	14287	56	45	19	120
	Total		31001	1653	4860	22785	1174	529	55926	380	85	106	571
			28730	1639	4134	21254							

Source: Form PHS - 688
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
10/3/58 LBH/MFR: lbh

Corrected 1959

CASES OF SYPHILIS AND GONORRHEA REPORTED TO THE PUBLIC HEALTH SERVICE
BY STATE AND TERRITORIAL HEALTH DEPARTMENTS
AND
CASES REPORTED BY PRIVATE PHYSICIANS AS A PERCENTAGE OF TOTAL CASES
(Known Military Cases Excluded)

April - June 1958

States By NEW Regions	SYPHILIS												GONORRHEA					
	TOTAL SYPHILIS*			PRIMARY AND SECONDARY			EARLY LATENT			LATE AND LATE LATENT			CONGENITAL			GONORRHEA		
	Total All Sources	Private Physi- cians	Per- cent	Total All Sources	Private Physi- cians	Per- cent	Total All Sources	Private Physi- cians	Per- cent	Total All Sources	Private Physi- cians	Per- cent	Total All Sources	Private Physi- cians	Per- cent	Total All Sources	Private Physi- cians	Per- cent
Connecticut	154	72	46.8	13	3	23.1	36	14	38.9	92	48	52.2	9	6	66.7	322	163	50.6
Maine	14	10	71.4	1	1	100.0	1	1	100.0	10	6	60.0	2	2	100.0	38	34	89.5
Massachusetts	494	231	46.8	63	35	55.6	82	43	52.4	316	136	43.0	33	17	51.5	376	113	30.1
New Hampshire	22	22	100.0	0	0	-	1	1	100.0	21	21	100.0	0	0	-	10	10	100.0
Rhode Island	76	37	48.7	1	1	100.0	6	4	66.7	50	24	48.0	2	2	100.0	55	25	45.5
Vermont	2	2	100.0	1	1	100.0	0	0	-	1	1	100.0	0	0	-	28	22	78.6
REGION I TOTAL	762	374	49.1	79	41	51.9	126	63	50.0	490	236	48.2	46	27	58.7	829	367	44.3
Delaware	262	51	19.5	2	1	50.0	52	13	25.0	194	32	16.5	8	2	25.0	113	50	44.2
New Jersey	1277	656	51.4	22	14	63.6	162	80	49.4	1040	532	51.2	52	29	55.8	1268	311	24.5
New York	4068	1337	32.9	230	80	34.8	437	140	32.0	3327	1084	32.6	74	33	44.6	3723	601	16.1
Pennsylvania	603	158	26.2	36	6	16.7	108	31	28.7	442	117	26.5	16	3	18.8	1085	153	14.1
REGION II TOTAL	6210	2202	35.5	290	101	34.8	759	264	34.8	5003	1765	35.3	150	67	44.7	6189	1115	18.0
District of Columbia	592	113	19.1	43	5	11.6	103	12	11.7	436	96	22.0	10	0	.0	2366	93	3.9
Kentucky	396	261	71.0	9	3	33.3	9	2	22.2	329	229	69.6	18	16	88.9	699	113	16.2
Maryland	598	48	8.0	59	7	11.9	46	4	8.7	435	34	7.8	25	2	8.0	1835	113	6.2
North Carolina	1253	242	19.3	56	8	14.3	249	60	24.1	913	162	17.7	35	12	34.3	2488	139	5.6
Virginia	947	421	44.5	28	10	35.7	101	39	38.6	742	319	43.0	45	28	62.2	1662	268	16.1
West Virginia	268	197	73.5	10	6	60.0	30	19	63.3	206	153	74.3	22	19	86.4	314	106	33.8
REGION III TOTAL	4094	1302	32.1	205	39	19.0	538	136	25.3	3061	993	32.4	155	77	49.7	9384	832	8.9
Alabama	378	113	29.9	50	10	20.0	162	31	19.1	139	67	48.2	11	3	27.3	936	189	20.2
Florida	928	506	54.5	64	14	21.9	209	124	59.3	606	346	57.1	49	22	44.9	2794	116	4.2
Georgia	882	462	52.4	156	30	19.2	220	137	62.3	380	223	58.7	51	9	17.6	3537	98	2.8
Mississippi	191	43	22.5	8	2	25.0	22	4	18.2	139	35	25.2	22	2	9.1	1853	105	5.7
South Carolina	922	421	45.7	75	46	61.3	179	99	55.3	588	262	44.6	80	14	17.5	1352	120	8.9
Tennessee	360	122	33.9	39	8	20.5	55	14	25.5	245	91	37.1	21	9	42.9	2905	301	10.4
REGION IV TOTAL	3661	1667	45.5	392	110	28.1	847	409	48.3	2097	1024	48.8	234	59	25.2	13367	929	6.9
Illinois	2170	556	25.6	140	41	29.3	273	89	32.6	1655	414	25.0	102	12	11.8	5805	487	8.4
Indiana	375	254	67.7	27	19	70.4	40	26	65.0	283	186	65.7	25	23	92.0	530	128	24.2
Michigan	1028	566	55.1	22	14	63.6	168	110	65.5	616	330	53.6	51	18	35.3	2025	430	21.2
Ohio	1776	872	49.1	35	10	28.6	281	130	46.3	1402	694	49.5	58	38	65.5	1850	363	19.6
Wisconsin	241	228	94.6	10	10	100.0	12	9	75.0	167	157	94.0	12	12	100.0	232	52	22.4
REGION V TOTAL	5590	2476	44.3	234	94	40.2	774	364	47.0	4123	1781	43.2	248	103	41.5	10442	1460	14.0
Iowa	346	305	88.2	7	5	71.4	6	5	83.3	315	282	89.5	13	10	76.9	200	117	58.5
Kansas	287	184	64.1	2	2	100.0	7	3	42.9	267	172	64.4	11	7	63.6	398	95	23.9
Minnesota	36	19	52.8	1	0	.0	3	1	33.3	32	18	56.3	0	0	-	235	126	53.6
Missouri	1253	348	27.8	18	11	61.1	116	26	22.4	1083	296	27.3	33	13	39.4	1625	258	15.9
Nebraska	63	43	68.3	0	0	-	6	4	66.7	51	34	66.7	6	5	83.3	192	102	53.1
North Dakota	10	10	100.0	3	3	100.0	1	1	100.0	4	4	100.0	2	2	100.0	50	50	100.0
South Dakota	51	27	52.9	0	0	-	8	3	37.5	38	23	60.5	4	1	25.0	197	40	20.3
REGION VI TOTAL	2046	936	45.7	31	21	67.7	147	43	29.3	1790	829	46.3	69	38	55.1	2897	788	27.2
Arkansas	794	177	22.3	30	7	23.3	98	22	22.4	627	141	22.5	39	7	17.9	1002	532	53.1
Louisiana	1589	19	1.2	19	0	.0	166	1	.6	1345	18	1.3	47	0	.0	1309	46	3.5
New Mexico	277	149	53.8	20	8	40.0	51	19	37.3	183	105	57.4	16	11	68.8	306	138	45.1
Oklahoma	620	497	80.2	19	5	26.3	70	49	70.0	486	409	84.2	43	32	74.4	1079	198	18.4
Texas	812	268	33.0	107	36	33.6	212	43	20.3	437	152	34.8	28	9	32.1	3676	1040	28.3
REGION VII TOTAL	4092	1110	27.1	195	56	28.7	597	134	22.4	3078	825	26.8	173	59	34.1	7372	1954	26.5
Colorado	79	56	70.9	4	2	50.0	9	8	88.9	63	43	68.3	3	3	100.0	211	26	12.3
Idaho	26	6	23.1	3	1	33.3	2	1	50.0	21	4	19.0	0	0	-	57	18	31.6
Montana	58	52	89.7	0	0	-	10	9	90.0	27	22	81.5	3	3	100.0	83	75	90.4
Utah	38	33	86.8	3	3	100.0	2	2	100.0	32	27	84.4	1	1	100.0	53	46	86.8
Wyoming	17	15	88.2	1	1	100.0	1	1	100.0	9	7	77.8	1	1	100.0	12	7	58.3
REGION VIII TOTAL	218	162	74.3	11	7	63.6	24	21	87.5	152	103	67.8	8	8	100.0	416	172	41.3
Arizona	175	53	30.3	11	9	81.8	33	15	45.5	126	27	21.4	5	2	40.0	518	217	41.9
California	3783	1512	37.3	9.9	24.7	194	180	49	25.3	2983	257	8.6	19	17	89.5	3876	620	16.0
Nevada	28	16	57.1	1	1	100.0	5	1	20.0	22	14	63.6	0	0	-	76	22	28.9
Oregon	187	123	65.8	5	3	60.0	14	12	85.7	156	99	63.5	12	9	75.0	191	70	36.6
Washington	195	121	62.1	5	1	20.0	13	3	23.1	173	115	66.5	4	2	50.0	371	62	16.7
WASHINGTON TERRITORY	4368	1097	25.1	15.7	216	102	63	29.2	1048	321	30.7	7.6	299	496	16.6	5030	991	19.7
CONTINENTAL U. S.	31001	10915	35.2	1653	532	32.2	4860	1514	31.2	22785	8052	35.3	1174	468	39.9	55926	8608	15.4
Puerto Rico	23730		32.0	1639		32.5	4434		36.6	21254		37.9						
Virgin Islands	314	0	.0	17	0	.0	67	0	.0	210	0	.0	20	0	.0	832	0	.0
Alaska	41	7	17.1	0	0	-	16	7	43.8	25	0	.0	0	0	-	35	20	57.1
Hawaii	5	2	40.0	0	0	-	2	0	.0	2	2	100.0	0	0	-	53	12	22.6
Canal Zone	41	24	58.5	2	2	100.0	2	1	50.0	25	10	40.0	10	9	90.0	47	17	36.2
TERRITORY TOTAL	26	0	.0	5	0	.0	7	0	.0	13	0	.0	0	0	.0	97	0	.0
U. S. & TERRITORIES	31428	10948	34.8	1677	534	31.8	4954	1522	30.7	23060	8064	35.0	1204	477	39.6	56990	8657	15.2

* Includes cases with stage "not stated".

Source: Form PHS - 688
NEW-PHS-BSS-CDC-VD Branch
Office of Statistics
9/29/58 LHM/MFR: lbb

Corrected 1959

CASES OF VENEREAL DISEASE REPORTED TO THE PUBLIC HEALTH SERVICE
BY STATE AND TERRITORIAL HEALTH DEPARTMENTS
(Known Military Cases Excluded)

April - June 1958

States By NEW Regions	SYPHILIS					GONORRHEA	CHANCROID	GRANULOMA- INGUINALE	LYMPHO- GRANULOMA VENEREUM
	Total * Syphilis	Primary & Secondary	Early Latent	Late & Late Latent	Congenital				
Connecticut	154	13	36	92	9	322	0	0	1
Maine	14	1	1	10	2	38	0	0	0
Massachusetts	494	63	82	316	33	376	0	0	1
New Hampshire	22	0	1	21	0	10	0	0	0
Rhode Island	76	1	6	50	2	55	1	0	0
Vermont	2	1	0	1	0	28	0	0	0
REGION I TOTAL	762	79	126	490	46	829	1	0	2
Delaware	262	2	52	194	8	113	3	0	2
New Jersey	1277	22	162	1040	52	1268	1	1	2
New York	4068	230	437	3327	74	3723	29	0	10
Pennsylvania	603	36	108	442	16	1085	7	3	1
REGION II TOTAL	6210	290	759	5003	150	6189	40	4	15
District of Columbia	592	43	103	436	10	2386	10	4	11
Kentucky	396	9	9	329	18	699	0	0	0
Maryland	598	59	46	435	25	1835	7	3	8
North Carolina	1253	56	249	913	35	2488	24	8	1
Virginia	947	28	101	742	45	1662	9	4	0
West Virginia	268	10	30	206	22	314	3	1	0
REGION III TOTAL	4054	205	538	3061	155	9384	53	20	21
Alabama	378	50	162	139	11	936	10	6	7
Florida	928	64	209	606	49	2784	39	16	12
Georgia	882	156	220	380	51	3537	37	13	12
Mississippi	191	8	22	139	22	1853	26	5	4
South Carolina	922	75	179	588	80	1352	10	2	1
Tennessee	360	39	55	245	21	2905	11	5	5
REGION IV TOTAL	3661	392	847	2097	234	13367	133	47	41
Illinois	2170	140	273	1655	102	5805	7	1	1
Indiana	375	27	40	283	25	530	1	1	3
Michigan	1028	22	168	616	51	2025	2	2	0
Ohio	1776	35	281	1402	58	1850	4	0	2
Wisconsin	241	10	12	167	12	232	0	0	0
REGION V TOTAL	5590	234	774	4123	248	10442	52	4	6
Iowa	346	7	6	315	13	200	0	0	0
Kansas	287	2	7	267	11	398	2	0	0
Minnesota	36	3	3	32	0	235	0	0	0
Missouri	1253	18	116	1083	33	1625	10	1	0
Nebraska	63	0	6	51	6	192	0	0	0
North Dakota	10	3	1	4	2	50	0	0	0
South Dakota	51	0	8	38	4	197	0	0	0
REGION VI TOTAL	2046	31	147	1790	69	2897	12	1	0
Arkansas	794	30	98	627	39	1002	1	1	0
Louisiana	1589	19	166	1345	47	1309	20	2	9
New Mexico	277	20	51	183	16	306	1	0	0
Oklahoma	620	19	70	486	43	1079	3	0	0
Texas	612	107	212	437	28	3676	38	4	3
REGION VII TOTAL	4092	195	597	3078	173	7372	63	7	12
Colorado	79	4	9	63	3	211	2	0	0
Idaho	26	3	2	21	0	57	0	0	0
Montana	58	0	10	27	3	83	0	0	0
Utah	38	3	2	32	1	53	0	0	0
Wyoming	17	1	1	9	1	12	0	0	0
REGION VIII TOTAL	218	11	24	152	8	416	2	0	0
Arizona	175	11	33	126	5	518	2	0	3
California	3783	194	983	2514	70	3874	17	2	5
Nevada	28	1	5	22	0	76	1	0	1
Oregon	187	5	14	156	12	191	3	0	0
Washington	195	5	13	173	4	371	1	0	0
REGION IX TOTAL	4368	216	1048	2991	91	5030	24	2	9
CONTINENTAL U. S.	31001 28730	1653 1639	4860 4134	22785 21254	1174	55926	380	85	106
Puerto Rico	314	17	67	210	20	832	7	0	1
Virgin Islands	41	0	16	25	0	35	0	0	0
Alaska	5	0	2	2	0	53	0	0	0
Hawaii	41	2	2	25	10	47	0	0	10
Canal Zone	26	5	7	13	0	97	6	0	11
TERRITORY TOTAL	427	24	94	275	30	1064	13	0	0
U. S. & TERRITORIES	31428 29157	1677 1663	4954 4228	23060 21529	1204	56990	393	85	117

* Includes cases with stage "not stated".

Source: Form PHS-688
NEW-PHS-BSS-CDC-VD Branch
Office of Statistics
10/2/58 LBH/WPR:lbh

Corrected 1959

RATES OF VENEREAL DISEASES REPORTED TO THE PUBLIC HEALTH SERVICE
BY STATE AND TERRITORIAL HEALTH DEPARTMENTS
(Known Military Cases Excluded)
Rates per 100,000 Population

April - June 1958

States By REGIONS	SYPHILIS								
	Total * Syphilis	Primary & Secondary	Early Latent	Late & Late Latent	Congenital	GONORRHEA	CHANCROID	GRANULOMA- INGUINALE	LYMPHO- GRANULOMA VENEREUM
Connecticut	27.50	2.32	6.43	16.43	1.61	57.50	.00	.00	.18
Maine	6.04	.43	.43	4.31	.86	16.40	.00	.00	.00
Massachusetts	41.08	5.24	6.82	26.28	2.74	31.27	.00	.00	.08
New Hampshire	15.58	.00	.71	14.87	.00	7.08	.00	.00	.00
Rhode Island	35.63	.48	2.89	24.10	.96	26.51	.00	.00	.00
Vermont	2.14	1.07	.00	1.07	.00	29.95	.00	.00	.00
REGION I TOTAL	31.27	3.24	5.17	20.11	1.89	34.02	.04	.00	.08
Delaware	243.72	1.86	48.37	180.47	7.44	105.12	2.79	.00	1.86
New Jersey	91.54	1.58	11.61	74.55	3.73	90.90	.07	.00	.14
New York	102.77	5.81	11.04	84.05	1.87	94.06	.73	.00	.25
Pennsylvania	21.89	1.31	3.92	16.04	.58	39.38	.25	.11	.04
REGION II TOTAL	75.59	3.53	9.24	60.90	1.83	75.33	.49	.05	.18
District of Columbia	292.71	21.26	50.93	215.57	4.94	1179.73	4.94	1.98	5.44
Kentucky	52.82	1.20	1.20	43.88	2.40	93.23	.00	.00	.00
Maryland	84.61	8.35	6.51	61.55	3.54	259.64	.99	.42	.14
North Carolina	113.47	5.07	22.55	82.68	3.17	225.31	2.17	.72	.72
Virginia	104.12	3.08	11.11	81.58	4.95	182.74	.99	.44	.11
West Virginia	54.28	2.03	6.08	41.72	4.46	63.59	.61	.20	.00
REGION III TOTAL	97.31	4.92	12.91	73.47	3.72	225.24	1.27	.48	.50
Alabama	48.37	6.40	20.73	17.79	1.41	119.77	1.28	.77	.90
Florida	92.78	6.40	20.89	60.58	4.90	278.33	3.90	1.60	1.20
Georgia	95.38	16.87	23.79	41.09	5.52	382.48	4.00	1.41	1.30
Mississippi	35.24	1.48	4.06	25.65	4.06	341.88	4.80	.92	.74
South Carolina	159.79	13.00	31.02	101.91	13.86	234.32	1.73	.35	.17
Tennessee	41.82	4.53	6.39	28.46	2.44	337.50	1.28	.58	.58
REGION IV TOTAL	78.12	8.37	18.07	44.75	4.99	285.25	2.84	1.00	.87
Illinois	90.56	5.84	11.39	69.07	4.26	242.25	.29	.04	.04
Indiana	33.15	2.39	3.54	25.02	2.21	46.85	.09	.09	.27
Michigan	52.80	1.13	8.63	31.64	2.62	104.01	2.16	.10	.00
Ohio	77.39	1.53	12.24	61.09	2.53	80.61	.09	.00	.09
Wisconsin	24.99	1.04	1.24	17.32	1.24	24.06	.00	.00	.00
REGION V TOTAL	64.01	2.68	8.86	47.21	2.84	119.56	.60	.05	.07
Iowa	49.50	1.00	.86	45.06	1.86	28.61	.00	.00	.00
Kansas	54.80	.38	1.34	50.98	2.10	75.99	.38	.00	.00
Minnesota	4.34	.12	.36	3.86	.00	28.36	.00	.00	.00
Missouri	118.66	1.70	10.98	102.56	3.13	153.88	.95	.09	.00
Nebraska	17.51	.00	1.67	14.18	1.67	53.37	.00	.00	.00
North Dakota	6.21	1.86	.62	2.48	1.24	31.06	.00	.00	.00
South Dakota	29.35	.00	4.60	21.87	2.30	113.38	.00	.00	.00
REGION VI TOTAL	53.81	.82	3.87	47.08	1.81	76.20	.32	.03	.00
Arkansas	182.11	6.88	22.48	143.81	8.94	229.82	.23	.23	.00
Louisiana	209.98	2.51	21.94	177.74	6.21	172.98	2.64	.26	1.19
New Mexico	137.64	9.94	25.34	90.93	7.95	152.05	.50	.00	.00
Oklahoma	110.57	3.39	12.48	86.67	7.67	192.42	.53	.00	.00
Texas	36.28	4.78	9.47	19.52	1.25	164.24	1.70	.18	.13
REGION VII TOTAL	97.59	4.65	14.24	73.41	4.13	175.82	1.50	.17	.29
Colorado	19.36	.98	2.21	15.44	.74	51.72	.49	.00	.00
Idaho	16.35	1.89	1.26	13.21	.00	35.85	.00	.00	.00
Montana	35.15	.00	6.06	16.36	1.81	50.30	.00	.00	.00
Utah	17.95	1.42	.94	15.11	.47	25.03	.00	.00	.00
Wyoming	22.01	1.29	1.29	11.65	1.29	15.53	.00	.00	.00
REGION VIII TOTAL	21.35	1.08	2.35	14.89	.78	40.74	.20	.00	.00
Arizona	63.01	3.96	11.88	45.36	1.80	186.50	.72	.00	1.08
California	111.26	5.71	28.91	73.94	2.03	113.94	.50	.06	.15
Nevada	43.57	1.56	7.78	34.24	.00	118.29	4.67	.00	1.56
Oregon	42.40	1.13	3.17	35.37	2.72	43.31	.23	.00	.00
Washington	29.40	.75	1.96	26.08	.60	55.94	.15	.00	.00
REGION IX TOTAL	90.13	4.46	21.63	61.72	1.88	103.79	.50	.04	.19
CONTINENTAL U. S.	72.79	3.88	11.41	53.50	2.76	131.31	.89	.20	.25
Puerto Rico	67.46	3.85	9.71	49.90					
Virgin Islands	55.28	11.80	36.97	36.97	3.52	146.48	1.23	.00	.18
Alaska	630.77	.00	246.15	384.62	.00	538.46	.00	.00	.00
Hawaii	12.12	.00	4.85	4.85	.00	128.48	.00	.00	.00
Canal Zone	29.60	1.44	1.44	18.05	7.22	33.94	.00	.00	.00
TERRITORY TOTAL	266.67	51.28	71.79	133.33	.00	994.87	61.54	.00	102.56
U. S. & TERRITORIES	55.89	3.14	12.30	36.00	3.93	139.27	1.70	.00	1.44
U. S. & TERRITORIES	67.25	3.87	11.43	53.19	2.78	131.45	.91	.20	.27
* Includes cases with stage "not stated".									

Source: Form PH-688
HEW-PHS-REG-CDC-VD Branch
Office of Statistics
10/2/58 LBH/NFR:lbh

Corrected 1959

CASES OF VENEREAL DISEASE REPORTED TO THE PUBLIC HEALTH SERVICE
BY CITY HEALTH DEPARTMENTS
(Known Military Cases Excluded)

April - June 1958

Cities	SYPHILIS					GONORRHEA	CHANCROID	GRANULOMA- INGUINALE	LYMPO- GRANULOMA VENEREUM
	Total * Syphilis	Primary & Secondary	Early Latent	Late & Late Latent	Congen- ital				
Akron	95	6	4	81	4	198	0	0	0
Atlanta	133	19	19	70	11	2137	19	6	5
Baltimore	312	52	29	188	10	1717	2	0	0
Birmingham	177	14	20	139	4	222	3	2	1
Boston	216	34	41	134	7	248	0	0	1
Buffalo	85	3	3	74	5	301	0	0	0
Chicago	1690	130	201	1266	93	5311	6	1	1
Cincinnati	366	7	71	281	7	321	0	0	2
Cleveland	245	1	46	193	5	516	0	0	0
Columbus	148	1	8	133	6	224	1	0	0
Dallas	85	15	18	52	0	779	0	0	0
Dayton	89	7	18	59	5	205	1	0	0
Denver	41	2	5	33	1	183	2	0	0
Detroit	580	8	95	362	30	1297	36	0	0
Fort Worth	19	10	1	8	0	172	0	0	1
Honolulu	19	2	1	8	7	36	0	0	0
Houston	459	43	121	282	13	898	21	5	2
Indianapolis	192	19	23	136	14	341	1	1	3
Jacksonville	95	4	23	64	4	596	7	5	0
Jersey City	102	8	24	63	7	95	0	0	0
Kansas City	434	4	29	396	5	257	0	0	0
Long Beach	36	2	2	29	3	92	1	0	1
Los Angeles	508	66	128	285	29	1588	8	0	2
Louisville	128	0	1	123	2	266	0	0	0
Memphis	125	11	24	84	6	1289	0	2	3
Miami	106	9	44	48	5	405	13	4	3
Milwaukee	89	6	9	61	6	219	0	0	0
Minneapolis	14	3	0	11	0	117	0	0	0
Newark	205	3	34	158	9	657	0	1	2
New Orleans	769	7	67	659	24	417	8	0	4
New York City	3586	207	415	2918	46	2906	29	0	10
Norfolk	118	1	17	95	3	704	2	1	1
Oakland	63	6	12	35	3	315	3	0	0
Oklahoma City	130	6	19	96	9	444	0	0	0
Omaha	30	1	3	24	2	87	0	0	0
Philadelphia	351	23	58	262	8	891	5	3	0
Pittsburgh	160	9	34	112	4	125	2	0	0
Portland	83	2	5	71	5	118	0	0	0
Providence	38	0	3	24	2	55	0	0	0
Richmond	197	8	20	157	7	280	3	2	0
Rochester	27	1	0	24	2	128	1	1	3
St. Louis	623	8	74	527	14	1115	10	1	0
St. Paul	9	0	1	8	0	45	0	0	0
San Antonio	12	0	3	7	2	123	0	0	0
San Diego	8	3	2	2	1	174	5	0	0
San Francisco	167	50	23	93	1	417	0	1	0
Seattle	138	5	9	122	2	224	1	0	0
Syracuse	16	1	1	14	0	109	0	0	0
Toledo	139	1	11	122	5	104	0	0	0
Washington, D. C.	592	43	103	436	10	2386	10	4	11
Worcester	7	2	1	2	2	17	0	0	0
San Juan	56	11	10	33	2	170	0	1	0

* Includes cases with stage "not stated".

Source: Forms PHS - 688 and PHS - 562
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
10/17/58 LBB/MFR: gh

RATES OF VENEREAL DISEASE REPORTED TO THE PUBLIC HEALTH SERVICE
BY CITY HEALTH DEPARTMENTS
(Known Military Cases Excluded)
Rates per 100,000 Population

April - June 1958

Cities	Total * Syphilis	Primary & Secondary	Early Latent	Late & Late Latent	Congen- ital	GONORRHEA	CHANCROID	GRANULOMA- INGUINALE	LYMPHO- GRANULOMA VENEREUM
Akron	138.18	8.73	5.82	117.82	5.82	288.00	.00	.00	.00
Atlanta	112.24	16.03	16.03	59.07	9.28	1803.38	16.03	5.06	4.22
Baltimore	131.37	21.89	12.21	79.16	4.21	722.95	.84	.00	.00
Birmingham	217.18	17.18	24.54	170.55	4.91	272.39	3.68	2.45	1.23
Boston	107.87	16.98	20.47	66.92	3.50	123.85	.00	.00	.50
Buffalo	37.82	1.33	1.33	32.93	2.22	133.93	.00	.00	.00
Chicago	186.69	14.36	22.20	139.85	10.27	586.69	.66	.11	.11
Cincinnati	290.48	5.56	56.35	223.02	5.56	254.76	.00	.00	1.59
Cleveland	107.10	.44	20.11	84.37	2.19	225.57	.00	.00	.00
Columbus	157.45	1.06	8.51	141.49	6.38	238.30	1.06	.00	.00
Dallas	78.34	13.82	16.59	47.93	.00	717.97	.00	.00	.00
Dayton	145.90	11.48	29.51	96.72	8.20	336.07	1.64	.00	.00
Denver	39.42	1.92	4.81	31.73	.96	175.96	1.92	.00	.00
Detroit	125.41	1.73	20.54	78.27	6.49	280.43	7.78	.00	.00
Fort Worth	27.24	14.34	1.43	11.47	.00	246.60	.00	.00	1.43
Honolulu	30.65	3.23	1.61	12.90	11.29	58.06	.00	.00	.00
Houston	308.05	28.86	81.21	189.26	8.72	602.68	14.09	3.36	1.34
Indianapolis	179.86	17.80	21.55	127.40	13.11	319.44	.94	.94	2.81
Jacksonville	185.37	7.80	44.88	124.88	7.80	1162.93	13.66	9.76	.00
Jersey City	136.45	10.70	32.11	84.28	9.36	127.09	.00	.00	.00
Kansas City	379.87	3.50	25.38	346.61	4.38	224.95	.00	.00	.00
Long Beach	57.37	3.19	3.19	46.22	4.78	146.61	1.59	.00	1.59
Los Angeles	103.15	13.40	25.99	57.87	5.89	322.44	1.62	.00	.41
Louisville	105.57	.00	.82	101.44	1.65	219.38	.00	.00	.00
Memphis	103.73	9.13	19.92	69.71	4.98	1069.71	.00	1.66	2.49
Miami	170.28	14.46	70.68	77.11	8.03	650.60	20.88	6.43	4.82
Milwaukee	55.89	3.77	5.65	38.30	3.77	137.52	.00	.00	.00
Minneapolis	10.73	2.30	.00	8.43	.00	89.66	.00	.00	.00
Newark	186.79	2.73	30.98	143.96	8.20	598.63	.00	.91	1.82
New Orleans	539.65	4.91	47.02	462.46	16.84	292.63	5.61	.00	2.81
New York City	181.79	10.49	21.04	147.93	2.33	147.32	1.47	.00	.51
Norfolk	220.56	1.87	31.78	177.57	5.61	1315.89	3.74	1.87	1.87
Oakland	34.05	3.24	6.49	18.92	1.62	170.27	1.62	.00	.00
Oklahoma City	213.11	9.84	31.15	157.38	14.75	727.87	.00	.00	.00
Omaha	47.81	1.59	4.78	38.25	3.19	138.65	.00	.00	.00
Philadelphia	67.76	4.44	11.20	50.58	1.55	172.01	.97	.58	.00
Pittsburgh	42.30	2.38	8.99	29.61	1.06	33.05	.53	.00	.00
Portland	88.77	2.14	5.35	75.94	5.35	126.20	.00	.00	.00
Providence	61.04	.00	4.82	38.55	3.21	88.35	.00	.00	.00
Richmond	342.61	13.91	34.78	273.04	12.17	486.96	5.22	3.48	.00
Rochester	32.53	1.20	.00	28.92	2.41	154.22	1.20	1.20	3.61
St. Louis	290.78	3.73	34.54	245.97	6.53	520.42	4.67	.47	.00
St. Paul	11.58	.00	1.29	10.29	.00	57.88	.00	.00	.00
San Antonio	9.60	.00	2.40	5.60	1.60	98.40	.00	.00	.00
San Diego	5.75	2.15	1.44	1.44	.72	124.96	3.59	.00	.00
San Francisco	86.19	25.81	11.87	48.00	.52	215.23	.00	.52	.00
Seattle	75.31	2.73	4.91	66.58	1.09	122.24	.55	.00	.00
Syracuse	28.96	1.81	1.81	25.34	.00	197.29	.00	.00	.00
Toledo	182.89	1.32	14.47	160.53	6.58	136.84	.00	.00	.00
Washington, D. C.	292.71	21.26	50.93	215.57	4.94	1179.73	4.94	1.98	5.44
Worcester	13.79	3.94	1.97	3.94	3.94	33.50	.00	.00	.00
San Juan	99.56	19.56	17.78	58.67	3.56	302.22	.00	1.78	.00

* Includes cases with stage "not stated".

Source: Forms PHS - 688 and PHS - 562
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
10/17/58 LBR/MFR: gh

Stat. Ltr. 59
Page 6

VENEREAL DISEASE MORBIDITY SUMMARY
CONTINENTAL UNITED STATES

Fiscal Year 1958

SOURCE OF REPORT	COLOR AND SEX		TOTAL SYPHILIS	SYPHILIS					GONORRHEA	OTHER VD			TOTAL OTHER VD
				Primary and Secondary	Early Latent	Late and Late Latent	Congenital	Not Stated		Chancroid	Granuloma Inguinale	Lympho-granuloma Venereum	
BY PRIVATE PHYSICIANS	White and Unknown	Male	13431	1087	1181	10400	348	415	13778	61	4	16	81
		Female	12213	330	1400	9093	928	462	3677	7		3	10
	Nonwhite	Male	8931	515	1410	6495	185	326	15181	50	14	15	79
		Female	11689	534	2459	7809	459	428	4572	16	9	10	35
	Total,		46264	2466	6450	33797	1920	1631	37208	134	27	44	205
			12654	779	1621	9859							
BY CLINICS, HOSPITALS, OR OTHER INSTITUTIONS	White and Unknown	Male	22096	803	4232	15566	220	175	17568	253	13	30	296
		Female	6488	218	891	4976	329	74	9337	42	2	7	51
	Nonwhite	Male	26633	1930	3620	19732	979	372	105947	927	160	279	1366
		Female	24591	1268	4116	17610	1391	206	50131	218	130	76	424
	Total,		79808	4219	12859	58984	2919	827	182983	1440	305	392	2137
			70366	4195	10248	52177							
			26085	1366	2802	20259							
TOTAL ALL SOURCES	White and Unknown	Male	35527	1890	5413	27066	568	590	31346	314	17	46	377
		Female	18701	548	2291	14069	1257	536	13014	49	2	10	61
	Nonwhite	Male	35564	2445	5030	26227	1164	698	121128	977	174	294	1445
		Female	36280	1802	6575	25419	1850	634	54703	234	139	86	459
	Total,		126072	6685	19309	92781	4839	2458	220191	1574	332	436	2342
			116630	6661	16698	83974							

Source: Form PHS - 688
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
10/3/58 LBH/MFR:lbh

Corrected 1959

CASES OF SYPHILIS AND GONORRHEA REPORTED TO THE PUBLIC HEALTH SERVICE
BY STATE AND TERRITORIAL HEALTH DEPARTMENTS
AND
CASES REPORTED BY PRIVATE PHYSICIANS AS A PERCENTAGE OF TOTAL CASES
(Known Military Cases Excluded)

Fiscal Year 1958

States By HM Regions	SYPHILIS																	
	TOTAL SYPHILIS*			PRIMARY AND SECONDARY			EARLY LATENT			LATE AND LATE LATENT			CONGENITAL			GONORRHEA		
	Total All Sources	Private Physi- cians	Per- cent	Total All Sources	Private Physi- cians	Per- cent	Total All Sources	Private Physi- cians	Per- cent	Total All Sources	Private Physi- cians	Per- cent	Total All Sources	Private Physi- cians	Per- cent	Total All Sources	Private Physi- cians	Per- cent
REGION I TOTAL	3256	1697	52.1	325	173	53.2	487	240	49.3	2150	1113	51.8	209	127	60.8	3387	1503	44.4
REGION II TOTAL	25484	9161	35.9	1129	478	41.2	2863	869	30.4	20693	7509	36.3	635	265	41.7	25891	4967	19.2
REGION III TOTAL	16838	6151	36.5	835	188	22.5	2142	671	31.3	12852	4664	36.9	717	287	40.0	39221	4457	13.0
REGION IV TOTAL	16027	7328	45.7	1680	557	33.2	3560	1796	50.4	9373	4373	46.7	967	258	26.7	50034	3970	7.9
REGION V TOTAL	21344	10513	49.3	963	436	45.3	3213	1641	51.1	15277	7399	48.4	999	441	44.1	39472	6156	15.6
REGION VI TOTAL	6765	3696	54.6	123	80	65.0	524	184	35.1	5788	3150	54.4	292	252	86.3	10628	2722	25.6
REGION VII TOTAL	16974	3964	23.4	763	270	35.4	2338	535	22.9	13046	2862	21.9	638	213	33.4	29084	8039	27.6
REGION VIII TOTAL	507	660	129.2	63	42	66.7	124	80	64.5	597	439	73.5	51	35	68.6	1627	666	40.9
REGION IX TOTAL	9035	3160	35.0	748	242	32.4	1449	434	30.0	6398	2298	35.9	331	108	32.6	20847	4073	19.5
CONVENTIONAL U. S.	126072	46264	36.7	6685	2466	36.9	19309	6450	33.4	92781	33797	36.4	4839	1920	39.7	220191	37208	16.9
U. S. & TERRITORIES	127846	46369	36.3	6770	2471	36.5	19736	6473	32.8	93878	33842	36.0	4978	1945	39.1	224268	37457	16.7

* Includes cases with stage "not stated".
1/ Includes morbidity from Mexican National migrant farm laborers reported and diagnosed at point of entry into the United States.

Source: Form PHS - 688
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
9/29/58 LBM/MFR: lbh

Corrected 1959

CASES OF VENEREAL DISEASE REPORTED TO THE PUBLIC HEALTH SERVICE
BY STATE AND TERRITORIAL HEALTH DEPARTMENTS
(Known Military Cases Excluded)

Fiscal Year 1958

States By HEW Regions	SYPHILIS									
	Total # Syphills	Primary & Secondary	Early Latent	Late & Late Latent	Congenital	GONORRHEA	CHANCROID	GRANULOMA- INGUINALE	LYMFO- GRANULOMA VENEREUM	
Connecticut	646	50	164	388	32	1503	6	1	1	
Maine	34	5	2	23	4	116	0	0	0	
Massachusetts	2112	296	294	1412	150	1494	7	0	7	
New Hampshire	120	8	6	96	9	42	0	0	0	
Rhode Island	327	4	20	218	13	149	1	0	0	
Vermont	17	2	1	13	1	83	0	0	8	
REGION I TOTAL	3256	325	497	2150	209	3387	14	1	9	
Delaware	1103	22	174	747	45	463	6	0	5	
New Jersey	5419	102	595	4538	172	5266	13	7	54	
New York	15930	908	1624	13057	340	15403	123	13	1	
Pennsylvania	3032	129	470	2351	78	4759	23	11	69	
REGION II TOTAL	25484	1161	2863	20693	635	25891	165	31	142	
District of Columbia	1666	150	267	1213	36	9196	24	12	5	
Kentucky	1981	61	56	1633	67	3147	1	1	18	
Maryland	2732	277	277	1974	106	6872	21	8	19	
North Carolina	4756	176	827	3531	222	11753	53	29	0	
Virginia	4559	136	622	3397	182	6996	29	16	85	
West Virginia	1144	35	93	904	104	1257	8	1	19	
REGION III TOTAL	16838	835	2142	12652	717	39221	176	67	57	
Alabama	1277	179	510	472	46	3187	40	12	54	
Florida	3417	207	713	2318	179	10079	174	60	9	
Georgia	3765	649	942	1626	172	12912	200	59	4	
Mississippi	876	69	111	631	65	7382	95	12	9	
South Carolina	5301	403	1047	3423	428	5103	38	15	15	
Tennessee	1391	173	237	903	77	11371	57	20	163	
REGION IV TOTAL	16027	1680	3560	9373	967	50034	604	178	3	
Illinois	7225	577	1153	5092	403	20627	32	7	4	
Indiana	1581	87	161	1240	93	2229	4	2	4	
Michigan	4464	83	831	2641	170	8433	139	2	0	
Ohio	7128	141	995	5696	296	7266	21	0	16	
Wisconsin	946	75	73	608	37	917	1	0	1	
REGION V TOTAL	21344	963	3213	15277	999	39472	197	15	1	
Iowa	1310	18	19	1175	67	684	1	0	0	
Kansas	1311	13	57	1184	57	1568	23	0	1	
Minnesota	179	15	25	134	5	899	1	0	0	
Missouri	3530	63	379	2955	130	5897	52	5	1	
Nebraska	229	5	13	193	17	861	1	0	0	
North Dakota	33	4	3	23	2	154	0	0	0	
South Dakota	173	5	28	124	14	565	1	0	4	
REGION VI TOTAL	6765	123	524	5788	292	10628	79	5	1	
Arkansas	3700	154	414	2982	150	4339	9	7	31	
Louisiana	6833	62	606	5878	183	5079	63	5	0	
New Mexico	1598	58	1	1110	50	1183	5	0	0	
Oklahoma	1630	45	193	1280	110	4291	14	0	24	
Texas	3213	434	766	1796	145	14192	123	16	56	
REGION VII TOTAL	16974	763	2338	13046	638	29084	214	28	0	
Colorado	380	32	71	256	21	870	11	0	0	
Idaho	73	11	10	50	2	246	0	0	0	
Montana	235	6	26	132	11	280	0	0	0	
Utah	164	10	10	127	16	181	0	0	0	
Wyoming	55	4	7	32	1	50	0	0	0	
REGION VIII TOTAL	907	63	124	597	51	1627	11	0	0	
Arizona	1539	84	236	1198	21	1918	12	0	6	
California	15412	635	3677	10751	241	16542	79	7	25	
Nevada	161	8	113	127	8	211	6	0	1	
Oregon	697	23	76	556	39	752	5	0	2	
Washington	668	22	37	587	22	1424	12	0	35	
REGION IX TOTAL	18477	772	4058	13205	331	20847	114	7	436	
CONTINENTAL U. S.	126072	6685	19309	92781	4839	220191	1574	332	1	
	116630	6661	16698	85974					0	
Puerto Rico	1396	67	328	899	102	3149	20	1	0	
Virgin Islands	153	4	66	82	2	175	0	0	0	
Alaska	16	2	2	7	1	168	1	0	1	
Hawaii	131	9	15	71	34	209	0	0	20	
Canal Zone	78	4	15	38	0	376	12	0	22	
TERRITORY TOTAL	1774	85	427	1097	139	4077	33	1	458	
U. S. & TERRITORIES	127846	6770	19736	93878	4978	224268	1607	333	458	
	112404	6746	17125	87071						

* Includes cases with stage "not stated".

1 - Includes mobility from Mexican National Migrant Case laborers tested and diagnosed at point of entry into the United States.

Source: Form PHS - 688
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
10/2/58 LBH MPR:Lbh

Corrected 1959

RATES OF VENEREAL DISEASE REPORTED TO THE PUBLIC HEALTH SERVICE
BY STATE AND TERRITORIAL HEALTH DEPARTMENTS
(Known Military Cases Excluded)
Rates per 100,000 Population

Fiscal Year 1958

States By HEW Regions	SYPHILIS					GONORRHEA	CHANCROID	GRANULOMA- INGUIRALE	LYMPHO- GRANULOMA VENEREUM
	Total * Syphilis	Primary & Secondary	Early Latent	Late & Late Latent	Congenital				
Connecticut	28.84	2.23	7.32	17.32	1.43	67.10	.27	.04	.04
Maine	3.67	1.92	3.22	2.48	.43	12.51	.00	.00	.00
Massachusetts	43.91	5.32	6.11	29.36	3.12	31.06	.15	.00	.15
New Hampshire	21.24	1.42	1.06	16.99	1.59	7.43	.00	.00	.00
Rhode Island	39.40	.48	2.41	26.27	1.57	17.95	.12	.00	.00
Vermont	4.55	.53	.27	3.48	.27	22.19	.00	.00	.00
REGION I TOTAL	33.41	3.33	5.00	22.06	2.14	34.75	.14	.01	.08
Delaware	256.51	5.12	40.47	173.72	10.47	107.67	1.40	.00	2.09
New Jersey	97.11	1.83	10.66	81.33	3.08	94.37	.23	.13	.09
New York	100.61	5.73	10.26	82.47	2.15	97.29	.78	.08	.34
Pennsylvania	27.51	1.17	4.26	21.33	.74	43.19	.21	.10	.01
REGION II TOTAL	77.55	3.53	8.71	63.00	1.93	78.79	.50	.09	.21
District of Columbia	205.93	18.54	33.00	149.94	4.45	1136.72	2.97	1.48	5.19
Kentucky	66.06	2.03	1.87	54.45	2.23	104.94	.03	.00	.03
Maryland	96.64	9.80	9.80	69.83	3.75	243.08	.74	.28	.18
North Carolina	107.68	3.98	18.72	79.94	5.03	266.09	2.11	.66	.41
Virginia	125.32	3.74	17.10	93.38	5.00	192.30	.80	.44	.52
West Virginia	57.92	1.77	4.71	45.77	5.27	63.65	.41	.05	.00
REGION III TOTAL	101.04	5.01	12.85	75.92	4.30	235.35	1.06	.40	.51
Alabama	40.85	5.73	16.31	15.10	1.47	101.95	1.28	.38	.61
Florida	85.40	5.17	17.82	57.94	4.47	251.91	4.35	1.50	1.42
Georgia	101.78	17.55	25.47	43.96	4.65	349.07	5.41	1.60	1.46
Mississippi	40.41	3.18	5.12	29.11	3.00	340.50	4.38	.55	.42
South Carolina	229.68	17.46	45.36	148.31	18.54	221.10	1.65	.65	.39
Tennessee	40.40	5.02	6.88	26.23	2.24	330.27	1.66	.58	.44
REGION IV TOTAL	85.50	8.96	18.99	50.00	5.16	266.92	3.22	.95	.87
Illinois	75.38	6.02	12.03	53.12	4.20	215.20	.33	.07	.03
Indiana	34.94	1.92	3.56	27.40	2.06	49.26	.09	.04	.11
Michigan	57.32	1.07	10.67	33.91	2.18	108.28	1.78	.03	.05
Ohio	77.65	1.54	10.84	62.05	3.22	79.15	.23	.04	.04
Wisconsin	24.53	1.94	1.89	15.76	.96	23.77	.03	.00	.00
REGION V TOTAL	61.10	2.76	9.20	43.73	2.86	113.00	.56	.04	.05
Iowa	46.85	.64	.68	42.02	2.40	24.46	.04	.00	.04
Kansas	62.58	.62	2.72	56.52	2.72	74.85	1.10	.00	.05
Minnesota	5.40	.45	.75	4.04	.15	27.12	.03	.00	.00
Missouri	83.57	1.49	8.97	69.96	3.08	139.61	1.23	.12	.02
Nebraska	15.91	.35	.90	13.41	1.18	59.83	.07	.00	.00
North Dakota	5.12	.62	.47	3.57	.31	23.91	.00	.00	.00
South Dakota	24.89	.72	4.03	17.84	2.01	81.30	.14	.00	.00
REGION VI TOTAL	44.48	.81	3.45	38.06	1.92	69.88	.52	.03	.03
Arkansas	212.16	8.83	23.74	170.99	8.60	248.80	.52	.40	.06
Louisiana	225.74	2.05	20.02	194.19	6.05	167.79	2.08	.17	1.02
New Mexico	198.51	8.45	44.60	137.89	6.21	146.96	.62	.00	.00
Oklahoma	72.67	2.01	8.60	57.07	4.90	191.31	.62	.00	.00
Texas	35.89	4.85	8.56	20.06	1.62	158.52	1.37	.18	.27
REGION VII TOTAL	101.20	4.55	13.94	77.78	3.80	173.41	1.28	.17	.33
Colorado	23.28	1.96	4.35	15.69	1.29	53.31	.67	.00	.00
Idaho	11.48	1.73	1.57	7.86	.31	38.68	.00	.00	.00
Montana	35.61	.91	3.94	20.00	1.67	42.42	.00	.00	.00
Utah	19.36	1.18	1.89	14.99	1.09	21.37	.00	.00	.00
Wyoming	17.80	1.29	2.27	10.36	.32	16.18	.00	.00	.00
REGION VIII TOTAL	22.21	1.54	3.04	14.62	1.25	39.84	.27	.00	.00
Arizona	138.52	7.56	21.24	107.83	1.89	172.64	1.08	.00	.54
California *	113.32	4.67	27.04	79.05	1.77	121.63	.58	.05	.18
Nevada	62.65	3.11	12.45	43.97	3.11	82.11	2.33	.00	.39
Oregon	39.51	1.30	4.31	31.52	2.21	42.63	.28	.00	.11
Washington	25.18	.83	1.39	22.13	.83	53.68	.45	.00	.04
REGION IX TOTAL	95.32	3.98	20.93	68.12	1.71	107.54	.59	.04	.18
CONTINENTAL U. S.	74.00	3.92	11.33	54.46	2.84	129.25	.92	.19	.26
Puerto Rico	62.46	2.95	14.44	39.57	4.49	138.60	.88	.04	.04
Virgin Islands	61.44	2.95	14.44	39.57	4.49	138.60	.88	.04	.04
Alaska	588.46	11.54	253.85	315.38	7.69	673.08	.00	.00	.00
Hawaii	9.70	2.42	1.21	4.24	.61	101.82	.61	.00	.00
Canal Zone	23.65	.36	2.89	12.82	6.14	37.73	.00	.00	.18
TERRITORY TOTAL	200.00	23.08	38.46	97.44	.00	964.10	30.77	.00	51.28
	58.05	2.78	13.97	35.90	4.55	133.42	1.08	.04	.72
U. S. & TERRITORIES	73.72	3.90	11.38	54.13	2.87	129.32	.93	.19	.26
	62.27	3.89	9.87	50.21					

* Includes cases with stage "not stated".
* Includes morbidity from Mexican National migrant farm laborers tested and diagnosed at point of entry into the United States.

Source: Form PHS-688
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
10/8/58 LBH/MFR:1bh

Corrected 1959

CASES OF VENEREAL DISEASE REPORTED TO THE PUBLIC HEALTH SERVICE
BY CITY HEALTH DEPARTMENTS
(Known Military Cases Excluded)

Fiscal Year 1958

Cities	SYPHILIS					GONORRHEA	CHANCROID	GRANULOMA- INGUINALE	LYMPHO- GRANULOMA VENEREUM
	Total * Syphilis	Primary & Secondary	Early Latent	Late & Late Latent	Congen- ital				
Akron	345	11	28	288	18	768	0	0	0
Atlanta	707	68	121	399	29	7566	137	27	37
Baltimore	1207	233	116	729	31	6578	16	5	2
Birmingham	848	27	166	630	19	749	15	5	4
Boston	907	148	137	573	42	944	3	0	3
Buffalo	370	15	13	326	16	1106	0	1	0
Chicago	5155	526	859	3446	324	18552	29	7	3
Cincinnati	1107	11	233	835	28	1127	7	0	3
Cleveland	1064	22	173	834	35	2117	3	1	0
Columbus	532	5	21	468	38	948	9	0	0
Dallas	391	69	75	247	0	3382	1	7	2
Dayton	284	18	44	208	14	760	3	0	0
Denver	197	11	41	137	8	708	11	0	4
Detroit	2564	25	423	1636	93	5226	119	0	4
Fort Worth	82	22	27	30	3	855	9	0	2
Honolulu	71	2	7	39	21	164	0	0	1
Houston	1469	143	299	952	71	3261	65	9	18
Indianapolis	692	48	66	544	30	1487	2	2	5
Jacksonville	367	35	69	253	10	2101	21	11	9
Jersey City	337	20	70	231	16	368	4	0	2
Kansas City	1116	11	97	979	29	840	15	2	0
Long Beach	149	5	11	121	10	303	2	0	2
Los Angeles	1853	223	452	1067	108	7099	19	2	11
Louisville	736	7	9	697	17	1254	1	1	1
Memphis	411	40	88	260	23	5493	6	13	6
Miami	474	40	163	251	20	1386	39	16	19
Milwaukee	340	23	48	202	13	803	1	0	0
Minneapolis	63	10	6	46	1	490	1	0	0
Newark	1149	28	128	945	45	2606	1	2	2
New Orleans	2537	24	200	2153	56	2082	40	0	18
New York City	13899	802	1534	11327	236	11984	123	13	54
Norfolk	399	23	51	287	15	2743	7	8	2
Oakland	217	14	36	140	12	966	16	1	0
Oklahoma City	292	9	41	225	17	1821	7	0	0
Omaha	102	4	7	86	5	450	0	0	1
Philadelphia	1652	82	230	1305	35	4041	20	11	0
Pittsburgh	566	27	104	419	12	423	2	0	0
Portland	324	6	28	272	17	470	2	0	2
Providence	173	4	7	116	5	144	0	0	0
Richmond	1337	21	162	1082	36	1206	11	2	6
Rochester	114	16	1	90	7	441	4	2	3
St. Louis	2041	36	268	1686	51	4218	34	2	1
St. Paul	27	1	5	20	1	163	0	0	0
San Antonio	72	3	16	36	17	480	7	0	0
San Diego	70	14	19	33	3	722	15	0	0
San Francisco	589	144	103	333	7	1845	5	2	2
Seattle	392	14	25	341	12	903	9	0	0
Syracuse	73	7	4	58	4	419	0	0	0
Toledo	681	3	37	610	31	344	0	0	1
Washington, D. C.	1666	150	267	1213	36	9196	24	12	42
Worcester	19	2	3	10	4	62	2	0	0
San Juan	276	25	36	199	16	914	3	1	2

* Includes cases with stage "not stated".

Source: Forms PHS - 688 and PHS - 562
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
10/17/58 LEB/MFR: gh

RATES OF VENEREAL DISEASE REPORTED TO THE PUBLIC HEALTH SERVICE
BY CITY HEALTH DEPARTMENTS
(Known Military Cases Excluded)
Rates per 100,000 Population

Fiscal Year 1958

Cities	SYPHILIS					GONORRHEA	CHANCROID	GRANULOMA- INGUINALE	LYMPHO- GRANULOMA VENEREUM
	Total * Syphilis	Primary & Secondary	Early Latent	Late & Late Latent	Congen- ital				
Akron	125.45	4.00	10.18	104.73	6.55	279.27	.00	.00	.00
Atlanta	149.16	14.35	25.53	84.18	6.12	1596.21	28.90	5.70	7.81
Baltimore	127.05	24.53	12.21	76.74	3.26	692.43	1.68	.53	.21
Birmingham	260.12	8.28	50.92	193.25	5.83	229.75	4.60	1.53	1.23
Boston	113.23	18.48	17.10	71.54	5.24	117.85	.37	.00	.37
Buffalo									
Chicago	41.16	1.67	1.45	36.26	1.78	123.03	.00	.11	.00
Cincinnati	142.36	14.53	23.72	95.17	8.95	512.35	.80	.19	.08
Cleveland	219.64	2.18	46.23	165.67	5.56	223.61	1.39	.00	.60
Columbus	116.28	2.40	18.91	91.15	3.83	231.37	.33	.11	.00
	141.49	1.33	5.59	124.47	10.11	252.13	2.39	.00	.00
Dallas									
Dayton	90.09	15.90	17.28	56.91	.00	779.26	.23	1.61	.46
Denver	116.39	7.38	18.03	85.25	5.74	311.48	1.23	.00	.00
Detroit	47.36	2.64	9.86	32.93	1.92	170.19	2.64	.00	.00
Fort Worth	138.59	1.35	22.86	88.43	5.03	282.49	6.43	.00	.22
	29.39	7.89	9.68	10.75	1.08	306.45	3.23	.00	.72
Honolulu									
Houston	28.63	.81	2.82	15.73	8.47	66.13	.00	.00	.40
Indianapolis	246.48	23.99	50.17	159.73	11.91	547.15	10.91	1.51	3.02
Jacksonville	162.06	11.24	15.46	127.40	7.03	348.24	.47	.47	1.17
Jersey City	179.02	17.07	33.66	123.41	4.88	1024.88	10.24	5.37	4.39
	112.71	6.69	23.41	77.26	5.35	123.08	1.34	.00	.67
Kansas City									
Long Beach	244.20	2.41	21.23	214.22	6.35	183.81	3.28	.44	.00
Los Angeles	59.36	1.99	4.38	48.21	3.98	120.72	.80	.00	.80
Louisville	94.06	11.32	22.94	54.16	5.48	360.36	.96	.10	.56
Memphis	151.75	1.44	1.86	143.71	3.51	258.56	.21	.21	.21
	85.27	8.30	18.26	53.94	4.77	1139.63	1.24	2.70	1.24
Miami									
Milwaukee	190.36	16.06	65.46	100.80	8.03	556.63	15.66	6.43	7.63
Minneapolis	53.38	3.61	7.54	31.71	2.04	126.06	.16	.00	.00
Newark	12.07	1.92	1.15	8.81	.19	93.87	.19	.00	.00
New Orleans	261.73	6.38	29.16	215.26	10.25	593.62	.23	.46	.46
	445.09	4.21	35.09	377.72	9.82	365.26	7.02	.00	3.16
New York City									
Norfolk	176.12	10.16	19.44	143.53	2.99	151.85	1.56	.16	.68
Oakland	186.45	10.75	23.83	134.11	7.01	1281.78	3.27	3.74	.93
Oklahoma City	29.32	1.89	4.86	18.92	1.62	130.54	2.16	.14	.00
Omaha	119.67	3.69	16.80	92.21	7.00	746.31	2.87	.00	.00
	40.64	1.59	2.79	34.26	1.99	179.28	.00	.00	.40
Philadelphia									
Pittsburgh	79.73	3.96	11.10	62.98	1.69	195.03	.97	.53	.00
Portland	37.40	1.78	6.87	27.69	.79	27.96	.13	.00	.00
Providence	86.63	1.60	7.49	72.73	4.55	125.67	.53	.00	.53
Richmond	69.48	1.61	2.81	46.59	2.01	57.83	.00	.00	.00
	581.30	9.13	70.43	470.43	15.65	524.35	4.78	.87	2.61
Rochester									
St. Louis	34.34	4.82	.30	27.11	2.11	132.83	1.20	.60	.90
St. Paul	238.16	4.20	31.27	196.73	5.95	492.18	3.97	.23	.12
San Antonio	8.68	.32	1.61	6.43	.32	52.41	.00	.00	.00
San Diego	14.40	.60	3.20	7.20	3.40	96.00	1.40	.00	.00
	12.57	2.51	3.41	5.92	.54	129.62	2.69	.00	.00
San Francisco									
Seattle	76.00	18.58	13.29	42.97	.90	238.07	.65	.26	.26
Syracuse	53.48	1.91	3.41	46.52	1.64	123.19	1.23	.00	.00
Toledo	33.03	3.17	1.81	26.24	1.81	189.59	.00	.00	.00
Washington, D. C.	224.01	.99	12.17	200.66	10.20	113.16	.00	.00	.33
	205.93	18.54	33.00	149.94	4.45	1136.72	2.97	1.48	5.19
Worcester									
San Juan	9.36	.99	1.48	4.93	1.97	30.54	.99	.00	.00
	122.67	11.11	16.00	88.44	7.11	406.22	1.33	.44	.89

* Includes cases with stage "not stated".

Source: Forms PHS - 688 and PHS - 562
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
10/17/58 LBE/MFR: gh

SUMMARY OF VENEREAL DISEASE CASES AND RATES PER 100,000 POPULATION
CONTINENTAL UNITED STATES
(Known Military Cases Excluded)

Fiscal Year 1958

Reporting Source Disease and Stage	All Classes						White						Non-white					
	Total		Male		Female		Total		Male		Female		Total		Male		Female	
	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates	Cases	Rates
BY PRIVATE PHYSICIANS																		
Total Syphilis	46264	27.16	22362	26.93	23902	27.37	25644	16.91	13431	18.16	12213	15.73	20620	109.93	8931	98.66	11689	120.44
Primary & Secondary	2466	1.45	1602	1.93	864	.99	1417	.93	1087	1.47	330	.43	1049	5.59	515	5.69	534	5.50
Early Latent	6450	3.79	2591	3.12	3859	4.42	2581	1.70	1181	1.60	1400	1.80	3869	20.63	1410	15.58	2459	25.34
Late & Late Latent	33797	19.84	16895	20.35	16902	19.35	19493	12.86	10400	14.06	9093	11.71	14304	76.26	6495	71.75	7809	80.46
Congenital	1920	1.13	533	.64	1387	1.59	1276	.84	348	.47	928	1.20	644	3.43	185	2.04	459	4.73
Not Stated	1631	.96	741	.89	890	1.02	877	.58	415	.56	462	.60	754	4.02	326	3.60	428	4.41
Gonorrhea	37208	21.84	28959	34.88	8249	9.44	17455	11.51	13778	18.63	3677	4.74	19753	105.31	15181	167.71	4572	47.11
Total Other V D	205	.12	160	.19	45	.05	91	.06	81	.11	10	.01	114	.61	79	.87	35	.36
Chancroid	134	.08	111	.13	23	.03	68	.04	61	.08	7	.01	66	.35	50	.55	16	.16
Granuloma Inguinale	27	.02	18	.02	9	.01	4	.00	4	.01	0	.00	23	.12	14	.15	9	.09
Lymphogramuloma Venereum	44	.03	31	.04	13	.01	19	.01	16	.02	3	.00	25	.13	15	.17	10	.10

**BY CLINICS, HOSPITALS, AND
OTHER INSTITUTIONS**

Total Syphilis	70366	41.30	39287	47.32	31079	35.58	19142	12.63	12654	17.11	6488	8.36	51224	273.09	26633	294.22	24591	253.38
Primary & Secondary	4195	2.46	2709	3.26	1486	1.70	997	.66	709	1.05	218	.28	3178	17.05	1930	21.32	1268	13.07
Early Latent	10248	6.02	5241	6.31	5007	5.73	2512	1.66	1621	2.16	891	1.15	7732	41.24	3260	39.99	4116	42.41
Late & Late Latent	52177	30.63	29591	35.64	22586	25.86	14833	9.78	9859	13.33	4976	6.41	37742	199.08	19332	217.98	17610	181.45
Congenital	2919	1.71	1199	1.44	1720	1.97	549	.36	220	.30	329	.42	2370	12.64	979	10.82	1391	14.33
Not Stated	827	.49	547	.66	280	.32	249	.16	175	.24	74	.10	578	3.08	372	4.11	206	2.12
Gonorrhea	182983	107.41	123515	148.77	59468	68.09	26905	17.75	17568	23.75	9337	12.03	156078	832.11	105947	1170.43	50131	516.55
Total Other V D	2137	1.25	1662	2.00	475	.54	347	.23	296	.40	51	.07	1790	9.54	1366	15.09	424	4.37
Chancroid	1440	.85	1180	1.42	260	.30	295	.19	253	.34	42	.05	1145	6.10	927	10.24	218	2.25
Granuloma Inguinale	305	.18	173	.21	132	.15	15	.01	13	.02	2	.00	290	1.55	160	1.77	130	1.34
Lymphogramuloma Venereum	392	.23	309	.37	83	.10	37	.02	30	.04	7	.01	355	1.89	279	3.08	76	.78

BY ALL SOURCES

Total Syphilis	116630	68.46	61649	74.26	54981	62.95	44776	29.54	26095	35.26	18701	24.09	71844	383.03	35264	392.89	36280	373.83
Primary & Secondary	6661	3.91	4311	5.19	2350	2.69	2444	1.59	1866	2.57	548	.71	4447	23.64	2445	27.01	1802	18.57
Early Latent	16698	9.80	7832	9.43	8866	10.15	5093	3.36	3802	5.09	2291	2.95	11605	61.87	5030	55.57	6575	67.75
Late & Late Latent	85974	50.47	46486	55.99	39488	45.21	34329	22.64	20259	27.39	14069	18.12	51639	270.24	24219	269.74	25419	261.92
Congenital	4839	2.84	1732	2.09	3107	3.56	1825	1.20	568	.77	1257	1.62	3014	16.07	1164	12.86	1850	19.06
Not Stated	2458	1.44	1288	1.55	1170	1.34	1126	.74	590	.80	536	.69	1332	7.10	698	7.71	634	6.53
Gonorrhea	220191	129.25	152474	183.65	67717	77.53	44360	29.26	31346	42.38	13014	16.76	175831	937.42	121128	1338.14	54703	563.66
Total Other V D	2342	1.37	1822	2.19	520	.60	438	.29	377	.51	61	.08	1904	10.15	1445	15.96	459	4.73
Chancroid	1574	.92	1291	1.55	283	.32	363	.24	314	.42	49	.06	1211	6.46	977	10.79	234	2.41
Granuloma Inguinale	332	.19	191	.23	141	.16	19	.01	17	.02	2	.00	313	1.67	174	1.92	139	1.43
Lymphogramuloma Venereum	436	.26	340	.41	96	.11	56	.04	46	.06	10	.01	380	2.03	294	3.25	86	.89

Estimates of Civilian population for February 1, 1958 based on Bureau of Census data.

Source: Form PHS - 688
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
10/2/58 LBH/MFR: lhh

*Corrected
1959*

CONTACTS OBTAINED IN HEALTH DEPARTMENTS AND PUBLIC CLINICS
ALL AREAS REPORTING

April - June 1958

States By Region	Primary and Secondary Syphilis				Early Latent Syphilis				Gonorrhoea			
	Cases Reported a/	Percent of Cases Interviewed	Contacts Obtained		Cases Reported a/	Percent of Cases Interviewed	Contacts Obtained		Male Cases Reported b/	Percent of Male Cases Interviewed c/	Contacts Obtained	
			Number	per Case Reported			Number	per Case Reported			Number	per Male
Connecticut	10	70.0	8	.80	22	90.9	6	.27	131	163.4	135	1.03
Maine	0	-	-	-	0	-	-	-	1	.0	-	-
Massachusetts	28	67.9	35	1.25	39	59.0	39	1.00	166	143.4	298	1.80
New Hampshire	0	-	-	-	0	-	-	-	0	-	8	.40
Rhode Island	0	-	-	-	2	.0	-	-	2	60.0	-	-
Vermont	0	-	-	-	0	-	-	-	0	-	-	-
REGION I TOTAL	38	68.4	43	1.13	63	68.3	45	.71	320	145.0	441	1.38
Delaware	1	.0	-	-	39	10.3	7	.18	38	76.3	56	1.47
New Jersey	8	112.5	26	3.25	82	36.6	70	.85	539	72.2	517	.96
New York	150	99.0	257	2.52	297	64.9	232	1.51	2608	97.4	2646	1.20
Pennsylvania	30	80.0	95	3.17	77	22.1	33	.43	712	57.2	505	.71
REGION II TOTAL	189	95.0	378	2.68	495	42.9	342	.97	3897	85.0	3724	1.07
District of Columbia	38	84.2	73	1.92	91	87.9	173	1.90	1201	68.3	1049	.87
Kentucky	6	100.0	11	1.83	7	28.6	5	.71	388	41.5	197	.51
Maryland	2	100.0	12	6.00	13	23.1	8	.62	69	8.7	8	.12
North Carolina	48	122.9	235	4.90	189	29.1	157	.83	1611	61.0	1465	.91
Virginia	18	72.2	43	2.39	62	62.9	91	1.47	571	94.6	815	1.43
West Virginia	4	125.0	13	3.25	11	45.5	10	.91	106	69.8	108	1.02
REGION III TOTAL	116	100.9	387	3.34	373	49.3	444	1.19	3946	65.5	3642	.92
Alabama	40	157.5	168	4.20	131	138.9	416	3.18	638	73.0	803	1.26
Florida	50	100.0	156	3.12	85	68.2	153	1.80	1761	94.0	1927	1.09
Georgia	126	100.0	598	4.75	83	75.9	250	3.01	2290	96.5	3404	1.49
Mississippi	6	183.3	34	5.67	18	77.8	42	2.33	1072	69.6	1013	.94
South Carolina	29	110.3	171	5.90	80	61.3	192	2.40	980	98.9	791	.81
Tennessee	31	116.1	212	6.84	41	112.2	224	5.46	1433	97.5	2298	1.60
REGION IV TOTAL	282	112.8	1339	4.75	438	94.1	1277	2.92	8171	85.0	10236	1.25
Illinois	99	86.9	357	3.61	184	60.9	294	1.60	4057	78.6	4961	1.22
Indiana	8	237.5	30	3.75	14	35.7	11	.79	184	76.1	160	.87
Michigan	8	162.5	63	7.88	58	141.4	259	4.47	1111	172.8	2358	2.12
Ohio	25	108.0	102	4.08	151	37.7	77	.51	977	98.9	830	.85
Wisconsin	0	-	2	-	3	200.0	2	.67	139	144.6	66	.47
REGION V TOTAL	140	104.3	554	3.96	410	63.9	643	1.57	6471	99.2	8315	1.28
Iowa	2	50.0	2	1.00	1	200.0	6	6.00	45	122.2	92	2.04
Kansas	0	-	-	-	4	100.0	5	1.25	179	129.6	259	1.45
Minnesota	1	.0	-	-	2	.0	-	-	64	92.2	28	.44
Missouri	7	28.6	6	.86	90	38.9	80	.89	779	109.6	950	1.22
Nebraska	0	-	-	-	0	50.0	1	.50	4	7.7	63	1.37
North Dakota	0	-	-	-	5	40.0	10	2.00	90	93.3	115	1.28
South Dakota	0	-	-	-	5	40.0	10	2.00	90	93.3	115	1.28
REGION VI TOTAL	10	40.0	8	.80	104	42.3	102	.98	1203	109.5	1507	1.25
Arkansas	23	143.5	157	6.83	76	75.0	314	4.13	249	63.5	186	.75
Louisiana	19	115.8	64	3.37	165	30.3	130	.79	838	51.1	851	1.02
New Mexico	12	25.0	2	.17	32	12.5	12	.38	713	27.4	34	.30
Oklahoma	14	100.0	21	1.50	21	57.1	12	.57	418	209.3	827	1.98
Texas	71	115.5	271	3.82	169	110.1	484	2.86	1733	153.2	3207	1.85
REGION VII TOTAL	139	110.8	515	3.46	463	66.7	952	2.06	3351	123.8	5105	1.52
Colorado	2	100.0	4	2.00	1	100.0	1	1.00	91	187.9	199	2.19
Idaho	2	150.0	8	4.00	1	.0	-	-	22	81.8	26	1.18
Montana	0	-	-	-	1	.0	-	-	5	.0	-	-
Utah	0	-	-	-	0	-	-	-	6	33.3	2	.33
Wyoming	0	-	-	-	0	-	-	-	1	.0	-	-
REGION VIII TOTAL	4	125.0	12	3.00	3	66.7	1	.33	125	152.8	227	1.82
Arizona	2	350.0	17	8.50	18	61.1	33	1.83	203	94.6	295	1.45
California	131	90.0	555	4.24	208	100.0	376	1.81	2142	148.4	2640	1.23
Nevada	0	-	-	-	4	.0	-	-	40	52.5	17	.68
Oregon	2	150.0	3	1.50	2	.0	-	-	75	101.3	125	1.67
Washington	4	100.0	13	3.25	10	70.0	13	1.30	205	75.0	185	.90
REGION IX TOTAL	139	104.3	588	4.23	242	93.4	422	1.74	2665	136.2	3272	1.23
CONTINENTAL U. S.	1071	99.2	3824	3.57	2591	63.0	4228	1.77	30149	95.1	36529	1.21
Puerto Rico	17	100.0	44	2.59	67	79.1	57	.85	434	80.2	406	.94
Virgin Islands	N.A.	-	-	-	2	50.0	1	.50	21	19.0	4	.19
Hawaii	0	-	1	-	1	100.0	1	1.00	6	100.0	7	1.17
Canal Zone	N.A.	-	-	-	-	-	-	-	-	-	-	-
TERRITORY TOTAL	17	105.9	45	2.65	70	78.6	59	.84	461	77.7	417	.90
U. S. & TERRITORIES	1094	99.3	3869	3.60	2861	63.4	4287	1.81	30610	94.8	36946	1.21
Cities (incl. above)												
Detroit	6	100.0	28	4.67	42	88.1	124	2.95	848	99.3	959	1.13
New York	141	98.9	224	2.41	291	65.5	222	1.50	2227	117.8	2646	1.46
Philadelphia	21	81.0	73	3.48	46	28.3	25	.54	610	55.2	414	.68
Pittsburgh	6	66.7	11	1.83	19	5.3	1	.05	115	40.0	64	.56
Chicago	99	86.9	338	3.41	150	52.0	262	1.75	3932	76.9	4741	1.21
Baltimore	N.A.	-	-	-	-	-	-	-	-	-	-	-

a/ Cases reported by Clinics, Hospitals and Institutions on Morbidity Form 688.
b/ Male Cases reported by Clinics, Hospitals and Institutions on Morbidity Form 688.
c/ Some areas may have over 100 percent because some females were interviewed.
NA Excludes Baltimore.
NA Not available.

Source: Form PHS - 2127
HEW-PHS-RSS-CDC-VD Branch
Office of Statistics
10/30/58 MFR/LBH: gh

*Collected
1959*

VOLUME OF CASE-FINDING INVESTIGATIONS AND PERCENTAGE OF SUSPECTS EXAMINED
1. - CONTACTS AND OTHER SUSPECTS AMONG CIVILIANS
ALL AREAS REPORTING

April - June 1958

States By HEW Regions	Total Contacts * and Suspects		Contacts of Clinic Cases								Gonorrhea		Contacts of Private Physician Cases		Positive STS and Other Suspects	
			Syphilis				Other									
			Pri. & Sec.		Early Latent		Other		Other							
Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined	
Connecticut	994	89.9	14	78.6	7	85.7	60	78.3	94	52.1	0	-	796	95.5		
Maine	3	0	0	0	0	0	0	0	0	0	0	0	0	0		
Massachusetts	982	77.8	46	60.9	44	81.8	53	94.3	333	64.3	15	60.0	180	86.1		
New Hampshire	4	100.0	0	-	0	-	0	-	0	-	0	-	4	100.0		
Rhode Island	21	100.0	0	-	0	-	1	100.0	2	100.0	0	100.0	0	-		
Vermont	25	72.0	0	-	0	-	0	-	0	-	12	66.7	13	76.9		
REGION I TOTAL	2029	83.8	60	65.0	51	82.4	114	86.0	429	61.8	32	65.6	993	93.6		
Delaware	405	90.6	2	100.0	7	100.0	3	66.7	44	79.5	29	75.9	292	94.2		
New Jersey	3008	86.9	33	78.8	57	78.9	13	100.0	576	68.6	97	82.5	2230	92.1		
New York	4384	73.3	341	73.0	278	74.5	419	68.0	2489	68.7	88	75.0	766	87.2		
Pennsylvania	1565	55.7	74	62.2	73	63.0	80	76.3	887	47.1	12	83.3	384	68.2		
REGION II TOTAL	9362	75.5	450	71.8	415	73.5	515	70.1	3996	64.7	226	78.8	3672	88.7		
District of Columbia	2255	83.7	82	78.0	160	76.9	108	76.9	1044	83.4	15	73.3	785	87.5		
Kentucky	1483	67.4	21	76.2	15	53.3	2	50.0	227	61.7	16	68.8	1201	68.6		
Maryland	468	86.1	12	83.3	19	63.2	57	75.4	53	79.2	1	100.0	325	90.8		
North Carolina	3689	83.8	201	91.0	147	87.1	90	71.1	1304	73.8	52	92.3	1872	90.1		
Virginia	2201	83.0	59	79.7	67	62.7	60	93.3	788	71.8	59	74.6	1117	93.1		
West Virginia	746	87.5	14	64.3	23	82.6	12	83.3	119	76.5	12	75.0	566	91.0		
REGION III TOTAL	10842	81.7	389	84.6	431	77.0	329	78.1	3535	75.6	155	80.0	5866	86.1		
Alabama	1966	79.6	199	79.4	458	83.2	74	85.1	929	75.6	33	57.6	261	90.4		
Florida	2943	74.3	167	80.2	140	70.7	27	70.4	1731	69.7	14	57.1	746	84.7		
Georgia	9758	91.8	839	88.8	361	79.5	15	86.7	3596	86.7	135	85.9	1573	96.4		
Mississippi	4283	84.8	67	88.1	108	85.2	256	84.8	1626	78.6	47	91.5	2160	89.3		
South Carolina	2676	86.7	192	81.8	232	78.9	39	89.7	851	76.1	24	79.2	1335	95.7		
Tennessee	4183	90.9	235	88.9	232	91.8	62	98.4	2170	89.4	16	100.0	1401	92.9		
REGION IV TOTAL	25809	87.0	1699	86.1	1531	82.0	473	86.3	10903	81.5	269	82.2	7476	92.2		
Illinois	7619	74.3	325	76.3	231	72.3	442	90.5	2826	67.9	244	49.2	3306	79.5		
Indiana	696	66.7	31	61.3	7	57.1	3	33.3	276	49.6	44	81.8	334	76.6		
Michigan	5742	82.3	51	80.4	264	86.7	525	96.4	1850	70.9	57	82.5	2989	86.4		
Ohio	3877	74.7	122	72.1	95	67.4	87	58.6	956	65.2	71	80.3	2541	79.1		
Wisconsin	115	78.3	11	36.4	3	66.7	0	-	77	84.4	2	50.0	22	81.8		
REGION V TOTAL	18049	76.7	540	74.1	600	77.7	1057	90.6	5985	67.8	418	62.4	9192	81.6		
Iowa	383	81.2	2	100.0	8	75.0	4	75.0	87	82.8	57	78.9	224	81.3		
Kansas	595	75.0	8	25.0	4	75.0	3	66.7	240	63.8	33	84.8	304	84.2		
Minnesota	445	86.1	0	-	0	-	1	100.0	20	70.0	63	63.5	349	90.7		
Missouri	3173	80.6	26	53.8	63	74.6	75	86.7	974	67.0	81	88.9	1944	87.4		
Nebraska	281	88.6	0	-	3	66.7	0	-	55	67.3	92	96.7	131	92.4		
North Dakota	63	90.5	0	-	0	-	0	-	0	-	24	87.5	36	91.7		
South Dakota	292	78.4	3	100.0	13	76.9	3	66.7	99	77.8	8	62.5	161	80.1		
REGION VI TOTAL	5232	80.9	39	53.8	91	74.7	86	84.9	1475	68.2	358	83.8	3149	86.9		
Arkansas	1853	95.7	167	99.4	158	94.9	20	100.0	137	81.8	29	86.2	1342	96.9		
Louisiana	5601	83.3	78	80.8	138	77.5	145	90.3	853	63.0	12	50.0	4156	87.7		
New Mexico	545	89.5	9	100.0	10	80.0	65	90.8	56	80.4	0	-	405	90.6		
Oklahoma	1630	82.2	23	82.6	14	71.4	27	92.6	756	81.5	37	86.5	773	82.5		
Texas	6389	88.4	246	87.8	368	86.1	301	98.0	2997	83.5	0	-	2451	93.8		
REGION VII TOTAL	16018	86.9	523	90.4	688	86.0	558	95.0	4799	79.5	78	80.8	9127	90.4		
Colorado	451	69.4	9	22.2	7	71.4	1	100.0	201	48.8	2	50.0	229	89.5		
Idaho	137	83.2	4	100.0	0	-	1	100.0	40	87.5	18	55.6	73	86.3		
Montana	31	25.8	0	-	1	0	0	-	27	22.2	3	66.7	0	-		
Utah	124	81.5	0	-	1	0	4	50.0	3	66.7	54	77.8	62	88.7		
Wyoming	27	48.1	0	-	0	-	0	-	0	-	4	50.0	23	47.8		
REGION VIII TOTAL	770	71.3	13	46.2	9	55.6	6	66.7	271	52.0	81	70.4	387	86.3		
Arizona	697	72.0	12	50.0	18	66.7	44	90.9	246	56.5	0	-	373	80.7		
California	6675	64.2	525	70.5	357	64.7	267	85.4	2649	58.2	153	44.4	2589	68.5		
Nevada	43	79.1	1	0	1	100.0	1	0	35	82.9	0	-	5	80.0		
Oregon	282	79.1	8	75.0	1	0	4	75.0	111	77.5	13	84.6	130	82.3		
Washington	351	75.2	20	85.0	12	91.7	8	100.0	211	70.6	0	-	100	79.0		
REGION IX TOTAL	8048	65.9	566	70.5	389	65.6	324	86.1	3252	59.8	166	47.6	3197	70.8		
CONTINENTAL U. S.	96159	81.0	4279	80.7	4205	79.0	3462	85.7	34645	73.2	1783	73.1	43059	86.4		
Puerto Rico	959	84.0	38	50.0	76	81.6	110	82.7	383	81.5	0	-	346	91.6		
Virgin Islands	N.A.	-	-	-	-	-	-	-	-	-	-	-	-	-		
Alaska	9	0	1	0	1	0	1	0	6	0	0	-	0	-		
Hawaii	509	92.7	0	-	1	100.0	5	100.0	54	74.1	6	100.0	443	94.8		
Canal Zone	N.A.	-	-	-	-	-	-	-	-	-	-	-	-	-		
TERRITORY TOTAL	1477	86.5	39	48.7	78	80.8	116	82.8	443	79.5	6	100.0	789	93.4		
U. S. & TERRITORIES	97636	81.1	4318	80.4	4283	79.0	3578	85.6	35088	73.3	1789	73.2	43848	86.6		
Cities (incl. above)																
Detroit	2037	82.2	21	76.2	119	87.4	251	96.8	754	72.7	10	70.0	882	85.7		
New York	3579	71.0	278	74.1	260	75.8	419	68.0	2431	70.4	0	-	188	74.5		
Philadelphia	1250	50.3	50	54.0	58	56.9	59	72.9	784	45.2	4	50.0	241	59.3		
Pittsburgh	164	75.6	10	70.0	6	83.3	1	0	56	71.4	3	100.0	88	78.4		
Chicago	6686	74.7	308	76.6	208	71.2	439	90.7	2666	69.4	48	66.7	2787	77.8		
Baltimore	N.A.	-	-	-	-	-	-	-	-	-	-	-	-	-		

* Totals include Other VD not shown separately.

Source: Form PHS - 2127
HEW-PHS-RSS-CDC-VD Branch
Office of Statistics
10/27/58 MPR/LBH: gh

VOLUME OF CASE-FINDING INVESTIGATIONS AND PERCENTAGE OF SUSPECTS EXAMINED
 11. - CIVILIAN CONTACTS OF ARMED FORCES PERSONNEL AND SELECTEE AND SEPARATEE SUSPECTS
 ALL AREAS REPORTING

April - June 1958

States By HW Regions	Total Contacts * and Suspects		Contacts of Military Cases						Gonorrhea		Selectees and Separatees	
			Pri. & Sec.		Syphilis		Other		Number Completed	Percent Examined	Number Completed	Percent Examined
			Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined				
									Number Completed	Percent Examined	Number Completed	Percent Examined
Connecticut	19	68.4	0	-	0	-	0	-	8	37.5	11	90.9
Maine	10	70.0	0	-	0	-	0	-	9	66.7	1	100.0
Massachusetts	126	75.4	4	75.0	4	25.0	1	100.0	97	72.2	20	100.0
New Hampshire	1	100.0	0	-	0	-	0	-	1	100.0	0	-
Rhode Island	9	100.0	0	-	0	-	0	-	5	100.0	3	100.0
Vermont	2	50.0	0	-	0	-	0	-	2	50.0	0	-
REGION I TOTAL	167	75.4	4	75.0	4	25.0	1	100.0	122	70.5	35	97.1
Delaware	6	83.3	0	-	0	-	0	-	4	75.0	2	100.0
New Jersey	108	67.6	3	100.0	1	0	0	-	48	45.8	56	85.7
New York	239	41.8	21	52.4	13	23.1	5	100.0	125	29.6	74	59.5
Pennsylvania	145	63.4	6	33.3	2	0	0	-	106	58.5	30	90.0
REGION II TOTAL	498	54.2	30	53.3	16	18.8	5	100.0	283	43.8	162	74.7
District of Columbia	84	38.1	2	0	0	-	1	100.0	78	38.5	2	50.0
Kentucky	97	37.1	4	50.0	0	-	1	0	72	31.9	19	57.9
Maryland	18	77.8	0	-	0	-	0	-	18	77.8	0	-
North Carolina	401	55.6	3	100.0	1	100.0	0	-	324	47.8	72	88.9
Virginia	334	80.5	7	71.4	4	50.0	0	-	296	79.7	20	100.0
West Virginia	34	64.7	1	100.0	0	-	0	-	22	45.5	11	100.0
REGION III TOTAL	968	61.6	17	64.7	5	60.0	2	50.0	810	57.8	124	86.3
Alabama	184	63.6	7	71.4	6	66.7	12	75.0	134	62.7	25	60.0
Florida	209	55.5	2	50.0	1	0	3	100.0	173	52.0	27	74.1
Georgia	251	70.9	14	64.3	2	100.0	2	100.0	201	68.2	27	85.2
Mississippi	111	85.6	4	75.0	0	-	1	0	82	86.6	23	87.0
South Carolina	208	77.9	7	71.4	2	100.0	0	-	168	80.4	29	65.2
Tennessee	219	88.6	14	85.7	2	100.0	0	-	187	88.8	13	84.6
REGION IV TOTAL	1182	72.9	48	72.9	13	76.9	18	77.8	945	72.3	144	75.0
Illinois	78	55.1	2	100.0	0	-	1	100.0	55	50.9	20	60.0
Indiana	74	74.3	8	75.0	3	33.3	0	-	41	65.9	21	95.2
Michigan	73	65.8	0	-	2	100.0	0	-	45	53.3	26	84.6
Ohio	96	54.2	4	50.0	0	-	0	-	50	40.0	41	73.2
Wisconsin	6	66.7	0	-	0	-	0	-	4	50.0	2	100.0
REGION V TOTAL	327	61.8	14	71.4	5	60.0	1	100.0	195	51.8	110	78.2
Iowa	22	90.9	0	-	0	-	0	-	15	86.7	7	100.0
Kansas	70	54.3	4	75.0	0	-	1	100.0	60	50.0	4	100.0
Minnesota	9	44.4	1	0	0	-	0	-	6	50.0	2	50.0
Missouri	102	66.7	1	100.0	6	83.3	0	-	89	64.0	6	83.3
Nebraska	41	53.7	1	100.0	0	-	1	0	39	53.8	0	-
North Dakota	1	0	0	-	0	-	0	-	1	0	0	-
South Dakota	35	71.4	0	-	0	-	0	-	33	69.7	2	100.0
REGION VI TOTAL	280	63.2	7	71.4	6	83.3	2	50.0	243	60.5	21	90.5
Arkansas	63	76.2	10	100.0	0	-	0	-	38	63.2	13	92.3
Louisiana	304	62.2	10	70.0	10	70.0	1	100.0	236	57.6	43	81.4
New Mexico	43	79.1	1	100.0	0	-	0	-	37	75.7	5	100.0
Oklahoma	145	76.6	2	100.0	0	-	0	-	136	75.0	5	100.0
Texas	553	82.1	17	76.5	2	50.0	1	100.0	438	79.2	85	97.6
REGION VII TOTAL	1108	75.5	40	82.5	12	66.7	2	100.0	885	72.0	151	92.7
Colorado	42	50.0	0	-	2	50.0	8	12.5	28	60.7	4	50.0
Idaho	3	33.3	0	-	0	-	0	-	3	33.3	0	-
Montana	28	25.0	3	33.3	0	-	2	0	23	26.1	0	-
Utah	5	60.0	0	-	0	-	0	-	5	60.0	0	-
Wyoming	6	33.3	1	0	0	-	0	-	5	40.0	0	-
REGION VIII TOTAL	84	40.5	4	25.0	2	50.0	10	10.0	64	45.3	4	50.0
Arizona	51	54.9	0	-	1	0	0	-	46	52.2	4	100.0
California	458	41.3	17	23.5	1	0	2	100.0	425	41.9	0	-
Nevada	8	87.5	0	-	0	-	0	-	6	83.3	2	100.0
Oregon	23	52.2	0	-	0	-	0	0	22	54.5	0	-
Washington	131	54.2	3	66.7	0	-	0	-	114	52.6	10	80.0
REGION IX TOTAL	671	45.8	20	30.0	1	0	3	66.7	613	45.5	16	87.5
CONTINENTAL U. S.	5285	64.5	184	65.2	64	53.1	44	63.6	4160	61.4	767	82.3
Puerto Rico	102	58.8	3	33.3	0	-	2	0	88	62.5	6	50.0
Virgin Islands	N.A.	-	0	-	0	-	0	-	28	25.0	0	-
Alaska	28	25.0	0	-	0	-	0	-	65	80.0	0	-
Hawaii	65	80.0	0	-	0	-	0	-	65	80.0	0	-
Canal Zone	N.A.	-	0	-	0	-	0	-	0	0	0	-
TERRITORY TOTAL	195	61.0	3	33.3	0	-	2	0	181	63.0	6	50.0
U. S. & TERRITORIES	5480	64.4	187	64.7	64	53.1	46	60.9	4341	61.5	773	82.0
Cities (incl. above)												
Detroit	20	65.0	0	-	1	100.0	0	-	12	50.0	7	85.7
New York	190	36.3	18	50.0	11	27.3	5	100.0	95	22.1	60	51.7
Philadelphia	83	53.0	4	25.0	1	0	0	-	70	52.9	8	75.0
Pittsburgh	17	82.4	2	50.0	0	-	0	-	6	66.7	9	100.0
Chicago	34	64.7	0	-	0	-	1	100.0	17	64.7	16	62.5
Baltimore	N.A.	-	0	-	0	-	0	-	0	0	0	-

* Totals include Other VD not shown separately.

Source: Form PHS - 2127
 HEW-PHS-BSS-CDC-VD Branch
 Office of Statistics
 10/28/58 MFR/LBH: gh

PERCENT OF CONTACTS AND SUSPECTS EXAMINED

April - June 1958

Source	U. S.	Region								
		I	II	III	IV	V	VI	VII	VIII	IX
<u>Military Activity</u>										
<u>Contacts</u>										
P & S Syphilis	65.2	75.0	53.3	64.7	72.9	71.4	71.4	82.5	25.0	30.0
Early Latent	53.1	25.0	18.8	60.0	76.9	60.0	83.3	66.7	50.0	-
Other Syphilis	63.6	100.0	100.0	50.0	77.8	100.0	50.0	100.0	10.0	66.7
Gonorrhoea	61.4	70.5	43.8	57.8	72.3	51.8	60.5	72.0	45.3	45.5
Other V. D.	65.2	100.0	50.0	60.0	85.7	50.0	-	88.9	-	33.3
<u>Selectees & Separatees</u>	82.3	97.1	74.7	86.3	75.0	78.2	90.5	92.7	50.0	87.5
<u>Total Military</u>	64.5	75.4	54.2	61.6	72.9	61.8	63.2	75.5	40.5	45.8
<u>Civilian Activity</u>										
<u>Contacts</u>										
P & S Syphilis	80.7	65.0	71.8	84.6	86.1	74.1	53.8	90.4	46.2	70.5
Early Latent	79.0	82.4	73.5	77.0	82.0	77.7	74.7	86.0	55.6	65.6
Other Syphilis	85.7	86.0	70.1	78.1	86.3	90.6	84.9	95.0	66.7	86.1
Gonorrhoea	73.2	61.8	64.7	75.6	81.5	67.8	68.2	79.5	52.0	59.8
Other V. D.	74.1	100.0	72.7	76.7	74.1	76.5	60.0	73.7	66.7	58.3
Private Physicians	73.1	65.6	78.8	80.0	82.2	62.4	83.8	80.8	70.4	47.6
<u>Positive STS</u>	86.4	93.6	88.7	86.1	92.2	81.6	86.9	90.4	86.3	70.8
<u>Total Civilian</u>	81.0	83.8	75.5	81.7	87.0	76.7	80.9	86.9	71.3	65.9
<u>Total Caseload Activity</u>	80.2	83.2	74.4	80.1	86.4	76.4	80.0	86.1	68.3	64.4
<u>All Contacts</u>										
Syphilis	81.1	78.6	70.8	79.5	84.2	82.9	74.9	89.9	40.9	72.2
Gonorrhoea	72.0	63.7	63.3	72.3	80.8	67.3	67.1	78.3	50.7	57.5
Total Contacts	72.2	68.2	65.2	73.8	81.6	71.4	68.0	81.1	49.6	61.2
<u>All Other Suspects</u>	88.3	91.6	87.1	85.5	93.0	80.6	86.5	90.1	83.2	69.0

Source: Form PHS - 2127
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
MFR/LBH: gh 11/4/58

EPIDEMIOLOGIC YIELD PER 1,000 PERSONS EXAMINED
Cases Brought or Returned to Treatment
Continental United States

April - June 1958

Source	U. S.	Region								
		I	II	III	IV	V	VI	VII	VIII	IX
<u>Civilian P & S Syphilis Contacts</u>										
P & S Syphilis	79	205	50	88	74	70	0	97	0	98
Early Latent	48	26	46	36	44	53	0	66	0	48
Other Syphilis	17	0	80	12	8	20	143	4	0	8
Gonorrhea	15	0	0	46	16	13	0	13	0	8
Other V. D.	1	0	0	3	1	0	0	0	0	0
Prophylactic Rx.	207	0	325	170	222	268	381	214	0	35
<u>Civilian Gonorrhea Contacts</u>										
P & S Syphilis	0	0	0	0	1	0	0	0	0	2
Early Latent	1	0	0	0	0	2	0	0	0	1
Other Syphilis	1	0	0	1	1	2	2	0	0	1
Gonorrhea	390	287	276	626	385	347	245	442	461	311
Other V. D.	0	0	0	0	0	0	0	0	21	1
Prophylactic Rx.	437	238	594	220	508	498	459	235	142	506
<u>All Military Contacts</u>										
P & S Syphilis	3	0	7	0	3	0	0	6	0	7
Early Latent	3	11	7	0	3	9	6	3	0	0
Other Syphilis	1	11	7	2	1	0	0	0	0	0
Gonorrhea	382	261	195	491	269	293	316	497	375	423
Other V. D.	3	0	0	0	3	0	0	3	0	10
Prophylactic Rx.	365	424	550	311	511	293	399	244	313	266
<u>All Civilian Contacts</u>										
P & S Syphilis	10	18	6	10	12	6	1	10	0	16
Early Latent	11	7	11	10	11	7	6	19	6	10
Other Syphilis	9	2	18	10	6	11	16	9	6	7
Gonorrhea	283	170	199	462	287	242	210	312	418	211
Other V. D.	1	0	0	4	1	0	0	2	25	0
Prophylactic Rx.	348	141	460	202	422	371	411	194	133	349
<u>All Civilian Other Suspects</u>										
P & S Syphilis	8	4	12	7	11	6	3	8	5	6
Early Latent	37	25	50	47	25	43	24	39	5	51
Other Syphilis	231	67	333	313	137	320	202	234	128	154
Gonorrhea	47	46	10	34	50	31	117	53	253	22
Other V. D.	1	0	0	1	2	1	0	2	0	1
Prophylactic Rx.	14	11	29	13	12	14	9	9	84	17
<u>All Persons Examined</u>										
P & S Syphilis	9	9	9	8	11	6	2	9	5	11
Early Latent	26	22	32	32	17	28	18	32	5	27
Other Syphilis	126	48	170	177	65	186	145	138	89	70
Gonorrhea	160	86	106	223	179	122	149	169	305	140
Other V. D.	1	0	0	2	1	1	0	2	7	1
Prophylactic Rx.	171	63	250	102	241	166	130	88	110	201

Source: Form PHS - 2127
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
11/4/58 MFR/LBH: gh

CONTACTS NAMED PER PATIENT INTERVIEWED

Contact Indices

April - June 1958

Source	U. S.	Region								
		I	II	III	IV	V	VI	VII	VIII	IX
<u>MILITARY</u>										
P & S Syphilis	3.28	1.00	-	5.83	4.13	1.43	2.00	3.43	3.00	2.56
Gonorrhoea	1.08	.67	-	1.32	1.32	1.31	1.00	1.32	1.38	.73
Other V. D.	1.38	-	-	1.20	-	1.00	-	1.20	2.50	1.64
<u>CIVILIAN</u>										
P & S Syphilis	3.65	1.65	2.82	3.31	4.21	3.79	2.00	3.34	2.40	4.06
Early Latent	2.59	1.05	2.26	2.41	3.10	2.45	2.32	3.08	.50	1.87
Other Syphilis	.96	.79	1.52	1.33	1.78	1.25	.29	.89	.20	.38
Gonorrhoea	1.27	.95	1.26	1.41	1.47	1.30	1.14	1.23	1.19	.90
Other V. D.	.55	-	.03	2.64	1.61	.28	-	1.20	1.50	.67
<u>ALL PERSONS INTERVIEWED</u>	1.28	.93	1.31	1.56	1.67	1.23	1.08	1.30	1.20	.80

Fiscal Year 1958

Source	U. S.	Region								
		I	II	III	IV	V	VI	VII	VIII	IX
<u>MILITARY</u>										
P & S Syphilis	2.60	1.22	2.67	2.97	3.77	2.70	3.17	2.87	2.33	1.84
Gonorrhoea	1.18	1.23	1.37	1.17	1.20	1.43	1.07	1.33	1.43	.98
Other V. D.	1.53	1.75	1.40	1.33	1.50	3.50	-	1.33	1.91	1.71
<u>CIVILIAN</u>										
P & S Syphilis	3.64	1.84	2.31	3.62	4.57	3.66	2.80	3.63	2.27	3.44
Early Latent	2.52	1.25	2.05	2.63	3.41	2.48	2.28	2.69	.85	1.52
Other Syphilis	.90	.78	1.09	1.48	1.68	1.04	.44	1.02	.69	.30
Gonorrhoea	1.19	1.01	.89	1.38	1.47	1.24	1.08	1.20	1.22	.83
Other V. D.	.59	1.44	.07	2.13	1.76	.36	1.56	1.15	1.18	.70
<u>ALL PERSONS INTERVIEWED</u>	1.22	1.06	.96	1.52	1.70	1.17	1.10	1.28	1.27	.75

Source: PHS - 2127
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
10/27/58 MFR: gh

VENEREAL DISEASE EPIDEMIOLOGIC ACTIVITY REPORT SUMMARY
Continental U. S.
Fiscal Year 1958

	NO. OF PATIENTS INTERVIEWED	NO. OF CONTACTS OBTAINED	CONTACT INDEX	NO. CLOSED (TOTAL G & H)	NO. PERSONS EXAMINED	NO. PERSONS NOT EXAMINED	% EXAMINED	BROUGHT OR RETURNED TO TREATMENT					ALREADY UNDER RX AND ADEQUATE RX FOR SYPHILIS	OTHER	PROP. OR EPI. RX	NOT INFECTED WITH DISEASE SUSPECTED
								PRI. & SEC. SYPHILIS	EARLY LATENT SYPHILIS	OTHER SYPHILIS	GONORRHEA	OTHER V. D.				
	A	B	C		G	H		L	M	N	O	P	Q	R	S	T
MILITARY																
Pri. & Sec. Syphilis	181	470	2.60	731	492	239	67.3	30	15	6	11		28	2	93	304
Early Latent Syphilis	115	245	2.13	266	170	96	63.9	3	16	2	5		12		22	116
Other Syphilis	239	232	.97	223	131	92	58.7	2	4	4	5		22		16	81
Gonorrhoea	10402	12326	1.18	19718	11239	8479	57.0	4	5	23	4762	1	514	319	4205	1437
Other V. D.	163	250	1.53	365	210	155	57.5	3			10	14	2	3	22	163
Selectees & Separates				2597	1928	669	74.2	43	271	277	34	5	585	9	18	688
TOTAL MILITARY	11100	13523	1.22	23900	14170	9730	59.3	85	311	312	4827	20	1163	333	4376	2809
CIVILIAN																
Pri. & Sec. Syphilis	3869	14102	3.64	15251	11722	3529	76.9	1107	589	186	178	10	1630	16	2387	5799
Early Latent Syphilis	5988	15064	2.52	15497	11515	3982	74.3	178	640	295	104	10	1275	22	1376	7718
Other Syphilis	14518	13125	.90	14127	11793	2334	83.5	12	50	743	45	5	1067	24	205	9673
Gonorrhoea	116028	138174	1.19	136330	95394	40936	70.0	38	58	63	37554	35	3425	2617	42350	9445
Other V. D.	2248	1319	.59	1312	914	398	69.7	3	4	6	36	120	23	10	113	652
Contacts of Pri. Phys.	13197	8284	.63	9076	6749	2327	74.4	194	178	637	1163	9	1143	129	799	2518
Post. STS, Etc.				166752	139444	27308	83.6	1038	5902	38666	6307	187	48067	1505	1332	36818
Other Cases				16955	14975	1980	88.3	171	281	1079	332	32	2678	102	73	10279
TOTAL CIVILIAN	155848	190068	1.22	375300	292506	82794	77.9	2741	7702	41675	45719	408	59308	4425	48635	82902
TOTAL CASE LOAD	166948	203591	1.22	399200	306676	92524	76.8	2826	8013	41987	50546	428	60471	4758	53011	85711

Source: Form PHS - 2127
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
10/24/58 MFR: gh

VOLUME OF CASE-FINDING INVESTIGATIONS AND PERCENTAGE OF SUSPECTS EXAMINED
 I. - CONTACTS AND OTHER SUSPECTS AMONG CIVILIANS
 ALL AREAS REPORTING

Fiscal Year 1958

States By HEW Regions	Total Contacts * and Suspects		Contacts of Clinic Cases						Gonorrhea		Contacts of Private Physician Cases		Positive STS and Other Suspects	
			Pri. & Sec.		Syphilis		Other		Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined
	Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined						
									Early Latent	Other				
Connecticut	3992	88.5	37	64.9	43	67.4	188	63.3	389	51.7	0	-	3270	95.0
Maine	31	48.4	0	-	0	-	0	-	0	-	26	46.2	0	84.9
Massachusetts	4000	72.5	241	56.8	148	78.4	244	86.5	1275	55.1	61	62.3	827	91.7
New Hampshire	25	76.0	0	-	0	-	0	-	0	-	13	61.5	12	100.0
Rhode Island	43	100.0	0	-	0	-	2	100.0	4	100.0	6	100.0	2	72.4
Vermont	66	71.2	0	-	0	-	0	-	0	-	35	74.3	29	92.8
REGION I TOTAL	8157	80.4	278	57.9	191	75.9	434	76.5	1668	54.4	141	63.8	4140	
Delaware	1810	84.2	29	93.1	28	92.9	13	61.5	235	76.2	72	70.8	1229	88.1
New Jersey	11621	79.1	144	75.0	272	69.9	92	79.3	2315	63.4	262	75.6	7981	83.0
New York	16935	72.3	832	70.6	889	71.7	1410	67.2	8962	70.0	1533	84.5	2427	82.7
Pennsylvania	8053	67.5	313	62.6	242	68.6	477	78.6	3115	51.8	45	84.4	3713	79.9
REGION II TOTAL	38419	73.9	1318	69.7	1431	71.2	1992	70.4	14627	65.2	1912	82.8	15350	82.6
District of Columbia	8550	82.7	388	79.4	476	81.3	341	80.6	4147	82.0	65	73.8	2936	85.5
Kentucky	7500	63.7	125	64.0	57	61.4	17	70.6	1193	59.7	99	72.7	5998	64.4
Maryland	2050	85.6	66	87.9	87	80.5	184	82.6	200	79.0	11	90.9	1479	87.0
North Carolina	16528	84.3	610	89.7	760	83.9	926	89.1	6046	73.8	357	91.3	7751	91.2
Virginia	10475	82.0	333	78.4	418	76.3	307	90.9	3367	69.2	231	81.0	5221	92.6
West Virginia	3189	85.2	54	75.9	47	78.7	95	90.5	410	66.8	83	82.5	2515	88.5
REGION III TOTAL	48292	80.4	1576	82.2	1845	80.5	1870	87.1	15363	73.8	626	84.1	25900	84.1
Alabama	8678	58.8	842	53.9	1535	55.4	376	54.5	4357	56.3	141	43.3	1346	77.3
Florida	13196	79.1	602	82.7	479	68.5	112	75.9	6969	73.1	78	76.9	4395	88.0
Georgia	3750	90.7	3112	84.9	1489	80.4	163	85.3	13228	85.6	54	86.5	6783	95.3
Mississippi	13675	84.9	345	89.6	327	78.6	965	89.7	5184	78.3	178	94.9	6573	89.4
South Carolina	10910	86.5	746	82.6	835	78.3	227	90.7	3193	72.5	163	84.0	5750	91.4
Tennessee	14303	86.7	782	83.9	781	89.2	210	94.3	8044	84.0	237	95.4	3985	91.7
REGION IV TOTAL	96512	84.4	6429	80.5	5446	73.2	2053	82.8	40975	78.1	1338	83.8	28822	
Illinois	25285	66.9	1225	70.0	1134	70.0	919	86.1	11572	57.7	1145	47.7	8013	79.3
Indiana	2296	60.0	76	59.2	33	57.6	23	65.2	1169	47.0	137	73.0	850	75.8
Michigan	28074	69.6	279	60.2	1027	71.9	2380	88.4	8914	59.2	255	60.0	15196	77.8
Ohio	15878	73.2	324	61.7	257	63.0	425	70.1	3778	61.7	457	78.6	10577	82.9
Wisconsin	424	74.8	24	45.8	7	57.1	11	45.5	261	75.1	15	86.7	105	76.0
REGION V TOTAL	71957	69.2	1928	66.5	2458	69.9	3758	85.5	25694	58.5	2009	58.3	34741	
Iowa	1675	78.1	7	100.0	12	75.0	29	65.5	326	71.5	273	80.6	1023	80.0
Kansas	2658	76.2	18	50.0	45	66.7	31	93.5	851	59.7	190	83.7	1480	84.9
Minnesota	1941	87.9	2	100.0	1	.0	1	100.0	93	69.9	239	58.2	1551	93.4
Missouri	9441	75.0	93	62.4	266	74.4	270	82.6	3571	63.5	275	90.2	4907	93.9
Nebraska	1186	87.7	5	100.0	5	80.0	4	100.0	261	66.7	287	93.0	624	96.1
North Dakota	168	91.1	0	-	0	-	0	-	0	-	85	85.9	76	63.8
South Dakota	952	69.7	6	100.0	19	84.2	11	81.8	266	80.8	13	69.2	625	84.0
REGION VI TOTAL	18021	77.6	131	66.4	348	73.9	346	82.4	5368	64.5	1362	81.9	10286	
Arkansas	7228	93.9	520	96.9	379	95.0	106	93.4	870	87.5	172	95.9	5179	94.6
Louisiana	17545	84.3	226	86.3	357	81.2	1021	85.2	2868	66.5	23	69.6	12604	88.4
New Mexico	2781	89.7	33	93.9	52	88.5	207	91.8	165	89.7	0	-	2324	89.5
Oklahoma	5330	79.1	42	81.0	42	73.8	67	82.1	2941	81.5	166	72.9	2067	89.8
Texas	25708	84.4	1006	83.9	1546	82.5	1157	91.8	11993	79.7	0	-	9875	89.1
REGION VII TOTAL	58992	85.3	1827	88.0	2376	84.3	2558	89.0	18837	78.4	361	83.7	32049	
Colorado	1749	72.0	18	44.4	17	70.6	20	95.0	728	47.4	30	36.7	924	93.3
Idaho	399	82.5	14	85.7	5	80.0	5	40.0	162	87.0	31	61.3	181	82.9
Montana	160	39.4	0	-	1	.0	13	30.8	125	40.0	20	40.0	1	100.0
Utah	485	86.0	4	75.0	11	90.9	18	88.9	92	87.0	189	76.7	169	95.3
Wyoming	124	64.5	0	-	0	-	0	-	1	100.0	14	50.0	109	66.1
REGION VIII TOTAL	2917	73.7	36	63.9	34	76.5	56	73.2	1108	55.7	284	66.9	1384	90.0
Arizona	3088	71.2	62	40.3	33	66.7	111	89.2	740	50.0	6	50.0	2127	78.6
California	26068	64.2	1611	68.5	1279	63.4	905	86.1	10649	60.7	728	55.8	10315	66.7
Nevada	172	82.6	3	66.7	2	100.0	4	75.0	115	80.9	6	100.0	27	96.3
Oregon	1503	77.0	17	70.6	20	80.0	13	76.9	416	65.6	76	65.8	906	82.7
Washington	1602	74.3	35	82.9	34	79.4	27	92.6	770	69.5	27	63.0	705	78.7
REGION IX TOTAL	32433	66.1	1728	67.8	1368	64.2	1060	86.4	12690	61.0	843	57.2	14080	70.2
CONTINENTAL U. S.	375300	77.9	15251	76.9	15497	74.3	14127	83.5	136330	70.0	9076	74.4	166752	83.6
Puerto Rico	4299	85.6	117	70.1	348	81.9	497	90.1	1583	82.0	0	-	1737	89.4
Virgin Islands	N.A.													
Alaska	49	30.6	3	66.7	3	.0	2	.0	41	31.7	0	-	0	95.6
Hawaii	1315	90.6	0	-	4	100.0	24	95.8	192	76.0	72	55.6	1023	91.7
Canal Zone	N.A.													
TERRITORY TOTAL	5663	86.2	120	70.0	355	81.4	523	90.1	1816	80.2	72	55.6	2760	
U. S. & TERRITORIES	380963	78.1	15371	76.8	15852	74.5	14650	83.7	138146	70.1	9148	74.2	169512	83.8
Cities (incl. above)														
Detroit	9916	70.3	75	66.7	414	76.3	1089	90.0	3456	62.1	40	62.5	4835	71.4
New York	13639	69.5	681	69.9	814	71.6	1406	67.2	8775	70.7	70	57.1	1058	72.5
Philadelphia	5492	60.5	223	54.3	167	59.3	349	73.9	2655	51.1	17	76.5	1940	72.4
Pittsburgh	1131	75.6	42	85.7	11	72.7	1	.0	278	55.8	6	83.3	790	82.0
Chicago	21472	66.4	1186	70.7	1032	71.4	892	86.7	10922	58.3	231	57.6	6063	76.2
Baltimore	N.A.													

* Totals include Other VD not shown separately.

VOLUME OF CASE-FINDING INVESTIGATIONS AND PERCENTAGE OF SUSPECTS EXAMINED
 11. - CIVILIAN CONTACTS OF ARMED FORCES PERSONNEL AND SELECTEE AND SEPARATEE SUSPECTS
 ALL AREAS REPORTING

Fiscal Year 1958

States By SEA Regions	Total Contacts * and Suspects		Contacts of Military Cases						Gonorrhea		Selectees and Separatees	
			Fri. & Sec.		Syphilis		Other		Number Completed	Percent Examined	Number Completed	Percent Examined
			Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined				
Connecticut	82	65.9	0	-	1	100.0	0	-	46	47.8	34	88.2
Maine	70	44.3	0	-	0	-	0	-	59	43.5	1	100.0
Massachusetts	578	64.4	33	78.8	9	66.7	1	100.0	478	60.7	49	93.9
New Hampshire	16	68.8	1	100.0	0	-	2	0	13	76.9	0	-
Rhode Island	38	100.0	1	100.0	0	-	2	100.0	29	100.0	5	100.0
Vermont	9	66.7	0	-	2	100.0	0	-	5	80.0	1	0
REGION I TOTAL	793	64.6	35	80.0	12	75.0	5	60.0	640	60.2	90	91.1
Delaware	45	66.7	1	100.0	0	-	2	50.0	38	63.2	4	100.0
New Jersey	385	57.4	14	57.1	7	57.1	0	-	216	44.9	144	76.4
New York	1058	44.6	57	59.6	22	31.8	8	75.0	639	36.6	326	57.7
Pennsylvania	551	57.0	25	44.0	5	20.0	3	66.7	396	51.3	109	81.7
REGION II TOTAL	2039	50.9	97	55.7	34	35.3	13	69.2	1289	43.3	583	67.1
District of Columbia	319	38.6	9	33.3	1	100.0	1	100.0	294	37.1	11	72.7
Kentucky	451	33.3	12	58.3	1	100.0	2	50.0	377	29.7	51	51.0
Maryland	94	74.5	1	100.0	1	100.0	1	100.0	91	73.6	0	-
North Carolina	1778	57.5	15	86.7	8	75.0	17	70.6	1571	54.4	153	83.7
Virginia	1472	74.9	53	75.5	9	44.4	1	100.0	1328	74.2	58	87.9
West Virginia	145	54.5	1	100.0	0	-	0	-	112	49.1	30	76.7
REGION III TOTAL	4259	59.8	91	71.4	20	65.0	22	72.7	3773	57.9	303	77.9
Alabama	1074	43.2	29	44.8	21	57.1	49	53.1	837	41.7	130	46.9
Florida	940	66.1	12	91.7	7	42.9	5	100.0	783	62.7	108	86.1
Georgia	1171	70.5	81	64.2	14	71.4	21	42.9	910	70.5	118	81.4
Mississippi	392	77.3	33	61.5	5	100.0	6	33.3	308	78.2	58	79.3
South Carolina	1219	67.8	50	84.0	4	50.0	9	100.0	953	65.4	190	76.8
Tennessee	704	83.8	55	87.3	2	100.0	0	-	596	82.7	43	93.0
REGION IV TOTAL	5500	66.0	240	72.5	53	64.2	90	56.7	4387	64.7	647	74.5
Illinois	389	52.2	7	57.1	10	40.0	11	36.4	271	50.6	87	59.8
Indiana	209	60.3	8	75.0	3	33.3	1	0	152	52.6	43	86.0
Michigan	376	51.3	6	50.0	10	70.0	2	0	222	38.3	132	72.7
Ohio	467	49.0	18	50.0	5	60.0	17	76.5	307	39.4	114	71.1
Wisconsin	32	59.4	0	-	0	-	3	100.0	19	57.9	9	55.6
REGION V TOTAL	1473	52.3	39	56.4	28	53.6	34	58.8	971	44.7	385	70.4
Iowa	77	75.3	0	-	1	100.0	0	-	48	62.5	28	96.4
Kansas	312	57.7	9	88.9	12	75.0	3	100.0	275	53.8	9	100.0
Minnesota	38	39.5	1	0	0	-	0	-	34	38.2	3	66.7
Missouri	443	55.8	5	60.0	9	88.9	1	100.0	396	53.0	28	82.1
Nebraska	123	56.1	3	100.0	0	-	1	0	112	55.4	7	57.1
North Dakota	6	66.7	0	-	0	-	0	-	3	33.3	3	100.0
South Dakota	112	77.7	8	100.0	0	-	0	-	96	77.1	8	62.5
REGION VI TOTAL	1111	59.4	26	84.6	22	81.8	5	80.0	964	55.8	86	84.9
Arkansas	291	81.8	18	100.0	3	100.0	0	-	246	80.1	22	81.8
Louisiana	1014	59.0	17	70.6	24	79.2	7	100.0	857	55.4	99	80.8
New Mexico	190	73.7	5	100.0	0	-	5	-	150	70.7	35	82.9
Oklahoma	879	76.9	9	66.7	8	87.5	2	100.0	832	76.9	18	66.7
Texas	2679	72.5	72	70.8	28	75.0	11	72.7	2265	72.0	258	77.1
REGION VII TOTAL	5053	71.1	121	76.0	63	79.4	20	85.0	4350	70.1	432	78.2
Colorado	258	40.7	10	40.0	6	66.7	8	12.5	222	39.6	11	63.6
Idaho	17	58.8	2	50.0	0	-	0	-	12	50.0	0	-
Montana	146	23.3	4	25.0	0	-	4	0	138	23.9	0	-
Utah	11	54.5	0	-	0	-	0	-	10	50.0	0	-
Wyoming	21	47.6	0	-	2	100.0	0	-	17	47.1	0	-
REGION VIII TOTAL	453	36.4	17	35.3	8	75.0	12	8.3	399	35.1	11	63.6
Arizona	281	43.8	5	60.0	0	-	1	0	218	40.3	24	79.2
California	2253	33.5	47	34.0	20	40.0	20	50.0	202	33.1	0	-
Nevada	54	77.8	0	-	1	0	0	-	44	77.3	5	100.0
Oregon	125	56.8	1	0	3	100.0	0	-	105	54.3	12	75.0
Washington	506	52.6	12	83.3	2	100.0	0	-	446	50.7	19	78.9
REGION IX TOTAL	3219	39.0	65	44.6	26	50.0	22	45.5	2945	37.8	60	80.0
CONFIDENTIAL U. S.	23900	59.3	731	67.3	266	63.9	223	58.7	19718	57.0	2597	74.2
Puerto Rico	736	74.3	30	80.0	13	61.5	5	40.0	630	74.9	43	67.4
Virgin Islands	N.A.	-	1	0	0	-	0	-	186	24.7	0	-
Alaska	190	78.6	0	-	0	-	0	-	295	78.6	0	-
Hawaii	295	78.6	0	-	0	-	0	-	295	78.6	0	-
Canal Zone	N.A.	-	31	77.4	13	61.5	5	40.0	1111	67.5	43	67.4
TERRITORY TOTAL	1221	67.6	31	77.4	13	61.5	5	40.0	1111	67.5	43	67.4
U. S. & TERRITORIES	25121	59.7	762	67.7	279	63.8	228	58.3	20829	57.6	2640	74.1
Cities (incl. above)												
Detroit	111	55.9	2	50.0	2	100.0	0	-	37	35.8	38	89.5
New York	797	41.2	37	59.5	16	25.0	7	71.4	472	34.1	260	51.5
Philadelphia	275	50.2	13	38.5	2	0	3	66.7	224	47.3	29	75.9
Pittsburgh	77	59.7	8	37.5	0	-	0	-	39	51.3	23	82.6
Chicago	190	55.3	2	0	5	20.0	8	50.0	98	58.2	74	55.4
Baltimore	N.A.	-	0	-	0	-	0	-	0	-	0	-

* Totals include Other VD not shown separately.

PERCENT OF CONTACTS AND SUSPECTS EXAMINED

Fiscal Year 1958

Source	U. S.	Region								
		I	II	III	IV	V	VI	VII	VIII	IX
<u>Military Activity</u>										
<u>Contacts</u>										
P & S Syphilis	67.3	80.0	55.7	71.4	72.5	56.4	84.6	76.0	35.3	44.6
Early Latent	63.9	75.0	35.3	65.0	64.2	53.6	81.8	79.4	75.0	50.0
Other Syphilis	58.7	60.0	69.2	72.7	56.7	58.8	80.0	85.0	8.3	45.5
Gonorrhea	57.0	60.2	43.3	57.9	64.7	44.7	55.8	70.1	35.1	37.8
Other V. D.	57.5	45.5	56.5	66.0	59.0	50.0	62.5	71.6	83.3	43.6
<u>Selectees & Separatees</u>	74.2	91.1	67.1	77.9	74.5	70.4	84.9	78.2	63.6	80.0
<u>Total Military</u>	59.3	64.6	50.9	59.8	66.0	52.3	59.4	71.1	36.4	39.0
<u>Civilian Activity</u>										
<u>Contacts</u>										
P & S Syphilis	76.9	57.9	69.7	82.2	80.5	66.5	66.4	88.0	63.9	67.8
Early Latent	74.3	75.9	71.2	80.5	73.2	69.9	73.9	84.3	76.5	64.2
Other Syphilis	83.5	76.5	70.4	87.1	82.8	85.5	82.4	89.0	73.2	86.4
Gonorrhea	70.0	54.4	65.2	73.8	78.1	58.5	64.5	78.4	55.7	61.0
Other V. D.	69.7	61.5	56.1	75.4	70.1	67.0	49.1	79.4	42.9	53.9
Private Physicians	74.4	63.8	82.8	84.1	83.8	58.3	81.9	83.7	66.9	57.2
<u>Positive STS</u>	83.6	92.8	82.6	84.1	91.7	76.0	84.0	89.1	90.0	70.2
<u>Total Civilian</u>	77.9	80.4	73.9	80.4	84.4	69.2	77.6	85.3	73.7	66.1
<u>Total Caseload Activity</u>	76.8	79.0	72.7	78.8	83.4	68.8	76.5	84.2	68.7	63.6
<u>All Contacts</u>										
Syphilis	77.7	71.1	69.9	83.0	78.4	76.0	76.7	86.8	63.2	70.7
Gonorrhea	68.3	56.0	63.4	70.7	76.8	58.0	63.2	76.9	50.2	56.6
Total Contacts	70.5	60.4	64.9	73.4	77.2	62.3	64.8	79.2	51.5	59.6
<u>All Other Suspects</u>	83.3	89.6	81.0	83.5	92.0	74.8	83.6	88.8	85.5	68.7

Source: Form PHS - 2127
 HEW-PHS-BSS-CDC-VD Branch
 Office of Statistics
 MFR/LBH: gh 11/4/58

EPIDEMIOLOGIC YIELD PER 1,000 PERSONS EXAMINED
Cases Brought or Returned to Treatment
Continental United States

Fiscal Year 1958

Source	U. S.	Region								
		I	II	III	IV	V	VI	VII	VIII	IX
Civilian P & S Syphilis Contacts										
P & S Syphilis	94	186	81	87	87	82	46	129	217	100
Early Latent	50	31	81	53	40	59	34	63	43	46
Other Syphilis	16	0	47	19	13	17	80	7	0	10
Gonorrhea	15	0	9	30	16	8	0	19	0	8
Other V. D.	1	0	0	2	1	1	0	0	0	0
Prophylactic Rx.	204	0	294	211	208	320	322	182	43	31
Civilian Gonorrhea Contacts										
P & S Syphilis	0	0	0	0	0	0	0	0	0	1
Early Latent	1	0	0	1	1	1	1	1	0	1
Other Syphilis	1	0	1	1	1	1	1	0	2	0
Gonorrhea	394	290	267	634	376	321	236	483	507	315
Other V. D.	0	0	0	0	1	0	1	0	5	0
Prophylactic Rx.	444	256	588	214	518	517	502	250	109	549
All Military Contacts										
P & S Syphilis	3	16	6	2	4	2	0	2	6	3
Early Latent	3	5	6	2	3	14	3	3	0	1
Other Syphilis	3	9	3	2	2	38	0	0	6	0
Gonorrhea	392	256	152	533	251	263	298	504	443	454
Other V. D.	1	5	0	0	2	0	2	1	0	2
Prophylactic Rx.	356	412	598	251	545	321	332	242	190	268
All Civilian Contacts										
P & S Syphilis	10	19	7	8	13	6	2	12	8	13
Early Latent	10	17	12	11	9	7	5	15	6	9
Other Syphilis	10	9	15	14	7	10	13	12	13	5
Gonorrhea	289	169	198	455	282	228	199	345	440	228
Other V. D.	1	1	0	2	2	1	2	2	13	1
Prophylactic Rx.	354	149	459	189	426	397	447	202	98	401
All Civilian Other Suspects										
P & S Syphilis	9	6	12	7	13	7	3	8	5	6
Early Latent	39	21	48	43	29	45	24	46	10	55
Other Syphilis	251	67	367	312	163	308	192	284	81	181
Gonorrhea	48	55	11	35	50	32	122	67	239	24
Other V. D.	1	0	0	1	2	1	0	2	2	3
Prophylactic Rx.	14	8	22	16	11	14	13	7	33	23
All Persons Examined										
P & S Syphilis	9	10	10	7	13	7	3	9	7	9
Early Latent	26	20	33	29	18	29	18	32	8	30
Other Syphilis	137	50	202	179	78	179	133	160	56	88
Gonorrhea	165	92	96	224	175	117	150	201	315	144
Other V. D.	1	1	0	1	2	1	1	2	5	2
Prophylactic Rx.	173	63	226	96	242	178	148	97	64	215

Source: Form PHS - 2127
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
11/4/58 MFR/LBH: gh

DIAGNOSTIC OBSERVATIONS FOR VENEREAL DISEASES IN PUBLIC CLINICS

April - June 1958

States By HEW Regions	Diagnostic Observations Completed *			Persons Infected		Persons Given Prophylactic Treatment
	Number	Annual Rate Per 100,000 Population	Ratio To Last Year	Number	Percent of Observations	
Connecticut	237	42.32	.50	88	37.1	8
Massachusetts	694	57.71	.87	424	61.1	76
Rhode Island	273	131.57	1.62	170	62.3	7
REGION I TOTAL	1204	61.12	.83	682	56.6	91
Delaware	428	398.14	1.20	213	49.8	18
New Jersey	6251	448.10	.53	807	12.9	261
New York	18929	478.22	.59	4863	25.7	1624
Pennsylvania	2361	85.70	.22	1261	53.4	1538
REGION II TOTAL	27969	340.44	.51	7144	25.5	3441
District of Columbia	15621	7723.61	2.83	3739	23.9	298
Kentucky	11107	1481.43	1.42	986	8.9	9
Maryland	5209	737.04	.44	1907	36.6	387
North Carolina	45722	4140.55	1.01	3455	7.6	667
Virginia	12589	1384.17	2.17	1925	15.3	128
West Virginia	2561	518.68	.74	304	11.9	31
REGION III TOTAL	92809	2227.64	1.17	12316	13.3	1520
Alabama	16519	2113.76	3.17	1070	6.5	1330
Florida	33536	3352.77	.73	3295	9.8	731
Georgia	60450	6536.91	1.14	5540	9.2	1929
Mississippi	35654	6578.23	1.02	3370	9.5	657
South Carolina	18246	3162.22	1.10	2184	12.0	370
Tennessee	8998	1045.37	.93	2831	31.5	557
REGION IV TOTAL	173403	3700.29	1.05	18290	10.5	5574
Illinois	30771	1284.14	.76	7867	25.6	2327
Indiana	872	77.08	1.32	529	60.7	0
Michigan	9423	483.98	1.13	3419	36.3	559
Ohio	13248	577.26	1.32	2129	16.1	3800
Wisconsin	451	46.77	1.12	222	49.2	0
REGION V TOTAL	54765	627.05	.91	14166	25.9	6686
Iowa	135	19.31	1.17	77	57.0	16
Kansas	1675	319.81	1.11	238	14.2	70
Minnesota	818	98.70	1.04	61	7.5	0
Missouri	19926	1886.94	1.36	2214	11.1	307
Nebraska	180	50.03	.12	138	76.7	3
South Dakota	780	448.92	2.75	27	3.5	8
REGION VI TOTAL	23514	645.82	1.25	2755	11.7	404
Arkansas	24577	5636.93	1.38	1317	5.4	117
Louisiana	22860	3020.82	1.16	2676	11.7	197
New Mexico	1927	957.52	1.78	153	7.9	38
Oklahoma	8989	1603.03	1.01	978	10.9	521
Texas	40261	1798.78	.99	3443	8.6	1152
REGION VII TOTAL	98614	2351.88	1.12	8567	8.7	2025
Colorado	4717	1156.13	1.56	215	4.6	30
Idaho	433	272.33	1.22	40	9.2	0
Utah	37	17.47	.60	6	16.2	0
Wyoming	64	82.85	.37	3	4.7	1
REGION VIII TOTAL	5251	613.43	1.45	264	5.0	31
Arizona	13352	4807.20	1.76	463	3.5	0
Nevada	124	193.00	1.23	67	54.0	11
Oregon	783	177.55	1.39	184	23.5	44
Washington	3735	563.14	.88	343	9.2	260
REGION IX TOTAL	17994	1244.19	1.44	1057	5.9	315
CONTINENTAL U. S.	495523	1307.20	1.02	65241	13.2	20087
Puerto Rico	56161	9887.50	1.01	2296	4.1	0
Alaska	9	21.82	.25	8	88.9	6
Hawaii	160	115.52	.90	33	20.6	5
TERRITORY TOTAL	56330	7533.27	1.01	2337	4.1	11
U. S. & TERRITORIES	551853	1427.64	1.02	67578	12.2	20098
Cities (incl. above)						
Detroit	3730	806.49	1.16	1480	39.7	218
New York	11824	599.29	.69	4453	37.7	1575
Philadelphia	1574	303.86	.20	778	49.4	1501
Pittsburgh	414	244.61	1.27	264	63.8	26
Baltimore	2604	1096.42	1.09	1820	69.9	336
Chicago	19202	2121.19	.52	7304	38.0	1920

* A diagnostic observation is an examination of a person to determine the presence or absence of venereal disease (other than observations to determine response to therapy). Observations are excluded for persons given prophylactic treatment, transferred to another clinic, or lapsing from observation before the diagnosis is completed.

Source: Form PHS - 721-1
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
10/29/58 GH/MPR: gh

DIAGNOSTIC OBSERVATIONS FOR VENEREAL DISEASES IN PUBLIC CLINICS

Fiscal Years 1950 - 1958

States By HEW Regions	1950	1951	1952	1953	1954	1955	1956	1957	1958
Connecticut	2023	1742	1921	1986	874	1640	1352	2245	1702
Maine	446	373	271	172	-	-	-	-	-
Massachusetts	3565	2610	3084	5557	5781	4788	3224	3195	2924
New Hampshire	0	0	0	42	-	-	-	-	-
Rhode Island	440	369	187	305	175	210	167	728	504
Vermont	0	0	393	329	-	-	-	-	-
REGION I TOTAL	6474	5094	5856	8391	6813	6638	4743	6168	5130
Delaware	2339	2064	1722	1311	1078	1145	3105	3581	1548
New Jersey	62912	58973	53664	38349	29564	28144	32081	49660	32307
New York	90822	57990	55775	58622	54332	49308	48471	88526	66523
Pennsylvania	37634	35448	30920	62973	43608	33563	27092	39330	26199
REGION II TOTAL	193707	154475	142081	161255	128582	112160	110749	181097	128577
District of Columbia	25726	24855	29291	29574	28522	27826	27501	23819	48361
Kentucky	46841	112167	60539	50365	38844	34834	43471	34830	46219
Maryland	24955	22070	19607	18716	15783	19790	20670	23706	28816
North Carolina	149502	162220	163937	211382	180186	181505	171313	176801	180938
Virginia	61640	31384	28303	39603	48580	38638	35898	44649	41499
West Virginia	22413	21271	18580	27749	28082	16628	17046	15736	14783
REGION III TOTAL	331077	373967	320257	377389	340047	319221	315899	319541	360616
Alabama	218012	142088	47480	28310	24592	29184	25713	19551	32920
Florida	158680	163521	165558	168541	173992	124779	68941	111655	173130
Georgia	408916	306001	322181	273284	215629	207744	195656	214647	28816
Mississippi	326182	298849	226353	226485	251040	165014	153842	146880	180938
South Carolina	93285	85596	105841	193459	166965	63433	56725	59686	66076
Tennessee	82484	73845	58223	42455	34455	34344	32519	42264	34658
REGION IV TOTAL	1287559	1067900	925636	932534	866673	624498	533396	594683	664300
Illinois	59250	55941	51909	76838	57795	43521	39278	79089	101356
Indiana	8306	6762	5870	4851	3838	3697	2901	2695	2977
Michigan	25773	24067	21423	23398	23339	23039	25941	36239	36743
Ohio	62212	62621	52322	82297	40971	53309	62536	43434	50969
Wisconsin	2945	2651	2119	2244	2003	1966	2112	1846	1768
REGION V TOTAL	158486	152049	133768	189503	127746	125532	132768	163303	193813
Iowa	1154	1346	1132	1057	882	758	574	527	493
Kansas	8427	6786	7299	6881	7215	8342	7021	6643	5560
Minnesota	10299	8424	4540	4605	4558	4533	3935	3355	3131
Missouri	23185	18070	13287	12546	26721	28857	29818	38545	46530
Nebraska	5670	5740	5663	5654	5587	5538	6108	6385	3094
North Dakota	46	47	0	12	-	-	-	-	-
South Dakota	2757	1892	1463	1577	1274	1322	1044	1385	1657
REGION VI TOTAL	51538	42305	33384	32332	46237	49350	48500	56840	60465
Arkansas	141034	84804	62530	60452	26282	41113	55527	61447	86997
Louisiana	79689	103183	74216	71915	94372	67471	76544	99330	118944
New Mexico	3516	3445	2978	2629	6827	30267	25686	6384	8915
Oklahoma	39002	39772	37215	64735	47982	33985	31087	31349	30223
Texas	164123	212021	218458	212809	211861	182386	168637	170441	166058
REGION VII TOTAL	427364	443225	395048	412889	387324	355222	357481	368951	411137
Colorado	2687	1783	5747	14912	14978	13232	15770	14477	16414
Idaho	7870	7715	6460	5948	6448	6463	5133	5527	3468
Montana	653	618	527	517	436	654	532	478	148
Utah	2411	2375	1196	543	283	311	233	254	136
Wyoming	849	691	968	1969	833	880	902	873	546
REGION VIII TOTAL	14470	13122	14628	23889	22978	21540	22570	21609	20772
Arizona	21005	18589	20782	15201	16221	21032	22749	42471	62252
California	53663	62554	56471	51915	50146	50146	-	-	-
Nevada	1645	1069	714	762	574	383	581	3334	395
Oregon	2682	1799	3281	3281	3230	3539	3523	2585	3262
Washington	20731	24930	21583	19028	18612	18615	18791	16916	16833
REGION IX TOTAL	99726	108941	101308	90187	89774	93715	45644	65306	82742
CONTINENTAL U. S.	2750401	2361078	2071966	2228369	2016174	1707876	1571750	1777498	1925552
Puerto Rico	136444	165585	180626	356594	233180	173891	185556	182151	205716
Virgin Islands	7532	17873	3657	4060	-	-	-	-	98
Alaska	809	609	590	536	169	158	44	149	527
Hawaii	2521	2340	2018	1952	1065	1052	975	726	-
U. S. & TERRITORIES	2717707	2547485	2258857	2591511	2250588	1882977	1758325	1960524	2131893
Cities (Incl. above)									
Detroit	-	-	-	-	-	-	-	14500	14806
New York City	78886	48348	35621	33165	31356	28694	30081	45957	40028
Philadelphia	29479	27965	24449	29528	32050	29076	22348	25805	15644
Pittsburgh	2115	1665	1486	16787	1036	446	1409	1438	1568
Baltimore	12941	11066	11244	10948	9627	10494	9229	8799	9812
Chicago	52873	50582	47605	73115	55364	41661	37836	63133	78816
St. Louis	11691	8732	7430	7389	-	-	-	-	-

* A diagnostic observation is an examination of a person to determine the presence or absence of venereal disease (other than observations to determine response to therapy). Observations are excluded for persons given prophylactic treatment, transferred to another clinic, or lapsing from observation before diagnosis is completed.

Source: Form PHS 724-1
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
10/14/58 GH

DIAGNOSTIC OBSERVATIONS FOR VENEREAL DISEASES IN PUBLIC CLINICS
ANNUAL RATES per 100,000 POPULATION

Fiscal Years 1950 - 1958

States By HEW Regions	1950	1951	1952	1953	1954	1955	1956	1957	1958
Connecticut	101	87	95	94	39	74	61	101	76
Maine	49	41	31	19	-	-	-	-	-
Massachusetts	75	56	66	118	120	98	65	67	61
New Hampshire	0	0	0	8	-	-	-	-	-
Rhode Island	56	47	24	39	22	26	21	91	61
Vermont	0	0	106	89	-	-	-	-	-
REGION I TOTAL	77	61	67	90	87	84	59	79	65
Delaware	735	642	528	383	308	316	817	909	360
New Jersey	1327	1224	1095	763	578	544	597	927	579
New York	617	390	374	390	358	321	327	548	420
Pennsylvania	362	337	295	599	410	308	243	360	238
REGION II TOTAL	642	506	464	521	411	353	336	552	385
District of Columbia	3180	3211	3799	3748	3512	3393	3309	2826	5978
Kentucky	1654	3853	2124	1755	1361	1190	1475	1167	1541
Maryland	1083	950	826	766	633	785	797	865	1019
North Carolina	3844	4035	4052	5174	4361	4361	4089	4080	4096
Virginia	1922	975	878	1198	1443	1130	1049	1279	1141
West Virginia	1157	1057	935	1409	1458	854	852	794	749
REGION III TOTAL	2210	2451	2100	2440	2181	2011	1976	1952	2164
Alabama	7277	4672	1582	927	808	941	855	629	1053
Florida	6020	5888	5739	5586	5492	3631	2049	3037	4327
Georgia	12332	8974	7976	9454	6182	5834	5529	5905	6171
Mississippi	15780	13855	10465	10603	11797	7569	7379	6981	5962
South Carolina	4709	4029	5123	9121	7813	2922	2548	2592	2863
Tennessee	2533	2236	1770	1312	1057	1027	957	1226	1007
REGION IV TOTAL	7922	6370	5506	5489	5032	3510	3027	3254	3544
Illinois	690	641	595	863	639	478	422	844	1057
Indiana	213	171	147	118	92	88	67	61	66
Michigan	411	376	329	351	338	328	359	483	472
Ohio	779	787	652	997	484	625	699	479	555
Wisconsin	88	77	65	61	56	55	57	49	46
REGION V TOTAL	527	499	436	603	399	387	397	479	555
Iowa	45	51	43	40	34	29	21	20	18
Kansas	459	358	380	355	368	423	347	322	265
Minnesota	353	283	152	153	150	146	124	104	94
Missouri	594	453	332	318	665	701	728	913	1102
Nebraska	443	432	423	421	413	408	446	455	215
North Dakota	8	8	0	2	-	-	-	-	-
South Dakota	448	290	228	243	199	201	155	201	238
REGION VI TOTAL	376	300	237	229	340	356	346	397	415
Arkansas	7728	4417	3303	3312	1439	2174	3137	3427	4988
Louisiana	3040	3816	2656	2726	3404	2326	2638	3353	3929
New Mexico	566	513	383	418	936	4025	3340	807	1107
Oklahoma	1847	1790	1668	2958	2193	1522	1455	1422	1347
Texas	2172	2784	2809	2677	2591	2213	2019	1950	1855
REGION VII TOTAL	2901	2929	2580	2584	2468	2218	2244	2237	2451
Colorado	218	131	428	1075	1051	940	1046	928	1006
Idaho	1380	1312	1100	1018	1085	1057	847	890	545
Montana	117	105	90	87	71	105	85	76	22
Utah	357	345	170	74	37	41	30	31	23
Wyoming	313	244	245	670	272	291	306	283	177
REGION VIII TOTAL	437	379	418	665	624	582	592	550	509
Arizona	2921	2489	2630	1788	1829	2159	2382	4103	5603
California	519	597	527	468	438	410	-	-	-
Nevada	1047	676	430	428	299	183	269	1395	154
Oregon	180	118	114	205	199	216	212	151	185
Washington	896	1074	920	798	762	757	753	652	634
REGION IX TOTAL	664	716	651	560	534	536	856	1171	1430
CONTINENTAL U. S.	1735	1576	1365	1439	1298	1079	1048	1187	1264
Puerto Rico	6236	7520	8158	16106	10532	7829	8254	8074	9054
Virgin Islands	27896	66196	14628	16917	-	-	-	-	-
Alaska	809	544	487	406	118	92	26	93	59
Hawaii	525	498	429	418	229	217	194	138	95
U. S. & TERRITORIES	1801	1669	1461	1643	1423	1168	1172	1284	1373
Cities (Incl. above)									
Detroit	-	-	-	-	-	-	-	784	800
New York City	-	-	-	420	397	363	508	582	507
Philadelphia	999	613	451	1425	1547	1403	1079	1245	755
Pittsburgh	1423	1349	1180	2479	153	65	208	212	232
Baltimore	312	246	219	1152	1013	1105	971	926	1033
Chicago	1362	1165	1183	2020	1529	1150	1045	1744	2177
St. Louis	1460	1397	1315	862	-	-	-	-	-
	1364	1019	867	-	-	-	-	-	-

* A diagnostic observation is an examination of a person to determine the presence or absence of venereal disease (other than observations to determine response to therapy). Observations are excluded for persons given prophylactic treatment, transferred to another clinic, or lapsing from observation before diagnosis is completed.

Source: Form PHS 724-1
 HEW-PHS-BSS-CDC-VD Branch
 Office of Statistics
 10/15/58 GH

DIAGNOSTIC OBSERVATIONS FOR VENEREAL DISEASE IN PUBLIC CLINICS

Fiscal Year 1958

States By HEW Regions	Diagnostic Observations Completed *			Persons Infected		Persons Given Prophylactic Treatment
	Number	Annual Rate Per 100,000 Population	Ratio To Last Year	Number	Percent of Observations	
Connecticut	1702	75.98	.76	226	13.3	16
Massachusetts	2924	60.79	.92	1814	62.0	276
Rhode Island	504	60.72	.69	218	43.3	64
REGION I TOTAL	5130	65.10	.83	2258	44.0	356
Delaware	1548	360.00	.43	839	54.2	144
New Jersey	32307	578.98	.65	4534	14.0	1232
New York	66523	420.15	.75	19032	28.6	6765
Pennsylvania	26199	237.74	.67	6575	25.1	4121
REGION II TOTAL	126577	385.17	.70	30980	24.5	12262
District of Columbia	48361	5977.87	2.03	13528	28.0	867
Kentucky	46219	1541.15	1.33	4345	9.4	66
Maryland	28816	1019.31	1.22	11583	40.2	2626
North Carolina	180938	4096.40	1.02	14291	7.9	3106
Virginia	41499	1140.71	.93	7886	19.0	266
West Virginia	14783	748.51	.94	1242	8.4	117
REGION III TOTAL	360616	2163.91	1.13	52875	14.7	7048
Alabama	32920	1053.10	1.68	3497	10.6	4645
Florida	173130	4327.17	1.55	12671	7.3	3447
Georgia	228258	6170.80	1.06	21626	9.5	6483
Mississippi	129258	5962.08	.88	12586	9.7	2477
South Carolina	66076	2862.91	1.11	8965	13.6	1764
Tennessee	34658	1006.62	.82	11056	31.9	2163
REGION IV TOTAL	664300	3543.88	1.12	70401	10.6	20979
Illinois	101356	1057.44	1.28	25772	25.4	8438
Indiana	2977	65.79	1.10	2047	68.8	1
Michigan	36743	471.79	1.01	14371	39.1	2230
Ohio	50969	555.22	1.17	8045	15.8	14518
Wisconsin	1768	45.84	.96	786	44.5	0
REGION V TOTAL	193813	554.78	1.19	51021	26.3	25187
Iowa	493	17.63	.94	277	56.2	39
Kansas	5560	265.39	.84	1115	20.1	198
Minnesota	3131	94.45	.93	214	6.8	1
Missouri	46530	1101.56	1.21	7709	16.6	1360
Nebraska	3094	215.01	.48	458	14.8	5
South Dakota	1657	238.42	1.20	127	7.7	21
REGION VI TOTAL	60465	415.17	1.06	9900	16.4	1624
Arkansas	86997	4988.36	1.42	5114	5.9	426
Louisiana	118944	3929.44	1.20	11384	9.6	910
New Mexico	8915	1107.45	1.40	1095	12.3	255
Oklahoma	30223	1347.44	.96	3642	12.1	2104
Texas	166058	1854.77	.97	13607	8.2	20766
REGION VII TOTAL	411137	2451.33	1.11	34842	8.5	24461
Colorado	16414	1005.76	1.13	870	5.3	115
Idaho	3468	545.28	.63	184	5.3	32
Montana a/	148	22.42	.95	14	9.5	4
Utah	196	23.14	.77	50	25.5	0
Wyoming	546	176.70	.63	32	5.9	7
REGION VIII TOTAL	20772	508.62	.98	1150	5.5	158
Arizona	62252	5603.24	1.47	2867	4.6	152
California	N.A.					
Nevada	395	153.70	.12	167	42.3	36
Oregon	3262	184.92	1.26	755	23.1	175
Washington b/	16833	634.49	1.00	1317	7.8	892
REGION IX TOTAL	82742	1430.29	1.27	5106	6.2	1255
CONTINENTAL U. S.	925552	1264.37	1.08	258533	13.4	93330
Puerto Rico	205716	9054.40	1.13	8524	4.1	9803
Alaska	98	59.39	.66	76	77.6	6
Hawaii	527	95.13	.73	109	20.7	28
TERRITORY TOTAL	206341	6898.73	1.13	8709	4.2	9837
U. S. & TERRITORIES	2131893	1372.90	1.09	267242	12.5	103167
Cities (incl. above)						
Detroit	14806	800.32	1.02	6237	42.1	853
New York b/	40028	507.20	.87	17459	43.6	6188
Philadelphia	15644	755.02	.61	3998	25.6	3912
Pittsburgh	1568	231.61	1.09	1071	68.3	140
Chicago	78816	2176.64	1.25	23735	30.1	7085
Baltimore	9812	1032.84	1.12	6913	70.5	1479

* A diagnostic observation is an examination of a person to determine the presence or absence of venereal disease (other than observations to determine response to therapy). Observations are excluded for persons given prophylactic treatment, transferred to another clinic, or lapsing from observation before the diagnosis is completed.
a/ Ratio for Montana is based on one quarter in 1958 and the same quarter in 1957.
b/ 1958 data for New York City and Washington has been corrected for incomplete reporting during January - March 1958.

Source: Form PHS - 724-1
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
10/30/58 GH/MFR: gh

REPORTED NUMBER OF BLOOD SPECIMENS EXAMINED FOR SYPHILIS
BY LABORATORIES

Fiscal Years 1950 - 1958

STATES BY HEW REGIONS	1950	1951	1952	1953	1954	1955	1956	1957	1958
Connecticut	122278	174397	143010	156622	98879	99644	102470	109938	104785
Maine	59416	74585	67978	64905	55340	55447	54120	53067	52505
Massachusetts	488600	530929	509856	508792	489981	503189	503671	492374	463614
New Hampshire	58281	56361	53266	53932	48439	42650	51707	47145	41386
Rhode Island	62105	61256	65494	81725	101605	91023	90019	91379	87037
Vermont	38901	41964	41908	46322	44649	45336	26982	44153	36338
REGION I TOTAL	829581	939492	881512	912298	838893	837289	828969	838056	785665
Delaware	33486	33718	31952	31390	37857	24803	39997	62385	59830
New Jersey	481218	524616	465044	452518	504803	655007	724675	744910	693422
New York	911004	958991	859401	953522	802855	819790	821577	797037	1420490
Pennsylvania	275823	298553	306426	361069	272738	265401	244155	235940	300418
REGION II TOTAL	1701531	1815878	1662823	1798499	1618253	1765001	1830404	1840272	2464160
District of Columbia	141957	145616	108697	135763	135495	134023	140177	122144	492941
Kentucky	145798	260985	180137	161655	147077	147816	143787	158477	158497
Maryland	193327	194163	197440	196996	170010	159157	161730	167605	153246
North Carolina	498076	491784	334813	367029	287898	312772	321113	332091	315933
Virginia	440272	461458	439236	450513	377224	359186	349277	342154	315153
West Virginia	124029	126085	113746	110309	95754	84090	84013	80766	75477
REGION III TOTAL	1543459	1680091	1374069	1422265	1213458	1197044	1213974	1188547	1511229
Alabama	300697	298289	360063	323400	291575	290694	294318	286796	210608
Florida	612660	619456	619456	616486	620698	717100	699435	728554	701523
Georgia	806286	659194	626834	583105	429023	428360	449698	428934	404306
Mississippi	481976	456483	384785	354383	335224	229156	217755	196499	181671
South Carolina	321885	343651	290920	287887	266670	302627	291455	285818	295773
Tennessee	522639	625615	482123	507538	494184	467761	467761	452372	419054
REGION IV TOTAL	3046143	3025497	2764181	2672799	2437374	2441421	2420422	2378973	2212935
Illinois	1018225	1172444	1044575	989537	888500	895319	956031	1060311	1080274
Indiana	264295	304674	304674	451285	209718	199310	191757	179932	157336
Michigan	687734	748967	728741	855757	722068	724946	750573	764689	711950
Ohio	156926	192660	206966	223408	190959	188840	182706	155928	124327
Wisconsin	303526	368978	271521	204572	297851	292155	284727	259249	242618
REGION V TOTAL	2430306	2768240	2552477	2724559	2309096	2300570	2365794	2420109	2316505
Iowa	311302	383336	339833	418951	365665	394931	397657	400789	353501
Kansas	122376	130000	156663	157757	92184	121649	125150	121007	113777
Minnesota	258132	344121	315943	323056	274768	255683	239831	204599	168130
Missouri	402433	417111	176485	497459	322392	336779	333159	348256	330123
Nebraska	141588	137029	121799	137840	83181	125442	123498	110512	162157
North Dakota	55237	59415	51932	49510	48045	50966	52023	53977	44481
South Dakota	76471	72512	49912	60959	88945	78211	110863	87029	78625
REGION VI TOTAL	1367539	1543524	1211567	1645532	1275180	1363661	1382181	1326169	1250794
Arkansas	202560	171766	158959	160899	131622	174747	157372	159231	176256
Louisiana	300873	342605	295770	275788	291497	288593	257929	265835	265835
New Mexico	61146	62868	63952	78961	91339	87876	90059	76741	88816
Oklahoma	189123	224130	194703	195097	174491	162407	154701	155592	138521
Texas	515053	590452	550243	534250	471962	435164	412371	449180	396935
REGION VII TOTAL	1268755	1391821	1263627	1244995	1160911	1049199	1043096	1098673	1066363
Colorado	116354	126289	126380	114490	117935	119992	123746	131125	125614
Idaho	90498	106597	95590	165210	189566	173476	164129	161848	93247
Montana	47715	67079	46897	46062	44637	50569	41813	40782	36549
Utah	73956	90539	88085	76080	65629	75139	83063	89341	95227
Wyoming	22847	19037	22625	22026	27797	20524	21171	19259	18716
REGION VIII TOTAL	351370	409541	379937	423868	445564	439700	433922	442355	369353
Arizona	72120	78980	77409	73040	49214	78330	96672	97958	107928
California	643077	609966	582180	578419	583001	587880	612560	555012	760859
Nevada	31435	20365	17373	18825	18989	20738	17980	14173	20403
Oregon	65607	80879	68665	83618	73511	75681	74428	73314	69530
Washington	61415	60756	50514	179702	160050	175874	156411	155924	156226
REGION IX TOTAL	873654	850946	796141	933604	884765	938503	958051	896381	1114946
CONTINENTAL U. S.	13412338	14425030	12886334	13778419	12183494	12332388	12476813	12429535	13419329
Puerto Rico	222361	289336	237273	160325	162469	420090	346513	375430	543127
Virgin Islands	6030	5991	5240	5252	5000	4939	6116	7166	7759
Alaska	19408	19821	18875	28992	29379	14638	15520	15136	20908
Hawaii	42653	38644	36948	47419	31620	31510	31374	30943	30234
U. S. & TERRITORIES	13702790	14778822	13184670	14020407	12411962	12803565	12876336	12858210	13019357

Source: Form PHS - 1072
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
10/13/58 NA: gh

Stat. Ltr. 59
Page 30

*corrected
1959*

SUMMARY TABULATIONS OF SYPHILIS SUSPECTS AMONG SELECTEES

Fiscal Years 1954 - 1958

Fiscal Year	Reported	Returned	Located	Examined	Brought to Treatment	Returned to Treatment	Total Needing Treatment
1954	3461	3346	2591	2519	707	389	1096
1955	2829	2769	2237	2169	580	284	864
1956	1958	1892	1533	1491	424	166	590
1957	2804	2568	2162	2112	569	205	774
1958	2631	2403	2002	1953	433	150	583

Fiscal Year	Percent Returned of Reported	Percent Located of Returned	Percent Examined of Located	Percent of Examined		
				Brought to Treatment	Returned to Treatment	Total Needing Treatment
1954	96.7	77.4	97.2	28.1	15.4	43.5
1955	97.9	80.8	97.0	26.7	13.1	39.8
1956	96.6	81.0	97.3	28.4	11.1	39.6
1957	91.6	84.2	97.7	26.9	9.7	36.6
1958	91.3	83.3	97.6	22.2	7.7	29.9

SUMMARY TABULATIONS OF SYPHILIS SUSPECTS AMONG SEPARATEES

Fiscal Years 1954 - 1958

Fiscal Year	Reported	Returned	Located	Examined	Brought to Treatment	Returned to Treatment	Total Needing Treatment
1954	2220	2125	1561	1443	167	92	259
1955	3021	2919	2192	2025	263	119	382
1956	1780	1725	1317	1260	179	80	259
1957	915	884	660	634	116	38	154
1958	800	754	545	524	84	18	102

Fiscal Year	Percent Returned of Reported	Percent Located of Returned	Percent Examined of Located	Percent of Examined		
				Brought to Treatment	Returned to Treatment	Total Needing Treatment
1954	95.7	73.5	92.4	11.6	6.4	17.9
1955	96.6	75.1	92.4	13.0	5.9	18.9
1956	96.9	76.3	95.7	14.2	6.3	20.6
1957	96.6	74.7	96.1	18.3	6.0	24.3
1958	94.2	72.4	96.1	16.0	3.4	19.5

Source: PHS 691 and PHS 956
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
10/20/58 GH/LBH: gh

DISPOSITION OF SYPHILIS SUSPECTS AMONG ARMED SERVICES SELECTEES

By Date of Report

Fiscal Year 1958

States Reporting By HW Regions	Total	Brought to Treatment	Returned to Treatment	Total Needing Treatment	Adequate Treatment	Not Infected	Returned Not Examined	No Disposition
Connecticut	32	2	3	5	11	9	5	2
Maine	0	0	0	0	0	0	0	0
Massachusetts	49	8	5	13	1	17	5	13
New Hampshire	0	0	0	0	0	0	0	0
Rhode Island	0	0	0	0	0	0	0	0
Vermont	0	0	0	0	0	0	0	0
REGION I TOTAL	81	10	8	18	12	26	10	15
Delaware	0	0	0	0	0	0	0	0
New Jersey	120	24	9	33	32	24	24	7
Up State New York	71	7	3	10	21	25	5	10
New York City	467	61	18	79	114	137	107	30
Pennsylvania	54	9	1	10	7	29	1	7
REGION II TOTAL	712	101	31	132	174	215	137	54
District of Columbia	3	0	0	0	2	0	1	0
Kentucky	29	0	1	1	4	6	14	4
Maryland	6	0	0	0	0	1	5	0
North Carolina	168	27	8	35	40	66	19	8
Virginia	77	22	2	24	25	8	18	2
West Virginia	17	1	2	3	0	14	0	0
REGION III TOTAL	300	50	13	63	71	95	57	14
Alabama	50	7	1	8	7	17	7	11
Florida	113	13	12	25	34	19	26	9
Georgia	67	8	12	20	18	10	9	10
Mississippi	35	5	1	6	14	13	1	1
South Carolina	76	7	5	12	23	18	14	9
Tennessee	44	5	1	6	15	10	5	8
REGION IV TOTAL	385	45	32	77	111	87	62	48
Illinois	184	20	2	22	66	33	47	16
Indiana	39	11	0	11	9	7	7	5
Michigan	64	7	7	14	15	18	6	11
Ohio	80	28	5	33	19	12	11	5
Wisconsin	4	0	0	0	2	1	0	1
REGION V TOTAL	371	66	14	80	111	71	71	38
Iowa	23	0	0	0	8	15	0	0
Kansas	2	0	0	0	0	2	0	0
Minnesota	0	0	0	0	0	0	0	0
Missouri	15	2	1	3	6	4	2	0
Nebraska	6	0	0	0	3	2	1	0
North Dakota	2	0	0	0	0	2	0	0
South Dakota	4	0	0	0	0	2	2	0
REGION VI TOTAL	52	2	1	3	17	27	5	0
Arkansas	41	9	7	16	12	1	4	8
Louisiana	107	30	5	35	40	13	18	1
New Mexico	22	6	1	7	3	5	2	5
Oklahoma	7	0	2	2	2	3	0	0
Texas	207	65	18	83	47	26	29	22
REGION VII TOTAL	384	110	33	143	104	48	53	36
Colorado	8	5	0	5	1	0	1	1
Idaho	2	0	0	0	1	0	1	0
Montana	6	1	0	1	0	0	0	5
Utah	0	0	0	0	0	0	0	0
Wyoming	0	0	0	0	0	0	0	0
REGION VIII TOTAL	16	6	0	6	2	0	2	6
Arizona	9	1	0	1	0	5	2	1
California	239	23	12	35	53	103	41	7
Nevada	7	0	0	0	1	3	1	2
Oregon	12	0	0	0	3	3	3	3
Washington	19	4	2	6	5	6	1	1
REGION IX TOTAL	286	28	14	42	62	120	48	14
CONTINENTAL U. S.	2587	418	146	564	664	689	445	225
Puerto Rico	44	15	4	19	4	13	5	3
Virgin Islands	0	0	0	0	0	0	0	0
TERRITORY TOTAL	44	15	4	19	4	13	5	3
U. S. & TERRITORIES	2631	433	150	583	668	702	450	228

Source: Form PHS-956
 HEW-PHS-BGS-CDC-VD Branch
 Office of Statistics
 10/20/58 OH/LBH: gh

DISPOSITION OF SYPHILIS SUSPECTS AMONG ARMED SERVICES SEPARATEES

By Date of Separation

Fiscal Year 1958

States Reporting By HEW Regions	Total	Brought to Treatment	Returned to Treatment	Total Needing Treatment	Adequate Treatment	Not Infected	Returned Not Examined	No Disposition
Connecticut	10	2	1	3	1	6	0	0
Maine	2	0	0	0	0	1	0	1
Massachusetts	15	4	1	5	3	6	0	1
New Hampshire	0	0	0	0	0	0	0	0
Rhode Island	1	0	0	0	0	0	0	1
Vermont	0	0	0	0	0	0	0	0
REGION I TOTAL	28	6	2	8	4	13	0	3
Delaware	0	0	0	0	0	0	0	0
New Jersey	33	3	1	4	8	14	5	2
Up State New York	22	1	0	1	2	13	6	0
New York City	55	5	0	5	4	14	31	1
Pennsylvania	40	10	4	14	9	7	7	3
REGION II TOTAL	150	19	5	24	23	48	49	6
District of Columbia	10	2	0	2	3	2	3	0
Kentucky	25	2	0	2	5	10	7	1
Maryland	9	2	0	2	4	3	1	2
North Carolina	19	2	0	2	5	0	6	3
Virginia	26	2	0	2	11	4	8	1
West Virginia	12	0	0	0	2	7	3	0
REGION III TOTAL	101	10	0	10	30	26	28	7
Alabama	12	0	0	0	3	3	6	0
Florida	16	1	0	1	5	4	5	1
Georgia	15	3	0	3	7	1	3	0
Mississippi	12	1	0	1	4	1	6	0
South Carolina	21	0	2	2	3	5	8	3
Tennessee	12	1	0	1	3	3	4	1
REGION IV TOTAL	88	6	2	8	25	17	32	6
Illinois	64	9	0	9	31	10	11	3
Indiana	18	3	1	4	2	7	4	1
Michigan	34	2	2	4	16	7	7	0
Ohio	39	9	2	11	10	6	10	2
Wisconsin	3	0	0	0	0	2	0	1
REGION V TOTAL	158	23	5	28	59	32	32	7
Iowa	4	0	0	0	0	2	1	1
Kansas	6	0	1	1	2	3	0	0
Minnesota	6	0	0	0	2	4	0	0
Missouri	4	1	0	1	2	0	1	0
Nebraska	7	0	0	0	2	2	3	0
North Dakota	1	0	0	0	1	0	0	0
South Dakota	3	0	0	0	0	1	2	0
REGION VI TOTAL	31	1	1	2	9	12	7	1
Arkansas	7	1	0	1	4	1	1	0
Louisiana	34	4	1	5	10	4	15	0
New Mexico	5	0	0	0	1	0	3	0
Oklahoma	12	1	0	1	5	4	2	3
Texas	59	7	0	7	25	8	16	4
REGION VII TOTAL	117	13	1	14	45	17	37	4
Colorado	8	0	0	0	1	1	6	0
Idaho	2	0	0	0	0	1	1	0
Montana	1	0	0	0	0	0	0	1
Utah	1	0	0	0	0	0	0	1
Wyoming	0	0	0	0	0	0	0	0
REGION VIII TOTAL	12	0	0	0	1	2	7	2
Arizona	5	0	0	0	0	2	2	1
California	73	4	2	6	12	29	19	7
Nevada	1	0	0	0	0	0	1	0
Oregon	8	1	0	1	2	2	3	0
Washington	11	0	0	0	3	4	4	0
REGION IX TOTAL	98	5	2	7	17	37	29	8
CONTINENTAL U. S.	784	83	18	101	213	204	222	44
Puerto Rico	14	1	0	1	2	3	8	0
Virgin Islands	1	0	0	0	0	0	0	1
Alaska	0	0	0	0	0	0	0	0
Hawaii	1	0	0	0	0	0	0	1
TERRITORY TOTAL	16	1	0	1	2	3	8	2
U. S. & TERRITORIES	800	84	18	102	215	207	230	46

Source: Form PHS - 691
HEW-PHS-ESS-CDC-VD Branch
Office of Statistics
10/20/58 GH/LBH: gh

FIRST ADMISSIONS TO STATE MENTAL HOSPITALS
FOR ALL PSYCHOSES DUE TO SYPHILIS
Rates per 100,000 Civilian Population

Calendar Years 1946 - 1956

States Reporting by HEW Regions	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
Connecticut	2.9	2.1	1.9	2.0	1.6	1.1	1.1	1.1	.6	1.0	.5
Maine	2.6	2.2	1.5	1.8	1.2	.9	.6	0	.3	.7	.2
Massachusetts	1.9	1.6	---	---	---	---	---	---	---	---	---
New Hampshire	3.9	2.6	3.4	2.3	.9	.8	.8	.4	.4	1.3	0
Rhode Island	3.4	1.2	3.1	.9	1.3	.5	1.0	1.2	.7	.6	.5
Vermont	2.6	2.0	.8	2.2	1.1	0	1.4	.5	0	0	0
REGION I TOTAL	2.5	1.8	2.1	1.8	1.3	.8	1.0	.8	.5	.8	.3
Delaware	9.7	8.4	8.2	6.6	3.4	2.1	4.7	3.7	2.2	.8	1.7
New Jersey	3.4	2.4	2.5	3.0	1.6	1.4	1.1	1.0	.9	.9	.5
New York	4.7	4.3	3.7	3.0	3.1	2.5	2.1	1.8	---	---	---
Pennsylvania	4.1	3.9	3.4	2.7	2.1	1.8	1.5	1.1	.9	.8	.5
REGION II TOTAL	4.3	3.9	3.5	2.9	2.5	2.1	1.7	1.5	.9	.8	.6
District of Columbia	11.7	9.7	---	9.9	6.3	6.1	5.8	4.5	2.8	---	2.1
Kentucky	4.6	3.8	3.4	2.8	2.0	1.9	1.8	1.7	1.5	.9	.9
Maryland	6.2	5.3	5.6	4.1	3.0	3.4	2.8	2.2	3.1	.9	.8
North Carolina	2.1	2.0	2.1	2.3	2.2	2.1	1.4	1.5	.7	.9	.6
Virginia	5.6	5.4	4.7	3.5	3.7	3.0	3.0	2.4	1.9	1.9	1.5
West Virginia	8.1	6.1	4.7	5.1	3.0	2.5	3.0	2.6	1.8	1.6	1.6
REGION III TOTAL	5.3	4.6	3.8	3.7	2.9	2.7	2.5	2.1	1.7	1.2	1.1
Alabama	4.8	4.6	4.4	3.0	1.9	1.6	---	.7	1.0	.9	.7
Florida	5.4	5.3	4.3	3.9	2.1	2.2	2.3	1.5	1.6	1.3	1.0
Georgia	5.4	5.4	4.2	3.6	2.8	1.7	1.3	1.3	2.0	1.1	1.2
Mississippi	7.1	5.8	4.8	3.6	2.5	2.6	2.6	---	1.1	.4	.5
South Carolina	6.7	5.6	6.4	5.4	4.0	3.1	2.6	---	1.0	1.8	1.3
Tennessee	1.5	1.7	1.7	1.4	1.5	1.4	1.7	.9	1.7	.9	1.1
REGION IV TOTAL	4.9	4.6	4.1	3.3	2.5	2.0	2.0	1.1	1.5	1.1	1.0
Illinois	6.5	5.2	4.9	4.3	2.7	2.9	2.4	2.1	1.4	1.1	.9
Indiana	5.0	5.3	3.3	3.5	2.9	2.2	1.8	---	1.1	.9	.7
Michigan	4.4	3.2	3.1	2.6	1.8	1.7	1.3	.8	.8	.7	.5
Ohio	6.3	6.4	5.6	4.2	3.2	2.0	1.7	1.5	1.4	1.7	1.1
Wisconsin	1.1	.7	1.0	.7	.4	.6	---	.2	.5	.4	.3
REGION V TOTAL	5.2	4.6	4.1	3.4	2.4	2.0	1.8	1.4	1.1	1.1	.8
Iowa	2.7	2.5	1.7	1.8	1.3	1.0	1.2	1.2	.6	.4	.4
Kansas	5.0	3.7	2.9	1.8	1.2	1.0	1.5	1.1	1.0	1.0	1.0
Minnesota	2.1	1.5	1.3	.7	1.0	.9	1.1	.6	.2	.1	.1
Missouri	2.9	3.0	3.8	2.9	2.7	1.5	1.4	1.4	1.0	.6	.7
Nebraska	3.4	3.2	3.5	1.3	2.2	.7	.3	.4	0	.1	.3
North Dakota	1.1	.4	1.8	1.0	.2	.7	.5	1.0	0	.3	.5
South Dakota	2.5	2.1	1.4	1.3	1.4	.6	---	---	.6	1.2	.1
REGION VI TOTAL	2.9	2.6	2.5	1.8	1.7	1.1	1.2	1.0	.6	.5	.5
Arkansas	4.8	4.4	4.5	3.9	3.0	2.5	1.8	2.1	.9	1.2	.7
Louisiana	6.0	5.1	2.2	4.4	4.3	2.9	2.9	2.2	2.5	1.5	1.3
New Mexico	---	6.0	2.4	4.0	1.5	1.5	1.3	.8	.5	.7	.4
Oklahoma	7.6	4.8	3.9	3.2	2.7	1.9	2.1	.9	.8	.8	.6
Texas	4.0	3.0	2.7	3.3	2.6	2.1	1.2	1.6	1.0	.7	.8
REGION VII TOTAL	5.1	3.9	3.0	3.6	2.9	2.2	1.7	1.6	1.2	1.0	.8
Colorado	2.5	2.7	1.4	1.1	1.2	1.3	.3	.5	.4	.7	.4
Idaho	1.4	2.3	1.4	1.6	.9	.7	.7	.7	.5	.8	.2
Montana	1.6	1.8	1.5	.9	1.0	1.0	.7	---	1.1	1.8	.5
Utah	2.2	1.1	2.3	1.9	.7	.7	1.0	.3	.1	.3	.4
Wyoming	2.7	3.1	2.7	.7	1.8	1.4	1.0	1.0	.7	0	0
REGION VIII TOTAL	2.1	2.2	1.7	1.3	1.1	1.1	.6	.5	.5	.8	.4
Arizona	4.4	5.2	5.4	2.8	3.3	3.0	2.4	1.2	1.1	.7	.8
California	4.1	3.9	3.2	2.7	2.1	1.6	1.1	1.2	1.0	.7	.6
Nevada	4.2	---	2.5	3.2	2.5	1.8	.6	2.0	1.0	1.3	.8
Oregon	2.8	2.0	1.5	1.2	.8	.8	.6	.3	.3	.5	.3
Washington	3.4	2.5	3.0	2.1	1.7	1.2	.5	.8	.7	.4	.3
REGION IX TOTAL	3.9	3.6	3.1	2.5	2.0	1.5	1.0	1.1	.9	.6	.6
CONTINENTAL U. S.	4.3	3.8	3.4	3.0	2.4	1.9	1.7	1.4	1.1	.9	.7

--- Complete data not available

Source: Patients in Mental Institutions, 1946-1955; National Institute of Mental Health; Patients in Mental Institutions, 1956; Unpublished data National Institute of Mental Health
Population releases; Bureau of the Census.
HEW-PHS-BSS-CDC-VD BRANCH
Office of Statistics
10/13/58 JHB/jc