

February 1959

Issue No. 60

VD **STATISTICAL LETTER**



U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
Public Health Service

CONTENTS

| | Page |
|-------------------------------------------------------------------------------------------------|------|
| NOTE - "Quarterly Epidemiologic Activity Report for Venereal Disease" - PHS 9.2127 | 1 |
| MORBIDITY FOR JULY - SEPTEMBER 1958: | |
| Summary, Continental United States, By Race, Sex, and Disease . . . | 2 |
| By State and Territory: | |
| By Disease and Reporting Source | 3 |
| By Disease | 4 |
| Rates per 100,000 population, By Disease | 5 |
| By Cities: | |
| By Disease | 6 |
| Rates per 100,000 population, By Disease | 7 |
| EPIDEMIOLOGICAL ACTIVITY FOR JULY - SEPTEMBER 1958: | |
| By State and Territory: | |
| Investigations and Percent of Suspects Examined: | |
| 1 - Health Department Patients | 8 |
| 11 - Private Physician Patients | 9 |
| 111 - Military | 10 |
| Contacts Obtained From: | |
| Health Department Patients | 11 |
| Private Physician Patients: | |
| 1 - Primary and Secondary Syphilis | 12 |
| 11 - Early Latent Syphilis | 13 |
| 111 - Gonorrhea | 14 |
| By Regions: | |
| Contacts Named per Patient Interviewed | 15 |
| Yield per 1,000 Persons Examined | 16 |
| DIAGNOSTIC OBSERVATIONS IN PUBLIC CLINICS: | |
| By State and Territory: | |
| July - September 1958 | 17 |

"QUARTERLY EPIDEMIOLOGIC ACTIVITY REPORT FOR VENEREAL DISEASE" PHS 9.2127

The Quarterly Epidemiologic Activity Report for Venereal Disease (PHS 9.2127) was revised effective July 1, 1958. This is the first issue of the Statistical Letter to contain information from the revised report.

The major change made in the PHS 9.2127 was the addition of more diagnostic breakdowns for reporting epidemiologic activity with patients of private physicians. Unfortunately, the revised form was not distributed to the States in sufficient time for all areas to make the necessary changes in their epidemiologic report forms to tabulate the private physician section of the revised form.

Two tables have been added to the Statistical Letter in order to give more detail of epidemiologic activity with private physician patients. The first of these tables, "Volume of Case-finding Investigations and Percentage of Suspects Examined Among Private Physician Patients," page 9, indicates that the percentage of contacts and suspects originating from private physician patients who are brought to examination is very nearly the same as for clinic contacts and suspects.

The second table dealing with private physician activity, "Contacts Obtained from Private Physician Patients," is in three parts on pages 12, 13 and 14. This table gives, for infectious syphilis, early latent syphilis and gonorrhea, the number of cases reported by private physicians on the PHS-688 Morbidity Report, the number and percent of these cases interviewed, the number of contacts obtained, and the number of contacts named per case reported and per case interviewed.

The venereal disease program is emphasizing the importance of interviewing every infectious syphilis patient and the investigation of every named contact as an aid in the control of syphilis. The problem of interviewing all infectious cases can be broken into two parts: 1) the reporting of every case that comes to medical attention, and 2) the interviewing of every infectious case reported. Unfortunately, we do not have any routine means for determining the number of cases that come to medical attention which are not reported. But the revised version of the PHS 9.2127 does make possible the calculation of the percent of reported cases which are interviewed. On page 12, the percent of the cases of primary and secondary syphilis reported by private physicians which were interviewed is calculated to be 48 percent for all areas reporting. However, there is much variation from state to state, the percentages running from 0 to more than 100 percent. It is possible, because of time lag between reporting and interviewing and other factors, for this percent to be over 100, but in general and over a long period of time, this percent should not be over 100 for any area. Whenever this figure is over 100 percent for any area the data should be checked for accuracy of reports.

The contact index for private physician cases of primary and secondary syphilis on a per interview basis is 2.75, somewhat lower than the equivalent figure for clinic patients. However, some individual areas are obtaining excellent indices from private physician patients - even higher than from clinic patients. The contact index on a per case reported basis was 1.33. This low figure is a resultant of two factors: 1) failure to interview all cases, and 2) lower yield of contacts from those interviewed.

Other tables dealing with epidemiologic activity in this issue of the Statistical Letter have other results of activity applied to private physician patients. It is noted that, although the contact index is lower for lesion syphilis cases reported by private physicians, those contacts named by such cases result in almost as high a percentage located and examined. Furthermore, the number of primary and secondary cases discovered per 1,000 examined is higher than this ratio for contacts of lesion cases reported by clinics. See pages 9 and 16.

VENEREAL DISEASE MORBIDITY SUMMARY
CONTINENTAL UNITED STATES

July - September 1958

| SOURCE OF REPORT | COLOR AND SEX | | TOTAL SYPHILIS | SYPHILIS | | | | | GONORRHEA | OTHER VD | | | TOTAL OTHER VD |
|----------------------------------------------|-------------------|--------|----------------|-----------------------|--------------|----------------------|------------|------------|-----------|-----------|---------------------|---------------------------|----------------|
| | | | | Primary and Secondary | Early Latent | Late and Late Latent | Congenital | Not Stated | | Chancroid | Granuloma Inguinale | Lympho-granuloma Venereum | |
| BY PRIVATE PHYSICIANS | White and Unknown | Male | 3737 | 281 | 392 | 2817 | 124 | 123 | 4333 | 13 | | 2 | 15 |
| | | Female | 2944 | 74 | 343 | 2179 | 245 | 103 | 1093 | 1 | 1 | 1 | 3 |
| | Nonwhite | Male | 2257 | 190 | 368 | 1577 | 34 | 88 | 5021 | 14 | 2 | 7 | 23 |
| | | Female | 2805 | 126 | 593 | 1871 | 110 | 105 | 1207 | 4 | 5 | 2 | 11 |
| | Total, | | 11743 | 671 | 1696 | 8444 | 513 | 419 | 11654 | 32 | 8 | 12 | 52 |
| BY CLINICS, HOSPITALS, OR OTHER INSTITUTIONS | White and Unknown | Male | 2543 | 214 | 337 | 1873 | 64 | 55 | 4925 | 56 | 1 | 8 | 65 |
| | | Female | 1405 | 53 | 225 | 1021 | 93 | 13 | 2712 | 3 | | 1 | 4 |
| | Nonwhite | Male | 7119 | 535 | 1038 | 5216 | 231 | 99 | 30837 | 221 | 41 | 67 | 329 |
| | | Female | 6507 | 369 | 1192 | 4605 | 316 | 25 | 14403 | 58 | 32 | 11 | 101 |
| | Total, | | 17574 | 1171 | 2792 | 12715 | 704 | 192 | 52877 | 338 | 74 | 87 | 499 |
| TOTAL ALL SOURCES | White and Unknown | Male | 6280 | 495 | 729 | 4690 | 188 | 178 | 9258 | 69 | 1 | 10 | 80 |
| | | Female | 4349 | 127 | 568 | 3200 | 338 | 116 | 3805 | 4 | 1 | 2 | 7 |
| | Nonwhite | Male | 9376 | 725 | 1406 | 6793 | 265 | 187 | 35858 | 235 | 43 | 74 | 352 |
| | | Female | 9312 | 495 | 1785 | 6476 | 426 | 130 | 15610 | 62 | 37 | 13 | 112 |
| | Total, | | 29317 | 1842 | 4488 | 21159 | 1217 | 611 | 64531 | 370 | 82 | 99 | 551 |

Source: Form PHS - 688
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
2/6/59 LBH/MFR: gh

**CASES OF SYPHILIS AND GONORRHEA REPORTED TO THE PUBLIC HEALTH SERVICE
BY STATE AND TERRITORIAL HEALTH DEPARTMENTS
AND
CASES REPORTED BY PRIVATE PHYSICIANS AS A PERCENTAGE OF TOTAL CASES
(Known Military Cases Excluded)**

July - September 1958

| States by Region | SYPHILIS | | | | | | | | | | | | GONORRHEA | | | | | |
|------------------------|-------------------------|----------------------------|--------------|-------------------------|----------------------------|--------------|-------------------------|----------------------------|--------------|-------------------------|----------------------------|--------------|-------------------------|----------------------------|--------------|-------------------------|----------------------------|--------------|
| | TOTAL SYPHILIS* | | | PRIMARY AND SECONDARY | | | EARLY LATENT | | | LATE AND LATE LATENT | | | CONGENITAL | | | GONORRHEA | | |
| | Total All Sources | Private Physi- cians | Per- cent |
| Connecticut | 167 | 82 | 49.1 | 18 | 3 | 16.7 | 33 | 17 | 51.5 | 106 | 57 | 53.8 | 6 | 2 | 33.3 | 409 | 233 | 57.0 |
| Maine | 10 | 7 | 70.0 | 1 | 1 | 100.0 | 1 | 1 | 100.0 | 7 | 5 | 71.4 | 1 | 0 | .0 | 18 | 18 | 100.0 |
| Massachusetts | 408 | 205 | 50.2 | 56 | 29 | 51.8 | 46 | 20 | 43.5 | 268 | 140 | 52.2 | 38 | 16 | 42.1 | 467 | 153 | 32.8 |
| New Hampshire | 21 | 18 | 85.7 | 1 | 1 | 100.0 | 1 | 1 | 100.0 | 19 | 16 | 84.2 | 0 | 0 | .0 | 10 | 10 | 100.0 |
| Rhode Island | 87 | 62 | 71.3 | 2 | 2 | 100.0 | 11 | 10 | 90.9 | 58 | 43 | 74.1 | 1 | 1 | 100.0 | 50 | 26 | 52.0 |
| Vermont | 4 | 3 | 75.0 | 1 | 1 | 100.0 | 0 | 0 | .0 | 3 | 2 | 66.7 | 0 | 0 | .0 | 33 | 29 | 87.9 |
| REGION I TOTAL | 697 | 377 | 54.1 | 79 | 37 | 46.8 | 92 | 49 | 53.3 | 461 | 263 | 57.0 | 46 | 19 | 41.3 | 987 | 469 | 47.5 |
| Delaware | 460 | 48 | 10.4 | 26 | 7 | 26.9 | 78 | 10 | 12.8 | 339 | 29 | 8.6 | 8 | 1 | 12.5 | 156 | 51 | 32.7 |
| New Jersey | 1790 | 624 | 34.9 | 28 | 16 | 57.1 | 188 | 70 | 37.2 | 1503 | 489 | 32.5 | 66 | 44 | 66.7 | 1631 | 478 | 29.3 |
| New York | 3498 | 1139 | 32.6 | 204 | 77 | 37.7 | 380 | 94 | 24.7 | 2837 | 946 | 33.3 | 77 | 22 | 28.6 | 4873 | 1138 | 23.4 |
| Pennsylvania | 1329 | 698 | 52.5 | 35 | 11 | 30.6 | 207 | 91 | 44.0 | 1016 | 551 | 54.2 | 70 | 45 | 64.3 | 1520 | 209 | 13.8 |
| REGION II TOTAL | 7077 | 2509 | 35.5 | 294 | 111 | 37.8 | 853 | 265 | 31.1 | 5695 | 2015 | 35.4 | 221 | 112 | 50.7 | 8180 | 1876 | 22.9 |
| District of Columbia | 727 | 141 | 19.4 | 60 | 14 | 23.3 | 144 | 31 | 21.5 | 599 | 95 | 15.7 | 14 | 1 | 7.1 | 2823 | 82 | 2.9 |
| Kentucky | 540 | 356 | 65.9 | 17 | 9 | 52.9 | 20 | 12 | 60.0 | 419 | 273 | 65.2 | 28 | 16 | 57.1 | 869 | 122 | 14.0 |
| Maryland | 708 | 74 | 10.5 | 71 | 8 | 11.3 | 89 | 3 | 3.4 | 516 | 59 | 11.4 | 15 | 2 | 13.3 | 2074 | 185 | 8.9 |
| North Carolina | 1243 | 436 | 35.1 | 75 | 21 | 28.0 | 217 | 83 | 38.2 | 891 | 313 | 35.1 | 60 | 19 | 31.7 | 3009 | 223 | 7.4 |
| Virginia | 1132 | 505 | 44.6 | 39 | 19 | 48.7 | 190 | 73 | 38.4 | 825 | 379 | 45.9 | 51 | 21 | 41.2 | 2204 | 546 | 24.8 |
| West Virginia | 225 | 143 | 63.6 | 8 | 5 | 62.5 | 22 | 13 | 59.1 | 177 | 116 | 65.5 | 18 | 9 | 50.0 | 388 | 95 | 24.5 |
| REGION III TOTAL | 4575 | 1655 | 36.2 | 270 | 76 | 28.1 | 682 | 215 | 31.5 | 3337 | 1235 | 37.0 | 186 | 68 | 36.6 | 11367 | 1253 | 11.0 |
| Alabama | 309 | 122 | 39.5 | 46 | 22 | 47.8 | 137 | 41 | 29.9 | 96 | 45 | 46.9 | 14 | 5 | 35.7 | 964 | 182 | 18.9 |
| Florida | 976 | 459 | 47.1 | 41 | 13 | 31.7 | 250 | 54 | 21.6 | 611 | 281 | 46.0 | 52 | 25 | 48.1 | 2293 | 49 | 2.1 |
| Georgia | 976 | 534 | 54.7 | 196 | 65 | 33.2 | 211 | 131 | 62.1 | 431 | 249 | 57.8 | 22 | 13 | 31.0 | 3926 | 383 | 9.8 |
| Mississippi | 261 | 51 | 19.5 | 28 | 1 | 3.6 | 35 | 7 | 20.0 | 176 | 39 | 22.2 | 42 | 4 | 18.2 | 2188 | 155 | 7.1 |
| South Carolina | 996 | 504 | 50.6 | 92 | 55 | 59.8 | 179 | 113 | 63.1 | 654 | 312 | 47.7 | 71 | 24 | 33.8 | 1763 | 274 | 15.5 |
| Tennessee | 419 | 139 | 33.2 | 63 | 10 | 15.9 | 83 | 22 | 26.5 | 250 | 99 | 39.6 | 23 | 8 | 34.8 | 3323 | 331 | 10.0 |
| REGION IV TOTAL | 3915 | 1809 | 46.2 | 466 | 166 | 35.6 | 895 | 454 | 50.7 | 2218 | 1025 | 46.2 | 224 | 79 | 35.3 | 14457 | 1374 | 9.5 |
| Illinois | 1707 | 572 | 33.5 | 133 | 39 | 29.3 | 217 | 78 | 35.9 | 1287 | 427 | 33.2 | 70 | 28 | 40.0 | 5790 | 937 | 16.2 |
| Indiana | 427 | 285 | 66.7 | 20 | 12 | 60.0 | 54 | 32 | 59.3 | 325 | 219 | 67.4 | 28 | 22 | 78.6 | 605 | 149 | 24.6 |
| Michigan | 1041 | 456 | 43.8 | 22 | 10 | 45.5 | 160 | 86 | 53.8 | 647 | 251 | 38.8 | 37 | 16 | 43.2 | 2381 | 492 | 20.7 |
| Ohio | 1235 | 644 | 52.1 | 28 | 14 | 50.0 | 240 | 101 | 42.1 | 914 | 495 | 54.2 | 53 | 34 | 64.2 | 2100 | 358 | 17.0 |
| Wisconsin | 289 | 234 | 81.0 | 12 | 9 | 75.0 | 19 | 15 | 78.9 | 150 | 143 | 95.3 | 12 | 11 | 91.7 | 338 | 76 | 22.5 |
| REGION V TOTAL | 4659 | 2191 | 47.0 | 215 | 84 | 39.1 | 690 | 312 | 45.2 | 3323 | 1535 | 46.2 | 200 | 111 | 55.5 | 11214 | 2012 | 17.9 |
| Iowa | 276 | 240 | 87.0 | 3 | 2 | 66.7 | 6 | 6 | 100.0 | 252 | 219 | 86.9 | 12 | 10 | 83.3 | 222 | 140 | 63.1 |
| Kansas | 305 | 225 | 73.8 | 14 | 12 | 85.7 | 25 | 12 | 48.0 | 247 | 185 | 74.9 | 19 | 16 | 84.2 | 426 | 98 | 23.0 |
| Minnesota | 27 | 19 | 70.4 | 4 | 4 | 100.0 | 1 | 0 | .0 | 21 | 14 | 66.7 | 1 | 1 | 100.0 | 263 | 123 | 46.8 |
| Missouri | 970 | 277 | 28.6 | 20 | 5 | 25.0 | 100 | 29 | 29.0 | 812 | 225 | 27.7 | 35 | 16 | 45.7 | 1818 | 230 | 12.7 |
| Nebraska | 40 | 26 | 65.0 | 1 | 1 | 100.0 | 1 | 1 | 100.0 | 34 | 23 | 67.6 | 4 | 2 | 50.0 | 203 | 115 | 56.7 |
| North Dakota | 11 | 11 | 100.0 | 0 | 0 | .0 | 1 | 1 | 100.0 | 10 | 10 | 100.0 | 0 | 0 | .0 | 69 | 69 | 100.0 |
| South Dakota | 37 | 23 | 62.2 | 5 | 3 | 60.0 | 4 | 2 | 50.0 | 26 | 17 | 65.4 | 2 | 1 | 50.0 | 147 | 35 | 23.8 |
| REGION VI TOTAL | 1666 | 821 | 49.3 | 47 | 26 | 55.3 | 138 | 51 | 37.0 | 1402 | 693 | 49.4 | 73 | 46 | 63.0 | 3148 | 810 | 25.7 |
| Arkansas | 866 | 237 | 27.4 | 54 | 18 | 33.3 | 94 | 38 | 40.4 | 684 | 172 | 25.1 | 34 | 9 | 26.5 | 1149 | 612 | 53.3 |
| Louisiana | 1716 | 40 | 2.3 | 40 | 4 | 10.0 | 207 | 1 | .5 | 1377 | 34 | 2.5 | 79 | 1 | 1.3 | 1528 | 94 | 6.2 |
| New Mexico | 270 | 143 | 53.0 | 17 | 8 | 47.1 | 58 | 9 | 15.5 | 180 | 116 | 64.4 | 7 | 2 | 28.6 | 362 | 126 | 34.8 |
| Oklahoma | 480 | 345 | 71.9 | 20 | 9 | 45.0 | 51 | 32 | 62.7 | 389 | 289 | 74.3 | 20 | 15 | 75.0 | 1256 | 319 | 25.4 |
| Texas | 803 | 276 | 34.4 | 113 | 40 | 35.4 | 216 | 36 | 16.7 | 362 | 122 | 33.7 | 44 | 10 | 22.7 | 4618 | 1336 | 28.9 |
| REGION VII TOTAL | 4135 | 1041 | 25.2 | 244 | 79 | 32.4 | 626 | 116 | 18.5 | 2992 | 733 | 24.5 | 184 | 37 | 20.1 | 8913 | 2487 | 27.9 |
| Colorado | 80 | 58 | 72.5 | 8 | 6 | 75.0 | 7 | 6 | 85.7 | 59 | 41 | 69.5 | 6 | 5 | 83.3 | 285 | 63 | 22.1 |
| Idaho | 10 | 5 | 50.0 | 0 | 0 | .0 | 3 | 0 | .0 | 7 | 5 | 71.4 | 0 | 0 | .0 | 66 | 19 | 28.8 |
| Montana | 51 | 41 | 80.4 | 6 | 5 | 83.3 | 8 | 6 | 75.0 | 26 | 19 | 73.1 | 3 | 3 | 100.0 | 59 | 57 | 96.6 |
| Utah | 37 | 31 | 83.8 | 3 | 3 | 100.0 | 2 | 0 | .0 | 29 | 25 | 86.2 | 3 | 3 | 100.0 | 54 | 51 | 94.4 |
| Wyoming | 16 | 15 | 93.8 | 1 | 1 | 100.0 | 2 | 2 | 100.0 | 2 | 2 | 100.0 | 1 | 0 | .0 | 27 | 13 | 48.1 |
| REGION VIII TOTAL | 194 | 150 | 77.3 | 18 | 15 | 83.3 | 22 | 14 | 63.6 | 123 | 92 | 74.8 | 13 | 11 | 84.6 | 491 | 203 | 41.3 |
| Alaska | 3 | 3 | 100.0 | 0 | 0 | .0 | 2 | 2 | 100.0 | 1 | 1 | 100.0 | 0 | 0 | .0 | 67 | 17 | 25.4 |
| Arizona | 695 | 564 | 81.1 | 12 | 10 | 83.3 | 156 | 134 | 85.9 | 477 | 414 | 86.8 | 10 | 6 | 60.0 | 543 | 249 | 45.9 |
| California | 1382 | 407 | 29.5 | 181 | 98 | 54.1 | 293 | 59 | 20.1 | 839 | 266 | 31.7 | 47 | 14 | 29.8 | 4384 | 698 | 15.9 |
| Nevada | 37 | 23 | 62.2 | 2 | 2 | 100.0 | 10 | 5 | 50.0 | 25 | 16 | 64.0 | 0 | 0 | .0 | 73 | 21 | 28.8 |
| Oregon | 205 | 125 | 61.0 | 7 | 4 | 57.1 | 22 | 16 | 72.7 | 166 | 96 | 57.8 | 10 | 9 | 90.0 | 272 | 115 | 42.3 |
| Washington | 117 | 68 | 58.1 | 7 | 3 | 42.9 | 7 | 4 | 57.1 | 100 | 60 | 60.0 | 3 | 1 | 33.3 | 435 | 70 | 16.1 |
| REGION IX TOTAL | 2399 | 1190 | 49.6 | 209 | 77 | 36.8 | 490 | 220 | 44.9 | 1608 | 853 | 53.0 | 70 | 30 | 42.9 | 5774 | 1170 | 20.3 |
| CONTINENTAL U. S. | 29317 | 11743 | 40.1 | 1842 | 671 | 36.4 | 4488 | 1696 | 37.8 | 21159 | 8444 | 39.9 | 1217 | 513 | 42.2 | 64531 | 11654 | 18.1 |
| Puerto Rico | 340 | 0 | .0 | 22 | 0 | .0 | 80 | 0 | .0 | 218 | 0 | .0 | 20 | 0 | .0 | 923 | 0 | .0 |
| Virgin Islands | 21 | 9 | 42.9 | 0 | 0 | .0 | 11 | 5 | 45.5 | 10 | 4 | 40.0 | 0 | 0 | .0 | 27 | 15 | 55.6 |
| Hawaii | 45 | 30 | 66.7 | 1 | 1 | 100.0 | 3 | 3 | 100.0 | 27 | 12 | 44.4 | 14 | 14 | 100.0 | 49 | 26 | 53.1 |
| Canal Zone | 21 | 0 | .0 | 1 | 0 | .0 | 0 | 0 | .0 | 14 | 0 | .0 | 0 | 0 | .0 | 73 | 73 | 100.0 |
| TERRITORY TOTAL | 430 | 42 | 9.8 | 24 | 1 | 4.2 | 96 | 10 | 10.4 | 270 | 17 | 6.3 | 34 | 14 | 41.2 | 1139 | 58 | 5.1 |
| U. S. & TERRITORIES | 29744 | 11782 | 39.6 | 1866 | 672 | 36.0 | 4582 | 1704 | 37.2 | 21428 | 8460 | 39.5 | 1251 | 527 | 42.1 | 65603 | 11695 | 17.8 |

* Includes cases with stage "not stated."

Source: Form PHS - 688
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
2/10/59 LBB/MFR: gh

CASES OF VENEREAL DISEASE REPORTED TO THE PUBLIC HEALTH SERVICE
BY STATE AND TERRITORIAL HEALTH DEPARTMENTS
(Known Military Cases Excluded)

July - September 1958

| States By HEW Regions | SYPHILIS | | | | | GONORRHEA | CHANCROID | GRANULOMA- INGUINALE | LYMPHO- GRANULOMA VENEREUM |
|--------------------------------|--------------------|------------------------|-----------------|-----------------------|------------|-----------|-----------|-------------------------|----------------------------------|
| | Total* Syphilis | Primary & Secondary | Early Latent | Late & Late Latent | Congenital | | | | |
| Connecticut | 167 | 18 | 33 | 106 | 6 | 409 | 1 | 0 | 0 |
| Maine | 10 | 1 | 1 | 7 | 1 | 18 | 0 | 0 | 0 |
| Massachusetts | 408 | 56 | 46 | 268 | 38 | 467 | 1 | 0 | 1 |
| New Hampshire | 21 | 1 | 1 | 19 | 0 | 10 | 0 | 0 | 0 |
| Rhode Island | 87 | 2 | 11 | 58 | 1 | 50 | 0 | 0 | 0 |
| Vermont | 4 | 1 | 0 | 3 | 0 | 33 | 0 | 0 | 0 |
| REGION I TOTAL | 697 | 79 | 92 | 461 | 46 | 987 | 2 | 0 | 2 |
| Delaware | 460 | 26 | 78 | 339 | 8 | 156 | 1 | 0 | 1 |
| New Jersey | 1790 | 28 | 188 | 1503 | 66 | 1631 | 0 | 0 | 0 |
| New York | 3498 | 204 | 380 | 2837 | 77 | 4873 | 27 | 0 | 10 |
| Pennsylvania | 1329 | 36 | 207 | 1016 | 70 | 1520 | 7 | 3 | 0 |
| REGION II TOTAL | 7077 | 294 | 853 | 5695 | 221 | 8180 | 35 | 3 | 11 |
| District of Columbia | 727 | 60 | 144 | 509 | 14 | 2823 | 13 | 3 | 10 |
| Kentucky | 540 | 17 | 20 | 419 | 28 | 869 | 2 | 0 | 0 |
| Maryland | 708 | 71 | 89 | 516 | 15 | 2074 | 2 | 0 | 1 |
| North Carolina | 1243 | 75 | 217 | 891 | 60 | 3009 | 28 | 10 | 2 |
| Virginia | 1132 | 39 | 190 | 825 | 51 | 2204 | 4 | 1 | 0 |
| West Virginia | 225 | 8 | 22 | 177 | 18 | 388 | 1 | 0 | 0 |
| REGION III TOTAL | 4575 | 270 | 682 | 3337 | 186 | 11367 | 50 | 14 | 19 |
| Alabama | 309 | 46 | 137 | 96 | 14 | 964 | 6 | 6 | 3 |
| Florida | 954 | 41 | 250 | 611 | 52 | 2293 | 42 | 15 | 10 |
| Georgia | 976 | 196 | 211 | 431 | 42 | 3926 | 34 | 14 | 13 |
| Mississippi | 261 | 28 | 35 | 176 | 22 | 2188 | 22 | 15 | 2 |
| South Carolina | 996 | 92 | 179 | 654 | 71 | 1763 | 11 | 5 | 2 |
| Tennessee | 419 | 63 | 83 | 250 | 23 | 3323 | 10 | 0 | 0 |
| REGION IV TOTAL | 3915 | 466 | 895 | 2218 | 224 | 14457 | 125 | 55 | 36 |
| Illinois | 1707 | 133 | 217 | 1287 | 70 | 5790 | 5 | 2 | 1 |
| Indiana | 427 | 20 | 54 | 325 | 28 | 605 | 2 | 0 | 0 |
| Michigan | 1041 | 22 | 160 | 647 | 37 | 2381 | 42 | 0 | 1 |
| Ohio | 1235 | 28 | 240 | 914 | 53 | 2100 | 2 | 1 | 0 |
| Wisconsin | 249 | 12 | 19 | 150 | 12 | 338 | 0 | 0 | 0 |
| REGION V TOTAL | 4659 | 215 | 690 | 3323 | 200 | 11214 | 51 | 3 | 4 |
| Iowa | 276 | 3 | 6 | 252 | 12 | 222 | 0 | 0 | 1 |
| Kansas | 305 | 14 | 25 | 247 | 19 | 426 | 1 | 0 | 0 |
| Minnesota | 27 | 4 | 1 | 21 | 1 | 263 | 0 | 0 | 0 |
| Missouri | 970 | 20 | 100 | 812 | 35 | 1818 | 23 | 1 | 1 |
| Nebraska | 40 | 1 | 1 | 34 | 4 | 203 | 0 | 0 | 0 |
| North Dakota | 11 | 0 | 1 | 10 | 0 | 69 | 0 | 0 | 0 |
| South Dakota | 37 | 5 | 4 | 26 | 2 | 147 | 0 | 0 | 0 |
| REGION VI TOTAL | 1666 | 47 | 138 | 1402 | 73 | 3148 | 24 | 1 | 3 |
| Arkansas | 866 | 54 | 94 | 684 | 34 | 1149 | 3 | 0 | 0 |
| Louisiana | 1716 | 40 | 207 | 1377 | 79 | 1528 | 25 | 1 | 11 |
| New Mexico | 270 | 17 | 58 | 180 | 7 | 362 | 2 | 0 | 0 |
| Oklahoma | 480 | 20 | 51 | 389 | 20 | 1256 | 5 | 1 | 9 |
| Texas | 803 | 113 | 216 | 362 | 44 | 4618 | 24 | 4 | 20 |
| REGION VII TOTAL | 4135 | 244 | 626 | 2992 | 184 | 8913 | 59 | 6 | 0 |
| Colorado | 80 | 8 | 7 | 59 | 6 | 285 | 3 | 0 | 0 |
| Idaho | 10 | 0 | 3 | 7 | 0 | 66 | 0 | 0 | 0 |
| Montana | 51 | 6 | 26 | 3 | 3 | 59 | 0 | 0 | 0 |
| Utah | 37 | 3 | 2 | 29 | 3 | 54 | 0 | 0 | 0 |
| Wyoming | 16 | 1 | 2 | 2 | 1 | 27 | 0 | 0 | 0 |
| REGION VIII TOTAL | 194 | 18 | 22 | 123 | 13 | 491 | 3 | 0 | 0 |
| Alaska | 3 | 0 | 2 | 1 | 0 | 67 | 0 | 0 | 0 |
| Arizona | 655 | 12 | 156 | 477 | 10 | 543 | 3 | 0 | 0 |
| California | 1382 | 181 | 293 | 839 | 47 | 4384 | 14 | 0 | 4 |
| Nevada | 37 | 2 | 10 | 25 | 0 | 73 | 2 | 0 | 0 |
| Oregon | 205 | 7 | 22 | 166 | 10 | 272 | 1 | 0 | 0 |
| Washington | 117 | 7 | 7 | 100 | 3 | 435 | 1 | 0 | 0 |
| REGION IX TOTAL | 2399 | 209 | 490 | 1608 | 70 | 5774 | 21 | 0 | 4 |
| CONTINENTAL U. S. | 29317 | 1842 | 4488 | 21159 | 1217 | 64531 | 370 | 82 | 99 |
| Puerto Rico | 340 | 22 | 80 | 218 | 20 | 923 | 18 | 0 | 1 |
| Virgin Islands | 21 | 0 | 11 | 10 | 0 | 27 | 0 | 0 | 0 |
| Hawaii | 45 | 1 | 3 | 27 | 14 | 49 | 0 | 0 | 0 |
| Canal Zone | 21 | 1 | 0 | 14 | 0 | 73 | 6 | 0 | 7 |
| TERRITORY TOTAL | 427 | 24 | 94 | 269 | 34 | 1072 | 24 | 0 | 8 |
| U. S. & TERRITORIES | 29744 | 1866 | 4582 | 21428 | 1251 | 65603 | 394 | 82 | 107 |

* Includes cases with stage "not stated".

Source: Form PHS - 688
HEW-PHS-BGS-CDC-VD Branch
Office of Statistics
1/30/59 LBE/MFR: gh

RATES OF VENEREAL DISEASE REPORTED TO THE PUBLIC HEALTH SERVICE
BY STATE AND TERRITORIAL HEALTH DEPARTMENTS
(Known Military Cases Excluded)
Rates per 100,000 Population

July - September 1958

| States By Region | SYPHILIS | | | | | | | | | |
|------------------------|--------------------|------------------------|-----------------|-----------------------|------------|-----------|-----------|-------------------------|----------------------------------|--|
| | Total* Syphilis | Primary & Secondary | Early Latent | Late & Late Latent | Congenital | GONORRHEA | CHANCROID | GRANULOMA- INGUINALE | LYMPHO- GRANULOMA VENEREUM | |
| Connecticut | 28.99 | 3.13 | 5.73 | 18.40 | 1.04 | 71.01 | .17 | .00 | .00 | |
| Maine | 4.28 | .43 | .43 | 2.99 | .43 | 7.70 | .00 | .00 | .00 | |
| Massachusetts | 33.91 | 4.65 | 3.82 | 22.27 | 3.16 | 38.81 | .08 | .00 | .00 | |
| New Hampshire | 14.56 | .69 | .69 | 13.17 | .00 | 6.93 | .00 | .00 | .69 | |
| Rhode Island | 41.38 | .95 | 5.23 | 27.59 | .48 | 23.78 | .00 | .00 | .00 | |
| Vermont | 4.32 | 1.08 | .00 | 3.24 | .00 | 35.68 | .00 | .00 | .00 | |
| REGION I TOTAL | 28.33 | 3.21 | 3.74 | 18.74 | 1.87 | 40.12 | .08 | .00 | .08 | |
| Delaware | 412.56 | 23.32 | 69.96 | 304.04 | 7.17 | 139.91 | .90 | .00 | .90 | |
| New Jersey | 125.68 | 1.97 | 13.20 | 105.53 | 4.63 | 114.52 | .00 | .00 | .00 | |
| New York | 86.45 | 5.04 | 9.39 | 70.12 | 1.90 | 120.44 | .67 | .00 | .25 | |
| Pennsylvania | 47.97 | 1.30 | 7.47 | 36.68 | 2.53 | 54.87 | .25 | .11 | .00 | |
| REGION II TOTAL | 84.73 | 3.52 | 10.21 | 68.19 | 2.65 | 97.94 | .42 | .04 | .13 | |
| District of Columbia | 361.69 | 29.85 | 71.64 | 253.23 | 6.97 | 1404.48 | 6.47 | 1.49 | 4.98 | |
| Kentucky | 71.19 | 2.24 | 2.64 | 55.24 | 3.69 | 114.57 | .26 | .00 | .00 | |
| Maryland | 97.69 | 9.80 | 12.28 | 71.20 | 2.07 | 286.17 | .28 | .00 | .14 | |
| North Carolina | 111.21 | 6.71 | 19.41 | 79.71 | 5.37 | 269.20 | 2.51 | .89 | .18 | |
| Virginia | 119.73 | 4.12 | 20.10 | 87.26 | 5.39 | 233.10 | .42 | .11 | .63 | |
| West Virginia | 45.73 | 1.63 | 4.47 | 35.98 | 3.66 | 78.86 | .20 | .00 | .00 | |
| REGION III TOTAL | 107.91 | 6.37 | 16.09 | 78.71 | 4.39 | 268.12 | 1.18 | .33 | .45 | |
| Alabama | 38.81 | 5.78 | 17.21 | 12.06 | 1.76 | 121.07 | .75 | .75 | .38 | |
| Florida | 87.76 | 3.77 | 23.00 | 56.21 | 4.78 | 210.95 | 3.86 | 1.38 | .92 | |
| Georgia | 104.13 | 20.91 | 22.51 | 45.99 | 4.48 | 418.89 | 3.63 | 1.49 | 1.39 | |
| Mississippi | 48.13 | 5.16 | 6.45 | 32.46 | 4.06 | 403.50 | 4.06 | 2.77 | .37 | |
| South Carolina | 169.82 | 15.69 | 30.52 | 111.51 | 12.11 | 300.60 | 1.88 | .85 | .51 | |
| Tennessee | 48.57 | 7.30 | 9.62 | 28.98 | 2.67 | 385.16 | 1.16 | .00 | .58 | |
| REGION IV TOTAL | 81.36 | 9.68 | 18.60 | 46.09 | 4.66 | 300.44 | 2.60 | 1.14 | .75 | |
| Illinois | 69.40 | 5.41 | 8.82 | 52.32 | 2.85 | 235.39 | .20 | .08 | .04 | |
| Indiana | 37.34 | 1.75 | 4.72 | 28.42 | 2.45 | 52.91 | .17 | .00 | .09 | |
| Michigan | 53.04 | 1.12 | 8.15 | 32.97 | 1.89 | 121.33 | 2.14 | .00 | .05 | |
| Ohio | 52.99 | 1.20 | 10.30 | 39.21 | 2.27 | 90.10 | .09 | .04 | .04 | |
| Wisconsin | 25.33 | 1.22 | 1.93 | 15.26 | 1.22 | 34.38 | .00 | .00 | .00 | |
| REGION V TOTAL | 52.47 | 2.42 | 7.77 | 37.42 | 2.25 | 126.29 | .57 | .03 | .05 | |
| Iowa | 39.15 | .43 | .85 | 35.74 | 1.70 | 31.49 | .00 | .00 | .14 | |
| Kansas | 58.68 | 2.69 | 4.81 | 47.52 | 3.66 | 81.96 | .19 | .00 | .19 | |
| Minnesota | 3.20 | .47 | .12 | 2.49 | .12 | 31.22 | .00 | .00 | .00 | |
| Missouri | 91.49 | 1.89 | 9.43 | 76.59 | 3.30 | 171.47 | 2.17 | .09 | .09 | |
| Nebraska | 11.08 | .28 | .28 | 9.42 | 1.11 | 55.23 | .00 | .00 | .00 | |
| North Dakota | 6.78 | .00 | .62 | 6.16 | .00 | 42.53 | .00 | .00 | .00 | |
| South Dakota | 21.39 | 2.89 | 2.31 | 15.03 | 1.16 | 84.97 | .00 | .00 | .00 | |
| REGION VI TOTAL | 43.57 | 1.23 | 3.61 | 36.67 | 1.91 | 82.33 | .63 | .03 | .08 | |
| Arkansas | 198.06 | 12.35 | 21.50 | 156.43 | 7.78 | 262.78 | .69 | .00 | .00 | |
| Louisiana | 223.07 | 5.20 | 26.91 | 179.01 | 10.27 | 198.64 | 3.25 | .13 | 1.43 | |
| New Mexico | 132.35 | 8.33 | 28.43 | 88.24 | 3.43 | 177.45 | .98 | .00 | .00 | |
| Oklahoma | 85.33 | 3.56 | 9.07 | 69.16 | 3.56 | 223.29 | .89 | .18 | .00 | |
| Texas | 34.89 | 4.91 | 9.39 | 15.73 | 1.91 | 206.65 | 1.04 | .17 | .39 | |
| REGION VII TOTAL | 96.74 | 5.71 | 14.65 | 70.00 | 4.30 | 208.52 | 1.38 | .14 | .47 | |
| Colorado | 19.08 | 1.91 | 1.67 | 14.07 | 1.43 | 67.98 | .72 | .00 | .00 | |
| Idaho | 6.08 | .00 | 1.82 | 4.26 | .00 | 40.12 | .00 | .00 | .00 | |
| Montana | 29.91 | 3.52 | 4.69 | 15.25 | 1.76 | 34.60 | .00 | .00 | .00 | |
| Utah | 17.19 | 1.39 | .93 | 13.47 | 1.39 | 25.09 | .00 | .00 | .00 | |
| Wyoming | 20.25 | 1.27 | 2.53 | 2.53 | 1.27 | 34.18 | .00 | .00 | .00 | |
| REGION VIII TOTAL | 18.50 | 1.72 | 2.10 | 11.73 | 1.24 | 46.83 | .29 | .00 | .00 | |
| Alaska | 7.19 | .00 | 4.79 | 2.40 | .00 | 160.48 | .00 | .00 | .00 | |
| Arizona | 234.35 | 4.29 | 55.81 | 170.66 | 3.58 | 194.28 | 1.07 | .00 | .00 | |
| California | 39.42 | 5.16 | 8.36 | 23.93 | 1.34 | 125.03 | .40 | .00 | .11 | |
| Nevada | 57.36 | 3.10 | 15.50 | 38.76 | .00 | 113.18 | 3.10 | .00 | .00 | |
| Oregon | 46.38 | 1.58 | 4.98 | 37.56 | 2.26 | 61.54 | .23 | .00 | .00 | |
| Washington | 17.29 | 1.03 | 1.03 | 14.78 | .44 | 64.30 | .15 | .00 | .00 | |
| REGION IX TOTAL | 47.87 | 4.17 | 9.78 | 32.09 | 1.40 | 115.23 | .42 | .00 | .08 | |
| CONFIDENTIAL U. S. | 67.98 | 4.27 | 10.41 | 49.06 | 2.82 | 149.63 | .86 | .19 | .23 | |
| Puerto Rico | 58.98 | 3.82 | 13.87 | 37.81 | 3.47 | 160.10 | 3.12 | .00 | .17 | |
| Virgin Islands | 323.08 | .00 | 169.23 | 153.85 | .00 | 415.38 | .00 | .00 | .00 | |
| Hawaii | 31.14 | .69 | 2.08 | 18.69 | 9.69 | 33.91 | .00 | .00 | .00 | |
| Canal Zone | 215.38 | 10.26 | .00 | 143.59 | .00 | 748.72 | 61.54 | .00 | 71.79 | |
| TERRITORY TOTAL | 57.92 | 3.26 | 12.75 | 36.49 | 4.61 | 145.41 | 3.26 | .00 | 1.09 | |
| U. S. & TERRITORIES | 67.81 | 4.25 | 10.45 | 48.85 | 2.85 | 149.56 | .90 | .19 | .24 | |

* Includes cases with stage "not stated".

Source: Form PHS - 688
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
1/30/59 LBN/MFR: gh

CASES OF VENEREAL DISEASE REPORTED TO THE PUBLIC HEALTH SERVICE
BY CITY HEALTH DEPARTMENTS
(Known Military Cases Excluded)

July - September 1958

| Cities | SYPHILIS | | | | | GONORRHEA | CHANCROID | GRANULOMA- INGUINALE | LYMPHO- GRANULOMA VENEREUM |
|--------------------------------------|--------------------|-----------------------------|-----------------|----------------------------|------------|-----------|-----------|-------------------------|----------------------------------|
| | Total* Syphilis | Primary and Secondary | Early Latent | Late and Late Latent | Congenital | | | | |
| Boston | 192 | 33 | 23 | 124 | 12 | 271 | 0 | 0 | 1 |
| Providence | 45 | 1 | 4 | 30 | 1 | 30 | 0 | 0 | 0 |
| Worcester | 1 | 0 | 0 | 1 | 0 | 19 | 0 | 0 | 0 |
| REGION I CITY TOTAL | 238 | 34 | 27 | 155 | 13 | 320 | 0 | 0 | 1 |
| Buffalo | 81 | 4 | 5 | 68 | 4 | 369 | 0 | 0 | 0 |
| Jersey City | 78 | 0 | 21 | 54 | 1 | 138 | 0 | 0 | 0 |
| Newark | 160 | 8 | 41 | 100 | 11 | 640 | 0 | 0 | 0 |
| New York | 2975 | 167 | 354 | 2398 | 56 | 3712 | 27 | 0 | 10 |
| Philadelphia | 419 | 29 | 77 | 303 | 10 | 1143 | 6 | 3 | 0 |
| Pittsburgh | 183 | 2 | 22 | 148 | 11 | 141 | 0 | 0 | 1 |
| Rochester | 32 | 4 | 0 | 28 | 0 | 98 | 1 | 2 | 0 |
| Syracuse | 21 | 1 | 0 | 18 | 2 | 121 | 0 | 0 | 0 |
| REGION II CITY TOTAL | 3949 | 215 | 520 | 3117 | 95 | 6362 | 34 | 5 | 11 |
| Baltimore | 321 | 62 | 30 | 204 | 8 | 1939 | 0 | 0 | 1 |
| Louisville | 139 | 3 | 2 | 127 | 6 | 333 | 1 | 0 | 0 |
| Norfolk | 90 | 11 | 21 | 56 | 1 | 851 | 3 | 0 | 4 |
| Richmond | 213 | 3 | 31 | 166 | 6 | 363 | 1 | 0 | 0 |
| Washington, D.C. | 727 | 60 | 144 | 509 | 14 | 2823 | 13 | 3 | 10 |
| REGION III CITY TOTAL | 1490 | 139 | 228 | 1062 | 35 | 6309 | 18 | 3 | 15 |
| Atlanta | 138 | 14 | 21 | 74 | 11 | 2342 | 21 | 2 | 10 |
| Birmingham | 169 | 5 | 39 | 119 | 4 | 219 | 1 | 1 | 1 |
| Jacksonville | 96 | 9 | 40 | 45 | 2 | 807 | 8 | 4 | 2 |
| Memphis | 182 | 33 | 40 | 103 | 6 | 1730 | 0 | 0 | 2 |
| Miami | 106 | 13 | 38 | 51 | 4 | 133 | 7 | 3 | 4 |
| REGION IV CITY TOTAL | 691 | 74 | 178 | 392 | 27 | 5231 | 37 | 10 | 19 |
| Akron | 70 | 4 | 11 | 53 | 2 | 212 | 0 | 0 | 0 |
| Chicago | 1337 | 113 | 166 | 1010 | 48 | 5285 | 4 | 2 | 1 |
| Cincinnati | 164 | 1 | 54 | 105 | 4 | 251 | 1 | 1 | 1 |
| Cleveland | 211 | 4 | 42 | 160 | 5 | 681 | 0 | 0 | 0 |
| Columbus | 89 | 2 | 14 | 65 | 8 | 206 | 0 | 0 | 0 |
| Dayton | 79 | 5 | 17 | 53 | 4 | 256 | 1 | 0 | 0 |
| Detroit | 671 | 12 | 82 | 458 | 16 | 1438 | 35 | 0 | 0 |
| Indianapolis | 210 | 11 | 21 | 163 | 15 | 362 | 2 | 0 | 1 |
| Milwaukee | 88 | 4 | 8 | 54 | 6 | 285 | 0 | 0 | 0 |
| Toledo | 68 | 0 | 1 | 65 | 2 | 145 | 0 | 0 | 0 |
| REGION V CITY TOTAL | 2987 | 156 | 416 | 2186 | 110 | 9121 | 43 | 3 | 3 |
| Kansas City | 495 | 4 | 30 | 446 | 15 | 336 | 3 | 2 | 0 |
| Minneapolis | 7 | 2 | 0 | 5 | 0 | 139 | 0 | 0 | 0 |
| Omaha | 10 | 0 | 1 | 8 | 1 | 89 | 0 | 0 | 0 |
| St. Louis | 352 | 7 | 61 | 273 | 11 | 1236 | 19 | 0 | 0 |
| St. Paul | 4 | 1 | 1 | 2 | 0 | 56 | 0 | 0 | 0 |
| REGION VI CITY TOTAL | 868 | 14 | 93 | 734 | 27 | 1856 | 22 | 2 | 0 |
| Dallas | 78 | 10 | 11 | 57 | 0 | 983 | 1 | 1 | 0 |
| Fort Worth | 28 | 7 | 11 | 7 | 3 | 270 | 0 | 0 | 1 |
| Houston | 432 | 51 | 119 | 240 | 22 | 1044 | 13 | 1 | 6 |
| New Orleans | 602 | 30 | 72 | 467 | 24 | 593 | 14 | 0 | 9 |
| Oklahoma City | 117 | 6 | 10 | 96 | 5 | 530 | 3 | 0 | 0 |
| San Antonio | 18 | 0 | 1 | 12 | 5 | 153 | 0 | 0 | 0 |
| REGION VII CITY TOTAL | 1275 | 104 | 224 | 879 | 59 | 3573 | 31 | 2 | 16 |
| Denver | 52 | 6 | 4 | 40 | 2 | 230 | 0 | 0 | 0 |
| REGION VIII CITY TOTAL | 52 | 6 | 4 | 40 | 2 | 230 | 0 | 0 | 0 |
| Long Beach | 15 | 0 | 0 | 14 | 1 | 114 | 0 | 0 | 0 |
| Los Angeles | 476 | 64 | 140 | 253 | 19 | 1622 | 6 | 0 | 1 |
| Oakland | 41 | 8 | 10 | 20 | 0 | 328 | 2 | 0 | 0 |
| Portland | 88 | 4 | 10 | 70 | 4 | 152 | 1 | 0 | 0 |
| San Diego | 16 | 5 | 4 | 6 | 1 | 152 | 5 | 0 | 0 |
| San Francisco | 141 | 48 | 37 | 56 | 0 | 472 | 1 | 0 | 0 |
| Seattle | 74 | 7 | 6 | 59 | 2 | 276 | 1 | 0 | 0 |
| REGION IX CITY TOTAL | 852 | 136 | 207 | 478 | 27 | 3116 | 16 | 0 | 1 |
| CONTINENTAL U. S. (Cities only) | 12401 | 878 | 1897 | 9043 | 395 | 36118 | 201 | 25 | 66 |
| Honolulu | 18 | 0 | 0 | 7 | 11 | 34 | 0 | 0 | 0 |
| San Juan | 67 | 10 | 12 | 45 | 0 | 187 | 1 | 1 | 1 |
| TERRITORY CITY TOTAL | 85 | 10 | 12 | 52 | 11 | 221 | 1 | 1 | 1 |
| U. S. & TERRITORIES (Cities only) | 12486 | 888 | 1909 | 9095 | 406 | 36339 | 202 | 26 | 67 |

* Includes cases with stage "not stated".

Source: Forms PHS - 688 and PHS - 562
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
2/3/59 LBH/MFR: gh

RATES OF VENEREAL DISEASE REPORTED TO THE PUBLIC HEALTH SERVICE
BY CITY HEALTH DEPARTMENTS
(Known Military Cases Excluded)
Rates per 100,000 Population

July - September 1958

SYPHILIS

| Cities | Total* Syphilis | Primary and Secondary | Early Latent | Late and Late Latent | Congenital | GONORRHEA | CHANCROID | GRANULOMA- INGUINALE | LYMPHO- GRANULOMA VENEREUM |
|--------------------------------------|--------------------|-----------------------------|-----------------|----------------------------|------------|-----------|-----------|-------------------------|----------------------------------|
| Boston | 103.50 | 17.79 | 12.40 | 66.85 | 6.47 | 146.09 | .00 | .00 | .54 |
| Providence | 78.26 | 1.74 | 6.96 | 52.17 | 1.74 | 52.17 | .00 | .00 | .00 |
| Worcester | 1.91 | .00 | .00 | 1.91 | .00 | 36.36 | .00 | .00 | .00 |
| REGION I CITY TOTAL | 80.61 | 11.52 | 9.14 | 52.50 | 4.40 | 108.38 | .00 | .00 | .34 |
| Buffalo | 29.97 | 1.48 | 1.85 | 25.16 | 1.48 | 136.54 | .00 | .00 | .00 |
| Jersey City | 103.31 | .00 | 27.81 | 71.52 | 1.32 | 182.78 | .00 | .00 | .00 |
| Newark | 140.97 | 7.05 | 36.12 | 88.11 | 9.69 | 563.88 | .00 | .00 | .00 |
| New York | 152.86 | 8.58 | 18.19 | 123.21 | 2.88 | 190.73 | 1.39 | .00 | .51 |
| Philadelphia | 75.87 | 5.25 | 13.94 | 54.87 | 1.81 | 206.97 | 1.09 | .54 | .00 |
| Pittsburgh | 44.50 | .49 | 5.35 | 35.99 | 2.67 | 34.29 | .00 | .00 | .24 |
| Rochester | 36.78 | 4.60 | .00 | 32.18 | .00 | 112.64 | 1.15 | 2.30 | .00 |
| Syracuse | 39.25 | 1.87 | .00 | 33.64 | 3.74 | 226.17 | .00 | .00 | .00 |
| REGION II CITY TOTAL | 112.53 | 6.13 | 14.82 | 88.82 | 2.71 | 181.29 | .97 | .14 | .31 |
| Baltimore | 131.29 | 25.36 | 12.27 | 83.44 | 3.27 | 793.05 | .00 | .00 | .41 |
| Louisville | 94.08 | 2.03 | 1.35 | 85.96 | 4.06 | 225.38 | .68 | .00 | .00 |
| Norfolk | 116.88 | 14.29 | 27.27 | 72.73 | 1.30 | 1105.20 | 3.90 | .00 | 5.19 |
| Richmond | 350.62 | 4.94 | 51.03 | 273.25 | 9.88 | 597.53 | 1.65 | .00 | 4.98 |
| Washington, D.C. | 361.69 | 29.85 | 71.64 | 253.23 | 6.97 | 1404.48 | 6.47 | 1.49 | 4.98 |
| REGION III CITY TOTAL | 203.83 | 19.02 | 31.19 | 145.28 | 4.79 | 863.06 | 2.46 | .41 | 2.05 |
| Atlanta | 100.55 | 10.20 | 15.30 | 53.92 | 8.01 | 1706.38 | 15.30 | 1.46 | 7.29 |
| Birmingham | 185.21 | 5.48 | 42.74 | 130.41 | 4.38 | 240.00 | 1.10 | 1.10 | 1.10 |
| Jacksonville | 166.23 | 15.58 | 69.26 | 77.92 | 3.46 | 1397.40 | 13.85 | 6.93 | 3.46 |
| Memphis | 132.36 | 24.00 | 29.09 | 74.91 | 4.36 | 1258.18 | .00 | .00 | 1.45 |
| Miami | 153.62 | 18.84 | 55.07 | 73.91 | 5.80 | 192.75 | 10.14 | 4.35 | 5.80 |
| REGION IV CITY TOTAL | 140.23 | 15.02 | 36.12 | 79.55 | 5.48 | 1061.59 | 7.51 | 2.03 | 3.86 |
| Akron | 92.11 | 5.26 | 14.47 | 69.74 | 2.63 | 278.95 | .00 | .00 | .00 |
| Chicago | 139.49 | 11.79 | 17.32 | 105.37 | 5.01 | 551.38 | .42 | .21 | .10 |
| Cincinnati | 119.27 | .73 | 39.27 | 76.36 | 2.91 | 182.55 | .73 | .73 | .73 |
| Cleveland | 89.03 | 1.69 | 17.72 | 67.51 | 2.11 | 287.34 | .00 | .00 | .00 |
| Columbus | 78.76 | 1.76 | 12.39 | 57.52 | 7.08 | 182.30 | .00 | .00 | .00 |
| Dayton | 108.22 | 6.85 | 23.29 | 72.60 | 5.48 | 350.69 | 1.37 | .00 | .00 |
| Detroit | 137.64 | 2.46 | 16.82 | 93.95 | 3.28 | 294.97 | 7.18 | .00 | .00 |
| Indianapolis | 186.25 | 9.76 | 18.63 | 144.57 | 13.30 | 321.06 | 1.77 | .00 | .89 |
| Milwaukee | 46.56 | 2.12 | 4.23 | 28.57 | 3.17 | 150.79 | .00 | .00 | .00 |
| Toledo | 80.95 | .00 | 1.19 | 77.38 | 2.38 | 172.62 | .00 | .00 | .00 |
| REGION V CITY TOTAL | 121.01 | 6.32 | 16.85 | 88.56 | 4.46 | 369.53 | 1.74 | .12 | .12 |
| Kansas City | 398.39 | 3.22 | 24.14 | 358.95 | 12.07 | 270.42 | 2.41 | 1.61 | .00 |
| Minneapolis | 5.05 | 1.44 | .00 | 3.61 | .00 | 100.36 | .00 | .00 | .00 |
| Omaha | 13.42 | .00 | 1.34 | 10.74 | 1.34 | 119.46 | .00 | .00 | .00 |
| St. Louis | 161.84 | 3.22 | 28.05 | 125.52 | 5.06 | 568.28 | 8.74 | .00 | .00 |
| St. Paul | 4.73 | 1.18 | 1.18 | 2.36 | .00 | 66.27 | .00 | .00 | .00 |
| REGION VI CITY TOTAL | 135.78 | 2.19 | 14.55 | 114.82 | 4.22 | 290.34 | 3.44 | .31 | .00 |
| Dallas | 48.37 | 6.20 | 6.82 | 35.35 | .00 | 609.61 | .62 | .62 | .00 |
| Fort Worth | 28.87 | 7.22 | 11.34 | 7.22 | 3.09 | 278.35 | 5.71 | .44 | 1.03 |
| Houston | 189.89 | 22.42 | 52.31 | 105.49 | 9.67 | 458.90 | 8.60 | .00 | 2.64 |
| New Orleans | 369.89 | 18.43 | 44.24 | 286.94 | 14.75 | 364.36 | 4.00 | .00 | 5.53 |
| Oklahoma City | 157.58 | 8.08 | 13.47 | 129.29 | 6.73 | 713.81 | 4.00 | .00 | .00 |
| San Antonio | 11.61 | .00 | .65 | 7.74 | 3.23 | 98.71 | .00 | .00 | .00 |
| REGION VII CITY TOTAL | 145.26 | 11.85 | 25.52 | 100.14 | 6.72 | 407.06 | 3.53 | .23 | 1.62 |
| Denver | 40.15 | 4.63 | 3.09 | 30.89 | 1.54 | 177.61 | .00 | .00 | .00 |
| REGION VIII CITY TOTAL | 40.15 | 4.63 | 3.09 | 30.89 | 1.54 | 177.61 | .00 | .00 | .00 |
| Long Beach | 19.17 | .00 | .00 | 17.89 | 1.28 | 145.69 | .00 | .00 | .00 |
| Los Angeles | 81.79 | 11.00 | 24.06 | 43.47 | 3.26 | 278.70 | 1.03 | .00 | .17 |
| Oakland | 18.57 | 3.62 | 4.53 | 9.06 | .00 | 148.58 | .91 | .00 | .00 |
| Portland | 85.44 | 3.88 | 9.71 | 67.96 | 3.88 | 147.57 | .97 | .00 | .00 |
| San Diego | 7.06 | 2.21 | 1.77 | 2.65 | .44 | 67.11 | 2.21 | .00 | .00 |
| San Francisco | 70.32 | 23.94 | 18.45 | 27.93 | .00 | 235.41 | .50 | .00 | .00 |
| Seattle | 34.42 | 3.26 | 2.79 | 27.44 | .93 | 128.37 | .47 | .00 | .00 |
| REGION IX CITY TOTAL | 52.40 | 8.36 | 12.73 | 29.40 | 1.66 | 191.64 | .98 | .00 | .06 |
| CONTINENTAL U. S. (Cities only) | 115.15 | 8.15 | 17.61 | 83.97 | 3.67 | 335.38 | 1.87 | .23 | .61 |
| Honolulu | 29.03 | .00 | .00 | 11.29 | 17.74 | 54.84 | .00 | .00 | .00 |
| San Juan | 119.11 | 17.78 | 21.33 | 80.00 | .00 | 332.44 | 1.78 | 1.78 | 1.78 |
| TERRITORY CITY TOTAL | 71.88 | 8.46 | 10.15 | 43.97 | 9.30 | 186.89 | .85 | .85 | .85 |
| U. S. & TERRITORIES (Cities only) | 114.68 | 8.16 | 17.53 | 83.54 | 3.73 | 333.77 | 1.86 | .24 | .62 |

* Includes cases with stage "not stated".

Source: Forms PHS - 688 and PHS - 562
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
2/3/59 LBH/MFR: gh

VOLUME OF CASE-FINDING INVESTIGATIONS AND PERCENTAGE OF SUSPECTS EXAMINED
1 - CONTACTS AND OTHER SUSPECTS AMONG CIVILIAN HEALTH DEPARTMENT PATIENTS
ALL AREAS REPORTING

July - September 1958

| States By HEW Regions | Total Contacts* and Suspects | | Contacts of Clinic Cases | | | | | | | | Positive STS From Surveys | | Other Positive STS and Other Suspects | |
|--------------------------------|---------------------------------|---------------------|--------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|------------------------------|---------------------|------------------------------------------|---------------------|
| | | | Syphilis | | | | Gonorrhea | | | | Number Completed | Percent Examined | Number Completed | Percent Examined |
| | | | Pri. & Sec. | | Early Latent | | Other | | Number Completed | Percent Examined | | | | |
| Number Completed | Percent Examined | Number Completed | Percent Examined | Number Completed | Percent Examined | Number Completed | Percent Examined | Number Completed | | | Percent Examined | Number Completed | Percent Examined | Number Completed |
| Connecticut | 1190 | 87.6 | 23 | 52.2 | 9 | 100.0 | 33 | 60.6 | 135 | 36.3 | 0 | - | 976 | 96.2 |
| Maine | 2 | 100.0 | 0 | - | 0 | - | 0 | - | 0 | - | 0 | - | 0 | - |
| Massachusetts | 715 | 72.9 | 33 | 60.6 | 30 | 76.7 | 42 | 90.5 | 284 | 59.9 | 0 | - | 90 | 81.1 |
| New Hampshire | 2 | 50.0 | 0 | - | 0 | - | 0 | - | 0 | - | 0 | - | 2 | 50.0 |
| Rhode Island | 22 | 27.3 | 0 | - | 0 | - | 0 | - | 0 | - | 0 | - | 0 | - |
| Vermont | 0 | - | 0 | - | 0 | - | 0 | - | 0 | - | 0 | - | 0 | - |
| REGION I TOTAL | 1931 | 81.4 | 56 | 57.1 | 39 | 82.1 | 75 | 77.3 | 419 | 52.3 | 0 | - | 1068 | 94.9 |
| Delaware | 693 | 92.6 | 21 | 95.2 | 9 | 88.9 | 13 | 92.3 | 46 | 82.6 | 546 | 95.2 | 57 | 77.2 |
| New Jersey | 3423 | 91.0 | 78 | 74.4 | 97 | 83.5 | 8 | 87.5 | 667 | 73.3 | 474 | 96.4 | 1987 | 96.5 |
| New York | 6999 | 76.5 | 294 | 79.9 | 321 | 81.9 | 483 | 59.8 | 2839 | 72.3 | 2384 | 81.0 | 357 | 85.8 |
| Pennsylvania | 2044 | 70.4 | 103 | 68.9 | 42 | 66.7 | 50 | 100.0 | 973 | 57.2 | 523 | 88.5 | 155 | 72.3 |
| REGION II TOTAL | 13159 | 80.2 | 496 | 77.4 | 469 | 81.0 | 554 | 64.6 | 4525 | 69.3 | 3927 | 85.9 | 2556 | 93.2 |
| District of Columbia | 3472 | 86.1 | 121 | 87.6 | 159 | 84.9 | 92 | 90.2 | 1229 | 78.9 | 0 | - | 1849 | 90.5 |
| Kentucky | 927 | 79.3 | 30 | 66.7 | 23 | 73.9 | 3 | 66.7 | 298 | 68.5 | 309 | 87.4 | 234 | 85.5 |
| Maryland | 538 | 89.0 | 22 | 90.9 | 20 | 80.0 | 48 | 93.8 | 55 | 49.1 | 118 | 93.2 | 238 | 94.5 |
| North Carolina | 5544 | 60.4 | 372 | 61.8 | 351 | 53.0 | 381 | 61.9 | 2416 | 49.2 | 0 | - | 1943 | 76.4 |
| Virginia | 2612 | 83.3 | 63 | 85.7 | 162 | 67.9 | 67 | 95.5 | 1012 | 74.1 | 435 | 90.1 | 835 | 93.1 |
| West Virginia | 340 | 86.8 | 12 | 66.7 | 4 | 50.0 | 23 | 100.0 | 110 | 75.5 | 19 | 94.7 | 169 | 94.1 |
| REGION III TOTAL | 13433 | 74.6 | 620 | 70.6 | 719 | 64.8 | 614 | 73.8 | 5120 | 62.9 | 881 | 89.7 | 5268 | 85.8 |
| Alabama | 2543 | 83.6 | 194 | 83.0 | 308 | 77.9 | 69 | 81.2 | 1081 | 76.2 | 478 | 95.8 | 130 | 87.7 |
| Florida | 2899 | 76.0 | 126 | 74.6 | 132 | 56.8 | 20 | 55.0 | 1572 | 72.1 | 83 | 96.4 | 836 | 84.1 |
| Georgia | 10194 | 73.2 | 834 | 80.6 | 377 | 77.2 | 28 | 89.3 | 3568 | 34.1 | 0 | - | 1811 | 96.0 |
| Mississippi | 2959 | 88.4 | 135 | 90.4 | 78 | 88.5 | 208 | 95.2 | 1186 | 84.7 | 222 | 89.6 | 184 | 96.2 |
| South Carolina | 2558 | 82.3 | 175 | 86.3 | 180 | 85.6 | 51 | 88.2 | 1138 | 69.9 | 347 | 94.5 | 487 | 94.5 |
| Tennessee | 4136 | 90.4 | 250 | 90.8 | 208 | 89.4 | 48 | 97.9 | 2218 | 88.3 | 30 | 100.0 | 471 | 92.4 |
| REGION IV TOTAL | 25289 | 80.1 | 1714 | 83.3 | 1283 | 79.1 | 424 | 90.1 | 10763 | 64.4 | 1160 | 94.4 | 3919 | 92.6 |
| Illinois | 6776 | 76.9 | 323 | 74.6 | 210 | 63.3 | 174 | 88.5 | 3002 | 65.0 | 1873 | 92.6 | 831 | 83.3 |
| Indiana | 590 | 60.0 | 29 | 55.2 | 3 | 66.7 | 17 | 70.6 | 326 | 45.7 | 0 | - | 215 | 81.4 |
| Michigan | 6791 | 65.5 | 70 | 52.9 | 331 | 70.1 | 616 | 85.7 | 2441 | 54.3 | 0 | - | 3325 | 70.0 |
| Ohio | 2899 | 83.8 | 96 | 81.3 | 161 | 84.5 | 76 | 89.5 | 1136 | 75.2 | 611 | 93.5 | 722 | 87.0 |
| Wisconsin | N.A. | - | - | - | - | - | - | - | - | - | - | - | - | - |
| REGION V TOTAL | 17056 | 73.0 | 518 | 71.8 | 705 | 71.3 | 883 | 86.3 | 6905 | 62.0 | 2484 | 92.8 | 5093 | 75.0 |
| Iowa | 266 | 80.1 | 1 | 100.0 | 3 | 300.0 | 5 | 100.0 | 126 | 66.7 | 0 | - | 90 | 88.9 |
| Kansas | 614 | 81.4 | 13 | 76.9 | 7 | 85.7 | 16 | 100.0 | 174 | 60.3 | 0 | - | 397 | 89.7 |
| Minnesota | 87 | 87.4 | 0 | - | 0 | - | 0 | - | 43 | 79.1 | 0 | - | 44 | 95.5 |
| Missouri | 2364 | 78.6 | 30 | 96.7 | 97 | 82.5 | 65 | 80.0 | 985 | 67.5 | 845 | 93.1 | 329 | 71.1 |
| Nebraska | 76 | 65.8 | 0 | - | 2 | .0 | 0 | - | 54 | 61.1 | 0 | - | 0 | - |
| North Dakota | 0 | - | 0 | - | 0 | - | 0 | - | 0 | - | 0 | - | 0 | - |
| South Dakota | 173 | 78.6 | 5 | 100.0 | 2 | 100.0 | 4 | 50.0 | 115 | 77.4 | 2 | 100.0 | 40 | 82.5 |
| REGION VI TOTAL | 3580 | 79.1 | 49 | 91.8 | 111 | 82.0 | 90 | 83.3 | 1497 | 67.5 | 847 | 93.2 | 900 | 82.8 |
| Arkansas | 2448 | 95.0 | 224 | 94.2 | 128 | 78.9 | 26 | 84.6 | 323 | 87.0 | 1220 | 98.7 | 325 | 95.4 |
| Louisiana | 4479 | 85.0 | 200 | 87.5 | 154 | 81.2 | 553 | 91.5 | 996 | 64.4 | 898 | 97.7 | 1515 | 89.0 |
| New Mexico | 333 | 88.0 | 36 | 83.3 | 9 | 88.9 | 15 | 85.7 | 56 | 85.7 | 0 | - | 163 | 87.1 |
| Oklahoma | 1066 | 81.0 | 30 | 86.7 | 12 | 58.3 | 8 | 87.5 | 812 | 78.1 | 0 | - | 201 | 93.0 |
| Texas | 6557 | 84.8 | 234 | 78.6 | 399 | 79.7 | 259 | 96.9 | 3393 | 81.6 | 0 | - | 2236 | 90.5 |
| REGION VII TOTAL | 14883 | 86.3 | 724 | 86.5 | 702 | 79.6 | 861 | 92.8 | 5580 | 78.4 | 2118 | 98.3 | 4440 | 90.3 |
| Colorado | 361 | 54.3 | 10 | 40.0 | 5 | 40.0 | 0 | - | 232 | 40.1 | 0 | - | 111 | 85.5 |
| Idaho | 67 | 79.1 | 0 | - | 1 | 100.0 | 4 | 75.0 | 25 | 72.0 | 6 | 66.7 | 31 | 87.1 |
| Montana | 21 | 9.5 | 0 | - | 0 | - | 1 | 100.0 | 20 | 5.0 | 0 | - | 0 | - |
| Utah | 38 | 100.0 | 0 | - | 9 | 100.0 | 2 | 100.0 | 5 | 100.0 | 0 | - | 22 | 100.0 |
| Wyoming | 4 | 100.0 | 0 | - | 0 | - | 1 | 100.0 | 2 | 100.0 | 0 | - | 1 | 100.0 |
| REGION VIII TOTAL | 491 | 59.7 | 10 | 40.0 | 15 | 80.0 | 8 | 87.5 | 284 | 41.9 | 6 | 66.7 | 165 | 88.5 |
| Arizona | 520 | 77.9 | 15 | 66.7 | 27 | 40.7 | 25 | 92.0 | 162 | 72.2 | 9 | 100.0 | 260 | 82.7 |
| California | 6745 | 65.5 | 559 | 71.6 | 348 | 69.8 | 254 | 85.8 | 2796 | 59.4 | 0 | - | 2650 | 68.6 |
| Nevada | 54 | 83.3 | 0 | - | 7 | 85.7 | 0 | - | 31 | 87.1 | 14 | 71.4 | 1 | 100.0 |
| Oregon | 246 | 81.3 | 1 | 100.0 | 1 | .0 | 5 | 100.0 | 172 | 77.9 | 3 | 66.7 | 57 | 93.0 |
| Washington | 310 | 80.0 | 21 | 90.5 | 10 | 70.0 | 5 | 80.0 | 236 | 76.7 | 29 | 100.0 | 9 | 88.9 |
| REGION IX TOTAL | 7875 | 67.5 | 596 | 72.1 | 393 | 67.9 | 289 | 86.5 | 3397 | 62.4 | 55 | 90.9 | 2977 | 70.4 |
| CONTINENTAL U. S. | 97697 | 77.9 | 4783 | 78.6 | 4436 | 75.0 | 3798 | 82.8 | 38490 | 66.0 | 11478 | 91.4 | 26386 | 84.7 |
| Puerto Rico | 1138 | 76.2 | 57 | 66.7 | 142 | 83.1 | 281 | 77.9 | 563 | 72.1 | 70 | 94.3 | 0 | - |
| Virgin Islands | N.A. | - | - | - | - | - | - | - | - | - | - | - | - | - |
| Alaska | 23 | 52.2 | 1 | .0 | 1 | .0 | 1 | .0 | 20 | 60.0 | 0 | - | 0 | - |
| Hawaii | 156 | 87.8 | 0 | - | 0 | - | 0 | - | 37 | 91.9 | 119 | 86.6 | 0 | - |
| Canal Zone | N.A. | - | - | - | - | - | - | - | - | - | - | - | - | - |
| TERRITORY TOTAL | 1317 | 77.1 | 58 | 65.5 | 143 | 82.5 | 282 | 77.7 | 620 | 72.9 | 189 | 89.4 | 0 | - |
| U. S. & TERRITORIES | 99014 | 77.9 | 4841 | 78.4 | 4579 | 75.2 | 4080 | 82.4 | 39110 | 66.1 | 11667 | 91.3 | 26386 | 84.7 |
| Cities (incl. above) | | | | | | | | | | | | | | |
| Detroit | 2483 | 65.0 | 21 | 71.4 | 148 | 74.3 | 287 | 86.8 | 935 | 54.7 | 0 | - | 1089 | 66.9 |
| New York | 6084 | 74.4 | 250 | 80.8 | 309 | 81.9 | 470 | 58.7 | 2643 | 71.3 | 2222 | 79.9 | 107 | 73.8 |
| Philadelphia | 1273 | 61.4 | 67 | 74.6 | 26 | 57.7 | 36 | 77.8 | 815 | 54.1 | 19 | 78.9 | 130 | 69.2 |
| Pittsburgh | 517 | 83.8 | 18 | 66.7 | 6 | 50.0 | 1 | 100.0 | 102 | 73.5 | 382 | 87.7 | 3 | 100.0 |
| Chicago | 6119 | 77.2 | 304 | 76.3 | 195 | 64.1 | 163 | 90.2 | 2855 | 65.8 | 1873 | 92.6 | 401 | 83.5 |
| Baltimore | N.A. | - | - | - | - | - | - | - | - | - | - | - | - | - |

*Totals include Other V D not shown separately.

Source: Form PH-2127
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
2/3/59 MFR/LBH: gh

VOLUME OF CASE-FINDING INVESTIGATIONS AND PERCENTAGE OF SUSPECTS EXAMINED
 11 - CONTACTS AND OTHER SUSPECTS AMONG PRIVATE PHYSICIAN PATIENTS
 ALL AREAS REPORTING

July - September 1958

| States By HEW Regions | Total Contacts* and Suspects | | Contacts of Private Physician Cases | | | | | | Gonorrhea | | Positive STS and Other Suspects | |
|--------------------------------|---------------------------------|-------|-------------------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------------------------|---------------------|
| | | | Pri. & Sec. | | Early Latent | | Other | | Number Completed | Percent Examined | Number Completed | Percent Examined |
| | | | Number Completed | Percent Examined | Number Completed | Percent Examined | Number Completed | Percent Examined | | | | |
| Connecticut | 0 | - | 0 | - | 0 | - | 0 | - | 0 | - | 0 | - |
| Maine | 0 | - | 0 | - | 0 | - | 0 | - | 0 | - | 0 | - |
| Massachusetts | 17 | 76.5 | 0 | - | 1 | .0 | 3 | 100.0 | 10 | 80.0 | 3 | 66.7 |
| New Hampshire | 0 | - | 0 | - | 0 | - | 0 | - | 0 | - | 0 | - |
| Rhode Island | 0 | - | 0 | - | 0 | - | 1 | 100.0 | 0 | - | 0 | - |
| Vermont | 33 | 100.0 | 0 | - | 0 | - | 0 | - | 22 | 68.2 | 11 | 27.3 |
| REGION I TOTAL | 51 | 62.7 | 0 | - | 1 | .0 | 4 | 100.0 | 32 | 71.9 | 14 | 35.7 |
| Delaware | 23 | 95.7 | 6 | 100.0 | 0 | - | 0 | - | 2 | 100.0 | 15 | 93.3 |
| New Jersey | 123 | 78.9 | 19 | 89.5 | 16 | 75.0 | 2 | 50.0 | 86 | 77.9 | 0 | - |
| New York | 792 | 74.6 | 148 | 69.6 | 76 | 71.1 | 3 | 66.7 | 26 | 53.8 | 536 | 77.4 |
| Pennsylvania | 32 | 71.9 | 4 | 50.0 | 1 | .0 | 0 | - | 4 | 100.0 | 23 | 73.9 |
| REGION II TOTAL | 970 | 75.6 | 177 | 72.3 | 93 | 71.0 | 5 | 60.0 | 118 | 73.7 | 574 | 77.7 |
| District of Columbia | 47 | 91.5 | 0 | - | 0 | - | 0 | - | 0 | - | 47 | 91.5 |
| Kentucky | 702 | 92.0 | 4 | 100.0 | 6 | 100.0 | 0 | - | 22 | 95.5 | 670 | 91.8 |
| Maryland | 66 | 90.9 | 5 | 80.0 | 9 | 66.7 | 7 | 100.0 | 12 | 100.0 | 33 | 93.9 |
| North Carolina | 101 | 63.4 | 0 | - | 0 | - | 0 | - | 0 | - | 101 | 63.4 |
| Virginia | 161 | 88.8 | 3 | 100.0 | 6 | 100.0 | 2 | 100.0 | 40 | 65.0 | 110 | 96.4 |
| West Virginia | 372 | 91.1 | 3 | 66.7 | 3 | 33.3 | 0 | - | 11 | 90.9 | 355 | 91.8 |
| REGION III TOTAL | 1449 | 89.4 | 15 | 86.7 | 24 | 79.2 | 9 | 100.0 | 85 | 81.2 | 1316 | 90.0 |
| Alabama | 19 | 89.5 | 2 | 100.0 | 0 | - | 0 | - | 6 | 100.0 | 11 | 81.8 |
| Florida | 17 | 100.0 | 13 | 100.0 | 0 | - | 0 | - | 1 | 100.0 | 0 | - |
| Georgia | 204 | 85.8 | 0 | - | 0 | - | 0 | - | 0 | - | 204 | 85.8 |
| Mississippi | 324 | 91.7 | 14 | 100.0 | 5 | 60.0 | 11 | 100.0 | 30 | 93.3 | 263 | 91.3 |
| South Carolina | 84 | 95.2 | 17 | 94.1 | 4 | 100.0 | 0 | - | 15 | 100.0 | 48 | 93.8 |
| Tennessee | 426 | 94.6 | 13 | 92.3 | 6 | 100.0 | 1 | 100.0 | 15 | 93.3 | 391 | 94.6 |
| REGION IV TOTAL | 1074 | 92.1 | 59 | 96.6 | 15 | 86.7 | 12 | 100.0 | 67 | 95.5 | 917 | 91.5 |
| Illinois | 290 | 44.5 | 32 | 62.5 | 22 | 59.1 | 4 | 75.0 | 189 | 37.0 | 41 | 56.1 |
| Indiana | 153 | 87.6 | 2 | 50.0 | 0 | - | 1 | 100.0 | 24 | 54.2 | 126 | 94.4 |
| Michigan | 74 | 52.7 | 8 | 50.0 | 6 | 33.3 | 11 | 54.5 | 49 | 55.1 | 0 | - |
| Ohio | 996 | 93.0 | 1 | .0 | 3 | 66.7 | 0 | - | 60 | 95.0 | 932 | 93.0 |
| Wisconsin | N.A. | - | - | - | - | - | - | - | - | - | - | - |
| REGION V TOTAL | 1513 | 81.2 | 43 | 58.1 | 31 | 54.8 | 16 | 62.5 | 322 | 51.9 | 1099 | 91.8 |
| Iowa | 264 | 73.1 | 13 | 15.4 | 13 | 61.5 | 36 | 77.8 | 60 | 71.7 | 140 | 79.3 |
| Kansas | 78 | 82.1 | 45 | 88.9 | 10 | 90.0 | 3 | 33.3 | 20 | 70.0 | 0 | - |
| Minnesota | 316 | 88.6 | 2 | 100.0 | 2 | 50.0 | 0 | - | 44 | 59.1 | 268 | 93.7 |
| Missouri | 314 | 85.7 | 5 | 80.0 | 3 | 66.7 | 10 | 100.0 | 73 | 89.0 | 223 | 84.3 |
| Nebraska | 245 | 91.4 | 0 | - | 1 | 100.0 | 2 | 100.0 | 83 | 86.7 | 159 | 93.7 |
| North Dakota | 112 | 85.7 | 0 | - | 2 | 100.0 | 0 | - | 56 | 78.6 | 54 | 92.6 |
| South Dakota | 83 | 74.7 | 4 | 100.0 | 0 | - | 0 | - | 5 | 60.0 | 74 | 74.3 |
| REGION VI TOTAL | 1412 | 84.1 | 69 | 75.4 | 31 | 74.2 | 51 | 80.4 | 341 | 78.3 | 918 | 87.6 |
| Arkansas | 126 | 92.1 | 11 | 100.0 | 19 | 94.7 | 0 | - | 2 | 100.0 | 94 | 90.4 |
| Louisiana | 15 | 86.7 | 1 | 100.0 | 0 | - | 1 | 100.0 | 13 | 84.6 | 0 | - |
| New Mexico | 268 | 90.7 | 3 | 100.0 | 0 | - | 0 | - | 4 | 100.0 | 261 | 90.4 |
| Oklahoma | 939 | 65.0 | 10 | 90.0 | 1 | 100.0 | 4 | 50.0 | 19 | 78.9 | 905 | 64.4 |
| Texas | 369 | 91.6 | 11 | 100.0 | 32 | 96.9 | 2 | 100.0 | 156 | 93.6 | 168 | 88.1 |
| REGION VII TOTAL | 1717 | 76.9 | 36 | 97.2 | 52 | 96.2 | 7 | 71.4 | 194 | 91.8 | 1428 | 73.7 |
| Colorado | 38 | 55.3 | 4 | .0 | 2 | .0 | 0 | - | 27 | 59.3 | 5 | 100.0 |
| Idaho | 25 | 76.0 | 0 | - | 1 | 100.0 | 0 | - | 15 | 66.7 | 9 | 88.9 |
| Montana | 4 | 50.0 | 0 | - | 0 | - | 0 | - | 4 | 50.0 | 0 | - |
| Utah | 66 | 53.0 | 20 | 15.0 | 6 | 100.0 | 0 | - | 36 | 66.7 | 4 | 50.0 |
| Wyoming | 4 | 50.0 | 0 | - | 0 | - | 0 | - | 4 | 50.0 | 0 | - |
| REGION VIII TOTAL | 137 | 57.7 | 24 | 12.5 | 9 | 77.8 | 0 | - | 86 | 62.8 | 18 | 83.3 |
| Arizona | 17 | 23.5 | 1 | .0 | 0 | - | 1 | .0 | 13 | 15.4 | 2 | 100.0 |
| California | N.A. | - | - | - | - | - | - | - | - | - | - | - |
| Nevada | 10 | 100.0 | 1 | 100.0 | 0 | - | 0 | - | 1 | 100.0 | 8 | 100.0 |
| Oregon | 121 | 88.4 | 5 | 100.0 | 0 | - | 1 | 100.0 | 43 | 69.8 | 72 | 98.6 |
| Washington | 85 | 84.7 | 1 | 100.0 | 1 | .0 | 1 | 100.0 | 4 | 100.0 | 78 | 84.6 |
| REGION IX TOTAL | 233 | 82.8 | 8 | 87.5 | 1 | .0 | 3 | 66.7 | 61 | 60.7 | 160 | 91.9 |
| CONTINENTAL U. S. | 8556 | 82.4 | 431 | 74.2 | 257 | 75.9 | 107 | 80.4 | 1306 | 72.4 | 6444 | 85.4 |
| Puerto Rico | N.A. | - | - | - | - | - | - | - | - | - | - | - |
| Virgin Islands | N.A. | - | - | - | - | - | - | - | - | - | - | - |
| Alaska | N.A. | - | - | - | - | - | - | - | - | - | - | - |
| Hawaii | 174 | 96.6 | 1 | 100.0 | 0 | - | 0 | - | 19 | 94.7 | 154 | 96.8 |
| Canal Zone | N.A. | - | - | - | - | - | - | - | - | - | - | - |
| TERRITORY TOTAL | 174 | 96.6 | 1 | 100.0 | 0 | - | 0 | - | 19 | 94.7 | 154 | 96.8 |
| U. S. & TERRITORIES | 8730 | 82.8 | 432 | 74.3 | 257 | 75.9 | 107 | 80.4 | 1325 | 72.8 | 6598 | 85.6 |
| Cities (incl. above) | | | | | | | | | | | | |
| Detroit | 6 | 16.7 | 0 | - | 0 | - | 0 | - | 6 | 16.7 | 0 | - |
| New York | 371 | 66.8 | 89 | 75.3 | 29 | 65.5 | 2 | 50.0 | 26 | 53.8 | 225 | 65.3 |
| Philadelphia | 13 | 84.6 | 2 | 100.0 | 0 | - | 0 | - | 2 | 100.0 | 9 | 77.8 |
| Pittsburgh | 5 | 20.0 | 2 | .0 | 0 | - | 0 | - | 1 | 100.0 | 2 | .0 |
| Chicago | 62 | 64.5 | 14 | 78.6 | 4 | 100.0 | 1 | 100.0 | 2 | 50.0 | 41 | 56.1 |
| Baltimore | N.A. | - | - | - | - | - | - | - | - | - | - | - |

* Totals include Other V D not shown separately.

Source: Form PHS - 2127
 HEW-PHS-BSS-GDC-VD Branch
 Office of Statistics
 2/3/59 MPR/LBE: gh

VOLUME OF CASE-FINDING INVESTIGATIONS AND PERCENTAGE OF SUSPECTS EXAMINED
111 - CIVILIAN CONTACTS OF ARMED FORCES PERSONNEL AND SELECTEE AND SEPARATEE SUSPECTS
ALL AREAS REPORTING

July - September 1958

| States By HEW Regions | Total Contacts* and Suspects | | Contacts of Military Cases | | | | | | | | Selectees and Separatees | |
|--------------------------------|---------------------------------|-------|----------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|--------------------------------|-------|
| | | | Fri. & Sec. | | Syphilis | | Other | | Gonorrhea | | | |
| | | | Number Completed | Percent Examined | Number Completed | Percent Examined | Number Completed | Percent Examined | Number Completed | Percent Examined | | |
| Connecticut | 12 | 50.0 | 2 | 100.0 | 0 | - | 0 | - | 10 | 40.0 | 0 | - |
| Maine | 24 | 37.5 | 0 | - | 0 | - | 0 | - | 23 | 39.1 | 1 | .0 |
| Massachusetts | 77 | 70.1 | 0 | - | 0 | - | 0 | - | 77 | 70.1 | 0 | - |
| New Hampshire | 5 | 60.0 | 1 | 100.0 | 0 | - | 0 | - | 4 | 50.0 | 0 | - |
| Rhode Island | 31 | 45.2 | 0 | - | 1 | 100.0 | 0 | - | 30 | 43.3 | 0 | - |
| Vermont | 5 | 80.0 | 0 | - | 0 | - | 0 | - | 5 | 80.0 | 0 | - |
| REGION I TOTAL | 154 | 58.4 | 3 | 100.0 | 1 | 100.0 | 0 | - | 149 | 57.7 | 1 | .0 |
| Delaware | 13 | 69.2 | 1 | 100.0 | 0 | - | 0 | - | 11 | 63.6 | 1 | 100.0 |
| New Jersey | 87 | 64.4 | 0 | - | 1 | .0 | 2 | 50.0 | 53 | 50.9 | 30 | 93.3 |
| New York | 300 | 52.3 | 9 | 77.8 | 3 | 100.0 | 5 | 80.0 | 142 | 37.3 | 141 | 63.8 |
| Pennsylvania | 99 | 59.6 | 2 | 50.0 | 0 | - | 1 | 100.0 | 70 | 45.7 | 26 | 96.2 |
| REGION II TOTAL | 499 | 56.3 | 12 | 75.0 | 4 | 75.0 | 8 | 75.0 | 276 | 43.1 | 198 | 72.7 |
| District of Columbia | 79 | 26.6 | 0 | - | 1 | 100.0 | 1 | 100.0 | 76 | 25.0 | 1 | .0 |
| Kentucky | 118 | 35.6 | 2 | 100.0 | 1 | 100.0 | 0 | - | 102 | 32.4 | 12 | 50.0 |
| Maryland | 32 | 93.8 | 3 | 100.0 | 0 | - | 1 | 100.0 | 24 | 100.0 | 2 | .0 |
| North Carolina | 722 | 34.9 | 31 | 19.4 | 4 | .0 | 0 | - | 616 | 32.8 | 56 | 78.6 |
| Virginia | 300 | 79.3 | 14 | 78.6 | 0 | - | 1 | .0 | 250 | 78.0 | 28 | 92.9 |
| West Virginia | 36 | 80.6 | 0 | - | 1 | .0 | 0 | - | 26 | 80.8 | 9 | 88.9 |
| REGION III TOTAL | 1287 | 47.6 | 50 | 44.0 | 7 | 28.6 | 3 | 66.7 | 1094 | 45.2 | 108 | 77.8 |
| Alabama | 187 | 68.4 | 2 | 100.0 | 5 | 40.0 | 9 | 77.8 | 141 | 66.7 | 24 | 79.2 |
| Florida | 239 | 51.0 | 5 | 80.0 | 2 | 50.0 | 2 | 50.0 | 188 | 47.3 | 40 | 62.5 |
| Georgia | 220 | 64.5 | 17 | 88.2 | 1 | 100.0 | 3 | 33.3 | 173 | 61.8 | 24 | 75.0 |
| Mississippi | 98 | 80.6 | 3 | 66.7 | 0 | - | 1 | 100.0 | 85 | 80.0 | 8 | 87.5 |
| South Carolina | 351 | 78.6 | 12 | 83.3 | 4 | 100.0 | 7 | 100.0 | 306 | 78.4 | 20 | 75.0 |
| Tennessee | 217 | 88.9 | 13 | 84.6 | 4 | 100.0 | 0 | - | 169 | 88.2 | 24 | 91.7 |
| REGION IV TOTAL | 1312 | 71.6 | 52 | 84.6 | 16 | 75.0 | 22 | 77.3 | 1062 | 70.3 | 140 | 75.7 |
| Illinois | 71 | 56.3 | 5 | 80.0 | 2 | 50.0 | 0 | - | 46 | 41.3 | 18 | 88.9 |
| Indiana | 66 | 56.1 | 0 | - | 0 | - | 1 | 100.0 | 38 | 44.7 | 27 | 70.4 |
| Michigan | 106 | 57.5 | 4 | 50.0 | 8 | 62.5 | 0 | - | 60 | 46.7 | 34 | 76.5 |
| Ohio | 133 | 78.2 | 2 | 50.0 | 1 | 100.0 | 1 | .0 | 89 | 74.2 | 40 | 90.0 |
| Wisconsin | N.A. | - | - | - | - | - | - | - | - | - | - | - |
| REGION V TOTAL | 376 | 64.4 | 11 | 63.6 | 11 | 63.6 | 2 | 50.0 | 233 | 55.8 | 119 | 81.5 |
| Iowa | 18 | 83.3 | 1 | 100.0 | 0 | - | 0 | - | 11 | 72.7 | 6 | 100.0 |
| Kansas | 55 | 43.6 | 0 | - | 0 | - | 0 | - | 54 | 42.6 | 0 | - |
| Minnesota | 6 | 66.7 | 1 | 100.0 | 0 | - | 0 | - | 5 | 60.0 | 0 | - |
| Missouri | 86 | 66.3 | 3 | 33.3 | 1 | 100.0 | 1 | 100.0 | 73 | 63.0 | 7 | 100.0 |
| Nebraska | 31 | 48.4 | 1 | 100.0 | 0 | - | 0 | - | 30 | 46.7 | 0 | - |
| North Dakota | 3 | 33.3 | 0 | - | 0 | - | 0 | - | 3 | 33.3 | 0 | - |
| South Dakota | 26 | 73.1 | 4 | 100.0 | 0 | - | 0 | - | 20 | 75.0 | 2 | .0 |
| REGION VI TOTAL | 225 | 60.0 | 10 | 80.0 | 1 | 100.0 | 1 | 100.0 | 196 | 56.1 | 15 | 86.7 |
| Arkansas | 49 | 81.6 | 2 | 100.0 | 0 | - | 0 | - | 40 | 85.0 | 7 | 57.1 |
| Louisiana | 232 | 59.1 | 3 | 100.0 | 4 | 50.0 | 1 | 100.0 | 177 | 53.7 | 47 | 76.6 |
| New Mexico | 58 | 67.2 | 0 | - | 0 | - | 0 | - | 39 | 59.0 | 18 | 83.3 |
| Oklahoma | 187 | 78.6 | 3 | 100.0 | 3 | 100.0 | 0 | - | 169 | 76.9 | 9 | 100.0 |
| Texas | 571 | 79.2 | 10 | 100.0 | 0 | - | 1 | 100.0 | 467 | 76.9 | 83 | 89.2 |
| REGION VII TOTAL | 1097 | 74.3 | 18 | 100.0 | 7 | 71.4 | 3 | 100.0 | 892 | 71.9 | 164 | 84.1 |
| Colorado | 80 | 46.3 | 2 | .0 | 0 | - | 0 | - | 72 | 48.6 | 6 | 33.3 |
| Idaho | 3 | 100.0 | 0 | - | 0 | - | 0 | - | 3 | 100.0 | 0 | - |
| Montana | 22 | 13.6 | 1 | .0 | 0 | - | 0 | - | 21 | 14.3 | 0 | - |
| Utah | 2 | .0 | 0 | - | 0 | - | 0 | - | 2 | .0 | 0 | - |
| Wyoming | 5 | 80.0 | 0 | - | 0 | - | 1 | 100.0 | 4 | 75.0 | 0 | - |
| REGION VIII TOTAL | 112 | 42.0 | 3 | .0 | 0 | - | 1 | 100.0 | 102 | 43.1 | 6 | 33.3 |
| Arizona | 53 | 58.5 | 1 | 100.0 | 0 | - | 1 | .0 | 46 | 60.9 | 5 | 40.0 |
| California | 570 | 33.7 | 16 | 37.5 | 1 | .0 | 3 | 33.3 | 532 | 33.3 | 0 | - |
| Nevada | 19 | 57.9 | 0 | - | 0 | - | 0 | - | 15 | 46.7 | 1 | 100.0 |
| Oregon | 18 | 55.6 | 1 | .0 | 0 | - | 0 | - | 16 | 56.3 | 0 | - |
| Washington | 142 | 57.7 | 2 | 100.0 | 3 | 33.3 | 0 | - | 125 | 54.4 | 12 | 91.7 |
| REGION IX TOTAL | 802 | 40.6 | 20 | 45.0 | 4 | 25.0 | 5 | 40.0 | 734 | 39.4 | 21 | 81.0 |
| CONTINENTAL U. S. | 5864 | 59.5 | 179 | 67.0 | 51 | 62.7 | 45 | 73.3 | 4738 | 56.1 | 772 | 77.8 |
| Puerto Rico | 167 | 79.0 | 11 | 72.7 | 0 | - | 0 | - | 136 | 78.7 | 14 | 85.7 |
| Virgin Islands | N.A. | - | - | - | - | - | - | - | - | - | - | - |
| Alaska | 59 | 54.2 | 1 | 100.0 | 0 | - | 0 | - | 56 | 51.8 | 0 | - |
| Hawaii | 70 | 82.9 | 4 | 100.0 | 0 | - | 0 | - | 62 | 85.5 | 4 | 25.0 |
| Canal Zone | N.A. | - | - | - | - | - | - | - | - | - | - | - |
| TERRITORY TOTAL | 296 | 75.0 | 16 | 81.3 | 0 | - | 0 | - | 254 | 74.4 | 18 | 72.2 |
| U. S. & TERRITORIES | 6160 | 60.2 | 195 | 68.2 | 51 | 62.7 | 45 | 73.3 | 4992 | 57.1 | 790 | 77.7 |
| Cities (incl. above) | | | | | | | | | | | | |
| Detroit | 35 | 60.0 | 2 | 50.0 | 2 | 100.0 | 0 | - | 19 | 42.1 | 12 | 83.3 |
| New York | 229 | 52.0 | 8 | 75.0 | 0 | - | 5 | 80.0 | 97 | 41.2 | 119 | 58.0 |
| Philadelphia | 63 | 46.0 | 1 | .0 | 0 | - | 0 | - | 54 | 38.9 | 8 | 100.0 |
| Pittsburgh | 7 | 57.1 | 0 | - | 0 | - | 0 | - | 5 | 60.0 | 2 | 50.0 |
| Chicago | 31 | 77.4 | 2 | 100.0 | 0 | - | 0 | - | 11 | 54.5 | 18 | 88.9 |
| Baltimore | N.A. | - | - | - | - | - | - | - | - | - | - | - |

* Totals include Other V D not shown separately.

Source: Form PHS - 2127
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
2/4/59 MPR/LBR: gh

CONTACTS OBTAINED FROM HEALTH DEPARTMENT PATIENTS
ALL AREAS REPORTING

July - September 1958

| States By HEW Regions | Primary and Secondary Syphilis | | | | Early Latent Syphilis | | | | Gonorrhea | | | |
|--------------------------------|--------------------------------|------------------------------------|-------------------|---------------|-----------------------|------------------------------------|-------------------|---------------|------------------------------|--------------------------------------------|-------------------|---------------|
| | Cases Reported a/ | Percent of Cases Interviewed | Contacts Obtained | | Cases Reported a/ | Percent of Cases Interviewed | Contacts Obtained | | Male Cases Reported b/ | Percent of Male Cases Interviewed c/ | Contacts Obtained | |
| | | | Number | Case Reported | | | Number | Case Reported | | | Number | Case Reported |
| Connecticut | 15 | 6.7 | 4 | .27 | 16 | 62.5 | 0 | .00 | 146 | 117.1 | 48 | .33 |
| Maine | 0 | - | - | - | 0 | - | - | - | 0 | - | - | - |
| Massachusetts | 27 | 40.7 | 25 | .93 | 26 | 100.0 | 52 | 2.00 | 230 | 114.8 | 339 | 1.47 |
| New Hampshire | 0 | - | - | - | 1 | - | - | - | 0 | - | - | - |
| Rhode Island | 0 | - | - | - | 0 | .0 | - | - | 19 | 26.3 | 0 | .00 |
| Vermont | 0 | - | - | - | 0 | - | - | - | 2 | .0 | - | - |
| REGION I TOTAL | 42 | 28.6 | 29 | .69 | 43 | 83.7 | 52 | 1.21 | 397 | 110.8 | 387 | .97 |
| Delaware | 19 | 89.5 | 88 | 4.63 | 68 | 4.4 | 11 | .16 | 77 | 59.7 | 102 | 1.32 |
| New Jersey | 12 | 225.0 | 82 | 6.83 | 118 | 34.7 | 103 | .87 | 633 | 67.3 | 619 | .98 |
| New York | 127 | 99.0 | 237 | 2.44 | 286 | 66.4 | 284 | 1.91 | 3113 | 100.5 | 2688 | 1.04 |
| Pennsylvania | 25 | 156.0 | 112 | 4.48 | 116 | 20.7 | 28 | .53 | 983 | 98.3 | 1340 | 1.36 |
| REGION II TOTAL | 183 | 117.0 | 519 | 3.39 | 588 | 37.0 | 460 | 1.02 | 4806 | 94.3 | 4749 | 1.11 |
| District of Columbia | 46 | 117.4 | 170 | 3.70 | 113 | 74.3 | 158 | 1.40 | 1490 | 71.5 | 1326 | .89 |
| Kentucky | 8 | 112.5 | 29 | 3.63 | 8 | 50.0 | 19 | 2.38 | 511 | 40.1 | 263 | .51 |
| Maryland d/ | 5 | 100.0 | 23 | 4.60 | 57 | 8.8 | 13 | .23 | 20 | 140.0 | 40 | 2.00 |
| North Carolina | 54 | 122.2 | 275 | 5.09 | 134 | 56.7 | 205 | 1.53 | 1971 | 60.2 | 1657 | .86 |
| Virginia | 20 | 85.0 | 83 | 4.15 | 117 | 65.0 | 206 | 1.76 | 749 | 99.3 | 1094 | 1.46 |
| West Virginia | 3 | 166.7 | 13 | 4.33 | 9 | 22.2 | 2 | .22 | 168 | 60.1 | 132 | .79 |
| REGION III TOTAL | 136 | 114.7 | 593 | 4.36 | 438 | 56.4 | 603 | 1.38 | 4909 | 67.8 | 4542 | .93 |
| Alabama | 24 | 150.0 | 99 | 4.13 | 96 | 62.5 | 258 | 2.69 | 649 | 102.0 | 970 | 1.49 |
| Florida | 28 | 100.0 | 91 | 3.25 | 110 | 46.4 | 143 | 1.30 | 1413 | 95.8 | 1687 | 1.19 |
| Georgia | 131 | 100.0 | 614 | 4.69 | 80 | 73.8 | 237 | 2.96 | 2467 | 96.8 | 3597 | 1.46 |
| Mississippi | 27 | 85.2 | 134 | 4.96 | 28 | 57.1 | 79 | 2.82 | 1318 | 64.1 | 1066 | .81 |
| South Carolina | 37 | 94.6 | 210 | 5.68 | 66 | 50.0 | 149 | 2.26 | 1130 | 66.9 | 1187 | 1.05 |
| Tennessee | 53 | 115.1 | 245 | 4.62 | 61 | 90.2 | 185 | 3.03 | 1613 | 97.1 | 2449 | 1.52 |
| REGION IV TOTAL | 300 | 104.7 | 1393 | 4.64 | 441 | 62.1 | 1051 | 2.38 | 8590 | 88.1 | 10956 | 1.28 |
| Illinois | 94 | 90.4 | 398 | 4.23 | 139 | 58.3 | 214 | 1.54 | 3920 | 89.8 | 4855 | 1.24 |
| Indiana | 8 | 200.0 | 19 | 2.38 | 22 | 9.1 | 2 | .09 | 247 | 58.7 | 161 | .65 |
| Michigan | 12 | 141.7 | 112 | 9.33 | 74 | 104.1 | 315 | 4.26 | 1333 | 167.1 | 2943 | 2.21 |
| Ohio | 14 | 78.6 | 86 | 6.14 | 139 | 43.2 | 202 | 1.45 | 1153 | 94.9 | 1208 | 1.05 |
| Wisconsin e/ | | | | | | | | | | | | |
| REGION V TOTAL | 128 | 100.8 | 615 | 4.80 | 374 | 58.8 | 733 | 1.96 | 6653 | 105.0 | 9167 | 1.38 |
| Iowa | 1 | .0 | - | - | 0 | .0 | 2 | .00 | 42 | 150.0 | 95 | 2.26 |
| Kansas | 2 | 100.0 | 16 | 8.00 | 13 | 76.9 | 19 | 1.46 | 205 | 95.6 | 272 | 1.33 |
| Minnesota | 0 | - | 1 | .00 | 1 | .0 | - | - | 93 | 101.1 | 61 | .66 |
| Missouri | 15 | 80.0 | 40 | 2.67 | 71 | 42.3 | 84 | 1.18 | 892 | 100.0 | 1022 | 1.15 |
| Nebraska | 1 | .0 | - | - | 0 | - | - | - | 34 | 117.6 | 57 | 1.68 |
| North Dakota | 0 | - | - | - | 0 | - | - | - | 0 | - | - | - |
| South Dakota | 2 | 50.0 | 6 | 3.00 | 2 | .0 | - | - | 66 | 50.0 | 56 | .85 |
| REGION VI TOTAL | 21 | 76.2 | 63 | 3.00 | 87 | 47.1 | 105 | 1.21 | 1332 | 98.9 | 1563 | 1.17 |
| Arkansas | 36 | 122.2 | 207 | 5.75 | 56 | 51.8 | 80 | 1.43 | 299 | 69.6 | 252 | .84 |
| Louisiana | 36 | 111.1 | 211 | 5.86 | 206 | 45.6 | 221 | 1.07 | 990 | 77.3 | 1055 | 1.07 |
| New Mexico | 9 | 88.9 | 25 | 2.78 | 49 | 20.4 | 30 | .61 | 182 | 32.4 | 85 | .47 |
| Oklahoma | 11 | 90.9 | 42 | 3.82 | 19 | 47.4 | 7 | .37 | 480 | 194.8 | 804 | 1.68 |
| Texas | 73 | 102.7 | 245 | 3.36 | 180 | 108.9 | 453 | 2.52 | 2193 | 150.2 | 3719 | 1.70 |
| REGION VII TOTAL | 165 | 107.3 | 730 | 4.42 | 510 | 66.3 | 791 | 1.55 | 4144 | 126.9 | 5915 | 1.43 |
| Colorado | 2 | 100.0 | 6 | 3.00 | 1 | .0 | - | - | 124 | 166.1 | 247 | 1.99 |
| Idaho | 0 | - | - | - | 3 | .0 | - | - | 30 | .0 | - | - |
| Montana | 1 | .0 | - | - | 2 | .0 | - | - | 2 | .0 | - | - |
| Utah | 0 | - | - | - | 2 | 350.0 | 4 | 2.00 | 3 | 166.7 | 4 | 1.33 |
| Wyoming | 0 | - | - | - | 0 | - | - | - | 7 | .0 | - | - |
| REGION VIII TOTAL | 3 | 66.7 | 6 | 2.00 | 8 | 87.5 | 4 | .50 | 166 | 127.1 | 251 | 1.51 |
| Arizona | 2 | 100.0 | 13 | 6.50 | 22 | 36.4 | 20 | .91 | 184 | 81.0 | 212 | 1.15 |
| California | 123 | 147.2 | 566 | 4.60 | 234 | 125.2 | 313 | 1.34 | 2458 | 178.4 | 2978 | 1.21 |
| Nevada | 0 | - | - | - | 5 | 60.0 | 19 | 3.80 | 40 | 67.5 | 40 | 1.00 |
| Oregon | 3 | 100.0 | 10 | 3.33 | 6 | 16.7 | 1 | .17 | 112 | 108.9 | 165 | 1.47 |
| Washington | 4 | 100.0 | 24 | 6.00 | 3 | 66.7 | 2 | .67 | 250 | 102.0 | 272 | 1.09 |
| REGION IX TOTAL | 132 | 143.9 | 613 | 4.64 | 270 | 113.7 | 355 | 1.31 | 3044 | 162.2 | 3667 | 1.20 |
| CONTINENTAL U. S. | 1110 | 105.9 | 4561 | 4.11 | 2759 | 59.3 | 4154 | 1.51 | 34041 | 100.2 | 41197 | 1.21 |
| Puerto Rico | 22 | 100.0 | 59 | 2.68 | 80 | 80.0 | 124 | 1.55 | 546 | 83.9 | 401 | .73 |
| Virgin Islands e/ | 0 | - | - | - | 0 | - | - | - | 30 | 43.3 | 13 | .43 |
| Alaska | 0 | - | - | - | 0 | - | - | - | 2 | 50.0 | 1 | .50 |
| Hawaii | 0 | - | - | - | 0 | - | - | - | - | - | - | - |
| Canal Zone e/ | 0 | - | - | - | 0 | - | - | - | - | - | - | - |
| TERRITORY TOTAL | 22 | 100.0 | 59 | 2.68 | 80 | 80.0 | 124 | 1.55 | 578 | 81.7 | 415 | .72 |
| U. S. & TERRITORIES | 1132 | 105.7 | 4620 | 4.08 | 2839 | 59.9 | 4269 | 1.50 | 34619 | 99.9 | 41612 | 1.20 |
| Cities (incl. above) | | | | | | | | | | | | |
| Detroit | 9 | 77.8 | 42 | 4.67 | 49 | 73.5 | 142 | 2.90 | 950 | 99.5 | 1154 | 1.21 |
| New York | 113 | 98.8 | 195 | 2.35 | 273 | 68.4 | 269 | 1.98 | 2613 | 115.6 | 2411 | 1.15 |
| Philadelphia | 21 | 147.6 | 83 | 3.95 | 46 | 28.3 | 29 | .63 | 793 | 108.2 | 1185 | 1.49 |
| Pittsburgh | 1 | 400.0 | 20 | 20.00 | 12 | 16.7 | 10 | .83 | 90 | 80.0 | 107 | 1.19 |
| Chicago | 93 | 90.3 | 358 | 3.85 | 115 | 49.6 | 194 | 1.69 | 3807 | 88.3 | 4671 | 1.23 |
| Baltimore e/ | | | | | | | | | | | | |

a/ Cases reported by Clinics, Hospitals and Institutions on Morbidity Form PHS - 688.
b/ Male Cases reported by Clinics, Hospitals and Institutions on Morbidity Form PHS - 688.
c/ Some areas may have over 100 percent because some females were interviewed.
d/ Excludes Baltimore.
e/ Epidemiologic activity data from PHS 2127 not available.

Source: Form PHS - 2127
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
2/9/59 MFR/LBH: gh

CONTACTS OBTAINED FROM PRIVATE PHYSICIAN PATIENTS
1 - PRIMARY AND SECONDARY SYPHILIS
ALL AREAS REPORTING

July - September 1958

| States By HEW Regions | PRIMARY AND SECONDARY SYPHILIS | | | | | |
|--------------------------------|--------------------------------|--------------------------------------|------------------------------------|-----------------------------|--------------------------------|-------|
| | Cases Reported a/ | Number of Patients Interviewed | Percent of Cases Interviewed b/ | CONTACTS OBTAINED | | |
| Number | | | | Number Per Case Reported | Number Per Case Interviewed | |
| Connecticut d/ | | | | | | |
| Maine d/ | | | | | | |
| Massachusetts | 29 | 2 | 6.9 | 2 | .07 | 1.00 |
| New Hampshire d/ | | | | | | |
| Rhode Island d/ | | | | | | |
| Vermont | 1 | 0 | .0 | - | - | - |
| REGION I TOTAL | 30 | 2 | 6.7 | 2 | .07 | 1.00 |
| Delaware | 7 | 2 | 28.6 | 18 | 2.57 | 9.00 |
| New Jersey | 16 | 11 | 68.8 | 26 | 1.63 | 2.36 |
| New York | 77 | 77 | 100.0 | 205 | 2.66 | 2.66 |
| Pennsylvania | 11 | 1 | 9.1 | 3 | .27 | 3.00 |
| REGION II TOTAL | 111 | 91 | 82.0 | 252 | 2.27 | 2.77 |
| District of Columbia | 14 | 0 | .0 | - | - | - |
| Kentucky | 9 | 6 | 66.7 | 19 | 2.11 | 3.17 |
| Maryland c/ | 4 | 1 | 25.0 | 9 | 2.25 | 9.00 |
| North Carolina d/ | | | | | | |
| Virginia | 19 | 2 | 10.5 | 2 | .11 | 1.00 |
| West Virginia | 5 | 0 | .0 | - | - | - |
| REGION III TOTAL | 51 | 9 | 17.6 | 30 | .59 | 3.33 |
| Alabama | 22 | 3 | 13.6 | 3 | .14 | 1.00 |
| Florida | 13 | 13 | 100.0 | 41 | 3.15 | 3.15 |
| Georgia d/ | | | | | | |
| Mississippi | 1 | 2 | 200.0 | 24 | 24.00 | 12.00 |
| South Carolina | 55 | 2 | 3.6 | 9 | .16 | 4.50 |
| Tennessee | 10 | 5 | 50.0 | 16 | 1.60 | 3.20 |
| REGION IV TOTAL | 101 | 25 | 24.8 | 93 | .92 | 3.72 |
| Illinois | 39 | 32 | 82.1 | 48 | 1.23 | 1.50 |
| Indiana | 12 | 0 | .0 | - | - | - |
| Michigan | 10 | 9 | 90.0 | 18 | 1.80 | 2.00 |
| Ohio d/ | | | | | | |
| Wisconsin d/ | | | | | | |
| REGION V TOTAL | 61 | 41 | 67.2 | 66 | 1.08 | 1.61 |
| Iowa | 2 | 2 | 100.0 | 12 | 6.00 | 6.00 |
| Kansas | 12 | 5 | 41.7 | 53 | 4.42 | 10.60 |
| Minnesota | 4 | 6 | 150.0 | 1 | .25 | .17 |
| Missouri | 5 | 5 | 100.0 | 14 | 2.80 | 2.80 |
| Nebraska | 0 | 0 | - | - | - | - |
| North Dakota | 0 | 0 | - | - | - | - |
| South Dakota | 3 | 3 | 100.0 | 13 | 4.33 | 4.33 |
| REGION VI TOTAL | 26 | 21 | 80.8 | 93 | 3.58 | 4.43 |
| Arkansas | 18 | 4 | 22.2 | 9 | .50 | 2.25 |
| Louisiana d/ | | | | | | |
| New Mexico | 8 | 9 | 112.5 | 19 | 2.38 | 2.11 |
| Oklahoma | 9 | 7 | 77.8 | 10 | 1.11 | 1.43 |
| Texas | 40 | 7 | 17.5 | 12 | .30 | 1.71 |
| REGION VII TOTAL | 75 | 27 | 36.0 | 50 | .67 | 1.85 |
| Colorado | 6 | 5 | 83.3 | 5 | .83 | 1.00 |
| Idaho | 0 | 0 | - | - | - | - |
| Montana d/ | | | | | | |
| Utah | 3 | 3 | 100.0 | 16 | 5.33 | 5.33 |
| Wyoming d/ | | | | | | |
| REGION VIII TOTAL | 9 | 8 | 88.9 | 21 | 2.33 | 2.63 |
| Arizona | 10 | 6 | 60.0 | 25 | 2.50 | 4.17 |
| California d/ | | | | | | |
| Nevada d/ | | | | | | |
| Oregon | 4 | 1 | 25.0 | 4 | 1.00 | 4.00 |
| Washington | 3 | 1 | 33.3 | 2 | .67 | 2.00 |
| REGION IX TOTAL | 17 | 8 | 47.1 | 31 | 1.82 | 3.88 |
| CONTINENTAL U. S. | 481 | 232 | 48.2 | 638 | 1.33 | 2.75 |
| Puerto Rico d/ | | | | | | |
| Virgin Islands d/ | | | | | | |
| Alaska d/ | | | | | | |
| Hawaii | 1 | 0 | .0 | - | - | - |
| Canal Zone d/ | | | | | | |
| TERRITORY TOTAL | 1 | 0 | .0 | - | - | - |
| U. S. & TERRITORIES | 482 | 232 | 48.1 | 638 | 1.32 | 2.75 |
| Cities (incl. above) | | | | | | |
| Detroit | 3 | 4 | 133.3 | 0 | - | - |
| New York | 54 | 62 | 114.8 | 160 | 2.96 | 2.58 |
| Philadelphia | 8 | 1 | 12.5 | 3 | .38 | 3.00 |
| Pittsburgh | 1 | 0 | .0 | - | - | - |
| Chicago | 20 | 13 | 65.0 | 21 | 1.05 | 1.62 |
| Baltimore d/ | | | | | | |

a/ Cases reported by Private Physicians on Morbidity Form 688.
b/ Some areas may have over 100% because some females were interviewed.
c/ Excludes Baltimore.
d/ Epidemiologic activity data from PHS 2127 not available.

Source: Form PHS - 2127
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
2/10/59 MFR/LBH: gh

CONTACTS OBTAINED FROM PRIVATE PHYSICIAN PATIENTS
11 - EARLY LATENT SYPHILIS
ALL AREAS REPORTING

July - September 1958

| States By REW Regions | EARLY LATENT SYPHILIS | | | | | |
|--------------------------------|---------------------------------|--------------------------------------|-----------------------------------------------|-------------------|-----------------------------|--------------------------------|
| | Cases Reported ^{a/} | Number of Patients Interviewed | Percent of Cases Interviewed ^{b/} | CONTACTS OBTAINED | | |
| | | | | Number | Number Per Case Reported | Number Per Case Interviewed |
| Connecticut ^{d/} | | | | | | |
| Maine ^{d/} | | | | | | |
| Massachusetts | 20 | 0 | .0 | - | - | - |
| New Hampshire ^{d/} | | | | | | |
| Rhode Island ^{d/} | | | | | | |
| Vermont | 0 | 0 | - | - | - | - |
| REGION I TOTAL | 20 | 0 | .0 | - | - | - |
| Delaware | 10 | 0 | .0 | - | - | - |
| New Jersey | 70 | 8 | 11.4 | 16 | .23 | 2.00 |
| New York | 94 | 24 | 25.5 | 82 | .87 | 3.42 |
| Pennsylvania | 91 | 0 | .0 | - | - | - |
| REGION II TOTAL | 265 | 32 | 12.1 | 98 | .37 | 3.06 |
| District of Columbia | 31 | 0 | .0 | - | - | - |
| Kentucky | 12 | 2 | 16.7 | 5 | .42 | 2.50 |
| Maryland ^{c/} | 2 | 2 | 100.0 | 5 | 2.50 | 2.50 |
| North Carolina ^{d/} | | | | | | |
| Virginia | 73 | 3 | 4.1 | 10 | .14 | 3.33 |
| West Virginia | 13 | 1 | 7.7 | 1 | .08 | 1.00 |
| REGION III TOTAL | 131 | 8 | 6.1 | 21 | .16 | 2.63 |
| Alabama | 41 | 0 | .0 | - | - | - |
| Florida | 140 | 2 | 1.4 | 5 | .04 | 2.50 |
| Georgia ^{d/} | | | | | | |
| Mississippi | 7 | 1 | 14.3 | 2 | .29 | 2.00 |
| South Carolina | 113 | 2 | 1.8 | 5 | .04 | 2.50 |
| Tennessee | 22 | 4 | 18.2 | 17 | .77 | 4.25 |
| REGION IV TOTAL | 323 | 9 | 2.8 | 29 | .09 | 3.22 |
| Illinois | 78 | 27 | 34.6 | 17 | .22 | .63 |
| Indiana | 32 | 0 | .0 | - | - | - |
| Michigan | 86 | 3 | 3.5 | 1 | .01 | .33 |
| Ohio ^{d/} | | | | | | |
| Wisconsin ^{d/} | | | | | | |
| REGION V TOTAL | 196 | 30 | 15.3 | 18 | .09 | .60 |
| Iowa | 6 | 5 | 83.3 | 12 | 2.00 | 2.40 |
| Kansas | 12 | 4 | 33.3 | 13 | 1.08 | 3.25 |
| Minnesota | 0 | 0 | - | - | - | - |
| Missouri | 29 | 5 | 17.2 | 12 | .41 | 2.40 |
| Nebraska | 1 | 1 | 100.0 | 1 | 1.00 | 1.00 |
| North Dakota | 1 | 1 | 100.0 | 2 | 2.00 | 2.00 |
| South Dakota | 2 | 1 | 50.0 | - | - | - |
| REGION VI TOTAL | 51 | 16 | 31.4 | 40 | .78 | 2.50 |
| Arkansas | 38 | 5 | 13.2 | 18 | .47 | 3.60 |
| Louisiana ^{d/} | | | | | | |
| New Mexico | 9 | 1 | 11.1 | 1 | .11 | 1.00 |
| Oklahoma | 32 | 10 | 31.3 | 1 | .03 | .10 |
| Texas | 36 | 12 | 33.3 | 27 | .75 | 2.25 |
| REGION VII TOTAL | 115 | 28 | 24.3 | 47 | .41 | 1.68 |
| Colorado | 6 | 1 | 16.7 | 1 | .17 | 1.00 |
| Idaho | 0 | 0 | - | - | - | - |
| Montana ^{d/} | | | | | | |
| Utah | 0 | 2 | - | 2 | - | 1.00 |
| Wyoming ^{d/} | | | | | | |
| REGION VIII TOTAL | 6 | 3 | 50.0 | 3 | .50 | 1.00 |
| Arizona | 134 | 0 | .0 | - | - | - |
| California ^{d/} | | | | | | |
| Nevada ^{d/} | | | | | | |
| Oregon | 16 | 0 | .0 | - | - | - |
| Washington | 4 | 0 | .0 | - | - | - |
| REGION IX TOTAL | 154 | 0 | .0 | - | - | - |
| CONTINENTAL U.S. | 1261 | 126 | 10.0 | 256 | .20 | 2.03 |
| Puerto Rico ^{d/} | | | | | | |
| Virgin Islands ^{d/} | | | | | | |
| Alaska ^{d/} | | | | | | |
| Hawaii | 3 | 0 | .0 | - | - | - |
| Canal Zone ^{d/} | 3 | 0 | .0 | - | - | - |
| TERRITORY TOTAL | 3 | 0 | .0 | - | - | - |
| U. S. & TERRITORIES | 1264 | 126 | 10.0 | 256 | .20 | 2.03 |
| Cities (incl. above) | | | | | | |
| Detroit | 33 | 1 | 3.0 | 0 | - | .00 |
| New York | 81 | 8 | 9.9 | 32 | .40 | 4.00 |
| Philadelphia | 31 | 0 | .0 | - | - | - |
| Pittsburgh | 10 | 0 | .0 | - | - | - |
| Chicago | 51 | 0 | .0 | - | - | - |
| Baltimore ^{d/} | | | | | | |

^{a/} Cases reported by Private Physicians on Morbidity Form 688.
^{b/} Some areas may have over 100% because some females were interviewed.
^{c/} Excludes Baltimore.
^{d/} Epidemiologic activity data from PHS 2127 not available.

Source: Form PHS - 2127
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
2/10/59 MFR/LBH: gh

CONTACTS OBTAINED FROM PRIVATE PHYSICIAN PATIENTS
111 - GONORRHEA
ALL AREAS REPORTING

July - September 1958

| States By HEW Regions | GONORRHEA | | | | | |
|--------------------------------|---------------------------|--------------------------------------|-----------------------------------------|--------|-----------------------------------|--------------------------------|
| | Male Cases Reported a/ | Number of Patients Interviewed | Percent of Male Cases Interviewed b/ | Number | Number Per Male Cases Reported | Number Per Case Interviewed |
| Connecticut d/ | | | | | | |
| Maine d/ | | | | | | |
| Massachusetts | 135 | 14 | 10.4 | 15 | .11 | 1.07 |
| New Hampshire d/ | | | | | | |
| Rhode Island d/ | | | | | | |
| Vermont | 22 | 20 | 90.9 | 24 | 1.09 | 1.20 |
| REGION I TOTAL | 157 | 34 | 21.7 | 39 | .25 | 1.15 |
| Delaware | 50 | 0 | .0 | - | - | - |
| New Jersey | 370 | 46 | 12.4 | 72 | .19 | 1.57 |
| New York | 1039 | 0 | .0 | - | - | - |
| Pennsylvania | 156 | 4 | 2.7 | 4 | .03 | 1.00 |
| REGION II TOTAL | 1615 | 50 | 3.1 | 76 | .05 | 1.52 |
| District of Columbia | 55 | 0 | .0 | - | - | - |
| Kentucky | 88 | 1 | 1.1 | 2 | .02 | 2.00 |
| Maryland c/ | 81 | 2 | 2.5 | 2 | .02 | 1.00 |
| North Carolina d/ | | | | | | |
| Virginia | 415 | 12 | 2.9 | 53 | .13 | 4.42 |
| West Virginia | 52 | 10 | 19.2 | 14 | .27 | 1.40 |
| REGION III TOTAL | 691 | 25 | 3.6 | 71 | .10 | 2.84 |
| Alabama | 138 | 5 | 3.6 | 7 | .05 | 1.40 |
| Florida | 39 | 1 | 2.6 | 1 | .03 | 1.00 |
| Georgia d/ | | | | | | |
| Mississippi | 123 | 26 | 21.1 | 46 | .37 | 1.77 |
| South Carolina | 270 | 9 | 3.3 | 15 | .06 | 1.67 |
| Tennessee | 296 | 3 | 1.0 | 6 | .02 | 2.00 |
| REGION IV TOTAL | 866 | 44 | 5.1 | 75 | .09 | 1.70 |
| Illinois | 792 | 348 | 43.9 | 216 | .27 | .62 |
| Indiana | 114 | 12 | 10.5 | 13 | .11 | 1.08 |
| Michigan | 382 | 4 | 1.0 | 45 | .12 | 11.25 |
| Ohio d/ | | | | | | |
| Wisconsin d/ | | | | | | |
| REGION V TOTAL | 1288 | 364 | 28.3 | 274 | .21 | .75 |
| Iowa | 91 | 49 | 53.8 | 68 | .75 | 1.39 |
| Kansas | 55 | 68 | 123.6 | 16 | .29 | .24 |
| Minnesota | 98 | 78 | 79.6 | 47 | .48 | .60 |
| Missouri | 166 | 72 | 43.4 | 103 | .62 | 1.43 |
| Nebraska | 53 | 67 | 126.4 | 105 | 1.98 | 1.57 |
| North Dakota | 48 | 39 | 81.3 | 56 | 1.17 | 1.44 |
| South Dakota | 27 | 0 | .0 | - | - | - |
| REGION VI TOTAL | 538 | 373 | 69.3 | 395 | .73 | 1.06 |
| Arkansas | 436 | 1 | .0 | 1 | .00 | 1.00 |
| Louisiana d/ | | | | | | |
| New Mexico | 108 | 3 | 2.8 | 3 | .03 | 1.00 |
| Oklahoma | 106 | 294 | 277.4 | 22 | .21 | .07 |
| Texas | 1205 | 64 | 5.3 | 109 | .09 | 1.70 |
| REGION VII TOTAL | 1855 | 362 | 19.5 | 135 | .07 | .37 |
| Colorado | 49 | 25 | 51.0 | 37 | .76 | 1.48 |
| Idaho | 12 | 9 | 75.0 | 16 | 1.33 | 1.78 |
| Montana d/ | | | | | | |
| Utah | 45 | 25 | 55.6 | 13 | .29 | .52 |
| Wyoming d/ | | | | | | |
| REGION VIII TOTAL | 106 | 59 | 55.7 | 66 | .62 | 1.12 |
| Arizona | 210 | 0 | .0 | - | - | - |
| California d/ | | | | | | |
| Nevada d/ | | | | | | |
| Oregon | 89 | 13 | 14.6 | 14 | .16 | 1.08 |
| Washington | 56 | 0 | .0 | - | - | - |
| REGION IX TOTAL | 355 | 13 | 3.7 | 14 | .04 | 1.08 |
| CONTINENTAL U. S. | 7471 | 1324 | 17.7 | 1145 | .15 | .86 |
| Puerto Rico d/ | | | | | | |
| Virgin Islands d/ | | | | | | |
| Alaska d/ | | | | | | |
| Hawaii | 16 | 12 | 75.0 | 25 | 1.56 | 2.08 |
| Canal Zone d/ | | | | | | |
| TERRITORY TOTAL | 16 | 12 | 75.0 | 25 | 1.56 | 2.08 |
| U. S. & TERRITORIES | 7487 | 1336 | 17.8 | 1170 | .16 | .88 |
| Cities (incl. above) | | | | | | |
| Detroit | 93 | 0 | .0 | - | - | - |
| New York | 614 | 0 | .0 | - | - | - |
| Philadelphia | 73 | 2 | 2.7 | 2 | .03 | 1.00 |
| Pittsburgh | 42 | 1 | 2.4 | 1 | .02 | 1.00 |
| Chicago | 512 | 0 | .0 | - | - | - |
| Baltimore d/ | | | | | | |

a/ Male cases reported by Private Physicians on Morbidity Form 688.
b/ Some areas may have over 100% because some females were interviewed.
c/ Excludes Baltimore.
d/ Epidemiologic activity data from PHS 2127 not available.

Source: Form PHS - 2127
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
2/10/59 MFR/LBH: gh

CONTACT INDICES

July - September 1958

| Source | U. S. | Region | | | | | | | | |
|--------------------------------|-------|--------|------|------|------|------|------|------|------|------|
| | | I | II | III | IV | V | VI | VII | VIII | IX |
| <u>Military</u> | | | | | | | | | | |
| P & S Syphilis | 3.21 | 1.50 | 3.00 | 4.57 | 5.00 | 1.75 | 2.50 | 3.00 | .50 | 1.38 |
| Gonorrhea | 1.34 | 1.41 | 1.46 | 1.14 | 1.31 | 1.10 | 1.10 | 1.22 | .88 | 2.07 |
| Other V. D. | 1.69 | 1.00 | - | 1.50 | 1.40 | - | 1.00 | 1.71 | - | 2.71 |
| <u>Private Physician</u> | | | | | | | | | | |
| P & S Syphilis | 2.75 | 1.00 | 2.77 | 3.33 | 3.72 | 1.61 | 4.43 | 1.85 | 2.63 | 3.88 |
| Early Latent | 2.03 | - | 3.06 | 2.63 | 3.22 | .60 | 2.50 | 1.68 | 1.00 | - |
| Gonorrhea | .86 | 1.15 | 1.52 | 2.84 | 1.70 | .75 | 1.06 | .37 | 1.12 | 1.08 |
| <u>Clinic</u> | | | | | | | | | | |
| P & S Syphilis | 3.88 | 2.42 | 2.90 | 3.80 | 4.44 | 4.77 | 3.94 | 4.12 | 3.00 | 3.23 |
| Early Latent | 2.54 | 1.44 | 2.75 | 2.44 | 3.84 | 3.33 | 2.56 | 2.34 | .57 | 1.16 |
| Other Syphilis | 1.01 | 1.03 | 1.55 | 1.53 | 1.87 | 1.03 | .69 | 1.23 | .33 | .27 |
| Gonorrhea | 1.21 | .88 | 1.17 | 1.36 | 1.45 | 1.31 | 1.19 | 1.12 | 1.19 | .74 |
| Other V. D. | 1.14 | 1.33 | .91 | 1.97 | 1.70 | .67 | 2.00 | 1.02 | - | .68 |
| <u>All Persons Interviewed</u> | 1.25 | 1.05 | 1.43 | 1.53 | 1.69 | 1.34 | 1.22 | 1.23 | 1.14 | .85 |

Source: Form PHS - 2127
 HEW-PHS-BSS-CDC-VD Branch
 Office of Statistics
 MFR/LBH: gh 2/10/59

EPIDEMIOLOGIC YIELD PER 1,000 PERSONS EXAMINED
Cases Brought or Returned to Treatment
Continental United States

July - September 1958

| Source | U. S. | Region | | | | | | | | |
|-------------------------------------------|-------|--------|-----|-----|-----|-----|-----|-----|------|-----|
| | | I | II | III | IV | V | VI | VII | VIII | IX |
| Private Physician | | | | | | | | | | |
| P & S Syphilis Contacts | | | | | | | | | | |
| P & S Syphilis | 150 | 0 | 148 | 154 | 123 | 80 | 173 | 171 | 0 | 0 |
| Early Latent | 50 | 0 | 86 | 77 | 0 | 0 | 19 | 86 | 0 | 0 |
| Other Syphilis | 9 | 0 | 8 | 0 | 18 | 0 | 0 | 29 | 0 | 0 |
| Gonorrhoea | 22 | 0 | 8 | 0 | 105 | 0 | 0 | 0 | 0 | 0 |
| Other V.D. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Prophylactic Rx. | 172 | 0 | 234 | 0 | 193 | 240 | 38 | 171 | 0 | 0 |
| Clinic-P & S Syphilis Contacts | | | | | | | | | | |
| P & S Syphilis | 91 | 250 | 65 | 64 | 98 | 78 | 111 | 113 | 250 | 79 |
| Early Latent | 55 | 0 | 86 | 64 | 37 | 59 | 67 | 65 | 0 | 65 |
| Other Syphilis | 12 | 0 | 34 | 23 | 10 | 8 | 22 | 5 | 0 | 5 |
| Gonorrhoea | 10 | 0 | 0 | 14 | 15 | 8 | 0 | 10 | 0 | 0 |
| Other V.D. | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| Prophylactic Rx. | 177 | 0 | 253 | 281 | 130 | 263 | 289 | 222 | 250 | 21 |
| Clinic-Gonorrhoea Contacts | | | | | | | | | | |
| P & S Syphilis | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Early Latent | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| Other Syphilis | 1 | 0 | 1 | 1 | 1 | 1 | 0 | 0 | 0 | 0 |
| Gonorrhoea | 415 | 233 | 263 | 638 | 497 | 301 | 198 | 455 | 513 | 294 |
| Other V.D. | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| Prophylactic Rx. | 411 | 320 | 619 | 208 | 369 | 535 | 587 | 238 | 218 | 592 |
| All Military Contacts | | | | | | | | | | |
| P & S Syphilis | 7 | 0 | 0 | 8 | 6 | 0 | 8 | 0 | 0 | 13 |
| Early Latent | 32 | 11 | 15 | 2 | 6 | 0 | 8 | 3 | 0 | 0 |
| Other Syphilis | 25 | 0 | 0 | 0 | 1 | 7 | 0 | 0 | 22 | 0 |
| Gonorrhoea | 330 | 344 | 219 | 509 | 313 | 248 | 344 | 521 | 356 | 369 |
| Other V.D. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Prophylactic Rx. | 291 | 367 | 445 | 313 | 464 | 324 | 262 | 233 | 178 | 356 |
| All Clinic Contacts | | | | | | | | | | |
| P & S Syphilis | 11 | 23 | 8 | 8 | 17 | 6 | 5 | 12 | 7 | 14 |
| Early Latent | 1 | 6 | 15 | 12 | 10 | 7 | 4 | 13 | 7 | 15 |
| Other Syphilis | 8 | 6 | 13 | 11 | 6 | 6 | 3 | 9 | 28 | 5 |
| Gonorrhoea | 299 | 149 | 193 | 446 | 354 | 219 | 164 | 314 | 434 | 203 |
| Other V.D. | 1 | 0 | 0 | 1 | 3 | 0 | 0 | 0 | 0 | 1 |
| Prophylactic Rx. | 325 | 205 | 480 | 193 | 292 | 409 | 525 | 199 | 189 | 412 |
| All Clinic Other Suspects | | | | | | | | | | |
| P & S Syphilis | 9 | 4 | 9 | 6 | 14 | 6 | 2 | 7 | 7 | 9 |
| Early Latent | 34 | 11 | 32 | 48 | 23 | 39 | 19 | 38 | 34 | 56 |
| Other Syphilis | 166 | 78 | 162 | 241 | 90 | 210 | 187 | 213 | 27 | 137 |
| Gonorrhoea | 39 | 48 | 5 | 13 | 49 | 27 | 78 | 77 | 479 | 19 |
| Other V.D. | 1 | 1 | 0 | 1 | 2 | 0 | 0 | 1 | 7 | 0 |
| Prophylactic Rx. | 13 | 8 | 26 | 19 | 11 | 10 | 6 | 3 | 0 | 13 |
| All Persons Examined | | | | | | | | | | |
| P & S Syphilis | 11 | 8 | 14 | 8 | 16 | 5 | 6 | 10 | 12 | 11 |
| Early Latent | 26 | 11 | 36 | 31 | 17 | 26 | 11 | 29 | 21 | 31 |
| Other Syphilis | 92 | 58 | 113 | 120 | 52 | 116 | 90 | 107 | 26 | 60 |
| Gonorrhoea | 161 | 90 | 76 | 210 | 195 | 112 | 151 | 201 | 408 | 141 |
| Other V.D. | 1 | 2 | 1 | 1 | 2 | 0 | 0 | 0 | 2 | 0 |
| Prophylactic Rx. | 156 | 68 | 201 | 101 | 157 | 189 | 172 | 101 | 103 | 244 |

Source: Form PHS - 2127
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
2/5/59 MFR/LBH: gh

DIAGNOSTIC OBSERVATIONS FOR VENEREAL DISEASE IN PUBLIC CLINICS

July - September 1958

| States By HEW Regions | Diagnostic Observations Completed* | | | Persons Infected | | Persons Given Prophylactic Treatment |
|--------------------------------|------------------------------------|------------------------------------------|-----------------------|------------------|----------------------------|--------------------------------------------|
| | Number | Annual Rate Per 100,000 Population | Ratio To Last Year | Number | Percent of Observations | |
| Connecticut | 43 | 7.47 | .09 | 27 | 62.8 | 4 |
| Massachusetts | 790 | 65.66 | 1.05 | 486 | 61.5 | 94 |
| Rhode Island | 130 | 61.83 | 1.38 | 34 | 26.2 | 33 |
| REGION I TOTAL | 963 | 48.40 | .73 | 547 | 56.8 | 131 |
| Delaware | 715 | 641.26 | 1.82 | 451 | 63.1 | 47 |
| New Jersey | 7011 | 492.26 | .58 | 1060 | 15.1 | 399 |
| New York | 16111 | 398.20 | .93 | 4900 | 30.4 | 1799 |
| Pennsylvania** | 1801 | 326.12 | .18 | 928 | 51.5 | 854 |
| REGION II TOTAL | 25638 | 417.97 | .64 | 7339 | 28.6 | 3099 |
| District of Columbia | 22308 | 11098.51 | 1.13 | 5398 | 24.2 | 242 |
| Kentucky | 14388 | 1896.91 | 1.26 | 1228 | 8.5 | 12 |
| Maryland | 4311 | 594.83 | .57 | 2136 | 49.5 | 499 |
| North Carolina | 55873 | 4998.71 | .88 | 4135 | 7.4 | 849 |
| Virginia | 13831 | 1462.83 | 1.23 | 2331 | 16.9 | 155 |
| West Virginia | 6430 | 1306.91 | 1.12 | 411 | 6.4 | 15 |
| REGION III TOTAL | 117141 | 2763.13 | .98 | 15639 | 13.4 | 1772 |
| Alabama | 5802 | 728.67 | 1.05 | 1041 | 17.9 | 1076 |
| Florida | 49477 | 4551.71 | .90 | 3406 | 6.9 | 534 |
| Georgia | 59774 | 6377.60 | .99 | 6070 | 10.2 | 2014 |
| Mississippi | 41936 | 7733.71 | 1.22 | 3583 | 8.5 | 825 |
| South Carolina | 15183 | 2588.75 | .92 | 1416 | 9.3 | 147 |
| Tennessee | 8412 | 975.02 | .78 | 3326 | 39.5 | 555 |
| REGION IV TOTAL | 180584 | 3752.82 | .99 | 18842 | 10.4 | 5151 |
| Illinois | 20306 | 825.54 | .76 | 819 | 4.0 | 332 |
| Indiana | 856 | 74.86 | 1.12 | 588 | 68.7 | 0 |
| Michigan | 10442 | 532.08 | 1.08 | 4250 | 40.7 | 836 |
| Ohio | 14313 | 614.10 | 1.05 | 2123 | 14.8 | 3600 |
| Wisconsin | 563 | 57.27 | 1.13 | 288 | 51.2 | 0 |
| REGION V TOTAL | 46480 | 523.46 | .91 | 8068 | 17.4 | 4768 |
| Iowa | 134 | 19.01 | 1.49 | 84 | 62.7 | 8 |
| Kansas | 2105 | 405.00 | 1.40 | 317 | 15.1 | 62 |
| Minnesota | 692 | 82.14 | .86 | 95 | 13.7 | 1 |
| Missouri | 14006 | 1321.01 | 1.19 | 3332 | 23.8 | 445 |
| Nebraska | 944 | 261.50 | .78 | 75 | 7.9 | 0 |
| South Dakota | 229 | 132.37 | 1.42 | 33 | 14.4 | 5 |
| REGION VI TOTAL | 18110 | 494.61 | 1.17 | 3936 | 21.7 | 521 |
| Arkansas | 24703 | 5649.63 | 1.29 | 1458 | 5.9 | 127 |
| Louisiana | 24726 | 3214.30 | .63 | 3113 | 12.6 | 247 |
| New Mexico | 2130 | 1044.12 | .96 | 204 | 9.6 | 70 |
| Oklahoma | 8281 | 1472.18 | .98 | 1035 | 12.5 | 377 |
| Texas | 43460 | 1888.34 | .97 | 5532 | 12.7 | 990 |
| REGION VII TOTAL | 103300 | 2416.70 | .91 | 11342 | 11.0 | 1811 |
| Colorado | 5059 | 1206.68 | 1.23 | 266 | 5.3 | 44 |
| Idaho | 1228 | 746.50 | .90 | 65 | 5.3 | 3 |
| Utah | 27 | 12.54 | .47 | 6 | 22.2 | 0 |
| Wyoming | 188 | 237.97 | .84 | 13 | 6.9 | 4 |
| REGION VIII TOTAL | 6502 | 740.55 | 1.10 | 350 | 5.4 | 51 |
| Alaska | 11 | 26.35 | .52 | 6 | 54.5 | 1 |
| Arizona | 15640 | 5595.71 | .88 | 932 | 6.0 | 4 |
| Nevada | 126 | 195.35 | 1.50 | 56 | 44.4 | 6 |
| Oregon | 1225 | 277.15 | 1.21 | 232 | 18.9 | 57 |
| Washington | 3842 | 567.92 | .79 | 395 | 10.3 | 259 |
| REGION IX TOTAL | 20844 | 1385.68 | .88 | 1621 | 7.8 | 327 |
| CONTINENTAL U. S. | 519562 | 1428.48 | .93 | 67684 | 13.0 | 17631 |
| Puerto Rico | 45932 | 7967.39 | .77 | 2422 | 5.3 | 2170 |
| Hawaii | 152 | 105.19 | 1.08 | 21 | 13.8 | 7 |
| TERRITORY TOTAL | 46084 | 6391.68 | .77 | 2443 | 5.3 | 2177 |
| U. S. & TERRITORIES | 565646 | 1524.95 | .92 | 70127 | 12.4 | 19808 |
| Cities (incl. above) | | | | | | |
| Detroit | 4138 | 848.82 | 1.08 | 1851 | 44.7 | 333 |
| New York | 10385 | 533.59 | 1.03 | 4423 | 42.6 | 1771 |
| Philadelphia | 1801 | 326.12 | .18 | 928 | 51.5 | 854 |
| Pittsburgh | N.A. | | | | | 438 |
| Baltimore | 2780 | 1137.01 | 1.05 | 2033 | 73.1 | 1945 |
| Chicago | 33238 | 3467.71 | 1.46 | 6348 | 19.1 | |

* A diagnostic observation is an examination of a person to determine the presence or absence of venereal disease (other than observations to determine response to therapy). Observations are excluded for persons given prophylactic treatment, transferred to another clinic, or lapsing from observation before the diagnosis is completed.
 ** City of Philadelphia only.

Source: Form PHS - 721-1
 HEW-PHS-BSS-CDC-VD Branch
 Office of Statistics
 2/6/59 GH/MFR: gh