

May 1959
Issue No. 61

VD **STATISTICAL LETTER**



U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
Public Health Service

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
Public Health Service
Bureau of State Services – Communicable Disease Center
Venereal Disease Branch
Office of Statistics

LIMITED EDITION

This paper has been prepared for a
special audience, and should not be
listed in reading lists or periodicals
as available on request.

C O N T E N T S

	Page
NOTE - SELECTIVE BLOODTESTING FOR FISCAL YEAR 1958	1
MORBIDITY FOR OCTOBER - DECEMBER 1958:	
Summary, United States (Excluding Territories), By Race, Sex, and Disease	2
By State and Territory:	
By Disease and Reporting Source	3
By Disease	4
Rates per 100,000 population, By Disease	5
By Cities:	
By Disease	6
Rates per 100,000 population, By Disease	7
EPIDEMIOLOGICAL ACTIVITY FOR OCTOBER - DECEMBER 1958:	
By State and Territory:	
Investigations and Percent of Suspects Examined:	
1 - Health Department Patients	8
11 - Private Physician Patients	9
111 - Military	10
Contacts Obtained from Health Department Clinic and Private Physician Patients:	
1 - Primary and Secondary Syphilis	11
11 - Early Latent Syphilis	12
111 - Gonorrhoea	13
By Regions:	
Yield per 1,000 Persons Examined	14
DIAGNOSTIC OBSERVATIONS IN PUBLIC CLINICS:	
By State and Territory:	
October - December 1958	15
MORTALITY FOR 1946 - 1956:	
By State:	
Due to Syphilis	16
Due to Paresis	17
Due to Syphilis, Except Paresis	18
SYPHILIS INFANT MORTALITY FOR YEARS 1946 - 1956:	
By State:	
Total	19
White	20
Nonwhite	21
SELECTIVE BLOODTESTING FOR FISCAL YEAR 1958	22

RESULTS OF SELECTIVE BLOODTESTING FISCAL YEAR 1958

On page 22 are the results of selective bloodtesting reported to the Public Health Service in Fiscal Year 1958.

Selective bloodtesting is the testing of certain people or groups of people who are known or suspected of having a high prevalence of syphilis. In Fiscal Year 1958, such bloodtesting programs were conducted in 42 states, the District of Columbia, and Puerto Rico.

A considerable proportion of reports submitted for the Fiscal Year did not specify the type of group tested. Under the assumption that such reports failed to specify the group tested because in fact it was a general population group, such unspecified reports were categorized as general population. To the extent that this assumption is wrong, the results of testing general population groups may be in error. Otherwise, groups were categorized only as indicated on the report.

The type of testing selected in any given area should be selected as far as possible on previous knowledge of the syphilis problem to ensure the best yield of syphilis. Only in the absence of such knowledge should the data on page 22 be used as a guide in selecting the selective groups.

VENEREAL DISEASE MORBIDITY SUMMARY
UNITED STATES TOTAL
(Excluding Territories)

October - December 1958

SOURCE OF REPORT	COLOR AND SEX		TOTAL SYPHILIS	SYPHILIS					GONORRHEA	OTHER VD			TOTAL OTHER VD
				Primary and Secondary	Early Latent	Late and Late Latent	Congenital	Not Stated		Chancroid	Granuloma Inguinale	Lympho-granuloma Venereum	
BY PRIVATE PHYSICIANS	White and Unknown	Male ¹¹¹	4266	341	478	3213	135	99	4470	15	3	1	19
		Female ¹¹²	3424	83	422	2520	281	118	1211	1	1		2
	Nonwhite	Male ¹²¹	2610	212	382	1868	69	79	4587	21	4	8	33
		Female ¹²²	3272	132	608	2313	123	96	1298	7	2	4	13
	Total, ^{1XX}		13572	768	1890	9914	608	392	11566	44	10	13	67
BY CLINICS, HOSPITALS, OR OTHER INSTITUTIONS	White and Unknown	Male ²¹¹	2717	293	332	1979	76	37	4433	55	3	1	59
		Female ²¹²	1614	59	251	1202	75	27	2556	4		1	5
	Nonwhite	Male ²²¹	6353	564	917	4571	231	70	26821	264	35	86	385
		Female ²²²	5736	341	913	4117	336	29	13477	60	21	25	106
	Total, ^{2XX}		16420	1257	2413	11869	718	163	47287	383	59	113	555
TOTAL ALL SOURCES	White and Unknown	Male ³¹¹	6983	634	810	5192	211	136	8903	70	6	2	78
		Female ³¹²	5038	142	673	2722	356	145	3767	5	1	1	7
	Nonwhite	Male ³²¹	8963	776	1299	6439	300	149	31408	285	39	94	418
		Female ³²²	9008	473	1521	6430	459	125	14775	67	23	29	119
	Total, ^{3XX}		29992	2025	4303	21783	1326	555	58853	427	69	126	622

Source: Form PHS - 688
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
4/30/59 LBH/MFR: gh

CASES OF SYPHILIS AND GONORRHEA REPORTED TO THE PUBLIC HEALTH SERVICE
BY STATE AND TERRITORIAL HEALTH DEPARTMENTS
AND
CASES REPORTED BY PRIVATE PHYSICIANS AS A PERCENTAGE OF TOTAL CASES
(Known Military Cases Excluded)

October - December 1958

States By NEW Regions	SYPHILIS									CONCENTRAL			GONORRHEA					
	TOTAL SYPHILIS*			PRIMARY AND SECONDARY			EARLY LATENT			LATE AND LATE LATENT			Total	Private	Per-	Total	Private	Per-
	All	Private	Per-	All	Private	Per-	All	Private	Per-	All	Private	Per-	All	Physi-	cent	All	Physi-	cent
	Sources	cians	cent	Sources	cians	cent	Sources	cians	cent	Sources	cians	cent	Sources	cians	cent	Sources	cians	cent
Connecticut	159	91	57.2	21	10	47.6	39	22	56.4	87	51	58.6	5	4	80.0	354	199	56.2
Maine	13	6	46.2	0	0	-	2	1	50.0	9	3	33.3	2	2	100.0	21	16	76.2
Massachusetts	800	297	37.1	65	33	50.8	93	58	62.4	600	186	31.0	42	20	47.6	408	135	33.1
New Hampshire	20	17	85.0	0	0	-	2	2	100.0	14	12	85.7	4	4	100.0	12	12	100.0
Rhode Island	104	67	64.4	3	2	66.7	12	8	66.7	51	39	76.5	7	5	71.4	31	21	67.7
Vermont	4	4	100.0	1	1	100.0	1	1	100.0	2	2	100.0	0	0	-	27	27	100.0
REGION I TOTAL	1100	482	43.8	90	46	51.1	149	91	61.1	763	293	38.4	60	35	58.3	853	410	48.1
Delaware	236	52	22.0	6	1	16.7	29	9	31.0	177	32	18.1	15	5	33.3	171	73	42.7
New Jersey	1680	554	33.0	100	45	45.0	150	60	40.0	1375	424	30.8	55	25	45.5	1050	438	41.7
New York	4095	1372	33.5	369	159	43.1	493	126	25.6	3129	1053	33.7	104	34	32.7	5106	1222	23.9
Pennsylvania	3237	2014	62.2	63	25	39.7	184	278	57.4	2525	1600	63.4	165	111	67.3	1944	351	18.1
REGION II TOTAL	9248	3992	43.2	538	230	42.8	1156	473	40.9	7806	3109	39.8	339	175	51.6	8271	2084	25.2
District of Columbia	428	127	29.7	41	7	17.1	70	16	22.9	307	102	33.2	10	2	20.0	2577	63	2.4
Kentucky	521	380	72.9	8	5	62.5	21	11	52.4	410	298	72.7	15	14	93.3	788	120	15.2
Maryland	701	176	25.1	53	15	28.3	68	16	23.5	532	132	24.8	21	9	42.9	1951	187	9.6
North Carolina	1132	534	47.2	70	7	10.0	150	80	53.3	886	425	49.6	56	22	39.3	2547	243	9.5
Virginia	928	420	45.3	23	8	34.8	104	55	52.9	747	324	43.4	33	19	57.6	1691	349	20.6
West Virginia	346	227	65.6	8	4	50.0	32	17	53.1	266	175	65.8	40	31	77.5	357	117	32.8
REGION III TOTAL	4056	1864	46.0	203	46	22.7	445	195	43.8	3118	1456	46.7	175	97	55.4	9911	1079	10.9
Alabama	298	150	50.3	56	37	66.1	124	49	39.5	92	52	56.5	7	3	42.9	871	253	29.0
Florida	718	369	51.4	50	11	22.0	161	90	55.9	452	245	54.2	55	23	41.8	2857	76	2.7
Georgia	792	488	61.6	179	47	26.3	181	105	58.0	347	262	75.5	27	19	70.4	3477	282	8.1
Mississippi	151	36	23.8	17	5	29.4	28	7	25.0	84	21	25.0	22	3	13.6	1541	109	7.1
South Carolina	1020	594	58.2	63	40	63.5	158	105	66.5	723	419	58.0	76	30	39.5	1220	158	13.0
Tennessee	352	125	35.5	61	6	9.8	58	10	17.2	212	104	49.1	21	5	23.8	2884	247	8.6
REGION IV TOTAL	3331	1762	52.9	426	146	34.3	710	366	51.5	1910	1103	57.7	208	83	39.9	12850	1125	8.8
Illinois	1920	502	26.1	142	50	35.2	267	70	26.2	1824	362	25.4	87	20	23.0	4837	762	15.8
Indiana	327	241	73.7	24	15	62.5	33	26	78.8	245	182	74.3	25	18	72.0	522	134	25.7
Michigan	1079	505	46.8	21	9	42.9	151	92	60.9	667	274	41.1	73	29	39.7	2249	594	26.4
Ohio	1090	570	52.3	22	11	50.0	190	105	55.3	838	429	51.2	40	25	62.5	2225	497	22.3
Wisconsin	221	203	91.9	15	12	80.0	22	12	54.5	134	131	97.8	12	10	83.3	278	90	32.4
REGION V TOTAL	4637	2021	43.6	224	97	43.3	663	305	46.0	3308	1378	41.7	237	102	43.0	10111	2077	20.5
Iowa	307	259	84.4	3	2	66.7	4	4	100.0	276	236	85.5	22	16	72.7	252	182	72.2
Kansas	312	222	71.2	12	8	66.7	26	19	73.1	262	189	72.1	12	6	50.0	343	103	30.0
Minnesota	30	23	76.7	7	5	71.4	3	3	100.0	19	14	73.7	1	1	100.0	221	116	52.5
Missouri	807	280	34.7	24	10	41.7	85	20	23.5	674	235	34.9	21	12	57.1	1665	252	15.1
Nebraska	29	20	69.0	1	1	100.0	0	0	-	23	16	69.6	3	2	66.7	237	137	57.8
North Dakota	5	5	100.0	1	1	100.0	0	0	-	4	4	100.0	0	0	-	89	89	100.0
South Dakota	34	19	55.9	1	1	100.0	2	1	50.0	28	14	50.0	3	3	100.0	120	28	23.3
REGION VI TOTAL	1524	828	54.3	49	28	57.1	122	48	39.3	1286	708	55.1	62	40	64.5	2927	907	31.0
Arkansas	621	178	28.7	53	26	49.1	66	24	36.4	467	118	25.3	35	10	28.6	1110	719	64.8
Louisiana	1390	418	30.1	40	7	17.5	227	51	22.5	1060	350	33.0	58	8	13.8	1408	165	11.7
New Mexico	257	126	49.0	12	7	58.3	65	24	36.9	167	85	50.9	10	7	70.0	390	165	42.3
Oklahoma	451	293	65.0	11	3	27.3	52	29	55.8	367	247	67.3	21	14	66.7	1078	307	28.5
Texas	816	280	34.3	101	28	27.7	201	39	19.4	413	137	33.2	30	5	16.7	3830	1310	34.2
REGION VII TOTAL	3535	1295	36.6	217	71	32.7	611	167	27.3	2474	937	37.9	154	44	28.6	7816	2566	32.8
Colorado	117	78	66.7	6	2	33.3	12	7	58.3	96	66	68.8	3	3	100.0	204	34	16.7
Idaho	16	8	50.0	0	0	-	6	3	50.0	10	5	50.0	0	0	-	95	20	21.1
Montana	36	32	88.9	7	7	100.0	3	0	0	19	18	94.8	1	1	100.0	84	73	86.9
Utah	51	39	76.5	6	6	100.0	2	2	100.0	33	30	90.9	10	1	10.0	63	47	74.6
Wyoming	8	4	50.0	1	0	0	2	1	50.0	2	1	50.0	0	0	-	7	7	100.0
REGION VIII TOTAL	228	161	70.6	20	15	75.0	25	13	52.0	160	120	75.0	14	5	35.7	453	181	40.0
Alaska	7	2	28.6	1	0	0	1	0	0	4	1	25.0	0	0	-	60	11	18.3
Arizona	647	581	89.8	32	26	81.3	142	135	95.1	467	418	89.5	6	2	33.3	617	295	47.8
California	1440	445	30.9	212	59	27.8	254	82	32.3	902	280	31.0	55	16	29.1	4169	629	15.1
Nevada	26	15	57.8	1	1	100.0	10	8	80.0	14	5	35.7	1	1	100.0	115	24	20.9
Oregon	123	77	62.6	1	0	0	7	4	57.1	106	68	64.2	9	5	55.6	221	73	33.0
Washington	90	47	52.2	11	3	27.3	8	3	37.5	65	38	58.5	6	3	50.0	479	105	21.9
Washington	2333	1167	50.0	258	89	34.5	422	232	55.0	1558	810	52.0	77	27	35.1	5661	1137	20.1
REGION IX TOTAL	2333	1167	50.0	258	89	34.5	422	232	55.0	1558	810	52.0	77	27	35.1	5661	1137	20.1
U. S. TOTAL	29992	13572	45.3	2025	768	37.9	4303	1890	43.9	21783	9914	45.5	1326	608	45.9	58853	11566	19.7
Puerto Rico	342	0	0	11	0	0	105	0	0	189	0	0	37	0	0	715	0	0
Virgin Islands	13	2	15.4	0	0	0	6	0	0	6	2	33.3	1	0	0	10	0	0
Hawaii	27	11	40.7	2	0	0	2	1	50.0	16	5	31.3	6	4	66.7	58	27	46.6
Canal Zone	19	0	0	1	0	0	0	0	0	10	0	0	0	0	0	76	0	0
TERRITORY TOTAL	401	13	3.2	14	0	0	113	1	0.9	221	7	3.2	44	4	9.1	859	27	3.1
U. S. & TERRITORIES	30393	13585	44.7	2039	768	37.7	4416	1891	42.8	22004	9921	45.1	1370	612	44.7	59712	11593	19.4

* Includes cases with stage "not stated."

Source: Form PHS - 688
HEW

CASES OF VENEREAL DISEASE REPORTED TO THE PUBLIC HEALTH SERVICE
BY STATE AND TERRITORIAL HEALTH DEPARTMENTS
(Known Military Cases Excluded)

October - December 1958

States By HEW Regions	SYPHILIS					GONORRHEA	CHANCROID	GRANULOMA- INGUINALE	LYMPHO- GRANULOMA VENEREUM
	Total Syphilis	Primary & Secondary	Early Latent	Late & Late Latent	Congenital				
Connecticut	159	21	39	87	5	354	0	1	1
Maine	13	0	2	9	2	21	0	0	0
Massachusetts	800	65	93	600	42	408	2	0	0
New Hampshire	20	0	2	14	4	12	0	0	0
Rhode Island	104	3	12	51	7	31	0	0	0
Vermont	4	1	1	2	0	27	0	0	0
REGION I TOTAL	1100	90	149	763	60	853	2	1	1
Delaware	236	6	29	177	15	171	0	0	3
New Jersey	1680	100	150	1375	55	1050	0	0	0
New York	4095	369	493	3129	104	5106	41	4	0
Pennsylvania	3237	63	484	2525	165	1944	2	1	0
REGION II TOTAL	9248	538	1156	7206	339	8271	43	5	8
District of Columbia	428	41	70	307	10	2577	10	3	13
Kentucky	521	8	21	410	15	788	1	0	0
Maryland	701	53	68	532	21	1951	6	5	1
North Carolina	1132	70	150	856	56	2547	30	9	4
Virginia	928	23	104	747	33	1691	3	3	0
West Virginia	346	8	32	266	40	357	1	0	0
REGION III TOTAL	4056	203	445	3118	175	9911	51	20	21
Alabama	298	56	124	92	7	871	9	3	9
Florida	718	50	161	452	55	2857	60	3	7
Georgia	792	179	181	347	27	3477	39	9	24
Mississippi	151	17	28	84	22	1541	16	2	11
South Carolina	1020	63	158	723	76	1220	11	4	5
Tennessee	352	61	58	212	21	2884	2	4	4
REGION IV TOTAL	3331	426	710	1910	208	12850	137	25	60
Illinois	1920	142	267	1424	87	4837	20	3	6
Indiana	327	24	33	245	25	522	0	0	0
Michigan	1079	21	151	667	73	2249	49	0	4
Ohio	1090	22	190	838	40	2225	10	0	0
Wisconsin	221	15	22	134	12	278	0	0	0
REGION V TOTAL	4637	224	663	3308	237	10111	79	3	13
Iowa	307	3	4	276	22	252	0	1	0
Kansas	312	12	26	262	12	343	1	0	0
Minnesota	30	7	3	19	1	221	0	0	0
Missouri	807	24	85	674	21	1665	28	4	0
Nebraska	29	1	2	23	3	237	0	0	0
North Dakota	5	1	0	4	0	89	1	0	0
South Dakota	34	1	2	28	3	120	0	0	0
REGION VI TOTAL	1524	49	122	1286	62	2927	30	5	0
Arkansas	621	53	66	467	35	1110	0	1	2
Louisiana	1390	40	227	1060	58	1408	25	2	6
New Mexico	257	12	65	167	10	390	1	0	0
Oklahoma	451	11	52	367	21	1078	7	0	0
Texas	816	101	201	413	30	3830	28	3	12
REGION VII TOTAL	3535	217	611	2474	154	7816	61	6	20
Colorado	117	6	12	96	3	204	5	0	0
Idaho	16	0	6	10	0	95	0	0	0
Montana	36	7	3	19	1	84	0	0	0
Utah	51	6	2	33	10	63	0	0	0
Wyoming	8	1	2	2	0	7	0	0	0
REGION VIII TOTAL	228	20	25	160	14	453	5	0	0
Alaska	7	1	1	4	0	60	0	0	0
Arizona	647	32	142	467	6	617	6	1	3
California	1440	212	254	902	55	4169	9	1	0
Nevada	26	1	10	14	1	115	3	0	0
Oregon	123	1	7	106	9	221	0	1	0
Washington	90	11	8	65	6	479	1	1	3
REGION IX TOTAL	2333	258	422	1558	77	5661	19	4	0
U. S. TOTAL	29992	2025	4303	21783	1326	58853	427	69	126
Puerto Rico	342	11	105	189	37	715	12	0	0
Virgin Islands	13	0	6	6	1	10	0	0	0
Hawaii	27	2	2	16	6	58	7	0	0
Canal Zone	19	1	0	10	0	76	1	0	0
TERRITORY TOTAL	401	14	113	221	44	859	20	0	0
U. S. & TERRITORIES	30393	2039	4416	22004	1370	59712	447	69	126

* Includes cases with stage "not stated".

Source: Form PHS - 688
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
3/23/59 LBH/MFR: gh

RATES OF VENEREAL DISEASE REPORTED TO THE PUBLIC HEALTH SERVICE
BY STATE AND TERRITORIAL HEALTH DEPARTMENTS
(Known Military Cases Excluded)
Rates per 100,000 Population

October - December 1958

States By HEW Regions	SYPHILIS					GONORRHEA	CHANCROID	GRANULOMA- INGUINALE	LYMPHO- GRANULOMA VENEREUM
	Total* Syphilia	Primary & Secondary	Early Latent	Late & Late Latent	Congenital				
Connecticut	27.60	3.65	6.77	15.10	.87	61.46	.00	.17	.17
Maine	5.56	.00	.86	3.85	.86	8.98	.00	.00	.00
Massachusetts	66.49	5.40	7.73	49.86	3.49	33.91	.17	.00	.00
New Hampshire	13.86	.00	1.39	9.71	2.77	8.32	.00	.00	.00
Rhode Island	49.46	1.43	5.71	24.26	3.33	14.74	.00	.00	.00
Vermont	4.32	1.08	1.08	2.16	.00	29.19	.00	.00	.00
REGION I TOTAL	44.72	3.66	6.06	31.02	2.44	34.67	.08	.04	.04
Delaware	211.66	5.38	26.01	158.74	13.45	153.36	.00	.00	2.69
New Jersey	117.96	7.02	10.53	96.54	3.86	73.72	.00	.10	.12
New York	101.21	9.12	12.18	77.34	2.57	126.20	.07	.04	.00
Pennsylvania	116.85	2.27	17.47	91.15	5.96	70.17	.51	.06	.10
REGION II TOTAL	110.73	6.44	13.84	86.28	4.06	99.03			
District of Columbia	212.94	20.40	34.83	152.74	4.98	1282.09	4.98	1.49	6.47
Kentucky	68.69	1.05	2.77	54.05	1.98	103.89	.13	.00	.00
Maryland	96.72	7.31	9.38	73.40	2.90	269.26	.83	.69	.14
North Carolina	101.27	6.26	13.42	76.58	5.01	227.87	2.68	.81	.36
Virginia	98.15	2.43	11.00	79.01	3.49	178.85	.32	.32	.32
West Virginia	70.32	1.63	6.50	54.07	8.13	72.56	.20	.00	.00
REGION III TOTAL	95.67	4.79	10.50	73.55	4.12	233.78	1.20	.47	.50
Alabama	37.43	7.03	15.57	11.55	.88	109.39	1.13	.38	1.13
Florida	66.05	4.60	14.81	41.58	5.06	262.83	5.52	.28	.64
Georgia	84.50	19.10	19.31	37.02	2.88	370.98	4.16	.96	2.56
Mississippi	27.85	3.14	5.16	15.49	4.06	284.19	2.95	.37	2.03
South Carolina	173.91	10.74	26.94	123.27	12.96	208.01	1.88	.68	.85
Tennessee	40.80	7.07	6.72	24.57	2.43	334.28	.23	.46	.46
REGION IV TOTAL	69.22	8.85	14.75	39.69	4.32	267.04	2.85	.52	1.25
Illinois	78.06	5.77	10.85	57.89	3.54	196.65	.81	.12	.24
Indiana	28.60	2.10	2.89	21.43	2.19	45.65	.00	.00	.00
Michigan	54.98	1.07	7.69	33.99	3.72	114.60	2.50	.00	.00
Ohio	46.77	.94	8.15	35.95	1.72	95.46	.43	.00	.17
Wisconsin	22.48	1.53	2.24	13.63	1.22	28.28	.00	.00	.00
REGION V TOTAL	52.22	2.52	7.47	37.25	2.67	113.87	.89	.03	.15
Iowa	43.55	.43	.57	39.15	3.12	35.74	.00	.14	.00
Kansas	60.03	2.31	5.00	50.41	2.31	65.99	.19	.00	.00
Minnesota	3.56	.83	.36	2.26	.12	26.23	.00	.00	.00
Missouri	76.11	2.26	8.02	63.57	1.98	157.04	2.64	.38	.00
Nebraska	8.03	.28	.55	6.37	.83	65.65	.00	.00	.00
North Dakota	3.08	.62	.00	2.47	.00	54.85	.62	.00	.00
South Dakota	19.65	.58	1.16	16.18	1.74	69.36	.00	.00	.00
REGION VI TOTAL	39.86	1.28	3.19	33.63	1.62	76.55	.78	.13	.00
Arkansas	142.02	12.12	15.09	106.80	8.00	253.86	.00	.23	.46
Louisiana	180.70	5.20	29.51	137.80	7.54	183.04	3.25	.26	.78
New Mexico	125.98	5.88	31.86	81.86	4.90	191.18	.49	.00	.00
Oklahoma	80.18	1.96	9.24	65.24	3.73	191.64	1.24	.00	.00
Texas	35.46	4.39	8.73	17.94	1.30	166.41	1.22	.13	.52
REGION VII TOTAL	82.70	5.08	14.29	57.88	3.60	182.85	1.43	.14	.47
Colorado	27.91	1.43	2.86	22.90	.72	48.66	1.19	.00	.00
Idaho	9.73	.00	3.65	6.08	.00	57.75	.00	.00	.00
Montana	21.11	4.11	1.76	11.14	.59	49.27	.00	.00	.00
Utah	23.69	2.79	.93	15.33	4.65	29.27	.00	.00	.00
Wyoming	10.12	1.27	2.53	2.53	.00	8.86	.00	.00	.00
REGION VIII TOTAL	21.75	1.91	2.38	15.26	1.34	43.20	.48	.00	.00
Alaska	16.77	.40	2.40	9.58	.00	143.71	.00	.00	.00
Arizona	231.48	11.45	50.81	167.08	2.15	220.75	2.15	.36	.00
California	41.07	6.05	7.24	25.73	1.57	118.90	.26	.03	.09
Nevada	40.31	1.55	15.50	21.71	1.55	178.29	4.65	.00	.00
Oregon	27.83	.23	1.58	23.98	2.04	50.00	.00	.23	.00
Washington	13.30	1.63	1.18	9.61	.89	70.81	.15	.15	.00
REGION IX TOTAL	46.56	5.15	8.42	31.10	1.54	112.99	.38	.08	.06
U. S. TOTAL	69.28	4.68	9.94	50.32	3.06	135.94	.99	.16	.29
Puerto Rico	59.32	1.91	18.21	32.78	6.42	124.02	2.08	.00	.00
Virgin Islands	200.00	.00	92.31	92.31	15.38	153.85	.00	.00	.00
Hawaii	18.69	1.38	1.38	11.07	4.15	40.14	4.84	.00	.00
Samal Zone	194.87	10.26	.00	102.56	.00	779.48	10.26	.00	.00
TERRITORY TOTAL	54.39	1.90	15.33	29.98	5.97	116.51	2.71	.00	.00
U. S. & TERRITORIES	69.03	4.63	10.03	49.98	3.11	135.62	1.02	.16	.29

* Includes cases with stage "not stated".

Source: Form PHS - 688
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
3/20/59 LBB/MFR: gh

CASES OF VENEREAL DISEASE REPORTED TO THE PUBLIC HEALTH SERVICE
BY CITY HEALTH DEPARTMENTS
(Known Military Cases Excluded)

October - December 1958

Cities	SYPHILIS					GONORRHEA	CHANCROID	GRANULOMA- INGUINALE	LYMHO- GRANULOMA VENEREUM
	Total* Syphilis	Primary and Secondary	Early Latent	Late and Late Latent	Congenital				
Boston	497	32	45	405	15	217	2	0	0
Providence	50	2	4	23	3	19	0	0	0
Worcester	0	0	0	0	0	24	0	0	0
REGION I CITY TOTAL	547	34	49	428	18	260	2	0	0
Buffalo	69	8	4	54	3	310	0	0	0
Jersey City	391	11	38	337	5	127	1	0	0
Newark	199	32	40	119	8	520	0	0	1
New York	3667	332	469	2789	77	4119	41	4	5
Philadelphia	1323	38	193	1051	41	1621	2	1	0
Pittsburgh	402	12	39	333	18	173	0	0	0
Rochester	36	4	1	29	2	131	2	0	0
Syracuse	14	2	1	8	1	162	0	0	0
REGION II CITY TOTAL	6101	439	785	4720	155	7163	46	5	6
Baltimore	340	44	36	224	9	1837	5	3	1
Louisville	144	5	6	124	3	362	0	0	0
Norfolk	205	7	16	180	2	698	1	0	1
Richmond	179	2	28	142	5	301	2	1	0
Washington, D.C.	428	41	70	307	10	2577	10	3	13
REGION III CITY TOTAL	1296	99	156	977	29	5775	18	7	15
Atlanta	102	12	21	61	5	2236	24	4	15
Birmingham	186	5	36	137	5	170	1	2	3
Jacksonville	70	2	9	47	12	599	21	0	1
Memphis	129	26	25	68	10	1418	0	3	0
Miami	100	23	26	46	5	318	3	1	5
REGION IV CITY TOTAL	587	68	117	359	37	4741	49	10	24
Akron	22	5	2	14	1	153	0	0	0
Chicago	1610	130	223	1182	75	4265	15	3	6
Cincinnati	202	0	39	161	2	574	6	0	0
Cleveland	174	4	33	131	6	584	0	0	2
Columbus	97	2	7	83	5	251	1	0	0
Dayton	46	4	7	34	1	191	2	0	0
Detroit	623	9	67	414	40	1354	43	0	0
Indianapolis	126	15	17	89	5	357	0	0	3
Milwaukee	81	6	15	46	3	228	0	0	0
Toledo	77	0	10	62	5	103	0	0	2
REGION V CITY TOTAL	3058	175	420	2216	143	8060	67	3	13
Kansas City	308	3	23	278	4	270	3	2	0
Minneapolis	9	1	0	7	1	118	0	0	0
Omaha	19	1	2	16	0	111	0	0	0
St. Louis	339	10	47	273	9	1204	23	2	0
St. Paul	10	4	2	3	0	36	0	0	0
REGION VI CITY TOTAL	685	19	74	577	14	1739	26	4	0
Dallas	69	11	6	52	0	613	3	2	0
Fort Worth	21	3	11	7	0	246	0	0	0
Houston	415	45	108	241	21	832	21	0	11
New Orleans	533	17	103	404	5	512	19	1	3
Oklahoma City	112	8	17	83	4	421	3	0	0
San Antonio	25	1	5	15	4	143	0	0	0
REGION VII CITY TOTAL	1175	85	250	802	34	2767	46	3	14
Denver	77	5	5	66	1	175	5	0	0
REGION VIII CITY TOTAL	77	5	5	66	1	175	5	0	0
Long Beach	35	0	6	26	3	95	0	0	0
Los Angeles	473	63	93	295	22	1755	2	0	1
Oakland	73	14	6	46	5	317	2	0	1
Portland	54	1	2	49	2	149	0	1	0
San Diego	37	6	7	23	1	160	2	0	0
San Francisco	204	79	31	90	4	536	1	0	1
Seattle	29	9	5	13	2	259	1	0	0
REGION IX CITY TOTAL	905	172	150	542	39	3271	8	1	3
U. S. TOTAL (Cities only)	14431	1096	2006	10687	470	33951	267	33	75
Honolulu	15	2	2	7	3	34	6	0	0
San Juan	71	5	19	43	4	220	5	0	0
TERRITORY CITY TOTAL	86	7	21	50	7	254	11	0	0
U. S. & TERRITORIES (Cities only)	14517	1103	2027	10737	477	34205	278	33	75

* Includes cases with stage "not stated".

Source: Forms PHS - 688 and PHS - 562
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
4/22/59 LBH/MFR: gh

RATES OF VENEREAL DISEASE REPORTED TO THE PUBLIC HEALTH SERVICE
BY CITY HEALTH DEPARTMENTS
(Known Military Cases Excluded)
Rates per 100,000 Population

October - December 1958

Cities	SYPHILIS					GONORRHEA	CHANCROID	GRANULOMA- INGUINALE	LYMPO- GRANULOMA VENEREUM
	Total* Syphilis	Primary and Secondary	Early Latent	Late and Late Latent	Congenital				
Boston	267.92	17.25	24.26	218.33	8.09	116.98	1.08	.00	.00
Providence	86.96	3.48	6.96	4.00	5.22	33.04	.00	.00	.00
Worcester	.00	.00	.00	.00	.00	45.93	.00	.00	.00
REGION I CITY TOTAL	185.27	11.52	16.60	144.96	6.10	88.06	.68	.00	.00
Buffalo	25.53	2.96	1.48	19.98	1.11	114.71	.00	.00	.00
Jersey City	517.88	14.57	50.33	446.36	6.62	168.21	1.32	.00	.00
Newark	175.33	28.19	35.24	104.85	7.05	458.15	.00	.00	.88
New York	188.41	17.06	24.10	143.30	3.96	211.64	2.11	.21	.26
Philadelphia	239.57	6.88	34.95	190.31	7.42	293.53	.36	.18	.00
Pittsburgh	97.75	2.92	9.48	80.97	4.38	42.07	.00	.00	.00
Rochester	25.04	2.78	.70	20.17	1.39	91.13	1.39	.00	.00
Syracuse	26.17	3.74	1.87	14.95	1.87	302.80	.00	.00	.00
REGION II CITY TOTAL	171.08	12.31	22.01	132.35	4.35	200.86	1.29	.14	.17
Baltimore	139.06	18.00	14.72	91.62	3.68	751.33	2.04	1.23	.41
Louisville	97.46	3.38	4.06	83.93	2.03	245.01	.00	.00	.00
Norfolk	266.23	9.09	20.78	233.77	2.60	906.49	1.30	.00	1.30
Richmond	294.65	3.29	46.09	233.74	8.23	495.47	3.29	1.65	.00
Washington, D.C.	212.94	20.40	34.83	152.74	4.98	1282.09	4.98	1.49	6.47
REGION III CITY TOTAL	177.29	13.54	21.34	133.65	3.97	790.01	2.46	.96	2.05
Atlanta	74.32	8.74	15.30	44.44	3.64	1629.14	17.49	2.91	10.93
Birmingham	203.84	5.48	39.45	150.14	5.48	186.30	1.10	2.19	3.29
Jacksonville	121.21	3.46	15.58	81.39	20.78	1037.23	36.36	.00	1.73
Memphis	93.82	18.91	18.18	49.45	7.27	1031.27	.00	2.18	.00
Miami	144.93	33.33	37.68	66.67	7.25	460.87	4.35	1.45	7.25
REGION IV CITY TOTAL	119.13	13.80	23.74	72.86	7.51	962.15	9.94	2.03	4.87
Akron	28.95	6.58	2.63	18.42	1.32	201.32	.00	.00	.00
Chicago	167.97	13.56	23.27	123.32	7.82	444.97	1.56	.31	.63
Cincinnati	146.91	.00	28.36	117.09	1.45	417.45	4.36	.00	.00
Cleveland	73.42	1.69	13.92	55.27	2.53	246.41	.00	.00	.84
Columbus	85.84	1.77	6.19	73.45	4.42	222.12	.88	.00	.00
Dayton	63.01	5.48	9.59	46.58	1.37	261.64	2.74	.00	.00
Detroit	127.80	1.85	13.74	84.92	8.21	277.74	8.82	.00	.00
Indianapolis	111.75	13.30	15.08	78.94	4.43	316.63	.00	.00	.00
Milwaukee	42.86	3.17	7.94	24.34	1.59	120.64	.00	.00	.00
Toledo	91.67	.00	11.90	73.81	5.95	122.62	.00	.00	.00
REGION V CITY TOTAL	123.89	7.09	17.02	89.78	5.79	326.55	2.71	.12	.53
Kansas City	247.89	2.41	18.51	223.74	3.22	217.30	2.41	1.61	.00
Minneapolis	6.50	.72	.00	5.05	.72	85.20	.00	.00	.00
Omaha	25.50	1.34	2.68	21.48	.00	148.99	.00	.00	.00
St. Louis	155.86	4.60	21.61	125.52	4.14	553.56	10.57	.92	.00
St. Paul	11.83	4.73	2.36	3.55	.00	42.60	.00	.00	.00
REGION VI CITY TOTAL	107.16	2.97	11.58	90.26	2.19	272.04	4.07	.63	.00
Dallas	42.79	6.82	3.72	32.25	.00	380.16	1.86	1.24	.00
Fort Worth	21.65	3.09	11.34	7.22	.00	253.61	.00	.00	.00
Houston	182.42	19.78	47.47	105.93	9.23	365.71	9.23	.00	4.84
New Orleans	327.50	10.45	63.29	248.23	3.07	314.59	11.67	.61	1.84
Oklahoma City	150.84	10.77	22.90	111.78	5.39	567.00	4.04	.00	.00
San Antonio	16.13	.65	3.23	9.68	2.58	92.26	.00	.00	.00
REGION VII CITY TOTAL	133.87	9.68	28.48	91.37	3.87	315.24	5.24	.34	1.59
Denver	59.46	3.86	3.86	50.97	.77	135.14	3.86	.00	.00
REGION VIII CITY TOTAL	59.46	3.86	3.86	50.97	.77	135.14	3.86	.00	.00
Long Beach	44.73	.00	7.67	33.23	3.83	121.41	.00	.00	.17
Los Angeles	81.27	10.82	15.98	50.69	3.78	301.55	.34	.00	.54
Oakland	39.46	7.57	3.24	24.86	2.70	171.35	1.08	.00	.00
Portland	52.42	.97	1.94	47.57	1.94	144.66	.00	.97	.00
San Diego	16.35	2.65	3.09	10.15	.44	70.64	.88	.00	.00
San Francisco	101.75	39.40	15.46	44.89	2.00	267.33	.50	.00	.50
Seattle	13.49	4.15	2.33	6.05	.93	120.47	.47	.00	.00
REGION IX CITY TOTAL	56.91	10.82	9.43	34.08	2.45	205.69	.50	.06	.19
U. S. TOTAL (Cities only)	133.74	10.16	18.59	99.04	4.36	314.65	2.47	.31	.70
Honolulu	24.19	3.23	3.23	11.29	4.84	54.84	9.68	.00	.00
San Juan	62.14	4.38	16.63	37.64	3.50	192.56	4.38	.00	.00
TERRITORY CITY TOTAL	48.79	3.97	11.91	28.37	3.97	144.11	6.24	.00	.00
U. S. & TERRITORIES (Cities only)	132.38	10.06	18.48	97.91	4.35	311.91	2.53	.30	.68

Source: Forms PHS - 688 and PHS - 562
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
4/22/59 LBH/MFR: gh

* Includes cases with stage "not stated".

VOLUME OF CASE-FINDING INVESTIGATIONS AND PERCENTAGE OF SUSPECTS EXAMINED
 1 - CONTACTS AND OTHER SUSPECTS AMONG CIVILIAN HEALTH DEPARTMENT PATIENTS
 ALL AREAS REPORTING

October - December 1958

States By HEW Regions	Total Contacts and Suspects*		Contacts of Clinic Cases										Positive STS From Surveys		Other Positive STS and Other Suspects	
			Syphilis		Gonorrhea		Other		Gonorrhea							
			Pri. & Sec.		Early Latent		Other		Gonorrhea							
Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined	
Connecticut	937	94.0	15	60.0	6	66.7	17	82.4	0	-	0	-	0	-	873	95.2
Maine	3	66.7	0	-	0	-	0	-	2	100.0	0	-	0	-	0	-
Massachusetts	860	78.6	43	65.1	46	76.1	64	93.8	288	63.9	0	-	0	-	166	83.7
New Hampshire	0	-	0	-	0	-	0	-	0	-	0	-	0	-	0	-
Rhode Island	18	50.0	0	-	0	-	0	-	0	-	0	-	0	-	0	-
Vermont	0	-	0	-	0	-	0	-	0	-	0	-	0	-	0	-
REGION I TOTAL	1818	86.2	58	63.8	52	75.0	81	91.4	290	64.1	0	-	0	-	1039	93.4
Delaware	587	90.1	30	93.3	14	92.9	13	100.0	78	73.1	271	95.2	73	87.7	73	87.7
New Jersey	2416	91.3	111	84.7	77	81.8	7	71.4	465	72.0	568	99.3	1108	96.5	1108	96.5
New York	4931	77.1	178	89.9	236	77.1	198	71.2	2449	69.4	1351	87.0	394	89.3	394	89.3
Pennsylvania	2015	60.5	127	55.9	60	60.0	52	90.4	961	51.5	102	59.8	421	74.3	421	74.3
REGION II TOTAL	9949	78.0	446	79.1	387	76.0	270	76.3	3953	65.4	2292	89.8	1996	90.1	1996	90.1
District of Columbia	1881	77.1	95	78.9	86	76.7	70	80.0	1293	75.8	119	82.4	193	80.3	193	80.3
Kentucky	733	79.1	22	86.4	25	96.0	1	100.0	199	75.4	249	92.8	202	81.2	202	81.2
Maryland	1855	56.7	151	76.2	149	75.2	16	100.0	1194	47.6	189	61.9	61	83.6	61	83.6
North Carolina	3780	78.6	288	86.8	147	73.5	101	64.4	1604	68.0	141	94.3	1375	87.9	1375	87.9
Virginia	2292	84.0	64	85.9	103	66.0	42	88.1	795	69.9	390	94.6	867	94.1	867	94.1
West Virginia	294	87.8	3	66.7	9	88.9	13	92.3	44	65.9	91	92.3	134	91.8	134	91.8
REGION III TOTAL	10835	76.0	623	82.8	519	74.4	243	77.0	5129	65.8	1179	83.8	2832	88.9	2832	88.9
Alabama	1870	82.5	118	87.3	238	80.7	39	82.1	957	77.8	249	98.0	119	78.2	119	78.2
Florida	3383	78.4	163	77.9	170	71.2	29	55.2	1762	74.6	139	92.8	799	81.5	799	81.5
Georgia	8048	92.8	747	93.3	313	92.0	32	87.5	2946	84.6	94	97.9	966	97.7	966	97.7
Mississippi	2378	86.6	83	73.5	93	80.6	140	96.4	994	81.0	126	96.8	219	91.3	219	91.3
South Carolina	2084	81.4	143	73.4	161	73.3	20	95.0	852	70.3	362	95.9	482	94.0	482	94.0
Tennessee	4174	90.5	230	89.6	180	87.8	27	88.9	2103	89.2	18	100.0	506	90.9	506	90.9
REGION IV TOTAL	21937	87.5	1484	87.5	1195	82.4	287	88.5	9614	81.5	988	96.4	3091	90.6	3091	90.6
Illinois	6223	77.2	387	73.6	278	65.8	175	82.3	2293	68.2	2087	87.7	545	80.6	545	80.6
Indiana	472	56.6	28	64.3	13	38.5	6	33.3	280	48.9	0	-	145	72.4	145	72.4
Michigan	9636	75.0	132	75.0	298	82.6	658	90.4	3645	67.5	0	-	4831	78.2	4831	78.2
Ohio	2423	82.0	86	82.6	76	81.6	86	88.4	968	77.4	290	87.2	752	82.4	752	82.4
Wisconsin**	N.A.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REGION V TOTAL	18754	76.2	633	74.7	665	74.6	925	88.3	7186	68.3	2377	87.6	6273	78.8	6273	78.8
Iowa	180	88.9	7	71.4	9	77.8	0	-	82	86.6	0	-	43	95.3	43	95.3
Kansas	616	72.9	9	88.9	5	100.0	16	81.3	193	58.5	0	-	386	79.0	386	79.0
Minnesota	57	52.6	1	0.0	0	-	0	-	37	35.1	0	-	19	89.5	19	89.5
Missouri	1870	77.0	67	86.6	82	78.0	49	85.7	906	71.2	343	95.3	406	71.2	406	71.2
Nebraska	116	73.3	7	57.1	0	-	0	-	75	65.3	0	-	0	-	0	-
North Dakota	0	-	0	-	0	-	0	-	0	-	0	-	0	-	0	-
South Dakota	125	87.2	3	100.0	1	100.0	2	100.0	50	78.0	1	100.0	61	91.8	61	91.8
REGION VI TOTAL	2964	76.7	94	83.0	88	79.5	76	84.2	1343	69.2	344	95.3	915	77.4	915	77.4
Arkansas	1822	91.7	95	88.4	79	70.9	52	63.5	233	89.3	847	95.6	215	87.9	215	87.9
Louisiana	3637	80.4	125	90.4	220	80.5	410	88.3	968	65.7	1819	85.8	0	-	0	-
New Mexico	185	94.1	11	81.8	10	100.0	12	83.3	50	92.0	88	96.6	0	-	0	-
Oklahoma	769	82.8	26	84.6	12	91.7	6	100.0	543	81.6	59	78.0	121	88.4	121	88.4
Texas	6362	84.6	200	81.5	278	75.9	339	96.8	3089	80.1	0	-	2428	90.0	2428	90.0
REGION VII TOTAL	12775	84.5	457	85.6	599	77.6	819	90.2	4883	78.0	2813	88.9	2764	89.7	2764	89.7
Colorado	344	59.6	7	42.9	5	20.0	16	93.8	218	43.1	0	-	94	94.7	94	94.7
Idaho	56	76.8	1	100.0	3	66.7	2	100.0	30	73.3	9	88.9	10	70.0	10	70.0
Montana	16	62.5	0	-	0	-	1	100.0	15	60.0	0	-	0	-	0	-
Utah	49	81.6	0	-	0	-	0	-	29	75.9	3	33.3	17	100.0	17	100.0
Wyoming	0	-	0	-	0	-	0	-	0	-	0	-	0	-	0	-
REGION VIII TOTAL	465	64.1	8	50.0	8	37.5	19	94.7	292	50.3	12	75.0	121	93.4	121	93.4
Alaska	34	50.0	2	0.0	0	-	0	-	32	53.1	0	-	0	-	0	-
Arizona	624	89.4	7	71.4	2	50.0	11	100.0	124	65.3	316	96.2	137	94.9	137	94.9
California	6616	62.6	547	73.7	284	66.2	164	75.0	2814	59.6	0	-	2668	62.9	2668	62.9
Nevada	49	73.5	3	33.3	5	80.0	0	-	33	75.8	2	100.0	2	50.0	2	50.0
Oregon	173	69.4	4	75.0	1	100.0	3	66.7	116	70.7	0	-	44	70.5	44	70.5
Washington	308	77.6	23	91.3	17	88.2	2	100.0	212	69.8	41	97.6	10	100.0	10	100.0
REGION IX TOTAL	7804	65.5	586	73.9	309	67.6	180	76.7	3331	61.0	359	96.4	2861	64.7	2861	64.7
U. S. TOTAL	87301	79.6	4389	81.7	3782	77.0	2900	86.1	36021	71.6	10364	89.4	21892	83.0	21892	83.0
Puerto Rico	1430	75.6	26	50.0	106	76.4	276	69.6	559	77.8	435	77.5	0	-	0	-
Virgin Islands**	N.A.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hawaii	173	82.6	11	36.4	0	-	2	50.0	57	64.9	0	-	90	92.2	90	92.2
Canal Zone**	N.A.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TERRITORY TOTAL	1603	75.9	37	45.9	106	76.4	278	69.4	616	76.6	435	77.5	90	92.2	90	92.2
U. S. & TERRITORIES	88904	79.6	4426	81.4	3888	77.0	3178	84.6	36637	71.7	10799	88.9	21892	83.1	21892	83.1
Cities (incl. above)																
Detroit	3868	75.1	54	75.9	137	85.4	300	91.0	1546	68.2	0	-	1796	77.7	1796	77.7
New York	4224	75.8	136	94.1	207	78.7	194	70.6	2248	68.7	1330	86.8	106	68.9	106	68.9
Philadelphia	1441	56.0	79	46.8	35	48.6	34	88.2	774	47.5	10	10.0	247	73.3	247	73.3
Pittsburgh	282	67.7	26	76.9	5	60.0	0	-	107	72.9	91	64.8	40	52.5	40	52.5
Chicago	5762	77.9	377	74.0	267	65.9	165	84.2	2151	70.0	2087	87.7	259	77.6	259	77.6
Baltimore	1393	50.7	122	73.8	127	72.4	0	-	1128	45.6	0	-	0	-	0	-

* Totals include other VD not shown separately.
 ** Epidemiologic activity data from PHS 2127 not available.

Source: Form PHS 2127
 HEW-PHS-BSS-CDC-VD-Branch
 Office of Statistics
 4/30/59 MPR/LBH: gh

VOLUME OF CASE-FINDING INVESTIGATIONS AND PERCENTAGE OF SUSPECTS EXAMINED
 11 - CONTACTS AND OTHER SUSPECTS AMONG PRIVATE PHYSICIAN PATIENTS
 ALL AREAS REPORTING

October - December 1958

States By HEW Regions	Total Contacts and Suspects*		Contacts of Private Physician Cases						Gonorrhea		Positive STS and Other Suspects	
			Syphilis		Other		Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined
			Pri. & Sec.	Early Latent	Number Completed	Percent Examined						
Connecticut	0	-	0	-	0	-	0	-	0	-	0	-
Maine	12	66.7	0	-	1	100.0	0	-	10	60.0	1	100.0
Massachusetts	25	68.0	2	100.0	2	50.0	2	50.0	17	70.6	2	50.0
New Hampshire	9	66.7	1	.0	1	100.0	0	-	2	100.0	5	60.0
Rhode Island	3	33.3	1	.0	1	.0	0	-	1	100.0	0	-
Vermont	16	81.3	4	75.0	0	-	0	-	7	71.4	5	100.0
REGION I TOTAL	65	69.2	8	62.5	5	60.0	2	50.0	37	70.3	13	76.9
Delaware	34	88.2	8	100.0	3	100.0	0	-	8	75.0	15	86.7
New Jersey	112	84.8	18	100.0	14	78.6	0	-	78	82.1	0	-
New York	883	78.4	278	75.2	23	82.6	1	.0	70	88.6	511	78.7
Pennsylvania	439	89.7	5	80.0	0	-	0	-	5	60.0	429	90.2
REGION II TOTAL	1468	82.5	309	77.3	40	82.5	1	.0	161	83.9	955	84.0
District of Columbia	28	82.1	6	83.3	5	60.0	1	100.0	1	100.0	15	86.7
Kentucky	588	91.5	13	92.3	5	80.0	0	-	11	81.8	559	91.8
Maryland	146	83.6	11	90.9	0	-	0	-	0	-	135	83.0
North Carolina	242	84.7	25	92.0	10	60.0	4	25.0	48	70.8	155	91.0
Virginia	166	88.3	3	66.7	12	66.7	0	-	40	75.0	107	96.3
West Virginia	548	83.0	8	87.5	13	84.6	3	100.0	25	44.0	499	84.8
REGION III TOTAL	1714	86.7	66	89.4	45	71.1	8	62.5	125	68.0	1470	88.8
Alabama	20	80.0	4	100.0	7	57.1	0	-	2	100.0	7	85.7
Florida	65	95.4	11	81.8	0	-	0	-	2	50.0	52	100.0
Georgia	581	93.6	114	93.9	34	88.2	0	-	70	88.6	368	95.0
Mississippi	372	87.1	37	66.7	3	100.0	7	100.0	38	84.2	315	87.6
South Carolina	87	89.7	3	86.5	3	100.0	9	88.9	13	100.0	25	88.0
Tennessee	427	93.2	17	100.0	18	88.9	10	100.0	27	100.0	353	92.4
REGION IV TOTAL	1552	91.6	192	91.1	65	86.2	26	96.2	152	90.1	1114	92.1
Illinois	213	43.7	23	82.6	5	60.0	2	50.0	156	32.1	24	70.8
Indiana	108	78.7	6	66.7	0	-	1	100.0	39	69.2	62	85.5
Michigan	71	54.9	18	83.3	8	87.5	9	44.4	36	36.1	0	-
Ohio	990	91.0	1	100.0	1	100.0	2	100.0	66	84.8	920	91.4
Wisconsin**	N.A.	-	-	-	-	-	-	-	-	-	-	-
REGION V TOTAL	1382	80.9	48	81.3	14	78.6	14	57.1	297	49.2	1006	90.6
Iowa	349	80.2	3	33.3	4	50.0	31	87.1	142	77.5	168	82.7
Kansas	92	78.2	49	77.6	13	69.2	10	90.0	20	80.0	0	-
Minnesota	409	86.3	5	40.0	0	-	0	-	69	42.0	334	96.4
Missouri	351	87.5	10	100.0	4	50.0	19	94.7	69	84.1	249	88.0
Nebraska	260	90.8	0	-	0	-	1	100.0	133	92.5	126	88.9
North Dakota	141	93.6	0	-	0	-	0	-	82	92.7	58	94.8
South Dakota	127	70.9	6	100.0	0	-	0	-	3	66.7	118	69.5
REGION VI TOTAL	1729	85.0	73	78.1	22	59.1	61	90.2	518	79.9	1053	88.2
Arkansas	124	84.7	12	91.7	4	75.0	0	-	6	83.3	102	84.3
Louisiana	340	99.1	1	100.0	0	-	0	-	12	91.7	327	99.4
New Mexico	130	93.1	6	83.3	2	100.0	0	-	10	100.0	112	93.8
Oklahoma	701	72.5	3	66.7	3	100.0	1	.0	16	56.3	678	72.9
Texas	366	89.6	22	100.0	40	87.5	7	100.0	158	89.9	139	87.8
REGION VII TOTAL	1661	84.2	44	93.2	49	85.7	8	87.5	202	87.6	1358	83.4
Colorado	39	59.0	2	100.0	0	-	1	100.0	11	27.3	25	68.0
Idaho	41	65.9	0	-	0	-	0	-	15	60.0	25	68.0
Montana	3	33.3	0	-	0	-	0	-	3	33.3	0	-
Utah	90	71.1	19	89.5	9	88.9	2	50.0	60	63.3	0	-
Wyoming	9	66.7	0	-	0	-	1	100.0	8	62.5	0	-
REGION VIII TOTAL	182	66.5	21	90.5	9	88.9	4	75.0	97	57.7	50	68.0
Alaska	0	-	0	-	0	-	0	-	0	-	0	-
Arizona	410	89.3	80	97.5	78	96.2	18	100.0	7	57.1	226	84.5
California**	N.A.	-	-	-	-	-	-	-	-	-	-	-
Nevada	18	94.4	6	83.3	0	-	0	-	9	100.0	3	100.0
Oregon	132	68.9	0	-	0	-	0	-	15	60.0	117	70.1
Washington	123	91.1	2	100.0	0	-	0	-	10	80.0	111	91.9
REGION IX TOTAL	683	85.8	88	96.6	78	96.2	18	100.0	41	73.2	457	82.7
U. S. TOTAL	10436	84.9	849	84.7	327	83.5	142	85.9	1630	74.0	7476	87.3
Puerto Rico	0	-	0	-	0	-	0	-	0	-	0	-
Virgin Islands**	N.A.	-	-	-	-	-	-	-	-	-	-	-
Hawaii	134	91.0	0	-	1	100.0	0	-	21	57.1	112	97.3
Canal Zone**	N.A.	-	-	-	-	-	-	-	-	-	-	-
TERRITORY TOTAL	134	91.0	0	-	1	100.0	0	-	21	57.1	112	97.3
U. S. & TERRITORIES	10570	85.0	849	84.7	328	83.5	142	85.9	1651	73.8	7588	87.5
Cities (incl. above)												
Detroit	10	30.0	1	100.0	0	-	2	50.0	7	14.3	0	-
New York	466	68.7	244	72.1	3	66.7	1	.0	13	38.5	205	66.8
Philadelphia	67	91.0	1	100.0	0	-	0	-	0	100.0	65	90.8
Pittsburgh	18	66.7	0	-	0	-	0	-	0	-	18	66.7
Chicago	40	75.0	16	81.3	0	-	0	-	0	-	24	70.8
Baltimore	11	90.9	11	90.9	0	-	0	-	0	-	0	-

Source: Form PHS 2127
 HEW-PHS-BSS-CDC-VD-Branch
 Office of Statistics
 4/30/59 MPR/LBH: gh

* Totals include Other VD Not shown separately.
 ** Epidemiologic activity data from PHS 2127 not available.

VOLUME OF CASE-FINDING INVESTIGATIONS AND PERCENTAGE OF SUSPECTS EXAMINED
 111 - CIVILIAN CONTACTS OF ARMED FORCES PERSONNEL AND SELECTEE AND SEPARATEE SUSPECTS
 ALL AREAS REPORTING

October - December 1958

States By HEW Regions	Total Contacts and Suspects*		Contacts of Military Cases								Selectees and Separatees	
			Syphilis				Gonorrhea					
			Pri. & Sec.		Early Latent		Other		Gonorrhea			
Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined	Number Completed	Percent Examined	
Connecticut	10	30.0	2	50.0	0	-	0	-	7	28.6	0	-
Maine	25	36.0	0	-	0	-	0	-	24	33.3	1	100.0
Massachusetts	228	65.4	4	50.0	2	100.0	1	.0	197	61.9	23	95.7
New Hampshire	4	100.0	2	100.0	0	-	0	-	2	100.0	0	-
Rhode Island	38	34.2	5	80.0	1	.0	0	-	31	25.8	1	100.0
Vermont	1	.0	0	-	0	-	0	-	1	.0	0	-
REGION I TOTAL	306	58.2	13	69.2	3	66.7	1	.0	262	54.2	25	96.0
Delaware	5	80.0	0	-	0	-	0	-	3	66.7	1	100.0
New Jersey	90	74.4	9	44.4	0	-	0	-	38	60.5	43	93.0
New York	292	49.0	17	64.7	7	71.4	8	75.0	127	37.8	133	54.9
Pennsylvania	130	57.7	3	.0	0	-	0	-	95	52.6	32	78.1
REGION II TOTAL	517	55.9	29	51.7	7	71.4	8	75.0	263	46.8	209	66.5
District of Columbia	105	35.2	0	-	1	.0	0	-	99	33.3	5	80.0
Kentucky	107	49.5	8	87.5	1	100.0	0	-	92	44.6	5	60.0
Maryland	31	67.7	8	100.0	3	100.0	0	-	20	50.0	0	-
North Carolina	353	46.2	14	50.0	2	100.0	4	50.0	301	41.9	30	86.7
Virginia	258	79.8	12	75.0	6	100.0	0	-	223	79.4	15	80.0
West Virginia	29	65.5	0	-	0	-	1	100.0	19	52.6	8	87.5
REGION III TOTAL	883	56.5	42	73.8	13	92.3	5	60.0	754	52.7	63	82.5
Alabama	216	62.5	20	70.0	1	.0	0	-	139	58.3	53	71.7
Florida	287	56.8	8	87.5	3	33.3	1	100.0	255	54.5	19	78.9
Georgia	216	71.3	11	81.8	5	60.0	0	-	158	63.3	39	100.0
Mississippi	89	77.5	0	-	1	100.0	0	-	66	72.7	19	94.7
South Carolina	269	77.0	14	100.0	1	100.0	0	-	236	74.6	16	93.8
Tennessee	202	88.6	20	80.0	3	66.7	0	-	151	88.1	27	100.0
REGION IV TOTAL	1279	70.9	73	82.2	14	57.1	1	100.0	1005	67.4	173	87.9
Illinois	76	73.7	5	80.0	0	-	2	100.0	48	68.8	20	85.0
Indiana	57	47.4	3	66.7	0	-	0	-	40	42.5	13	53.8
Michigan	177	54.2	3	.0	6	16.7	2	.0	124	48.4	42	83.3
Ohio	97	67.0	2	.0	0	-	0	-	59	54.2	34	91.2
Wisconsin**	N.A.	-	-	-	-	-	-	-	-	-	-	-
REGION V TOTAL	407	60.0	13	46.2	6	16.7	4	50.0	271	52.4	109	82.6
Iowa	23	82.6	0	-	0	-	0	-	19	78.9	4	100.0
Kansas	72	51.4	1	100.0	0	-	1	100.0	68	50.0	0	-
Minnesota	9	88.9	0	-	0	-	0	-	9	88.9	0	-
Missouri	96	75.0	1	100.0	0	-	1	100.0	80	73.8	12	91.7
Nebraska	25	80.0	0	-	0	-	0	-	21	76.2	4	100.0
North Dakota	2	100.0	0	-	0	-	0	-	2	100.0	0	-
South Dakota	25	92.0	0	-	0	-	2	100.0	23	91.3	0	-
REGION VI TOTAL	252	71.8	2	100.0	0	-	4	100.0	222	69.8	20	95.0
Arkansas	88	63.6	0	-	2	100.0	0	-	73	58.9	13	84.6
Louisiana	222	72.5	2	100.0	3	33.3	0	-	167	69.5	48	83.3
New Mexico	36	94.4	2	100.0	0	-	1	100.0	27	92.6	5	100.0
Oklahoma	169	70.4	3	100.0	0	-	0	-	164	69.5	2	100.0
Texas	497	72.4	11	63.6	2	50.0	0	-	424	71.7	56	78.6
REGION VII TOTAL	1012	72.1	18	77.8	7	57.1	1	100.0	855	70.4	124	82.3
Colorado	69	36.2	0	-	0	-	3	.0	61	37.7	5	40.0
Idaho	5	80.0	0	-	0	-	0	-	5	80.0	0	-
Montana	9	33.3	0	-	0	-	0	-	9	33.3	0	-
Utah	2	100.0	0	-	0	-	0	-	2	100.0	0	-
Wyoming	7	28.6	0	-	0	-	6	33.3	1	.0	0	-
REGION VIII TOTAL	92	39.1	0	-	0	-	9	22.2	78	41.0	5	40.0
Alaska	46	45.7	1	.0	0	-	0	-	45	46.7	0	-
Arizona	57	64.9	0	-	0	-	0	-	44	56.8	13	92.3
California	457	41.6	10	50.0	7	57.1	1	.0	424	41.0	0	-
Nevada	12	58.3	0	-	0	-	0	-	12	58.3	0	-
Oregon	25	72.0	0	-	0	-	0	-	22	68.2	3	100.0
Washington	105	68.6	0	-	2	100.0	1	100.0	88	64.8	11	81.8
REGION IX TOTAL	702	49.1	11	45.5	9	66.7	2	50.0	635	47.1	27	88.9
U. S. TOTAL	5450	62.6	201	70.6	59	64.4	35	57.1	4345	59.1	755	80.0
Puerto Rico	161	82.6	16	87.5	1	100.0	0	-	127	81.1	10	80.0
Virgin Islands**	N.A.	-	-	-	-	-	-	-	-	-	-	-
Hawaii	88	60.2	3	66.7	0	-	0	-	81	58.0	1	100.0
Caral Zone**	N.A.	-	-	-	-	-	-	-	-	-	-	-
TERRITORY TOTAL	249	74.7	19	84.2	1	100.0	0	-	208	72.1	11	81.8
U. S. & TERRITORIES	5699	63.1	220	71.8	60	65.0	35	57.1	4553	59.7	766	80.0
Cities (incl. above)												
Detroit	65	56.9	1	.0	0	-	1	.0	51	51.0	12	91.7
New York	214	44.4	13	53.8	5	60.0	6	66.7	78	33.3	112	49.1
Philadelphia	56	37.5	3	.0	0	-	0	-	43	30.2	10	80.0
Pittsburgh	19	52.6	0	-	0	-	0	-	12	50.0	7	57.1
Chicago	33	81.8	2	100.0	0	-	1	100.0	21	71.4	9	100.0
Baltimore	0	-	0	-	0	-	0	-	0	-	0	-

* Totals include Other V.D. not shown separately.
 ** Epidemiologic activity data from PHS 2127 not available.

Source: Form PHS 2127
 HEW-PHS-BSS-CDC-VD Branch
 Office of Statistics
 4/30/59 MFR/LBH: gh

CONTACTS OBTAINED FROM HEALTH DEPARTMENT CLINIC AND PRIVATE PHYSICIAN PATIENTS
1 - PRIMARY AND SECONDARY SYPHILIS
ALL AREAS REPORTING

October - December 1958

PRIMARY AND SECONDARY SYPHILIS

States By HEW Regions	Private Physicians						Clinics					
	Cases Reported a/	Number of Patients Interviewed	Percent of Cases Interviewed	CONTACTS OBTAINED			Cases Reported a/	Number of Cases Interviewed	Percent of Cases Interviewed	CONTACTS OBTAINED		
				Number	Per Case Reported	Number Per Case Interviewed				Number	Per Case Reported	Number Per Case Interviewed
Connecticut	10	1	10.0	1	.10	1.00	11	2	18.2	0	-	.00
Maine	0	0	-	-	-	-	0	0	-	-	-	-
Massachusetts	33	2	6.1	8	.24	4.00	32	26	81.3	56	1.75	2.15
New Hampshire	0	0	-	-	-	-	0	0	-	-	-	-
Rhode Island	2	0	.0	-	-	-	1	0	.0	-	-	-
Vermont	1	2	200.0	4	4.00	2.00	0	0	-	56	1.27	2.00
REGION I TOTAL	46	5	10.9	13	.28	2.60	44	28	63.6	56	1.27	2.00
Delaware	1	2	200.0	12	12.00	6.00	5	3	60.0	19	3.80	6.33
New Jersey	45	23	51.1	43	.96	1.87	55	47	85.5	154	2.80	3.28
New York	117	117	73.6	249	1.57	2.13	210	143	95.3	472	3.15	3.30
Pennsylvania	25	5	20.0	9	.36	1.80	38	36	94.7	113	2.97	3.14
REGION II TOTAL	230	147	63.9	313	1.36	2.13	308	229	92.3	758	3.06	3.31
District of Columbia	7	2	28.6	3	.43	1.50	34	32	94.1	83	2.44	2.59
Kentucky	5	4	80.0	7	1.40	1.75	3	2	66.7	5	1.67	2.50
Maryland	15	7	46.7	19	1.27	2.71	38	39	102.6	156	4.11	4.00
North Carolina	7	4	57.1	34	4.86	8.50	63	46	73.0	215	3.41	4.67
Virginia	8	2	25.0	16	2.00	8.00	15	13	86.7	56	3.73	4.31
West Virginia	4	3	75.0	16	4.00	5.33	4	1	25.0	1	.25	1.00
REGION III TOTAL	46	22	47.8	95	2.07	4.32	157	133	84.7	516	3.29	3.88
Alabama	37	4	10.8	4	.11	1.00	19	25	131.6	106	5.58	4.24
Florida	11	11	100.0	20	1.82	1.82	39	39	100.0	123	3.15	3.15
Georgia	47	47	100.0	213	4.53	4.53	132	132	100.0	695	5.27	5.27
Mississippi	5	2	40.0	5	1.00	2.50	12	11	91.7	90	7.50	8.18
South Carolina	40	8	20.0	75	1.88	9.38	23	24	104.3	113	4.91	4.71
Tennessee	6	4	66.7	18	3.00	4.50	55	56	101.8	228	4.15	4.07
REGION IV TOTAL	146	76	52.1	335	2.29	4.41	280	287	102.5	1355	4.84	4.72
Illinois	50	23	46.0	41	.82	1.78	92	81	88.0	389	4.23	4.80
Indiana	15	9	60.0	15	1.00	1.67	9	17	188.9	21	2.33	1.24
Michigan	9	7	77.8	33	3.67	4.71	12	14	116.7	88	7.33	6.29
Ohio	11	8	72.7	18	1.64	2.25	11	16	145.5	70	6.36	4.38
Wisconsin b/	N.A.	-	-	-	-	-	-	-	-	-	-	-
REGION V TOTAL	85	47	55.3	107	1.26	2.28	124	128	103.2	568	4.58	4.44
Iowa	2	2	100.0	3	1.50	1.50	1	1	100.0	7	7.00	7.00
Kansas	8	6	75.0	35	4.38	5.83	4	4	100.0	2	.50	.50
Minnesota	5	6	120.0	4	.80	.67	2	1	50.0	1	.50	1.00
Missouri	10	7	70.0	9	.90	1.29	14	13	92.9	28	2.00	2.15
Nebraska	1	0	.0	-	-	-	0	0	-	-	-	-
North Dakota	1	1	100.0	3	3.00	3.00	0	0	-	-	-	-
South Dakota	1	0	.0	-	-	-	0	0	-	-	-	-
REGION VI TOTAL	28	22	78.6	54	1.93	2.45	21	19	90.5	38	1.81	2.00
Arkansas	26	6	23.1	19	.73	3.17	27	35	129.6	131	4.85	3.74
Louisiana	7	0	.0	-	-	-	3	38	115.2	121	3.67	3.18
New Mexico	7	6	85.7	16	2.29	2.67	5	2	40.0	4	.90	2.00
Oklahoma	3	1	33.3	3	1.00	3.00	8	8	100.0	25	3.13	3.13
Texas	28	10	35.7	17	.61	1.70	73	74	101.4	204	2.79	2.76
REGION VII TOTAL	71	23	32.4	55	.77	2.39	146	157	107.5	485	3.32	3.09
Colorado	2	1	50.0	1	.50	1.00	4	4	100.0	4	1.00	1.00
Idaho	0	0	-	-	-	-	0	0	-	-	-	-
Montana	7	0	.0	-	-	-	0	0	-	-	-	-
Utah	6	4	66.7	9	1.50	2.25	0	0	.0	-	-	-
Wyoming	0	0	-	-	-	-	1	4	80.0	4	.80	1.00
REGION VIII TOTAL	15	5	33.3	10	.67	2.00	5	5	100.0	2	2.00	1.00
Alaska	0	0	-	-	-	-	1	2	200.0	30	5.00	5.00
Arizona	26	16	61.5	82	3.15	5.13	6	6	100.0	531	3.47	3.47
California b/	N.A.	-	-	-	-	-	0	0	-	-	-	-
Nevada	1	1	100.0	33	33.00	33.00	1	1	100.0	3	3.00	3.00
Oregon	0	0	-	-	-	-	8	8	100.0	26	3.25	3.25
Washington	3	1	33.3	1	.33	1.00	169	170	100.6	592	3.50	3.48
REGION IX TOTAL	30	18	60.0	116	3.87	6.44	170	170	100.6	592	3.50	3.48
U. S. TOTAL	697	365	52.4	1098	1.58	3.01	1254	1155	92.1	4372	3.49	3.79
Puerto Rico	0	0	-	-	-	-	11	11	100.0	22	2.00	2.00
Virgin Islands b/	N.A.	-	-	-	-	-	2	2	100.0	11	5.50	5.50
Hawaii	0	0	-	-	-	-	-	-	-	-	-	-
Canal Zone b/	N.A.	-	-	-	-	-	13	13	100.0	33	2.54	2.54
TERRITORY TOTAL	0	0	-	-	-	-	-	-	-	-	-	-
U. S. & TERRITORIES	697	365	52.4	1098	1.58	3.01	1267	1168	92.2	4405	3.48	3.77
Cities (incl. above)												
Detroit	3	3	100.0	13	4.33	4.33	6	4	66.7	35	5.83	8.75
New York	139	97	69.8	199	1.43	2.05	193	128	96.2	426	3.20	3.33
Philadelphia	14	0	.0	-	-	-	24	19	79.2	52	2.17	2.74
Pittsburgh	4	0	.0	-	-	-	8	10	125.0	33	4.13	3.30
Chicago	40	13	32.5	35	.88	2.69	90	79	87.8	374	4.16	4.73
Baltimore	8	5	62.5	13	1.63	2.60	36	36	100.0	145	4.03	4.03

a/ Cases reported by Private Physicians, Clinics, Hospitals and Institutions on Morbidity form PHS 688.
b/ Epidemiologic activity data from PHS 2127 not available.

Source: Form PHS 2127
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
4/30/59 MFR/LBH: gsb

CONTACTS OBTAINED FROM HEALTH DEPARTMENT CLINIC AND PRIVATE PHYSICIAN PATIENTS
11 - EARLY LATENT SYPHILIS
ALL AREAS REPORTING

October - December 1958

States By NEW Regions	EARLY LATENT SYPHILIS											
	Private Physicians						Clinics					
	Cases Reported a/	Number of Patients Interviewed	Percent of Cases Interviewed	CONTACTS OBTAINED			Cases Reported a/	Number of Patients Interviewed	Percent of Cases Interviewed	CONTACTS OBTAINED		
Number				Per Case Reported	Number Per Case Interviewed	Number				Per Case Reported	Number Per Case Interviewed	
Connecticut	22	0	.0	-	-	-	17	5	29.4	1	.06	.20
Maine	1	0	.0	-	-	-	1	0	.0	-	-	-
Massachusetts	58	1	1.7	2	.03	2.00	35	17	48.6	37	1.06	2.18
New Hampshire	1	0	.0	-	-	-	1	0	.0	-	-	-
Rhode Island	8	0	.0	-	-	-	4	0	.0	-	-	-
Vermont	1	0	.0	-	-	-	0	0	-	-	-	-
REGION I TOTAL	91	1	1.1	2	.02	2.00	58	22	37.9	38	.66	1.73
Delaware	9	0	.0	-	-	-	20	6	30.0	22	1.10	3.67
New Jersey	60	14	23.3	51	.85	3.64	90	33	36.7	111	1.23	3.36
New York	126	9	7.1	33	.26	3.67	367	117	72.2	288	1.78	2.46
Pennsylvania	278	1	.4	2	.01	2.00	206	19	9.2	53	.26	2.79
REGION II TOTAL	473	24	5.1	86	.18	3.58	683	175	36.6	474	.99	2.71
District of Columbia	16	4	25.0	6	.38	1.50	54	42	77.8	104	1.93	2.48
Kentucky	11	2	18.2	7	.64	3.50	10	8	80.0	23	2.30	2.88
Maryland	16	0	.0	-	-	-	52	64	123.1	169	3.25	2.64
North Carolina	80	0	.0	-	-	-	70	48	68.6	137	1.96	2.85
Virginia	55	2	3.6	11	.20	5.50	49	36	73.5	90	1.84	2.50
West Virginia	17	1	5.9	6	.35	6.00	15	6	40.0	14	.93	2.33
REGION III TOTAL	195	9	4.6	30	.15	3.33	250	204	81.6	537	2.15	2.63
Alabama	49	5	10.2	5	.10	1.00	75	64	85.3	228	3.04	3.56
Florida	90	1	1.1	1	.01	1.00	71	50	70.4	161	2.27	3.22
Georgia	105	17	16.2	63	.60	3.71	76	70	92.1	279	3.67	3.99
Mississippi	7	1	14.3	1	.14	1.00	21	16	76.2	74	3.52	4.63
South Carolina	105	1	1.0	1	.01	1.00	53	34	64.2	140	2.64	4.12
Tennessee	10	4	40.0	15	1.50	3.75	48	42	87.5	181	3.77	4.31
REGION IV TOTAL	366	29	7.9	86	.23	2.97	344	276	80.2	1063	3.09	3.85
Illinois	70	31	44.3	15	.21	.48	197	107	54.3	361	1.83	3.37
Indiana	26	0	.0	-	-	-	7	5	71.4	13	1.86	2.60
Michigan	92	0	.0	-	-	-	59	73	123.7	218	3.69	2.99
Ohio	105	0	.0	-	-	-	85	42	49.4	69	.81	1.64
Wisconsin b/	N.A.	-	-	-	-	-	-	-	-	-	-	-
REGION V TOTAL	293	31	10.6	15	.05	.48	348	227	65.2	661	1.90	2.91
Iowa	4	3	75.0	8	2.00	2.67	0	0	-	-	-	-
Kansas	19	6	31.6	13	.68	2.17	7	3	42.9	10	1.43	3.33
Minnesota	3	1	33.3	0	.00	1.00	0	0	-	-	-	-
Missouri	20	7	35.0	11	.55	1.57	65	25	38.5	70	1.08	2.80
Nebraska	1	0	.0	-	-	-	1	0	.0	-	-	-
North Dakota	0	0	-	-	-	-	0	0	-	-	-	-
South Dakota	1	0	.0	-	-	-	1	0	.0	-	-	-
REGION VI TOTAL	48	17	35.4	32	.67	1.88	74	28	37.8	80	1.08	2.86
Arkansas	24	0	.0	-	-	-	42	21	50.0	69	1.64	3.29
Louisiana	51	2	3.9	3	.06	1.50	176	71	40.3	170	.97	2.39
New Mexico	24	2	8.3	3	.13	1.50	41	9	22.0	10	.24	1.11
Oklahoma	29	1	3.4	4	.14	4.00	23	15	65.2	15	.65	1.00
Texas	39	14	35.9	31	.79	2.21	162	186	114.8	354	2.19	1.90
REGION VII TOTAL	167	17	10.2	38	.23	2.24	444	302	68.0	618	1.39	2.05
Colorado	7	0	.0	-	-	-	5	2	40.0	2	.40	1.00
Idaho	3	0	.0	-	-	-	3	3	100.0	4	1.33	1.33
Montana	0	0	-	-	-	-	3	0	.0	-	-	-
Utah	2	2	100.0	3	1.50	1.50	0	0	-	-	-	-
Wyoming	1	0	.0	-	-	-	1	0	.0	-	-	-
REGION VIII TOTAL	13	2	15.4	3	.23	1.50	12	5	41.7	6	.50	1.20
Alaska	0	0	-	-	-	-	1	0	.0	-	-	-
Arizona	135	18	13.3	110	.81	6.11	7	0	.0	-	-	-
California b/	N.A.	-	-	-	-	-	172	174	101.2	293	1.70	1.68
Nevada	8	0	.0	-	-	-	2	0	.0	-	-	-
Oregon	4	0	.0	-	-	-	3	1	33.3	1	.33	1.00
Washington	3	0	.0	-	-	-	5	3	60.0	18	3.60	6.00
REGION IX TOTAL	150	18	12.0	110	.73	6.11	190	178	93.7	312	1.64	1.75
U. S. TOTAL	1796	148	8.2	402	.22	2.72	2403	1417	59.0	3789	1.58	2.67
Puerto Rico	0	0	-	-	-	-	105	56	53.3	112	1.07	2.00
Virgin Islands b/	N.A.	-	-	-	-	-	-	-	-	-	-	-
Hawaii	1	0	.0	-	-	-	1	0	.0	-	-	-
Canal Zone b/	N.A.	-	-	-	-	-	-	-	-	-	-	-
TERRITORY TOTAL	1	0	.0	-	-	-	106	56	52.8	112	1.06	2.00
U. S. & TERRITORIES	1797	148	8.2	402	.22	2.72	2509	1473	58.7	3901	1.55	2.65
Cities (incl. above)												
Detroit	31	0	.0	-	-	-	36	32	88.9	102	2.83	3.19
New York	109	2	1.8	8	.07	4.00	360	111	71.6	264	1.70	2.38
Philadelphia	92	1	1.1	2	.02	2.00	101	14	13.9	42	.42	3.00
Pittsburgh	19	0	.0	-	-	-	20	0	.0	-	-	-
Chicago	39	0	.0	-	-	-	184	94	51.1	338	1.84	3.60
Baltimore	7	0	.0	-	-	-	29	44	151.7	117	4.03	2.66

a/ Cases reported by Private Physicians, Clinics, Hospitals and Institutions on Morbidity form PHS 688.
b/ Epidemiologic activity data from PHS 2127 not available.

Source: Form PHS - 2127
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
4/30/59 MFR/LBH: gh

CONTACTS OBTAINED FROM HEALTH DEPARTMENT CLINIC AND PRIVATE PHYSICIAN PATIENTS
111 - GONORRHEA
ALL AREAS REPORTING
October - December 1958

States By HEW Regions	GONORRHEA											
	Private Physicians						Clinics					
	Male Cases Reported a/	Number of Patients Interviewed	Percent of Male Cases Interviewed b/	Number Per Case Reported	Number Per Case Interviewed	Male Cases Reported a/	Number of Patients Interviewed	Percent of Male Cases Interviewed b/	Number Per Case Reported	Number Per Case Interviewed		
Connecticut	167	0	.0	-	-	139	59	42.4	10	.07	.17	
Maine	10	0	.0	-	-	3	0	.0	-	-	-	
Massachusetts	104	13	12.5	1	1.38	175	227	129.7	283	1.62	1.25	
New Hampshire	10	6	60.0	-	-	0	0	-	-	-	-	
Rhode Island	19	0	.0	-	-	6	0	.0	-	-	-	
Vermont	21	0	28.6	7	.33	0	0	-	-	-	-	
REGION I TOTAL	331	25	7.6	26	.08	1.04	323	286	88.5	293	.91	1.02
Delaware	66	7	10.6	13	.20	1.86	55	55	100.0	91	1.65	1.65
New Jersey	305	68	22.3	78	.26	1.15	506	298	58.9	383	.76	1.29
New York	1091	0	.0	-	-	3217	2824	105.2	3060	1.14	1.08	
Pennsylvania	286	7	2.4	8	.03	1.14	1197	700	58.5	995	.83	1.42
REGION II TOTAL	1748	82	4.7	99	.06	1.21	4975	3877	87.3	4529	.91	1.17
District of Columbia	43	0	-	-	-	1328	1068	80.4	1315	.99	1.23	
Kentucky	77	6	7.8	10	.13	1.67	166	166	36.3	198	.43	1.19
Maryland	163	0	.0	-	-	1416	1430	101.0	1189	.84	.83	
North Carolina	189	0	.0	-	-	1580	1030	65.2	1514	.96	1.47	
Virginia	234	10	4.3	35	.15	3.50	539	536	99.4	750	1.39	1.40
West Virginia	82	9	11.0	9	.11	1.00	134	95	33.6	54	.40	1.20
REGION III TOTAL	788	25	3.2	54	.07	2.16	5454	4275	78.4	5020	.92	1.17
Alabama	199	1	.5	1	.01	1.00	527	539	102.3	805	1.53	1.49
Florida	67	1	1.5	2	.03	2.00	1694	1694	100.0	1568	.93	.93
Georgia	205	57	27.8	82	.40	1.44	1879	1784	94.9	2787	1.48	1.56
Mississippi	97	12	12.4	15	.15	1.25	927	646	69.7	886	.96	1.37
South Carolina	152	7	4.6	15	.10	2.14	783	538	68.7	870	1.11	1.62
Tennessee	213	2	.9	3	.01	1.50	1355	1352	99.8	2090	1.54	1.55
REGION IV TOTAL	933	80	8.6	118	.13	1.48	7165	6553	91.5	9006	1.26	1.37
Illinois	622	438	70.4	195	.31	.45	3141	2775	88.3	3913	1.25	1.41
Indiana	103	27	26.2	44	.43	1.63	172	131	76.2	192	1.12	1.24
Michigan	472	11	2.3	19	.04	1.73	1201	2038	169.7	2533	2.11	.90
Ohio	405	0	.0	-	-	-	1148	1083	94.3	971	.85	-
Wisconsin c/	N.A.	-	-	-	-	-	5662	6027	106.4	7609	1.34	1.26
REGION V TOTAL	1602	476	29.7	258	.16	.54	11588	10627	91.7	12222	1.06	1.17
Iowa	100	88	88.0	128	1.28	1.45	29	48	165.5	85	2.93	1.77
Kansas	58	103	177.6	27	.47	.26	138	201	145.7	211	1.53	1.05
Minnesota	99	113	114.1	57	.58	.50	66	66	95.7	44	.64	.67
Missouri	170	58	34.1	68	.40	1.17	779	756	97.0	900	1.16	1.19
Nebraska	51	76	124.6	157	2.57	2.07	36	41	113.9	53	1.47	1.29
North Dakota	60	79	131.7	108	1.80	1.37	0	0	-	-	-	-
South Dakota	19	0	.0	-	-	-	51	46	90.2	60	1.18	1.30
REGION VI TOTAL	567	517	91.2	545	.96	1.05	1102	1158	105.1	1353	1.23	1.17
Arkansas	547	0	.0	-	-	-	197	123	62.4	156	.79	1.27
Louisiana	44	0	.0	-	-	-	816	585	71.7	812	1.00	1.39
New Mexico	144	3	2.1	5	.03	1.67	163	47	28.8	83	.51	1.77
Oklahoma	89	16	18.0	16	.18	1.00	400	711	177.8	652	1.63	.92
Texas	1110	77	6.9	131	.12	1.70	1680	2530	150.6	3234	1.93	1.28
REGION VII TOTAL	1934	96	5.0	152	.08	1.58	3256	3996	122.7	4937	1.52	1.24
Colorado	26	17	65.4	18	.69	1.06	96	165	171.9	201	2.09	1.22
Idaho	10	7	70.0	12	1.20	1.71	49	18	36.7	23	.47	1.28
Montana	51	0	.0	-	-	-	9	0	.0	-	-	-
Utah	45	21	46.7	35	.78	1.67	14	7	50.0	12	.86	1.71
Wyoming	7	0	.0	-	-	-	0	0	-	-	-	-
REGION VIII TOTAL	139	45	32.8	65	.47	1.44	168	190	113.1	236	1.40	1.24
Alaska	10	0	.0	-	-	-	35	28	80.0	28	.80	1.00
Arizona	272	40	14.7	70	.26	1.75	129	129	56.1	164	.71	1.27
California c/	N.A.	-	-	-	-	-	2359	3074	130.3	2809	1.19	.91
Nevada	17	0	.0	-	-	-	72	34	47.2	44	.61	1.29
Oregon	58	4	6.9	4	.07	1.00	106	102	96.2	128	1.21	1.25
Washington	70	0	.0	-	-	-	247	173	70.0	189	.77	1.09
REGION IX TOTAL	427	44	10.3	74	.17	1.68	3014	3540	117.5	3362	1.12	.95
U. S. TOTAL	8469	1390	16.4	1391	.16	1.00	31119	29902	96.1	36345	1.17	1.22
Puerto Rico	0	0	-	-	-	-	420	403	96.0	531	1.26	1.32
Virgin Islands c/	N.A.	-	-	-	-	-	5	5	100.0	8	1.60	1.60
Hawaii	18	16	88.9	17	.94	1.06	425	408	96.0	539	1.27	1.32
Canal Zone c/	N.A.	-	-	-	-	-	-	-	-	-	-	-
TERRITORY TOTAL	18	16	88.9	17	.94	1.06	425	408	96.0	539	1.27	1.32
U. S. & TERRITORIES	8487	1406	16.6	1408	.17	1.00	31544	30310	96.1	36884	1.17	1.22
Cities (incl. above)												
Detroit	124	5	4.0	9	.07	1.80	880	871	99.0	993	1.13	1.14
New York	755	0	.0	-	-	-	2793	2672	118.2	2840	1.26	1.06
Philadelphia	192	3	1.6	4	.02	1.33	1048	607	57.9	864	.82	1.42
Pittsburgh	68	0	.0	-	-	-	80	66	82.5	90	1.13	1.36
Chicago	276	1	.4	1	.00	1.00	3045	2640	86.7	3717	1.22	1.41
Baltimore	107	0	.0	-	-	-	1390	1390	100.0	1134	.82	.82

Source: Form PHS 2127
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
4/30/59 MPR/LBH: gh

a/ Male Cases reported by Private Physicians, Clinics, Hospitals and Institutions on Morbidity form PHS 688.
b/ Some areas may have over 100% because some females were interviewed.
c/ Epidemiologic activity data from PHS 2127 not available.

EPIDEMIOLOGIC YIELD PER 1,000 PERSONS EXAMINED
Cases Brought or Returned to Treatment
UNITED STATES TOTAL
(Excluding Territories)

October - December 1958

Source	U. S.	Region								
		I	II	III	IV	V	VI	VII	VIII	IX
<u>Private Physician</u>										
<u>P & S Syphilis Contacts</u>										
P & S Syphilis	88	200	75	68	91	0	140	244	211	24
Early Latent	45	0	54	136	29	26	0	98	0	12
Other Syphilis	7	0	0	0	17	0	18	0	0	12
Gonorrhoea	7	0	8	34	6	0	0	0	0	0
Other V.D.	1	0	0	0	6	0	0	0	0	0
Prophylactic Rx.	189	0	251	203	217	385	18	49	53	82
<u>Clinic-P & S Syphilis</u>										
<u>Contacts</u>										
P & S Syphilis	81	135	54	72	80	51	128	133	0	90
Early Latent	52	0	133	52	34	36	64	79	0	39
Other Syphilis	15	0	68	10	8	13	13	8	0	9
Gonorrhoea	13	0	8	29	14	6	0	0	0	21
Other V.D.	1	0	0	0	2	0	0	0	0	0
Prophylactic Rx.	186	0	207	316	169	264	205	128	500	44
<u>Clinic-Gonorrhoea</u>										
<u>Contacts</u>										
P & S Syphilis	0	0	0	0	1	0	0	0	0	2
Early Latent	0	0	0	1	1	0	0	0	0	0
Other Syphilis	1	0	0	1	0	1	0	1	0	0
Gonorrhoea	406	312	277	616	430	337	219	473	401	267
Other V.D.	0	0	0	0	1	0	1	0	20	0
Prophylactic Rx.	431	274	610	260	440	501	602	239	170	601
<u>All Military Contacts</u>										
P & S Syphilis	4	19	13	7	3	0	0	3	0	0
Early Latent	3	0	33	4	1	0	0	0	0	3
Other Syphilis	1	0	7	2	0	0	0	0	59	0
Gonorrhoea	396	364	167	564	319	305	290	484	206	414
Other V.D.	0	0	0	0	0	0	0	0	0	3
Prophylactic Rx.	342	331	440	204	462	273	358	299	294	327
<u>All Clinic Contacts</u>										
P & S Syphilis	10	15	8	9	12	4	10	11	0	17
Early Latent	10	0	20	12	10	4	9	13	6	9
Other Syphilis	7	12	14	6	3	8	3	10	11	4
Gonorrhoea	302	172	208	467	327	247	178	331	337	197
Other V.D.	1	0	0	1	1	2	2	1	17	0
Prophylactic Rx.	347	154	483	247	363	393	528	188	160	442
<u>All Clinic Other Suspects</u>										
P & S Syphilis	10	6	13	6	16	4	5	11	13	12
Early Latent	34	29	37	24	19	43	23	49	13	44
Other Syphilis	153	105	158	180	59	204	146	213	159	159
Gonorrhoea	43	41	11	26	46	24	112	80	357	19
Other V.D.	2	1	0	2	3	0	0	2	0	4
Prophylactic Rx.	11	6	14	6	7	24	5	4	19	11
<u>All Persons Examined</u>										
P & S Syphilis	10	9	13	8	14	4	8	11	13	14
Early Latent	23	23	33	19	15	26	15	33	7	25
Other Syphilis	81	75	94	92	30	115	79	113	68	72
Gonorrhoea	170	99	89	248	193	125	168	209	310	125
Other V.D.	1	1	0	1	2	1	1	2	7	2
Prophylactic Rx.	171	65	209	124	200	188	178	97	123	231

Source: Form PHS - 2127
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
4/30/59 LBH/JC:gh

DIAGNOSTIC OBSERVATIONS FOR VENEREAL DISEASES IN PUBLIC CLINICS

October - December 1958

States By HEW Regions	Diagnostic Observations Completed*			Persons Infected		Persons Given Prophylactic Treatment
	Number	Annual Rate Per 100,000 Population	Ratio To Last Year	Number	Percent of Observations	
Connecticut	27	4.69	0.06	15	55.6	4
Massachusetts	675	56.10	0.86	445	65.9	129
Rhode Island	117	55.65	1.11	20	17.1	18
REGION I TOTAL	819	41.17	0.62	480	58.6	151
Delaware	486	435.87	1.11	193	39.7	37
New Jersey	6125	430.05	0.79	971	15.9	377
New York	16849	416.44	1.24	4726	28.0	2144
Pennsylvania	2839	102.48	0.88	1679	59.1	1038
REGION II TOTAL	26299	314.89	1.05	7569	28.8	3596
District of Columbia	5135	2554.73	0.72	3100	60.4	140
Kentucky	11858	1563.35	0.79	1031	8.7	9
Maryland	4210	580.89	0.59	2037	48.4	444
North Carolina	30054	2688.80	0.87	2923	9.7	768
Virginia	16212	1714.65	2.32	1877	11.6	127
West Virginia	5314	1080.08	1.80	389	7.3	22
REGION III TOTAL	72783	1716.79	0.99	11357	15.6	1510
Alabama	8065	1012.87	1.48	832	10.3	1071
Florida	54930	5053.36	1.58	3348	6.1	375
Georgia	49925	5326.76	1.01	5376	10.8	1032
Mississippi	32078	5915.73	1.11	2525	7.9	380
South Carolina	10231	1744.42	0.63	1071	10.5	149
Tennessee	7362	853.32	1.03	2870	39.0	469
REGION IV TOTAL	162591	3378.91	1.14	16022	9.9	3476
Illinois	48006	1951.67	2.33	7172	14.9	2212
Indiana	680	59.47	1.16	451	66.3	2
Michigan	9092	463.29	1.07	3851	42.4	602
Ohio	10024	430.08	0.83	1783	17.8	2901
Wisconsin	450	45.78	1.22	209	46.4	0
REGION V TOTAL	68252	768.65	1.62	13466	19.7	5717
Iowa	120	17.02	1.15	72	60.0	5
Kansas	1382	265.90	1.28	256	18.5	37
Minnesota	639	75.85	0.94	67	10.5	2
Missouri	8091	763.12	1.03	2230	27.6	317
Nebraska	752	208.31	1.14	87	11.6	2
South Dakota	207	119.65	0.96	19	9.2	5
REGION VI TOTAL	11191	305.64	1.06	2731	24.4	368
Arkansas	17962	4107.95	0.76	1018	5.7	114
Louisiana	21258	2763.47	1.00	2722	12.8	226
New Mexico	1091	534.80	0.38	189	17.3	46
Oklahoma	6978	1240.53	1.18	886	12.7	345
Texas	37287	1620.12	1.02	3299	8.8	773
REGION VII TOTAL	84576	1978.62	0.94	8114	9.6	1504
Colorado	4987	1189.51	1.38	221	4.4	36
Idaho	826	502.13	1.05	56	6.8	2
Utah	34	15.80	0.69	11	32.4	1
Wyoming	67	84.81	0.61	2	3.0	1
REGION VIII TOTAL	5914	673.58	1.30	290	4.9	40
Alaska	6	14.37	0.15	0	0.0	0
Arizona	9622	3442.58	0.48	432	4.5	11
Nevada	162	251.16	1.56	80	49.4	6
Oregon	742	167.87	0.99	195	26.3	48
Washington	3340	493.72	0.81	392	11.7	273
REGION IX TOTAL	13872	922.19	0.55	1099	7.9	338
U. S. TOTAL	446297	1156.53	1.08	61128	13.7	16700
Puerto Rico	45135	7829.15	1.14	1177	2.6	3270
Hawaii	162	112.11	1.49	38	23.5	22
TERRITORY TOTAL	45297	6282.53	1.14	1215	2.7	3292
U. S. & TERRITORIES	491594	1250.54	1.08	62343	12.7	19992
Cities (incl. above)						
Detroit	3695	757.95	1.07	1662	45.0	247
New York	9438	484.93	1.28	4353	46.1	2105
Philadelphia	2040	369.40	0.93	1245	61.0	968
Pittsburgh	271	65.90	0.75	160	59.0	49
Baltimore	2551	1043.35	1.01	1908	74.8	384
Chicago	27298	2848.00	1.61	6347	23.3	1932

* A diagnostic observation is an examination of a person to determine the presence or absence of venereal disease (other than observations to determine response to therapy). Observations are excluded for persons given prophylactic treatment, transferred to another clinic, or lapsing from observation before the diagnosis is completed.

Source: Form PHS - 721-1
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
4/21/59 GH/MFR: gh

MORTALITY DUE TO SYPHILIS
Reported Rates per 100,000 Population
By the Sixth Revision of the International Lists of Diseases and Causes of Death a/

1946 - 1956

States By HEW Regions	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
Connecticut	4.4	4.5	5.0	3.9	4.5	2.6	2.9	2.4	2.4	2.1	1.4
Maine	4.3	4.8	3.9	3.4	3.7	2.9	1.6	2.0	1.3	1.9	1.4
Massachusetts	3.9	4.6	4.0	3.2	3.4	3.3	2.2	1.8	2.5	1.7	1.8
New Hampshire	5.5	4.2	6.9	4.4	5.8	3.0	4.5	3.0	3.6	1.6	2.3
Rhode Island	4.3	4.3	4.2	6.3	4.6	3.3	2.9	3.1	3.3	2.3	3.2
Vermont	3.2	2.5	2.8	3.8	3.7	3.0	.5	.5	1.3	1.4	1.9
REGION I TOTAL	4.2	4.5	4.3	3.7	3.9	3.1	2.4	2.1	2.5	1.8	1.8
Delaware	8.7	8.4	7.3	8.5	3.4	4.2	4.3	4.2	4.0	2.4	1.4
New Jersey	5.0	5.4	5.4	5.1	3.6	2.9	3.4	3.0	2.4	2.0	1.9
New York	7.1	7.0	6.1	5.1	4.6	3.6	3.3	3.0	2.8	2.2	2.4
Pennsylvania	6.9	6.3	5.6	4.7	3.8	4.1	4.0	4.1	3.4	2.5	2.7
REGION II TOTAL	6.7	6.5	5.8	5.0	4.2	3.7	3.6	3.4	3.0	2.2	2.4
District of Columbia	9.2	10.9	9.7	9.9	8.3	6.9	7.5	6.0	5.8	4.9	5.3
Kentucky	5.9	5.0	5.0	5.1	3.1	3.3	3.3	2.5	2.9	2.5	2.3
Maryland	9.5	9.1	8.9	8.0	7.5	5.0	6.3	4.9	4.1	3.7	3.0
North Carolina	4.9	5.3	3.8	4.9	4.1	2.9	2.5	1.9	1.7	1.4	1.7
Virginia	7.9	8.1	6.4	7.0	5.6	5.7	4.2	4.6	4.0	3.4	3.2
West Virginia	7.9	7.7	6.4	6.8	5.4	4.5	3.5	3.3	2.8	3.2	2.6
REGION III TOTAL	7.1	7.1	6.0	6.4	5.1	5.3	4.0	3.5	3.1	2.8	2.6
Alabama	8.1	7.9	7.1	6.4	5.4	4.2	3.7	3.4	3.3	2.6	1.9
Florida	9.0	7.7	7.8	7.6	6.5	5.5	4.9	4.6	4.2	2.6	3.6
Georgia	7.8	7.6	6.4	7.2	5.9	4.5	4.1	3.6	3.4	2.3	2.3
Mississippi	8.0	7.5	7.5	7.5	5.5	4.7	4.3	3.6	2.4	1.7	2.0
South Carolina	9.8	9.5	8.6	7.3	6.6	3.9	4.2	3.2	2.8	2.7	3.0
Tennessee	6.4	6.0	5.0	4.7	4.3	4.0	3.4	2.8	2.5	2.0	2.3
REGION IV TOTAL	8.0	7.5	6.9	4.7	5.6	4.5	4.1	3.6	3.1	2.0	2.6
Illinois	6.9	6.0	5.4	6.0	4.9	3.6	3.7	2.7	2.3	1.9	1.7
Indiana	7.9	7.8	6.0	6.7	5.9	4.9	4.7	3.5	3.2	2.6	2.8
Michigan	7.0	6.1	6.0	6.2	5.1	4.4	2.9	2.9	2.5	1.7	1.8
Ohio	7.8	7.5	7.4	7.0	6.3	5.3	4.7	4.4	3.7	3.1	2.9
Wisconsin	4.0	3.6	3.3	3.5	2.8	2.5	2.1	1.9	1.6	1.4	1.6
REGION V TOTAL	6.9	6.4	5.9	6.1	5.2	4.2	3.7	3.2	2.7	2.2	2.2
Iowa	4.8	5.1	4.3	4.9	4.0	3.0	3.1	3.1	2.3	2.0	1.4
Kansas	6.1	6.2	4.8	5.3	5.0	4.3	3.6	3.3	3.1	2.4	2.9
Minnesota	5.2	4.4	3.5	4.0	3.8	2.9	2.8	2.5	1.9	1.9	1.8
Missouri	9.2	8.0	7.0	7.1	6.9	6.4	5.1	5.8	5.3	3.6	3.0
Nebraska	5.0	4.9	4.0	3.7	2.7	2.1	2.8	2.1	1.7	1.3	1.0
North Dakota	3.9	2.2	2.3	2.4	3.4	1.2	1.3	1.9	.2	.9	1.3
South Dakota	3.6	4.4	4.1	2.9	2.6	1.7	2.4	2.0	1.2	1.6	2.2
REGION VI TOTAL	6.3	5.8	4.9	5.1	4.7	3.9	3.5	3.6	3.0	2.3	2.1
Arkansas	6.2	8.1	6.1	5.0	5.4	4.3	3.6	2.9	2.9	2.3	2.7
Louisiana	2.2	11.7	11.5	11.4	10.0	8.2	6.6	7.3	6.9	5.6	3.9
New Mexico	10.1	7.1	7.9	6.8	6.0	4.0	3.9	2.6	1.9	2.7	1.6
Oklahoma	6.8	6.1	5.8	5.6	5.3	4.0	3.6	3.6	4.0	1.8	1.8
Texas	6.6	6.3	5.8	6.0	5.8	4.7	4.0	3.6	2.7	2.6	2.5
REGION VII TOTAL	7.8	7.5	6.9	6.8	6.4	5.2	4.4	4.1	3.6	3.0	2.7
Colorado	6.6	7.0	6.5	4.6	3.7	2.5	2.4	2.5	2.1	1.3	1.5
Idaho	2.8	2.9	2.5	2.8	3.7	2.0	1.4	1.5	2.2	1.0	1.6
Montana	7.1	6.8	5.4	6.2	5.2	3.9	3.2	2.4	3.9	1.9	2.6
Utah	3.4	2.4	3.3	1.6	3.8	2.8	1.8	1.5	1.7	.8	1.6
Wyoming	6.6	5.0	5.9	6.9	3.8	5.1	3.9	3.6	4.0	3.7	1.4
REGION VIII TOTAL	5.4	5.2	4.9	4.1	4.0	2.9	2.4	2.2	2.5	1.4	2.0
Arizona	7.4	6.9	6.6	6.7	6.1	5.6	5.7	3.2	2.8	1.8	1.7
California	7.2	6.9	6.2	6.6	5.5	3.8	3.5	3.3	3.1	2.3	2.3
Nevada	11.0	9.2	6.9	7.5	9.3	8.2	3.3	5.3	8.1	5.3	2.0
Oregon	6.4	5.3	5.0	5.4	4.3	3.5	2.2	2.7	2.1	2.3	1.8
Washington	5.9	5.8	4.2	5.5	3.8	4.0	3.2	2.6	3.8	2.5	2.1
REGION IX TOTAL	6.9	6.6	5.8	6.3	5.2	4.0	3.5	3.1	3.1	2.4	2.4
CONFIDENTIAL U. S.	6.9	6.5	5.9	5.8	5.0	4.1	3.7	3.3	3.0	2.3	2.3

a/ For comparability of mortality trends, the rates for the years 1946-1948 have been adjusted from the Fifth to the Sixth Revision of the International Lists by applying the provisional comparability ratio to deaths coded by the Fifth Revision.

Source: Mortality data from National Office of Vital Statistics
Population data from Bureau of the Census
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
3/26/59 JHB/jc

MORTALITY DUE TO PARESIS
Reported Rates 100,00 Population
By the Sixth Revision of the International Lists of Diseases and Causes of Death a/

1946 - 1956

States By HEW Regions	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
Connecticut	1.0	.8	.6	.4	.4	.2	.2	.1	.2	.1	.1
Maine	1.7	1.8	1.0	.3	.5	.7	.1	.4	.2	.2	.1
Massachusetts	.9	1.0	.7	.4	.3	.4	.2	.1	.1	.2	.1
New Hampshire	2.2	1.4	.8	.4	1.1	.6	.9	.2	.5	.3	.2
Rhode Island	1.3	1.2	.9	1.4	.6	.4	.5	.0	.0	.3	.3
Vermont	1.8	.3	.3	.0	1.3	.8	.3	.1	.2	.2	.1
REGION I TOTAL	1.2	1.0	.7	.4	.5						
Delaware	2.3	2.6	1.9	1.9	.6	.9	.6	.6	.5	.3	.0
New Jersey	1.6	1.4	1.4	1.0	.7	.4	.3	.3	.2	.3	.1
New York	2.3	2.1	1.8	1.2	.8	.7	.6	.5	.4	.3	.4
Pennsylvania	2.4	2.0	1.7	1.2	.9	.7	.8	.6	.5	.3	.4
REGION II TOTAL	2.2	2.0	1.7	1.2	.8	.2	.6	.5			
District of Columbia	1.4	1.7	1.5	1.8	.5	.9	1.0	.7	.4	.2	1.0
Kentucky	2.4	1.6	1.7	1.1	.5	.7	.8	.5	.6	.6	.4
Maryland	3.0	2.4	2.0	1.5	1.5	.9	1.3	.6	.3	.5	.1
North Carolina	1.0	1.1	.7	1.2	.6	.6	.5	.2	.1	.9	.5
Virginia	2.9	2.8	1.9	1.6	1.1	1.4	1.0	1.2	1.1	.6	.4
West Virginia	3.2	2.5	1.8	2.2	1.4	1.1	.6	.4	.4	.5	.4
REGION III TOTAL	2.3	2.0	1.5	1.5	.9	.9	.8	.6	.5		
Alabama	.8	1.1	.9	.7	.7	.6	.6	.6	.3	.4	.3
Florida	2.8	1.9	1.5	.6	.6	.6	.4	.2	.2	.1	.1
Georgia	2.8	2.4	2.1	1.8	1.8	1.0	.9	.6	.6	.3	.2
Mississippi	2.0	1.8	1.4	1.7	.7	.5	.4	.7	.1	.2	.1
South Carolina	3.2	3.1	2.7	2.0	1.7	1.0	1.2	.7	.8	.3	.2
Tennessee	1.8	1.8	1.6	1.0	.8	.9	.9	.7	.5	.2	.4
REGION IV TOTAL	3.2	2.0	1.6	1.3	1.1	.7	.7	.6	.4	.3	.2
Illinois	2.8	2.3	1.8	2.0	1.3	1.0	.9	.6	.4	.2	.2
Indiana	3.3	3.2	2.0	2.0	1.6	1.4	.8	.6	.2	.3	.3
Michigan	1.8	1.4	1.2	1.0	.6	.6	.5	.2	.2	.2	.3
Ohio	2.6	2.0	2.0	1.6	1.4	1.1	.8	.7	.6	.6	.5
Wisconsin	1.0	1.0	.7	.4	.3	.4	.1	.2	.1	.0	.1
REGION V TOTAL	2.4	2.0	1.6	1.5	1.1	.9	.7	.6	.3	.3	.3
Iowa	1.8	1.5	.8	.6	.5	.4	.5	.5	.2	.3	.1
Kansas	1.9	1.9	1.4	.8	.4	.6	.4	.4	.3	.3	.4
Minnesota	.3	.6	.6	.6	.5	.2	.4	.4	.2	.3	.1
Missouri	2.6	1.9	1.5	1.6	1.4	1.0	.9	1.2	1.1	.4	.4
Nebraska	1.7	1.9	1.2	1.3	.7	.8	1.3	.6	.7	.5	.2
North Dakota	.4	.4	.2	.9	.2	.3	.3	.0	.0	.0	.2
South Dakota	1.1	1.4	1.7	.8	.8	.0	.2	.3	.3	.3	.3
REGION VI TOTAL	1.8	1.5	1.1	1.0	.7	.6	.6	.6	.5	.3	.2
Arkansas	2.0	2.7	1.6	1.0	.7	.7	.6	.3	.2	.2	.3
Louisiana	3.2	2.7	2.7	1.9	1.3	1.3	.8	1.0	.9	.5	.5
New Mexico	2.2	.5	.7	.6	.6	.4	.1	.1	.3	.3	.3
Oklahoma	2.5	1.7	1.6	1.3	.9	1.2	.8	.9	.8	.1	.2
Texas	2.2	1.9	1.6	1.5	.9	.9	.6	.5	.3	.2	.3
REGION VII TOTAL	2.4	2.0	1.8	1.4	1.0	1.0	.6	.6	.5	.3	.3
Colorado	2.0	1.6	.7	.4	.8	.4	.2	.2	.0	.1	.1
Idaho	.2	.2	.7	.2	.3	.5	.2	.2	.0	.0	.2
Montana	1.4	1.4	.2	.9	.5	.0	.3	.0	.0	.1	.2
Utah	1.2	.3	.9	.1	.9	.8	.5	.4	.3	.1	.0
Wyoming	2.3	1.2	1.9	1.4	.3	.7	1.3	1.0	1.7	.3	1.6
REGION VIII TOTAL	1.5	1.0	.8	.5	.7	.5	.2	.3	.2	.1	.2
Arizona	.9	1.0	.8	.6	.5	.5	.2	.3	.1	.0	.0
California	1.8	1.4	1.0	.8	.5	.4	.3	.2	.2	.1	.1
Nevada	2.1	.7	2.5	.6	1.2	1.8	.5	.0	1.0	.9	.0
Oregon	1.7	1.0	1.2	.9	.3	.4	.1	.4	.3	.1	.0
Washington	1.5	1.3	.7	.5	.5	.5	.3	.2	.2	.1	.2
REGION IX TOTAL	1.7	1.4	1.0	.7	.5	.4	.3	.2	.2	.1	.1
CONTINENTAL U. S.	2.1	1.8	1.5	1.2	.9	.7	.6	.5	.4	.3	.3

a/ For comparability of mortality trends, the rates for the years 1946-1948 have been adjusted from the Fifth to the Sixth Revision of the International Lists by applying the provisional comparability ratio to deaths coded by the Fifth Revision.

Source: Mortality data from National Office of Vital Statistics
Population data from Bureau of the Census
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
3/26/59 JMB/jc

MORTALITY DUE TO SYPHILIS EXCEPT PARESIS
Reported Rates per 100,000 Population
By the Sixth Revision of the International Lists of Diseases and Causes of Death a/

1946 - 1956

States By HEW Regions	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956
Connecticut	3.4	3.7	4.4	3.5	4.1	2.4	2.8	2.3	2.2	1.9	1.3
Maine	2.6	3.0	2.9	3.1	3.2	2.2	1.5	1.6	1.1	1.7	1.3
Massachusetts	3.0	3.6	3.3	2.8	3.0	2.9	2.0	1.7	2.4	1.5	2.0
New Hampshire	3.3	2.8	6.1	4.0	4.7	2.4	3.6	2.8	3.3	.9	3.0
Rhode Island	3.0	3.1	3.3	4.9	3.9	2.9	2.5	3.1	2.9	2.0	1.6
Vermont	1.4	2.2	2.5	3.8	2.4	2.2	.3	.5	1.3	1.1	1.7
REGION I TOTAL	3.0	3.5	3.6	3.3	3.4	2.7	2.2	2.0	2.3	1.6	
Delaware	6.4	5.8	5.4	6.6	2.0	3.3	3.8	3.6	3.5	2.1	1.4
New Jersey	3.4	4.0	4.0	4.1	2.9	2.5	3.1	2.7	2.2	1.8	1.8
New York	4.8	4.9	4.3	3.9	3.9	2.9	2.7	2.5	2.4	1.8	1.3
Pennsylvania	4.5	4.3	3.9	3.5	3.0	3.4	3.2	3.5	2.9	2.1	2.3
REGION II TOTAL	4.5	4.5	4.1	3.8	3.4	3.5	3.0	2.9	2.5	1.9	2.1
District of Columbia	7.8	9.2	8.2	8.1	7.8	6.0	6.5	5.3	5.4	4.6	3.7
Kentucky	3.5	3.4	3.3	4.0	2.5	2.6	2.5	2.0	2.3	1.9	1.8
Maryland	6.5	6.7	6.9	6.5	6.0	4.1	5.0	4.3	3.8	3.2	2.9
North Carolina	3.9	4.2	3.1	3.7	3.5	2.3	2.1	1.7	1.5	1.3	1.1
Virginia	5.0	5.3	4.5	5.4	4.5	4.3	3.2	3.4	2.9	2.5	2.7
West Virginia	4.7	5.2	4.6	4.6	4.0	3.4	2.9	2.9	2.4	2.6	2.2
REGION III TOTAL	4.8	5.1	4.5	4.9	4.2	3.4	3.2	2.9	2.6	2.3	2.3
Alabama	7.3	6.8	6.2	5.7	4.7	3.6	3.0	2.8	2.9	2.2	1.6
Florida	6.2	5.8	6.3	7.0	5.9	4.9	4.5	4.4	4.0	2.6	3.5
Georgia	5.0	5.2	4.3	5.4	4.1	3.5	3.2	3.0	2.8	2.4	2.1
Mississippi	6.0	5.7	6.1	5.8	4.8	4.2	3.8	2.9	2.3	1.5	1.9
South Carolina	6.6	6.4	5.9	5.3	4.9	2.9	3.0	2.5	2.1	2.4	2.8
Tennessee	4.6	4.2	3.4	3.7	3.4	3.1	2.6	2.1	1.9	1.7	2.0
REGION IV TOTAL	5.8	5.5	5.3	5.4	4.6	3.8	3.3	3.0	2.7	2.2	2.3
Illinois	4.1	3.7	3.6	4.0	3.6	2.6	2.8	2.1	2.0	1.7	1.5
Indiana	4.6	4.6	4.0	4.7	4.3	3.5	3.8	2.9	3.0	2.3	2.5
Michigan	5.2	4.7	4.8	5.2	4.5	3.8	2.5	2.4	2.2	1.5	1.6
Ohio	5.2	5.5	5.4	5.4	4.9	4.2	3.9	3.6	3.1	2.5	2.4
Wisconsin	3.0	2.6	2.6	3.1	2.6	2.1	1.9	1.7	1.5	1.3	1.5
REGION V TOTAL	4.5	4.4	4.3	4.6	4.1	3.3	3.1	2.6	2.4	1.9	1.9
Iowa	3.0	3.6	3.5	4.3	3.5	2.6	2.6	2.6	2.1	1.8	1.2
Kansas	4.2	4.3	3.4	4.5	4.6	3.7	3.2	2.9	2.9	2.1	2.5
Minnesota	3.9	3.8	2.9	3.4	3.3	2.7	2.4	2.1	1.6	1.6	1.7
Missouri	6.6	6.1	5.5	5.5	5.5	5.4	4.3	4.6	4.3	3.2	2.6
Nebraska	3.3	3.0	2.8	2.4	2.0	1.3	1.5	1.5	1.0	.8	.8
North Dakota	3.5	1.8	2.1	1.5	3.2	.9	1.3	1.9	.3	.9	.8
South Dakota	2.5	3.0	2.4	2.1	1.8	1.7	2.3	1.7	1.2	1.3	1.9
REGION VI TOTAL	4.5	4.3	3.8	4.1	4.0	3.3	2.9	3.0	2.5	2.0	1.9
Arkansas	4.2	5.4	4.5	4.0	4.7	3.6	3.0	2.6	2.7	2.1	2.4
Louisiana	9.0	9.0	8.8	9.5	8.8	6.9	5.9	6.3	6.0	5.1	3.4
New Mexico	7.9	6.6	7.2	6.2	5.4	3.6	3.8	2.5	1.7	2.5	1.4
Oklahoma	4.3	4.4	4.2	4.3	4.4	2.8	2.8	2.7	3.3	1.7	1.6
Texas	4.4	4.4	4.2	4.5	4.8	3.8	3.4	3.1	2.4	2.3	2.2
REGION VII TOTAL	5.4	5.5	5.1	5.5	5.5	4.2	3.7	3.5	3.2	2.7	2.3
Colorado	4.6	5.4	5.8	4.2	2.9	2.1	2.2	2.3	2.1	1.2	1.4
Idaho	2.6	2.7	1.8	2.6	3.4	1.5	1.2	1.3	2.2	1.0	1.4
Montana	5.7	5.4	5.2	5.3	4.7	3.9	2.8	2.4	3.9	2.0	2.5
Utah	2.2	2.1	2.4	1.5	2.9	2.0	1.2	1.1	1.4	.8	1.6
Wyoming	4.3	3.8	4.0	5.5	3.4	4.4	2.6	2.6	2.3	3.3	2.9
REGION VIII TOTAL	3.9	4.2	4.1	3.6	3.3	2.4	2.0	1.9	2.3	1.3	1.7
Arizona	6.5	5.9	5.8	6.1	5.6	5.1	5.5	2.9	2.7	1.8	1.7
California	5.4	5.5	5.2	5.8	5.0	3.4	3.3	3.1	2.9	2.2	2.2
Nevada	8.9	8.5	4.4	6.9	8.1	6.4	2.7	5.3	7.1	4.4	2.0
Oregon	4.7	4.3	3.8	4.5	4.1	3.1	2.1	2.3	1.8	2.2	2.0
Washington	4.4	4.5	3.5	5.0	3.3	3.5	2.9	2.4	3.8	2.3	1.6
REGION IX TOTAL	5.2	5.2	4.8	5.6	4.7	3.6	3.2	2.9	3.0	2.2	2.1
CONTINENTAL U. S.	4.8	4.7	4.4	4.6	4.1	3.4	3.1	2.8	2.6	2.1	2.1

a/ For comparability of mortality trends, the rates for the years 1946-1948 have been adjusted from the Fifth to the Sixth Revision of the International Lists by applying the provisional comparability ratio to deaths coded by the Fifth Revision.

Source: Mortality data from National Office of Vital Statistics
Population data from Bureau of the Census
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
3/26/59 JHB/jc

SYPHILIS
Reported Infant Mortality Rates per 10,000 Live Births by Place of Residence

1946 - 1956

TOTAL

States By HEW Regions	Fifth Revision a/			Sixth Revision a/								
	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	
Connecticut	.00	.22	.00	.00	.25	.00	.00	.00	.00	.19	.00	
Maine	1.48	.00	.45	.46	.00	.00	.47	.00	.44	.00	.00	
Massachusetts	.32	.09	.21	.00	.00	.00	.00	.00	.00	.00	.00	
New Hampshire	.90	.00	.00	.00	.00	.59	.00	.00	.00	.00	.00	
Rhode Island	.60	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	
Vermont	.00	.00	.00	.00	.00	.00	.00	.00	.00	.04	.00	
REGION I TOTAL	.42	.09	.15	.05	.05	.05	.05	.00	.05	.04	.00	
Delaware	2.94	3.89	4.14	2.71	.00	.00	1.14	.00	.00	.00	.00	
New Jersey	.53	1.69	.61	.31	.00	.19	.27	.18	.08	.08	.08	
New York	.59	.59	.46	.27	.23	.00	.03	.03	.00	.06	.00	
Pennsylvania	1.10	1.21	1.32	.62	.45	.17	.04	.00	.12	.04	.04	
REGION II TOTAL	.79	1.02	.84	.43	.27	.09	.09	.04	.06	.06	.03	
District of Columbia	.54	2.31	.00	.50	.50	.00	.00	.00	.48	.00	.00	
Kentucky	1.79	1.25	1.55	1.31	.53	.26	.27	.16	.00	.15	.00	
Maryland	3.97	2.65	2.06	1.68	.92	.50	.00	.18	.09	.17	.26	
North Carolina	2.58	2.30	2.01	2.04	.66	.63	.18	.09	.11	.21	.00	
Virginia	2.37	3.27	3.05	1.69	1.95	.69	.23	.21	.21	.23	.00	
West Virginia	2.67	1.63	1.53	1.33	.20	.00	.00	.00	.14	.12	.07	
REGION III TOTAL	2.48	2.26	1.97	1.60	.88	.44	.15	.17	.17	.14	.07	
Alabama	3.51	3.06	2.69	3.20	1.57	1.55	.72	.73	.73	.73	.12	
Florida	2.42	1.00	1.34	1.30	1.24	.99	.94	.50	.35	.10	.10	
Georgia	1.75	1.47	1.73	.97	1.53	.31	.41	.20	.00	.20	.00	
Mississippi	3.08	2.11	3.22	1.81	.62	.30	.46	.16	.00	.00	.16	
South Carolina	5.93	3.87	3.81	1.54	1.39	1.32	.80	.63	.00	.31	.31	
Tennessee	2.33	2.19	1.34	.84	.61	.59	.00	.12	.00	.00	.12	
REGION IV TOTAL	3.03	2.26	2.28	1.61	1.18	.83	.54	.38	.19	.21	.12	
Illinois	1.26	.41	.16	.11	.11	.00	.05	.00	.00	.05	.00	
Indiana	1.40	1.45	.43	.11	.11	.20	.10	.00	.21	.00	.00	
Michigan	1.08	.68	.78	.57	.19	.12	.17	.05	.13	.09	.07	
Ohio	1.06	.81	1.18	.53	.27	.10	.14	.00	.11	.00	.00	
Wisconsin	.40	.12	.25	.24	.12	.23	.00	.00	.11	.00	.00	
REGION V TOTAL	1.09	.68	.61	.34	.17	.08	.10	.01	.10	.04	.01	
Iowa	.36	.16	.50	.32	.16	.00	.00	.00	.00	.00	.00	
Kansas	.50	.47	.46	.23	.21	.21	.19	.00	.19	.00	.00	
Minnesota	.15	.26	.00	.00	.00	.44	.33	.43	.21	.00	.00	
Missouri	1.61	1.11	1.06	.35	.70	.00	.30	.00	.00	.00	.00	
Nebraska	1.43	.00	.64	.00	.00	.58	.58	.00	.00	.00	.00	
North Dakota	1.97	.59	.00	.00	.00	.58	.00	.00	.00	.00	.00	
South Dakota	1.37	.60	1.22	.00	.56	.00	.00	.00	.14	.06	.00	
REGION VI TOTAL	.89	.62	.55	.21	.27	.17	.14	.14	.14	.06	.00	
Arkansas	1.99	2.25	1.04	.66	.88	.66	.46	.23	.00	.24	.00	
Louisiana	4.81	6.03	5.18	3.97	1.57	1.24	1.12	.12	.46	.35	.22	
New Mexico	4.98	5.90	4.87	3.70	1.81	.85	1.24	1.60	.00	.39	.00	
Oklahoma	1.59	1.49	1.98	1.41	.80	.99	.00	.20	.39	.00	.00	
Texas	3.47	3.07	2.23	1.53	1.37	.69	.71	.38	.25	.08	.37	
REGION VII TOTAL	3.35	3.46	2.74	2.00	1.31	.84	.71	.36	.27	.16	.24	
Colorado	1.02	.00	.30	.30	.30	.28	.54	.00	.00	.00	.00	
Idaho	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	
Montana	.78	3.31	2.00	1.30	1.92	.00	.61	1.20	.00	.00	.00	
Utah	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.16	.00	
Wyoming	.00	.00	.00	.00	.00	.00	.00	.19	.00	.09	.00	
REGION VIII TOTAL	.50	.54	.43	.32	.42	.10	.29	.19	.00	.09	.00	
Arizona	4.89	4.70	4.17	7.89	4.80	2.66	1.21	1.16	.00	.00	.00	
California	1.37	.81	.87	.29	.33	.15	.18	.00	.03	.06	.06	
Nevada	9.14	.00	2.71	2.72	.00	4.92	.00	.00	.00	1.39	1.52	
Oregon	.33	1.65	.28	.00	.55	.54	.00	.16	.00	.00	.00	
Washington	.19	.17	.00	.00	.00	.34	.00	.09	.02	.07	.06	
REGION IX TOTAL	1.34	.99	.87	.66	.55	.42	.19	.09	.02	.07	.06	
CONTINENTAL U. S.	1.64	1.40	1.24	.84	.57	.34	.24	.14	.11	.08	.06	

a/ International Lists of Diseases and Causes of Death

Source: Infant mortality data and live births data
from National Office of Vital Statistics
HEW-FHS-ESS-CDC-VD Branch
Office of Statistics
4/1/59 JHB:jc

S Y P H I L I S
Reported Infant Mortality Rates per 10,000 Live Births by Place of Residence
1946 - 1956

WHITE

States By HEW Regions	Fifth Revision ^{a/}			Sixth Revision ^{a/}								
	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	
Connecticut	.00	.23	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
Maine	1.48	.00	.45	.00	.00	.00	.47	.00	.44	.00	.00	.00
Massachusetts	.32	.09	.10	.00	.00	.00	.00	.00	.00	.00	.00	.00
New Hampshire	.90	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
Rhode Island	.61	.00	.00	.00	.00	.61	.00	.00	.00	.00	.00	.00
Vermont	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
REGION I TOTAL	.42	.09	.10	.00	.00	.05	.05	.00	.05	.00	.00	.00
Delaware	.00	3.03	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
New Jersey	.34	.41	.22	.00	.00	.00	.00	.00	.00	.00	.00	.00
New York	.30	.20	.40	.11	.18	.00	.03	.00	.00	.00	.00	.00
Pennsylvania	.34	.43	.57	.29	.20	.14	.00	.00	.00	.05	.00	.00
REGION II TOTAL	.32	.34	.43	.16	.16	.05	.02	.00	.00	.02	.00	.00
District of Columbia	.00	.00	.00	.86	.90	.00	.00	.00	.00	.00	.00	.00
Kentucky	1.45	.79	1.66	.84	.43	.14	.29	.15	.00	.00	.00	.00
Maryland	.97	1.30	.71	.24	.47	.00	.21	.20	.00	.00	.00	.00
North Carolina	1.13	.25	.27	.41	.14	.00	.00	.00	.00	.00	.00	.00
Virginia	.51	.91	.82	.49	1.15	.46	.00	.00	.14	.00	.00	.00
West Virginia	2.60	1.14	1.41	1.21	.21	.00	.00	.23	.00	.24	.00	.00
REGION III TOTAL	1.24	.78	.93	.65	.50	.16	.06	.10	.03	.03	.00	.00
Alabama	.58	.17	.37	.57	.40	.00	.20	.00	.00	.20	.00	.00
Florida	.00	.00	.00	.00	.00	.00	.37	.00	.00	.00	.00	.00
Georgia	.53	.48	.00	.34	.18	.00	.00	.00	.00	.00	.00	.00
Mississippi	.33	.00	.67	.00	.00	.00	.00	.00	.00	.00	.00	.00
South Carolina	.64	.88	.63	.32	.33	.30	.29	.28	.00	.00	.00	.00
Tennessee	.46	1.23	.74	.44	.15	.44	.00	.15	.00	.00	.00	.00
REGION IV TOTAL	.44	.52	.39	.32	.18	.14	.14	.07	.00	.03	.00	.00
Illinois	.68	.22	.12	.12	.12	.00	.00	.00	.00	.00	.00	.00
Indiana	1.09	.97	.23	.00	.11	.10	.00	.00	.00	.00	.00	.00
Michigan	.46	.27	.14	.49	.14	.06	.06	.00	.06	.00	.00	.00
Ohio	.75	.49	.69	.40	.29	.00	.16	.00	.10	.05	.00	.00
Wisconsin	.27	.00	.25	.12	.12	.12	.00	.00	.00	.00	.00	.00
REGION V TOTAL	.66	.38	.31	.26	.17	.03	.06	.00	.04	.01	.00	.00
Iowa	.36	.16	.50	.16	.16	.00	.00	.00	.00	.00	.00	.00
Kansas	.00	.70	.00	.24	.24	.22	.00	.20	.00	.00	.00	.00
Minnesota	.15	.13	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
Missouri	.94	.48	.51	.26	.13	.25	.25	.00	.12	.00	.00	.00
Nebraska	.73	.00	.33	.00	.00	.00	.30	.00	.00	.00	.00	.00
North Dakota	1.34	.60	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
South Dakota	.00	.63	1.27	.00	.59	.00	.00	.00	.00	.00	.00	.00
REGION VI TOTAL	.48	.34	.32	.13	.12	.09	.09	.03	.03	.00	.00	.00
Arkansas	.28	1.31	1.10	.00	.00	.00	.00	.00	.00	.00	.00	.00
Louisiana	.46	1.06	.45	.44	.22	.00	.00	.00	.00	.00	.00	.00
New Mexico	2.40	2.13	1.57	1.49	.49	.92	.45	.00	.00	.43	.00	.00
Oklahoma	.22	.83	.67	.23	.23	.67	.00	.22	.00	.00	.28	.00
Texas	2.12	1.60	1.22	.91	1.02	.37	.51	.34	.24	.10	.16	.00
REGION VII TOTAL	1.40	1.41	1.04	.69	.66	.36	.32	.23	.14	.08	.00	.00
Colorado	1.04	.00	.00	.31	.30	.29	.55	.00	.00	.00	.00	.00
Idaho	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.06
Montana	.00	.70	.70	.00	.00	.00	.00	.00	.00	.00	.00	.00
Utah	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
Wyoming	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
REGION VIII TOTAL	.38	.11	.11	.11	.11	.10	.20	.00	.00	.00	.00	.00
Arizona	.70	.59	1.76	1.14	1.70	1.04	.48	.00	.00	.00	.00	.00
California	.78	.48	.77	.22	.22	.17	.12	.00	.04	.07	.03	.00
Nevada	3.29	.00	.00	2.96	.00	2.71	.00	.00	.00	.00	.00	.00
Oregon	.34	1.40	.00	.00	.28	.27	.00	.00	.00	.00	.00	.00
Washington	.00	.18	.00	.00	.00	.00	.00	.00	.00	.00	.00	.02
REGION IX TOTAL	.63	.52	.60	.24	.27	.23	.10	.00	.02	.05	.00	.00
CONTINENTAL U. S.	.66	.51	.49	.29	.24	.12	.10	.04	.03	.03	.02	.00

^{a/} International Lists of Diseases and Causes of Death

Source: Infant mortality data and live births data from National Office of Vital Statistics
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
4/1/59 JHB; jc

S Y P H I L I S
Reported Infant Mortality Rates per 10,000 Live Births by Place of Residence

1946 - 1956

NONWHITE

States By HEW Regions	Fifth Revision ^{a/}			Sixth Revision ^{a/}								
	1946	1947	1948	1949	1950	1951	1952	1953	1954	1955	1956	
Connecticut	.00	.00	.00	.00	7.00	.00	.00	.00	.00	.00	3.86	.00
Maine	.00	.00	.00	285.71	.00	.00	.00	.00	.00	.00	.00	.00
Massachusetts	.00	.00	5.04	.00	.00	.00	.00	.00	.00	.00	.00	.00
New Hampshire	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
Rhode Island	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
Vermont	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	1.56	.00
REGION I TOTAL	.00	.00	2.53	2.62	2.40	.00	.00	.00	.00	.00	.00	.00
Delaware	20.18	8.98	25.71	15.80	.00	.00	6.46	.00	.00	.00	.00	.00
New Jersey	3.03	17.31	4.61	3.26	.00	1.96	2.88	1.77	.81	.74	.69	.00
New York	5.21	5.94	1.22	1.89	.73	.00	.00	.32	.00	.55	.00	.41
Pennsylvania	13.15	13.27	10.94	4.74	3.44	.53	.52	.00	1.38	.00	.00	.41
REGION II TOTAL	7.94	10.40	5.50	3.34	1.44	.51	.81	.47	.57	.41	.25	.00
District of Columbia	1.58	6.52	.00	.00	.00	.00	.00	.00	.91	.00	.00	.00
Kentucky	8.82	9.86	.00	8.03	1.86	1.84	.00	3.50	.00	.68	.00	.00
Maryland	17.27	8.56	7.08	6.81	2.51	1.54	.00	.00	.52	.26	.78	.00
North Carolina	6.08	7.21	5.74	5.34	1.65	1.87	.54	.27	.41	.82	.00	.00
Virginia	8.57	10.94	9.52	5.09	4.21	1.33	.89	.43	3.67	.00	.00	.00
West Virginia	4.09	11.46	3.59	3.45	.00	.00	.00	.00	.52	.41	.30	.00
REGION III TOTAL	7.88	8.56	5.92	5.06	2.19	1.43	.44	.43	.52	.41	.30	.00
Alabama	8.95	8.64	6.66	7.45	3.35	3.97	1.57	1.88	1.89	1.57	.31	.00
Florida	9.58	3.91	4.90	4.64	4.26	3.50	2.42	1.82	1.29	.00	.36	.00
Georgia	4.10	3.43	4.78	2.01	3.74	.84	1.12	.56	.00	.55	.00	.00
Mississippi	5.68	4.14	5.35	3.22	1.07	.53	.82	.28	.00	.00	.29	.00
South Carolina	13.07	7.88	7.67	2.98	2.62	2.54	1.45	1.08	.00	.71	.71	.00
Tennessee	12.68	7.32	4.12	2.62	2.48	1.20	.00	.00	.00	.00	.54	.00
REGION IV TOTAL	8.23	5.79	5.72	3.85	2.82	1.99	1.25	.94	.52	.51	.34	.00
Illinois	8.79	2.57	.58	.00	.00	.00	.42	.00	.00	.32	.00	.00
Indiana	9.27	12.48	4.30	2.01	.00	1.71	1.56	.00	1.44	.00	.00	.00
Michigan	10.80	6.63	8.44	1.52	.71	.64	.00	.00	.47	.46	.43	.00
Ohio	6.06	5.73	7.40	2.09	.00	1.23	.00	.00	3.86	.00	.00	.00
Wisconsin	12.18	10.49	.00	6.96	.00	5.83	.00	.14	.62	.24	.11	.00
REGION V TOTAL	8.62	5.54	4.76	1.32	.18	.65	.60	.14	.62	.24	.11	.00
Iowa	.00	.00	.00	17.76	.00	.00	.00	.00	.00	.00	.00	.00
Kansas	13.47	17.50	10.83	5.24	.00	.00	.00	.00	.00	.00	.00	.00
Minnesota	.00	15.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
Missouri	9.92	8.67	6.83	1.25	5.99	2.19	1.06	3.93	.90	.00	.00	.00
Nebraska	34.78	.00	14.68	.00	.00	.00	.00	.00	.00	.00	.00	.00
North Dakota	26.95	.00	.00	.00	.00	22.94	21.74	.00	.00	.00	.00	.00
South Dakota	30.86	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
REGION VI TOTAL	12.63	8.75	6.57	2.30	3.55	1.99	1.27	2.38	.55	.00	.00	.00
Arkansas	7.91	5.49	.85	2.63	3.23	2.35	1.61	.79	.00	.78	.00	.00
Louisiana	12.19	14.53	12.63	9.28	3.53	3.10	2.81	.30	1.17	.88	.57	.00
New Mexico	35.39	53.09	50.29	33.29	18.14	.00	9.58	17.97	.00	.00	.00	.00
Oklahoma	12.56	7.07	12.46	10.74	5.13	3.39	.00	.00	3.26	.00	.00	.00
Texas	13.61	14.06	8.93	5.64	3.64	2.74	2.01	.64	.30	.00	.85	.00
REGION VII TOTAL	12.53	13.17	10.13	7.58	3.95	2.80	2.31	.94	.79	.45	.54	.00
Colorado	.00	.00	17.64	.00	.00	.00	.00	.00	.00	.00	.00	.00
Idaho	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00
Montana	15.90	57.31	25.22	24.69	35.76	.00	11.42	24.57	.00	.00	.00	.00
Utah	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	36.50	.00
Wyoming	.00	.00	.00	.00	.00	.00	.00	.00	6.93	.00	2.85	.00
REGION VIII TOTAL	5.27	20.03	14.37	8.87	11.89	.00	3.50	6.93	.00	.00	.00	.00
Arizona	35.61	35.96	23.15	50.82	21.96	11.88	5.34	7.76	.00	.00	.00	.00
California	10.51	5.52	2.09	.98	1.46	.00	.84	.00	.00	.00	14.12	14.12
Nevada	81.30	.00	40.65	.00	.00	26.46	.00	.00	.00	.00	.00	.00
Oregon	.00	18.05	16.00	.00	14.14	13.74	.00	.00	4.26	.00	.00	.00
Washington	6.94	.00	.00	.00	.00	9.67	.00	1.28	1.17	.00	.25	.47
REGION IX TOTAL	13.68	8.59	4.59	6.13	4.12	2.87	1.28	1.17	.00	.00	.25	.47
CONTINENTAL U. S.	9.20	8.21	6.31	4.41	2.59	1.73	1.14	.77	.54	.42	.31	.00

Source: Infant mortality data and live births data from National Office of Vital Statistics
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
4/1/59 JHB:Jc

^{a/} International Lists of Diseases and Causes of Death

RESULTS OF SELECTIVE BLOODTESTING REPORTED TO THE PUBLIC HEALTH SERVICE
BY RACE AND TYPE OF GROUP TESTED

FISCAL YEAR 1958

Group and Race	Number Tested	Reactive		Brt. to Rx.		Ret'd to Rx.		Adequate Rx.		Not Infected		Other and No Disposition		Not Stated	
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number	Percent
General Population															
White	60794	1297	2.1	236	.4	76	.1	416	.7	274	.5	222	.4	73	.1
Non-white	294673	29070	9.9	4962	1.7	2708	.9	10829	3.7	4781	1.6	4079	1.4	1711	.6
Not Stated	54499	3176	5.8	455	.8	857	1.6	671	1.2	368	.7	825	1.5	0	.0
TOTAL	409966	33543	8.2	5653	1.4	3641	.9	11916	2.9	5423	1.3	5126	1.3	1784	.4
House-to-House															
White	20730	371	1.8	56	.3	22	.1	139	.7	73	.4	80	.4	1	.0
Non-white	149905	14031	9.4	2818	1.9	1628	1.1	5840	3.9	1151	.8	2460	1.6	134	.1
Not Stated	17373	701	4.0	86	.5	74	.4	283	1.6	115	.7	143	.8	0	.0
TOTAL	188008	15103	8.0	2960	1.6	1724	.9	6262	3.3	1339	.7	2683	1.4	135	.1
Industry															
White	6994	110	1.6	18	.3	10	.1	36	.5	22	.3	18	.3	6	.1
Non-white	7609	787	10.3	137	1.8	153	2.0	368	4.8	37	.5	91	1.2	1	.0
Not Stated	593	34	5.7	2	.3	15	2.5	9	1.5	8	1.3	0	.0	0	.0
TOTAL	15196	931	6.1	157	1.0	178	1.2	413	2.7	67	.4	109	.7	7	.0
Jails															
White	20804	858	4.1	197	.9	155	.7	244	1.2	78	.4	181	.9	3	.0
Non-white	20693	2745	13.3	682	3.3	393	1.9	978	4.7	211	1.0	480	2.3	1	.0
Not Stated	922	132	14.3	53	5.7	30	3.3	32	3.5	7	.8	10	1.1	0	.0
TOTAL	42419	3735	8.8	932	2.2	578	1.4	1254	3.0	296	.7	671	1.6	4	.0
Secondary Schools															
White	1076	6	.6	5	.5	0	.0	1	.1	0	.0	0	.0	0	.0
Non-white	5193	107	2.1	49	.9	6	.1	26	.5	23	.4	3	.1	0	.0
TOTAL	6269	113	1.8	54	.9	6	.1	27	.4	23	.4	3	.0	0	.0
Colleges & Universities															
White	2643	47	1.8	3	.1	5	.2	14	.5	13	.5	6	.2	6	.2
Non-white	9260	855	9.2	99	1.1	145	1.6	434	4.7	82	.9	95	1.0	0	.0
TOTAL	11903	902	7.6	102	.9	150	1.3	448	3.8	95	.8	101	.8	6	.1
Institutions															
White	668	53	7.9	10	1.5	8	1.2	24	3.6	6	.9	5	.7	0	.0
Non-white	1187	159	13.4	35	2.9	41	3.5	65	5.5	11	.9	7	.6	0	.0
TOTAL	1855	212	11.4	45	2.4	49	2.6	89	4.8	17	.9	12	.6	0	.0
Migrants															
White	13754	923	6.7	626	4.6	33	.2	81	.6	13	.1	170	1.2	0	.0
Non-white	11062	2203	19.9	979	8.9	261	2.5	525	4.7	49	.4	207	1.9	162	1.5
Not Stated	3474	289	8.3	62	1.8	25	.7	128	3.7	20	.6	34	1.0	20	.6
TOTAL	28290	3415	12.1	1667	5.9	339	1.2	734	2.6	82	.3	411	1.5	182	.6
Indian Reservations															
White	150	5	3.3	0	.0	0	.0	0	.0	1	.7	4	2.7	0	.0
Indian	883	32	3.6	0	.0	4	.5	15	1.7	8	.9	5	.6	0	.0
TOTAL	1033	37	3.6	0	.0	4	.4	15	1.5	9	.9	9	.9	0	.0
Other															
Not Stated	14674	901	6.1	857	5.8	0	.0	0	.0	0	.0	44	.3	0	.0
Not Stated															
White	662	37	5.6	9	1.4	14	2.1	8	1.2	0	.0	6	.9	0	.0
Non-white	2753	333	12.1	29	1.1	33	1.2	178	6.5	58	2.1	35	1.3	0	.0
TOTAL	3415	370	10.8	38	1.1	47	1.4	186	5.4	58	1.7	41	1.2	0	.0
White	128275	3707	2.9	1160	.9	323	.3	963	.8	480	.4	692	.5	89	.1
Non-white	502335	50290	10.0	9790	1.9	5388	1.1	19243	3.8	6403	1.3	7457	1.5	2009	.4
Not Stated	92418	5265	5.7	1515	1.6	1005	1.1	1138	1.2	526	.6	1061	1.1	20	.0
TOTAL	723028	59262	8.2	12465	1.7	6716	.9	21344	3.0	7409	1.0	9210	1.3	2118	.3

Explanation of Type of Group:

General Population - Testing stations were located in public places and were therefore accessible to the general population. The stations were, however, generally placed in areas of suspected high syphilis prevalence.
Industry Testing - Includes all employee groups except migrant laborers (mostly farm workers) who are in a separate category.
Institutions - Institutions other than jails or schools.
Migrants - These are mostly domestic farm migrants but do include some Puerto Rican agricultural workers. It does not include any braceros tested at point of entry into the United States.

Source: Form PHS 1892-2
HEW-PHS-BSS-CDC-VD Branch
Office of Statistics
4/30/59 MGH/LBH: gh