

**SUPPORTING TABLE 1.** Lung Cancer: Number of Adult Patients (Men and Women Aged 15-99 Years) Diagnosed Between 2001 and 2009 and Distribution (%) by Surveillance, Epidemiology, and End Results Summary Stage 2000 at Diagnosis, by Race, Calendar Period, and US Census Region, Division, and State<sup>a</sup>

	SEER Summary Stage 2000	2001-2003			2004-2009		
		All Races	White	Black	All Races	White	Black
<b>UNITED STATES</b>							
	No. of patients	449,540	393,257	44,455	955,184	827,550	98,404
	Localized (%)	17.5	17.8	14.8	17.7	18.1	14.9
	Regional (%)	24.2	24.2	25.0	23.4	23.5	23.1
	Distant (%)	46.8	46.3	49.6	50.9	50.3	54.5
	Unknown (%)	11.5	11.7	10.6	8.0	8.1	7.5
<b>NORTHEAST</b>							
<b>New England</b>							
Connecticut (SEER)	No. of patients	7,459	6,950	456	14,872	13,781	922
	Localized (%)	16.7	16.8	14.7	18.0	18.2	15.3
	Regional (%)	23.8	23.8	23.0	24.4	24.3	25.6
	Distant (%)	52.4	52.2	54.4	52.8	52.6	55.4
	Unknown (%)	7.2	7.2	7.9	4.9	4.9	3.7
Massachusetts (NPCR)	No. of patients	13,925	13,268	458	28,343	26,844	987
	Localized (%)	19.3	19.4	15.9	19.2	19.2	17.9
	Regional (%)	25.5	25.5	24.9	24.9	25.1	21.8
	Distant (%)	47.8	47.7	51.1	50.9	50.7	55.6
	Unknown (%)	7.4	7.4	8.1	5.0	5.1	4.7
New Hampshire (NPCR)	No. of patients	2,544	2,498	-	5,721	5,584	21
	Localized (%)	17.2	17.1	22.2	18.0	18.2	23.8
	Regional (%)	25.0	25.3	11.1	23.9	24.3	19.0
	Distant (%)	46.1	46.2	55.6	51.3	51.9	52.4
	Unknown (%)	11.8	11.4	11.1	6.7	5.6	4.8
Rhode Island (NPCR)	No. of patients	2,499	2,412	68	5,079	4,872	157
	Localized (%)	18.4	18.6	14.7	-	-	-
	Regional (%)	22.7	22.9	22.1	-	-	-
	Distant (%)	50.1	49.8	54.4	-	-	-
	Unknown (%)	8.8	8.7	8.8	-	-	-
<b>Mid Atlantic</b>							
New Jersey (NPCR/SEER)	No. of patients	17,333	15,067	1,941	34,142	29,508	3,807
	Localized (%)	16.2	16.6	13.0	17.3	17.9	13.4
	Regional (%)	23.1	23.1	23.8	23.3	23.4	22.9
	Distant (%)	50.8	50.4	53.7	52.2	51.6	56.1
	Unknown (%)	9.9	10.0	9.6	7.2	7.2	7.7
New York (NPCR)	No. of patients	36,593	31,431	4,172	75,388	63,924	8,875
	Localized (%)	17.5	18.0	13.9	18.9	19.3	15.8
	Regional (%)	22.8	22.9	22.8	22.9	22.9	23.0
	Distant (%)	41.6	40.9	46.8	50.5	50.0	54.4
	Unknown (%)	18.0	18.3	16.5	7.7	7.8	6.8
Pennsylvania (NPCR)	No. of patients	29,627	26,547	2,764	59,503	53,285	5,631
	Localized (%)	16.4	16.7	14.0	16.3	16.5	13.3
	Regional (%)	25.5	25.5	25.8	24.6	24.7	24.2
	Distant (%)	48.4	48.3	50.2	53.8	53.4	58.1
	Unknown (%)	9.7	9.5	9.9	5.3	5.4	4.3
<b>SOUTH</b>							
<b>South Atlantic</b>							
Delaware (NPCR)	No. of patients	1,872	1,579	277	4,221	3,577	594
	Localized (%)	18.1	18.2	18.1	18.4	18.5	17.8
	Regional (%)	28.6	27.9	32.5	25.8	25.8	25.8
	Distant (%)	46.3	46.2	46.6	52.5	52.3	53.7
	Unknown (%)	7.0	7.7	2.9	3.4	3.5	2.7
Florida (NPCR)	No. of patients	43,483	40,002	3,066	89,295	81,507	6,582
	Localized (%)	16.9	17.1	14.0	18.9	19.3	14.8
	Regional (%)	23.3	23.3	24.1	23.3	23.4	22.4
	Distant (%)	45.2	44.9	49.0	48.2	47.7	54.2
	Unknown (%)	14.6	14.7	13.0	9.5	9.6	8.6
Georgia (NPCR/SEER)	No. of patients	15,765	12,503	3,148	33,752	26,544	6,925
	Localized (%)	17.7	18.5	14.4	18.3	19.4	14.3
	Regional (%)	24.9	24.8	25.4	24.6	25.2	22.3
	Distant (%)	48.6	47.3	53.7	52.6	50.8	59.6
	Unknown (%)	8.8	9.3	6.5	4.5	4.6	3.8

SUPPORTING TABLE 1. *Continued*

	SEER Summary Stage 2000	2001-2003			2004-2009		
		All Races	White	Black	All Races	White	Black
Maryland (NPCR)	No. of patients	9,863	7,553	2,138	19,184	14,619	4,102
	Localized (%)	-	-	-	-	-	-
	Regional (%)	-	-	-	-	-	-
	Distant (%)	-	-	-	-	-	-
	Unknown (%)	-	-	-	-	-	-
North Carolina (NPCR)	No. of patients	16,961	13,984	2,782	39,904	32,740	6,630
	Localized (%)	20.5	21.0	17.7	17.7	18.4	14.9
	Regional (%)	27.6	27.9	26.7	25.7	25.8	25.3
	Distant (%)	43.5	42.7	47.2	50.6	50.0	53.2
	Unknown (%)	8.4	8.4	8.4	6.0	5.8	6.6
South Carolina (NPCR)	No. of patients	9,114	7,164	1,895	19,882	15,729	3,991
	Localized (%)	17.7	18.4	15.0	18.1	19.1	14.4
	Regional (%)	25.5	25.4	25.8	24.4	24.3	25.1
	Distant (%)	45.5	44.8	47.9	47.9	47.1	50.9
	Unknown (%)	11.4	11.4	11.3	9.6	9.5	9.7
West Virginia (NPCR)	No. of patients	5,592	5,472	106	11,718	11,421	264
	Localized (%)	20.3	20.5	13.2	18.6	18.6	17.8
	Regional (%)	22.7	22.9	15.1	23.6	23.6	22.3
	Distant (%)	43.6	43.3	56.6	49.2	49.2	50.4
	Unknown (%)	13.4	13.4	15.1	8.6	8.6	9.5
<b>East South Central</b>							
Alabama (NPCR)	No. of patients	10,162	8,375	1,722	22,181	18,105	3,949
	Localized (%)	21.3	22.4	16.4	19.0	19.7	15.8
	Regional (%)	29.6	29.7	29.3	26.3	26.8	24.3
	Distant (%)	40.7	39.8	44.9	47.9	46.8	53.2
	Unknown (%)	8.4	8.2	9.4	6.7	6.7	6.7
Kentucky (NPCR/SEER)	No. of patients	12,444	11,736	682	26,266	24,656	1,547
	Localized (%)	16.7	16.7	16.9	17.4	17.4	16.7
	Regional (%)	26.5	26.4	27.4	24.4	24.4	23.0
	Distant (%)	46.9	46.8	48.4	53.0	52.9	55.1
	Unknown (%)	9.9	10.1	7.3	5.2	5.2	5.1
Mississippi (NPCR)	No. of patients	2,154	1,579	564	13,841	10,220	3,561
	Localized (%)	23.8	25.5	19.5	19.3	20.2	16.9
	Regional (%)	28.7	28.9	28.2	25.3	25.7	24.1
	Distant (%)	39.0	37.4	42.7	50.1	49.1	53.0
	Unknown (%)	8.5	8.2	9.6	5.3	5.0	6.0
Tennessee (NPCR)	No. of patients	4,506	3,995	483	30,592	26,962	3,419
	Localized (%)	24.2	25.1	16.4	21.9	22.3	19.2
	Regional (%)	27.3	26.6	33.1	25.1	25.2	24.7
	Distant (%)	42.2	42.1	42.2	47.3	46.9	50.0
	Unknown (%)	6.4	6.2	8.3	5.7	5.5	6.2
<b>West South Central</b>							
Louisiana (NPCR/SEER)	No. of patients	9,996	7,371	2,570	19,794	14,543	5,138
	Localized (%)	15.4	16.6	11.9	17.2	18.4	13.8
	Regional (%)	24.4	24.4	24.3	23.9	24.0	23.3
	Distant (%)	54.3	53.0	57.7	55.6	54.2	59.6
	Unknown (%)	5.9	5.9	6.1	3.3	3.3	3.3
Oklahoma (NPCR)	No. of patients	8,802	7,699	481	17,515	15,024	910
	Localized (%)	18.4	18.6	14.8	17.0	17.3	13.8
	Regional (%)	24.5	24.4	26.8	23.5	23.6	23.2
	Distant (%)	43.4	43.4	46.6	48.9	48.7	54.1
	Unknown (%)	13.7	13.6	11.9	10.6	10.4	8.9
Texas (NPCR)	No. of patients	35,156	30,663	4,015	73,062	63,112	8,618
	Localized (%)	18.2	18.6	15.3	18.1	18.6	14.6
	Regional (%)	22.5	22.4	23.0	22.7	22.9	22.1
	Distant (%)	43.7	43.2	47.4	48.8	48.1	53.7
	Unknown (%)	15.6	15.7	14.3	10.3	10.4	9.6
<b>MIDWEST</b>							
<b>East North Central</b>							
Michigan (NPCR/SEER)	No. of patients	21,793	18,636	2,923	44,327	37,881	5,734
	Localized (%)	17.9	18.3	15.3	16.8	17.2	13.7
	Regional (%)	24.7	24.9	23.5	21.8	22.1	19.5
	Distant (%)	44.3	42.9	53.0	45.4	44.7	50.4
	Unknown (%)	13.1	13.9	8.2	16.1	16.0	16.4

**SUPPORTING TABLE 1.** *Continued*

SEER Summary Stage 2000		2001-2003			2004-2009		
		All Races	White	Black	All Races	White	Black
Ohio (NPCR)	No. of patients	26,140	23,193	2,653	54,122	47,976	5,658
	Localized (%)	18.3	18.6	15.6	16.6	16.7	15.7
	Regional (%)	26.4	26.1	29.3	24.1	24.2	23.8
	Distant (%)	37.8	37.6	39.8	47.3	47.1	49.3
	Unknown (%)	17.5	17.7	15.2	12.0	12.0	11.3
Wisconsin (NPCR)	No. of patients	9,927	9,320	480	20,907	19,141	1,044
	Localized (%)	-	-	-	-	-	-
	Regional (%)	-	-	-	-	-	-
	Distant (%)	-	-	-	-	-	-
<b>West North Central</b> Iowa (SEER)	No. of patients	6,439	6,314	104	13,507	13,165	253
	Localized (%)	14.7	14.7	13.5	16.6	16.7	14.6
	Regional (%)	21.6	21.7	19.2	22.4	22.2	29.6
	Distant (%)	55.7	55.6	63.5	56.9	57.0	52.6
	Unknown (%)	8.0	8.1	3.8	4.1	4.2	3.2
Nebraska (NPCR)	No. of patients	3,629	3,464	121	7,575	7,252	231
	Localized (%)	18.7	18.7	16.5	17.4	17.6	14.3
	Regional (%)	24.7	24.6	25.6	24.9	25.0	23.8
	Distant (%)	43.6	43.4	51.2	50.0	49.9	53.2
	Unknown (%)	13.0	13.3	6.6	7.6	7.6	8.7
<b>WEST</b>							
<b>Mountain</b>							
Colorado (NPCR)	No. of patients	5,742	5,443	195	11,796	11,166	387
	Localized (%)	17.4	17.5	13.8	19.4	19.4	20.9
	Regional (%)	22.2	22.1	22.1	21.5	21.4	24.0
	Distant (%)	51.6	51.7	54.4	54.4	54.5	50.6
	Unknown (%)	8.8	8.8	9.7	4.7	4.7	4.4
Idaho (NPCR)	No. of patients	1,888	1,858	-	4,392	4,302	14
	Localized (%)	16.9	16.8	25.0	15.1	15.2	0.0
	Regional (%)	22.7	22.7	25.0	21.7	21.6	50.0
	Distant (%)	54.4	54.5	50.0	59.4	59.5	50.0
	Unknown (%)	5.9	6.0	0.0	3.8	3.7	0.0
Montana (NPCR)	No. of patients	1,847	1,735	-	3,970	3,729	-
	Localized (%)	15.8	16.1	0.0	17.1	17.2	12.5
	Regional (%)	28.4	28.2	50.0	23.8	23.7	25.0
	Distant (%)	46.3	46.0	25.0	54.4	54.2	62.5
	Unknown (%)	9.5	9.7	25.0	4.8	4.9	0.0
New Mexico (SEER)	No. of patients	2,378	2,293	44	5,225	4,976	100
	Localized (%)	16.6	16.7	13.6	19.0	18.9	20.0
	Regional (%)	21.9	21.7	20.5	20.3	20.7	15.0
	Distant (%)	52.2	52.0	61.4	51.2	51.0	52.0
	Unknown (%)	9.3	9.6	4.5	9.5	9.4	13.0
Utah (SEER)	No. of patients	1,494	1,449	12	3,221	3,102	31
	Localized (%)	14.2	14.5	8.3	16.1	16.3	9.7
	Regional (%)	18.2	18.4	8.3	22.2	22.3	25.8
	Distant (%)	58.0	57.4	75.0	56.7	56.4	58.1
	Unknown (%)	9.6	9.7	8.3	5.0	5.0	6.5
Wyoming (NPCR)	No. of patients	782	764	-	1,656	1,615	11
	Localized (%)	14.2	14.1	33.3	17.7	17.8	18.2
	Regional (%)	21.5	21.6	0.0	23.9	23.9	27.3
	Distant (%)	49.0	48.8	66.7	50.4	50.2	54.5
	Unknown (%)	15.3	15.4	0.0	8.0	8.1	0.0
<b>Pacific</b>							
Alaska (NPCR)	No. of patients	839	625	19	1,946	1,458	43
	Localized (%)	14.7	14.1	15.8	15.5	16.7	16.3
	Regional (%)	24.4	23.7	31.6	24.1	23.4	23.3
	Distant (%)	51.6	51.5	52.6	52.9	51.9	58.1
	Unknown (%)	9.3	10.7	0.0	7.5	8.0	2.3
California (NPCR/SEER)	No. of patients	50,083	42,024	3,704	99,740	82,028	7,566
	Localized (%)	14.7	15.1	12.2	15.8	16.4	12.6
	Regional (%)	20.3	20.4	20.9	20.5	20.6	20.8
	Distant (%)	57.1	56.3	60.4	58.0	57.1	61.8
	Unknown (%)	7.9	8.2	6.6	5.7	5.8	4.7

**SUPPORTING TABLE 1.** *Continued*

	SEER Summary Stage 2000	2001-2003			2004-2009		
		All Races	White	Black	All Races	White	Black
Hawaii (SEER)	No. of patients	1,940	581	10	4,378	1,252	34
	Localized (%)	14.7	16.7	10.0	15.3	15.3	20.6
	Regional (%)	23.6	26.7	20.0	23.0	23.5	29.4
	Distant (%)	59.1	53.4	70.0	57.8	57.3	50.0
	Unknown (%)	2.6	3.3	0.0	3.8	3.8	0.0
Oregon (NPCR)	No. of patients	7,427	7,152	108	15,223	14,519	187
	Localized (%)	16.2	16.1	20.4	13.1	13.1	11.2
	Regional (%)	24.8	24.8	26.9	23.9	23.9	27.3
	Distant (%)	48.3	48.4	44.4	50.8	50.7	52.9
	Unknown (%)	10.6	10.7	8.3	12.2	12.3	8.6
Washington (NPCR/SEER)	No. of patients	11,342	10,558	274	18,944	17,431	473
	Localized (%)	16.8	17.0	14.6	16.3	16.5	14.8
	Regional (%)	24.3	24.4	25.2	23.0	23.1	24.5
	Distant (%)	51.7	51.3	56.9	55.6	55.1	57.9
	Unknown (%)	7.2	7.3	3.3	5.1	5.2	2.7

Abbreviations: NPCR, National Program of Cancer Registries; SEER, Surveillance, Epidemiology, and End Results program.

<sup>a</sup>Information on stage was not available for Maryland and Wisconsin, or for Rhode Island for patients diagnosed between 2004 and 2009.

**SUPPORTING TABLE 2.** Lung Cancer: Age-Standardized Net Survival (NS, %) at 1, 3, and 5 Years for Adult Patients (Men and Women Aged 15-99 Years) Diagnosed Between 2001 and 2009 by Race, Calendar Period of Diagnosis, and US Census Region, Division, and State<sup>a</sup>

Years	2001-2003						2004-2009												
	All Races			White			Black			All Races			White			Black			
	NS (%)	95% CI	95% CI	NS (%)	95% CI	95% CI	NS (%)	95% CI	95% CI	NS (%)	95% CI	95% CI	NS (%)	95% CI	95% CI	NS (%)	95% CI	95% CI	
<b>UNITED STATES</b>																			
<b>NORTHEAST</b>																			
<b>New England</b>																			
<b>Connecticut (SEER)</b>																			
1	42.5	42.4-42.7	42.9	42.7-43.1	39.0	38.5-39.5	45.6	45.5-45.7	45.9	45.8-46.0	42.1	41.7-42.4							
3	21.6	21.4-21.7	21.9	21.8-22.1	17.9	17.5-18.2	24.5	24.4-24.6	24.9	24.8-25.0	20.3	19.9-20.6							
5	16.4	16.3-16.5	16.8	16.6-16.9	13.1	12.8-13.5	19.0	18.8-19.1	19.4	19.2-19.5	14.9	14.5-15.2							
<b>Massachusetts (NPCR)</b>																			
1	46.4	45.5-47.3	46.2	45.3-47.1	45.4	40.8-50.1	50.9	50.2-51.6	50.8	50.1-51.5	48.6	45.2-52.0							
3	24.9	24.1-25.7	24.6	23.8-25.4	24.9	20.9-29.0	29.7	29.0-30.4	29.4	28.7-30.1	27.7	24.4-31.1							
5	19.7	18.9-20.4	19.4	18.6-20.2	19.5	15.7-23.2	24.0	23.2-24.8	23.6	22.8-24.5	22.6	19.0-26.3							
<b>New Hampshire (NPCR)</b>																			
1	42.4	40.4-44.4	42.1	40.1-44.1	45.7	-	47.2	45.7-48.6	47.3	45.8-48.7	56.5	35.3-77.7							
3	21.3	19.6-23.0	21.4	19.7-23.2	22.4	-	26.2	24.7-27.6	26.3	24.8-27.8	52.1	29.7-74.5							
5	15.9	14.3-17.4	16.0	14.4-17.6	10.3	-	20.6	18.9-22.3	20.7	19.0-22.4	17.3	0.0-39.2							
<b>Rhode Island (NPCR)</b>																			
1	45.7	43.7-47.8	46.0	43.9-48.1	41.0	30.1-51.9	50.2	48.7-51.8	50.4	48.8-52.0	46.3	38.6-54.0							
3	25.1	23.3-27.0	25.5	23.6-27.4	15.8	8.2-23.5	29.3	27.6-30.9	29.6	27.9-31.3	25.0	18.1-32.0							
5	19.8	18.0-21.5	20.2	18.4-22.1	10.3	3.6-17.0	23.7	21.8-25.5	23.9	22.0-25.8	22.7	15.2-30.1							
<b>Mid Atlantic</b>																			
<b>New Jersey (NPCR/SEER)</b>																			
1	44.1	43.4-44.9	44.9	44.1-45.8	37.9	35.6-40.1	47.8	47.2-48.4	48.6	48.0-49.3	40.4	38.8-42.1							
3	23.1	22.4-23.8	23.5	22.7-24.3	18.1	16.3-20.0	26.6	26.0-27.3	27.5	26.8-28.2	19.4	17.8-21.0							
5	17.4	16.7-18.0	17.8	17.0-18.5	13.1	11.4-14.8	20.6	19.9-21.4	21.5	20.7-22.3	14.1	12.4-15.7							
<b>New York (NPCR)</b>																			
1	45.6	45.0-46.1	46.0	45.4-46.6	41.3	39.8-42.9	49.2	48.8-49.6	49.4	48.9-49.8	45.5	44.4-46.7							
3	24.4	23.9-24.9	24.8	24.3-25.4	19.7	18.4-21.0	28.2	27.7-28.6	28.4	27.9-28.8	22.6	21.5-23.8							
5	19.1	18.7-19.6	19.4	18.9-20.0	14.9	13.7-16.1	22.7	22.3-23.2	23.0	22.4-23.5	17.3	16.0-18.7							
<b>Pennsylvania (NPCR)</b>																			
1	42.3	41.7-42.9	42.7	42.0-43.3	39.3	37.4-41.2	45.5	45.1-46.0	45.8	45.3-46.3	43.2	41.7-44.6							
3	20.7	20.2-21.3	21.0	20.5-21.6	17.4	15.9-18.9	24.5	24.0-24.9	24.8	24.3-25.3	21.0	19.6-22.4							
5	15.7	15.2-16.2	15.9	15.4-16.4	13.3	11.9-14.8	18.4	17.9-19.0	18.7	18.1-19.3	15.6	14.0-17.2							
<b>SOUTH</b>																			
<b>South Atlantic</b>																			
<b>Delaware (NPCR)</b>																			
1	42.9	40.6-45.2	42.5	40.0-45.1	43.5	37.6-49.3	47.3	45.5-49.0	47.8	45.9-49.7	42.8	38.4-47.2							
3	22.1	20.0-24.1	22.3	20.1-24.5	20.3	15.3-25.4	24.4	22.7-26.1	24.9	23.0-26.9	19.8	15.9-23.7							
5	17.1	15.2-19.0	18.0	15.9-20.1	12.3	8.2-16.4	18.2	16.3-20.1	18.9	16.8-21.0	13.0	9.2-16.9							
<b>Florida (NPCR)</b>																			
1	45.2	44.7-45.8	45.5	44.9-46.0	42.3	40.4-44.1	49.5	49.1-49.8	49.9	49.5-50.3	43.8	42.5-45.2							
3	24.2	23.8-24.7	24.4	23.9-24.9	21.2	19.6-22.8	30.1	29.8-30.5	30.6	30.2-31.0	24.0	22.7-25.3							
5	18.9	18.5-19.3	19.1	18.7-19.6	16.0	14.4-17.5	25.2	24.8-25.7	25.7	25.2-26.2	18.8	17.2-20.3							
<b>Georgia (NPCR/SEER)</b>																			
1	40.4	39.6-41.2	41.2	40.3-42.1	37.8	36.0-39.5	43.7	43.1-44.3	44.4	43.7-45.1	40.3	39.0-41.6							
3	19.6	18.9-20.3	20.5	19.7-21.3	16.7	15.3-18.1	21.5	20.9-22.0	22.3	21.6-22.9	17.7	16.5-19.0							
5	14.5	13.9-15.2	15.3	14.5-16.0	12.1	10.8-13.4	16.2	15.6-16.9	17.1	16.4-17.9	12.0	10.7-13.4							
<b>Maryland (NPCR)</b>																			
1	41.5	40.4-42.5	42.4	41.2-43.6	38.1	35.9-40.2	46.9	46.1-47.7	47.5	46.6-48.4	44.6	43.0-46.3							
3	20.5	19.6-21.3	21.8	20.8-22.9	16.2	14.5-17.9	24.8	24.0-25.6	26.0	25.0-26.9	20.9	19.3-22.5							
5	15.6	14.8-16.4	16.7	15.7-17.7	11.5	10.0-13.0	19.0	18.2-19.9	20.2	19.1-21.2	15.7	13.9-17.4							
<b>North Carolina (NPCR)</b>																			
1	36.8	36.0-37.6	37.5	36.6-38.3	33.9	32.0-35.7	45.0	44.4-45.5	44.3	44.4-45.9	44.0	42.6-45.3							
3	21.0	20.3-21.7	21.7	20.9-22.4	17.7	16.1-19.2	23.7	23.1-24.2	24.2	23.6-24.8	21.5	20.2-22.8							
5	16.1	15.4-16.7	16.6	15.9-17.3	13.4	11.9-14.8	18.3	17.7-18.9	18.9	18.2-19.6	15.1	13.5-16.7							

SUPPORTING TABLE 2. Continued

Years	2001-2003						2004-2009						
	All Races		White		Black		All Races		White		Black		
	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	
South Carolina (NPCR)	1	42.1	41.0-43.2	42.7	41.5-43.9	39.4	37.0-41.7	44.0	43.2-44.8	45.1	44.2-46.0	39.7	38.0-41.5
	3	19.9	19.0-20.8	20.6	19.6-21.7	17.3	15.4-19.2	22.2	21.5-23.0	23.3	22.4-24.2	18.1	16.5-19.8
	5	14.8	14.0-15.6	15.6	14.7-16.6	11.8	10.1-13.5	16.1	15.2-17.1	17.0	16.0-18.1	12.6	10.8-14.5
West Virginia (NPCR)	1	40.7	39.4-42.1	40.8	39.4-42.2	42.3	33.3-51.4	42.5	41.4-43.5	42.4	41.4-43.5	42.5	36.6-48.4
	3	19.8	18.6-21.0	19.8	18.6-21.0	21.3	13.7-28.9	21.6	20.6-22.6	21.6	20.6-22.6	21.4	16.1-26.7
	5	14.7	13.6-15.8	14.8	13.6-15.9	14.8	8.0-21.6	16.1	14.9-17.2	15.9	14.7-17.1	18.9	13.2-24.7
<b>East South Central</b>													
Alabama (NPCR)	1	41.5	40.5-42.5	42.1	41.0-43.2	39.4	37.0-41.8	41.7	40.9-42.4	42.2	41.4-43.0	39.2	37.5-41.0
	3	19.7	18.8-20.5	20.3	19.3-21.2	16.3	14.4-18.2	20.5	19.8-21.2	21.0	20.3-21.8	17.2	15.6-18.8
	5	14.7	13.9-15.5	15.2	14.3-16.1	12.1	10.4-13.9	14.5	13.7-15.3	15.1	14.2-16.0	11.1	9.4-12.8
Kentucky (NPCR/SEER)	1	40.5	39.6-41.4	40.6	39.6-41.5	39.2	35.4-42.9	43.1	42.4-43.8	43.0	42.3-43.7	44.6	41.8-47.3
	3	19.2	18.4-20.0	19.2	18.5-20.0	18.8	15.7-21.9	21.7	21.0-22.4	21.7	21.0-22.4	21.1	18.4-23.7
	5	14.1	13.4-14.9	14.2	13.5-15.0	12.8	10.0-15.6	16.1	15.3-16.8	16.0	15.2-16.8	17.1	14.3-20.0
Mississippi (NPCR)	1	43.3	41.1-45.5	43.0	40.4-45.6	42.2	37.9-46.6	43.5	42.6-44.5	44.6	43.5-45.7	40.8	39.0-42.6
	3	19.8	17.9-21.7	21.1	18.8-23.3	15.0	11.8-18.1	21.3	20.4-22.2	22.6	21.5-23.7	17.6	15.9-19.3
	5	15.3	13.5-17.0	16.5	14.4-18.7	11.0	8.1-13.8	15.1	14.0-16.1	16.1	14.9-17.4	12.0	10.2-13.9
Tennessee (NPCR)	1	45.0	43.5-46.5	45.1	43.5-46.7	42.5	37.9-47.2	44.8	44.2-45.4	45.0	44.3-45.6	43.1	41.2-45.0
	3	22.8	21.4-24.1	23.3	21.9-24.8	17.4	13.8-21.1	23.1	22.5-23.7	23.4	22.7-24.0	20.6	18.7-22.4
	5	17.4	16.1-18.6	18.1	16.7-19.5	10.5	7.6-13.4	17.7	17.0-18.4	18.0	17.3-18.8	15.0	13.0-16.9
<b>West South Central</b>													
Louisiana (NPCR/SEER)	1	37.8	36.8-38.8	39.3	38.1-40.5	34.5	32.6-36.5	39.6	38.8-40.4	40.8	39.9-41.7	36.4	34.9-37.9
	3	17.1	16.3-17.9	18.4	17.4-19.3	13.8	12.3-15.2	19.5	18.8-20.3	20.9	20.0-21.8	16.0	14.7-17.4
	5	12.8	12.1-13.6	14.0	13.1-14.9	9.9	8.6-11.3	14.6	13.7-15.4	15.5	14.5-16.6	11.7	10.2-13.2
Oklahoma (NPCR)	1	40.6	39.5-41.7	40.8	39.6-42.0	40.7	36.2-45.2	41.9	41.0-42.7	41.8	40.8-42.7	41.0	37.5-44.5
	3	19.2	18.2-20.1	19.5	18.5-20.5	14.5	11.4-17.6	20.5	19.7-21.3	20.4	19.5-21.3	19.7	16.4-23.0
	5	14.5	13.6-15.4	14.8	13.8-15.7	11.3	8.3-14.2	15.9	15.0-16.8	15.9	14.9-16.9	16.8	13.3-20.4
Texas (NPCR)	1	42.1	41.5-42.6	42.4	41.8-43.0	38.9	37.3-40.4	44.3	43.9-44.7	44.7	44.3-45.2	40.4	39.3-41.6
	3	20.8	20.3-21.3	21.2	20.7-21.7	16.8	15.6-18.1	23.3	22.9-23.7	23.8	23.3-24.2	19.1	18.0-20.1
	5	15.5	15.1-16.0	15.9	15.4-16.3	12.4	11.2-13.6	17.5	17.1-18.0	17.9	17.4-18.5	13.2	12.0-14.5
<b>MIDWEST</b>													
<b>East North Central</b>													
Michigan (NPCR)	1	42.4	41.7-43.1	43.1	42.3-43.8	38.2	36.4-40.1	43.8	43.3-44.3	44.0	43.4-44.6	41.1	39.7-42.5
	3	21.8	21.1-22.4	22.4	21.7-23.1	18.0	16.5-19.5	23.4	22.9-23.9	23.6	23.0-24.2	21.3	19.9-22.6
	5	16.8	16.3-17.4	17.4	16.8-18.1	13.1	11.7-14.4	18.0	17.4-18.6	18.1	17.4-18.8	16.6	15.1-18.1
Ohio (NPCR)	1	41.7	41.1-42.3	41.7	41.0-42.4	41.1	39.2-43.1	43.3	42.9-43.8	43.3	42.8-43.8	42.5	41.1-43.9
	3	20.1	19.6-20.7	20.1	19.6-20.7	19.8	18.1-21.4	22.2	21.7-22.7	22.2	21.7-22.7	20.7	19.4-22.1
	5	15.0	14.5-15.5	15.0	14.5-15.6	14.5	12.9-16.0	16.7	16.2-17.2	16.9	16.3-17.4	14.1	12.5-15.6
Wisconsin (NPCR)	1	45.4	44.3-46.4	45.5	44.4-46.6	42.4	37.7-47.2	48.0	47.3-48.8	48.8	48.0-49.6	42.0	38.7-45.3
	3	23.3	22.4-24.2	23.5	22.5-24.4	21.2	17.3-25.0	25.1	24.3-25.9	25.6	24.7-26.4	20.8	17.6-24.0
	5	17.4	16.5-18.2	17.6	16.7-18.5	15.4	12.0-18.8	19.5	18.6-20.4	20.1	19.2-21.1	12.9	9.8-16.0
<b>West North Central</b>													
Iowa (SEER)	1	42.2	40.8-43.5	42.3	41.0-43.7	35.8	27.2-44.3	44.5	43.5-45.5	44.5	43.5-45.5	43.7	37.4-49.9
	3	19.1	18.0-20.2	19.1	18.0-20.2	19.6	12.8-26.3	22.2	21.3-23.2	22.1	21.2-23.1	24.6	18.5-30.6
	5	14.4	13.3-15.4	14.3	13.3-15.3	16.4	9.8-22.9	16.9	15.8-17.9	16.8	15.8-17.9	18.3	13.1-23.5

**SUPPORTING TABLE 2. Continued**

Years	2001-2003						2004-2009					
	All Races		White		Black		All Races		White		Black	
	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI
Nebraska (NPCR)	42.2	40.5-44.0	42.5	40.7-44.3	31.3	23.6-39.1	47.5	46.2-48.8	47.5	46.2-48.8	45.4	38.8-51.9
	19.5	18.1-21.0	19.7	18.2-21.2	12.3	7.4-17.3	25.3	24.0-26.6	25.2	23.9-26.5	20.4	14.3-26.6
	14.6	13.3-15.9	14.6	13.2-16.0	10.0	5.3-14.6	19.3	17.9-20.8	19.5	17.9-21.0	8.2	4.3-12.1
<b>WEST</b>												
<b>Mountain</b>												
Colorado (NPCR)	43.3	41.9-44.7	43.2	41.7-44.6	42.9	36.4-49.4	47.0	46.0-48.0	46.8	45.7-47.8	47.2	41.8-52.6
	21.7	20.5-22.9	21.7	20.4-22.9	14.6	10.0-19.2	25.5	24.4-26.5	25.2	24.1-26.3	25.7	20.2-31.2
	16.6	15.5-17.7	16.5	15.4-17.7	10.3	6.3-14.3	19.8	18.6-21.1	19.6	18.4-20.9	19.5	13.7-25.3
Idaho (NPCR)	42.1	39.7-44.5	42.2	39.8-44.6	-	-	45.7	44.0-47.5	45.9	44.2-47.7	37.1	11.4-62.9
	20.0	17.9-22.0	19.9	17.9-21.9	-	-	22.6	20.9-24.3	22.8	21.1-24.5	19.2	0.0-40.0
	15.1	13.3-17.0	15.0	13.1-16.9	-	-	16.7	14.9-18.6	16.8	14.9-18.6	19.2	0.0-40.0
Montana (NPCR)	40.7	38.2-43.2	40.9	38.2-43.5	-	-	47.2	45.3-49.0	47.3	45.4-49.2	-	-
	19.9	17.7-22.0	19.9	17.7-22.2	-	-	24.1	22.2-26.1	24.6	22.6-26.7	-	-
	14.7	12.7-16.7	14.7	12.7-16.8	-	-	17.3	14.9-19.6	17.5	15.0-20.0	-	-
New Mexico (SEER)	39.6	37.5-41.7	39.2	37.1-41.4	41.7	27.2-56.2	42.1	40.5-43.7	41.8	40.1-43.5	48.8	38.5-59.1
	19.1	17.3-20.9	19.1	17.3-20.9	11.9	2.7-21.2	21.8	20.2-23.5	21.5	19.8-23.3	22.4	12.5-32.4
	13.5	11.8-15.1	13.5	11.9-15.2	7.4	0.0-14.8	15.4	13.6-17.2	15.2	13.3-17.0	12.4	3.3-21.6
Utah (SEER)	17.8	15.7-19.9	17.9	15.7-20.0	8.8	0.0-22.1	41.6	39.8-43.5	41.6	39.7-43.5	30.6	14.5-46.8
	13.6	11.7-15.5	13.6	11.6-15.6	8.8	0.0-22.1	22.1	20.3-24.0	22.1	20.2-24.0	13.6	0.6-26.5
Wyoming (NPCR)	44.7	41.0-48.4	44.7	41.0-48.4	-	-	45.0	42.2-47.7	45.1	42.3-48.0	55.3	27.2-83.5
	20.5	17.4-23.6	20.5	17.3-23.6	-	-	25.1	22.3-27.8	25.7	22.9-28.6	18.9	0.0-40.9
	15.5	12.6-18.4	15.4	12.5-18.2	-	-	21.1	18.1-24.0	21.6	18.6-24.6	19.1	0.0-41.2
<b>Pacific</b>												
Alaska (NPCR)	42.1	38.7-45.5	41.8	37.8-45.7	42.6	21.1-64.0	46.5	44.1-48.9	46.9	44.1-49.7	47.5	31.6-63.4
	20.2	17.3-23.1	20.1	16.8-23.5	16.2	0.9-31.6	23.3	20.9-25.7	24.0	21.2-26.8	21.1	6.0-36.3
	16.1	13.4-18.7	16.1	13.0-19.3	5.6	0.0-14.1	17.4	14.7-20.1	18.1	14.9-21.3	14.6	0.3-29.0
California (NPCR/SEER)	41.3	40.8-41.7	41.3	40.8-41.8	37.3	35.7-38.9	44.4	44.1-44.8	43.9	43.5-44.3	41.1	39.9-42.3
	21.0	20.6-21.4	21.2	20.8-21.7	17.6	16.2-18.9	23.6	23.2-24.0	23.5	23.1-24.0	19.6	18.4-20.8
	15.9	15.5-16.2	16.2	15.7-16.6	12.6	11.3-13.8	18.0	17.6-18.4	18.2	17.8-18.7	14.9	13.6-16.2
Hawaii (SEER)	45.5	43.2-47.9	48.0	43.7-52.3	40.2	12.2-68.2	47.2	45.5-48.9	46.6	43.4-49.8	48.3	29.8-66.7
	22.4	20.4-24.5	24.6	20.8-28.5	21.4	0.0-44.2	24.6	22.9-26.3	22.7	19.6-25.8	20.2	3.9-36.5
	16.4	14.4-18.3	18.7	15.2-22.3	21.4	0.0-44.2	19.7	17.8-21.6	17.5	14.1-20.9	20.3	3.9-36.7
Oregon (NPCR)	40.9	39.6-42.1	40.8	39.5-42.1	45.4	36.5-54.4	44.2	43.3-45.2	44.0	43.1-45.0	45.0	37.9-52.1
	20.9	19.8-22.0	20.8	19.7-21.9	16.4	10.3-22.5	22.4	21.5-23.4	22.3	21.3-23.3	18.7	12.7-24.7
	15.4	14.4-16.4	15.4	14.4-16.4	13.1	7.5-18.6	17.5	16.5-18.6	17.5	16.4-18.5	17.4	11.2-23.6
Washington (NPCR)	43.1	42.1-44.1	43.1	42.0-44.1	42.5	36.6-48.3	46.0	45.2-46.8	45.7	44.8-46.5	46.9	42.3-51.6
	22.3	21.4-23.2	22.2	21.3-23.1	20.5	15.7-25.3	24.4	23.6-25.2	24.2	23.4-25.1	22.0	17.7-26.3
	17.0	16.2-17.8	17.1	16.3-18.0	14.2	10.0-18.4	18.8	18.0-19.7	18.7	17.8-19.6	16.2	11.8-20.6

Abbreviations: CI, confidence interval; NPCR, National Program of Cancer Registries; SEER, Surveillance, Epidemiology, and End Results program.

<sup>a</sup>Unstandardized estimates are italicized.





**SUPPORTING TABLE 3. Continued**

SEER Summary Stage 2000	2001-2003						2004-2009						
	All Races		White		Black		All Races		White		Black		
	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	
<b>SOUTH</b>													
<b>South Atlantic</b>													
Delaware (NPCR)	17.1	15.2-19.0	18.0	15.9-20.1	12.3	8.2-16.4	18.2	16.3-20.1	18.9	16.8-21.0	13.0	9.2-16.9	
Localized	49.5	43.6-55.4	53.1	47.2-59.1	29.2	15.5-42.8	55.0	49.1-60.9	57.8	51.5-64.2	40.2	25.5-54.9	
Regional	21.1	17.3-25.0	22.5	18.6-26.4	15.8	8.7-22.9	23.2	19.3-27.2	23.9	19.6-28.2	17.5	9.7-25.3	
Distant	3.0	1.9-4.2	2.8	1.6-4.0	3.9	1.2-6.5	3.7	2.4-4.9	3.8	2.4-5.1	2.3	0.5-4.1	
Unknown	15.8	9.0-22.7	16.2	9.0-23.3	-	-	4.8	0.0-10.1	4.7	0.0-10.1	10.8	0.0-25.4	
All stages	18.9	18.5-19.3	19.1	18.7-19.6	16.0	14.4-17.5	25.2	24.8-25.7	25.7	25.2-26.2	18.8	17.2-20.3	
Localized	55.0	53.6-56.4	56.1	54.6-57.5	41.5	36.1-46.9	59.4	58.1-60.8	60.1	58.7-61.5	48.7	43.5-53.9	
Regional	22.3	21.3-23.2	22.4	21.4-23.4	21.6	18.1-25.2	31.8	30.7-32.8	32.0	30.9-33.0	26.2	22.8-29.6	
Distant	5.2	4.9-5.6	5.1	4.7-5.5	5.6	4.2-6.9	10.1	9.6-10.6	10.0	9.5-10.5	8.9	7.4-10.4	
Unknown	19.1	17.8-20.4	19.3	17.9-20.7	16.9	12.7-21.0	24.7	23.1-26.3	25.6	23.9-27.3	13.5	9.3-17.8	
All stages	14.5	13.9-15.2	15.3	14.5-16.0	12.1	10.8-13.4	16.2	15.6-16.9	17.1	16.4-17.9	12.0	10.7-13.4	
Localized	44.0	41.9-46.2	45.2	42.8-47.5	38.3	33.3-43.3	46.9	44.6-49.1	48.7	46.2-51.2	37.2	32.4-42.0	
Regional	19.1	17.6-20.5	19.5	17.8-21.1	17.5	14.5-20.4	22.9	21.4-24.4	23.5	21.9-25.2	19.5	16.0-23.1	
Distant	3.0	2.6-3.5	3.1	2.6-3.6	2.9	2.0-3.7	3.8	3.3-4.3	3.9	3.3-4.4	3.4	2.4-4.5	
Unknown	11.4	9.3-13.5	12.2	9.7-14.7	10.0	5.8-14.1	11.3	8.6-14.1	9.9	7.0-12.8	10.7	6.0-15.5	
All stages	15.6	14.8-16.4	16.7	15.7-17.7	11.5	10.0-13.0	19.0	18.2-19.9	20.2	19.1-21.2	15.7	13.9-17.4	
Localized	-	-	-	-	-	-	-	-	-	-	-	-	
Regional	-	-	-	-	-	-	-	-	-	-	-	-	
Distant	-	-	-	-	-	-	-	-	-	-	-	-	
Unknown	-	-	-	-	-	-	-	-	-	-	-	-	
All stages	16.1	15.4-16.7	16.6	15.9-17.3	13.4	11.9-14.8	18.3	17.7-18.9	18.9	18.2-19.6	15.1	13.5-16.7	
Localized	46.6	44.6-48.5	47.3	45.2-49.5	41.1	36.4-45.7	54.5	52.4-56.6	56.1	53.8-58.4	44.1	38.0-50.1	
Regional	16.8	15.6-18.1	17.1	15.7-18.5	15.5	12.5-18.5	24.9	23.4-26.3	25.3	23.7-26.9	22.0	18.5-25.5	
Distant	3.0	2.6-3.5	2.9	2.4-3.3	3.0	2.1-4.0	3.7	3.3-4.2	3.6	3.1-4.2	3.9	2.8-5.0	
Unknown	11.1	9.0-13.2	12.0	9.5-14.4	9.3	5.4-13.1	12.4	10.1-14.6	12.3	9.8-14.9	9.6	5.9-13.4	
All stages	14.8	14.0-15.6	15.6	14.7-16.6	11.8	10.1-13.5	16.1	15.2-17.1	17.0	16.0-18.1	12.6	10.8-14.5	
Localized	45.9	43.1-48.8	48.0	44.9-51.1	37.4	31.1-43.6	53.7	50.7-56.7	56.0	52.6-59.3	42.6	35.9-49.3	
Regional	17.0	15.2-18.7	17.9	15.8-19.9	12.9	9.8-16.0	21.1	19.0-23.2	22.1	19.7-24.4	16.0	12.0-20.0	
Distant	2.7	2.2-3.3	2.6	2.0-3.2	3.1	1.8-4.4	2.8	2.2-3.5	2.7	2.0-3.4	2.9	1.8-3.9	
Unknown	11.0	8.7-13.3	11.2	8.6-13.9	10.6	6.3-14.9	6.5	4.4-8.6	6.8	4.4-9.2	5.2	2.6-7.9	
All stages	14.7	13.6-15.8	14.8	13.6-15.9	14.8	8.0-21.6	16.1	14.9-17.2	15.9	14.7-17.1	18.9	13.2-24.7	
Localized	44.3	40.7-47.8	43.9	40.3-47.5	63.8	32.0-95.5	47.5	44.0-51.0	47.2	43.6-50.8	43.9	25.8-62.0	
Regional	17.6	15.1-20.0	17.7	15.2-20.2	13.8	0.0-30.6	22.7	20.0-25.3	22.5	19.8-25.1	36.4	20.2-52.6	
Distant	2.3	1.6-3.0	2.3	1.6-3.0	2.3	0.0-5.7	3.7	2.9-4.5	3.6	2.8-4.4	7.3	1.2-13.4	
Unknown	8.2	5.6-10.8	7.7	5.5-9.9	15.8	0.0-34.1	6.8	4.6-9.1	6.8	4.5-9.1	4.9	0.0-12.6	
All stages	14.7	13.9-15.5	15.2	14.3-16.1	12.1	10.4-13.9	14.5	13.7-15.3	15.1	14.2-16.0	11.1	9.4-12.8	
Localized	38.7	36.2-41.2	39.0	36.3-41.7	35.8	29.6-41.9	39.4	36.8-42.0	40.2	37.3-43.1	32.3	25.6-38.9	
Regional	16.0	14.5-17.5	16.3	14.6-18.0	13.7	10.3-17.1	20.2	18.4-22.0	20.4	18.4-22.4	19.1	14.8-23.4	
Distant	3.0	2.4-3.6	3.0	2.3-3.6	2.8	1.5-4.0	3.5	2.9-4.1	3.7	3.0-4.4	2.6	1.6-3.6	
Unknown	10.1	7.7-12.5	9.2	6.9-11.4	9.7	5.3-14.1	7.8	5.5-10.2	7.9	5.7-10.1	6.8	3.2-10.3	
<b>East South Central</b>													
Alabama (NPCR)													

**SUPPORTING TABLE 3. Continued**

SEER Summary Stage 2000	2001-2003						2004-2009					
	All Races		White		Black		All Races		White		Black	
	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI
<b>Kentucky (NPCR/SEER)</b>												
All stages	14.1	13.4-14.9	14.2	13.5-15.0	12.8	10.0-15.6	16.1	15.3-16.8	16.0	15.2-16.8	17.1	14.3-20.0
Localized	42.4	39.8-44.9	42.8	40.2-45.4	34.3	25.4-43.1	47.0	44.4-49.6	46.6	44.4-49.6	51.0	42.3-59.7
Regional	18.7	17.1-20.2	18.7	17.1-20.3	17.9	12.8-23.0	24.0	22.1-25.9	24.0	22.1-25.9	23.6	16.4-30.8
Distant	3.0	2.5-3.5	3.0	2.5-3.5	2.9	1.0-4.7	3.4	2.8-3.9	3.3	2.8-3.9	3.8	2.0-5.6
Unknown	12.0	9.7-14.4	12.3	9.9-14.7	6.8	0.0-13.7	9.5	7.0-11.9	9.0	6.4-11.6	15.5	7.4-23.6
<b>Mississippi (NPCR)</b>												
All stages	15.3	13.5-17.0	16.5	14.4-18.7	11.0	8.1-13.8	15.1	14.0-16.1	16.1	14.9-17.4	12.0	10.2-13.9
Localized	36.9	32.2-41.5	37.4	32.3-42.6	30.4	22.5-38.4	44.8	41.5-48.0	47.1	43.3-50.9	35.4	29.1-41.6
Regional	14.5	11.4-17.6	17.3	13.6-21.0	9.5	5.4-13.6	19.1	16.7-21.4	19.6	16.9-22.3	16.9	12.4-21.3
Distant	3.3	2.0-4.6	3.2	1.8-4.7	2.7	0.6-4.7	2.9	2.2-3.6	3.1	2.2-3.9	2.7	1.5-4.0
Unknown	12.3	7.5-17.0	9.3	3.7-14.9	7.0	3.7-18.9	11.4	8.1-14.6	14.0	9.6-18.3	8.2	3.9-12.4
<b>Tennessee (NPCR)</b>												
All stages	17.4	16.1-18.6	18.1	16.7-19.5	10.5	7.6-13.4	17.7	17.0-18.4	18.0	17.3-18.8	15.0	13.0-16.9
Localized	43.7	40.3-47.2	44.2	40.6-47.9	33.1	23.3-42.9	46.3	44.2-48.4	46.3	44.1-48.5	44.8	38.4-51.1
Regional	18.1	15.7-20.6	19.4	16.7-22.1	10.8	6.1-15.4	22.8	21.2-24.4	23.0	21.3-24.7	20.7	16.5-24.9
Distant	2.6	1.9-3.4	2.8	1.9-3.7	1.4	0.2-2.7	3.4	2.9-3.9	3.4	2.8-3.9	3.3	2.1-4.5
Unknown	12.5	8.5-16.4	12.3	8.1-16.4	11.1	0.0-22.5	10.8	8.4-13.3	12.0	9.3-14.8	0.0	0.0-0.0
<b>West South Central</b>												
<b>Louisiana (NPCR/SEER)</b>												
All stages	12.8	12.1-13.6	14.0	13.1-14.9	9.9	8.6-11.3	14.6	13.7-15.4	15.5	14.5-16.6	11.7	10.2-13.2
Localized	43.0	40.1-45.8	45.1	41.9-48.4	34.4	28.7-40.2	45.8	42.7-48.9	47.8	44.5-51.0	40.6	34.5-46.6
Regional	17.7	16.0-19.4	18.4	16.4-20.4	14.9	11.7-18.0	21.1	19.1-23.2	21.3	19.0-23.7	19.6	15.7-23.6
Distant	3.1	2.6-3.6	3.2	2.6-3.9	3.0	2.0-4.0	3.3	2.8-3.9	3.6	2.9-4.3	2.7	1.8-3.7
Unknown	10.6	7.5-13.6	12.0	8.6-15.4	5.5	2.1-8.9	11.5	7.5-15.5	11.7	7.4-15.9	10.5	5.8-15.2
<b>Oklahoma (NPCR)</b>												
All stages	14.5	13.6-15.4	14.8	13.8-15.7	11.3	8.3-14.2	15.9	15.0-16.8	15.9	14.9-16.9	16.8	13.3-20.4
Localized	42.9	39.9-45.8	43.4	40.3-46.5	41.6	28.6-54.6	48.3	45.2-51.4	49.2	45.9-52.6	39.5	29.8-49.1
Regional	15.8	14.0-17.6	16.2	14.2-18.2	11.0	6.3-15.8	21.3	19.2-23.4	20.6	18.4-22.9	29.3	21.7-36.9
Distant	3.9	3.2-4.6	3.9	3.2-4.7	4.6	2.1-7.2	4.0	3.3-4.6	4.0	3.3-4.7	2.2	0.7-3.8
Unknown	12.6	9.9-15.2	11.7	8.9-14.5	3.7	0.0-8.4	13.8	11.0-16.7	12.4	9.1-15.7	21.6	13.3-29.9
<b>Texas (NPCR)</b>												
All stages	15.5	15.1-16.0	15.9	15.4-16.3	12.4	11.2-13.6	17.5	17.1-18.0	17.9	17.4-18.5	13.2	12.0-14.5
Localized	44.6	43.1-46.0	44.7	43.1-46.2	41.2	36.4-45.9	48.8	47.3-50.3	49.5	47.9-51.1	39.5	34.6-44.4
Regional	17.2	16.2-18.2	17.6	16.6-18.7	14.1	11.4-16.7	23.4	22.3-24.6	23.7	22.5-24.9	20.7	17.7-23.7
Distant	3.6	3.3-4.0	3.7	3.3-4.0	2.9	2.1-3.7	4.5	4.1-4.9	4.4	4.0-4.9	3.9	3.0-4.7
Unknown	16.5	15.2-17.7	16.8	15.4-18.2	12.9	9.7-16.0	17.5	16.0-18.9	17.5	15.9-19.2	14.5	11.0-17.9
<b>MIDWEST</b>												
<b>East North Central</b>												
<b>Michigan (NPCR)</b>												
All stages	16.8	16.3-17.4	17.4	16.8-18.1	13.1	11.7-14.4	18.0	17.4-18.6	18.1	17.5-18.8	16.6	15.1-18.1
Localized	50.0	48.2-51.9	51.6	49.6-53.5	37.4	32.4-42.4	54.1	52.0-56.1	54.5	52.3-56.6	51.5	45.6-57.3
Regional	20.0	18.8-21.2	20.3	19.0-21.7	18.8	15.5-22.1	23.6	22.0-25.2	23.3	21.6-25.0	26.7	22.4-30.9
Distant	4.4	3.9-4.8	4.2	3.7-4.7	4.3	3.2-5.4	4.9	4.4-5.5	4.6	4.0-5.2	5.9	4.3-7.4
Unknown	10.1	8.7-11.6	10.2	8.6-11.8	9.0	5.3-12.7	13.5	12.4-14.6	13.5	12.3-14.7	13.4	10.7-16.1
<b>Ohio (NPCR)</b>												
All stages	15.0	14.5-15.5	15.0	14.5-15.6	14.5	12.9-16.0	16.7	16.2-17.2	16.9	16.3-17.4	14.1	12.5-15.6
Localized	47.5	45.8-49.2	48.0	46.2-49.8	42.3	36.6-48.0	54.3	52.5-56.1	54.3	52.4-56.2	52.4	46.0-58.7
Regional	15.8	14.9-16.8	15.6	14.5-16.6	17.5	14.5-20.5	24.3	23.1-25.5	24.7	23.4-26.0	18.4	14.8-22.0
Distant	2.6	2.3-3.0	2.6	2.2-3.0	2.8	1.7-4.0	4.0	3.6-4.4	3.9	3.4-4.3	4.1	3.0-5.3
Unknown	9.5	8.3-10.6	9.1	7.9-10.2	11.8	8.6-15.0	4.7	3.7-5.7	4.9	3.8-6.0	3.8	2.1-5.4

**SUPPORTING TABLE 3. Continued**

SEER Summary Stage 2000	2001-2003				2004-2009							
	All Races		White		Black		All Races		White		Black	
	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI
Wisconsin (NPCR)	17.4	16.5-18.2	17.6	16.7-18.5	15.4	12.0-18.8	19.5	18.6-20.4	20.1	19.2-21.1	12.9	9.8-16.0
Localized	-	-	-	-	-	-	-	-	-	-	-	-
Regional	-	-	-	-	-	-	-	-	-	-	-	-
Distant	-	-	-	-	-	-	-	-	-	-	-	-
Unknown	-	-	-	-	-	-	-	-	-	-	-	-
<b>West North Central</b>												
Iowa (SEER)	14.4	13.3-15.4	14.3	13.3-15.3	16.4	9.8-22.9	16.9	15.8-17.9	16.8	15.8-17.9	18.3	13.1-23.5
Localized	47.2	43.3-51.0	46.9	43.0-50.8	59.8	29.6-89.9	56.1	52.6-59.6	55.8	52.3-59.4	50.6	23.0-78.1
Regional	23.8	21.2-26.3	23.5	21.0-26.1	43.5	20.7-66.3	25.8	23.1-28.5	25.8	23.0-28.7	28.6	15.7-41.4
Distant	3.1	2.5-3.8	3.2	2.5-3.9	1.9	0.0-4.7	3.7	3.0-4.5	3.7	3.0-4.4	9.5	2.5-16.5
Unknown	10.4	7.2-13.6	10.7	7.4-14.1	-	-	10.1	5.7-14.4	6.4	3.3-9.5	-	-
All stages	14.6	13.3-15.9	14.6	13.2-16.0	10.0	5.3-14.6	19.3	17.9-20.8	19.5	17.9-21.0	8.2	4.3-12.1
Localized	46.2	41.7-50.6	45.7	41.1-50.3	31.1	10.4-51.8	57.9	53.3-62.5	58.7	54.0-63.3	0.8	0.0-2.5
Regional	15.1	12.5-17.6	15.2	12.5-17.9	15.4	2.1-28.7	27.1	23.8-30.4	27.3	23.9-30.7	0.0	0.0-0.1
Distant	3.1	2.1-4.0	3.0	2.1-3.9	2.6	0.1-5.1	3.9	2.9-5.0	4.0	2.9-5.0	5.7	0.0-11.6
Unknown	10.8	7.5-14.1	10.8	7.5-14.1	-	-	10.4	6.5-14.3	10.2	6.3-14.0	-	-
<b>WEST</b>												
<b>Mountain</b>												
Colorado (NPCR)	16.6	15.5-17.7	16.5	15.4-17.7	10.3	6.3-14.3	19.8	18.6-21.1	19.6	18.4-20.9	19.5	13.7-25.3
Localized	53.3	49.9-56.7	53.0	49.6-56.5	50.4	29.2-71.6	57.9	54.2-61.5	58.3	54.5-62.1	54.8	39.8-69.8
Regional	20.0	17.4-22.5	20.1	17.5-22.7	4.9	0.0-10.9	26.6	23.7-29.6	26.5	23.5-29.5	17.7	9.6-25.9
Distant	3.5	2.7-4.2	3.3	2.5-4.0	4.2	0.3-8.0	5.2	4.2-6.2	4.9	3.8-5.9	5.2	1.0-9.4
Unknown	16.1	12.2-20.0	16.3	12.3-20.3	11.3	0.0-24.6	9.0	5.6-12.4	9.8	6.1-13.4	-	-
All stages	15.1	13.3-17.0	15.0	13.1-16.9	-	-	16.7	14.9-18.6	16.8	14.9-18.6	19.2	0.0-40.0
Localized	49.5	43.4-55.5	49.2	43.1-55.4	-	-	52.2	45.2-59.1	51.7	44.7-58.8	-	-
Regional	19.7	15.7-23.7	19.4	15.4-23.5	-	-	30.0	25.5-34.6	30.4	25.7-35.0	-	-
Distant	3.3	2.1-4.5	3.3	2.1-4.5	-	-	4.6	3.3-5.9	4.7	3.4-6.0	-	-
Unknown	9.7	3.5-16.0	9.7	3.5-16.0	-	-	3.9	0.0-8.1	4.1	0.0-8.5	-	-
All stages	14.7	12.7-16.7	14.7	12.7-16.8	7.4	0.0-14.8	17.3	14.9-19.6	17.5	15.0-20.0	-	-
Localized	48.2	41.8-54.5	47.8	41.3-54.3	-	-	58.1	51.4-64.7	59.8	53.2-66.4	-	-
Regional	18.5	14.6-22.5	19.4	15.2-23.6	-	-	25.6	21.1-30.9	26.3	21.6-30.9	-	-
Distant	2.5	1.4-3.6	2.1	1.1-3.1	-	-	4.1	2.9-5.3	4.0	2.8-5.2	-	-
Unknown	7.7	2.5-12.9	7.4	2.1-12.6	-	-	6.0	1.1-10.9	6.0	1.1-10.9	-	-
All stages	13.5	11.8-15.1	13.5	11.9-15.2	7.4	0.0-14.8	15.4	13.6-17.2	15.2	13.3-17.0	12.4	3.3-21.6
Localized	41.6	36.3-46.9	41.9	36.5-47.3	-	-	44.6	39.5-49.6	44.4	39.2-49.6	24.8	0.4-49.3
Regional	16.9	13.7-20.1	16.9	13.7-20.2	-	-	19.2	15.5-23.0	18.6	14.8-22.4	38.9	10.9-66.9
Distant	3.1	1.9-4.2	3.1	1.9-4.2	0.0	-	4.2	2.9-5.5	4.2	2.9-5.6	3.1	0.0-8.2
Unknown	14.3	9.8-18.7	14.7	10.2-19.3	-	-	9.7	5.5-13.8	9.5	5.4-13.6	10.1	0.0-24.9
All stages	13.6	11.7-15.5	13.6	11.6-15.6	8.8	0.0-22.1	16.2	14.2-18.2	16.3	14.2-18.3	7.0	0.0-16.5
Localized	49.6	42.3-56.9	49.1	41.8-56.3	-	-	53.8	47.6-60.0	53.7	47.4-60.0	-	-
Regional	23.8	18.2-29.4	24.0	18.3-29.7	-	-	26.0	21.4-30.7	26.8	22.1-31.6	-	-
Distant	2.3	1.3-3.4	2.1	1.1-3.0	-	-	2.9	1.7-4.0	2.6	1.5-3.7	0.5	0.0-1.5
Unknown	4.0	0.3-7.7	4.1	0.4-7.9	-	-	3.0	0.0-6.3	2.9	0.0-6.1	-	-

**SUPPORTING TABLE 3. Continued**

SEER Summary Stage 2000	2001-2003				2004-2009							
	All Races		White		Black		All Races		White		Black	
	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI
Wyoming (NPCR)	15.5	12.6-18.4	15.4	12.5-18.2	-	-	21.1	18.1-24.0	21.6	18.6-24.6	19.1	0.0-41.2
Localized	50.7	39.7-61.7	50.1	39.0-61.2	-	-	54.7	46.7-62.7	54.8	46.7-62.9	-	-
Regional	18.0	12.1-23.9	17.7	11.8-23.7	-	-	29.1	23.1-35.2	29.5	23.3-35.7	-	-
Distant	4.0	2.1-5.9	4.1	2.2-6.1	-	-	5.2	3.3-7.1	5.5	3.4-7.5	-	-
Unknown	14.9	8.0-21.9	14.3	7.4-21.2	-	-	16.1	8.6-23.6	16.2	8.7-23.8	-	-
<b>Pacific</b>												
Alaska (NPCR)	16.1	13.4-18.7	16.1	13.0-19.3	5.6	0.0-14.1	17.4	14.7-20.1	18.1	14.9-21.3	14.6	0.3-29.0
Localized	53.0	43.3-62.8	51.3	39.2-63.4	-	-	52.7	44.5-61.0	54.4	45.5-63.3	-	-
Regional	21.4	16.4-26.5	22.2	16.2-28.2	-	-	20.1	13.9-26.3	17.0	11.0-22.9	59.3	27.8-90.9
Distant	4.5	2.6-6.4	4.5	2.3-6.8	0.0	-	5.3	3.3-7.2	5.2	3.0-7.4	0.2	0.0-0.7
Unknown	10.3	3.0-17.7	9.5	2.1-16.9	-	-	15.3	6.6-24.0	14.2	5.0-23.4	-	-
California (NPCR/SEER)	15.9	15.5-16.2	16.2	15.7-16.6	12.6	11.3-13.8	18.0	17.6-18.4	18.2	17.8-18.7	14.9	13.6-16.2
Localized	55.0	53.7-56.4	55.5	54.1-57.0	46.5	41.3-51.7	58.3	57.0-59.7	58.4	56.9-59.8	51.1	45.5-56.7
Regional	25.7	24.7-26.7	25.6	24.5-26.7	22.2	18.8-25.6	28.8	27.7-29.9	28.5	27.2-29.7	27.8	23.8-31.8
Distant	3.5	3.3-3.8	3.5	3.2-3.8	2.9	2.2-3.7	4.8	4.5-5.2	4.7	4.3-5.1	4.1	3.2-5.0
Unknown	10.2	8.6-11.7	9.9	8.1-11.8	8.6	5.3-12.0	7.8	6.1-9.5	7.4	5.7-9.2	5.6	2.8-8.5
Hawaii (SEER)	16.4	14.4-18.3	18.7	15.2-22.3	21.4	0.0-44.2	19.7	17.8-21.6	17.5	14.1-20.9	20.3	3.9-36.7
Localized	53.7	47.4-60.0	47.6	36.2-59.0	-	-	55.2	49.2-61.3	52.1	42.7-61.6	-	-
Regional	27.1	22.9-31.3	28.4	21.7-35.1	-	-	31.1	26.6-35.5	29.7	23.1-36.3	26.3	0.0-53.3
Distant	4.4	3.0-5.7	4.0	1.9-6.1	-	-	5.6	4.1-7.2	4.0	2.0-5.9	10.6	0.0-24.9
Unknown	14.4	4.4-24.4	16.3	0.0-32.7	-	-	23.6	14.7-32.5	-	-	-	-
Oregon (NPCR)	15.4	14.4-16.4	15.4	14.4-16.4	13.1	7.5-18.6	17.5	16.5-18.6	17.5	16.4-18.5	17.4	11.2-23.6
Localized	50.6	47.3-53.9	50.7	47.3-54.1	35.2	14.0-56.4	59.6	56.3-62.9	59.3	55.8-62.7	71.9	47.7-96.0
Regional	20.7	18.5-23.0	20.5	18.2-22.8	22.1	6.9-37.3	24.1	21.6-26.5	24.0	21.5-26.4	19.0	5.1-32.9
Distant	3.0	2.4-3.7	3.1	2.4-3.8	1.5	0.0-3.1	3.7	3.1-4.4	3.6	2.9-4.3	3.7	0.0-7.9
Unknown	8.0	5.6-10.5	7.9	5.4-10.4	-	-	10.7	7.5-13.8	11.4	8.0-14.7	-	-
Washington (NPCR)	17.0	16.2-17.8	17.1	16.3-18.0	14.2	10.0-18.4	18.8	18.0-19.7	18.7	17.8-19.6	16.2	11.8-20.6
Localized	53.5	50.9-56.2	53.5	50.8-56.3	57.2	39.3-75.2	57.5	54.7-60.4	57.4	54.4-60.4	43.9	29.6-58.2
Regional	23.6	21.8-25.5	23.9	21.9-25.8	15.9	7.0-24.8	28.4	26.4-30.5	28.5	26.4-30.6	24.4	15.0-33.9
Distant	3.3	2.8-3.8	3.3	2.7-3.8	3.1	0.9-5.3	4.5	3.8-5.2	4.1	3.4-4.8	6.0	2.7-9.3
Unknown	11.6	8.4-14.9	11.0	7.8-14.3	-	-	12.9	10.0-15.8	11.5	8.6-14.5	15.8	0.0-34.4

Abbreviations: CI, confidence interval; NPCR, National Program of Cancer Registries; SEER, Surveillance, Epidemiology, and End Results program.  
<sup>a</sup>Information on stage was not available for Maryland and Wisconsin, or for Rhode Island for patients diagnosed between 2004 and 2009. Unstandardized estimates are italicized.