

CONTENTS

**1971
TUBERCULOSIS
STATISTICS:
STATES AND CITIES**

State Tables

1. Cases and Case Rates, 1950 and 1970	5
2. Cases by Age, 1971	6
3. Case Rates by Age, 1971	7
4. Cases by Race and Sex, 1971	8
5. Case Rates by Race and Sex, 1971	9
6. Cases Found at Time of Death, 1971	10
7. Cases by Parish and Ethnicity, 1971	11
8. Pulmonary Tuberculosis by Ethnicity of Patient, 1971	12

City Tables

9. Cases and Case Rates, 1950 and 1970 - population 100,000	13
10. Cases by Age, 1971	14
11. Case Rates by Age, 1971	15
12. Cases by Race and Sex, 1971	16
13. Case Rates by Race and Sex, 1971	17
14. Cases Found at Time of Death, 1971	18
15. Cases and Case Rates, 1950 and 1970 - population 100,000	19

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
HEALTH SERVICES AND MENTAL HEALTH ADMINISTRATION
CENTER FOR DISEASE CONTROL
STATE AND COMMUNITY SERVICES DIVISION
TUBERCULOSIS BRANCH
ATLANTA, GEORGIA 30333

1971
TUBERCULOSIS
STATISTICS:
STATES AND CITIES

Copies are available from:

**Center for Disease Control
Attn: Tuberculosis Branch
State and Community Services Division
Atlanta, Georgia 30333**

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
HEALTH SERVICES AND MENTAL HEALTH ADMINISTRATION
CENTER FOR DISEASE CONTROL
STATE AND COMMUNITY SERVICES DIVISION

CONTENTS

	<i>Page</i>
INTRODUCTION _____	1
<i>United States Summary Table:</i>	
1. New Active Tuberculosis Cases and Deaths, 1953-1971_____	2
<i>State Tables:</i>	
2. Cases and Case Rates, 1971 and 1970_____	3
3. Cases by Age, 1971_____	4
4. Case Rates by Age, 1971_____	5
5. Cases by Race and Sex, 1971_____	6
6. Case Rates by Race and Sex, 1971_____	7
7. Cases Found at Time of Death, 1971_____	8
8. Cases by Form and Extent, 1971_____	9
9. Pulmonary Tuberculosis by Extent of Disease, 1971_____	10
<i>City Tables:</i>	
10. Cases and Case Rates (cities of 250,000 + population), 1971_____	11
11. Cases by Age, 1971_____	12
12. Case Rates by Age, 1971_____	13
13. Cases by Race and Sex, 1971_____	14
14. Case Rates by Race and Sex, 1971_____	15
15. Cases and Case Rates (cities with 100,000-250,000 population), 1971_____	16

INTRODUCTION

Tuberculosis morbidity and mortality data and information on hospital facilities are completed at various times throughout the year. In order to provide information as early as possible, tuberculosis statistics are published as data become available. This report is a summary of 1971 tuberculosis case data for states and cities. Later in the year the following reports will be issued:

1. *Reported Tuberculosis Data, 1971*, including detailed analyses of statistics for the United States.
2. *Tuberculosis Deaths and Death Rates, United States, 1969*, including mortality statistics for states and cities.

Definitions

Cases, as the term is used in this report, relate to active tuberculosis cases not previously reported.

Deaths from tuberculosis are identified in the cause-of-death statistics, published by the National Center for Health Statistics.

Rate, either case rate or death rate, is the number per 100,000 population.

Sources of Data

Morbidity: Annual Tuberculosis Reports, HSM 5.1393, were submitted to the Center for Disease Control by each state health department and by health departments of cities with 250,000 or more population. State reports included limited data for all counties within each state (to be analyzed later) and for cities of 100,000 or more population.

Mortality: Official tuberculosis mortality statistics for the United States are compiled by the National Center for Health Statistics. At the time of publication of this report, only provisional deaths based on the NCHS 10 percent sample were available for 1969, 1970 and 1971.

Population: State population estimates are from the Bureau of Census, Current Population Reports, Series P-25, No. 468, October 5, 1971. Age, race and sex population estimates for individual States were prepared by the Tuberculosis Branch (CDC), taking into account estimates of the Bureau of the Census. For cities, population estimates were obtained mainly from the respective local and State authorities. Age, race and sex population for individual cities are from the 1970 Census of Population, Advance Report Series PC (V2), Bureau of the Census.

TABLE 1
*New Active Tuberculosis
 Cases and Deaths,
 United States, 1953-1971*

Year	New Active Cases				Tuberculosis Deaths			
	Number	Rate	% Change		Number	Rate	% Change	
			Number	Rate			Number	Rate
1953	84,304	53.0	19,707	12.4
1954	79,775	49.3	- 5.4	- 7.0	16,527	10.2	-16.1	-17.7
1955	77,368	46.9	- 3.0	- 4.9	15,016	9.1	- 9.1	-10.8
1956	69,895	41.6	- 9.7	-11.3	14,137	8.4	- 5.9	- 7.7
1957	67,149	39.2	- 3.9	- 5.8	13,390	7.8	- 5.3	- 7.1
1958	63,534	36.5	- 5.4	- 6.9	12,417	7.1	- 7.3	- 9.0
1959	57,535	32.5	- 9.4	-11.0	11,474	6.5	- 7.6	- 8.5
1960	55,494	30.8	- 3.5	- 5.2	10,866	6.0	- 5.3	- 7.7
1961	53,726	29.4	- 3.2	- 4.5	9,938	5.4	- 8.5	-10.0
1962	53,315	28.7	- 0.8	- 2.4	9,506	5.1	- 4.3	- 5.6
1963	54,042	28.7	+ 1.4	0.0	9,311	4.9	- 2.1	- 3.9
1964	50,874	26.6	- 5.9	- 7.3	8,303	4.3	-10.8	-12.2
1965	49,016	25.3	- 3.7	- 4.9	7,934	4.1	- 4.4	- 4.7
1966	47,767	24.4	- 2.5	- 3.6	7,625	3.9	- 3.9	- 4.9
1967	45,647	23.1	- 4.4	- 5.3	6,901	3.5	- 9.5	-10.3
1968	42,623	21.3	- 6.6	- 7.8	6,292	3.1	- 8.8	-11.4
1969	39,120	19.4	- 8.2	- 8.9	5,340*	2.7	-15.1	-12.9
1970	37,137	18.3	- 5.1	- 5.7	5,560*	2.7	+ 4.1	0.0
1971	35,217	17.1	- 5.2	- 6.6	4,380*	2.1	-21.2	-22.2

*Provisional Deaths for 1969, 1970 and 1971 are based on the NCHS ten percent sample.

State	New Active Cases		Case Rate		Rank According to Rate		Population July 1, 1971
	1971	1970	1971	1970	1971	1970	
United States	35,217	37,137	17.1	18.3	206,256,000
Alabama	985	1,166	28.3	33.9	3	3	3,479,000
Alaska	105	105	33.5	34.7	2	2	313,000
Arizona	459	470	24.8	26.5	5	5	1,849,000
Arkansas	482	497	24.8	25.8	6	6	1,944,000
California	3,488	3,456	17.2	17.3	20	24	20,223,000
Colorado	257	227	11.3	10.3	33	36	2,283,000
Connecticut	270	286	8.8	9.4	38	38	3,081,000
Delaware	83	105	14.9	19.2	25	20	558,000
District of Columbia	323	370	43.6	48.9	741,000
Florida	1,551	1,559	22.0	23.0	9	12	7,041,000
Georgia	977	956	20.9	20.8	12	15	4,664,000
Hawaii	328	269	41.6	34.9	1	1	789,000
Idaho	56	49	7.7	6.9	43	42	732,000
Illinois	2,138	2,292	19.1	20.6	18	17	11,196,000
Indiana	767	950	14.5	18.3	27	22	5,274,000
Iowa	129	129	4.5	4.6	48	50	2,852,000
Kansas	156	194	6.9	8.6	45	39	2,258,000
Kentucky	755	870	23.0	27.0	8	4	3,282,000
Louisiana	747	755	20.3	20.7	14	16	3,681,000
Maine	81	85	8.1	8.6	41	40	1,003,000
Maryland	840	942	21.0	24.0	11	9	4,000,000
Massachusetts	763	801	13.3	14.1	29	31	5,758,000
Michigan	1,312	1,431	14.6	16.1	26	25	8,997,000
Minnesota	206	258	5.3	6.8	47	43	3,881,000
Mississippi	431	433	19.4	19.5	16	19	2,226,000
Missouri	710	692	15.0	14.8	24	28	4,749,000
Montana	78	91	11.0	13.1	34	33	708,000
Nebraska	82	87	5.4	5.9	46	47	1,512,000
Nevada	46	39	9.1	8.0	37	41	507,000
New Hampshire	31	45	4.1	6.1	49	45	762,000
New Jersey	1,298	1,016	17.8	14.2	19	30	7,300,000
New Mexico	172	202	16.7	19.9	21	18	1,030,000
New York	3,752	3,827	20.4	21.0	13	14	18,391,000
North Carolina	1,043	1,204	20.3	23.7	15	11	5,146,000
North Dakota	51	35	8.2	5.7	39	49	625,000
Ohio	1,301	1,591	12.1	14.9	31	27	10,778,000
Oklahoma	347	367	13.3	14.3	28	29	2,610,000
Oregon	249	265	11.5	12.7	32	34	2,158,000
Pennsylvania	1,928	2,095	16.2	17.8	22	23	11,879,000
Rhode Island	116	118	12.1	12.4	30	35	960,000
South Carolina	669	618	25.5	23.9	4	10	2,627,000
South Dakota	69	102	10.3	15.3	36	26	670,000
Tennessee	878	834	22.0	21.3	10	13	3,990,000
Texas	2,730	2,889	23.8	25.8	7	7	11,460,000
Utah	44	61	4.0	5.8	50	48	1,099,000
Vermont	37	43	8.1	9.7	40	37	458,000
Virginia	912	1,175	19.3	25.3	17	8	4,714,000
Washington	358	469	10.4	13.8	35	32	3,449,000
West Virginia	276	329	15.8	18.9	23	21	1,752,000
Wisconsin	324	266	7.2	6.0	44	46	4,476,000
Wyoming	27	22	7.9	6.6	42	44	340,000
Puerto Rico*	808	790	29.8	29.4	2,712,000

TABLE 2
*New Active Tuberculosis
Cases and Case Rates:
States, 1971 and 1970*

*Not included in totals.
District of Columbia is classed
as a city, and is not ranked with
the States.

TABLE 3
New Cases of Active Tuberculosis by Age: States, 1971

State	Total	Under 5	5-14	15-24	25-44	45-64	65+	Age Not Stated
United States	35,217	1,513	1,502	3,084	9,408	12,093	7,240	377
Alabama	985	31	41	68	254	335	256	0
Alaska	105	8	16	15	31	25	10	0
Arizona	459	35	18	20	109	169	108	0
Arkansas	482	35	45	28	83	147	142	2
California	3,488	168	123	401	1,019	1,126	650	1
Colorado	257	7	13	36	77	75	47	2
Connecticut	270	3	7	18	74	118	44	6
Delaware	83	5	8	8	16	30	15	1
District of Columbia	323	11	11	26	115	122	38	0
Florida	1,551	72	44	93	451	611	280	0
Georgia	977	46	30	75	264	369	179	14
Hawaii	328	9	4	41	90	105	79	0
Idaho	56	2	4	3	13	28	6	0
Illinois	2,138	45	45	173	721	816	329	9
Indiana	767	31	37	60	164	256	176	43
Iowa	129	0	1	7	23	57	34	7
Kansas	156	5	2	6	44	60	37	2
Kentucky	755	14	38	35	160	238	270	0
Louisiana	747	42	40	56	188	278	143	0
Maine	81	2	1	6	14	32	26	0
Maryland	840	23	12	82	244	310	169	0
Massachusetts	763	13	24	55	208	282	177	4
Michigan	1,312	46	87	122	341	455	252	9
Minnesota	206	1	2	18	37	71	76	1
Mississippi	431	12	3	48	97	157	114	0
Missouri	710	93	30	22	144	222	197	2
Montana	78	5	1	10	16	27	19	0
Nebraska	82	5	1	4	22	36	14	0
Nevada	46	1	3	2	11	20	9	0
New Hampshire	31	0	1	4	6	12	8	0
New Jersey	1,298	63	51	151	381	370	282	0
New Mexico	172	3	8	26	60	35	34	6
New York	3,752	163	158	511	1,328	1,200	392	0
North Carolina	1,043	47	49	80	260	367	236	4
North Dakota	51	1	1	9	12	17	11	0
Ohio	1,301	49	99	80	266	368	284	155
Oklahoma	347	1	3	20	74	128	120	1
Oregon	249	8	10	21	51	106	53	0
Pennsylvania	1,928	58	44	91	446	738	494	57
Rhode Island	116	5	6	10	30	47	18	0
South Carolina	669	37	37	59	179	246	111	0
South Dakota	69	4	1	13	22	15	14	0
Tennessee	878	32	43	49	175	286	293	0
Texas	2,730	186	204	290	635	882	505	28
Utah	44	0	2	5	6	16	15	0
Vermont	37	0	2	1	8	11	15	0
Virginia	912	50	64	57	222	315	191	13
Washington	358	12	12	30	78	133	93	0
West Virginia	276	13	6	18	58	102	79	0
Wisconsin	324	10	10	20	76	112	92	4
Wyoming	27	1	0	1	5	10	4	6
Puerto Rico*	808	24	29	79	210	276	174	16

*Not included in totals.

TABLE 4
Tuberculosis Case
Rates by Age:
States, 1971

State	Total	Under 5	5-14	15-24	25-44	45-64	65+
United States	17.1	8.8	3.8	8.3	19.5	28.9	35.7
Alabama	28.3	10.1	5.8	10.6	31.7	48.0	77.6
Alaska	33.5	24.0	22.1	23.0	33.6	59.0	138.9
Arizona	24.8	21.6	4.8	5.9	25.0	46.3	63.7
Arkansas	24.8	21.7	12.0	8.2	19.9	36.3	59.5
California	17.2	10.0	3.2	10.8	20.0	27.9	34.7
Colorado	11.3	3.7	2.9	8.0	13.5	18.0	24.6
Connecticut	8.8	1.2	1.2	3.5	10.2	18.1	14.9
Delaware	14.9	10.3	6.9	8.0	11.6	28.2	33.2
District of Columbia	43.6	18.7	8.7	18.2	59.4	81.0	55.2
Florida	22.0	14.1	3.6	8.0	28.6	39.8	27.4
Georgia	20.9	10.7	3.2	8.5	23.4	42.6	48.8
Hawaii	41.6	12.5	2.5	26.0	42.6	73.1	173.2
Idaho	7.7	3.0	2.6	2.2	8.1	19.1	8.6
Illinois	19.1	4.8	2.1	8.8	27.2	34.9	29.9
Indiana	14.5	7.2	3.8	6.5	14.1	25.8	36.9
Iowa	4.5	n.c.	0.2	1.4	3.9	10.5	10.0
Kansas	6.9	2.8	0.5	1.4	8.9	13.2	13.7
Kentucky	23.0	5.1	5.9	5.7	21.5	36.1	78.1
Louisiana	20.3	11.9	5.0	7.9	22.5	40.8	46.0
Maine	8.1	2.4	0.5	3.4	6.4	15.5	22.2
Maryland	21.0	6.7	1.5	11.5	24.0	38.4	54.5
Massachusetts	13.3	2.8	2.2	5.4	16.0	23.1	27.4
Michigan	14.6	5.7	4.7	7.4	16.4	25.8	33.1
Minnesota	5.3	0.3	0.2	2.5	4.3	9.6	18.4
Mississippi	19.4	5.7	0.6	11.6	20.7	36.9	50.4
Missouri	15.0	24.8	3.3	2.7	13.4	22.6	34.2
Montana	11.0	8.7	0.7	7.6	10.2	18.9	26.9
Nebraska	5.4	4.1	0.3	1.5	6.6	12.0	7.5
Nevada	9.1	2.2	3.0	2.4	7.9	19.0	27.2
New Hampshire	4.1	n.c.	0.7	3.0	3.4	7.8	9.8
New Jersey	17.8	10.8	3.7	12.5	21.9	22.5	38.9
New Mexico	16.7	3.1	3.4	13.8	25.7	19.9	48.9
New York	20.4	11.0	4.7	16.7	30.0	29.6	19.6
North Carolina	20.3	10.5	4.9	7.9	20.8	36.5	56.4
North Dakota	8.2	1.9	0.8	7.6	9.1	13.8	16.2
Ohio	12.1	6.0	5.2	4.7	11.9	18.9	32.0
Oklahoma	13.3	0.5	0.6	4.2	12.4	23.5	39.4
Oregon	11.5	4.8	2.5	5.4	10.2	22.7	22.8
Pennsylvania	16.2	6.3	2.0	4.6	17.3	22.7	39.4
Rhode Island	12.1	6.5	3.5	5.6	14.1	22.3	16.9
South Carolina	25.5	15.5	6.8	10.9	29.1	49.8	56.6
South Dakota	10.3	7.3	0.7	10.5	16.2	11.2	17.0
Tennessee	22.0	9.7	5.6	6.7	18.4	35.1	74.5
Texas	23.8	18.2	9.0	13.3	23.4	41.2	49.5
Utah	4.0	n.c.	0.8	2.2	2.4	8.5	18.6
Vermont	8.1	n.c.	2.2	1.2	7.8	12.4	30.2
Virginia	19.3	12.6	7.0	6.3	18.9	34.7	52.2
Washington	10.4	4.2	1.8	4.6	9.6	18.8	28.4
West Virginia	15.8	9.3	1.8	5.8	15.3	25.8	39.9
Wisconsin	7.2	2.6	1.1	2.5	7.8	12.8	19.4
Wyoming	7.9	3.4	n.c.	1.6	7.5	20.5	15.9
Puerto Rico*	29.8	7.5	4.3	15.4	34.9	69.5	100.6

*Not included in totals.
 Notes: (1) Cases with age not specified were distributed proportionately.
 (2) n.c. = No cases.

TABLE 5
New Cases of Active Tuberculosis by Race and Sex: States, 1971

State	Total	White			Other			Not Stated
		Total	Male	Female	Total	Male	Female	
United States	35,217*	19,804	13,451	6,353	13,176	8,500	4,676	939
Alabama	985	455	319	136	530	322	208	0
Alaska	105	13	11	2	92	44	48	0
Arizona	459	169	110	59	290	176	114	0
Arkansas	482	311	221	90	167	99	68	4
California	3,488	2,493	1,639	854	918	588	330	77
Colorado	257	202	138	64	53	25	28	2
Connecticut	270	181	124	57	74	54	20	15
Delaware	83	30	19	11	53	26	27	0
District of Columbia	323	39	28	11	275	191	84	9
Florida	1,551	776	551	225	769	548	221	6
Georgia	977	417	293	124	559	377	182	1
Hawaii	328	26	15	11	302	187	115	0
Idaho	56	55	35	20	1	1	0	0
Illinois	2,138	1,203	871	332	901	614	287	34
Indiana	767	561	369	192	206	127	79	0
Iowa	129	115	79	36	14	10	4	0
Kansas	156	116	82	34	35	16	19	5
Kentucky	755	627	389	238	128	75	53	0
Louisiana	747	364	272	92	383	248	135	0
Maine	81	75	45	30	6	1	5	0
Maryland	840	406	279	127	434	291	143	0
Massachusetts	763	605	434	171	158	102	56	0
Michigan	1,312	683	486	197	614	399	215	15
Minnesota	206	181	118	63	25	11	14	0
Mississippi	431	201	153	48	230	146	84	0
Missouri	710	464	319	145	241	154	87	5
Montana	78	39	29	10	39	20	19	0
Nebraska	82	65	51	14	17	11	6	0
Nevada	46	32	27	5	14	2	12	0
New Hampshire	31	31	20	11	0	0	0	0
New Jersey	1,298
New Mexico	172	99	57	42	73	49	24	0
New York	3,752	1,688	1,103	585	1,423	887	536	641
North Carolina	1,043	395	291	104	647	434	213	1
North Dakota	51	34	24	10	17	6	11	0
Ohio	1,301	846	540	306	435	267	168	20
Oklahoma	347	230	170	60	116	78	38	1
Oregon	249	197	139	58	36	29	7	16
Pennsylvania	1,928	1,168	876	292	760	503	257	0
Rhode Island	116	96	71	25	20	14	6	0
South Carolina	669	212	152	60	457	300	157	0
South Dakota	69	18	12	6	51	29	22	0
Tennessee	878	635	379	256	243	151	92	0
Texas	2,730	2,055	1,295	760	604	401	203	71
Utah	44	35	30	5	9	3	6	0
Vermont	37	37	24	13	0	0	0	0
Virginia	912	394	263	131	517	334	183	1
Washington	358	244	172	72	114	68	46	0
West Virginia	276	244	163	81	32	24	8	0
Wisconsin	324	218	149	69	91	58	33	15
Wyoming	27	24	15	9	3	0	3	0
Puerto Rico**	808	806	512	294	2

*Cases reported by New Jersey were not identified by race and sex.

**Not included in totals. Figures shown by sex are for all races.

TABLE 6
Tuberculosis Case Rates
by Race and Sex:
States, 1971

State	Total	White			Other		
		Total	Male	Female	Total	Male	Female
United States	17.1	11.7	16.3	7.3	53.8	71.8	36.9
Alabama	28.3	17.8	25.7	10.4	57.1	73.6	42.4
Alaska	33.5	5.3	8.2	1.8	136.9	121.9	154.3
Arizona	24.8	10.1	13.4	6.9	166.7	199.8	132.7
Arkansas	24.8	19.9	29.0	11.2	45.8	57.3	35.3
California	17.2	14.2	19.1	9.5	41.2	51.5	30.4
Colorado	11.3	9.4	12.9	5.9	51.0	46.5	55.9
Connecticut	8.8	6.7	9.2	4.3	38.0	56.7	20.6
Delaware	14.9	6.3	8.2	4.5	63.4	64.2	62.6
District of Columbia	43.6	21.1	33.7	10.8	51.1	74.6	30.0
Florida	22.0	13.1	19.3	7.3	70.5	104.5	39.1
Georgia	20.9	12.1	17.3	7.1	45.7	65.1	28.2
Hawaii	41.6	8.4	9.4	7.4	62.8	74.1	50.4
Idaho	7.7	7.7	9.8	5.6	6.3	(11.9)	n.c.
Illinois	19.1	12.7	18.8	6.8	59.5	85.4	36.1
Indiana	14.5	11.5	15.5	7.7	52.8	66.7	39.5
Iowa	4.5	4.1	5.8	2.5	32.9	47.4	18.6
Kansas	6.9	5.7	8.2	3.2	27.2	24.8	29.6
Kentucky	23.0	20.7	26.2	15.5	49.3	59.2	39.9
Louisiana	20.3	14.2	21.6	7.1	34.3	46.7	23.1
Maine	8.1	7.5	9.3	5.9	(89.6)	(25.6)	(178.6)
Maryland	21.0	12.5	17.5	7.7	57.9	79.9	37.1
Massachusetts	13.3	10.9	16.4	5.9	72.0	97.1	49.0
Michigan	14.6	8.8	12.7	5.0	56.7	75.4	38.8
Minnesota	5.3	4.8	6.3	3.2	34.3	30.7	37.7
Mississippi	19.4	14.3	22.1	6.7	28.1	37.7	19.5
Missouri	15.0	11.1	15.8	6.6	47.0	63.2	32.3
Montana	11.0	5.8	8.6	3.0	118.2	116.3	120.3
Nebraska	5.4	4.5	7.2	1.9	32.3	41.5	23.0
Nevada	9.1	6.9	11.5	2.2	32.9	9.1	58.3
New Hampshire	4.1	4.1	5.4	2.8	n.c.	n.c.	n.c.
New Jersey	17.8
New Mexico	16.7	10.7	12.5	8.9	70.7	75.7	46.2
New York	20.4	12.5	17.1	8.3	70.2	93.0	49.8
North Carolina	20.3	10.0	15.0	5.2	53.9	75.0	34.2
North Dakota	8.2	5.6	7.9	3.3	88.1	59.4	(119.6)
Ohio	12.1	8.8	11.6	6.2	42.7	54.8	31.5
Oklahoma	13.3	10.0	15.1	5.1	39.4	55.0	24.9
Oregon	11.5	10.0	14.4	5.8	63.6	103.2	23.1
Pennsylvania	16.2	10.8	16.9	5.2	69.6	97.2	44.8
Rhode Island	12.1	10.4	15.6	5.3	60.6	83.3	37.0
South Carolina	25.5	11.7	16.8	6.6	56.4	77.1	37.2
South Dakota	10.3	2.8	3.8	1.9	140.9	161.1	120.9
Tennessee	22.0	19.0	23.4	14.9	37.0	48.7	26.5
Texas	23.8	21.3	27.3	15.4	40.4	55.8	26.0
Utah	4.0	3.3	5.7	0.9	29.0	17.8	42.6
Vermont	8.1	8.1	10.8	5.6	n.c.	n.c.	n.c.
Virginia	19.3	10.3	13.9	6.8	57.7	76.4	39.9
Washington	10.4	7.4	10.5	4.3	70.3	81.0	58.8
West Virginia	15.8	14.6	20.1	9.4	40.9	65.2	19.3
Wisconsin	7.2	5.3	7.3	3.3	58.1	74.9	42.4
Wyoming	7.9	7.3	9.1	5.5	30.0	n.c.	(65.2)
Puerto Rico*	29.8	29.8	38.6	21.3

*Not included in totals. Figures shown by sex are for all races.

Notes: (1) Rates enclosed in parentheses have a population base under 10,000.

(2) Cases with race or sex not specified distributed proportionately.

(3) n.c. = No cases.

(4) (..) = Not available.

TABLE 7

New Cases of Active Tuberculosis Found at Time of Death: States, 1971

State	Total New Active Cases	Active Cases Found at Death	
		Number	% of Total Cases
United States	35,217	1,375	4.7*
Alabama	985	22	2.2
Alaska	105	0	0.0
Arizona	459	34	7.4
Arkansas	482	10	2.1
California	3,488	171	4.9
Colorado	257	16	6.2
Connecticut	270	3	1.1
Delaware	83	1	1.2
District of Columbia	323	23	7.1
Florida	1,551	28	1.8
Georgia	977	26	2.7
Hawaii	328	3	0.9
Idaho	56	1	1.8
Illinois	2,138
Indiana	767	72	9.4
Iowa	129	9	7.4
Kansas	156	7	4.5
Kentucky	755	4	0.5
Louisiana	747	51	6.8
Maine	81	8	9.9
Maryland	840	27	3.2
Massachusetts	763	13	1.7
Michigan	1,312	37	2.8
Minnesota	206	6	2.9
Mississippi	431	16	3.7
Missouri	710	43	6.1
Montana	78	6	7.7
Nebraska	82	8	9.8
Nevada	46	0	0.0
New Hampshire	31	0	0.0
New Jersey	1,298	68	5.2
New Mexico	172	3	1.7
New York	3,752
North Carolina	1,043	13	1.2
North Dakota	51	2	3.9
Ohio	1,301	26	2.0
Oklahoma	347	2	0.6
Oregon	249
Pennsylvania	1,928	333	17.3
Rhode Island	116	5	4.3
South Carolina	669	14	2.1
South Dakota	69	3	4.3
Tennessee	878	50	5.7
Texas	2,730	57	2.1
Utah	44
Vermont	37	4	10.8
Virginia	912	99	10.9
Washington	358	32	8.9
West Virginia	276	12	4.3
Wisconsin	324	6	1.9
Wyoming	27	1	3.7
Puerto Rico**	808	59	7.3

*For 46 reporting states and District of Columbia.

**Not included in totals.

(..) = Not reported.

State	Total Active Cases	Pulmonary					Extra-Pulmonary	Form Not Specified
		Primary	Minimal	Moderately Advanced	Far Advanced	Extent Not Specified		
United States	35,217	2,663	5,903	11,692	9,344	1,383	4,171	61
Alabama	985	54	116	317	304	118	73	3
Alaska	105	26	40	12	8	0	19	0
Arizona	459	48	98	144	101	2	66	0
Arkansas	482	86	47	146	136	8	56	3
California	3,488	212	775	1,224	683	55	539	0
Colorado	257	19	46	92	45	12	43	0
Connecticut	270	6	41	90	64	24	45	0
Delaware	83	17	8	15	38	2	2	1
District of Columbia	323	19	25	113	128	0	38	0
Florida	1,551	95	258	568	459	40	131	0
Georgia	977	75	120	297	403	0	82	0
Hawaii	328	14	143	116	32	4	19	0
Idaho	56	6	4	19	15	0	12	0
Illinois	2,138	23	295	923	601	64	227	5
Indiana	767	84	105	234	175	85	64	20
Iowa	129	0	16	37	61	2	13	0
Kansas	156	6	48	44	31	4	23	0
Kentucky	755	34	117	286	284	4	30	0
Louisiana	747	80	98	215	248	53	53	0
Maine	81	4	21	26	14	0	16	0
Maryland	840	48	210	265	227	2	88	0
Massachusetts	763	19	140	310	158	38	93	5
Michigan	1,312	129	222	397	374	14	176	0
Minnesota	206	3	39	71	28	30	35	0
Mississippi	431	9	69	123	175	27	28	0
Missouri	710	121	72	174	211	83	44	5
Montana	78	2	19	22	11	1	23	0
Nebraska	82	11	8	24	25	5	9	0
Nevada	46	3	2	17	10	5	9	0
New Hampshire	31	1	4	11	10	0	5	0
New Jersey	1,298	95	219	462	318	0	204	0
New Mexico	172	9	32	42	37	10	42	0
New York	3,752	223	555	1,243	874	275	582	0
North Carolina	1,043	97	120	302	383	0	141	0
North Dakota	51	6	10	17	6	1	10	1
Ohio	1,301	176	228	384	319	54	140	0
Oklahoma	347	3	56	148	110	0	30	0
Oregon	249	14	45	83	45	32	28	2
Pennsylvania	1,928	102	326	807	454	0	239	0
Rhode Island	116	10	18	38	29	4	17	0
South Carolina	669	63	89	148	245	39	85	0
South Dakota	69	2	20	15	12	4	15	1
Tennessee	878	60	175	317	230	21	75	0
Texas	2,730	378	457	734	682	202	272	5
Utah	44	3	4	11	9	4	13	0
Vermont	37	3	12	11	9	1	1	0
Virginia	912	112	159	265	290	0	83	3
Washington	358	19	71	137	53	6	70	2
West Virginia	276	16	55	75	84	25	21	0
Wisconsin	324	18	45	115	89	23	34	0
Wyoming	27	0	1	6	7	0	8	5
Puerto Rico*	808	37	122	298	297	1	53	0

TABLE 8
New Cases of Active Tuberculosis by Form and Extent of Disease: States, 1971

*Not included in totals.

TABLE 9
*Percent, Pulmonary
 Tuberculosis* by Extent
 of Disease: States, 1971*

State	Total	Minimal	Moderately Advanced	Far Advanced
United States	100.0	21.9	43.4	34.7
Alabama	100.0	15.7	43.0	41.3
Alaska	100.0	66.7	20.0	13.3
Arizona	100.0	28.6	42.0	29.4
Arkansas	100.0	14.3	44.4	41.3
California	100.0	28.9	45.6	25.5
Colorado	100.0	25.1	50.3	24.6
Connecticut	100.0	21.0	46.2	32.8
Delaware	100.0	13.1	24.6	62.3
District of Columbia	100.0	9.4	42.5	48.1
Florida	100.0	20.1	44.2	35.7
Georgia	100.0	14.6	36.2	49.2
Hawaii	100.0	49.1	39.9	11.0
Idaho	100.0	10.5	50.0	39.5
Illinois	100.0	16.2	50.8	33.0
Indiana	100.0	20.4	45.5	34.1
Iowa	100.0	14.0	32.5	53.5
Kansas	100.0	39.0	35.8	25.2
Kentucky	100.0	17.0	41.6	41.4
Louisiana	100.0	17.5	38.3	44.2
Maine	100.0	34.4	42.6	23.0
Maryland	100.0	29.9	37.8	32.3
Massachusetts	100.0	23.0	51.0	26.0
Michigan	100.0	22.3	40.0	37.7
Minnesota	100.0	28.3	51.4	20.3
Mississippi	100.0	18.8	33.5	47.7
Missouri	100.0	15.7	38.1	46.2
Montana	100.0	36.5	42.3	21.2
Nebraska	100.0	14.0	42.1	43.9
Nevada	100.0	6.9	58.6	34.5
New Hampshire	100.0	16.0	44.0	40.0
New Jersey	100.0	21.9	46.3	31.8
New Mexico	100.0	28.8	37.9	33.3
New York	100.0	20.8	46.5	32.7
North Carolina	100.0	14.9	37.5	47.6
North Dakota	100.0	30.3	51.5	18.2
Ohio	100.0	24.5	41.2	34.3
Oklahoma	100.0	17.9	47.1	35.0
Oregon	100.0	26.0	48.0	26.0
Pennsylvania	100.0	20.5	50.9	28.6
Rhode Island	100.0	21.2	44.7	34.1
South Carolina	100.0	18.5	30.7	50.8
South Dakota	100.0	42.6	31.9	25.5
Tennessee	100.0	24.2	43.9	31.9
Texas	100.0	24.4	39.2	36.4
Utah	100.0	16.7	45.8	37.5
Vermont	100.0	37.5	34.4	28.1
Virginia	100.0	22.3	37.1	40.6
Washington	100.0	27.2	52.5	20.3
West Virginia	100.0	25.7	35.0	39.3
Wisconsin	100.0	18.1	46.2	35.7
Wyoming	100.0	7.1	42.9	50.0
Puerto Rico**	100.0	17.0	41.6	41.4

*New active cases for which extent specified.

**Not included in totals.

TABLE 10
*Tuberculosis Cases and
Case Rates: Cities of
250,000 or More
Population, 1971*

Cities	New Active Cases		
	Number	Rate	Rate rank order
Akron, Ohio	41	14.9	51
Albuquerque, N. M.	35	14.4	53
Atlanta-Fulton Co., Ga.	187	30.8	21
Austin, Texas	50	19.1	44
Baltimore, Md.	458	51.1	3
Birmingham, Ala.	134	45.3	5
Boston, Mass.	299	46.6	4
Buffalo, N. Y.	144	31.6	20
Chicago, Ill.	1,385	41.1	11
Cincinnati, Ohio	192	42.4	8
Cleveland, Ohio	247	32.9	17
Columbus, Ohio	87	16.1	48
Dallas, Texas	226	25.7	31
Dayton, Ohio	64	26.3	29
Denver, Colo.	80	15.5	49
Detroit, Mich.	620	41.0	12
El Paso, Texas	124	37.8	14
Ft. Worth, Texas	92	22.8	36
Honolulu, Hawaii	189	58.2	2
Houston, Texas	544	42.4	9
Indianapolis-Marion Co., Ind.	191	23.7	34
Jacksonville, Fla.	165	30.6	22
Jersey City, N. J.	98	37.6	15
Kansas City, Mo.	104	20.5	41
Long Beach, Cal.	52	14.5	52
Los Angeles, Cal.	845	29.9	23
Louisville-Jefferson Co., Ky.	142	20.1	43
Memphis-Shelby Co., Tenn.	131	18.1	45
Miami-Dade Co., Fla.	314	24.0	33
Milwaukee, Wisc.	150	20.9	40
Minnapolis, Minn.	65	15.0	50
Nashville-Davidson Co., Tenn.	116	25.9	30
Newark, N. J.	268	70.0	1
New Orleans, La.	212	35.5	16
New York, N. Y.	2,572	32.6	18
Norfolk, Va.	68	22.9	35
Oakland, Cal.	103	28.5	25
Oklahoma City, Okla.	51	13.6	54
Omaha-Douglas Co., Nebr.	44	10.9	57
Philadelphia, Pa.	803	41.2	10
Phoenix, Ariz.	138	22.2	39
Pittsburgh, Pa.	138	26.5	28
Portland-Multnomah Co., Ore.	126	22.6	37
Rochester, N. Y.	73	25.0	32
Sacramento, Cal.	85	31.7	19
St. Louis, Mo.	239	38.4	13
St. Paul, Minn.	31	10.0	58
San Antonio, Texas	196	29.3	24
San Diego, Cal.	120	16.7	47
San Francisco, Cal.	310	44.1	6
San Jose, Cal.	85	18.0	46
Seattle, Wash.	118	22.5	38
Tampa, Fla.	77	27.7	27
Toledo, Ohio	47	12.2	55
Tucson, Ariz.	75	27.8	26
Tulsa, Okla.	69	20.4	42
Washington, D. C.	323	43.6	7
Wichita, Kansas	30	11.4	56
Total—58 Cities	13,972	31.2	..
San Juan, P. R.	189	39.9	..

Note: County data are shown when information for principal city is not reported separately.

TABLE 11
New Cases of Active Tuberculosis by Age: Cities of 250,000 or More Population, 1971

Cities	Total	Under 5	5-14	15-24	25-44	45-64	65+	Age Not Stated
Akron, Ohio	41	0	0	4	10	17	8	2
Albuquerque, N. M.	35	1	0	4	11	10	9	0
Atlanta-Fulton Co., Ga.	187	1	4	11	72	72	21	6
Austin, Texas	50	4	1	6	12	17	9	1
Baltimore, Md.	458	12	4	35	150	168	89	0
Birmingham, Ala.	134	3	6	10	41	44	28	2
Boston, Mass.	299	7	9	17	91	111	64	0
Buffalo, N. Y.	144	2	4	15	37	52	34	0
Chicago, Ill.	1,385	21	16	114	537	529	163	5
Cincinnati, Ohio	192	11	55	17	28	26	31	24
Cleveland, Ohio	247	13	15	12	64	79	55	9
Columbus, Ohio	87	6	3	6	23	29	13	7
Dallas, Texas	226	14	8	22	58	83	31	10
Dayton, Ohio	64	1	0	1	22	23	16	1
Denver, Colo.	80	1	4	3	27	29	16	0
Detroit, Mich.	620	22	36	54	183	222	102	1
El Paso, Texas	124	25	14	15	33	14	22	1
Ft. Worth, Texas	92	5	4	8	20	32	23	0
Honolulu, Hawaii	189	3	2	25	58	59	42	0
Houston, Texas	544	42	66	57	139	178	62	0
Indianapolis-Marion Co., Ind.	191	8	19	14	43	62	45	0
Jacksonville, Fla.	165	6	6	14	47	66	25	1
Jersey City, N. J.	98	3	2	19	27	39	8	0
Kansas City, Mo.	104	13	7	1	26	37	20	0
Long Beach, Cal.	52	1	0	4	17	16	14	0
Los Angeles, Cal.	845	50	37	118	269	264	107	0
Louisville-Jefferson Co., Ky.	142	1	5	12	43	41	40	0
Memphis-Shelby Co., Tenn.	131	5	1	15	40	33	37	0
Miami-Dade Co., Fla.	314	5	2	15	96	128	68	0
Milwaukee, Wisc.	150	8	8	10	41	57	25	1
Minneapolis, Minn.	65	0	0	6	10	20	29	0
Nashville-Davidson Co., Tenn.	116	4	19	6	22	38	27	0
Newark, N. J.	268	14	11	38	106	62	37	0
New Orleans, La.	212	12	19	13	59	85	24	0
New York, N. Y.	2,572	108	101	312	960	776	315	0
Norfolk, Va.	68	1	2	2	33	22	8	0
Oakland, Cal.	103	3	6	14	38	25	17	0
Oklahoma City, Okla.	51	0	1	3	14	21	12	0
Omaha-Douglas Co., Nebr.	44	2	0	2	12	19	9	0
Philadelphia, Pa.	803	26	21	44	211	330	171	0
Phoenix, Ariz.	138	5	4	4	43	51	31	0
Pittsburgh, Pa.	138	5	3	4	31	56	39	0
Portland-Multnomah Co., Ore.	126	3	2	8	29	59	25	0
Rochester, N. Y.	73	2	1	12	21	23	14	0
Sacramento, Cal.	85	1	0	4	16	40	24	0
St. Louis, Mo.	239	45	10	9	44	79	52	0
St. Paul, Minn.	31	0	1	1	11	12	6	0
San Antonio, Texas	196	15	17	17	52	63	30	2
San Diego, Cal.	120	3	5	15	39	28	29	1
San Francisco, Cal.	310	10	11	24	99	110	56	0
San Jose, Cal.	85	6	3	8	21	28	19	0
Seattle, Wash.	118	2	5	10	29	47	25	0
Tampa, Fla.	77	5	1	3	22	28	18	0
Toledo, Ohio	47	0	1	5	11	11	12	7
Tucson, Ariz.	75	11	2	1	16	23	22	0
Tulsa, Okla.	69	0	0	5	18	31	15	0
Washington, D. C.	323	11	11	26	115	122	38	0
Wichita, Kansas	30	2	2	1	6	12	6	1
Total—58 Cities	13,972	590	597	1,255	4,353	4,758	2,337	82

TABLE 12
*Tuberculosis Case Rates
 by Age: Cities of
 250,000 or More
 Population, 1971*

Cities	Total	Under 5	5-14	15-24	25-44	45-64	65+
Akron, Ohio	14.9	n.c.	n.c.	7.9	18.5	30.3	25.4
Albuquerque, N. M.	14.4	4.7	n.c.	8.5	18.1	21.8	57.3
Atlanta-Fulton Co., Ga.	30.8	1.9	3.6	9.5	47.7	61.9	42.2
Austin, Texas	19.1	18.6	2.2	9.0	20.0	44.4	50.6
Baltimore, Md.	51.1	15.8	2.3	22.5	74.3	84.6	93.0
Birmingham, Ala.	45.3	13.0	10.6	18.7	64.3	67.4	79.1
Boston, Mass.	46.6	14.0	8.8	12.3	65.0	86.5	78.2
Buffalo, N. Y.	31.6	5.4	5.0	18.3	38.7	49.1	55.5
Chicago, Ill.	41.1	7.4	2.6	20.5	67.2	71.1	46.2
Cincinnati, Ohio	42.4	33.8	79.3	22.4	33.1	31.9	59.4
Cleveland, Ohio	32.9	20.8	11.1	9.4	38.9	50.6	71.7
Columbus, Ohio	16.1	12.2	3.0	6.0	18.9	33.4	30.7
Dallas, Texas	25.7	19.4	4.8	15.3	27.9	52.1	48.3
Dayton, Ohio	26.3	4.9	n.c.	2.0	41.2	46.8	61.8
Denver, Colo.	15.5	2.4	4.5	3.1	22.2	27.4	27.2
Detroit, Mich.	41.0	16.5	13.0	20.7	56.5	64.8	58.9
El Paso, Texas	37.8	76.9	17.9	24.4	43.5	26.8	112.8
Ft. Worth, Texas	22.8	14.0	5.4	11.1	21.5	39.4	61.2
Honolulu, Hawaii	58.2	11.4	3.6	38.3	66.4	87.5	188.3
Houston, Texas	42.4	36.3	25.8	25.3	42.2	78.4	77.9
Indianapolis-Marion Co., Ind.	23.7	11.3	11.4	10.3	22.4	39.0	66.1
Jacksonville, Fla.	30.6	13.2	5.5	13.6	36.5	65.0	63.3
Jersey City, N. J.	37.6	14.0	4.4	43.8	45.4	63.9	27.4
Kansas City, Mo.	20.5	31.9	7.1	1.2	21.7	35.0	33.4
Long Beach, Cal.	14.5	4.0	n.c.	5.8	21.1	18.8	27.8
Los Angeles, Cal.	29.9	21.9	7.7	24.8	36.5	43.4	37.8
Louisville-Jefferson Co., Ky.	20.1	1.7	3.4	10.1	25.6	29.3	64.0
Memphis-Shelby Co., Tenn.	18.1	7.8	0.7	10.7	23.3	24.6	63.0
Miami-Dade Co., Fla.	24.0	5.8	0.9	7.8	31.6	43.7	39.4
Milwaukee, Wisc.	20.9	12.8	6.0	7.7	25.4	38.7	31.6
Minneapolis, Minn.	15.0	n.c.	n.c.	6.4	11.1	22.3	44.4
Nashville-Davidson Co., Tenn.	25.9	11.4	22.0	7.2	19.4	42.4	68.4
Newark, N. J.	70.0	34.0	13.6	59.4	111.0	88.1	121.3
New Orleans, La.	35.5	23.7	16.3	12.1	46.0	66.9	38.0
New York, N. Y.	32.6	17.6	8.1	24.9	48.4	42.6	33.4
Norfolk, Va.	22.9	3.9	3.7	2.3	47.0	42.4	38.3
Oakland, Cal.	28.5	11.3	10.7	21.5	45.8	30.0	35.7
Oklahoma City, Okla.	13.6	n.c.	1.4	4.8	15.6	27.4	33.2
Omaha-Douglas Co., Nebr.	10.9	5.6	n.c.	2.9	13.0	26.1	24.4
Philadelphia, Pa.	41.2	16.4	6.0	13.8	47.6	73.3	75.0
Phoenix, Ariz.	22.2	9.8	3.3	4.0	30.3	43.0	61.4
Pittsburgh, Pa.	26.5	14.4	3.5	4.3	29.2	43.3	55.6
Portland-Multnomah Co., Ore.	22.6	7.2	2.1	8.1	23.5	46.6	35.5
Rochester, N. Y.	25.0	7.2	2.0	22.1	32.7	38.3	34.7
Sacramento, Cal.	31.7	4.9	n.c.	9.1	27.7	69.9	86.0
St. Louis, Mo.	38.4	90.0	8.7	8.7	35.4	56.8	57.0
St. Paul, Minn.	10.0	n.c.	1.8	1.7	17.4	18.8	14.6
San Antonio, Texas	29.3	23.5	11.7	14.1	36.1	51.9	55.0
San Diego, Cal.	16.7	5.5	4.1	9.2	23.8	22.1	47.4
San Francisco, Cal.	44.1	23.3	12.3	19.3	52.7	64.3	56.2
San Jose, Cal.	18.0	12.9	2.9	10.2	16.6	41.9	76.6
Seattle, Wash.	22.5	5.7	6.6	9.6	24.6	36.6	35.9
Tampa, Fla.	27.7	23.5	2.0	6.3	35.8	44.7	52.6
Toledo, Ohio	12.2	n.c.	1.3	9.1	15.5	15.6	32.6
Tucson, Ariz.	27.8	51.4	3.8	1.9	27.1	44.7	80.6
Tulsa, Okla.	20.4	n.c.	n.c.	9.1	21.1	45.1	50.2
Washington, D. C.	43.6	18.4	8.6	17.9	58.2	78.9	53.7
Wichita, Kansas	11.4	8.2	3.7	1.9	9.2	23.0	24.6
Total—58 Cities	31.2	16.2	7.6	16.1	41.1	50.3	49.4

Note: n.c. = No cases

TABLE 13
New Cases of Active Tuberculosis by Race and Sex: Cities of 250,000 or More Population, 1971

Cities	Total	White			Other			Race or Sex Not Stated
		Total	Male	Female	Total	Male	Female	
Akron, Ohio	41	25	16	9	16	9	7	0
Albuquerque, N. M.	35	35	18	17	0	0	0	0
Atlanta-Fulton Co., Ga.	187	57	50	7	130	87	43	0
Austin, Texas	50	35	21	14	10	7	3	5
Baltimore, Md.	458	144	110	34	314	208	106	0
Birmingham, Ala.	134	31	19	12	103	59	44	0
Boston, Mass.	299	184	145	39	115	76	39	0
Buffalo, N. Y.	144	70	50	20	74	47	27	0
Chicago, Ill.	1,385	615	502	113	742	518	224	28
Cincinnati, Ohio	192	111	58	53	78	50	28	3
Cleveland, Ohio	247	96	62	34	147	84	63	4
Columbus, Ohio	87	50	39	11	35	18	17	2
Dallas, Texas	226	126	91	35	100	60	40	0
Dayton, Ohio	64	32	18	14	31	21	10	1
Denver, Colo.	80	58	41	17	20	10	10	2
Detroit, Mich.	620	193	155	38	409	280	129	18
El Paso, Texas	124	112	62	50	5	3	2	7
Ft. Worth, Texas	92	58	35	23	31	17	14	3
Honolulu, Hawaii	189	13	6	7	176	106	70	0
Houston, Texas	544	319	217	102	225	162	63	0
Indianapolis-Marion Co., Ind.	191	111	74	37	80	47	33	0
Jacksonville, Fla.	165	68	40	28	97	63	34	0
Jersey City, N. J.	98
Kansas City, Mo.	104	51	36	15	53	31	22	0
Long Beach, Cal.	52	47	37	10	5	2	3	0
Los Angeles, Cal.	845	536	343	193	308	179	129	1
Louisville-Jefferson Co., Ky.	142	88	55	33	54	34	20	0
Memphis-Shelby Co., Tenn.	131	51	31	20	80	54	26	0
Miami-Dade Co., Fla.	314	171	122	49	143	89	54	0
Milwaukee, Wisc.	150	78	59	19	67	42	25	5
Minneapolis, Minn.	65	49	27	22	16	8	8	0
Nashville-Davidson Co., Tenn.	116	68	37	31	48	31	17	0
Newark, N. J.	268
New Orleans, La.	212	92	74	18	120	78	42	0
New York, N. Y.	2,572	862	566	296	1,166	725	441	544
Norfolk, Va.	68	14	10	4	54	37	17	0
Oakland, Cal.	103	36	25	11	64	39	25	3
Oklahoma City, Okla.	51	38	28	10	13	7	6	0
Omaha-Douglas Co., Nebr.	44	34	26	8	10	7	3	0
Philadelphia, Pa.	803	263	198	65	540	360	180	0
Phoenix, Ariz.	138	62	41	21	76	47	29	0
Pittsburgh, Pa.	138	67	56	11	71	46	25	0
Portland-Multnomah Co., Ore.	126	95	69	26	31	24	7	0
Rochester, N. Y.	73	29	16	13	44	28	16	0
Sacramento, Cal.	85	59	39	20	26	19	7	0
St. Louis, Mo.	239	107	77	30	132	94	38	0
St. Paul, Minn.	31	27	16	11	4	2	2	0
San Antonio, Texas	196	180	109	71	13	8	5	3
San Diego, Cal.	120	98	66	32	21	10	11	1
San Francisco, Cal.	310	164	118	46	145	95	50	1
San Jose, Cal.	85	67	45	22	7	5	2	11
Seattle, Wash.	118	70	56	14	48	35	13	0
Tampa, Fla.	77	33	18	15	44	28	16	0
Toledo, Ohio	47	29	15	14	18	13	5	0
Tucson, Ariz.	75	38	22	16	37	22	15	0
Tulsa, Okla.	69	49	36	13	20	16	4	0
Washington, D. C.	323	39	28	11	275	191	84	9
Wichita, Kansas	30	24	15	9	5	3	2	1
Total—58 Cities	13,972*	6,258	4,345	1,913	6,696	4,341	2,355	652

*Cases reported by New Jersey were not identified by race and sex.

TABLE 14
Tuberculosis Case Rates
by Race and Sex: Cities
of 250,000 or More
Population, 1971

Cities	Total	White			Other		
		Total	Male	Female	Total	Male	Female
Akron, Ohio	14.9	11.0	14.9	7.6	32.6	38.5	27.2
Albuquerque, N. M.	14.4	15.0	16.0	14.0	n.c.	n.c.	n.c.
Atlanta—Fulton Co., Ga.	30.8	15.5	28.2	3.7	54.4	79.0	33.4
Austin, Texas	19.1	17.8	21.3	14.4	33.7	52.3	17.3
Baltimore, Md.	51.1	30.0	48.5	13.4	73.7	103.5	47.1
Birmingham, Ala.	45.3	17.8	23.8	12.8	81.1	101.0	64.1
Boston, Mass.	46.6	35.1	60.0	13.8	98.8	142.1	62.0
Buffalo, N. Y.	31.6	19.2	29.6	10.2	75.2	100.9	52.1
Chicago, Ill.	41.1	28.4	48.4	10.0	65.4	97.2	37.2
Cincinnati, Ohio	42.4	34.7	39.1	31.0	62.2	86.7	41.0
Cleveland, Ohio	32.9	21.4	28.8	14.6	50.9	62.0	41.1
Columbus, Ohio	16.1	11.7	19.0	4.8	35.2	38.7	31.9
Dallas, Texas	25.7	20.1	30.5	10.7	45.8	57.5	35.1
Dayton, Ohio	26.3	19.0	22.5	15.8	42.6	61.5	25.4
Denver, Colo.	15.5	13.1	19.4	7.4	35.4	36.5	34.4
Detroit, Mich.	41.0	23.7	39.8	8.9	62.6	89.4	37.9
El Paso, Texas	37.8	38.3	44.4	32.7	42.7	(51.7)	(33.9)
Ft. Worth, Texas	22.8	19.2	24.0	14.8	39.5	46.2	33.3
Honolulu, Hawaii	58.2	11.8	10.9	12.7	81.9	98.5	65.3
Houston, Texas	42.4	35.3	49.1	22.1	68.5	103.3	36.7
Indianapolis—Marion Co., Ind.	23.7	16.9	23.5	10.9	58.4	72.9	45.5
Jacksonville, Fla.	30.6	16.7	19.7	13.7	80.0	111.3	52.6
Jersey City, N. J.	37.6
Kansas City, Mo.	20.5	13.0	19.6	7.2	45.8	57.3	35.8
Long Beach, Cal.	14.5	14.3	23.2	5.9	16.9	13.2	20.8
Los Angeles, Cal.	29.9	24.7	32.8	17.2	47.9	58.3	38.4
Louisville—Jefferson Co., Ky.	20.1	14.7	19.2	10.6	55.5	75.2	38.4
Memphis Shelby Co., Tenn.	18.1	11.2	14.0	8.6	29.8	43.0	18.2
Miami—Dade Co., Fla.	24.0	16.0	24.0	8.7	72.9	95.6	52.4
Milwaukee, Wisc.	20.9	13.4	21.1	6.3	61.8	81.0	44.4
Minneapolis, Minn.	15.0	12.1	14.6	9.9	57.1	58.0	56.3
Nashville—Davidson Co., Tenn.	25.9	19.0	21.7	16.5	53.8	72.8	36.5
Newark, N. J.	70.0
New Orleans, La.	35.5	28.4	49.2	10.4	44.4	62.1	29.1
New York, N. Y.	32.6	18.1	25.2	11.7	80.4	108.7	56.1
Norfolk, Va.	22.9	6.5	8.2	4.3	58.1	81.9	35.6
Oakland, Cal.	28.5	17.3	25.7	9.8	44.6	55.1	34.4
Oklahoma City, Okla.	13.6	12.4	19.1	6.2	22.1	25.5	19.1
Omaha—Douglas Co., Nebr.	10.9	9.7	15.4	4.4	26.9	39.3	15.5
Philadelphia, Pa.	41.2	20.6	32.6	9.7	80.6	115.7	50.2
Phoenix, Ariz.	22.2	11.4	15.6	7.5	194.4	247.4	144.3
Pittsburgh, Pa.	26.5	16.3	29.2	5.0	65.9	91.6	43.4
Portland—Multnomah Co., Ore.	22.6	18.1	27.8	9.4	93.7	146.3	41.9
Rochester, N. Y.	25.0	11.9	14.0	10.0	84.5	112.4	58.8
Sacramento, Cal.	31.7	28.5	40.0	18.2	55.2	79.8	30.0
St. Louis, Mo.	38.4	29.3	46.8	15.0	51.3	79.1	27.5
St. Paul, Minn.	10.0	9.1	11.6	7.0	28.2	(28.2)	(28.2)
San Antonio, Texas	29.3	30.6	39.1	22.9	23.0	30.4	16.6
San Diego, Cal.	16.7	16.0	21.0	10.7	27.2	25.4	29.0
San Francisco, Cal.	44.1	32.3	49.5	17.0	70.9	90.2	50.4
San Jose, Cal.	18.0	18.4	25.4	11.8	28.2	42.6	14.0
Seattle, Wash.	22.5	15.1	25.3	5.8	71.7	104.8	38.8
Tampa, Fla.	27.7	14.9	17.0	12.9	79.0	104.9	55.2
Toledo, Ohio	12.2	8.8	9.5	8.1	32.9	49.4	17.6
Tucson, Ariz.	27.8	15.2	18.3	12.4	272.1	(328.4)	(217.4)
Tulsa, Okla.	20.4	17.1	26.2	8.7	44.8	76.6	16.9
Washington, D. C.	43.6	19.1	30.8	9.6	51.7	76.6	29.7
Wichita, Kansas	11.4	10.1	13.5	7.0	16.9	21.6	12.7
Total—58 Cities	31.2	20.1	29.2	11.8	64.3	88.4	42.8

Note: (1) Rates enclosed in parentheses have a population base less than 10,000.
(2) Cases with race or sex not specified distributed proportionately.
(3) n.c. = No cases
(4) (..) = Not available

TABLE 15
Tuberculosis Cases and
Case Rates: Cities of
100,000 to 250,000
Population, 1971

Cities	New Active Cases		
	Number	Rate	Rate Rank Order
Albany, N. Y.	34	30.0	12
Alexandria, Va.	11	9.8	68
Allentown, Pa.	14	12.8	60
Amarillo, Tex.	5	3.9	86
Anaheim, Cal.	23	13.2	58
Baton Rouge, La.	47	28.0	15
Beaumont, Tex.	29	25.0	21
Berkeley, Cal.	15	12.9	59
Bridgeport, Conn.	28	18.2	41
Cambridge, Mass.	16	15.9	49
Camden, N. J.	48	46.2	4
Canton, Ohio	13	11.8	62
Cedar Rapids, Iowa	7	6.3	79
Charlotte-Mecklenburg Co., N. C.	53	14.5	51
Chattanooga, Tenn.	46	38.6	8
Columbus-Muscogee Co., Ga.	29	17.3	45
Corpus Christi, Tex.	43	20.9	34
Dearborn, Mich.	14	13.4	56
Des Moines, Iowa	19	9.5	69
Duluth, Minn.	9	8.9	73
Elizabeth, N. J.	25	22.0	29
Erie, Pa.	28	21.7	31
Evansville-Vanderburgh Co., Ind.	30	17.5	43
Fall River, Mass.	13	13.4	57
Flint, Mich.	40	20.7	35
Ft. Wayne-Allen Co., Ind.	50	17.6	42
Fresno, Cal.	69	40.6	7
Garden Grove, Cal.	7	5.7	80
Gary, Ind.	75	42.8	5
Glendale, Cal.	16	12.1	61
Grand Rapids, Mich.	40	20.2	37
Greensboro-Guilford Co., N. C.	33	11.2	64
Hammond, Ind.	5	4.6	84
Hampton, Va.	29	23.5	25
Hartford, Conn.	42	26.6	18
Huntington Beach, Cal.	6	4.7	83
Jackson-Hinds Co., Miss.	40	18.6	40
Kansas City, Kans.	40	23.7	24
Knoxville, Tenn.	50	28.6	14
Lansing, Mich.	10	7.6	75
Lincoln, Nebr.	5	3.3	87
Little Rock, Ark.	28	21.1	32
Livonia, Mich.	6	5.4	82
Lubbock, Tex.	16	10.6	67
Macon-Bibb Co., Ga.	27	18.8	39
Madison, Wisc.	7	4.0	85
Mobile-Mobile Co., Ala.	97	30.5	10
Montgomery-Montgomery Co., Ala.	62	37.0	9
New Bedford, Mass.	23	22.6	27
New Haven, Conn.	30	22.2	28

TABLE 15 (Cont.)
*Tuberculosis Cases and
Case Rates: Cities of
100,000 to 250,000
Population, 1971*

Cities	New Active Cases		
	Number	Rate	Rate Rank Order
Newport News, Va.	41	29.5	13
Niagara Falls, N. Y.	12	14.2	53
Pasadena, Cal.	19	16.8	46
Paterson, N. J.	100	68.3	2
Peoria, Ill.	11	8.7	74
Portsmouth, Va.	23	20.9	33
Providence, R. I.	44	24.6	22
Raleigh-Wake Co., N. C.	34	14.4	52
Richmond, Va.	106	42.8	6
Riverside, Cal.	23	16.4	47
Roanoke, Va.	20	22.0	30
Rockford, Ill.	24	16.2	48
St. Petersburg, Fla.	60	26.8	17
Salt Lake City, Utah	16	9.2	71
San Bernardino, Cal.	27	25.3	20
Santa Ana, Cal.	25	15.1	50
Savannah-Chatham Co., Ga.	50	26.6	19
Scranton, Pa.	21	20.3	36
Shreveport, La.	56	30.4	11
South Bend-St. Joseph Co., Ind.	27	10.9	66
Spokane, Wash.	47	27.5	16
Springfield, Mass.	18	11.0	65
Stamford, Conn.	10	9.1	72
Stockton, Cal.	89	79.5	1
Syracuse, N. Y.	38	19.6	38
Tacoma, Wash.	27	17.4	44
Topeka, Kans.	9	7.1	78
Torrance, Cal.	10	7.4	76
Trenton, N. J.	67	63.0	3
Virginia Beach, Va.	17	9.2	70
Warren, Mich.	10	5.6	81
Waterbury, Conn.	15	14.0	54
Wichita Falls, Tex.	7	7.1	77
Winston-Salem-Forsyth Co., N. C.	53	24.4	23
Worcester, Mass.	20	11.3	63
Yonkers, N. Y.	28	13.6	55
Youngstown, Ohio	32	22.9	26
Total—87 Cities	2,688	19.9	..
Ponce, P. R.	50	30.6	..

Note: County data are shown when information for principal city is not reported separately.