

# 1976 TUBERCULOSIS STATISTICS **States & Cities**

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE  
PUBLIC HEALTH SERVICE  
CENTER FOR DISEASE CONTROL  
BUREAU OF STATE SERVICES  
TUBERCULOSIS CONTROL DIVISION  
ATLANTA, GEORGIA 30333

***Copies are available from:***

Center for Disease Control  
Attn: Tuberculosis Control Division  
Bureau of State Services  
Atlanta, Georgia 30333

# CONTENTS

	<i>Page</i>
INTRODUCTION . . . . .	1
TUBERCULOSIS CASES IN 1976, TABLES	
STATES	
1. Cases and Case Rates, 1976 and 1975 . . . . .	2
2. Cases Found at Time of Death . . . . .	3
3. Cases by Race and Sex . . . . .	4
4. Case Rates by Race and Sex . . . . .	5
5. Racial Designation of Persons with Tuberculosis . . . . .	6
6. Cases by Age . . . . .	7
7. Case Rates by Age . . . . .	8
8. Cases by Form of Disease . . . . .	9
9. Site of Extrapulmonary Disease . . . . .	10
10. Cases with Both Pulmonary and Extrapulmonary Disease . . . . .	11
11. Pulmonary Cases by Bacteriologic Status . . . . .	12
12. Extrapulmonary Cases by Bacteriologic Status . . . . .	13
CITIES	
13. Cases and Case Rates: Cities of 250,000+ Population . . . . .	14
14. Racial Designation of Persons with Tuberculosis: Cities of 250,000+ Population . . . . .	15
15. Cases by Age: Cities of 250,000+ Population . . . . .	16
16. Pulmonary Tuberculosis Cases by Bacteriologic Status: Cities of 250,000+ Population . . . . .	17
17. Extrapulmonary Tuberculosis Cases by Bacteriologic Status: Cities of 250,000+ Population . . . . .	18
18. Cases and Case Rates: Cities of 100,000 to 250,000 Population . . . . .	19
UNITED STATES	
19. Tuberculosis Cases and Deaths, 1953-1976 . . . . .	21





# INTRODUCTION

This report is a summary of 1976 tuberculosis morbidity for States and cities with populations of 100,000 and over, compiled from data submitted to the Center for Disease Control.

Tuberculosis morbidity figures represent persons in whom the diagnosis of tuberculosis has been verified for counting purposes by the local official health agency. Starting in 1975, persons who had disease in the past and now have disease again, as well as persons with no previous history of tuberculosis, are included in the count. Cases are generally accepted based on positive bacteriology. In the absence of bacteriologic confirmation, persons with symptoms and/or signs compatible with the diagnosis of current disease, whose diagnostic process has been completed, and who have been started on two or more anti-tuberculosis medications are also included in the annual morbidity count.

## SOURCES OF DATA

**Morbidity:** The Annual Tuberculosis Statistical Summary, CDC 5.1393 Rev. 6-75, was submitted to the Center for Disease Control for each State health department and by health departments of cities with 250,000 or more population.

**Population:** State population estimates are from the Bureau of Census, Current Population Reports, Series P-25, No. 642, December 1976. Population estimates by age, race, and sex for individual States were prepared by the Tuberculosis Control Division (Center for Disease Control) using estimates provided by the Bureau of Census. Population estimates for cities were obtained primarily from local and State authorities.

All rates expressed in this publication are based on 100,000 population.

**TABLE 1**  
*Tuberculosis Cases*  
*and Case Rates,*  
*States, 1975*

State	Total Cases	Case Rate	Rank According to Rate	Population July 1, 1975
<b>United States</b>	<b>33,989</b>	<b>15.9</b>	<b>—</b>	<b>213,121,000</b>
Alabama	780	21.6	7	3,614,000
Alaska	74	21.0	11	352,000
Arizona	422	19.0	13	2,224,000
Arkansas	501	23.7	4	2,116,000
California	3,633	17.1	18	21,185,000
Colorado	220	8.7	35	2,534,000
Connecticut	240	7.8	38	3,095,000
Delaware	101	17.4	16	579,000
District of Columbia*	382	53.4	—	716,000
Florida	1,758	21.0	10	8,357,000
Georgia	1,031	20.9	12	4,926,000
Hawaii	591	68.3	1	865,000
Idaho	36	4.4	46	820,000
Illinois	1,345	12.1	29	11,145,000
Indiana	607	11.4	32	5,311,000
Iowa	125	4.4	47	2,870,000
Kansas	194	8.6	36	2,267,000
Kentucky	642	18.9	14	3,396,000
Louisiana	593	15.6	20	3,791,000
Maine	78	7.4	39	1,059,000
Maryland	1,035	25.3	2	4,098,000
Massachusetts	719	12.3	28	5,828,000
Michigan	1,271	13.9	22	9,157,000
Minnesota	194	4.9	45	3,926,000
Mississippi	390	16.6	19	2,346,000
Missouri	550	11.5	31	4,763,000
Montana	94	12.6	27	748,000
Nebraska	40	2.6	50	1,546,000
Nevada	36	6.1	42	592,000
New Hampshire	30	3.7	49	818,000
New Jersey	1,271	17.4	17	7,316,000
New Mexico	146	12.7	26	1,147,000
New York	3,934	21.7	6	18,120,000
North Carolina	1,166	21.4	8	5,451,000
North Dakota	25	3.9	48	635,000
Ohio	1,200	11.2	33	10,759,000
Oklahoma	369	13.6	23	2,712,000
Oregon	194	8.5	37	2,288,000
Pennsylvania	1,540	13.0	24	11,827,000
Rhode Island	120	12.9	25	927,000
South Carolina	627	22.2	5	2,818,000
South Dakota	72	10.5	34	683,000
Tennessee	1,033	24.7	3	4,188,000
Texas	2,600	21.2	9	12,237,000
Utah	60	5.0	44	1,206,000
Vermont	31	6.6	41	471,000
Virginia	908	18.3	15	4,967,000
Washington	427	12.0	30	3,544,000
West Virginia	263	14.6	21	1,803,000
Wisconsin	264	5.7	43	4,607,000
Wyoming	27	7.2	40	374,000
Guam**	49	49.0	—	100,000
Puerto Rico**	480	15.8	—	3,031,000
U.S. Virgin Islands**	9	10.9	—	82,600

\*District of Columbia is not ranked with the States but is included in totals.

\*\*Not included in totals.

Note: Rates for Guam and U.S. Virgin Islands are based on 1973 population estimates from the Bureau of the Census.

State	Total Cases	Cases Found at Death*	
		Number	Percent of Total Cases
United States	32,105	1,156	4.1
Alabama	824	7	0.8
Alaska	88	2	2.3
Arizona	405	25	6.2
Arkansas	444	17	3.8
California	3,620	..	..
Colorado	174	3	1.7
Connecticut	227	14	6.2
Delaware	82	8	9.8
District of Columbia	319	23	7.2
Florida	1,630	110	6.7
Georgia	824	49	5.9
Hawaii	665	2	0.3
Idaho	37	3	8.1
Illinois	1,711	27	1.6
Indiana	544	44	8.1
Iowa	115	12	10.4
Kansas	135	4	3.0
Kentucky	586	31	5.3
Louisiana	614	9	1.5
Maine	72	5	6.9
Maryland	925	42	4.5
Massachusetts	676	40	5.9
Michigan	1,349	67	5.0
Minnesota	213	9	4.2
Mississippi	434	19	4.4
Missouri	568	23	4.0
Montana	51	8	15.7
Nebraska	58	3	5.2
Nevada	42	2	4.8
New Hampshire	34	1	2.9
New Jersey	1,201	48	4.0
New Mexico	181	2	1.1
New York	3,072	149	4.9
North Carolina	1,220	22	1.8
North Dakota	40	1	2.5
Ohio	926	41	4.4
Oklahoma	399	18	4.5
Oregon	197	2	1.0
Pennsylvania	1,511	72	4.8
Rhode Island	82	3	3.7
South Carolina	589	20	3.4
South Dakota	62	5	8.1
Tennessee	902	55	6.1
Texas	2,454	65	2.6
Utah	60	4	6.7
Vermont	36	1	2.8
Virginia	821	14	1.7
Washington	378	11	2.9
West Virginia	263	10	3.8
Wisconsin	225	4	1.8
Wyoming	20	0	0.0
Guam**	46	0	0.0
Puerto Rico**	398	39	9.8
Trust Territory Pacific Is.**	63	10	15.9
U.S. Virgin Is.**	6	0	0.0

TABLE 2  
Tuberculosis Cases  
Found at Time  
of Death,  
States, 1976

\* For 49 reporting States and District of Columbia.  
\*\* Not included in totals.  
(..) Not available.

**TABLE 3**  
*Tuberculosis*  
*Cases by*  
*Race and Sex,*  
*States, 1975*

State	Total	White			Other			Not Stated
		Total	Male	Female	Total	Male	Female	
<b>United States</b>	<b>33,989*</b>	<b>16,965</b>	<b>11,211</b>	<b>5,754</b>	<b>11,376</b>	<b>7,419</b>	<b>3,957</b>	<b>443</b>
Alabama	780	354	238	116	426	288	138	0
Alaska	74	12	10	2	60	28	32	2
Arizona	422	265	188	77	157	97	60	0
Arkansas	501	336	233	103	134	84	50	31
California	3,633	2,645	1,690	955	969	593	376	19
Colorado	220	165	110	55	55	30	25	0
Connecticut	240	149	86	63	64	46	18	27
Delaware	101	48	33	15	53	38	15	0
District of Columbia	382	36	25	11	346	238	108	0
Florida	1,758	915	636	279	843	608	235	0
Georgia	1,031	441	314	127	590	391	199	0
Hawaii	591	17	11	6	574	290	284	0
Idaho	36	24	14	10	12	5	7	0
Illinois	1,345	781	511	270	564	387	177	0
Indiana	607	442	277	165	165	111	54	0
Iowa	125	108	83	25	17	6	11	0
Kansas	194	132	84	48	56	37	19	6
Kentucky	642	548	318	230	94	57	37	0
Louisiana	593	262	188	74	327	226	101	4
Maine	78	72	51	21	6	3	3	0
Maryland	1,035	475	300	175	560	362	198	0
Massachusetts	719	540	358	182	122	64	58	57
Michigan	1,271	655	464	191	616	430	186	0
Minnesota	194	140	86	54	51	29	22	3
Mississippi	390	182	142	40	208	139	69	0
Missouri	550	408	259	149	129	82	47	13
Montana	94	38	27	11	56	34	22	0
Nebraska	40	36	26	10	4	2	2	0
Nevada	36	28	24	4	7	4	3	1
New Hampshire	30	30	21	9	0	0	0	0
New Jersey*	1,271	..	..	..	..	..	..	..
New Mexico	146	69	44	25	77	38	39	0
New York*	3,934	..	..	..	..	..	..	..
North Carolina	1,166	433	307	126	733	501	232	0
North Dakota	25	17	8	9	8	4	4	0
Ohio	1,200	611	399	212	337	217	120	252
Oklahoma	369	253	189	64	114	68	46	2
Oregon	194	141	105	36	52	32	20	1
Pennsylvania	1,540	894	653	241	646	427	219	0
Rhode Island	120	99	66	33	18	10	8	3
South Carolina	627	184	140	44	443	305	138	0
South Dakota	72	18	14	4	54	33	21	0
Tennessee	1,033	768	461	307	265	161	104	0
Texas	2,600	1,999	1,241	758	601	399	202	0
Utah	60	47	32	15	13	10	3	0
Vermont	31	31	22	9	0	0	0	0
Virginia	908	406	246	160	496	330	166	6
Washington	427	287	202	85	137	86	51	3
West Virginia	263	232	151	81	31	22	9	0
Wisconsin	264	171	114	57	82	65	17	11
Wyoming	27	21	10	11	4	2	2	2
Guam**	49	1	1	0	48	31	17	0
Puerto Rico**	480	480	310	170	..	..	..	..
U.S. Virgin Islands**	9	2	1	1	6	5	1	1

\*Cases reported by New Jersey and New York were not identified by race and sex.

\*\*Not included in totals. Figures shown by sex for Puerto Rico are for all races. (..) = Not available.

**TABLE 4**  
*Tuberculosis Case Rates by Race and Sex, States, 1976*

State	Total	White			Other		
		Total	Male	Female	Total	Male	Female
<b>United States</b>	<b>15.0</b>	<b>9.9</b>	<b>13.4</b>	<b>6.5</b>	<b>48.0</b>	<b>64.2</b>	<b>33.3</b>
Alabama	22.5	14.6	21.3	8.2	44.1	63.9	26.8
Alaska	23.0	9.9	13.2	5.9	73.4	81.0	64.9
Arizona	17.8	7.9	11.0	4.9	109.0	158.7	61.4
Arkansas	21.1	17.3	22.7	12.1	37.1	51.3	24.4
California	16.8	13.5	17.5	9.7	39.9	49.4	30.8
Colorado	6.7	5.0	5.7	4.5	46.2	66.7	25.0
Connecticut	7.3	4.8	5.7	4.0	40.5	59.8	23.0
Delaware	14.1	5.9	8.3	3.6	60.2	76.2	45.7
District of Columbia	45.4	28.6	41.9	18.2	48.2	71.9	27.6
Florida	19.4	11.8	17.7	6.3	62.4	91.3	36.1
Georgia	16.6	10.4	15.2	5.9	33.5	49.3	19.7
Hawaii	75.0	12.6	12.8	12.4	115.2	117.9	112.4
Idaho	4.5	2.9	4.9	1.0	86.7	(62.5)	(114.3)
Illinois	15.2	9.5	13.3	5.9	47.5	65.3	31.6
Indiana	10.3	8.9	11.4	6.5	27.0	37.1	17.8
Iowa	4.0	3.3	4.4	2.3	45.7	50.0	41.7
Kansas	5.8	4.3	5.6	3.1	29.5	33.3	25.7
Kentucky	17.1	15.7	21.8	9.8	34.3	39.7	29.2
Louisiana	16.0	9.8	15.0	4.8	29.5	40.9	19.2
Maine	6.7	6.1	7.6	4.8	(87.5)	(60.0)	(133.3)
Maryland	22.3	12.1	16.1	8.3	64.4	84.6	45.7
Massachusetts	11.6	10.3	14.9	6.1	44.1	58.0	31.5
Michigan	14.8	8.8	11.5	6.1	57.1	71.3	44.0
Minnesota	5.4	3.7	5.1	2.3	88.5	123.7	55.0
Mississippi	18.4	12.4	19.2	5.9	28.2	39.9	17.8
Missouri	11.9	9.5	12.0	7.2	30.7	46.8	16.3
Montana	6.8	4.6	7.8	1.4	51.4	50.0	52.9
Nebraska	3.7	3.1	3.7	2.6	18.6	25.0	12.9
Nevada	6.9	4.8	6.4	3.3	28.3	22.2	34.6
New Hampshire	4.1	4.0	5.5	2.6	(16.7)	(25.0)	—
New Jersey	16.4	..	..	..	..	..	..
New Mexico	15.5	9.4	10.2	8.7	70.1	96.5	45.0
New York	17.0	..	..	..	..	..	..
North Carolina	22.3	11.1	16.5	5.8	59.6	86.0	35.5
North Dakota	6.2	4.2	4.8	3.6	66.7	81.8	50.0
Ohio	8.7	6.4	8.6	4.4	28.5	38.0	19.9
Oklahoma	14.4	10.9	14.9	7.0	41.8	48.3	35.9
Oregon	8.5	6.4	9.0	4.0	73.2	108.8	40.5
Pennsylvania	12.7	8.6	12.8	4.7	52.1	74.9	32.0
Rhode Island	8.8	7.3	9.8	4.8	48.6	44.4	52.9
South Carolina	20.7	8.4	12.9	4.0	48.7	70.0	29.4
South Dakota	9.0	2.9	3.8	2.2	104.9	89.5	118.2
Tennessee	21.4	18.5	25.0	12.3	36.7	51.3	24.0
Texas	19.7	17.1	22.5	11.8	35.7	47.3	25.1
Utah	4.9	4.4	6.4	2.5	22.6	35.3	7.1
Vermont	7.6	7.6	10.4	4.9	—	—	—
Virginia	16.3	9.0	11.2	6.9	47.6	62.8	33.1
Washington	10.5	6.8	9.7	4.0	79.4	92.4	65.9
West Virginia	14.4	13.2	17.2	9.3	44.6	57.1	33.3
Wisconsin	4.9	3.4	4.4	2.4	41.5	43.8	39.4
Wyoming	5.1	3.4	3.7	3.2	63.6	(28.6)	(125.0)
Guam*	46.0	..	..	..	..	..	..
Puerto Rico*	12.8	12.8	16.7	9.0	..	..	..
Trust Territory Pacific Is.*	49.4	..	..	..	..	..	..
U.S. Virgin Is.*	6.1	..	..	..	..	..	..

\* Not included in totals.

(..) Not available.

Notes:

(1) Rates enclosed in parentheses have a population base under 10,000.

(2) Cases with race or sex not specified distributed proportionately.

(3) Rates for Guam are based on the 1973 population estimate from the Bureau of the Census.

(4) Rates shown by sex for Puerto Rico are for all races.

**TABLE 5**  
*Racial Designation of Persons with Tuberculosis, States, 1976*

State	Total Cases	White	Black	American Indian	Asian American	Other	Not Stated
<b>United States</b>	<b>32,105*</b>	<b>16,191</b>	<b>7,018</b>	<b>493</b>	<b>1,348</b>	<b>1,041</b>	<b>1,741</b>
Alabama	824	392	426	1	5	0	0
Alaska	88	29	1	0	4	51	3
Arizona	405	162	20	118	10	95	0
Arkansas	444	295	..	..	..	..	149
California	3,620	2,535	425	31	349	265	15
Colorado	174	125	23	9	17	0	0
Connecticut	227	139	59	0	0	28	1
Delaware	82	29	50	0	1	2	0
District of Columbia	319	28	288	0	3	0	0
Florida	1,630	848	726	19	18	19	0
Georgia	824	381	..	..	..	..	443
Hawaii	665	44	2	2	558	57	2
Idaho	37	24	0	9	2	2	0
Illinois	1,711	904	599	9	62	129	8
Indiana	544	434	..	..	..	..	110
Iowa	115	94	6	8	3	4	0
Kansas	135	90	14	0	9	15	7
Kentucky	586	500	81	0	1	4	0
Louisiana	614	258	333	0	5	16	2
Maine	72	65	1	0	2	4	0
Maryland	925	404	443	0	0	78	0
Massachusetts	676	572	55	1	22	26	0
Michigan	1,349	697	556	15	43	38	0
Minnesota	213	144	13	15	36	5	0
Mississippi	434	181	248	1	1	3	0
Missouri	568	389	134	0	7	16	22
Montana	51	33	0	15	0	3	0
Nebraska	58	47	3	2	3	3	0
Nevada	42	27	8	5	0	2	0
New Hampshire	34	33	1	0	0	0	0
New Jersey*	1,201	..	..	..	..	..	..
New Mexico	181	99	1	70	11	0	0
New York*	3,072	..	..	..	..	..	..
North Carolina	1,220	465	741	5	0	9	0
North Dakota	40	26	0	9	0	5	0
Ohio	926	554	..	..	..	..	372
Oklahoma	399	262	53	62	0	18	4
Oregon	197	140	15	6	1	29	6
Pennsylvania	1,511	923	..	..	..	..	588
Rhode Island	82	65	16	0	1	0	0
South Carolina	589	167	419	0	3	0	0
South Dakota	62	19	0	41	0	2	0
Tennessee	902	654	244	0	0	4	0
Texas	2,454	1,836	514	4	100	0	0
Utah	60	53	0	3	4	0	0
Vermont	36	36	0	0	0	0	0
Virginia	821	368	396	0	30	27	0
Washington	378	229	22	24	27	67	9
West Virginia	263	230	29	0	4	0	0
Wisconsin	225	149	51	4	6	15	0
Wyoming	20	13	2	5	0	0	0
Guam**	46	..	..	..	..	..	..
Puerto Rico**	398	..	..	..	..	..	..
Trust Territory							
Pacific Is.**	63	0	0	0	0	63	0
U.S. Virgin Is.**	6	1	5	0	0	0	0

\* Cases reported by the States of New Jersey and New York were not identified by race. New York City did report the racial designation of cases and these are shown in Table 14.

\*\* Not included in totals. Puerto Rico and Guam cases were not identified by race.

(..) Not available.

**TABLE 6**  
*Tuberculosis*  
*Cases by*  
*Age,*  
*States, 1976*

State	Total	Under 5	5-14	15-24	25-44	45-64	65+	Age Not Stated
<b>United States</b>	<b>32,105</b>	<b>997</b>	<b>777</b>	<b>2,438</b>	<b>8,425</b>	<b>10,968</b>	<b>8,404</b>	<b>96</b>
Alabama	824	31	25	49	166	264	289	0
Alaska	88	4	3	13	26	30	8	4
Arizona	405	7	5	30	86	149	128	0
Arkansas	444	14	8	24	82	126	183	7
California	3,620	162	120	455	1,077	1,085	719	2
Colorado	174	9	8	18	54	43	42	0
Connecticut	227	4	3	11	62	77	70	0
Delaware	82	2	7	8	16	28	21	0
District of Columbia	319	13	7	11	120	119	49	0
Florida	1,630	36	22	99	380	685	408	0
Georgia	824	32	23	69	213	292	184	11
Hawaii	665	5	7	53	210	272	116	2
Idaho	37	1	1	3	8	11	13	0
Illinois	1,711	35	18	146	548	585	376	3
Indiana	544	5	3	28	122	182	179	25
Iowa	115	2	4	7	22	38	42	0
Kansas	135	0	1	8	28	53	45	0
Kentucky	586	14	10	27	99	185	251	0
Louisiana	614	50	26	45	170	202	117	4
Maine	72	1	2	2	7	28	30	2
Maryland	925	16	22	65	249	343	230	0
Massachusetts	676	15	11	42	167	243	198	0
Michigan	1,349	48	41	98	341	452	369	0
Minnesota	213	13	5	13	46	63	73	0
Mississippi	434	5	8	45	101	154	121	0
Missouri	568	49	16	29	108	162	190	14
Montana	51	2	0	2	5	25	17	0
Nebraska	58	1	2	2	14	25	14	0
Nevada	42	0	2	2	10	18	10	0
New Hampshire	34	0	0	3	5	16	10	0
New Jersey	1,201	26	26	106	385	395	263	0
New Mexico	181	15	9	15	50	41	51	0
New York	3,072	53	48	258	1,050	1,005	653	5
North Carolina	1,220	23	34	71	280	491	321	0
North Dakota	40	2	4	0	5	14	15	0
Ohio	926	19	21	43	207	333	303	0
Oklahoma	399	17	6	17	85	126	148	0
Oregon	197	3	5	12	38	76	61	2
Pennsylvania	1,511	25	22	63	367	551	483	0
Rhode Island	82	0	3	5	20	29	25	0
South Carolina	589	28	19	47	163	211	121	0
South Dakota	62	2	3	6	18	16	17	0
Tennessee	902	16	10	42	155	298	381	0
Texas	2,454	130	105	215	668	808	528	0
Utah	60	3	1	4	6	23	23	0
Vermont	36	0	1	4	4	7	20	0
Virginia	821	31	30	52	188	262	257	1
Washington	378	15	12	37	86	147	69	12
West Virginia	263	4	6	13	49	102	89	0
Wisconsin	225	7	2	19	53	73	69	2
Wyoming	20	2	0	2	6	5	5	0
Guam*	46	0	0	2	21	18	5	0
Puerto Rico*	398	10	3	30	111	142	98	4
Trust Territory Pacific Is.*	63	4	5	12	14	16	9	3
U.S. Virgin Is.*	6	0	1	0	3	1	1	0

\*Not included in totals.

**TABLE 7**  
*Tuberculosis*  
*Case Rates*  
*by Age,*  
*States, 1976*

State	Total	Under 5	5-14	15-24	25-44	45-64	65+
<b>United States</b>	<b>15.0</b>	<b>6.5</b>	<b>2.1</b>	<b>6.0</b>	<b>15.4</b>	<b>25.2</b>	<b>36.8</b>
Alabama	22.5	10.9	3.8	7.0	18.1	36.5	74.5
Alaska	23.0	10.8	3.8	14.0	25.7	59.3	88.9
Arizona	17.8	3.5	1.2	6.9	15.3	34.2	54.5
Arkansas	21.1	8.5	2.2	6.4	16.4	30.4	67.1
California	16.8	10.9	3.4	11.0	18.6	24.7	33.9
Colorado	6.7	4.6	1.8	3.3	7.6	9.1	19.3
Connecticut	7.3	2.2	0.6	1.9	7.7	11.2	21.2
Delaware	14.1	4.9	6.7	6.8	10.4	24.3	41.2
District of Columbia	45.4	27.7	6.4	8.0	60.6	86.9	68.1
Florida	19.4	6.5	1.7	6.8	19.5	37.7	29.5
Georgia	16.6	7.9	2.5	7.2	16.3	32.5	42.0
Hawaii	75.0	6.8	4.5	27.6	90.6	159.6	193.3
Idaho	4.5	1.4	0.7	1.9	3.9	6.8	16.0
Illinois	15.2	4.3	0.9	6.9	19.2	25.3	32.2
Indiana	10.3	1.3	0.3	3.0	9.4	18.3	34.8
Iowa	4.0	1.0	0.8	1.3	3.2	6.5	11.4
Kansas	5.8	—	0.3	1.8	4.9	11.4	15.6
Kentucky	17.1	5.3	1.7	4.2	11.4	27.4	67.3
Louisiana	16.0	15.6	3.5	5.9	17.9	28.9	33.2
Maine	6.7	1.3	1.0	1.0	2.7	13.2	24.2
Maryland	22.3	6.0	3.0	8.0	22.1	40.8	65.7
Massachusetts	11.6	4.3	1.1	3.8	11.4	19.9	29.0
Michigan	14.8	7.2	2.4	5.4	14.6	25.4	44.2
Minnesota	5.4	4.8	0.7	1.7	4.6	8.5	16.4
Mississippi	18.4	2.4	1.8	9.8	18.3	36.4	46.7
Missouri	11.9	15.1	2.0	3.2	9.4	17.3	32.1
Montana	6.8	3.5	—	1.4	2.7	16.2	22.1
Nebraska	3.7	0.9	0.8	0.7	3.7	8.3	7.1
Nevada	6.9	—	1.8	1.8	6.1	14.0	21.3
New Hampshire	4.1	—	—	2.0	2.3	10.0	11.0
New Jersey	16.4	5.6	2.0	8.3	20.6	23.7	33.4
New Mexico	15.5	14.7	4.0	6.1	17.2	19.2	54.3
New York	17.0	4.6	1.6	8.1	22.6	25.3	31.6
North Carolina	22.3	5.6	3.6	6.7	19.3	45.5	62.6
North Dakota	6.2	4.2	3.5	—	3.4	11.0	20.0
Ohio	8.7	2.5	1.1	2.1	7.6	15.3	27.8
Oklahoma	14.4	8.2	1.3	3.3	12.2	22.6	43.7
Oregon	8.5	1.8	1.3	2.8	6.3	16.0	23.3
Pennsylvania	12.7	3.4	1.1	3.0	12.7	20.1	34.4
Rhode Island	8.8	—	1.9	3.0	9.0	14.1	21.6
South Carolina	20.7	11.9	3.6	8.1	22.0	39.8	50.4
South Dakota	9.0	3.8	2.5	4.4	11.8	11.5	19.8
Tennessee	21.4	5.2	1.4	5.4	14.0	35.1	84.1
Texas	19.7	12.5	4.7	8.8	20.7	34.4	44.3
Utah	4.9	2.2	0.4	1.5	2.0	11.6	24.5
Vermont	7.6	—	1.1	4.4	3.2	8.0	37.7
Virginia	16.3	8.8	3.5	5.1	13.9	26.3	58.3
Washington	10.5	6.1	1.9	5.4	9.2	21.7	19.0
West Virginia	14.4	2.9	2.0	4.1	11.0	25.2	41.6
Wisconsin	4.9	2.3	0.2	2.1	4.7	8.1	13.4
Wyoming	5.1	6.3	—	2.6	6.1	6.2	14.7
Guam*	46.0	..	..	..	..	..	..
Puerto Rico*	12.8	2.7	0.4	5.0	15.9	30.8	48.8
Trust Territory							
Pacific Is.*	49.4	..	..	..	..	..	..
U.S. Virgin Is.*	6.1	..	..	..	..	..	..

\* Not included in totals.

(..) Not available.

Notes:

(1) Cases with age not specified were distributed proportionately.

(2) Rates for Guam are based on the 1973 population estimate from the Bureau of the Census.



**TABLE 8**  
*Tuberculosis*  
*Cases by Form*  
*of Disease,*  
*States, 1976*

State	Total Cases	Pulmonary		Extrapulmonary	
		Number	Percent	Number	Percent
<b>United States</b>	<b>32,105</b>	<b>27,720</b>	<b>86.3</b>	<b>4,385</b>	<b>13.7</b>
Alabama	824	760	92.2	64	7.8
Alaska	88	70	79.5	18	20.5
Arizona	405	331	81.7	74	18.3
Arkansas	444	397	89.4	47	10.6
California	3,620	3,125	86.3	495	13.7
Colorado	174	134	77.0	40	23.0
Connecticut	227	188	82.8	39	17.2
Delaware	82	69	84.1	13	15.9
District of Columbia	319	253	79.3	66	20.7
Florida	1,630	1,489	91.3	141	8.7
Georgia	824	693	84.1	131	15.9
Hawaii	665	633	95.2	32	4.8
Idaho	37	26	70.3	11	29.7
Illinois	1,711	1,502	87.8	209	12.2
Indiana	544	493	90.6	51	9.4
Iowa	115	93	80.9	22	19.1
Kansas	135	116	85.9	19	14.1
Kentucky	586	524	89.4	62	10.6
Louisiana	614	488	79.5	126	20.5
Maine	72	56	77.8	16	22.2
Maryland	925	790	85.4	135	14.6
Massachusetts	676	558	82.5	118	17.5
Michigan	1,349	1,151	85.3	198	14.7
Minnesota	213	170	79.8	43	20.2
Mississippi	434	382	88.0	52	12.0
Missouri	568	524	92.3	44	7.7
Montana	51	40	78.4	11	21.6
Nebraska	58	54	93.1	4	6.9
Nevada	42	33	78.6	9	21.4
New Hampshire	34	28	82.4	6	17.6
New Jersey	1,201	963	80.2	238	19.8
New Mexico	181*	134	74.0	47	26.0
New York	3,072	2,630	85.6	442	14.4
North Carolina	1,220	1,060	86.9	160	13.1
North Dakota	40	32	80.0	8	20.0
Ohio	926	830	89.6	96	10.4
Oklahoma	399	332	83.2	67	16.8
Oregon	197	157	79.7	40	20.3
Pennsylvania	1,511	1,270	84.1	241	15.9
Rhode Island	82	68	82.9	14	17.1
South Carolina	589	501	85.1	88	14.9
South Dakota	62	50	80.6	12	19.4
Tennessee	902	814	90.2	88	9.8
Texas	2,454	2,165	88.2	289	11.8
Utah	60	50	83.3	10	16.7
Vermont	36	32	88.9	4	11.1
Virginia	821	724	88.2	97	11.8
Washington	378	289	76.5	89	23.5
West Virginia	263	240	91.3	23	8.7
Wisconsin	225	194	86.2	31	13.8
Wyoming	20	15	75.0	5	25.0
Guam*	46	39	84.8	7	15.2
Puerto Rico*	398	381	95.7	17	4.3
Trust Territory Pacific Is.*	63	38	60.3	25	39.7
U.S. Virgin Is.*	6	5	83.3	1	16.7

\* Not included in totals.  
 Note: Cases with form of disease not specified were distributed proportionately.

**TABLE 9**  
*Site of Extra-  
pulmonary Disease,  
States, 1976*

State	Total Extra- pulmonary	Site of Extrapulmonary							
		Pleural	Lymphatic	Bone and/ or Joint	Genito- urinary	Miliary	Meningeal	Peritoneal	Other
<b>United States</b>	<b>4,382</b>	<b>970</b>	<b>1,100</b>	<b>386</b>	<b>789</b>	<b>360</b>	<b>179</b>	<b>126</b>	<b>472</b>
Alabama	64	9	14	4	15	8	4	2	8
Alaska	18	5	8	0	3	1	0	1	0
Arizona	74	9	13	9	8	10	5	3	17
Arkansas	47	20	6	5	2	8	1	2	3
California	495	75	176	44	118	5	29	15	33
Colorado	40	7	7	5	11	5	1	1	3
Connecticut	39	5	10	3	14	2	2	1	2
Delaware	13	2	5	1	1	2	0	0	2
District of Columbia	66	26	14	6	5	7	2	1	5
Florida	141	26	29	6	23	19	8	3	27
Georgia	131	32	61	1	6	15	4	4	8
Hawaii	32	5	5	4	11	5	1	0	1
Idaho	11	2	1	0	4	1	0	1	2
Illinois	209	33	53	21	52	24	7	6	13
Indiana	50	7	9	7	11	4	1	3	8
Iowa	22	5	7	0	4	2	2	0	2
Kansas	19	2	5	3	3	2	0	0	4
Kentucky	61	15	4	9	6	4	4	2	17
Louisiana	126	26	78	9	4	3	4	0	2
Maine	16	3	3	2	6	2	0	0	0
Maryland	135	45	31	10	24	12	3	1	9
Massachusetts	118	33	24	14	20	4	5	1	17
Michigan	198	43	43	24	48	14	11	5	10
Minnesota	43	4	12	2	10	3	3	2	7
Mississippi	52	16	12	7	6	5	1	1	4
Missouri	44	6	7	5	11	7	3	2	3
Montana	11	1	1	5	2	2	0	0	0
Nebraska	4	0	3	0	1	0	0	0	0
Nevada	9	1	1	2	3	1	0	0	1
New Hampshire	6	0	0	2	2	0	0	0	2
New Jersey	238	61	68	28	55	10	7	9	0
New Mexico	47	9	12	3	11	5	2	3	2
New York	442	103	123	43	74	25	14	25	35
North Carolina	160	66	18	11	18	22	6	2	17
North Dakota	8	0	3	1	1	0	2	1	0
Ohio	96	11	21	13	28	1	3	3	16
Oklahoma	67	17	19	7	12	8	3	1	0
Oregon	40	6	12	3	11	4	0	0	4
Pennsylvania	241	65	0	0	14	25	9	0	128
Rhode Island	14	4	5	0	2	0	0	2	1
South Carolina	88	13	19	6	12	31	0	1	6
South Dakota	12	1	5	2	2	0	0	2	0
Tennessee	88	9	16	12	25	8	4	5	9
Texas	289	69	75	25	49	16	19	9	27
Utah	10	4	2	1	1	1	0	0	1
Vermont	4	1	0	0	3	0	0	0	0
Virginia	97	26	22	10	13	12	4	1	9
Washington	89	30	22	7	10	9	3	4	4
West Virginia	23	9	2	0	6	3	1	0	2
Wisconsin	31	2	11	4	8	3	1	1	1
Wyoming	4	1	3	0	0	0	0	0	0
Guam*	7	3	4	0	0	0	0	0	0
Puerto Rico*	17	4	8	1	2	0	1	1	0
Trust Territory Pacific Is.*	25	7	8	1	2	2	2	0	3
U.S. Virgin Is.*	1	0	0	0	1	0	0	0	0

\* Not included in totals.  
Note: Cases with form of disease not stated excluded from Table 9.

**TABLE 10**  
*Tuberculosis*  
*Cases With Both*  
*Pulmonary and*  
*Extrapulmonary*  
*Disease, States,*  
*1976*

State	Total Cases	Cases With Both Pulmonary and Extrapulmonary Disease*	Percent With Both Pulmonary and Extrapulmonary Disease*
United States	32,105	857	2.9
Alabama	824	19	2.3
Alaska	88	5	5.7
Arizona	405	21	5.2
Arkansas	444	13	2.9
California	3,620	70	1.9
Colorado	174	7	4.0
Connecticut	227	5	2.2
Delaware	82	11	13.4
District of Columbia	319	11	3.4
Florida	1,630	48	2.9
Georgia	824	25	3.0
Hawaii	665	8	1.2
Idaho	37	1	2.7
Illinois	1,711	51	3.0
Indiana	544	16	2.9
Iowa	115	2	1.7
Kansas	135	1	0.7
Kentucky	586	10	1.7
Louisiana	614	14	2.3
Maine	72	4	5.6
Maryland	925	66	7.1
Massachusetts	676	2	0.3
Michigan	1,349	61	4.5
Minnesota	213	10	4.7
Mississippi	434	7	1.6
Missouri	568	9	1.6
Montana	51	3	5.9
Nebraska	58	0	0.0
Nevada	42	0	0.0
New Hampshire	34	2	5.9
New Jersey	1,201	39	3.2
New Mexico	181	10	5.5
New York	3,072	112	3.6
North Carolina	1,220	23	1.9
North Dakota	40	3	7.5
Ohio	926	..	..
Oklahoma	399	0	0.0
Oregon	197	4	2.0
Pennsylvania	1,511	..	..
Rhode Island	82	3	3.7
South Carolina	589	21	3.6
South Dakota	62	9	14.5
Tennessee	902	27	3.0
Texas	2,454	46	1.9
Utah	60	1	1.7
Vermont	36	4	11.1
Virginia	821	36	4.4
Washington	378	11	2.9
West Virginia	263	6	2.3
Wisconsin	225	0	0.0
Wyoming	20	0	0.0
Guam**	46	0	0.0
Puerto Rico**	398	0	0.0
Trust Territory Pacific Is.**	63	..	..
U.S. Virgin Is.**	6	0	0.0

\* For 48 reporting States and District of Columbia.

\*\* Not included in totals.  
 (..) Not available.

**TABLE 11**  
*Pulmonary Tuberculosis Cases by Bacteriologic Status, States, 1976*

State	Total Pulmonary Cases	Cases With Bacteriologic Results						Cases With Bacteriology Not Known	
		Total		Positive		Negative		Number	Percent
		Number	Percent	Number	Percent	Number	Percent		
<b>United States</b>	<b>27,706</b>	<b>24,879</b>	<b>89.8</b>	<b>20,597</b>	<b>82.8</b>	<b>4,282</b>	<b>17.2</b>	<b>2,827</b>	<b>10.2</b>
Alabama	760	729	95.9	716	98.2	13	1.8	31	4.1
Alaska	70	64	91.4	64	100.0	0	0.0	6	8.6
Arizona	331	318	96.1	262	82.4	56	17.6	13	3.9
Arkansas	397	380	95.7	324	85.3	56	14.7	17	4.3
California	3,125	2,688	86.0	2,297	85.5	391	14.5	437	14.0
Colorado	134	124	92.5	121	97.6	3	2.4	10	7.5
Connecticut	188	182	96.8	170	93.4	12	6.6	6	3.2
Delaware	69	61	88.4	54	88.5	7	11.5	8	11.6
District of Columbia	253	230	90.9	183	79.6	47	20.4	23	9.1
Florida	1,489	1,330	89.3	1,174	88.3	156	11.7	159	10.7
Georgia	693	675	97.4	566	83.9	109	16.1	18	2.6
Hawaii	633	613	96.8	131	21.4	482	78.6	20	3.2
Idaho	26	26	100.0	25	96.2	1	3.8	0	0.0
Illinois	1,502	1,422	94.7	1,095	77.0	327	23.0	80	5.3
Indiana	487	435	89.3	365	83.9	70	16.1	52	10.7
Iowa	93	92	98.9	76	82.6	16	17.4	1	1.1
Kansas	116	105	90.5	87	82.9	18	17.1	11	9.5
Kentucky	520	465	89.4	452	97.2	13	2.8	55	10.6
Louisiana	488	487	99.8	388	79.7	99	20.3	1	0.2
Maine	56	50	89.3	38	76.0	12	24.0	6	10.7
Maryland	790	701	88.7	539	76.9	162	23.1	89	11.3
Massachusetts	558	333	59.7	330	99.1	3	0.9	225	40.3
Michigan	1,151	1,049	91.1	868	82.7	181	17.3	102	8.9
Minnesota	170	151	88.8	119	78.8	32	21.2	19	11.2
Mississippi	382	348	91.1	293	84.2	55	15.8	34	8.9
Missouri	524	458	87.4	415	90.6	43	9.4	66	12.6
Montana	40	38	95.0	35	92.1	3	7.9	2	5.0
Nebraska	54	54	100.0	53	98.1	1	1.9	0	0.0
Nevada	32	31	96.9	29	93.5	2	6.5	1	3.1
New Hampshire	28	28	100.0	28	100.0	0	0.0	0	0.0
New Jersey	963	918	95.3	603	65.7	315	34.3	45	4.7
New Mexico	134	113	84.3	108	95.6	5	4.4	21	15.7
New York	2,629	1,953	74.3	1,611	82.5	342	17.5	676	25.7
North Carolina	1,060	1,044	98.5	773	74.0	271	26.0	16	1.5
North Dakota	32	31	96.9	25	80.6	6	19.4	1	3.1
Ohio	830	788	94.9	700	88.8	88	11.2	42	5.1
Oklahoma	332	316	95.2	285	90.2	31	9.8	16	4.8
Oregon	157	148	94.3	122	82.4	26	17.6	9	5.7
Pennsylvania	1,270	1,177	92.7	1,017	86.4	160	13.6	93	7.3
Rhode Island	68	64	94.1	56	87.5	8	12.5	4	5.9
South Carolina	501	455	90.8	407	89.5	48	10.5	46	9.2
South Dakota	50	49	98.0	36	73.5	13	26.5	1	2.0
Tennessee	814	755	92.8	719	95.2	36	4.8	59	7.2
Texas	2,165	1,975	91.2	1,618	81.9	357	18.1	190	8.8
Utah	50	45	90.0	40	88.9	5	11.1	5	10.0
Vermont	32	30	93.8	26	86.7	4	13.3	2	6.2
Virginia	724	659	91.0	571	86.6	88	13.4	65	9.0
Washington	289	267	92.4	215	80.5	52	19.5	22	7.6
West Virginia	240	225	93.8	205	91.1	20	8.9	15	6.2
Wisconsin	194	190	97.9	155	81.6	35	18.4	4	2.1
Wyoming	13	10	76.9	8	80.0	2	20.0	3	23.1
Guam*	39	35	89.7	12	34.3	23	65.7	4	10.3
Puerto Rico*	381	167	43.8	71	42.5	96	57.5	214	56.2
Trust Territory Pacific Is.*	38	28	73.7	7	25.0	21	75.0	10	26.3
U.S. Virgin Is.*	5	5	100.0	5	0.0	0	0.0	0	0.0

\* Not included in totals.

Notes:  
 (1) Bacteriologic results based on smear and/or culture.

(2) Cases with form of disease not stated excluded from Tables 11 and 12.

TABLE 12  
*Extrapulmonary  
Tuberculosis  
Cases by  
Bacteriologic  
Status,  
States, 1976*

State	Total Extra- pulmonary Cases	Cases With Bacteriologic Results						Cases With Bacteriology Not Known	
		Total		Positive		Negative		Number	Percent
		Number	Percent	Number	Percent	Number	Percent		
United States	4,382	3,660	83.5	2,732	74.6	928	25.4	722	16.5
Alabama	64	61	95.3	60	98.4	1	1.6	3	4.7
Alaska	18	9	50.0	9	100.0	0	0.0	9	50.0
Arizona	74	71	95.9	54	76.1	17	23.9	3	4.1
Arkansas	47	42	89.4	26	61.9	16	38.1	5	10.6
California	495	424	85.7	351	82.8	73	17.2	71	14.3
Colorado	40	39	97.5	37	94.9	2	5.1	1	2.5
Connecticut	39	35	89.7	33	94.3	2	5.7	4	10.3
Delaware	13	12	92.3	10	83.3	2	16.7	1	7.7
District of Columbia	66	59	89.4	34	57.6	25	42.4	7	10.6
Florida	141	90	63.8	77	85.6	13	14.4	51	36.2
Georgia	131	131	100.0	16	12.2	115	87.8	0	0.0
Hawaii	32	23	71.9	14	60.9	9	39.1	9	28.1
Idaho	11	11	100.0	8	72.7	3	27.3	0	0.0
Illinois	209	186	89.0	149	80.1	37	19.9	23	11.0
Indiana	50	42	84.0	35	83.3	7	16.7	8	16.0
Iowa	22	22	100.0	19	86.4	3	13.6	0	0.0
Kansas	19	19	100.0	16	84.2	3	15.8	0	0.0
Kentucky	61	48	78.7	45	93.8	3	6.2	13	21.3
Louisiana	126	64	50.8	32	50.0	32	50.0	62	49.2
Maine	16	14	87.5	14	100.0	0	0.0	2	12.5
Maryland	135	123	91.1	90	73.2	33	26.8	12	8.9
Massachusetts	118	61	51.7	61	100.0	0	0.0	57	48.3
Michigan	198	187	94.4	156	83.4	31	16.6	11	5.6
Minnesota	43	42	97.7	34	81.0	8	19.0	1	2.3
Mississippi	52	38	73.1	14	36.8	24	63.2	14	26.9
Missouri	44	36	81.8	32	88.9	4	11.1	8	18.2
Montana	11	11	100.0	10	90.9	1	9.1	0	0.0
Nebraska	4	4	100.0	4	100.0	0	0.0	0	0.0
Nevada	9	9	100.0	9	100.0	0	0.0	0	0.0
New Hampshire	6	6	100.0	4	66.7	2	33.3	0	0.0
New Jersey	238	222	93.3	132	59.5	90	40.5	16	6.7
New Mexico	47	37	78.7	33	89.2	4	10.8	10	21.3
New York	442	309	69.9	255	82.5	54	17.5	133	30.1
North Carolina	160	143	89.4	83	58.0	60	42.0	17	10.6
North Dakota	8	6	75.0	5	83.3	1	16.7	2	25.0
Ohio	96	86	89.6	78	90.7	8	9.3	10	10.4
Oklahoma	67	62	92.5	48	77.4	14	22.6	5	7.5
Oregon	40	34	85.0	23	67.6	11	32.4	6	15.0
Pennsylvania	241	221	91.7	154	69.7	67	30.3	20	8.3
Rhode Island	14	9	64.3	8	88.9	1	11.1	5	35.7
South Carolina	88	69	78.4	59	85.5	10	14.5	19	21.6
South Dakota	12	10	83.3	6	60.0	4	40.0	2	16.7
Tennessee	88	72	81.8	64	88.9	8	11.1	16	18.2
Texas	289	249	86.2	165	66.3	84	33.7	40	13.8
Utah	10	6	60.0	5	83.3	1	16.7	4	40.0
Vermont	4	3	75.0	2	66.7	1	33.3	1	25.0
Virginia	97	79	81.4	67	84.8	12	15.2	18	18.6
Washington	89	71	79.8	57	80.3	14	19.7	18	20.2
West Virginia	23	18	78.3	10	55.6	8	44.4	5	21.7
Wisconsin	31	31	100.0	21	67.7	10	32.3	0	0.0
Wyoming	4	4	100.0	4	100.0	0	0.0	0	0.0
Guam*	7	5	71.4	2	40.0	3	60.0	2	28.6
Puerto Rico*	17	3	17.6	3	100.0	0	0.0	14	82.4
Trust Territory Pacific Is.*	25	17	68.0	4	23.5	13	76.5	8	32.0
U.S. Virgin Is.*	1	1	100.0	1	100.0	0	0.0	0	0.0

\* Not included in totals.  
Notes:  
(1) Bacteriologic results based on smear and/or culture.  
(2) Cases with form of disease not stated excluded from Tables 11 and 12.

**TABLE 13**  
*Tuberculosis Cases  
and Case Rates:  
Cities of 250,000  
or More Popula-  
tion, 1976*

Cities	Tuberculosis Cases		
	Number	Rate	Rate Rank Order
Akron, Ohio	31	12.4	51
Albuquerque-Bernalillo Co., N.M.	42	11.5	54
Atlanta-Fulton Co., Ga.	178	30.5	15
Austin, Tex.	52	18.0	36
Baltimore, Md.	410	50.1	3
Birmingham, Ala.	97	35.2	9
Boston, Mass.	190	29.8	16
Buffalo, N.Y.	88	22.1	29
Chicago, Ill.	940	27.9	20
Cincinnati, Ohio	97	24.0	25
Cleveland, Ohio	171	27.4	21
Columbus, Ohio	68	12.6	50
Dallas, Tex.	246	28.4	19
Denver, Colo.	61	11.6	53
Detroit, Mich.	542	40.6	7
El Paso, Tex.	67	19.7	34
Ft. Worth, Tex.	72	17.5	39
Honolulu, Hawaii	405	113.3	1
Houston, Tex.	478	34.2	10
Indianapolis-Marion Co., Ind.	92	11.9	52
Jacksonville, Fla.	151	26.1	22
Jersey City, N.J.	100	39.0	8
Kansas City, Mo.	84	17.9	37
Long Beach, Cal.	64	18.8	35
Los Angeles, Cal.	840	30.7	14
Louisville-Jefferson Co., Ky.	102	14.3	47
Memphis-Shelby Co., Tenn.	131	17.5	40
Miami-Dade Co., Fla.	344	23.4	27
Milwaukee, Wisc.	102	15.6	45
Minneapolis, Minn.	51	13.5	49
Nashville-Davidson Co., Tenn.	147	32.4	12
Newark, N.J.	204	54.7	2
New Orleans, La.	176	31.3	13
New York, N.Y.	2,156	28.6	18
Norfolk, Va.	42	14.7	46
Oakland, Cal.	58	17.4	41
Oklahoma City, Okla.	74	20.1	32
Omaha-Douglas Co., Nebr.	26	6.3	57
Philadelphia, Pa.	538	29.5	17
Phoenix, Ariz.	113	16.9	43
Pittsburgh, Pa.	91	20.1	31
Portland, Ore.	90	23.6	26
Rochester, N.Y.	67	25.6	23
Sacramento, Cal.	88	33.8	11
St. Louis, Mo.	92	17.2	42
St. Paul, Minn.	26	9.2	55
San Antonio, Tex.	173	25.3	24
San Diego, Cal.	154	19.9	33
San Francisco, Cal.	326	48.9	4
San Jose, Cal.	98	17.6	38
Seattle, Wash.	102	20.3	30
Tampa, Fla.	135	45.6	5
Toledo, Ohio	52	14.1	48
Tucson, Ariz.	66	22.1	28
Tulsa, Okla.	55	15.8	44
Washington, D.C.	319	45.4	6
Wichita, Kans.	22	8.3	56
<b>Total - 57 cities</b>	<b>11,786</b>	<b>27.2</b>	<b>-</b>

Note: County data are shown when information for principal city is not reported separately.

Cities	Total Cases	White	Black	American Indian	Asian American	Other	Not Stated
Akron, Ohio	31	18	..	..	..	..	13
Albuquerque-Bernalillo Co., N.M.	42	36	0	1	5	0	0
Atlanta-Fulton Co., Ga.	178	58	..	..	..	..	120
Austin, Tex.	52	31	16	0	5	0	0
Baltimore, Md.	410	98	301	0	9	2	0
Birmingham, Ala.	97	26	71	0	0	0	0
Boston, Mass.	190	124	50	1	12	3	0
Buffalo, N.Y.	88	..	..	..	..	..	..
Chicago, Ill.	940	286	509	9	44	85	7
Cincinnati, Ohio	97	43	..	..	..	..	54
Cleveland, Ohio	171	55	..	..	..	..	116
Columbus, Ohio	68	38	..	..	..	..	30
Dallas, Tex.	246	139	86	1	20	0	0
Denver, Colo.	61	45	9	4	3	0	0
Detroit, Mich.	542	149	378	1	9	5	0
El Paso, Tex.	67	63	2	1	1	0	0
Ft. Worth, Tex.	72	49	22	0	1	0	0
Honolulu, Hawaii	405	28	1	2	349	25	0
Houston, Tex.	478	282	175	1	20	0	0
Indianapolis-Marion Co., Ind.	92	56	34	0	2	0	0
Jacksonville, Fla.	151	81	70	0	0	0	0
Jersey City, N.J.	100	..	..	..	..	..	..
Kansas City, Mo.	84	40	36	0	2	6	0
Long Beach, Cal.	64	38	4	3	11	8	0
Los Angeles, Cal.	840	548	161	6	50	73	2
Louisville-Jefferson Co., Ky.	102	72	30	0	0	0	0
Memphis-Shelby Co., Tenn.	131	41	90	0	0	0	0
Miami-Dade Co., Fla.	344	184	154	0	0	6	0
Milwaukee, Wisc.	102	50	44	0	3	5	0
Minneapolis, Minn.	51	28	9	7	7	0	0
Nashville-Davidson Co., Tenn.	147	91	54	0	0	2	0
Newark, N.J.	204	..	..	..	..	..	..
New Orleans, La.	176	61	108	0	2	5	0
New York, N.Y.	2,156	471	748	0	105	255	577
Norfolk, Va.	42	12	29	0	0	1	0
Oakland, Cal.	58	21	31	1	3	2	0
Oklahoma City, Okla.	74	51	12	4	0	6	1
Omaha-Douglas Co., Nebr.	26	18	3	0	3	2	0
Philadelphia, Pa.	538	149	..	..	..	..	389
Phoenix, Ariz.	113	64	13	11	0	25	0
Pittsburgh, Pa.	91	45	..	..	..	..	46
Portland, Ore.	90	64	14	2	1	9	0
Rochester, N.Y.	67	..	..	..	..	..	..
Sacramento, Cal.	88	70	9	0	7	2	0
St. Louis, Mo.	92	35	57	0	0	0	0
St. Paul, Minn.	26	15	5	1	4	1	0
San Antonio, Tex.	173	160	9	0	4	0	0
San Diego, Cal.	154	114	20	1	7	11	1
San Francisco, Cal.	326	125	37	0	139	24	1
San Jose, Cal.	98	73	7	0	4	12	2
Seattle, Wash.	102	56	16	7	19	4	0
Tampa, Fla.	135	67	65	0	0	3	0
Toledo, Ohio	52	32	..	..	..	..	20
Tucson, Ariz.	66	31	2	3	7	23	0
Tulsa, Okla.	55	38	12	3	0	2	0
Washington, D.C.	319	28	288	0	3	0	0
Wichita, Kans.	22	15	2	0	2	3	0
<b>Total - 57 Cities*</b>	<b>11,786</b>	<b>4,612</b>	<b>3,793</b>	<b>70</b>	<b>863</b>	<b>610</b>	<b>1,379</b>

**TABLE 14**  
*Racial Designation of Persons with Tuberculosis: Cities of 250,000 or More Population, 1976*

\* Cases reported by Newark and Jersey City, New Jersey, and by Buffalo and Rochester, New York, were not identified by race. (..) Not available. Note: County data are shown when information for principal city is not reported separately.

**TABLE 15**  
*Tuberculosis Cases*  
*by Age: Cities of*  
*250,000 or More*  
*Population, 1976*

Cities	Total	Under 5	5-14	15-24	25-44	45-64	65+	Age Not Stated
Akron, Ohio	31	1	0	3	4	13	10	0
Albuquerque-Bernalillo Co., N.M.	42	3	1	2	9	12	15	0
Atlanta-Fulton Co., Ga.	178	2	1	12	53	75	27	8
Austin, Tex.	52	4	4	7	18	13	6	0
Baltimore, Md.	410	8	7	26	113	160	96	0
Birmingham, Ala.	97	1	0	6	21	34	35	0
Boston, Mass.	190	2	1	17	59	67	44	0
Buffalo, N.Y.	88	4	2	9	17	31	25	0
Chicago, Ill.	940	13	8	90	359	322	145	3
Cincinnati, Ohio	97	1	1	4	30	33	28	0
Cleveland, Ohio	171	3	7	4	47	75	35	0
Columbus, Ohio	68	2	2	1	11	30	22	0
Dallas, Tex.	246	14	18	21	80	73	40	0
Denver, Colo.	61	0	1	7	16	19	18	0
Detroit, Mich.	542	22	16	33	150	185	136	0
El Paso, Tex.	67	7	1	9	19	20	11	0
Ft. Worth, Tex.	72	1	1	7	30	21	12	0
Honolulu, Hawaii	405	4	2	38	137	158	66	0
Houston, Tex.	478	28	13	45	147	186	59	0
Indianapolis-Marion Co., Ind.	92	1	1	6	20	34	30	0
Jacksonville, Fla.	151	7	8	6	34	64	32	0
Jersey City, N.J.	100	2	1	16	27	33	21	0
Kansas City, Mo.	84	0	2	4	25	27	26	0
Long Beach, Cal.	64	2	5	8	22	19	8	0
Los Angeles, Cal.	840	33	35	125	280	230	136	1
Louisville-Jefferson Co., Ky.	102	1	2	2	18	38	41	0
Memphis-Shelby Co., Tenn.	131	5	3	8	31	43	41	0
Miami-Dade Co., Fla.	344	13	3	20	76	133	99	0
Milwaukee, Wisc.	102	5	2	10	26	37	21	1
Minneapolis, Minn.	51	3	0	1	11	21	15	0
Nashville-Davidson Co., Tenn.	147	1	4	9	34	48	51	0
Newark, N.J.	204	7	10	28	87	47	25	0
New Orleans, La.	176	17	4	12	56	68	19	0
New York, N.Y.	2,156	31	30	204	833	664	389	5
Norfolk, Va.	42	0	1	2	10	20	9	0
Oakland, Cal.	58	3	3	8	18	23	3	0
Oklahoma City, Okla.	74	6	2	4	20	26	16	0
Omaha-Douglas Co., Nebr.	26	0	0	1	6	11	8	0
Philadelphia, Pa.	538	10	12	36	171	186	123	0
Phoenix, Ariz.	113	1	0	8	25	50	29	0
Pittsburgh, Pa.	91	0	1	1	24	34	31	0
Portland, Ore.	90	1	1	2	16	40	30	0
Rochester, N.Y.	67	1	3	7	21	25	10	0
Sacramento, Cal.	88	0	0	4	18	41	24	1
St. Louis, Mo.	92	1	0	4	20	32	35	0
St. Paul, Minn.	26	0	2	1	6	8	9	0
San Antonio, Tex.	173	2	1	26	44	54	46	0
San Diego, Cal.	154	15	13	23	43	35	25	0
San Francisco, Cal.	326	7	7	22	116	106	68	0
San Jose, Cal.	98	7	3	9	31	33	15	0
Seattle, Wash.	102	0	0	10	24	51	17	0
Tampa, Fla.	135	2	2	11	29	57	34	0
Toledo, Ohio	52	2	4	3	10	16	17	0
Tucson, Ariz.	66	0	1	3	11	25	26	0
Tulsa, Okla.	55	3	2	2	9	21	18	0
Washington, D.C.	319	13	7	11	120	119	49	0
Wichita, Kans.	22	0	0	1	5	8	8	0
<b>Total - 57 Cities</b>	<b>11,786</b>	<b>322</b>	<b>261</b>	<b>999</b>	<b>3,697</b>	<b>4,054</b>	<b>2,434</b>	<b>19</b>

Note: County data are shown when information for principal city is not reported separately.



**TABLE 16**  
*Pulmonary Tuberculosis Cases by Bacteriologic Status: Cities of 250,000 or More Population, 1976*

Cities	Total Pulmonary Cases	Cases With Bacteriologic Results						Cases With Bacteriology Not Known	
		Total		Positive		Negative		Number	Percent
		Number	Percent	Number	Percent	Number	Percent		
Akron, Ohio	29	29	100.0	27	93.1	2	6.9	0	0.0
Albuquerque-Bernalillo Co., N.M.	28	25	89.3	24	96.0	1	4.0	3	10.7
Atlanta-Fulton Co., Ga.	161	154	95.7	120	77.9	34	22.1	7	4.3
Austin, Tex.	44	38	86.4	29	76.3	9	23.7	6	13.6
Baltimore, Md.	365	355	97.3	261	73.5	94	26.5	10	2.7
Birmingham, Ala.	92	91	98.9	89	97.8	2	2.2	1	1.1
Boston, Mass.	158	109	69.0	108	99.1	1	0.9	49	31.0
Buffalo, N.Y.	71	68	95.8	63	92.6	5	7.4	3	4.2
Chicago, Ill.	855	827	96.7	615	74.4	212	25.6	28	3.3
Cincinnati, Ohio	91	88	96.7	75	85.2	13	14.8	3	3.3
Cleveland, Ohio	153	138	90.2	123	89.1	15	10.9	15	9.8
Columbus, Ohio	63	59	93.7	50	84.7	9	15.3	4	6.3
Dallas, Tex.	213	184	86.4	144	78.3	40	21.7	29	13.6
Denver, Colo.	47	46	97.9	46	100.0	0	0.0	1	2.1
Detroit, Mich.	465	427	91.8	395	92.5	32	7.5	38	8.2
El Paso, Tex.	50	48	96.0	26	54.2	22	45.8	2	4.0
Ft. Worth, Tex.	62	60	96.8	53	88.3	7	11.7	2	3.2
Honolulu, Hawaii	390	380	97.4	77	20.3	303	79.7	10	2.6
Houston, Tex.	434	412	94.9	379	92.0	33	8.0	22	5.1
Indianapolis-Marion Co., Ind.	82	79	96.3	70	88.6	9	11.4	3	3.7
Jacksonville, Fla.	123	113	91.9	87	77.0	26	23.0	10	8.1
Jersey City, N.J.	83	80	96.4	52	65.0	28	35.0	3	3.6
Kansas City, Mo.	73	65	89.0	52	80.0	13	20.0	8	11.0
Long Beach, Cal.	57	53	93.0	45	84.9	8	15.1	4	7.0
Los Angeles, Cal.	714	625	87.5	557	89.1	68	10.9	89	12.5
Louisville-Jefferson Co., Ky.	93	89	95.7	89	100.0	0	0.0	4	4.3
Memphis-Shelby Co., Tenn.	116	108	93.1	106	98.1	2	1.9	8	6.9
Miami-Dade Co., Fla.	297	286	96.3	273	95.5	13	4.5	11	3.7
Milwaukee, Wisc.	92	90	97.8	71	78.9	19	21.1	2	2.2
Minneapolis, Minn.	41	33	80.5	29	87.9	4	12.1	8	19.5
Nashville-Davidson Co., Tenn.	126	109	86.5	108	99.1	1	0.9	17	13.5
Newark, N.J.	154	144	93.5	107	74.3	37	25.7	10	6.5
New Orleans, La.	132	132	100.0	108	81.8	24	18.2	0	0.0
New York, N.Y.	1,900	1,245	65.5	974	78.2	271	21.8	655	34.5
Norfolk, Va.	39	37	94.9	36	97.3	1	2.7	2	5.1
Oakland, Cal.	53	43	81.1	39	90.7	4	9.3	10	18.9
Oklahoma City, Okla.	62	60	96.8	53	88.3	7	11.7	2	3.2
Omaha-Douglas Co., Nebr.	25	25	100.0	25	100.0	0	0.0	0	0.0
Philadelphia, Pa.	452	396	87.6	345	87.1	51	12.9	56	12.4
Phoenix, Ariz.	96	93	96.9	77	82.8	16	17.2	3	3.1
Pittsburgh, Pa.	70	66	94.3	61	92.4	5	7.6	4	5.7
Portland, Ore.	70	70	100.0	62	88.6	8	11.4	0	0.0
Rochester, N.Y.	53	48	90.6	46	95.8	2	4.2	5	9.4
Sacramento, Cal.	73	71	97.3	58	81.7	13	18.3	2	2.7
St. Louis, Mo.	85	84	98.8	82	97.6	2	2.4	1	1.2
St. Paul, Minn.	23	17	73.9	11	64.7	6	35.3	6	26.1
San Antonio, Tex.	154	147	95.5	120	81.6	27	18.4	7	4.5
San Diego, Cal.	139	115	82.7	94	81.7	21	18.3	24	17.3
San Francisco, Cal.	283	152	53.7	131	86.2	21	13.8	131	46.3
San Jose, Cal.	79	75	94.9	52	69.3	23	30.7	4	5.1
Seattle, Wash.	72	72	100.0	71	98.6	1	1.4	0	0.0
Tampa, Fla.	130	128	98.5	93	72.7	35	27.3	2	1.5
Toledo, Ohio	46	44	95.7	42	95.5	2	4.5	2	4.3
Tucson, Ariz.	56	54	96.4	42	77.8	12	22.2	2	3.6
Tulsa, Okla.	42	41	97.6	37	90.2	4	9.8	1	2.4
Washington, D.C.	253	230	90.9	183	79.6	47	20.4	23	9.1
Wichita, Kans.	21	19	90.5	15	78.9	4	21.1	2	9.5
<b>Total - 57 Cities</b>	<b>10,230</b>	<b>8,876</b>	<b>86.8</b>	<b>7,207</b>	<b>81.2</b>	<b>1,669</b>	<b>18.8</b>	<b>1,354</b>	<b>13.2</b>

Notes:  
 (1) Bacteriologic results based on smear and/or culture.  
 (2) County data are shown when information for principal city is not reported separately.  
 (3) Cases with form of disease not stated excluded from Tables 16 and 17.

**TABLE 17**  
*Extrapulmonary Tuberculosis Cases by Bacteriologic Status: Cities of 250,000 or More Population, 1976*

Cities	Total Extrapulmonary Cases	Cases With Bacteriologic Results						Cases With Bacteriology Not Known	
		Total		Positive		Negative		Number	Percent
		Number	Percent	Number	Percent	Number	Percent		
Akron, Ohio	2	2	100.0	2	100.0	0	0.0	0	0.0
Albuquerque-Bernalillo Co., N.M.	14	11	78.6	9	81.8	2	18.2	3	21.4
Atlanta-Fulton Co., Ga.	17	17	100.0	5	29.4	12	70.6	0	0.0
Austin, Tex.	8	7	87.5	6	85.7	1	14.3	1	12.5
Baltimore, Md.	45	43	95.6	27	62.8	16	37.2	2	4.4
Birmingham, Ala.	5	5	100.0	5	100.0	0	0.0	0	0.0
Boston, Mass.	32	18	56.3	17	94.4	1	5.6	14	43.7
Buffalo, N.Y.	17	17	100.0	12	70.6	5	29.4	0	0.0
Chicago, Ill.	85	74	87.1	57	77.0	17	23.0	11	12.9
Cincinnati, Ohio	6	5	83.3	5	100.0	0	0.0	1	16.7
Cleveland, Ohio	18	16	88.9	14	87.5	2	12.5	2	11.1
Columbus, Ohio	5	5	100.0	5	100.0	0	0.0	0	0.0
Dallas, Tex.	33	27	81.8	19	70.4	8	29.6	6	18.2
Denver, Colo.	14	14	100.0	14	100.0	0	0.0	0	0.0
Detroit, Mich.	77	74	96.1	65	87.8	9	12.2	3	3.9
El Paso, Tex.	17	17	100.0	12	70.6	5	29.4	0	0.0
Ft. Worth, Tex.	10	8	80.0	6	75.0	2	25.0	2	20.0
Honolulu, Hawaii	15	11	73.3	5	45.5	6	54.5	4	26.7
Houston, Tex.	44	40	90.9	30	75.0	10	25.0	4	9.1
Indianapolis-Marion Co., Ind.	8	5	62.5	5	100.0	0	0.0	3	37.5
Jacksonville, Fla.	28	17	60.7	12	70.6	5	29.4	11	39.3
Jersey City, N.J.	17	15	88.2	11	73.3	4	26.7	2	11.8
Kansas City, Mo.	11	6	54.5	6	100.0	0	0.0	5	45.5
Long Beach, Cal.	7	5	71.4	3	60.0	2	40.0	2	28.6
Los Angeles, Cal.	126	113	89.7	98	86.7	15	13.3	13	10.3
Louisville-Jefferson Co., Ky.	9	9	100.0	9	100.0	0	0.0	0	0.0
Memphis-Shelby Co., Tenn.	15	13	86.7	13	100.0	0	0.0	2	13.3
Miami-Dade Co., Fla.	47	23	48.9	23	100.0	0	0.0	24	51.1
Milwaukee, Wisc.	10	10	100.0	7	70.0	3	30.0	0	0.0
Minneapolis, Minn.	10	7	70.0	6	85.7	1	14.3	3	30.0
Nashville-Davidson Co., Tenn.	21	18	85.7	17	94.4	1	5.6	3	14.3
Newark, N.J.	50	46	92.0	28	60.9	18	39.1	4	8.0
New Orleans, La.	44	29	65.9	15	51.7	14	48.3	15	34.1
New York, N.Y.	255	138	54.1	102	73.9	36	26.1	117	45.9
Norfolk, Va.	3	3	100.0	3	100.0	0	0.0	0	0.0
Oakland, Cal.	5	3	60.0	2	66.7	1	33.3	2	40.0
Oklahoma City, Okla.	12	12	100.0	10	83.3	2	16.7	0	0.0
Omaha-Douglas Co., Nebr.	1	1	100.0	1	100.0	0	0.0	0	0.0
Philadelphia, Pa.	86	77	89.5	53	68.8	24	31.2	9	10.5
Phoenix, Ariz.	17	17	100.0	13	76.5	4	23.5	0	0.0
Pittsburgh, Pa.	21	21	100.0	13	61.9	8	38.1	0	0.0
Portland, Ore.	20	16	80.0	8	50.0	8	50.0	4	20.0
Rochester, N.Y.	14	14	100.0	12	85.7	2	14.3	0	0.0
Sacramento, Cal.	15	15	100.0	15	100.0	0	0.0	0	0.0
St. Louis, Mo.	7	7	100.0	6	85.7	1	14.3	0	0.0
St. Paul, Minn.	3	3	100.0	2	66.7	1	33.3	0	0.0
San Antonio, Tex.	19	19	100.0	14	73.7	5	26.3	0	0.0
San Diego, Cal.	15	13	86.7	10	76.9	3	23.1	2	13.3
San Francisco, Cal.	43	33	76.7	30	90.9	3	9.1	10	23.3
San Jose, Cal.	19	13	68.4	11	84.6	2	15.4	6	31.6
Seattle, Wash.	30	29	96.7	28	96.6	1	3.4	1	3.3
Tampa, Fla.	5	5	100.0	3	60.0	2	40.0	0	0.0
Toledo, Ohio	6	5	83.3	5	100.0	0	0.0	1	16.7
Tucson, Ariz.	10	9	90.0	6	66.7	3	33.3	1	10.0
Tulsa, Okla.	13	10	76.9	8	80.0	2	20.0	3	23.1
Washington, D.C.	66	59	89.4	34	57.6	25	42.4	7	10.6
Wichita, Kans.	1	1	100.0	0	0.0	1	100.0	0	0.0
<b>Total - 57 Cities</b>	<b>1,553</b>	<b>1,250</b>	<b>80.5</b>	<b>957</b>	<b>76.6</b>	<b>293</b>	<b>23.4</b>	<b>303</b>	<b>19.5</b>

Notes:  
(1) Bacteriologic results based on smear and/or culture.  
(2) County data are shown when information for principal city is not reported separately.  
(3) Cases with form of disease not stated excluded from Tables 16 and 17.

**TABLE 18 (Cont.)**  
*Tuberculosis Cases  
 and Case Rates:  
 Cities of 100,000  
 to 250,000  
 Population, 1976*

Cities	Tuberculosis Cases		
	Number	Rate	Rate Rank Order
Lincoln, Nebr.	6	3.5	94
Little Rock, Ark.	58	39.8	5
Livonia, Mich.	6	5.2	91
Lubbock, Tex.	15	9.5	78
Macon-Bibb Co., Ga.	19	13.3	58
Madison, Wisc.	13	7.7	85
Mobile-Mobile Co., Ala.	81	25.4	20
Montgomery-Montgomery Co., Ala.	46	27.5	17
New Bedford, Mass.	18	17.9	44
New Haven, Conn.	20	15.0	56
Newport News, Va.	40	28.9	16
Parma, Ohio	1	1.0	97
Pasadena, Cal.	14	13.0	60
Paterson, N.J.	59	40.0	4
Peoria, Ill.	13	10.1	75
Portsmouth, Va.	20	18.5	43
Providence, R.I.	32	19.3	36
Raleigh-Wake Co., N.C.	61	22.4	25
Richmond, Va.	76	33.5	8
Riverside, Cal.	27	17.5	47
Rockford, Ill.	30	20.0	33
St. Petersburg-Pinellas Co., Fla.	74	11.1	72
Salt Lake City, Utah	10	5.9	90
San Bernardino, Cal.	18	17.6	46
Santa Ana, Cal.	44	24.5	21
Savannah-Chatham Co., Ga.	55	30.6	11
Scranton, Pa.	16	16.5	51
Shreveport, La.	40	20.7	31
South Bend-St. Joseph Co., Ind.	20	8.4	82
Spokane, Wash.	33	18.9	40
Springfield, Mass.	19	11.3	71
Springfield-Greene Co., Mo.	21	12.5	63
Stamford, Conn.	8	7.4	86
Stockton, Cal.	65	54.9	1
Syracuse, N.Y.	35	19.3	37
Tacoma, Wash.	25	16.0	53
Topeka, Kans.	11	7.8	84
Torrance, Cal.	14	10.5	74
Trenton, N.J.	52	48.7	3
Virginia Beach, Va.	21	9.6	77
Warren, Mich.	16	9.1	81
Waterbury, Conn.	13	11.4	70
Winston-Salem-Forsyth Co., N.C.	45	19.6	35
Woodbridge Township, N.J.	13	12.8	61
Worcester, Mass.	28	16.2	52
Yonkers, N.Y.	23	12.1	67
Youngstown, Ohio	22	17.1	49
<b>Total - 97 Cities</b>	<b>2,904</b>	<b>17.8</b>	<b>-</b>

Note: County data are shown when information for principal city is not reported separately.

**TABLE 18**  
*Tuberculosis Cases  
and Case Rates:  
Cities of 100,000  
to 250,000  
Population, 1976*

Cities	Tuberculosis Cases		
	Number	Rate	Rate Rank Order
Albany, N.Y.	43	39.0	6
Alexandria, Va.	19	17.7	45
Allentown, Pa.	25	21.9	27
Amarillo, Tex.	7	6.2	89
Anaheim, Cal.	23	11.7	69
Baton Rouge, La.	67	33.8	7
Beaumont, Tex.	34	30.3	13
Berkeley, Cal.	14	13.0	59
Bridgeport, Conn.	18	11.8	68
Cambridge, Mass.	22	21.5	29
Camden, N.J.	32	31.8	10
Canton, Ohio	7	7.0	87
Cedar Rapids-Linn Co., Iowa	5	3.0	95
Charlotte-Mecklenburg Co., N.C.	83	21.7	28
Chattanooga-Hamilton Co., Tenn.	65	24.3	22
Chesapeake, Va.	13	12.5	62
Colorado Springs-El Paso Co., Colo.	4	1.3	96
Columbia, S.C.	60	52.4	2
Columbus, Ga.	20	12.5	64
Corpus Christi, Tex.	44	19.7	34
Dayton, Ohio	31	15.3	55
Dearborn, Mich.	10	9.9	76
Des Moines-Polk Co., Iowa	33	11.0	73
Duluth, Minn.	12	12.5	65
Elizabeth, N.J.	35	30.5	12
Erie, Pa.	28	22.3	26
Evansville-Vanderburgh Co., Ind.	30	18.5	42
Fall River, Mass.	26	25.9	19
Flint, Mich.	31	17.1	48
Ft. Lauderdale, Fla.	52	33.3	9
Ft. Wayne-Allen Co., Ind.	27	9.4	79
Fremont, Cal.	6	5.1	92
Fresno, Cal.	52	29.2	15
Garden Grove, Cal.	11	9.3	80
Gary, Ind.	34	18.9	41
Glendale, Cal.	9	6.7	88
Grand Rapids, Mich.	52	27.3	18
Greensboro-Guilford Co., N.C.	48	15.7	54
Hammond, Ind.	13	12.4	66
Hampton, Va.	22	17.0	50
Hartford, Conn.	36	23.5	23
Hollywood, Fla.	24	19.2	38
Huntington Beach, Cal.	6	4.0	93
Huntsville-Madison Co., Ala.	52	22.6	24
Jackson-Hinds Co., Miss.	47	20.3	32
Kansas City, Kans.	14	8.0	83
Knoxville-Knox Co., Tenn.	57	19.2	39
Lansing, Mich.	27	21.1	30
Las Vegas, Nev.	22	13.8	57
Lexington-Fayette Co., Ky.	56	29.5	14

**TABLE 18 (Cont.)**  
*Tuberculosis Cases  
and Case Rates:  
Cities of 100,000  
to 250,000  
Population, 1976*

Cities	Tuberculosis Cases		
	Number	Rate	Rate Rank Order
Lincoln, Nebr.	6	3.5	94
Little Rock, Ark.	58	39.8	5
Livonia, Mich.	6	5.2	91
Lubbock, Tex.	15	9.5	78
Macon-Bibb Co., Ga.	19	13.3	58
Madison, Wisc.	13	7.7	85
Mobile-Mobile Co., Ala.	81	25.4	20
Montgomery-Montgomery Co., Ala.	46	27.5	17
New Bedford, Mass.	18	17.9	44
New Haven, Conn.	20	15.0	56
Newport News, Va.	40	28.9	16
Parma, Ohio	1	1.0	97
Pasadena, Cal.	14	13.0	60
Paterson, N.J.	59	40.0	4
Peoria, Ill.	13	10.1	75
Portsmouth, Va.	20	18.5	43
Providence, R.I.	32	19.3	36
Raleigh-Wake Co., N.C.	61	22.4	25
Richmond, Va.	76	33.5	8
Riverside, Cal.	27	17.5	47
Rockford, Ill.	30	20.0	33
St. Petersburg-Pinellas Co., Fla.	74	11.1	72
Salt Lake City, Utah	10	5.9	90
San Bernardino, Cal.	18	17.6	46
Santa Ana, Cal.	44	24.5	21
Savannah-Chatham Co., Ga.	55	30.6	11
Scranton, Pa.	16	16.5	51
Shreveport, La.	40	20.7	31
South Bend-St. Joseph Co., Ind.	20	8.4	82
Spokane, Wash.	33	18.9	40
Springfield, Mass.	19	11.3	71
Springfield-Greene Co., Mo.	21	12.5	63
Stamford, Conn.	8	7.4	86
Stockton, Cal.	65	54.9	1
Syracuse, N.Y.	35	19.3	37
Tacoma, Wash.	25	16.0	53
Topeka, Kans.	11	7.8	84
Torrance, Cal.	14	10.5	74
Trenton, N.J.	52	48.7	3
Virginia Beach, Va.	21	9.6	77
Warren, Mich.	16	9.1	81
Waterbury, Conn.	13	11.4	70
Winston-Salem-Forsyth Co., N.C.	45	19.6	35
Woodbridge Township, N.J.	13	12.8	61
Worcester, Mass.	28	16.2	52
Yonkers, N.Y.	23	12.1	67
Youngstown, Ohio	22	17.1	49
<b>Total - 97 Cities</b>	<b>2,904</b>	<b>17.8</b>	<b>-</b>

Note: County data are shown when information for principal city is not reported separately.

Year	Tuberculosis Cases				Tuberculosis Deaths			
	Number	Rate	% Change		Number	Rate	% Change	
			Number	Rate			Number	Rate
1953	84,304	53.0	..	..	19,707	12.4	..	..
1954	79,775	49.3	-5.4	- 7.0	16,527	10.2	-16.1	-17.7
1955	77,368	46.9	-3.0	- 4.9	15,016	9.1	- 9.1	-10.8
1956	69,895	41.6	-9.7	-11.3	14,137	8.4	- 5.9	- 7.7
1957	67,149	39.2	-3.9	- 5.8	13,390	7.8	- 5.3	- 7.1
1958	63,534	36.5	-5.4	- 6.9	12,417	7.1	- 7.3	- 9.0
1959	57,535	32.5	-9.4	-11.0	11,474	6.5	- 7.6	- 8.5
1960	55,494	30.8	-3.5	- 5.2	10,866	6.0	- 5.3	- 7.7
1961	53,726	29.4	-3.2	- 4.5	9,938	5.4	- 8.5	-10.0
1962	53,315	28.7	-0.8	- 2.4	9,506	5.1	- 4.3	- 5.6
1963	54,042	28.7	+1.4	0.0	9,311	4.9	- 2.1	- 3.9
1964	50,874	26.6	-5.9	- 7.3	8,303	4.3	-10.8	-12.2
1965	49,016	25.3	-3.7	- 4.9	7,934	4.1	- 4.4	- 4.7
1966	47,767	24.4	-2.5	- 3.6	7,625	3.9	- 3.9	- 4.9
1967	45,647	23.1	-4.4	- 5.3	6,901	3.5	- 9.5	-10.3
1968	42,623	21.3	-6.6	- 7.8	6,292	3.1	- 8.8	-11.4
1969	39,120	19.4	-8.2	- 8.9	5,567	2.8	-11.5	- 9.7
1970	37,137	18.3	-5.1	- 5.7	5,217	2.6	- 6.3	- 7.1
1971	35,217	17.1	-5.2	- 6.6	4,501	2.2	-13.7	-15.4
1972	32,882	15.8	-6.6	- 7.6	4,376	2.1	- 2.8	- 4.5
1973	30,998	14.8	-5.7	- 6.3	3,875	1.8	-11.4	-14.3
1974	30,122	14.2	-2.8	- 4.1	3,513	1.7	- 9.3	- 5.6
1975	33,989	15.9	-	-	3,333	1.6	- 5.1	- 5.9
1976	32,105	15.0	-5.5	- 5.7	3,280*	1.5	- 1.6	- 6.3

**TABLE 19**  
*Tuberculosis Cases and Deaths, United States, 1953-1976*

\* Provisional. Deaths for 1976 are based on the NCHS ten percent sample of death certificates.

Note: Case data subsequent to 1974 are not comparable to prior years due to changes in diagnostic and classification standards which became effective in 1975.

