

The burden of Group B *Streptococcus* for pregnant women, stillbirths and children

Paper 2: Maternal colonization with Group B *Streptococcus* and serotype distribution worldwide: systematic review and meta-analyses

Supplementary information

Contents

The burden of Group B <i>Streptococcus</i> for pregnant women, stillbirths and children....	1
Paper 2: Maternal colonization with Group B <i>Streptococcus</i> and serotype distribution worldwide: systematic review and meta-analyses.....	1
Supplementary information.....	1
Supplementary Table S1: Search terms	4
Supplementary Table S2: Maternal GBS colonization: study characteristics of unpublished data	5
Supplementary Table S3: Maternal GBS colonization: study characteristics by analysis type	6
Supplementary Table S4: Study Characteristics: Maternal GBS Colonization in pregnancy	7
Supplementary Table S5: Study Characteristics: Maternal GBS Colonization in pregnancy with serotype data.	19
Supplementary Table S6: Maternal GBS colonization prevalence, by country	24
Supplementary Table S7: Maternal GBS colonization prevalence: comparison of sample site.	28
Supplementary Table S8: Maternal GBS Colonization prevalence: studies included in comparison of culture methods.....	30
Supplementary Table S9: Maternal GBS colonization prevalence: studies included in comparison of culture methods.....	31
Supplementary Table S10: Maternal GBS serotype distribution by UN sub-region	32
Supplementary Table S11: Maternal GBS serotype distribution by country	33
Supplementary Figure S1: Global distribution of maternal GBS colonization serotype data	35
Supplementary Figure S2: GBS Colonization prevalence: Setting described as rural	36
Supplementary Figure S3: GBS Colonization prevalence: setting described as mixed rural/urban.....	37
Supplementary Figure S4: Risk ratio for comparison between sampling site (inclusion of rectal swab sample).....	38
Supplementary Figure S5: Risk ratio for selective enrichment compared to selective conventional agar* alone without enrichment.....	39
Supplementary Figure S6: Risk ratio for detection with selective enrichment compared to unselective agar alone.....	40
Supplementary Figure S7: Maternal GBS prevalence by sub-region	41
Supplementary Figure S8: Maternal GBS prevalence in developed region: adjusted.....	42
Supplementary Figure S9: Maternal GBS prevalence in Africa: adjusted.....	43
Supplementary Figure S10: Maternal GBS prevalence in Latin America and the Caribbean: adjusted `	44
Supplementary Figure S11: Maternal GBS prevalence in Asia: adjusted`	45

Supplementary Figure S12: Maternal GBS colonization serotypes distribution worldwide	46
Supplementary Figure S13: GBS maternal colonization serotypes distribution in developed regions	47
Supplementary Figure S14: GBS maternal colonization serotypes distribution in Africa ..	48
Supplementary Figure S15: GBS maternal colonization serotypes distribution in South and Central America.....	49
Supplementary Figure S16: GBS maternal colonization serotypes distribution in Asia	50
References.....	51

Supplementary Table S1: Search terms

Matern* OR pregnan* OR Antenatal OR Antepartum OR Vagin* OR Recto-Vagin* OR
vagino-rectal OR rectovaginal OR Obstetric*OR Pregnancy {MeSH} OR Vagina
{MeSH} AND Streptococcus agalactiae OR group b streptococc* OR Streptococc*
group B OR Streptococcus agalactiae {MeSH} AND Epidemiolog* OR Prevalence
OR Colonis* OR Coloniz* OR Frequenc* OR Screen* OR Carriage OR Serotyp* OR
Rate OR Epidemiology {MeSH} OR Prevalence {MeSH} OR Screening {MeSH}

AND

Streptococcus

Streptococcal

Streptococci AND (Group AND B) or Agalactiae

Streptococcus Agalactiae MeSH Terms

Supplementary Table S2: Maternal GBS colonization: study characteristics of unpublished data

Country	Investigator	Years	Colonization	Serotypes	Number of women tested
South Africa	Cutland	2014-2016	Y	Y	4649
Mozambique	Madrid	2014-2015	Y	Y	320
Morocco	Bassat	2013	Y	N	347
Guatemala	Asturius		Y	N	990
India	Gaind	2015-2016	Y	N	400
India	Kumar	2003-2006	Y	Y	657
Bangladesh	Saha	2012-2013	Y	Y	1166
India	Anthony		Y	N	72
Overall					8601

Supplementary Table S3: Maternal GBS colonization: study characteristics by analysis type

Study Characteristics	Number of studies
Colonization prevalence	317
Serotype distribution	119
Selective enrichment / High sensitivity selective agar	249
Samples included rectal site	215
Timing of swab described as before 35 weeks	94
Timing of swab described as at delivery	82
Published before year 2000	45
Described inclusion of a Rural population	31
Contributed to adjustment factor analysis	39
Unpublished data sets	8
Total	390

Supplementary Table S4: Study Characteristics: Maternal GBS Colonization in pregnancy

Region	Country	Author	Year	Gestational age when swab taken	Sample Site for Swab	Selective enrichment / agar*	Women tested (n)	GBS Colonized (n)	Prevalence (%)
Australia and New	Australia	Gilbert[1]	2002	throughout	Recto/perianal and vaginal	Y	1096	296	27
Australia and New	Australia	Hiller[2]	2005	32/36/labor	Recto/perianal and vaginal	Y	865	168	19
Australia and New	Australia	Taylor[3]	2006	throughout pregnancy	Recto/perianal and vaginal	Y	168	43	26
Australia and New Zealand	New Zealand	Grimwood[4]	2002	35-37	Recto/perianal and vaginal	Y	240	52	22
Caribbean	Dominica	Fernandez[5]	2006	delivery	Recto/perianal and vaginal	Y	207	90	43
Caribbean	Trinidad	Orrett[6]	2004	3rd trimester	Recto/perianal and vaginal	Y	405	130	32
Caribbean	Trinidad	Orrett[7]	2003	3rd trimester	Recto/perianal and vaginal	Y	201	66	33
Caribbean	Trinidad	Orrett[8]	1994	3rd trimester	Recto/perianal and vaginal	Y	204	64	31
Caribbean	Cuba	Cruz[9]	2014	35-37	Recto/perianal and vaginal	Y	120	33	28
Central America	Mexico	Gonzalez[10]	2002	3rd trim	Recto/perianal and vaginal	N	691	97	14
Central America	Mexico	Gonzalez[11]	2004		Recto/perianal and vaginal	N	98	8	8
Central America	Mexico	Solorzano-Santos[12]	1989	throughout pregnancy	Vaginal	Y	340	35	10
Central America	Mexico	Lourdes-Collado[13]	1981	38	Cervical/rectal	Y	200	8	4
Central America	Mexico	Ocampo-Torres[14]	2000	labor	Recto/perianal and vaginal	N	910	78	9
Central America	Guatemala	Asturius	2016	>35 weeks	Recto/perianal and vaginal	Y	990	155	16
Eastern Africa	Zimbabwe	Mavenyengwa[1]	2010	20/26wk/delivery	Recto/perianal and vaginal	Y	672	142	21
Eastern Africa	Zimbabwe	Mavenyengwa[1]	2006	20-30	Recto/perianal and vaginal	Y	300	138	46
Eastern Africa	Zimbabwe	Mavenyengwa[1]	2006	20-30	Recto/perianal and vaginal	Y	100	60	60
Eastern Africa	Zimbabwe	Whitney[17]	2004	20-32	Vaginal	Y	210	25	12
Eastern Africa	Zimbabwe	Moyo[18]	2000	throughout	Recto/perianal and vaginal	Y	206	65	32

Eastern Africa	Zimbabwe	Mason[19]	1996	?	Vaginal	N	399	86	22
Eastern Africa	Zimbabwe	Mason[20]	1989	labor	Cervical/urethral	N	81	16	20
Eastern Africa	Malawi	Gray[21]	2011	3rd trimester	Recto/perianal and vaginal	Y	1857	390	21
Eastern Africa	Malawi	Dzowela[22]	2005	>34wks	Recto/perianal and vaginal	N	97	16	16
Eastern Africa	Kenya	Seale[23]	2016	delivery	Recto/perianal and vaginal	Y	526	47	9
Eastern Africa	Kenya	Seale[23]	2016	delivery	Recto/perianal and vaginal	Y	5470	608	11
Eastern Africa	Kenya	Seale[23]	2016	delivery	Recto/perianal and vaginal	Y	1971	279	14
Eastern Africa	Tanzania	Ernest[24]	2015	28-42wks	Recto/perianal and vaginal	N	295	28	9
Eastern Africa	Tanzania	Joachim[25]	2009	>37	Recto/perianal and vaginal	Y	300	69	23
Eastern Africa	Ethiopia	Woldu[26]	2014	35-37	Recto/perianal and vaginal	Y	300	22	7
Eastern Africa	Ethiopia	Alemseged[27]	2015	3rd trim	Vaginal	Y	139	19	14
Eastern Africa	Ethiopia	Mohammed[28]	2012	35-37	Recto/perianal and vaginal	Y	139	29	21
Eastern Africa	Ethiopia	Gebremeskel[29]	2015	35-37	Recto/perianal and vaginal	Y	150	17	11
Eastern Africa	Ethiopia	Mengist[30]	2016	35-37weeks	Recto/perianal and vaginal	Y	126	24	19
Eastern Africa	Mozambique	De Steenwinkel [31]	2008	35-37	Recto/perianal and vaginal	Y	113	2	2
Eastern Africa	Mozambique	Madrid	2016	34-37wks (200),	Recto/perianal and vaginal	Y	320	68	21
Eastern Africa	Ethiopia	Woldu[26]	2014	35-37	Recto/perianal and vaginal	Y	300	22	7
Eastern Asia	China	Yim[32]	1995	16-24weeks	Vaginal	N	367	4	1
Eastern Asia	China	Tsui[33]	2009	booking	Recto/perianal and vaginal	Y	1002	104	10
Eastern Asia	China	Wang[34]	2015	35-37	Recto/perianal and vaginal	N	863	56	6
Eastern Asia	China	Lu[35]	2014	35-37	Recto/perianal and vaginal	N	2850	201	7
Eastern Asia	China	Yanmin Ma[36]	2000	3 periods <20/20-	Vaginal	Y	1039	115	11
Eastern Asia	China	Zhang[37]	1995	delivery	Vaginal	N	600	48	8
Eastern Asia	China	Liang[38]	1986	>37wks	Cervical/rectal	Y	168	32	19
Eastern Asia	China	bsq[39]	2015	36-38 weeks	Recto/perianal and vaginal	Y	350	32	9
Eastern Asia	China	gxm[40]	2015	34-37 weeks	Recto/perianal and vaginal	N	1394	52	4
Eastern Asia	China	xax[41]	2015	35-37	Vaginal	N	600	52	9
Eastern Asia	China	wcl[42]	2015	35-37weeks	Recto/perianal and vaginal	Y	1282	106	8
Eastern Asia	China	zqn[43]	2015	36-39	Vaginal	Y	460	38	8
Eastern Asia	China	hr[44]	2015	35-37 weeks	Vaginal	Y	1305	157	12

Eastern Asia	China	zlh[45]	2015	35-37 weeks	Recto/perianal and vaginal	Y	10141	923	9
Eastern Asia	China	wj[46]	2015	35-42	Recto/perianal and vaginal	N	484	31	6
Eastern Asia	China	xdy[47]	2015	36-38 weeks	Recto/perianal and vaginal	Y	268	42	16
Eastern Asia	China	cy[48]	2015	35-37weeks	Recto/perianal and vaginal	Y	719	70	10
Eastern Asia	China	tlj[49]	2013	35-37	Recto/perianal and vaginal	Y	1580	110	7
Eastern Asia	China	whj[50]	2013	34-38	Recto/perianal and vaginal	Y	426	81	19
Eastern Asia	China	ch[51]	2013	35-37	Recto/perianal and vaginal	Y	500	72	14
Eastern Asia	China	sdh[52]	2013	35-38	Recto/perianal and vaginal	N	221	21	10
Eastern Asia	China	zy[53]	2013	36-38	Recto/perianal and vaginal	Y	300	25	8
Eastern Asia	China	wx[54]	2013	34-36	Rectal only	N	2776	60	2
Eastern Asia	China	hyj[55]	2013	35-37	Recto/perianal and vaginal	N	445	17	4
Eastern Asia	China	hgc[56]	2013	35-37	Recto/perianal and vaginal	Y	652	49	8
Eastern Asia	China	Xie[57]	2016		Vaginal	Y	200	20	10
Eastern Asia	China	Yan[58]	2016	?	Recto/perianal and vaginal	Y	398	21	5
Eastern Asia	China	Yang[59]	2014	>37wks	Vaginal	N	354	22	6
Eastern Asia	China	Li[60]	2016	35-37	Recto/perianal and vaginal	N	12200	2529	21
Eastern Asia	China	Fu[61]	2004	>35weeks	Recto/perianal and vaginal	Y	374	56	15
Eastern Asia	S.Korea	Kim[62]	2012	35-37	Recto/perianal and vaginal	Y	1845	169	9
Eastern Asia	S.Korea	Lee[63]	2010	35-37	Recto/perianal and vaginal	Y	2624	211	8
Eastern Asia	S.Korea	Hong[64]	2010	35-37	Recto/perianal and vaginal	Y	1205	121	10
Eastern Asia	S.Korea	Uh[65]	1997	delivery	Recto/perianal and vaginal	Y	459	27	6
Eastern Asia	S.Korea	Yook[66]	2013	35-37 weeks	Recto/perianal and vaginal	Y	5095	410	8
Eastern Asia	S.Korea	Kim[67]	2015	>20 weeks	Recto/perianal and vaginal	Y	107	8	7
Eastern Asia	Japan	Terakubo[68]	2002		Vaginal	Y	1404	187	13
Eastern Asia	Japan	Matsubara[69]	2002	28wks	Vaginal	Y	583	48	8
Eastern Asia	Japan	Kubota[70]	2002	22-36	Vaginal	N	4025	408	10
Eastern Asia	Japan	Morozumi[71]	2015	36-39wks	Vaginal	Y	1226	154	13
Eastern Europe	Hungary	Losonczi[72]	2002	36-37 weeks	Recto/perianal and vaginal	N	245	67	27
Eastern Europe	Hungary	Abrok[73]	2015	pregnancy	Vaginal	Y	100	27	27
Eastern Europe	Ukraine	Perebendyuk[74]	2013		Recto/perianal and vaginal	Y	52	10	19
Eastern Europe	Bulgaria	Kovachev[75]	2003	18wk/24wk	Vaginal	N	110	18	16

Eastern Europe	Czech	Motlova[76]	2004	delivery	Recto/perianal and vaginal	Y	586	172	29
Eastern Europe	Slovenia	Lucovnik[77]	2016	throughout (84% 35-	Vaginal	Y	1064	184	17
Eastern Europe	Slovenia	Lucovnik[77]	2016	throughout (84% 35-	Recto/perianal and vaginal	Y	464	73	16
Eastern Europe	Poland	Brzychczy-Wloch[78]	2013	35-37	Recto/perianal and vaginal	Y	3363	953	28
Eastern Europe	Poland	Romanik[79]	2014	37-40wks	Recto/perianal and vaginal	Y	80	23	29
Eastern Europe	Poland	Brzychczy-wloch [80]	2012	35-37	Recto/perianal and vaginal	Y	1176	353	30
Eastern Europe	Poland	Romanik[81]	2011	35-40	Recto/perianal and vaginal	Y	80	22	28
Eastern Europe	Poland	Kociszewska-Najman[82]	2010	>36 weeks	Recto/perianal and vaginal	Y	2212	252	11
Eastern Europe	Poland	lysakowska[83]	2011	35-37	Recto/perianal and vaginal	Y	105	31	30
Eastern Europe	Poland	Strus[84]	2009	as per CDC (35-37)	Recto/perianal and vaginal	Y	340	61	18
Eastern Europe	Poland	Krasnianin[85]	2009	delivery	Vaginal	Y	100	19	19
Eastern Europe	Poland	Brzychczy-wloch[86]	2009	35-37	Recto/perianal and vaginal	Y	1176	353	30
Eastern Europe	Poland	Brzychczy-wloch[87]	2008	3rd trimester	Recto/perianal and vaginal	Y	250	43	17
Eastern Europe	Poland	Brzychczy-wloch[87]	2008	3rd trimester	Vaginal	Y	223	30	13
Eastern Europe	Poland	Elzbieta[88]	2009	delivery	Recto/perianal and vaginal	Y	100	19	19
Eastern Europe	Poland	Kowalska[89]	2003	32-37	Recto/perianal and vaginal	Y	1678	331	20
Eastern Europe	Poland	Polish neonatal surveillance network	2016		Recto/perianal and vaginal	N	631	78	12
Eastern Europe	Poland	Pruss[90]	2015	35-37weeks	Recto/perianal and vaginal	Y	1111	250	23
Eastern Europe	Russia	Zatsiorskaya[91]	2014	12-18weeks	Recto/perianal and vaginal	N	491	30	6
Melanesia	Fiji	Gyaneshwar[92]	1987	<28 weeks	Vaginal	N	440	9	2
Middle Africa	Central	Brochet[93]	2009	third trimester	Vaginal	N	1000	175	18
Middle Africa	DRC	Mitima[94]	2014	3rd trim	Vaginal	Y	509	103	20
Middle Africa	Gabon	Capan-	2014	delivery	Recto/perianal and vaginal	Y	549	106	19

Northern Africa	Tunisia	Ferjani[96]	2005	3 groups 1st/2nd/3rd	Recto/perianal and vaginal	Y	300	39	13
Northern Africa	Tunisia	Ben Hamouda [97]	2008	labor >34wks	Vaginal	N	207	27	13
Northern Africa	Tunisia	Jerbi[98]	2007	term labor	Recto/perianal and vaginal	Y	294	38	13
Northern Africa	Egypt	Shabayek[99]	2009	35-40wks	Vaginal	Y	150	38	25
Northern Africa	Egypt	Abdelmoaty[100]	2009	35-41wks	Recto/perianal and vaginal	Y	150	39	26
Northern Africa	Egypt	Sadaka[101]	2017		Recto/perianal and vaginal	Y	200	53	27
Northern Africa	Morocco	Mahmoud[102]	2010	Del	Recto/perianal and vaginal	Y	240	56	23
Northern Africa	Morocco	Benbachir[103]	1983	throughout	Recto/perianal and vaginal	Y	35	7	20
Northern Africa	Morocco	Bassat	2013	32 weeks – delivery	Recto/perianal and vaginal	Y	347	82	24
Northern America	USA	Towers[104]	2010	late3rd trim + delivery	Recto/perianal and vaginal	Y	1472	296	20
Northern America	USA	Panda[105]	2009	35-37	Recto/perianal and vaginal	Y	350	106	30
Northern America	USA	Turrentine[106]	2008	35-37	Recto/perianal and vaginal	Y	5198	1325	25
Northern America	USA	Chen[107]	2006	35-37	Recto/perianal and vaginal	Y	2963	743	25
Northern America	USA	Whitney[17]	2004	20-32	Vaginal	Y	69	15	22
Northern America	USA	Campbell[108]	2000	labor	Recto/perianal and vaginal	Y	3307	856	26
Northern America	USA	Bland[109]	2001	>35 weeks	Recto/perianal and vaginal	Y	2111	574	27
Northern America	USA	Lin[110]	2011	>32 weeks	Recto/perianal and vaginal	Y	5497	1031	19
Northern America	Canada	Delpont[111]	2009	?	Recto/perianal and vaginal	Y	1460	322	22
Northern America	Canada	Spaetgens[112]	2002	35-37	Recto/perianal and vaginal	Y	1207	235	19
Northern America	Canada	Lavergne[113]	2006	35-37	Recto/perianal and vaginal	Y	949	201	21
Northern America	Canada	Wenman[114]	2001		Vaginal	N	1672	184	11
Northern America	Canada	Davies[115]	2001	36	Recto/perianal and vaginal	Y	1207	235	19
Northern Europe	Lithuania	Barcaite[116]	2012	labor 5.3% <34 wks	Recto/perianal and vaginal	N	970	148	15
Northern Europe	Iceland	Bjarnadottir[117]	2003	23-36	Recto/perianal and vaginal	Y	280	68	24
Northern Europe	Ireland	Whitney[17]	2004	20-32	Vaginal	Y	203	24	12
Northern Europe	Denmark	Stokholm[118]	2014	36	Vaginal	Y	442	44	10
Northern Europe	Denmark	Hansen[119]	2004	36-41	Recto/perianal and vaginal	Y	58	22	38
Northern Europe	UK	Hassan[120]	2011	34-40	Recto/perianal and vaginal	Y	100	19	19
Northern Europe	UK	Afshar[121]	2011	34-37	Recto/perianal and vaginal	Y	650	170	26
Northern Europe	UK	Jones[122]	2006	from 34 wks	Recto/perianal and vaginal	Y	748	159	21

Northern Europe	Norway	Brigtsen[123]	2015	35-37wks	Recto/perianal and vaginal	Y	1682	439	26
Northern Europe	Sweden	Hakansson[124]	2008	delivery	Recto/perianal and vaginal	Y	1569	356	23
South America	Brazil	Castellano-Filho[125]	2010	labor	Recto/perianal and vaginal	Y	221	21	10
South America	Brazil	Zusman[126]	2006	35-37	Vaginal	Y	598	107	18
South America	Brazil	Pogere[127]	2011	35 or more	Recto/perianal and vaginal	Y	273	59	22
South America	Brazil	Benchetrit[128]	1982	labor	Recto/perianal and vaginal	Y	86	22	26
South America	Brazil	Giraldo[129]	2012	in labor - (49 preterm)	Recto/perianal and vaginal	Y	45	7	16
South America	Brazil	Rocchetti[130]	2011	35-37	Recto/perianal and vaginal	Y	405	103	25
South America	Brazil	Linhares[131]	2011	20 weeks or more	Recto/perianal and vaginal	Y	213	21	10
South America	Brazil	Pires[132]	2010	>32wks	Recto/perianal and vaginal	Y	198	30	15
South America	Brazil	Costa[133]	2008	pregnancy at term , mean 39 weeks 4	Recto/perianal and vaginal	Y	201	41	20
South America	Brazil	Marconi[134]	2010	35-37 weeks	Recto/perianal and vaginal	Y	405	103	25
South America	Brazil	Borger[135]	2005	32-41 weeks	Recto/perianal and vaginal	Y	167	32	19
South America	Brazil	Kiss[136]	2013	not described	Recto/perianal and vaginal	Y	105	16	15
South America	Brazil	Simoes[137]	2007	delivery	Recto/perianal and vaginal	Y	316	46	15
South America	Brazil	Beitune[138]	2007	35-37	Recto/perianal and vaginal	Y	101	20	20
South America	Brazil	Beitune[139]	2006	35-37	Recto/perianal and vaginal	Y	106	15	14
South America	Brazil	Benchetrit[140]	1981	delivery	Recto/perianal and vaginal	Y	42	11	26
South America	Brazil	Chaves[141]	2008	35wks	Recto/perianal and vaginal	Y	102	25	25
South America	Brazil	Nunes[142]	2015	34-37 mainly	Recto/perianal and vaginal	N	144	58	40
South America	Brazil	Siqueira[143]	2015	32-37	Recto/perianal and vaginal	Y	411	58	14
South America	Argentin	Ronchi[144]	2011	35-37	Recto/perianal and vaginal	Y	324	21	6
South America	Argentin	Oviedo[145]	2013	35-37	Recto/perianal and vaginal	Y	3125	293	9
South America	Argentin	Quiroga[146]	2008	35-37	Recto/perianal and vaginal	Y	1105	84	8
South America	Argentin	Larcher[147]	2005	35-37	Recto/perianal and vaginal	Y	1228	17	1
South America	Argentin a	Di Bartolomeo [148]	2005	>35wks	Recto/perianal and vaginal	Y	1203	113	9
South America	Argentin	Toresani[149]	2001	26-40	Vaginal	Y	531	17	3
South America	Chile	Abarzua[150]	2014	35-37	Recto/perianal and vaginal	Y	1181	167	14

South America	Chile	Valdes[151]	2003	35-37	Recto/perianal and vaginal	N	1658	102	6
South America	Peru	Tamariz Ortiz[152]	2004	26-40 weeks	Recto/perianal and vaginal	Y	238	26	11
South America	Uruguay	Laufer[153]	2009	32-41	Recto/perianal and vaginal	Y	300	52	17
South America	Venezuel	Amesty[154]	2007	not described	Recto/perianal and vaginal	Y	100	18	18
South America	Venezuel	Riera[154]	1993	Term	Vaginal	Y	171	56	33
South America	Venezuela	Pina-Carruyo [155]	1979	2nd/3rd trimester	Vaginal	Y	122	34	28
South America	Colombi	Garcia[156]	2011	35-37.6	Recto/perianal and vaginal	N	130	1	1
South America	Colombi	Ceballos[157]	2014	mean 35.4	Recto/perianal and vaginal	Y	182	32	18
South America	Paragua	Ortiz[158]	2013	35 -37 weeks	Recto/perianal and vaginal	Y	203	48	24
South-eastern Asia	Thailand	kovavisarach[15]	2007	28-42	Recto/perianal and vaginal	Y	320	58	18
South-eastern Asia	Thailand	Werawatakul[16]	2001	labor	Vaginal	Y	901	56	6
South-eastern Asia	Thailand	Tor-Udom[161]	2006	35-37wks	Recto/perianal and vaginal	Y	406	65	16
South-eastern Asia	Thailand	Whitney[17]	2004	20-32	Vaginal	Y	200	24	12
South-eastern Asia	Thailand	Whitney[17]	2004	20-32	Vaginal	Y	200	29	15
South-eastern Asia	Myanmar	Turner[162]	2012	during labor	Recto/perianal and vaginal	Y	549	47	9
South-eastern Asia	Thailand	Kovavisarach[1]	2008	35-37	Recto/perianal and vaginal	Y	302	47	16
South-eastern Asia	Myanmar	Whitney[17]	2004	20-32	Vaginal	Y	226	16	7
South-eastern Asia	Vietnam	Goto[163]	2005	throughout pregnancy	Vaginal	N	505	22	4
South-eastern Asia	Malaysia	Raj[164]	2009	35-37	Recto/perianal and vaginal	N	56	18	32
South-eastern Asia	Malaysia	Lim[165]	1997	delivery	Vaginal	Y	196	19	10
South-eastern Asia	Singapor	Chua[166]	1995	throughout	Vaginal	N	326	46	14
South-eastern Asia	Singapor	Chow[167]	1981	delivery	Vaginal	Y	204	36	18
South-eastern Asia	Philippin	Whitney[17]	2004	20-32wks	Vaginal	Y	200	15	8
Southern Africa	South	Cutland[168]	2009	Labor	Vaginal	Y	3964	830	21
Southern Africa	South	Kwatra[169]	2014	20-25 / 26-30 / 31-35	Recto/perianal and vaginal	Y	521	148	28
Southern Africa	South	Cutland	2016	delivery	Vaginal	Y	4649	811	17
Southern Africa	South	Bolukaoto[170]	2015	16-38wks	Recto/perianal and vaginal	Y	413	128	31
Southern Africa	South	Madzivhandila[1]	2011	Labor	Vaginal	Y	2561	551	22
Southern Africa	South	Monyama[172]	2016	>16 weeks	Recto/perianal and vaginal	Y	413	128	31

Southern Africa	South	Chukwu[173]	2015	16-38	Recto/perianal and vaginal	Y	413	128	31
Southern Africa	South	Dangor[174]	2016	26-37	Recto/perianal and vaginal	Y	284	72	25
Southern Asia	India	Sharmila[175]	2011	35-37	Recto/perianal and vaginal	Y	300	7	2
Southern Asia	India	Kulkarni[176]	2001	delivery	Recto/perianal and vaginal	Y	317	8	3
Southern Asia	India	Hajare[177]	2012	29-40wks	Vaginal	N	200	15	8
Southern Asia	India	Madhavi[178]	2011	3rd trim	Vaginal	N	200	15	8
Southern Asia	India	Goyal[179]	2004	35-37	Vaginal	Y	304	4	1
Southern Asia	India	Dalal[180]	1999	throughout pregnancy	Vaginal	Y	507	49	10
Southern Asia	India	Mani[181]	1984	delivery	Vaginal	Y	325	19	6
Southern Asia	India	Kishore[182]	1986	delivery	Vaginal	N	212	1	0
Southern Asia	India	Nagar[183]	2007	35-77 or delivery	Vaginal	Y	150	19	13
Southern Asia	India	Rajaratnam[184]	2013	35-37wks	Vaginal	N	349	29	8
Southern Asia	India	Konikkara[185]	2014	35-37weeks	Recto/perianal and vaginal	Y	50	8	16
Southern Asia	India	Konikarra	2013	35-37 weeks	Vaginal	Y	150	19	13
Southern Asia	India	Muthusami[186]	2007	3rd trimester	Vaginal	N	77	4	5
Southern Asia	India	Gaind	2016	>37weeks	Recto/perianal and vaginal	Y	400	38	10
Southern Asia	India	Anthony	2016	35-37 weeks	Recto/perianal and vaginal	N	72	18	25
Southern Asia	India	Kumar	2016	>34 weeks	Recto/perianal and vaginal	Y	657	42	6
Southern Asia	India	Chaudhary[187]	1981	delivery	Vaginal	Y	100	16	16
Southern Asia	India	Dechen[188]	2010		Vaginal	N	524	25	5
Southern Asia	India	Das[189]	2003	delivery	Vaginal	Y	200	15	8
Southern Asia	India	Patil[190]	2013	delivery >35weeks	Recto/perianal and vaginal	Y	905	110	12
Southern Asia	India	Khatoon[191]	2016	delivery	Recto/perianal and vaginal	Y	300	6	2
Southern Asia	India	Chaudhary[191]	2016	3rd trimester	Recto/perianal and vaginal	Y	300	45	15
Southern Asia	Pakistan	Chaudhry[192]	2010	delivery >37wks	Vaginal	Y	200	17	9
Southern Asia	Pakistan	Kirmani[193]	1994	delivery	Vaginal	Y	60	7	12
Southern Asia	Pakistan	Ahktar[194]	1987	delivery	Vaginal	Y	202	47	23
Southern Asia	Pakistan	Hafeez[195]	1997	3rd trimester	Vaginal	N	200	9	5
Southern Asia	Pakistan	Munir[196]	2016	3rd trimester	Vaginal	N	200	28	14
Southern Asia	Banglad	Chan[197]	2013	>30	Recto/perianal and vaginal	Y	1219	94	8
Southern Asia	Banglad	Saha	2016	>30 weeks, delivery	Recto/perianal and vaginal	Y	1166	172	15

Southern Asia	Iran	Hadavand[198]	2015	35-37	Recto/perianal and vaginal	N	210	7	3
Southern Asia	Iran	Tajbakhsh[199]	2013	>35wks	Vaginal	Y	285	27	9
Southern Asia	Iran	Shirazi[200]	2014	35-37	Vaginal	N	980	48	5
Southern Asia	Iran	Absalan[201]	2013	?	Recto/perianal and vaginal	N	250	49	20
Southern Asia	Iran	Jahromi[202]	2008	>24wks in labor	Recto/perianal and vaginal	Y	1197	110	9
Southern Asia	Iran	Hamed[203]	2012	in labor (8% <34wks)	Recto/perianal and vaginal	N	200	12	6
Southern Asia	Iran	Seyyed[204]	2013	>37 weeks	Recto/perianal and vaginal	Y	178	36	20
Southern Asia	Iran	Hassanzadeh[205]	2011	labor- mean 38.2	Recto/perianal and vaginal	Y	310	43	14
Southern Asia	Iran	Moghaddam[206]	2010	3rd trim	Recto/perianal and vaginal	Y	201	25	12
Southern Asia	Iran	Fatemi[207]	2010	labor	Vaginal	Y	330	68	21
Southern Asia	Iran	Mansouri[208]	2008	35-37	Vaginal	Y	602	55	9
Southern Asia	Iran	Aali[209]	2007	term, delivery	Vaginal	N	105	7	7
Southern Asia	Iran	Rabiee[210]	2006	>20 weeks	Vaginal	N	544	145	27
Southern Asia	Iran	Bornasi[211]	2016	35-37	Vaginal	N	500	60	12
Southern Asia	Iran	Goudarzi[212]	2015	35-37	Recto/perianal and vaginal	Y	100	17	17
Southern Europe	Bosnia	Numanovic[213]	2017		Vaginal	N	100	7	7
Southern Europe	Croatia	Muller-Vranjes [214]	2011	35-37	Recto/perianal and vaginal	Y	59	12	20
Southern Europe	Croatia	Trischler-Ceke[215]	2010	35-37	Recto/perianal and vaginal	Y	404	59	15
Southern Europe	Spain	Leibana-Martos[216]	2015	35-37	Recto/perianal and vaginal	Y	1180	188	16
Southern Europe	Spain	Dadvand[217]	2011	36	Recto/perianal and vaginal	Y	7976	1359	17
Southern Europe	Spain	Marimon[218]	2005	35-37	Recto/perianal and vaginal	Y	7084	1276	18
Southern Europe	Spain	Ramos[219]	2009	35-37	Recto/perianal and vaginal	Y	1416	204	14
Southern Europe	Spain	Bayo[220]	2002	35-40	Vaginal	Y	623	44	7
Southern Europe	Spain	Mestres[221]	2008	from 24 weeks	Recto/perianal and vaginal	Y	5670	1028	18
Southern Europe	Spain	RojoBezares[222]	2016	35-37	Recto/perianal and vaginal	Y	2730	375	14
Southern Europe	Italy	Berardi[223]	2014	35-37	Vaginal	Y	3630	874	24
Southern Europe	Italy	Savoia[224]	2008	35-37	Recto/perianal and vaginal	Y	400	73	18
Southern Europe	Italy	Roccasalva[225]	2008	35-37	Recto/perianal and vaginal	Y	60	7	12

Southern Europe	Italy	Busetti[226]	2007	35-37	Recto/perianal and vaginal	Y	5020	901	18
Southern Europe	Italy	Lijoi[227]	2007	35-37	Recto/perianal and vaginal	Y	1273	209	16
Southern Europe	Italy	De Luca[228]	2016	delivery	Recto/perianal and vaginal	Y	241	96	40
Southern Europe	Greece	Prifti[229]	2012	?	Vaginal	N	2793	93	3
Southern Europe	Greece	Daskalakis[230]	2006	22-25wks	Vaginal	N	1197	150	13
Southern Europe	Greece	Tsolia[231]	2003	>35wks or delivery	Recto/perianal and vaginal	Y	1014	67	7
Western Africa	Gambia	Suara[232]	1994	Del	Recto/perianal and vaginal	Y	136	30	22
Western Africa	Gambia	Le Doare[233]	2016	del	Recto/perianal and vaginal	Y	750	253	34
Western Africa	Nigeria	Uhiara[234]	1993	Del	Recto/perianal and vaginal	N	100	14	14
Western Africa	Nigeria	Dawodu[235]	1983	Del	Vaginal	Y	225	44	20
Western Africa	Nigeria	Onipede[236]	2012	35-40wks	Vaginal	Y	150	20	13
Western Africa	Nigeria	Olanisebe[237]	1986	28-36wks	Vaginal	Y	500	8	2
Western Africa	Nigeria	Onile[238]	1980	delivery	Vaginal	Y	388	71	18
Western Africa	Nigeria	Onwuezobe[239]	2016	35-37	Recto/perianal and vaginal	Y	150	2	1
Western Africa	Nigeria	Nwachukwu[240]	2006	3rd trimester	Recto/perianal and vaginal	N	200	18	9
Western Africa	Senegal	Denis[241]	1979	delivery	Vaginal	N	100	6	6
Western Africa	Senegal	Brochet[93]	2009	third trimester	Vaginal	Y	797	159	20
Western Africa	Ghana	Vinnemeier[242]	2015	>35	Recto/perianal and vaginal	Y	103	24	23
Western Africa	Ghana	Vinnemeier[242]	2015	>35	Recto/perianal and vaginal	Y	399	73	18
Western Africa	Togo	Balaka[243]	2005	29-40	Vaginal	N	306	13	4
Western Africa	Togo	Mounerou[244]	2015	34-38	Vaginal	N	200	5	3
Western Africa	Togo	David-	1991	delivery	Recto/perianal and vaginal	Y	106	4	4
Western Africa	Ghana	Enweronu-Laryea[246]	2011	>28wks	Recto/perianal and vaginal	Y	100	19	19
Western Africa	Ivory	Faye-Kette[247]	1991	throughout	Vaginal	N	150	29	19
Western Asia	Turkey	Karadag[248]	2013	24-44	Recto/perianal and vaginal	Y	300	9	3
Western Asia	Turkey	Yenisehirli[249]	2006	35-37	Vaginal	Y	671	98	15
Western Asia	Turkey	Kadanali[250]	2005	22-40	Recto/perianal and vaginal	Y	150	48	32
Western Asia	Turkey	Eren[251]	2005	delivery	Recto/perianal and vaginal	Y	500	46	9
Western Asia	Turkey	Barbaros[252]	2005	delivery	Recto/perianal and vaginal	Y	300	24	8
Western Asia	Turkey	Yucesoy[253]	2004	35-37 - or preterm	Recto/perianal and vaginal	Y	200	13	7

Western Asia	Turkey	Arisoy[254]	2003	35-37	Recto/perianal and vaginal	Y	310	33	11
Western Asia	Turkey	Altöparlak[255]	2004	22-40 (mean31.4)	Vaginal	N	150	41	27
Western Asia	Turkey	Akman[256]	2001	35-37	Recto/perianal and vaginal	Y	100	10	10
Western Asia	Turkey	Celebi[257]	1992	delivery	Vaginal	Y	76	4	5
Western Asia	Turkey	gokalp[258]	1986	delivery	Recto/perianal and vaginal	Y	100	7	7
Western Asia	Turkey	gokalp[259]	1985	delivery	Recto/perianal and vaginal	Y	40	4	10
Western Asia	Turkey	gokalp[260]	1988	delivery >37 wks	Recto/perianal and vaginal	Y	110	9	8
Western Asia	Turkey	Ayata[261]	1994	labor	Recto/perianal and vaginal	Y	114	10	9
Western Asia	Turkey	Alp[262]	2016	?	Recto/perianal and vaginal	Y	215	21	10
Western Asia	Kuwait	Al-Sweih[263]	2005	delivery	Recto/perianal and vaginal	Y	847	124	15
Western Asia	Kuwait	Al-Sweih[264]	2004	35-37	Recto/perianal and vaginal	Y	110	18	16
Western Asia	Kuwait	Ghaddar[265]	2014	35-37	Recto/perianal and vaginal	N	1391	288	21
Western Asia	United	Sidky[266]	2002	delivery	Recto/perianal and vaginal	Y	891	192	22
Western Asia	United	Amin[267]	2002	delivery	Recto/perianal and vaginal	Y	563	57	10
Western Asia	Saudi	Zamzami[268]	2011	delivery	Recto/perianal and vaginal	Y	326	103	32
Western Asia	Saudi	El-Kersh[269]	2002	>28 wks	Recto/perianal and vaginal	Y	217	66	30
Western Asia	Saudi Arabia	Gosling and Morgos[270]	1983	delivery	Recto/perianal and vaginal	Y	115	16	14
Western Asia	Saudi	uduman[271]	1985	delivery	Vaginal	N	260	24	9
Western Asia	Saudi	Al-	1991	33wks	Recto/perianal and vaginal	Y	1939	334	17
Western Asia	Saudi	Khan[273]	2015	>35 weeks	Vaginal	Y	1328	178	13
Western Asia	Lebanon	Seoud[274]	2010	del - mean 38+4	Recto/perianal and vaginal	N	775	137	18
Western Asia	Lebanon	Chaaya[275]	1996	delivery 32-42wks	Vaginal	N	166	13	8
Western Asia	Lebanon	Ghaddar[265]	2014	35-37	Vaginal	Y	168	31	18
Western Asia	Jordan	Sunna[276]	1991	3rd trimester	Recto/perianal and vaginal	Y	500	152	30
Western Asia	Israel	Eisenberg[277]	2006	labor	Recto/perianal and vaginal	Y	629	86	14
Western Asia	Israel	Marchaim[278]	2003	>35 wks delivery	Recto/perianal and vaginal	Y	681	84	12
Western Asia	Israel	Eidelman[279]	1990	delivery	Vaginal	Y	446	17	4
Western Asia	Israel	Drai-Hasid[280]	2015	delivery	Recto/perianal and vaginal	Y	436	77	18
Western Europe	France	Chhin[281]	2013	34-38	Vaginal	N	3046	471	15

Western Europe	France	Van Der Mee-Marquet[282]	2009	35-38	Vaginal	Y	500	39	8
Western Europe	France	Honderlick[283]	2010	3rd trim	Vaginal	Y	11718	1663	14
Western Europe	France	Mereghetti[284]	2007	34-38wks	Vaginal	N	1460	87	6
Western Europe	France	Chhuy[285]	2005	>34wks	Vaginal	N	1674	116	7
Western Europe	France	Jaureguy[286]	2003	35-37wks	Recto/perianal and vaginal	Y	370	57	15
Western Europe	France	Volumenie[287]	2001	35-37	Vaginal	N	3906	559	14
Western Europe	Belgium	El Aila[288]	2009	35-37	Recto/perianal and vaginal	Y	150	36	24
Western Europe	Germany	Kunze[289]	2015	delivery	Recto/perianal and vaginal	Y	784	133	17
Western Europe	Germany	Kunze[290]	2011	35-37	Recto/perianal and vaginal	Y	869	183	21
Western Europe	Germany	Brimil[291]	2006	?	Recto/perianal and vaginal	Y	210	34	16
Western Europe	Netherlands	Valkenberg-van den Berg[292]	2006	35-37	Recto/perianal and vaginal	Y	1702	365	21
Western Europe	Switzerland	Capanna[293]	2013	35-37weeks	Recto/perianal and vaginal	Y	760	124	16
Western Europe	Switzerland	Rausch[294]	2009	?	Recto/perianal and vaginal	Y	1316	276	21
Western Europe	Austria	Hafner[295]	1998	34 weeks	Recto/perianal and vaginal	Y	3569	520	15
Western Europe	Reunion	Dahan-	2011	>24wks	Vaginal	N	17430	2911	17

Supplementary Table S5: Study Characteristics: Maternal GBS Colonization in pregnancy with serotype data.

Region	Country	Author	Year	No. of isolates	Serotypes								
					Ia/Ib	Ia	Ib	II	III	IV	V	VI-IX	NT
Australia and New Zealand	Australia	Taylor[297]	2006	19	7	5	2	0	9	0	0	1	2
Australia and New Zealand	Australia	Ko[298]	2015	408	218	187	31	40	142	5	113	6	9
Australia and New Zealand	New Zealand	Grimwood[299]	2002	52	21	11	10	3	15	0	10	2	0
Central America	Mexico	Gonzales[11]	2004	31	24	0	0	5	2	0	0	0	0
Central America	Mexico	Solorzano-Santos[12]	1989	33	22	19	3	4	1	0	0	0	6
Central America	Mexico	Gonzalez - Pedraza[10]	2002	101	62	62	0	26	13	0	0	0	0
Central America	Mexico	Ocampo-Torres[14]	2000	78	53	0	0	15	10	0	0	0	0
Eastern Africa	Zimbabwe	Moyo[18]	2000	92	13	10	3	1	38	3	34	0	2
Eastern Africa	Zimbabwe	Moyo[300]	2002	117	23	17	6	5	53	6	28	0	2
Eastern Africa	Malawi	Gray[21]	2011	390	95	71	24	40	152	1	93	3	6
Eastern Africa	Kenya	Seale[23]	2016	915	308	194	114	80	350	18	156	3	0
Eastern Africa	Mozambique	Madrid	2016	64	15	9	6	3	6	3	20	0	17
Eastern Asia	China	Wang[34]	2015	56	19	10	9	3	18	0	8	0	8
Eastern Asia	China	Lu[35]	2014	201	67	43	24	14	84	1	30	4	1
Eastern Asia	China	Shen[301]	2000	155	43	39	4	55	40	0	6	0	11
Eastern Asia	China	Shen[302]	1998	22	8	5	3	7	4	1	0	0	2
Eastern Asia	China	tjj[303]	2015	56	19	10	9	3	18	0	8	0	8
Eastern Asia	China	Yan[304]	2016	231	76	52	24	12	83	0	49	5	6

Eastern Asia	China	Lu[305]	2015	160	51	33	18	10	72	0	23	1	3
Eastern Asia	China	Van Elzakker[303]	2009	58	18	13	5	2	19	0	15	2	0
Eastern Asia	S.Korea	Seo[306]	2010	145	42	26	16	8	51	0	35	9	0
Eastern Asia	S.Korea	Lee[307]	2010	315	68	38	30	14	13	0	64	26	5
Eastern Asia	S.Korea	Lee[63]	2010	318	72	35	37	19	11	0	87	29	0
Eastern Asia	S.Korea	Hong[64]	2010	177	35	23	12	10	63	4	43	0	22
Eastern Asia	S.Korea	Oh[308]	2009	42	13	11	2	2	12	0	11	4	0
Eastern Asia	S.Korea	Uh[65]	1997	29	21	7	14	0	6	0	0	0	2
Eastern Asia	S.Korea	Lee[307]	2010	318	72	35	37	19	11	0	87	29	0
Eastern Asia	Japan	Wakimoto[309]	2011	198	59	26	33	13	15	1	17	91	2
Eastern Asia	Japan	kimura[310]	2013	139	36	10	26	18	17	2	29	38	1
Eastern Asia	Japan	terakubo[68]	2002	187	28	16	12	3	19	0	16	10	0
Eastern Asia	Japan	Matsubara[69]	2002	48	10	4	6	4	5	0	3	22	0
Eastern Asia	Japan	Morozumi[71]	2015	154	56	24	32	7	26	5	27	32	1
Eastern Europe	Romania	Cristea[311]	2011	257	63	51	12	29	84	7	60	0	14
Eastern Europe	Romania	Usein[312]	2009	13	3	1	2	5	3	0	2	0	0
Eastern Europe	Romania	Usein[312]	2009	39	12	6	6	7	11	6	3	0	0
Eastern Europe	Czech Republic	Motlova[76]	2004	172	38	38	0	0	57	0	24	0	0
Eastern Europe	Poland	Romanik[313]	2014	23	10	10	0	0	5	0	7	0	0
Eastern Europe	Poland	Brzychczy-wloch[80]	2012	353	99	71	28	53	12	17	61	0	0
Eastern Europe	Poland	Brzychczy-wloch[314]	2010	100	32	25	7	14	29	7	18	0	0
Eastern Europe	Poland	Wolski[315]	2009	100	30	0	0	7	32	0	0	0	9
Eastern Europe	Poland	Brzychczy-wloch[86]	2009	353	99	71	28	53	12	18	60	0	0

Middle Africa	Central African Republic	Brochet[93]	2009	88	31	24	7	20	15	0	22	0	0
Middle Africa	Gabon	Belard[316]	2015	109	39	14	25	7	30	0	33	0	0
Northern Africa	Algeria	Bergal[317]	2015	44	2	2	0	11	10	0	21	0	0
Northern Africa	Morocco	Benbachir[103]	1983	15	7	6	1	3	4	0	0	0	1
Northern America	USA	Campbell[318]	2000	856	28	22	64	15	18	0	17	2	11
					9	5		5	3		9		
Northern America	USA	Croak[318]	2003	145	36	25	11	17	24	5	46	1	16
Northern America	Canada	Davies[115]	2001	118	34	24	10	10	18	0	33	0	23
Northern America	Canada	Davies[115]	2001	233	78	53	25	30	48	5	45	1	26
Northern America	Canada	Teatero[116]	2017	102	36	24	12	13	26	6	20	1	0
Northern Europe	Lithuania	Barcaite[116]	2012	148	51	44	7	16	51	13	11	3	3
Northern Europe	Ireland	Meehan[319]	2014	18	5	4	1	3	7	0	2	1	0
Northern Europe	Ireland	Whitney[17]	2004	20	8	7	1	1	6	0	4	0	1
Northern Europe	Ireland	Dore[320]	2003	87	23	15	8	13	30	2	14	0	5
Northern Europe	UK	Jones[321]	2006	159	66	41	25	15	42	0	30	0	0
Northern Europe	Norway	Brigsten[322]	2015	426	10	67	42	59	10	0	72	17	3
					9				6				
Northern Europe	Sweden	Hakansson[124]	2008	356	85	39	46	57	85	53	68	5	3
Northern Europe	Sweden	Berg[323]	2000	114	30	15	15	13	36	3	25	0	7
South America	Brazil	Benchetrit[324]	1982	31	20	10	10	5	3	0	0	0	3
South America	Brazil	Soares[325]	2013	39	6	4	2	3	15	0	10	0	0
South America	Brazil	Palmeiro[326]	2010	30	17	12	5	6	1	1	2	0	3
South America	Brazil	Simoes[137]	2007	47	20	9	11	9	3	3	4	0	8
South America	Argentina	Oviedo[145]	2013	112	55	45	10	11	24	0	13	5	4
South-eastern Asia	Thailand	Whitney[17]	2004	24	5	5	0	3	3	0	12	0	1
South-eastern Asia	Thailand	Whitney[17]	2004	28	5	4	1	4	6	0	2	9	2
South-eastern Asia	Myanmar	Turner[162]	2012	66	12	11	1	16	8	4	8	19	3
South-eastern Asia	Myanmar	Whitney[17]	2004	14	2	2	0	5	0	0	5	0	2
South-eastern Asia	Malaysia	Dhanoa[327]	2010	200	26	23	3	11	24	20	38	47	34
South-eastern Asia	Malaysia	Eskandarian[17]	2015	49	6	6	0	5	2	0	9	27	0
South-eastern Asia	Malaysia	Suhaimi[328]	2017	12	7	7	0	0	2	0	2	1	0
South-eastern Asia	Philippines	Whitney[17]	2004	15	2	1	1	4	5	0	2	1	1

Southern Africa	South Africa	Kwatra[169]	2014	507	13 4	12 0	14	22	93	0	36	0	0
Southern Africa	South Africa	Cutland	2016	811	36 5	30 5	60	77	21 0	20	11 3	0	26
Southern Africa	South Africa	Madzivhandila[171]	2011	541	19 9	16 3	36	61	20 2	20	55	0	4
Southern Africa	South Africa	Chukwu[173]	2015	128	44	33	11	20	38	11	14	0	0
Southern Africa	South Africa	Dangor[174]	2016	72	39	39	0	0	14	0	12	0	0
Southern Asia	India	Mani[181]	1984	19	10	4	6	8	1	0	0	0	0
Southern Asia	India	Kumar	2016	54	41	29	12	0	3	0	3	0	2
Southern Asia	India	Chaudhary	2016	45	8	6	2	9	10	0	9	3	6
Southern Asia	Bangladesh	Chan[197]	2013	94	26	23	3	7	9	0	28	20	4
Southern Asia	Bangladesh	Saha	2016	172	71	69	2	24	20	1	40	16	0
Southern Asia	Iran	Beigverdi[329]	2014	41	3	0	3	6	27	0	2	0	2
Southern Asia	Iran	jannati[330]	2012	56	9	4	5	7	6	7	11	12	4
Southern Asia	Iran	Bornasi[331]	2016	60	15	11	4	10	27	0	8	0	0
Southern Asia	Iran	Sadeh[332]	2016	30	7	5	2	6	15	0	2	0	0
Southern Europe	Portugal	Martins[331]	2000	269	56	42	14	46	59	6	59	5	38
Southern Europe	Spain	Leibana-Martos[216]	2015	188	48	42	6	31	52	8	35	9	5
Southern Europe	Spain	Puertas[333]	2010	150	38	38	0	15	50	11	21	3	10
Southern Europe	Spain	Liebana [334]	2010	188	46	38	8	23	53	11	31	12	12
Southern Europe	Spain	Perez-Ruiz[335]	2003	31	13	9	4	4	12	0	2	0	0
Southern Europe	Spain	Rojo-Bezares[222]	2016	65	16	8	8	9	22	2	16	0	0
Southern Europe	Italy	Savoia[336]	2008	73	21	16	5	4	23	6	19	0	0
Southern Europe	Greece	Daskalakis[230]	2006	67	21	13	8	18	15	2	6	5	0
Western Africa	Gambia	Suara[232]	1994	32	6	0	0	9	2	1	12	0	2
Western Africa	Gambia	Le Doare[233]	2016	237	36	20	16	39	24	0	13 0	0	0
Western Africa	Senegal	Brochet[93]	2009	75	17	13	4	9	16	0	33	0	0
Western Africa	Ghana	Vinnemeier[242]	2015	24	7	2	5	3	7	0	5	0	2
Western Africa	Ghana	Vinnemeier[242]	2015	72	28	25	3	6	14	0	21	0	3
Western Asia	Turkey	Ekin[337]	2015	56	9	9	0	10	7	2	0	7	21

Western Asia	Turkey	Yenisehirli[249]	2006	98	31	7	24	2	33	3	18	0	11
Western Asia	Turkey	Ekin[338]	2006	72	24	24	0	0	0	6	4	0	23
Western Asia	Turkey	Eren[251]	2005	54	16	14	2	16	10	1	0	0	11
Western Asia	Kuwait	Udo[339]	2013	154	21	16	5	16	30	5	59	6	17
Western Asia	Kuwait	boswih[340]	2012	143	16	11	5	16	30	5	55	5	16
Western Asia	Kuwait	Al-Sweih[263]	2005	124	14	11	3	10	33	1	27	17	22
Western Asia	United Arab Emirates	Amin[267]	2002	57	14	12	2	2	10	15	7	0	9
Western Asia	Lebanon	Seoud[274]	2010	137	29	20	9	15	22	1	31	0	39
Western Asia	Lebanon	Hannoun[341]	2009	76	14	0	0	10	15	6	9	22	0
Western Asia	Israel	Marchaim[342]	2006	72	18	10	8	22	15	2	10	1	4
Western Asia	Israel	Bisharat[343]	2005	104	21	12	9	23	26	0	18	0	16
Western Europe	France	Van Der Mee-Marquet[344]	2009	39	13	10	3	0	16	0	7	0	0
Western Europe	France	Lamy[345]	2006	42	12	5	7	3	22	0	2	0	3
Western Europe	Belgium	El Aila[288]	2009	122	26	13	13	13	25	15	25	0	18
Western Europe	Germany	Kunze[289]	2015	165	52	40	12	25	46	8	32	2	0
Western Europe	Germany	Kunze[290]	2011	156	54	25	29	19	43	9	23	0	6
Western Europe	Germany	Von Both[346]	2003	146	37	26	11	22	43	4	19	0	21
Western Europe	Netherlands	Muller[347]	2008	39	8	0	0	3	2	2	2	0	0
Western Europe	Netherlands	Van Elzakker[348]	2009	92	30	24	6	12	20	7	14	7	0
Western Europe	Switzerland	Frohlicher[349]	2014	364	95	70	25	38	10	14	93	17	0

7

Supplementary Table S6: Maternal GBS colonization prevalence, by country

Country	Pregnant women tested (n)	Crude Prevalence (%)	95% CI	Selective methods only (%)	95% CI2	Adjusted (%)	95% CI3
Argentina	7516	6.2	2.7-9.7	6.8	2.7-11.0	6.4	2.9-10.0
Australia	2129	23.8	18.1-29.6	23.8	18.1-29.6	23.8	18.1-29.6
Austria	3569	14.6	13.4-15.7	14.6	13.4-15.7	14.6	13.4-15.7
Bangladesh	2385	11.2	4.3-18.1	11.2	4.3-18.1	11.2	4.3-18.1
Belgium	150	24	16.9-31.1	24	16.9-31.1	24	16.9-31.1
Bosnia and Herzegovina	100	7	1.5-12.5				
Brazil	4340	19.2	16.3-22.1	18.2	15.5-21.0	20.8	16.9-24.7
Bulgaria	110	16.4	9.1-23.7				
Canada	6495	18.6	13.9-23.3	20.5	19.2-21.9	20.5	19.2-21.9
Central African Republic	1000	17.5	15.1-19.9				
Chile	2839	10.1	2.3-17.9	14.1	12.1-16.2	14.1	12.1-16.2
China	44716	9.2	7.0-11.3	9.8	8.4-11.2	11.3	9.7-12.9
Colombia	312	9	0.0-25.4	17.6	11.8-23.4	17.6	11.8-23.4
Croatia	463	15.2	11.8-18.5	15.2	11.8-18.5	15.2	11.8-18.5
Cuba	120	27.5	19.2-35.8	27.5	19.2-35.8		
Czech Republic	586	29.4	25.6-33.1	29.4	25.6-33.1	29.4	25.6-33.1
DRC	509	20.2	16.7-23.8			28.7	24.7-32.7
Denmark	500	23.2	0.0-50.6	37.9	24.9-51.0	25.1	1.7-48.5
Dominican Republic	207	43.5	36.5-50.4	43.5	36.5-50.4	43.5	36.5-50.4
Egypt	500	26	22.0-30.0	26.3	21.5-31.1	29.2	23.2-35.2

Ethiopia	1154	12.4	8.3-16.6	12.3	7.5-17.0	13.5	8.7-18.2
Fiji	440	2	0.6-3.5				
France	22674	11.4	8.3-14.5	15.4	11.6-19.2	15.6	9.3-21.9
inc Reunion Island	40102	12.1	9.2-14.9			20.7	9.6-31.8
Gabon	549	19.3	15.9-22.7	19.3	15.9-22.7	19.3	15.9-22.7
Gambia	886	28.4	16.9-39.8	28.4	16.9-39.8	28.4	16.9-39.8
Germany	1863	18.4	15.2-21.5	18.4	15.2-21.5	18.4	15.2-21.5
Ghana	602	19.1	15.9-22.4	19.1	15.9-22.4	19.1	15.9-22.4
Greece	5004	7.4	2.3-12.5	6.6	5.0-8.2	13.4	4.1-22.8
Guatemala	990	15.7	13.3-18.0	15.7	13.3-18.0	15.7	13.3-18.0
Hungary	345	27.2	22.4-32.1			38	28.1-47.9
Iceland	280	24.3	19.1-29.5	24.3	19.1-29.5	24.3	19.1-29.5
India	6599	7.6	5.7-9.5	7.4	4.1-10.7	9.6	6.8-12.3
Iran	5992	12.4	9.3-15.5	13.8	9.8-17.8	15.7	11.6-19.7
Ireland	203	11.8	7.1-16.5			16.7	11.4-22.1
Israel	2192	11.8	5.6-17.9	14.3	11.5-17.1	12.1	7.1-17.2
Italy	10624	21.3	17.1-25.4	20.6	15.9-25.2	23.2	15.3-31.0
Ivory Coast	150	19.3	12.7-25.9				
Japan	7238	11.1	9.1-13.1			16.2	12.1-20.2
Jordan	500	30.4	26.3-34.5	30.4	26.3-34.5	30.4	26.3-34.5
Kenya	7967	11.5	9.0-14.0	11.5	9.0-14.0	11.5	9.0-14.0
Kuwait	2348	17.4	12.6-22.2	14.8	12.5-17.1	14.8	12.5-17.1
Lebanon	1109	14.6	7.8-21.4			26.2	19.3-33.1
Lithuania	970	15.3	12.9-17.6				
Malawi	1954	20.4	17.5-23.4	21	19.1-22.9	21.2	19.3-23.0
Malaysia	252	20.1	0.0-42			13.8	8.7-18.8
Mexico	2239	9.1	5.7-12.5			17.9	11.3-24.5
Morocco	622	23.3	19.9-26.7	23.3	19.9-26.7	23.3	19.9-26.7
Mozambique	433	11.4	0.0-30.5	11.4	0.0-30.5	11.4	0.0-30.5

Myanmar	775	8.1	6.1-10.1	8.6	6.1-11.0	8.9	6.8-11.0
Netherlands	1702	21.4	19.5-23.4	21.4	19.5-23.4	21.4	19.5-23.4
New Zealand	240	21.7	16.3-27.1	21.7	16.3-27.1	21.7	16.3-27.1
Nigeria	1713	10.7	5.1-16.3	1.3	0.0-3.6	14.5	6.3-22.7
Norway	1682	26.1	24.0-28.2	26.1	24.0-28.2	26.1	24.0-28.2
Pakistan	862	12.1	5.8-18.5			19.9	6.1-33.8
Paraguay	203	23.6	17.6-29.7	23.6	17.6-29.7	23.6	17.6-29.7
Peru	238	10.9	6.8-15.1	10.9	6.8-15.1	10.9	6.8-15.1
Philippines	200	7.5	3.6-11.4			10.5	6.0-15.0
Poland	12625	21.5	17.2-25.8	23.2	18.4-28.1	23.1	18.7-27.6
Reunion Island	17430	16.7	16.1-17.3			35.8	35.1-36.5
Russia	491	6.1	3.9-8.3			9.2	6.5-11.8
S.Korea	11335	8.3	7.4-9.2	8.3	7.4-9.2	8.3	7.4-9.2
Saudi Arabia	4185	18.9	13.8-24.0	23.2	14.7-31.7	22.1	17.2-27.0
Senegal	897	13.2	0.0-27.0			28.4	25.2-31.5
Singapore	530	15.4	12.0-18.7			25	18.8-31.2
Slovenia	1528	16.8	14.9-18.7	15.7	12.3-19.1	20.2	11.6-28.8
South Africa	13218	25.3	22.1-28.5	29.5	27.4-31.5	28.9	26.6-31.2
Spain	26679	15	12.9-17.2	16.3	14.9-17.7	15.5	13.8-17.2
Sweden	1569	22.7	20.6-24.8	22.7	20.6-24.8	22.7	20.6-24.8
Switzerland	2076	18.7	14.1-23.3	18.7	14.1-23.3	18.7	14.1-23.3
Tanzania	595	16.1	2.9-29.4	23	18.1-27.9	23	18.1-27.9
Thailand	2329	13.6	8.7-18.4	16.5	14.1-18.8	15.7	11.4-20.0
Togo	612	3.4	1.8-5.0	3.8	0.0-7.9	6.5	1.5-11.4
Trinidad	810	32.1	28.8-35.4	32.1	28.8-35.4	32.1	28.8-35.4
Tunisia	801	13	10.6-15.4	13	10.1-15.8	17.4	9.6-25.2
Turkey	3336	10.8	7.8-13.8	9.6	6.7-12.5	10.5	7.1-13.8
UK	1498	22.8	18.8-26.9	22.8	18.8-26.9	22.8	18.8-26.9

USA	20967	24.3	21.5-27.1	24.4	21.6-27.3	24.7	21.9-27.5
Ukraine	52	19.2	7.8-30.7	19.2	7.8-30.7		
United Arab Emirates	1454	15.8	4.6-27.0	15.8	4.6-27.0	15.8	4.6-27.0
Uruguay	300	17.3	12.9-21.8	17.3	12.9-21.8	17.3	12.9-21.8
Venezuela	393	26.3	17.6-34.9	18	10.0-26.0	34.5	17.3-51.7
Vietnam	505	4.4	2.5-6.2				
Zimbabwe	1968	29.9	20.1-39.6	39.3	23.2-55.3	34.6	21.6-47.7
Overall	300,176	15.2	14.4-16.0	17.4	16.4-18.5	18	16.9-19.1

Supplementary Table S7: Maternal GBS colonization prevalence: comparison of sample site.

country	Author	Year	Total tested	Positive with Vaginal swabs alone	Positive with vaginal and rectal swabs included
Australia	Gilbert[1]	2002	1096	238	296
Australia	Law[350]	2013	278	52	64
Austria	Hafner[295]	1998	3569	326	520
Belgium	El Aila[288]	2009	150	28	36
Belgium	El Aila[351]	2010	100	9	17
Czech Republic	Motlova[76]	2004	586	127	172
France	Jaureguy[286]	2003	370	41	90
Greece	Tsolia[231]	2003	1014	60	67
India	Sharmila[175]	2011	300	2	7
India	Kulkarni[176]	2001	317	3	8
India	Patil[190]	2013	905	68	110
India	Chaudhary[191]	2016	300	32	45
Iran	Moghaddam[206]	2010	201	22	25
Iran	Goudarzi[352]	2015	100	14	17
Ireland	Kieran[353]	1998	501	100	126
Malawi	Dzowela[22]	2005	97	14	16
Netherlands	Hoogkamp-Korstanje[354]	1982	762	60	102
Poland	Brzychczy-wloch[80]	2012	1176	313	353
Saudi Arabia	Zamzami[268]	2011	326	95	103

South Africa	Kwatra[169]	2014	521	99	148
Thailand	Kovavisarach[355]	2007	320	43	58
USA	Dillon[356]	1982	2540	434	895
USA	Philipson[357]	1995	94	17	29
USA	Jamie[358]	2004	200	55	67
USA	Quinlan[359]	2000	222	44	54
USA	Badri[360]	1977	789	81	162
USA	Platt[361]	1995	870	105	146
Zimbabwe	Moyo[18]	2000	206	52	65

Supplementary Table S8: Maternal GBS Colonization prevalence: studies included in comparison of culture methods
(Selective enrichment with conventional selective agar alone*)

Country	Author	Year	Comparison*	Total tested	Positive with Selective agar alone	Positive with addition of selective enrichment
Belgium	El Aila[351]	2010	SE vs SA	100	13	17
Belgium	El Aila[288]	2009	SE vs SA	150	22	45
Canada	Elsayed[362]	2003	SE vs SA	639	98	125
China	Xie[57]	2016	SE vs SA	200	16	20
South Africa	Monyama[172]	2016	SE vs SA	413	58	128
Spain	Bosch-Mestres[363]	2003	SE vs SA	388	32	54
Spain	Bosch-Mestres[363]	2003	SE vs SA	473	57	75
USA	Silver[364]	1996	SE vs SA	1222	209	293
USA	Orsello[365]	2003	SE vs SA	145	21	35
Venezuela	Diaz[366]	2008	SE vs SA	60	19	21

*SA=Conventional selective agar of low sensitivity (e.g. Colombia CNA or NNA)

Supplementary Table S9: Maternal GBS colonization prevalence: studies included in comparison of culture methods

Selective enrichment with unselective agar alone

Country	Author	Year	Total tested	Positive with Non selective agar alone	Positive with Addition of Selective Enrichment
Canada	Elsayed[362]	2003	639	79	125
China	Xie[57]	2016	200	12	20
Ireland	Thinkhamrop[367]	2003	203	7	24
Myanmar	Thinkhamrop[367]	2003	226	1	16
Thailand	Thinkhamrop[367]	2003	200	6	24
Thailand	Thinkhamrop[367]	2003	200	16	29
USA	Altaie[368]	1994	952	86	166
USA	Philipson[357]	1995	383	50	76
USA	Nguyen[369]	1998	524	55	87
USA	Baker[370]	1976	460	43	82
USA	Mason[371]	1976	54	4	12
USA	Platt[361]	1995	651	35	78
USA	Thinkhamrop[367]	2003	68	11	13

*A = Non-selective agar

Supplementary Table S10: Maternal GBS serotype distribution by UN sub-region

Region	No of Samples	Serotype prevalence (%)							
		Ia/Ib**	Ia	Ib	II	III	IV	V	VI/VII/VIII/IX*
Australia and New Zealand	468	48	33	11	7	35	1	16	2
Central America	237	70	63	4	20	10	0	0	0
Eastern Africa	1551	25	18	8	6	36	2	27	0
Eastern Asia	2937	30	16	12	7	29	0	16	11
Eastern Europe	1387	28	21	6	11	34	3	15	0
Middle Africa	197	36	20	15	14	22	0	28	0
Northern Africa	58	25	22	0	24	24	0	24	0
Northern America	1378	34	25	9	15	22	2	26	0
Northern Europe	1306	30	20	10	13	29	4	17	1
South America	241	50	30	17	13	16	0	10	1
South-eastern Asia	365	18	16	1	14	12	3	20	20
Southern Africa	2029	39	34	5	8	27	2	11	0
Southern Asia	553	32	22	7	14	25	0	14	6
Southern Europe	966	27	21	6	14	29	4	18	2
Western Africa	433	25	17	6	14	16	0	40	0
Western Asia	958	25	18	6	14	23	4	19	3
Western Europe	1117	29	19	10	11	28	4	16	1
Overall	16181	32	21	8	11	25	1	18	2

*Also includes NT6, II-IV-X, R, and JM9

** 7 studies did not differentiate between Ia and Ib

Supplementary Table S11: Maternal GBS serotype distribution by country


Country	No of Samples	Serotype prevalence (%)								
		la/l b**	la	lb	II	III	IV	V	VI/VII/VIII/ IX*	
Algeria	44	5	5	0		25	23	0	48	0
Argentina	108	51	42	9		10	22	0	12	5
Australia	416	53	42	8		6	40	1	15	2
Bangladesh	262	36	33	2		11	11	0	26	15
Belgium	104	25	13	1 3		13	24	14	24	0
Brazil	133	50	27	2 1		16	14	1	10	0
Canada	404	37	25	1 2		13	23	2	25	0
Central African Republic	88	35	27	8		23	17	0	25	0
China	900	33	23	1 1		11	36	0	14	1
Czech Republic	172	22	22	0		0	33	0	14	0
France	78	32	18	1 2		3	49	0	11	0
Gabon	109	36	13	2 3		6	28	0	30	0
Gambia	267	16	8	7		21	10	0	50	0
Germany	440	32	20	1 1		15	30	5	17	0
Ghana	91	38	23	1 1		10	23	0	28	0
Greece	67	31	19	1 2		27	22	3	9	8
India	110	51	31	1 8		20	11	0	8	1
Iran	181	17	10	8		16	44	2	11	3
Ireland	119	30	22	8		13	36	2	17	0
Israel	156	25	14	1 1		29	26	1	18	0
Italy	73	29	22	7		6	32	8	26	0
Japan	722	26	11	1 5		6	11	1	12	39
Kenya	915	34	21	1 3		9	38	2	17	0
Kuwait	366	14	10	4		11	25	3	38	7
Lebanon	174	24	20	9		14	21	4	22	14
Lithuania	145	35	30	5		11	35	9	8	2

Malawi	384	25	19	6	10	40	0	24	1
Malaysia	227	21	21	1	7	10	5	22	31
Mexico	237	70	63	4	20	10	0	0	0
Morocco	14	50	43	7	21	29	0	0	0
Mozambique	47	32	19	13	6	13	6	43	0
Myanmar	75	19	17	1	28	7	5	24	15
Netherlands	131	28	26	7	11	13	7	10	4
New Zealand	52	40	21	9	6	29	0	19	4
Norway	423	26	16	0	14	25	0	17	4
Philippines	14	14	7	7	29	36	0	14	7
Poland	920	29	22	7	11	34	4	15	0
Portugal	231	24	18	6	20	26	3	26	2
Romania	295	26	19	9	17	33	5	17	0
South Korea	1315	29	14	1	5	37	0	22	6
Senegal	75	23	17	5	12	21	0	44	0
South Africa	2029	39	34	5	8	27	2	11	0
Spain	595	27	22	4	14	32	5	17	3
Sweden	460	25	12	3	15	28	9	20	1
Switzerland	364	26	19	7	10	29	4	26	5
Thailand	49	20	18	1	14	18	0	29	16
Turkey	214	37	28	7	13	20	4	6	1
UK	159	42	26	6	9	26	0	19	0
USA	974	32	24	8	17	21	2	28	0
United Arab Emirates	48	29	25	4	4	21	31	15	0
Zimbabwe	205	17	13	4	2	44	4	31	0
Overall	16181	32	21	8	11	25	1	18	2


*Also includes NT6, II-IV-X, R, and JM9

** 7 Studies did not differentiate between Ia and Ib
Non-typeable isolates excluded


Supplementary Figure S1: Global distribution of maternal GBS colonization serotype data




Supplementary Figure S2: GBS Colonization prevalence: Setting described as rural




Supplementary Figure S3: GBS Colonization prevalence: setting described as mixed rural/urban



Supplementary Figure S4: Risk ratio for comparison between sampling site (inclusion of rectal swab sample).




Supplementary Figure S5: Risk ratio for selective enrichment compared to selective conventional agar* alone without enrichment.




*Includes conventional agar with blood agar including antibiotics (Colombia CNA Agar (Colistin-Nalidixic Acid)), not including selective agars of proven high sensitivity (chromogenic agars, Strepto B etc)


Supplementary Figure S6: Risk ratio for detection with selective enrichment compared to unselective agar alone




Supplementary Figure S7: Maternal GBS prevalence by sub-region




Supplementary Figure S8: Maternal GBS prevalence in developed region: adjusted




Supplementary Figure S9: Maternal GBS prevalence in Africa: adjusted




Supplementary Figure S10: Maternal GBS prevalence in Latin America and the Caribbean: adjusted




Supplementary Figure S11: Maternal GBS prevalence in Asia: adjusted




Supplementary Figure S12: Maternal GBS colonization serotypes distribution worldwide




Supplementary Figure S13: GBS maternal colonization serotypes distribution in developed regions




Supplementary Figure S14: GBS maternal colonization serotypes distribution in Africa



Supplementary Figure S15: GBS maternal colonization serotypes distribution in South and Central America



Supplementary Figure S16: GBS maternal colonization serotypes distribution in Asia



References

1. Gilbert GL, Hewitt MC, Turner CM, Leeder SR. Epidemiology and predictive values of risk factors for neonatal group B streptococcal sepsis. *The Australian & New Zealand journal of obstetrics & gynaecology* **2002**; 42(5): 497-503.
 2. Hiller JE, McDonald HM, Darbyshire P, Crowther CA. Antenatal screening for group B Streptococcus: A diagnostic cohort study. Available at: <http://www.biomedcentral.com/1471-2393/5/12>
- <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed7&NEWS=N&AN=2005466772>. Accessed (Hiller) Department of Public Health, University of Adelaide, Adelaide, SA 5005, Australia.
3. Taylor JK, Hall RW, Dupre AR. The incidence of group B streptococcus in the vaginal tracts of pregnant women in central Alabama. *Clinical laboratory science : journal of the American Society for Medical Technology* **2002**; 15(1): 16-7.
 4. Grimwood K, Stone PR, Gosling IA, et al. Late antenatal carriage of group B Streptococcus by New Zealand women. *Australian and New Zealand Journal of Obstetrics and Gynaecology* **2002**; 42(2): 182-6.
 5. Fernandes J. SJ, Feris J.M., Gomez E., Serulle Y., Demorizi J., Rivera L., Rivera-Almodovar E., Mercedes H., Perez-Then E. Prevalence of Group B Streptococcus infections in dominican pregnant women. *Rev Panam Infectol* **2006**; 8(1): 26-32.
 6. Orrett FA. Antimicrobial susceptibility patterns of group B Streptococci isolated from pregnant women in Trinidad, West Indies. *Saudi Medical Journal* **2004**; 25(11): 1764-5.
 7. Orrett FA. Colonization with group B streptococci in pregnancy and outcome of infected neonates in Trinidad. *Pediatrics International* **2003**; 45(3): 319-23.
 8. Orrett FA, Olagundoye V. Prevalence of Group B streptococcal colonization in pregnant third trimester women in Trinidad. *Journal of Hospital Infection* **1994**; 27(1): 43-8.
 9. Cruz AA, Peraza GT, Caballero RL. Vaginal and rectal streptococcus agalactiae colonization in pregnant women from melena del sur municipality in cuba. *Revista Cubana de Medicina Tropical* **2014**; 66(3): 415-23.
 10. Gonzalez Pedraza Aviles A, Ortiz Zaragoza MC, Mota Vazquez R. Serotypes and antimicrobial susceptibility of group B Streptococcus from pregnant women in Mexico. *Rev Latinoam Microbiol* **2002**; 44.
 11. Gonzalez PA OZ, Madrigal de Leon HG, Corzo CMT, Flores HP. . Colonizacion por streptococcus grupo b en mujeres embarazadas de un centro de atencion primaria de la Ciudad de Mexico *Mrch Med Fam* **2004**; 6: 44-7.
 12. Solorzano-Santos F E-AG, Conde-Gonzalez CJ, Calderon-Jaimes E, Arredondo-Garcia JL, Beltran Zuniga M. CervicoVaginal Infection with Group B streptococci among Pregnant Mexican Women *The Journal of Infectious Diseases* **1989**; 159(5): 1003-4.
 13. de Lourdes Collado M, Kretschmer RR, Becker I, Guzman A, Gallardo L, Lepe CM. Colonization of Mexican pregnant women with group B streptococcus. *The Journal of infectious diseases* **1981**; 143(1): 134.
 14. Ocampo-Torres M, Sánchez-Pérez HJ, Nazar-Beutelspacher A, Castro-Ramírez AE, Cordero-Ocampo B. Factors associated with group B Streptococcus colonization in pregnant women of Los Altos, Chiapas, Mexico. *Salud Publica de Mexico* **2000**; 42(5): 413-21.
 15. Mavenyengwa RT, Afset JE, Schei B, et al. Group B Streptococcus colonization during pregnancy and maternal-fetal transmission in Zimbabwe. *Acta Obstetricia et Gynecologica Scandinavica* **2010**; 89(2): 250-5.

16. Mavenyengwa RT, Masunga P, Meque E, et al. Streptococcus agalactiae (group B streptococcus (GBS)) colonisation and persistence, in pregnancy; a comparison of two diverse communities (rural and urban). The Central African journal of medicine **2006**; 52(3-4): 38-43.
 17. Whitney CG, Daly S, Limpongsanurak S, et al. The international infections in pregnancy study: Group B streptococcal colonization in pregnant women. Journal of Maternal-Fetal and Neonatal Medicine **2004**; 15(4): 267-74.
 18. Moyo SR, Mudzori J, Tswana SA, Maeland JA. Prevalence, capsular type distribution, anthropometric and obstetric factors of group B Streptococcus (Streptococcus agalactiae) colonization in pregnancy. The Central African journal of medicine **2000**; 46(5): 115-20.
 19. Mason PR, Gwanzura L, Latif AS, Ray S, Van De Wijgert J, Katzenstein DA. Antimicrobial susceptibility patterns amongst group B streptococci from women in Harare, Zimbabwe. International Journal of Antimicrobial Agents **1996**; 7(1): 29-32.
 20. Mason PR, Katzenstein DA, Chimbira TH, Mtimavalye L. Microbial flora of the lower genital tract of women in labour at Harare Maternity Hospital. The Puerperal Sepsis Study Group. Central African Journal of Medicine **1989**; 35(3): 337-44.
 21. Gray KJ, Kafulafula G, Matemba M, Kamdolozi M, Membe G, French N. Group B streptococcus and HIV infection in pregnant women, Malawi, 2008-2010. Available at: <http://wwwnc.cdc.gov/eid/article/17/10/pdfs/10-2008.pdf>
- <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed13&NEWS=N&AN=2011540366>. Accessed (Gray, Kafulafula, Kamdolozi, Membe) College of Medicine, Blantyre, Malawi.
22. Dzowela TK, O.O. and Igbigbi, A. . Prevalence of Group B Streptococcus colonization in antenatal women at the Queen Elizabeth Central Hospital, Blantyre - A preliminary study. Malawi Medical Journal **2005** 17(3): 97-9.
 23. Seale AC, Koech AC, Sheppard AE, et al. Maternal colonisation with Streptococcus agalactiae, and associated stillbirth and neonatal disease in coastal Kenya. Nature microbiology **2016**; 1(7): 16067-.
 24. Ernest AI, Ng'Walida N, Ndaboine E, Massinde A, Kihunrwa A, Mshana S. Maternal vaginorectal colonization by Group B Streptococcus and Listeria monocytogenes and its risk factors among pregnant women attending tertiary hospital in Mwanza, Tanzania. Tanzania Journal of Health Research **2015**; 17(2).
 25. Joachim A, Matee MI, Massawe FA, Lyamuya EF. Maternal and neonatal colonisation of group B streptococcus at Muhimbili National Hospital in Dar es Salaam, Tanzania: Prevalence, risk factors and antimicrobial resistance. BMC Public Health **2009**; 9.
 26. Woldu ZL, Teklehaimanot TG, Waji ST, Gebremariam MY. The prevalence of Group B Streptococcus recto-vaginal colonization and antimicrobial susceptibility pattern in pregnant mothers at two hospitals of Addis Ababa, Ethiopia. Reproductive health **2014**; 11: 80.
 27. Alemseged G, Niguse S, Hailekiros H, Abdulkadir M, Saravanan M, Asmelash T. Isolation and anti-microbial susceptibility pattern of group B Streptococcus among pregnant women attending antenatal clinics in Ayder Referral Hospital and Mekelle Health Center, Mekelle, Northern Ethiopia Health Services Research. BMC Research Notes **2015**; 8(1).
 28. Mohammed M, Asrat D, Woldeamanuel Y, Demissie A. Prevalence of group B Streptococcus colonization among pregnant women attending antenatal clinic of Hawassa Health Center, Hawassa, Ethiopia. Ethiopian Journal of Health Development **2012**; 26(1): 36-42.
 29. Gebremeskel T.K.; Zeleke TA, Mihret A., Tikue M.D. Prevalence and Antibiotic Susceptibility Pattern of Streptococcus agalactiae Among Pregnant Women at Adigrat Zonal Hospital and Adigrat Health Center, Tigray. Journal of Gynaecology and Obstetrics **2015**; 3(2): 29-35.
 30. Mengist A, Kannan H, Abdissa A. Prevalence and antimicrobial susceptibility pattern of anorectal and vaginal group B Streptococci isolates among pregnant women in Jimma, Ethiopia. BMC Res Notes **2016**; 9: 351.

31. De Steenwinkel FDO, Tak HV, Muller AE, Nouwen JL, Oostvogel PM, Mocumbi SM. Low carriage rate of group B streptococcus in pregnant women in Maputo, Mozambique. *Tropical Medicine and International Health* **2008**; 13(3): 427-9.
32. Yim SF, Lyon DJ, Chung TK, Haines CJ. A prospective study of the microbiological environment of the genitourinary tract in Hong Kong Chinese women during pregnancy. *The Australian & New Zealand journal of obstetrics & gynaecology* **1995**; 35(2): 178-81.
33. Tsui MHY, Ip M, Ng PC, Sahota DS, Leung TN, Lau TK. Change in prevalence of group B Streptococcus maternal colonisation in Hong Kong. *Hong Kong Medical Journal* **2009**; 15(6): 414-9.
34. Wang P, Tong JJ, Ma XH, et al. Serotypes, antibiotic susceptibilities, and multi-locus sequence type profiles of Streptococcus agalactiae isolates circulating in Beijing, China. Available at: <http://www.plosone.org/article/fetchObject.action?uri=info:doi/10.1371/journal.pone.0120035&representation=PDF>
<http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed13&NEWS=N&AN=2015838651>. Accessed (Wang, Tong, Shi, Yu, Yao, Yang) Key Laboratory of Major Diseases in Children and National Key Discipline of Pediatrics, Beijing Children's Hospital, Capital Medical University, Beijing 100045, China.
35. Lu B, Li D, Cui Y, Sui W, Huang L, Lu X. Epidemiology of Group B streptococcus isolated from pregnant women in Beijing, China. *Clinical Microbiology and Infection* **2014**; 20(6): O370-O3.
36. Ma Y, Wu L, Huang X. Study on perinatal group B Streptococcus carriers and the maternal and neonatal outcome. *Zhonghua fu chan ke za zhi* **2000**; 35(1): 32-5.
37. Zhang JH, Yuan L, Yang YH. Perinatal colonization of group B streptococcus: a study in 600 cases in Beijing Tiantan Hospital. *Zhonghua liu xing bing xue za zhi = Zhonghua liuxingbingxue zazhi* **1995**; 16(1): 36-9.
38. Liang ST, Lau SP, Chan SH, Fok TF, Murai T, Kaneko Y. Perinatal colonization of group B streptococcus--an epidemiological study in a Chinese population. *The Australian & New Zealand journal of obstetrics & gynaecology* **1986**; 26(2): 138-41.
39. bsq. 孕妇生殖道B族链球菌感染对母婴预后影响的临床研究 Clinical study of impact of reproductive tract group B Streptococcus infections on prognosis of mothers and infants. *Chin J Nosocomiol* **2015**.
40. gxm. B族溶血性链球菌感染的孕妇经产时抗生素预防治疗后临床效果观察 Clinical study of impact of Intravenous Intrapartum Antibiotic Prophylaxis to group B Streptococcus infections. *Chin J Med Drug Appl* **2015**.
41. xax. 围产期孕妇B群链球菌感染的检测及耐药性分析 Group B Streptococcus Infection Detection and antimicrobial resistance analysis of Perinatal Pregnant Women *Chinese Journal of Practical Pediatrics* **2015**.
42. wcl. 不同孕妇人群B族链球菌携带率差异分析 Carrier Rate Difference Rate Analysis on Group B Streptococcus of Different Group of Pregnant Women. *中国初级卫生保健* **2015**.
43. zqn. 孕妇妊娠晚期B族链球菌感染对妊娠结局及新生儿的影响 Impact of GBS Infection on Pregnancy Outcome and infant in Perinatal Pregnant Women. *Journal of Qiqihar University of Medicine* **2015**.

44. hr. 孕35~37周妇女无乳链球菌携带状况及耐药性分析 Carrier rate and antimicrobial resistance analysis of Group B Streptococcus of 35-37w Pregnant Women China J Clin Obstet Gynecol **2015**.
45. zlh. 广东东莞地区2009-2014年围产期孕妇B群链球菌的分离与耐药性分析 Prevalence and antibiotic resistance of Group B Streptococcus isolated from perinatal pregnant women during the period from 2009 to 2014 in Dongguan, Guangdong Province. Chin J Infect Chemother **2015**.
46. wj. 徐州地区妊娠晚期妇女感染B群链球菌的筛检情况及药物敏感性分析 Screening for group B streptococcal infection in late pregnant women in Xuzhou area and its drug sensitivity analysis. 国际检验医学杂志 **2015**.
47. xdy. 妊娠晚期型溶血性链球菌感染对母婴结局的影响 Influence of B type hemolytic streptococcus at later period of pregnancy for maternal-infant outcome. 世界最新医学信息文摘 **2015**.
48. cy. 妊娠35~37周孕妇B族链球菌带菌与耐药性分析 Study on perinatal group B Streptococcus carriers in late pregnancy and analysis of drug resistance. J Trop Med **2015**.
49. tlj. 现代诊断与治疗 Influence of group B streptococcus infection on pregnancy outcome and infants. Mod Diagn Treat **2013** 24(19).
50. Haijun WU, Lei L.V., Liuan S., Qingyu X O. 群链球菌在孕妇及新生儿中的带菌调查及耐药性研究. Journal of Chongqing Medical University **2013**; 38(10).
51. ch. 围产期B群链球菌感染及相关研究 Analysis of perinatal group B streptococcus infection and related conditions. Int J Lab Med **2013**.
52. sdh. 妊娠35-37周孕妇B族链球菌带菌与妊娠结局 Study on perinatal group B Streptococcus carriers in late pregnancy and the pregnancy outcome. Chin J Clin Obstet Gynecol **2013**.
53. zy. 妊娠晚期孕妇B族溶血性链球菌感染对母儿的影响 Impact of group B streptococcus infection on late-pregnancy women and their neonates. J Med Postgrad **2013**.
54. wx. 孕妇无乳链球菌的感染及药物敏感性分析 Infection and antibiotic susceptibility analysis of Group B Streptococcus of Pregnant Women. 实用医学杂志 **2013**.
55. hyj. 孕晚期妇女B族链球菌PCR检测结果分析 Analysis of group B streptococcus detection results by real-time polymerase chain reaction in 445 late pregnant women. Jiangxi Medical Journal **2013**.
56. hgc. 桂林地区孕晚期孕妇B族链球菌检测及药敏分析 Detection and antimicrobial resistance analysis of Group B Streptococcus of Pregnant Women in Guilin. Int J Lab Med **2013**.
57. Xie Y, Yang J, Zhao P, Jia H, Wang Q. Occurrence and detection method evaluation of group B streptococcus from prenatal vaginal specimen in Northwest China. Diagnostic pathology **2016**; 11: 8.

58. Yan JJ, Gong M, Zhang J, Zhu CB. [The relationship between group B streptococcus genital infection and premature rupture of membrane]. *Zhonghua yi xue za zhi* **2016**; 96(23): 1847-9.
59. Yang MJ, Sun PL, Wen KC, et al. Prevalence of maternal group B streptococcus colonization and vertical transmission in low-risk women in a single institute. *Journal of the Chinese Medical Association* **2012**; 75(1): 25-8.
60. Li YP, Kuok CM, Lin SY, Hsieh WS, Shyu MK. Group B streptococcus antimicrobial resistance in neonates born to group B streptococcus-colonized mothers: Single-center survey. *Journal of Obstetrics and Gynaecology Research* **2016**; 42(11): 1471-5.
61. Fu JC, Lin DP, Yang CF, Huang WJ, Huang CS. Antibiotic susceptibility pattern of anovaginal isolates of *Streptococcus agalactiae* from pregnant women in their late third trimester. *Kaohsiung Journal of Medical Sciences* **2004**; 20(7): 330-3.
62. Kim MY, Ki M, Yang JH, et al. Effectiveness evaluation of group B streptococcus screening in pregnant women for prevention of neonatal infection. Available at: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed10&NEWS=N&AN=70906702>. Accessed (Kim, Yang, An, Han, Yook) Department of Obstetrics, Cheil Hospital and Women's Healthcare Center, Kwandong University College of Medicine, Seoul, Korea, Seoul, South Korea.
63. Lee BK, Song YR, Kim MY, et al. Epidemiology of group B streptococcus in Korean pregnant women. *Epidemiology and infection* **2010**; 138(2): 292-8.
64. Hong JS, Choi CW, Park KU, et al. Genital group B streptococcus carrier rate and serotype distribution in Korean pregnant women: Implications for group B streptococcal disease in Korean neonates. *Journal of Perinatal Medicine* **2010**; 38(4): 373-7.
65. Uh Y, Jang IH, Yoon KJ, Lee CH, Kwon JY, Kim MC. Colonization rates and serotypes of group B streptococci isolated from pregnant women in a Korean tertiary hospital. *European Journal of Clinical Microbiology and Infectious Diseases* **1997**; 16(10): 753-6.
66. Yook JH, Kim MY, Kim EJ, et al. Risk factors associated with group B streptococcus resistant to clindamycin and erythromycin in pregnant Korean women. *Infection and Chemotherapy* **2013**; 45(3): 299-307.
67. Kim DH, Kim YN, Jeong EJ, et al. The prevalence of group b streptococcus (GBS) colonization in Korean pregnant women using selective culture media. *International Journal of Gynecology and Obstetrics* **2015**; 131: E473.
68. Terakubo S, Ichiman Y, Takemura H, Yamamoto H, Shimada J, Nakashima H. Serotypes and antibody levels of group B streptococci in pregnant women. *Kansenshogaku zasshi The Journal of the Japanese Association for Infectious Diseases* **2003**; 77(3): 121-6.
69. Matsubara K, Katayama K, Baba K, Nigami H, Harigaya H, Sugiyama M. Seroepidemiologic studies of serotype VIII group B *Streptococcus* in Japan. *Journal of Infectious Diseases* **2002**; 186(6): 855-8.
70. Kubota T, Nojima M, Itoh S. Vaginal bacterial flora of pregnant women colonized with group B streptococcus. *Journal of Infection and Chemotherapy* **2002**; 8(4): 326-30.
71. Morozumi M, Chiba N, Igarashi Y, et al. Direct identification of *Streptococcus agalactiae* and capsular type by real-time PCR in vaginal swabs from pregnant women. *Journal of infection and chemotherapy : official journal of the Japan Society of Chemotherapy* **2015**; 21(1): 34-8.
72. Losonczi L, Emodi S. Screening of group B streptococcus in pregnant women and antibiotic prophylaxis during labour. *Magyar Noorvosok Lapja* **2002**; 65(2): 87-91.
73. Abrok M, Arcson T, Lazar A, Urban E, Deak J. Combination of selective enrichment and MALDI-TOF MS for rapid detection of *Streptococcus agalactiae* colonisation of pregnant women. Available at: www.elsevier.com/locate/jmicmeth

- <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed13&NEWS=N&AN=2015003942>. Accessed (Abrok, Arcson, Lazar, Urban, Deak) Institute of Clinical Microbiology, University of Szeged, Szeged, Hungary.
74. Perebendyuk TV. Colonization by Group B Streptococcus of the Urogenital and Rectal Tracts of Pregnant Women with Cured Infertility by Applying In Vitro Fertilization. 2013 **2013**; (5.48): 5.
 75. Kovachev E, Markova V, Bozhkova K, Popova A, Tsvetkova S, Cherneva S. [Is there a correlation between the vaginal colonization with group B streptococci and premature deliveries?]. Ima li zavisimost mezhdu vaginalnata kolonizatsiia sus streptokoki ot grupa B i prezhddevremennite razhdaniia? **2003**; 42 Suppl 2: 3-5.
 76. Motlova J, Strakova L, Urbaskova P, Sak P, Sever T. Vaginal & rectal carriage of Streptococcus agalactiae in the Czech Republic: incidence, serotypes distribution & susceptibility to antibiotics. Indian J Med Res **2004**; 119.
 77. Lucovnik M, Mandic NT, Lozar Krivec J, Kolenc U, Jeverica S. Prevalence of Streptococcus agalactiae colonisation among pregnant women in Slovenia, 2013-2014. Zdravniški Vestnik **2016**; 85(7-8): 393-400.
 78. Brzychczy-Włoch M, Ochońska D, Bulanda M. Carriage of group B streptococci in pregnant women from the region of Krakow and their antibiotic resistance in the years 2008-2012. Polish Journal of Microbiology **2013**; 62(4): 427-33.
 79. Romanik M, Nowosielski K, Poreba R, Sioma-Markowska U, Martirosian G, Groborz J. Streptococcus group B serotype distribution in anovaginal isolates of women in term pregnancy. Neuro Endocrinol Lett **2014**; 35(4): 301-5.
 80. Brzychczy-Włoch M, Gosiewski T, Bodaszewska-Lubas M, Adamski P, Heczko PB. Molecular characterization of capsular polysaccharides and surface protein genes in relation to genetic similarity of group B streptococci isolated from Polish pregnant women. Epidemiology and Infection **2012**; 140(2): 329-36.
 81. Romanik M, Nowosielski K, Martirosian G, Poręba R, Sioma-Markowska U. Identification of pregnant women at risk of Streptococcus group B colonisation. Neuroendocrinology Letters **2011**; 32(3): 308-12.
 82. Kociszewska-Najman B, Oslislo A, Szymusik I, Pietrzak B, Jabiry-Zieniewicz Z. [Intrapartum prophylaxis against group B Streptococcus infection--own experience]. Available at: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed9&NEWS=N&AN=21395081>. Accessed (Kociszewska-Najman) Oddział Neonatologii, I Katedra i Klinika Położnictwa i Ginekologii Warszawskiego Uniwersytetu Medycznego, Warszawa.
 83. Łysakowska ME, Kalinka J, Bigos M, Prosniewska M, Wasiele M. Occurrence of virulence genes among S. agalactiae isolates from vagina and anus of pregnant women - A pilot study. Archives of Perinatal Medicine **2011**; 17(4): 229-34.
 84. Strus M, Pawlik D, Brzychczy-Włoch M, et al. Group B streptococcus colonization of pregnant women and their children observed on obstetric and neonatal wards of the University hospital in Krakow, Poland. Journal of Medical Microbiology **2009**; 58(2): 228-33.
 85. Krasnianin E, Skret-Magierlo J, Witalis J, et al. The incidence of Streptococcus Group B in 100 parturient women and the transmission of pathogens to the newborn. Available at: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed9&NEWS=N&AN=19507563>. Accessed (Krasnianin, Skret-Magierlo, Witalis, Barnas, Kluz, Koziel, Skret) Institute of Nursing and Obstetrics, Faculty of Medicine, University of Rzeszow, Poland.
 86. Brzychczy-Włoch M, Gosiewski T, Bodaszewska M, Pabian W, Bulanda M, Heczko PB. Analysis of serotypes distribution of group B streptococci origin from pregnant carriage using multiplex PCR. Medycyna doświadczalna i mikrobiologia **2009**; 61(4): 293-9.

87. Brzychczy-Włoch M, Strus M, Pawlik D, et al. [Increasing *Streptococcus agalactiae* colonization of pregnant women and newborns in south-eastern region of Poland]. *Medycyna doświadczalna i mikrobiologia* **2008**; 60(1): 5-12.
88. Elzbieta K, Joanna SM, Janusz W, et al. The incidence of *Streptococcus* group B in 100 parturient women and the transmission of pathogens to the newborn. *Ginekologia Polska* **2009**; 80(4): 285-9.
89. Kowalska B, Niemiec KT, Drejewicz H, et al. [Prevalence of group B streptococcal colonization in pregnant women and their newborns based on the results of examination of patients in the Obstetric and Gynecology Department of the National Research Institute of Mother and Child--a pilot study]. *Czestosc wystepowania kolonizacji paciorkowcami beta hemolizujacymi grupy B kobiet ciezarzonych i noworodkow--okreslona na podstawie badan przeprowadzonych u pacjentek Polikliniki i Kliniki Poloznictwa i Ginekologii Instytutu Matki i Dziecka--badanie pilotazowe* **2003**; 74(10): 1223-7.
90. Pruss A, Galant K, Giedrys-Kalemba S. [Analysis of screening tests for *Streptococcus agalactiae* in pregnant women from the West Pomeranian region]. *Analiza badan przesiewowych w kierunku Streptococcus agalactiae u kobiet w ciazy z regionu Pomorza Zachodniego* **2015**; 86(8): 616-21.
91. Zatsiorskaia SL. Evaluation of various culture media for use in isolating group B streptococci from clinical specimens. Available at: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed2&NEWS=N&AN=2469830>.
92. Gyaneshwar R, Nsanze H, Singh KP, Pillay S, Seruvatu I. The prevalence of sexually transmitted disease agents in pregnant women in Suva. *Australian and New Zealand Journal of Obstetrics and Gynaecology* **1987**; 27(3): 213-5.
93. Brochet M, Couvé E, Bercion R, Sire J-M, Glaser P. Population Structure of Human Isolates of *Streptococcus agalactiae* from Dakar and Bangui. *Journal of Clinical Microbiology* **2009**; 47(3): 800-3.
94. Mitima KT, Ntamako S, Birindwa AM, et al. Prevalence of colonization by *Streptococcus agalactiae* among pregnant women in Bukavu, Democratic Republic of the Congo. *Journal of infection in developing countries* **2014**; 8(9): 1195-200.
95. Capan-Melser M, Ngoma GM, Akerey-Diop D, et al. Evaluation of intermittent preventive treatment of malaria against group B streptococcus colonization in pregnant women: A nested analysis of a randomized controlled clinical trial of sulfadoxine/pyrimethamine versus mefloquine. *Journal of Antimicrobial Chemotherapy* **2014**; 70(6): 1898-902.
96. Ferjani A, Ben Abdallah H, Ben Saida N, Gozzi C, Boukadida J. Vaginal colonization of the *Streptococcus agalactiae* in pregnant woman in Tunisia: Risk factors and susceptibility of isolates to antibiotics. *Bulletin de la Societe de Pathologie Exotique* **2006**; 99(2): 99-102.
97. Ben Hamouda S, Daaloul W, Chaouachi S, et al. Prospective epidemiologic study of group B streptococcus vaginal colonization in pregnant woman. *Tunisie Medicale* **2008**; 86(3): 249-54.
98. Jerbi M, Hidar S, Hannachi N, et al. Risk factors for group B streptococcal colonization in term pregnant women: prospective study about 294 cases. *Gynecologie Obstetrique Fertilité* **2007**; 35(4): 312-6.
99. Shabayek SAAEK, Abdalla SM, Abouzeid AMH. Vaginal carriage and antibiotic susceptibility profile of group B *Streptococcus* during late pregnancy in Ismailia, Egypt. *Journal of Infection and Public Health* **2009**; 2(2): 86-90.
100. Abdelmoaty H.; Zaki W. MK. Prevalence and antibiotic susceptibility of anogenital group b streptococci colonization in pregnant women: A hospital based study *Egyptian Journal of Medical Laboratory Sciences* **2009**; 18(2): 53-9.

101. Mohamed Sadaka S, Abdelsalam Aly H, Ahmed Meheissen M, Orief YI, Mohamed Arafa B. Group B streptococcal carriage, antimicrobial susceptibility, and virulence related genes among pregnant women in Alexandria, Egypt. *Alexandria Journal of Medicine* **2017**: no pagination.
102. Mahmoud M, Yahyaoui, G., Benseddik, M., Chaara, H., Melhouf, M.A. . Group b streptococcus screening during the third quarter of pregnancy in the Chu Hassan II of Fez *Revue Tunisienne D'Infectiologie* **2010**; 5(1): 12-5.
103. Benbachir M, El Mdaghri N, Lahlou D, Mesbahi M. Etude du portage de Streptococcus agalactiae et de Listeria monocytogenes chez la femme marocaine. *Medecine et Maladies Infectieuses* **1983**; 13(12): 793-7.
104. Towers CV, Rumney PJ, Asrat T, Preslicka C, Ghamsary MG, Nageotte MP. The accuracy of late third-trimester antenatal screening for group B streptococcus in predicting colonization at delivery. *American Journal of Perinatology* **2010**; 27(10): 785-9.
105. Panda B, Iruretagoyena I, Stiller R, Panda A. Antibiotic resistance and penicillin tolerance in ano-vaginal group B streptococci. *Journal of Maternal-Fetal and Neonatal Medicine* **2009**; 22(2): 111-4.
106. Turrentine MA, Ramirez MM. Recurrence of group B streptococci colonization in subsequent pregnancy. Available at: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed8&NEWS=N&AN=2009310224>. Accessed (Turrentine, Ramirez) Department of Obstetrics and Gynecology, Kelsey Research Foundation, University of Texas Health Science Center at Houston, Houston, TX.
107. Chen KT, Huard RC, Della-Latta P, Saiman L. Prevalence of methicillin-sensitive and methicillin-resistant Staphylococcus aureus in pregnant women. *Obstetrics and gynecology* **2006**; 108(3 Pt 1): 482-7.
108. Campbell JR, Hillier SL, Krohn MA, Ferrieri P, Zaleznik DF, Baker CJ. Group B streptococcal colonization and serotype-specific immunity in pregnant women at delivery. *Obstet Gynecol* **2000**; 96.
109. Bland ML, Vermillion ST, Soper DE, Austin M. Antibiotic resistance patterns of group B streptococci in late third-trimester rectovaginal cultures. *American journal of obstetrics and gynecology* **2001**; 184(6): 1125-6.
110. Lin FY, Weisman LE, Azimi P, et al. Assessment of intrapartum antibiotic prophylaxis for the prevention of early-onset group B Streptococcal disease. *Pediatr Infect Dis J* **2011**; 30(9): 759-63.
111. Delport J, Dawson L, Kramer J, Raedeke M. Prevalence of non-hemolytic and non-typeable group B Streptococcus isolates from screening specimens of pregnant women. Available at: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed9&NEWS=N&AN=70141075>. Accessed (Delport, Dawson, Kramer, Raedeke) Regina QuAppelle Health Region, Regina, Canada.
112. Spaetgens R, DeBella K, Ma D, Robertson S, Mucenski M, Davies HD. Perinatal antibiotic usage and changes in colonization and resistance rates of group B streptococcus and other pathogens. *Obstetrics and gynecology* **2002**; 100(3): 525-33.
113. Lavergne V, Laverdiere M, Duchesne A, et al. Prenatal culture-based screening of Streptococcus agalactiae colonisation: resistance against erythromycin and clindamycin. *European journal of clinical microbiology & infectious diseases* : official publication of the European Society of Clinical Microbiology **2006**; 25(8): 532-4.
114. Wenman WM, Tataryn IV, Joffres MR, et al. Demographic, clinical and microbiological characteristics of maternity patients: A Canadian clinical cohort study. Available at: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed5&NEWS=N&AN=2002435363>. Accessed (Wenman, Joffres, Pearson, Albritton) Department of Pediatrics, Edmonton, Alta., Canada.

115. Davies HD, Adair C, McGeer A, et al. Antibodies to capsular polysaccharides of group B Streptococcus in pregnant Canadian women: relationship to colonization status and infection in the neonate. *J Infect Dis* **2001**; 184.
116. Barcaite E, Bartusevicius A, Tameliene R, Maleckiene L, Vitkauskienė A, Nadisauskienė R. Group B streptococcus and Escherichia coli colonization in pregnant women and neonates in Lithuania. *International Journal of Gynecology and Obstetrics* **2012**; 117(1): 69-73.
117. Bjarnadóttir I1 KK, Hauksson A, Vilbergsson G, Pálsson G, Dagbjartsson A. Carriage of group B beta-haemolytic streptococci among pregnant women in Iceland and colonisation of their newborn infants. *Laeknabladid* **2003**; 89(2): 111-5.
118. Stokholm J, Schjorring S, Eskildsen CE, et al. Antibiotic use during pregnancy alters the commensal vaginal microbiota. *Clinical microbiology and infection : the official publication of the European Society of Clinical Microbiology and Infectious Diseases* **2014**; 20(7): 629-35.
119. Hansen SM, Uldbjerg N, Kilian M, Sørensen UBS. Dynamics of Streptococcus agalactiae Colonization in Women during and after Pregnancy and in Their Infants. *Journal of Clinical Microbiology* **2004**; 42(1): 83-9.
120. Hassan IA, Onon TS, Weston D, et al. A quantitative descriptive study of the prevalence of carriage (colonisation) of haemolytic streptococci groups A, B, C and G in pregnancy. *Journal of Obstetrics and Gynaecology* **2011**; 31(3): 207-9.
121. Afshar B, Vickers A, Morton K, et al. DEVANI UK clinical screening study for maternal carriage of Streptococcus agalactiae. Available at: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed10&NEWS=N&AN=70599087>. Accessed (Afshar, Vickers, Morton, Demertzi, Hassan, Stock, Telford, Orefici, Efstratiou) Edinburgh United Kingdom.
122. Jones N, Oliver K, Jones Y, Haines A, Crook D. Carriage of group B streptococcus in pregnant women from Oxford, UK. *J Clin Pathol* **2006**; 59.
123. Brigtsen AK, Jacobsen AF, Dedi L, Melby KK, Fugelseth D, Whitelaw A. Maternal colonization with Group B streptococcus is associated with an increased rate of infants transferred to the neonatal intensive care unit. *Neonatology* **2015**; 108: 157-63.
124. Hakansson S, Axemo P, Bremme K, et al. Group B streptococcal carriage in Sweden: a national study on risk factors for mother and infant colonisation. *Acta Obstet Gynecol Scand* **2008**; 87.
125. Castellano-Filho DS, da Silva VL, Nascimento TC, Vieira MT, Diniz CG. Detection of group B Streptococcus in Brazilian pregnant women and antimicrobial susceptibility patterns. *Brazilian Journal of Microbiology* **2010**; 41(4): 1047-55.
126. Zusman AS, Baltimore RS, Fonseca SNS. Prevalence of maternal group B streptococcal colonization and related risk factors in a Brazilian population. *Brazilian Journal of Infectious Diseases* **2006**; 10(4): 242-6.
127. Pogere. Prevalence of group B Streptococcus in Pregnant Women from a prenatal care centre. *Revista Brasileira de Ginecologia e Obstetricia* **2005**; 27(4): 174-80.
128. Benchetrit LC, Francalanza S.L., Peregrino H., Camelo A., Sanches A. Carriage of Streptococcus agalactiae in women and neonates and distribution of serological types: A Study in Brazil *Journal of Clinical Microbiology* **1982**; 15(5): 787.
129. Giraldo PC, Araujo ED, Junior JE, do Amaral RLG, Passos MRL, Goncalves AK. The prevalence of urogenital infections in pregnant women experiencing preterm and full-term labor. *Infectious diseases in obstetrics and gynecology* **2012**; 2012: 878241.
130. Rocchetti TT, Marconi C, Rall VLM, Borges VTM, Corrente JE, Da Silva MG. Group B streptococci colonization in pregnant women: Risk factors and evaluation of the vaginal flora. *Archives of Gynecology and Obstetrics* **2011**; 283(4): 717-21.

131. Linhares JJ, Neto PGC, Vasconcelos JLM, et al. Prevalence of the colonization by streptococcus agalactiae in pregnant women from a maternity in ceará, Brazil, correlating with perinatal outcomes. *Revista Brasileira de Ginecologia e Obstetricia* **2011**; 33(12): 395-400.
132. Pires TS, Turchi M, Andre MCDPB, et al. Maternal group B Streptococcus colonization: Prevalence, risk factors, phenotypical and genotypical characteristics in a Brazilian population. Available at: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed9&NEWS=N&AN=70125978>. Accessed (Pires, Schmaltz, Peres) Hospital Materno Infantil, Goiania, Brazil.
133. Costa ALDR, Lamy Filho F, Chein MBDC, Brito LMO, Lamy ZC, Andrade KL. Prevalence of colonization by group B Streptococcus in pregnant women from a public maternity of Northwest region of Brazil. *Revista Brasileira de Ginecologia e Obstetricia* **2008**; 30(6): 274-80.
134. Marconi C, Rocchetti TT, Rall VLM, de Carvalho LR, Borges VTM, da Silva MG. Detection of streptococcus agalactiae colonization in pregnant women by using combined swab cultures: Cross-sectional prevalence study. Available at: <http://www.scielo.br/pdf/spmj/v128n2/a03v1282.pdf>
<http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed9&NEWS=N&AN=2010452699>. Accessed (Marconi, Rocchetti, Rall, de Carvalho, Borges, da Silva) Department of Pathology, Faculdade de Medicina de Botucatu, Universidade Estadual Paulista (Unesp), Botucatu, Sao Paulo, Brazil.
135. Borger IL, d'Oliveira REC, Castro ACDd, Mondino SSBd. Streptococcus agalactiae em gestantes: prevalência de colonização e avaliação da suscetibilidade aos antimicrobianos. *Revista Brasileira de Ginecologia e Obstetricia* **2005**; 27: 575-9.
136. Kiss FS, Rossato JS, Graudenz MS, Gutierrez LLP. Prevalence of Streptococcus agalactiae colonization in a sample of pregnant and non pregnant women from Porto Alegre, Rio Grande do Sul state, Brazil. *Scientia Medica* **2013**; 23(3).
137. Simoes JA, Alves VM, Fracalanza SE, et al. Phenotypical characteristics of group B streptococcus in parturients. *Braz J Infect Dis* **2007**; 11.
138. El Beitune P, Duarte G, Maffei CML, Da Fonseca CK. Streptococcus agalactiae colonization among HIV-1-infected pregnant women: antimicrobial susceptibility evaluation. *Journal of acquired immune deficiency syndromes (1999)* **2007**; 44(2): 246.
139. Beitune PE, Duarte G, Maffei CML. Group B Streptococcus carriers among HIV-1-infected pregnant women according to gestational age and regional site of colonization: Rate of recovery from various sites [1]. *Journal of Acquired Immune Deficiency Syndromes* **2006**; 43(2): 247.
140. Benchetrit LC, Fracalanza SE, Peregrino H, Camelo AA, Sanches LA. Carriage of group-B streptococci in women and newborn infants in Brazil. *Transactions of the Royal Society of Tropical Medicine and Hygiene* **1981**; 75(3): 473-4.
141. Chaves Júnior MB, João; Cardoso, Rosilene Fressatti; Pádua, Rúbia A. F.; Campanerut, Paula A. Z.; Carvalho, Maria Dalva de Barros; Pelloso, Sandra Marisa. Prevalência de Streptococcus do grupo B em gestantes / Prevalence of Streptococcus agalactiae in pregnant women. *Femina* **2008**; 36(5): 319-24
142. Nunes PR, Oliveira, M.S. Prevalence of Streptococcus Agalactiae in pregnant women of Porto Alegre, RS: Case Report *Revista Brasileira de análises clínicas* **2015**; 47(4): 178-80.
143. Siqueira F, Magalhaes D, Calderon I, Dias A. Prevalence of streptococcus agalactiae in a sample of brazilian federal district pregnant women. *International Journal of Gynecology and Obstetrics* **2015**; 131: E262.

144. Ronchi G, Satorres S. MI7 - Prevalence of streptococcus agalactiae colonization in pregnant women in the city of San Luis according to age and underlying diseases. Available at: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed10&NEWS=N&AN=70713048>. Accessed (Ronchi, Satorres) UNSL, Clinica y Maternidad CERHU, San Luis, Argentina.
145. Oviedo P, Pegels E, Laczeski M, Quiroga M, Vergara M. Phenotypic and genotypic characterization of Streptococcus agalactiae in pregnant women. First study in a province of Argentina. Brazilian Journal of Microbiology **2013**; 44(1): 253-8.
146. Quiroga M, Pegels E, Oviedo P, Pereyra E, Vergara M. Antibiotic susceptibility patterns and prevalence of group B Streptococcus isolated from pregnant women in Misiones, Argentina. Brazilian Journal of Microbiology **2008**; 39(2): 245-50.
147. Larcher JS, Capellino F, De Giusto R, et al. Group B streptococcus colonization during pregnancy and prevention of early onset of disease. Medicina **2005**; 65(3): 201-6.
148. **!!! INVALID CITATION !!! []**.
149. Toresani I, Limansky A, Bogado I, Guardati MC, Viale A, Sutich EG. Phenotypic and genotypic study of Streptococcus agalactiae in vagina of pregnant women in Argentina. Medicina **2001**; 61(3): 295-300.
150. Abarzua F, Argomedeo C, Meissner A, et al. [Prevalence of anal-vaginal colonization of Streptococcus agalactiae in third trimester of pregnancy and susceptibility to macrolides and lincosamides, in pregnant women controlled at Clinica Alemana Temuco, Southern Chile]. Prevalencia de portacion vaginal-anal de Streptococcus agalactiae en el tercer trimestre de gestacion y susceptibilidad a macrolidos y lincosamidas, en mujeres embarazadas de Clinica Alemana Temuco, Chile **2014**; 31(3): 305-8.
151. Valdes ER, Pastene C.S., Grau M.T., Catalan M., Candia P., Juarez G., Caballero R. Prevalencia de colonizacion por Streptococcus Agalactiae (grupo B) en el tercher trimestre del embarazo pesquisado en medio de cultivo no selectivo. Revista chilena de obstetrica y ginecologia **2003**; 68(4): 305-8.
152. Tamariz Ortiz JH, Obregon Calero M, Jara Aguirre JC, Diaz Herrera J, Jefferson Cortez L, Guerra Allison H. Colonización vaginal y anorectal por Streptococcus agalactiae en gestantes de los Hospitales Nacionales Cayetano Heredia y Arzobispo Loayza. Revista Medica Herediana **2004**; 15: 144-50.
153. Laufer J, Scasso S, Sosa CG, Rodríguez-Cuns G, Alonso J, Pons JE. Group B streptococcus colonization among pregnant women in Uruguay. International Journal of Gynecology and Obstetrics **2009**; 104(3): 242-3.
154. Riera L, Benavides G, Morillo N. Colonization by group B Streptococcus in full term pregnancy and newborns in a community in Venezuela. Enfermedades Infecciosas y Microbiologia Clinica **1993**; 11(6): 295-8.
155. Pina-Carruyo M, Fuenmayor-Corvaia I, Gallegos B. Isolation of Streptococcus group B in pregnant women and their offspring. Investigacion Clinica **1979**; 20(2): 70-85.
156. García DA, Mojica ME, Méndez IA, et al. The prevalence of Streptococcus agalactiae in pregnant women attending the Hospital Militar Central, Bogota, Colombia, 2010. Revista Colombiana de Obstetricia y Ginecologia **2011**; 62(4): 302-7.
157. Ceballos CA, Loaiza N, Romero J, Ospina M, Vasquez EM. Characterization of pregnant women screened for Streptococcus agalactiae and its relationship with early neonatal sepsis, at the Clinica del Prado de Medellin (Colombia), 2010. Available at: <http://www.elsevier.com/journals/infectio/0123-9392>

- <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed12&NEWS=N&AN=2014391652>. Accessed (Ceballos, Loaiza, Romero, Ospina) Grupo de Microbiología y Epidemiología, Laboratorio Clínico Prolab, Medellín, Colombia.
158. Ortiz M, Fariña N, Sanabria R, et al. Frecuencia de colonización por *Streptococo* grupo B en embarazadas de 35 a 37 semanas en el Hospital Materno-Infantil San Pablo. *Memorias del Instituto de Investigaciones en Ciencias de la Salud* **2013**; 11: 32-40.
 159. Kovavisarach E, Ying WS-a, Kanjanahareutai S. Risk factors related to group B streptococcal colonization in pregnant women in labor. *Journal of the Medical Association of Thailand = Chotmai het thangphaet* **2007**; 90(7): 1287-92.
 160. Werawatakul Y, Taksaphan S, Pragasung M, et al. Prevalence and risk factors of *Streptococcus agalactiae* (group B) colonization in mothers and neonatal contamination at Srinagarind Hospital. *Journal of the Medical Association of Thailand* **2001**; 84(10): 1422-9.
 161. Tor-Udom S, Tor-Udom P, Hirrote W. The prevalence of *Streptococcus agalactiae* (Group B) colonization in pregnant women at Thammasat Hospital. *Journal of the Medical Association of Thailand* **2006**; 89(4): 411-4.
 162. Turner C, Turner P, Po L, et al. Group B streptococcal carriage, serotype distribution and antibiotic susceptibilities in pregnant women at the time of delivery in a refugee population on the Thai-Myanmar border. *BMC Infectious Diseases* **2012**; 12.
 163. Goto A, Vinh NQ, Minh PN, et al. Prevalence of and factors associated with reproductive tract infections among pregnant women in ten communes in Nghe An Province, Vietnam. *Journal of Epidemiology* **2005**; 15(5): 163-72.
 164. Raj M, Razali N, Sulaiman S. Screening of antenatal mothers and prevention of perinatal Group B streptococcal infection. Available at: <http://jummec.um.edu.my/current>
- <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed12&NEWS=N&AN=2009494182>. Accessed (Raj, Razali, Sulaiman) Department of Obstetrics and Gynaecology, Faculty of Medicine, University of Malaya, Kuala Lumpur 50603, Malaysia.
165. Lim CT, Thong MK, Parasakthi N, Ngeow YF. Group B *Streptococcus*: Maternal Carriage Rate and Early Neonatal Septicaemia. *Annals of the Academy of Medicine Singapore* **1997**; 26(4): 421-5.
 166. Chua S, Arulkumaran S, Chow C, et al. Genital Group B *Streptococcus* carriage in the antenatal period: its role in prom and preterm labour. *Singapore medical journal* **1995**; 36(4): 383-5.
 167. Chow KK, Tay L, Lam C. A prospective study of group B streptococcal colonization in parturient mothers and their infants. *Annals of the Academy of Medicine Singapore* **1981**; 10(1): 79-83.
 168. Cutland CL, Madhi SA, Zell ER, et al. Chlorhexidine maternal-vaginal and neonate body wipes in sepsis and vertical transmission of pathogenic bacteria in South Africa: a randomised, controlled trial. Available at: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed9&NEWS=N&AN=2009621825>. Accessed (Cutland, Madhi, Kuwanda, Laque, Groome, Adrian, Klugman) Department of Science and Technology, National Research Foundation, Vaccine Preventable Diseases and Medical Research Council, Soweto, South Africa.
 169. Kwatra G, Adrian PV, Shiri T, Buchmann EJ, Cutland CL, Madhi SA. Serotype-specific acquisition and loss of group B *Streptococcus* recto-vaginal colonization in late pregnancy. *PLoS ONE* **2014**; 9(6).
 170. Bolukaoto JY, Monyama CM, Chukwu MO, et al. Antibiotic resistance of *Streptococcus agalactiae* isolated from pregnant women in Garankuwa, South Africa. *BMC Research Notes* **2015**; 8: 364.
 171. Madzivhandila M, Adrian PV, Cutland CL, Kuwanda L, Schrag SJ, Madhi SA. Serotype distribution and invasive potential of group B streptococcus isolates causing disease in infants and colonizing maternal-newborn dyads. *PLoS ONE* **2011**; 6(3).

172. Monyama MC, Bolukaoto JY, Chukwu MO, et al. Group B streptococcus colonisation in pregnant women at Dr. George Mukhari Hospital, South Africa. *Southern African Journal of Epidemiology and Infection* **2016**; 31(3): 17-21.
173. Chukwu MO, Mavengwa RT, Monyama CM, et al. Antigenic distribution of streptococcus agalactiae isolates from pregnant women at garankuwa hospital - South Africa. *GERMS* **2015**; 5(4): 125-33.
174. Dangor Y, Said M, Kwatra G, Madhi S, Mbelle N, Ismail F. Prevalence and characterization of group B streptococcus among pregnant women at a tertiary hospital in South Africa. *International Journal of Infectious Diseases* **2016**; 45: 221-2.
175. Sharmila V, Joseph NM, Babu TA, Chaturvedula L, Sistla S. Genital tract group B streptococcal colonization in pregnant women: A south Indian perspective. *Journal of Infection in Developing Countries* **2011**; 5(8): 592-5.
176. Kulkarni AA. PSG, Dharmadhikari C.A., Kulkarni R.D. . Colonization of Pregnant Women and their Newborn infants with group-B Streptococci. *Indian Journal of Medical Microbiology* **2001**; 19: 1-4.
177. Hajare V, Madhavi L.H., Singh H.K.G. Antibigram of group b streptococci isolated from the vagina of pregnant women in third trimester of pregnancy. *People's Journal of Scientific Research* **2012**; 5(2): 22-6.
178. Madhavi H, Hajare V, Singh HKG. Carriage of group - B streptococci in pregnant women attending antenatal clinic at teaching hospital at Gulbarga, Karnataka state. *Pravara Medical Review* **2011**; 6(2): 20-3.
179. Goyal R, Singh NP, Lal P, Gupta P. Group B Streptococcus colonisation in obstetric cases in a tertiary care hospital in Delhi, India. *Annals of tropical paediatrics* **2004**; 24(2): 189-90.
180. Dalal BS, Lahiri A, Parel CC. Carriage rate of group B streptococci in pregnant women and evaluation of different isolation media. *Journal of the Indian Medical Association* **1998**; 96(12): 360-6.
181. Mani V, Jadhav M, Sivadasan K, Thangavelu CP, Rachel M, Prabha J. Maternal and neonatal colonization with group B Streptococcus and neonatal outcome. *Indian pediatrics* **1984**; 21(5): 357-63.
182. Kishore K, Deorari AK, Paul VK, Singh M, Bhujwala RA. Group B streptococcus colonization & neonatal outcome in north India. *The Indian journal of medical research* **1986**; 84: 492-4.
183. Nagar. Unpublished Thesis, **2007**.
184. Rajaratnam A, Kuruvilla T.S., Antony B. Prevalence of group B streptococcal colonization among pregnant women in a tertiary care hospital in coastal karnataka. *International journal of applied biology and pharmaceutical technology* **2013**; 4(1): 308-10.
185. Konikkara KP, Baliga S, Shenoy S, Bharati B. Evaluation of culture, antigen detection and polymerase chain reaction for detection of vaginal colonization of group B streptococcus in pregnant women. *Journal of Clinical and Diagnostic Research* **2014**; 8(2): 47-9.
186. Muthusami A, Devi CS, Kanungo R, et al. Vaginal colonization as a risk factor for the development of neonatal sepsis. Available at: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed8&NEWS=N&AN=2008198176>. Accessed (Devi C., Kanungo, Shashikala, Srinivasan) Department of Clinical Microbiology, Puducherry - 605 014, India.
187. Chaudhary U, Sabherwal U, Chugh TD. Prevalence of group B streptococci in obstetrical cases. *Indian Journal of Medical Research* **1981**; 73(5): 710-4.
188. Dechen TC, Sumit K, Ranabir P. Correlates of Vaginal Colonization with Group B Streptococci among Pregnant Women. *Journal of Global Infectious Diseases* **2010**; 2(3): 236-41.

189. Das A, Ray P, Sharma M, Gopalan S. Rapid diagnosis of vaginal carriage of group B beta haemolytic streptococcus by an enrichment cum antigen detection test. Available at: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed6&NEWS=N&AN=2003483498>. Accessed (Das, Ray, Sharma) Department of Medical Microbiology, Postgrad. Inst. of Med. Educ./Res., Chandigarh 160012, India.
190. Patil K.P. SSS, Nagmoti M.B., Swamy M.K. Group B Streptococci Colonization in Pregnant Women: Is Screening Necessary? South Asian Feder Obst Gyne **2013**; 5(2): 64-7.
191. Chaudhary M, Rench MA, Baker CJ, Singh P, Hans C, Edwards MS. Group B Streptococcal Colonization Among Pregnant Women in Delhi, India. Pediatric Infectious Disease Journal **2016**: no pagination.
192. Chaudhry BY, Akhtar N, Balouch AH. Vaginal carriage rate of group B Streptococcus in pregnant women and its transmission to neonates. Journal of Ayub Medical College, Abbottabad : JAMC **2010**; 22(4): 167-70.
193. Kirmani N, hassan T.J., Jafarey S.N., Hafiz S. . Carriage of beta haemolytic streptococci (BHS) in pregnant women and acquisition by neonates Journal of the Pakistan Medical Association **1994**.
194. Akhtar T, Zai S, Khatoon J, Zohra A, Roghani MT, Ahmad A. A study of group B streptococcal colonization and infection in newborns in Pakistan. Journal of tropical pediatrics **1987**; 33(6): 302-4.
195. Hafeez AAS, Abbasi S.A. Normal vaginal flora in pregnant women. Journal of Pakistan Institute of Medical Sciences **1997**; 7(437-440).
196. Munir SI, Waheed K, Khanum A, Iqbal R, Eusaph AZ, Hanif A. Frequency of Group B Streptococci in Pregnant Women in a Tertiary Care Hospital. Journal of the College of Physicians and Surgeons--Pakistan : JCPSP **2016**; 26(1): 27-30.
197. Chan GJ, Modak JK, Mahmud AA, Baqui AH, Black RE, Saha SK. Maternal and neonatal colonization in Bangladesh: Prevalences, etiologies and risk factors. Journal of Perinatology **2013**; 33(12): 971-6.
198. Hadavand S, Ghafoorimehr F, Rajabi L, Davati A, Zafarghandi N. Frequency of group B Streptococcal colonization in pregnant women aged 35- 37 weeks in clinical centers of shahed university, Tehran, Iran. Iranian Journal of Pathology **2015**; 10(2): 120-6.
199. Tajbakhsh S, Norouzi Esfahani M, Emaneini M, Motamed N, Rahmani E, Gharibi S. Identification of Streptococcus agalactiae by fluorescent in situ hybridization compared to culturing and the determination of prevalence of Streptococcus agalactiae colonization among pregnant women in Bushehr, Iran. BMC Infectious Diseases **2013**; 13(1).
200. Shirazi M, Abbariki E, Hafizi A, Shahbazi F, Bandari M, Dastgerdy E. The prevalence of group B Streptococcus colonization in iranian pregnant women and its subsequent outcome. International Journal of Fertility and Sterility **2014**; 7(4): 267-70.
201. Absalan M, Eslami G, Zandi H, Mosaddegh A, Vakili M, Khalili MB. Prevalence of recto-vaginal colonization of group B streptococcus in pregnant women. Journal of Isfahan Medical School **2013**; 30(220): 2367-75.
202. Namavar Jahromi B, Poorarian S, Poorbarfehee S. The prevalence and adverse effects of group B streptococcal colonization during pregnancy. Arch Iran Med **2008**; 11.
203. Hamed A, Akhlaghi F, Seyedi SJ, Kharazmi A. Evaluation of group B streptococci colonization rate in pregnant women and their newborn. Acta Medica Iranica **2012**; 50(12): 805-8.
204. Seyyed EZ, Toossi E, Jalalvand A, Sajadi M. Group B Streptococci investigation in pre-term labors. Medical archives (Sarajevo, Bosnia and Herzegovina) **2013**; 67(2): 124-5.

205. Hassanzadeh P, Motamedifar M, Gharaghani MN. Carriage rate of group B streptococci in pregnant women in three teaching hospitals in Shiraz, Iran. *Medical Principles and Practice* **2011**; 20(3): 277-82.
206. Moghaddam MN. Recto-vaginal colonization of group B streptococcus in pregnant women referred to a hospital in Iran and its effect on lactobacillus normal flora. *Journal of Biological Sciences* **2010**; 10(2): 166-9.
207. Fatemi F, Pakzad P, Zeraati H, et al. Comparative molecular and microbiologic diagnosis of vaginal colonization by group B streptococcus in pregnant women during labor. Available at: http://www.mums.ac.ir/shares/basic_medical/basicmedjou/89/fall/a4.pdf
<http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed9&NEWS=N&AN=2010542048>. Accessed (Fatemi, Akhondi, Chamani-Tabriz) Reproductive Biotechnology Research Center, Avicenna Research Institute, ACECR, Tehran, Iran, Islamic Republic of.
208. Mansouri S, Ghasami E, Najad NS. Vaginal colonization of Group B streptococci during late pregnancy in Southeast of Iran: Incidence, serotype distribution and susceptibility to antibiotics. *Journal of Medical Sciences* **2008**; 8(6): 574-8.
209. Aali BS, Abdollahi H., Nakhaee, N., Davazdahemami Z., Mehdizadeh, A. The association of preterm labor with vaginal colonization of group b streptococci. *Iranian Journal of Medical Sciences* **2007**; 5(4): 191-4.
210. Rabiee S, Arab M, Mashouf RY. Epidemiologic pattern of vaginal colonization by group B Streptococcus in pregnant women in Hamadan, Central west of Iran. *Iranian Journal of Medical Sciences* **2006**; 31(2): 106-8.
211. Bornasi H, Rad EG, Fard-Mousavi N, Zand S, Abtahi H. Antibiotic resistance profile and capsular serotyping of streptococcus agalactiae isolated from pregnant women between 35 to 37 weeks of pregnancy. *Koomesh* **2016**; 17(2): 352-7.
212. Goudarzi G, Ghafarzadeh M, Shakib P, Anbari K. Culture and Real-Time PCR Based Maternal Screening and Antibiotic Susceptibility for Group B Streptococcus: An Iranian Experience. *Global journal of health science* **2015**; 7(6): 233-9.
213. Numanovic F, Smajlovic J, Gegic M, et al. Presence and resistance of Streptococcus agalactiae in vaginal specimens of pregnant and adult non-pregnant women and association with other aerobic bacteria. *Medicinski Glasnik* **2017**; 14(1): 98-105.
214. Müller-Vranješ A, Puntarić D, Čuržik D, et al. Prevalence and significance of vaginal group B streptococcus colonization in pregnant women from Osijek, Croatia. *Collegium Antropologicum* **2011**; 35(1): 21-6.
215. Trischler-Čeke Z, Semenić-Rutko M, Biljan D, et al. Prevalence and resistance of streptococcus agalactiae isolated from vagina and anorectum of pregnant women during the first organised screening of pregnant women for the presence of streptococcus agalactiae in Croatia. *Paediatrica Croatica* **2010**; 54(1): 19-24.
216. Liébana-Martos MDC, Cabrera-Alavargonzalez J, Rodríguez-Granger J, et al. Serotypes and antibiotic resistance patterns in beta-hemolytic Streptococcus agalactiae isolates in colonized mothers and newborns with invasive disease. *Enfermedades Infecciosas y Microbiología Clínica* **2015**; 33(2): 84-8.
217. Dadvand P, Basagana X, Figueras F, Sunyer J, Nieuwenhuijsen MJ. Climate and group B streptococci colonisation during pregnancy: Present implications and future concerns. *BJOG: An International Journal of Obstetrics and Gynaecology* **2011**; 118(11): 1396-400.
218. Marimon JM, Valiente A, Ercibengoa M, Garcia-Arenzana JM, Perez-Trallero E. Erythromycin resistance and genetic elements carrying macrolide efflux genes in Streptococcus agalactiae. Available at:
<http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed7&NEWS=N&AN=2005566940>. Accessed (Marimon, Valiente, Ercibengoa, Garcia-Arenzana, Perez-Trallero) Servicio de Microbiología, Hospital Donostia, Paseo Dr. Beguiristain s/n, 20014 San Sebastian, Spain.

219. Ramos JM, Milla A, Lopez-Garcia P, Gutierrez F. Colonization by Streptococcus agalactiae in foreign and spanish gestating women in the area of Elche (Spain). Available at: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed9&NEWS=N&AN=2009222352>. Accessed (Ramos, Gutierrez) Unidad de Enfermedades Infecciosas, Hospital General Universitario de Elche, Alicante, Spain.
220. Bayo M, Berlanga M, Agut M. Vaginal microbiota in healthy pregnant women and prenatal screening of group B streptococci (GBS). International microbiology : the official journal of the Spanish Society for Microbiology **2002**; 5(2): 87-90.
221. Mestres JB, De Mora MRC, Pazos AD. Detection of Streptococcus agalactiae in pregnant women. Impact on prophylaxis of early-neonatal sepsis. Available at: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed8&NEWS=N&AN=2008262186>. Accessed (Mestres) SIIC.
222. Rojo-Bezares B, Azcona-Gutierrez JM, Martin C, Jareno MS, Torres C, Saenz Y. Streptococcus agalactiae from pregnant women: Antibiotic and heavy-metal resistance mechanisms and molecular typing. Epidemiology and Infection **2016**; 144(15): 3205-14.
223. Berardi A, Rossi C, Guidotti I, et al. Factors associated with intrapartum transmission of group B Streptococcus. The Pediatric infectious disease journal **2014**; 33(12): 1211-5.
224. Savoia D, Gottimer C, Crocilla C, Zucca M. Streptococcus agalactiae in pregnant women: phenotypic and genotypic characters. J Infect **2008**; 56.
225. Roccasalva LS, Giummarra V, Valenti O, Scuderi MC, Furneri PM. Isolation and characterization of Streptococcus agalactiae in pregnant women. Available at: http://www.gioq.it/materiale_cic/362_XXX_10/3139_isolamento/article.pdf
<http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed8&NEWS=N&AN=2009118803>. Accessed (Roccasalva, Giummarra, Valenti, Scuderi, Furneri) Università degli Studi di Catania, Dipartimento di Scienze Microbiologiche e Scienze Ginecologiche.
226. Buseti M, D'Agaro P, Campello C. Group B streptococcus prevalence in pregnant women from North-Eastern Italy: advantages of a screening strategy based on direct plating plus broth enrichment. Journal of clinical pathology **2007**; 60(10): 1140-3.
227. Lijoi D, Capua ED, Ferrero S, et al. The efficacy of 2002 CDC guidelines in preventing perinatal group B Streptococcal vertical transmission: A prospective study. Available at: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed8&NEWS=N&AN=2007150502>. Accessed (Lijoi, Capua, Ferrero, Mistrangelo, Morano, Ragni) Department of Obstetrics and Gynaecology, San Martino Hospital, University of Genoa, Largo R. Benzi 10, 16132 Genoa, Italy.
228. De Luca C, Buono N, Santillo V, et al. Screening and management of maternal colonization with Streptococcus agalactiae: an Italian cohort study. The journal of maternal-fetal & neonatal medicine : the official journal of the European Association of Perinatal Medicine, the Federation of Asia and Oceania Perinatal Societies, the International Society of Perinatal Obstetricians **2016**; 29(6): 911-5.
229. Prifti E, Papanagiotou A, Kyriakopoulos TH, et al. Prevalence of Streptococcus agalactiae colonisation in pregnant women and antimicrobial resistance profiles. Available at: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed10&NEWS=N&AN=70822732>. Accessed (Prifti, Papanagiotou, Kyriakopoulos, Vlachos, Lianos, Metzidaki, Tsetsa, Apostolou, Tzanetou) AthensGreece.
230. Daskalakis G, Papapanagiotou A, Mesogitis S, Papantoniou N, Mavromatis K, Antsaklis A. Bacterial vaginosis and group B streptococcal colonization and preterm delivery in a low-risk population. Fetal Diagnosis and Therapy **2006**; 21(2): 172-6.

231. Tsolia M, Psoma M, Gavrilis S, et al. Group B streptococcus colonization of Greek pregnant women and neonates: prevalence, risk factors and serotypes. *Clin Microbiol Infect* **2003**; 9.
232. Suara RO, Adegbola RA, Baker CJ, Secka O, Mulholland EK, Greenwood BM. Carriage of group B streptococci in pregnant Gambian mothers and their infants. *Journal of Infectious Diseases* **1994**; 170(5): 1316-9.
233. Le Doare K. JS, Darboe S., Warburton F., Gorringer A., Heath P.T., Kampmann, B. . Risk Factors for Group B Streptococcus colonisation and disease in Gambian Women and their infants *Journal of infection* **2016**; (S0163-4453(15)00406-5).
234. Uhiara JE. Group B streptococcal carriage among parturients and their neonates in Zaria, Nigeria. *African journal of medicine and medical sciences* **1993**; 22(3): 79-83.
235. Dawodu AH, Damole IO, Onile BA. Epidemiology of group B streptococcal carriage among pregnant women and their neonates: an African experience. *Tropical and geographical medicine* **1983**; 35(2): 145-50.
236. Onipede*1 A, Adefusi*, O., Adeyemi +1, A., Adejuyigbe#1, E., Oyelese*1, A., Ogunniyi* T. GROUP B STREPTOCOCCUS CARRIAGE DURING LATE PREGNANCY IN ILE-IFE, NIGERIA. *AFR J CLN EXPER MICROBIOL* **2012**; 13(3): 135-43.
237. Olanisebe SB, Adetosoye AI. Determination of asymptomatic carrier rate of beta-haemolytic group B Streptococcus in vaginas of pregnant women in Ibadan, Nigeria. *Zentralblatt für Bakteriologie, Mikrobiologie, und Hygiene Series A, Medical microbiology, infectious diseases, virology, parasitology* **1986**; 261(2): 248-53.
238. Onile BA. Group B streptococcal carriage in Nigeria. *Transactions of the Royal Society of Tropical Medicine and Hygiene* **1980**; 74(3): 367-70.
239. Onwuezobe I.A. ERA. Prevalence and associated risk factors of group b streptococcus in pregnant women attending antenatal care in a Nigerian Urban Hospital *Ibom Medical Journal* **2016**; 9(1): 1-7.
240. Nwachukwu N. U, Kanu I., Anyanwu E. Genital colonization of group b streptococcus at term pregnancy in Calabar, Nigeria *The Internet Journal of Pediatrics and Neonatology* **2006**; 7(2): 1-4.
241. Denis F, David P, David M, Chiron JP, Correa P. Les streptocoques du groupe B chez la femme enceinte et le nouveau-né en Afrique de l'Ouest. Bilan d'une recherche systématique à Dakar. *Medecine et Maladies Infectieuses* **1979**; 9(5): 318-21.
242. Vinnemeier C.D.; Brust P. O-DE, Sarpong N., Sarfo E.Y., Bio Y., Rolling T., Dekker D., Adu-Sarkodie Y., Eberhardt K.A., May J., Cramer, J.P. Group B Streptococci Serotype distribution in pregnant women in Ghana: Assessment of potential coverage through future vaccines. *Tropical Medicine and International Health* **2015**; 20(11): 1516-24.
243. Balaka B, Agbere A, Dagnra A, Baeta S, Kessie K, Assimadi K. [Genital bacterial carriage during the last trimester of pregnancy and early-onset neonatal sepsis]. *Portage genital bacterien au dernier trimestre de la grossesse et infection neonatale precoce* **2005**; 12(5): 514-9.
244. Mounerou S, Y DA, Biova ACHgA, et al. Group B Streptococcal Carriage Rate in Vagina of Pregnant Women in Third Trimester in Lomé, Togo. *World Journal of Preventive Medicine* **2015**; 3(1): 7-10.
245. David-Prince M, Ategbro S, De Souza AE, et al. Carriage of Streptococcus B in the mother and infant pair at birth. Apropos of 106 cases. *Bulletin de la Societe de pathologie exotique (1990)* **1991**; 84(5 Pt 5): 522-31.

246. Enweronu-Laryea CC, Damale NRK, Newman MJ. Prevalence of group B streptococcus in pregnant women attending a tertiary hospital in Ghana in 2001. *Archives of Clinical Microbiology* **2011**; 2(2).
247. Faye-Kette Achi H, Dosso M, Kacou A, et al. Genital carriage of Streptococcus group B in the pregnant woman in Abidjan (Ivory Coast). *Bulletin de la Societe de pathologie exotique* (1990) **1991**; 84(5 Pt 5): 532-9.
248. Karadağ FY, Hizel K, Gelişen O. Colonization of group B streptococci in pregnant women at delivery. *Türk Jinekoloji ve Obstetrik Dernegi Dergisi* **2013**; 10(1): 16-20.
249. Yenişehirli G, Bulut Y, Demirtürk F, Çalışkan AC. Antimicrobial susceptibilities and serotype distribution of Streptococcus agalactiae strains isolated from pregnant women. *Mikrobiyoloji Bulteni* **2006**; 40(3): 155-60.
250. Kadanali A, Altoparlak Ü, Kadanali S. Maternal carriage and neonatal colonisation of group B streptococcus in eastern Turkey: Prevalence, risk factors and antimicrobial resistance. *International Journal of Clinical Practice* **2005**; 59(4): 437-40.
251. Eren A, Küçükercan M, Oğuzoğlu N, Ünal N, Karateke A. The carriage of group B streptococci in Turkish pregnant women and its transmission rate in newborns and serotype distribution. *Turkish Journal of Pediatrics* **2005**; 47(1): 28-33.
252. Barbaros I, Murat C, Mehmet V, et al. The colonization incidence of group B streptococcus in pregnant women and their newborns in Istanbul. *Pediatrics International* **2005**; 47(1): 64-6.
253. Yucesoy G, Caliskan E, Karadenizli A, et al. Maternal colonisation with group B streptococcus and effectiveness of a culture-based protocol to prevent early-onset neonatal sepsis. *International journal of clinical practice* **2004**; 58(8): 735-9.
254. Arisoy AS, Altinisik B, Tunger O, Kurutepe S, Ispahi C. Maternal carriage and antimicrobial resistance profile of group B Streptococcus. *Infection* **2003**; 31(4): 244-6.
255. Altoparlak U, Kadanali A, Kadanali S. Genital flora in pregnancy and its association with group B streptococcal colonization. Available at: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed6&NEWS=N&AN=2004499553>. Accessed (Altoparlak) Dept. Microbiol. Clin. Microbiol., School of Medicine, Ataturk University, Erzurum, Turkey.
256. Akman I, Imir G, Dokmeci C, et al. Prevalence of group B streptococcus colonization and intrapartum antibiotic prophylaxis at Marmara University Hospital. Available at: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed5&NEWS=N&AN=2001227910>. Accessed (Akman, Imir, Dokmeci, Over, Ozek, Soyletir, Ceyhan) Department of Pediatrics, School of Medicine, Marmara University, Istanbul, Turkey.
257. Celebi S, Tuncel E, Babacan M. The prevalence of group B streptococcus in pregnant women and newborn infants in East Anatolia. *Mikrobiyoloji Bulteni* **1992**; 26(2): 149-54.
258. Gokalp A, Oguz A, Bakici Z, et al. [Neonatal group B colonization and maternal urogenital and anorectal system carriage]. Neonatal grup B streptokok kolonizasyonunun annelerdeki ve anorektal sistem tasiyiciligi ile iliskisi **1986**; 20(4): 248-55.
259. Gokalp AS, Bakici MZ. [Relationship between neonatal group B streptococcal colonization and the maternal urogenital and anorectal system carrier state]. Neonatal grup B streptokok kolonizasyonunun annelerdeki urogenital ve anorektal sistem tasiyiciligi ile iliskisi **1985**; 19(2): 65-72.
260. Gökalp A, Oğuz A, Bakici Z, et al. Neonatal group B streptococcal colonization and maternal urogenital or anorectal carriage. *Turkish Journal of Pediatrics* **1988**; 30(1): 17-23.

261. Ayata A, Guvenc H, Felek S, Aygun AD, Kocabay K, Bektas S. Maternal carriage and neonatal colonisation of group B streptococci in labour are uncommon in Turkey. *Paediatric and Perinatal Epidemiology* **1994**; 8(2): 188-92.
262. Alp F, Findik D, Dagi HT, Arslan U, Pekin AT, Yilmaz SA. Screening and genotyping of group B streptococcus in pregnant and non-pregnant women in Turkey. *Journal of infection in developing countries* **2016**; 10(3): 222-6.
263. Al-Sweih N, Hammoud M, Al-Shimmiri M, Jamal M, Neil L, Rotimi V. Serotype distribution and mother-to-baby transmission rate of *Streptococcus agalactiae* among expectant mothers in Kuwait. *Archives of Gynecology and Obstetrics* **2005**; 272(2): 131-5.
264. Al-Sweih N, Maiyegun S, Diejomaoh M, et al. *Streptococcus agalactiae* (group B streptococci) carriage in late pregnancy in Kuwait. *Medical Principles and Practice* **2004**; 13(1): 10-4.
265. Ghaddar N, Alfouzan W, Anastasiadis E, et al. Evaluation of chromogenic medium and direct latex agglutination test for detection of group B streptococcus in vaginal specimens from pregnant women in Lebanon and Kuwait. *Journal of Medical Microbiology* **2014**; 63: 1395-9.
266. Sidky I, Thomas M. Prevalence of group B streptococcal infection colonisation in pregnant women and their offspring in the middle east. *Journal of Obstetrics and Gynaecology* **2002**; 22(2): 179-80.
267. Amin A, Abdulrazzaq YM, Uduman S. Group B streptococcal serotype distribution of isolates from colonized pregnant women at the time of delivery in United Arab Emirates. *J Infect* **2002**; 45.
268. Zamzami TY, Marzouki AM, Nasrat HA. Prevalence rate of group B streptococcal colonization among women in labor at King Abdul-Aziz University Hospital. *Archives of Gynecology and Obstetrics* **2011**; 284(3): 677-9.
269. El-Kersh TA, Al-Nuaim LA, Kharfy TA, Al-Shammary FJ, Al-Saleh SS, Al-Zamel FA. Detection of genital colonization of group B streptococci during late pregnancy. *Saudi Medical Journal* **2002**; 23(1): 56-61.
270. Gosling PJ, Morgos FW. Group B streptococci: colonization of women in labour and neonatal acquisition in the western region of Saudi Arabia. *Journal of Hospital Infection* **1983**; 4(3): 324.
271. Uduman SA, Chatterjee TK, Al-mouzan MI, Al-Suleiman S. Group B streptococci colonization among Saudi women in labor and neonatal acquisition. *International Journal of Gynecology and Obstetrics* **1985**; 23(1): 21-4.
272. Al-Suleiman SA, Farrag I, Kingsley TD, Uduman SA, Al-Mouzan MI. Third trimester colonisation and treatment of group b β haemolytic streptococcus among obstetric patients in the eastern province of Saudi arabia. *Journal of Obstetrics and Gynaecology* **1991**; 11(6): 409-13.
273. Khan MA, Faiz A, Ashshi AM. Maternal colonization of group B streptococcus: prevalence, associated factors and antimicrobial resistance. *Annals of Saudi medicine* **2015**; 35(6): 423-7.
274. Seoud MN, A.H., Zalloua P., Boghossian N., Ezeddine J., Fakhoury H., Abboud J., Melki I., Araj G., Nacouzi G., Sanyoura M., Yunis K. Prenatal and neonatal group b streptococcus screening and serotyping in Lebanon: incidence and implications. *Acta Obstetrica et Gynecologica* **2010**; 89: 399-403.
275. Chaaya A, Chacar HR, Daoud M, et al. Screening of *Streptococcus agalactiae* (group B) in the perinatal period. *Le Journal médical libanais The Lebanese medical journal* **1996**; 44(4): 203-8.
276. Sunna E, el-Daher N, Bustami K, Na'was T. A study of group B streptococcal carrier state during late pregnancy. *Tropical and geographical medicine* **1991**; 43(1-2): 161-4.

277. Eisenberg VH, Raveh D, Meislich Y, et al. Prevention of early-onset neonatal group B streptococcal infection: is universal screening by culture universally applicable? The Israel Medical Association journal : IMAJ **2006**; 8(10): 698-702.
278. Marchaim D, Hallak M, Gortzak-Uzan L, Peled N, Riesenbergr K, Schlaeffer F. Risk factors for carriage of group B streptococcus in southern Israel. Isr Med Assoc J **2003**; 5.
279. Eidelman AI, Rudensky B, Turgeman D, Nubani N, Schimmel MS, Isacsohn M. Epidemiology of group B streptococci colonization and disease in mothers and infants: update of ongoing 10-year Jerusalem study. Israel journal of medical sciences **1990**; 26(2): 71-3.
280. Draï-Hasid R. C-mR, Lev-Sagie A., Avital G., Block C., Moses A.E., Hochner-Celnikier D. Ritual Immersion in a Mikveh is associated with increased risk of group b streptococcal carrier state in israeli parturient women. Open Journal of Obstetrics and Gynecology **2015**; 5: 769-74
281. Chhin D, Pozzetto B, Teyssier G, et al. Relationship between cord blood vitamin D level and group B Streptococcus vaginal carriage rate in pregnant women. e-SPEN Journal **2013**; 8(4): e150-e4.
282. van der Mee-Marquet N, Jouannet C, Domelier AS, Arnault L, Lartigue MF, Quentin R. Genetic diversity of Streptococcus agalactiae strains and density of vaginal carriage. J Med Microbiol **2009**; 58.
283. Honderlick P, Gravis J, Cahen P, Vignon D. Evaluation of 6 years of group B streptococcus (GBS) screening in near-term pregnant women. Pathologie Biologie **2010**; 58(2): 144-6.
284. Mereghetti L, Lanotte P, Rochoux A, et al. Application of the French guidelines for preventing neonatal group B streptococcal disease in a university hospital. Clinical Microbiology and Infection **2007**; 13(3): 322-4.
285. Chhuy T, Mansour G, Zejli A, Bouquigny C, Bock S, Abboud P. Group B streptococcus screening: A retrospective study in 1,674 pregnancies. Journal de Gynecologie Obstetrique et Biologie de la Reproduction **2005**; 34(4): 328-33.
286. Jauréguy F, Carton M, Teboul J, et al. Risk factors and screening strategy for group B streptococcal colonization in pregnant women: Results of a prospective study. Journal de Gynecologie Obstetrique et Biologie de la Reproduction **2003**; 32(2): 132-8.
287. Volumenie JL, Fernandez H, Vial M, Lebrun L, Frydman R. Neonatal group B streptococcal infection. Results of 33 months of universal maternal screening and antibioprophyllaxis. European journal of obstetrics, gynecology, and reproductive biology **2001**; 94(1): 79-85.
288. El Aila NA, Tency I, Claeys G, et al. Genotyping of Streptococcus agalactiae (group B streptococci) isolated from vaginal and rectal swabs of women at 35-37 weeks of pregnancy. BMC Infectious Diseases **2009**; 9: 153.
289. Kunze M, Zumstein K, Markfeld-Erol F, et al. Comparison of pre- and intrapartum screening of group B streptococci and adherence to screening guidelines: a cohort study. European Journal of Pediatrics **2015**; 174(6): 827-35.
290. Kunze M, Ziegler A, Fluegge K, Hentschel R, Proempeler H, Berner R. Colonization, serotypes and transmission rates of group B streptococci in pregnant women and their infants born at a single University Center in Germany. Journal of Perinatal Medicine **2011**; 39(4): 417-22.
291. Brimil N, Barthell E, Heindrichs U, Kuhn M, Lutticken R, Spellerberg B. Epidemiology of Streptococcus agalactiae colonization in Germany. Int J Med Microbiol **2006**; 296.
292. Valkenburg-Van Den Berg AW, Sprij AJ, Oostvogel PM, et al. Prevalence of colonisation with group B Streptococci in pregnant women of a multi-ethnic population in the Netherlands. European Journal of Obstetrics Gynecology and Reproductive Biology **2006**; 124(2): 178-83.

293. Capanna F, Emonet SP, Cherkaoui A, Irion O, Schrenzel J, Martinez de Tejada B. Antibiotic resistance patterns among group B Streptococcus isolates: implications for antibiotic prophylaxis for early-onset neonatal sepsis. *Swiss medical weekly* **2013**; 143: w13778.
294. Rausch AV, Gross A, Droz S, Bodmer T, Surbek DV. Group B Streptococcus colonization in pregnancy: Prevalence and prevention strategies of neonatal sepsis. *Journal of Perinatal Medicine* **2009**; 37(2): 124-9.
295. Hafner E, Sterniste W, Rosen A, et al. Group B streptococci during pregnancy: a comparison of two screening and treatment protocols. *American journal of obstetrics and gynecology* **1998**; 179(3 Pt 1): 677-81.
296. Dahan-Saal J, Gérardin P, Robillard PY, et al. Determinants of group B streptococcus maternal colonization and factors related to its vertical perinatal transmission: Case-control study. *Gynecologie Obstetrique Fertilité* **2011**; 39(5): 281-8.
297. K.L. T. A study of group b streptococcus in Brisbane: The epidemiology, detection by PCR assay & serovar prevalence, **2006**.
298. Ko DWH, Zurynski Y, Gilbert GL. Group B streptococcal disease and genotypes in Australian infants. Available at: www.blackwell-science.com/jpc
<http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed13&NEWS=N&AN=2015724381>. Accessed (Ko, Gilbert) Centre for Infectious Diseases and Microbiology, Westmead Hospital, Sydney, NSW, Australia.
299. Grimwood K, Stone PR, Gosling IA, et al. Late antenatal carriage of group B Streptococcus by New Zealand women. *Aust N Z J Obstet Gynaecol* **2002**; 42.
300. Moyo SR, Maeland JA, Bergh K. Typing of human isolates of Streptococcus agalactiae (group B streptococcus, GBS) strains from Zimbabwe. *Journal of Medical Microbiology* **2002**; 51(7): 595-600.
301. Shen AD, Yang YY, Schollin J. Serotype distribution and antimicrobial susceptibility profiles of group B streptococcus strains from pregnant women in Beijing, 1994-99. *Prenatal and Neonatal Medicine* **2000**; 5(4): 230-5.
302. Shen A, Zhu Y, Zhang G, Yang Y, Jiang Z. Experimental study on distribution of serotypes and antimicrobial patterns of group B streptococcus strains. *Chinese medical journal* **1998**; 111(7): 615-8.
303. Van Elzakker E, Yahiaoui R, Visser C, et al. Epidemiology of and prenatal molecular distinction between invasive and colonizing group B streptococci in the Netherlands and Taiwan. *European Journal of Clinical Microbiology and Infectious Diseases* **2009**; 28(8): 921-8.
304. Yan Y, Hu H, Lu T, et al. Investigation of serotype distribution and resistance genes profile in group B Streptococcus isolated from pregnant women: a Chinese multicenter cohort study. *APMIS : acta pathologica, microbiologica, et immunologica Scandinavica* **2016**; 124(9): 794-9.
305. Lu B, Wang D, Zhou H, et al. Distribution of pilus islands and alpha-like protein genes of group B Streptococcus colonized in pregnant women in Beijing, China. *European journal of clinical microbiology & infectious diseases : official publication of the European Society of Clinical Microbiology* **2015**; 34(6): 1173-9.
306. Seo YS, Srinivasan U, Oh KY, et al. Changing molecular epidemiology of group B streptococcus in Korea. *Journal of Korean medical science* **2010**; 25(6): 817-23.
307. Lee HR, Song SH, Kim HB, Park KU, Song J. A rapid genotyping test for the simultaneous detection and subtyping of group B streptococci: The frequency of molecular subtypes of group B streptococci in Korea. *European Journal of Clinical Microbiology and Infectious Diseases* **2010**; 29(10): 1287-90.

308. Oh CE, Jang HO, Kim NH, Lee J, Choi EH, Lee HJ. Molecular serotyping of Group B streptococcus isolated from the pregnant women by polymerase chain reaction and sequence analysis. *Korean Journal of Pediatric Infectious Diseases* **2009**; 16(1): 47-53.
309. Wakimoto H, Wakimoto Y, Yano H, et al. [Antimicrobial susceptibility and serotype distribution in perinatal group B Streptococcus isolates--a 1999-2009 multicenter study]. Available at: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed11&NEWS=N&AN=21560418>. Accessed (Wakimoto) Nagoya City University School of Nursing.
310. Kimura K, Matsubara K, Yamamoto G, Shibayama K, Arakawa Y. Active screening of group B Streptococci with reduced penicillin susceptibility and altered serotype distribution isolated from pregnant women in Kobe, Japan. *Japanese Journal of Infectious Diseases* **2013**; 66(2): 158-60.
311. Cristea V-C, Duta M, Neacsu G. Screening for group B streptococcus: a private laboratory experience. *Roumanian archives of microbiology and immunology* **2011**; 70(2): 65-8.
312. Usein CR, Petrini A, Georgescu R, Grigore L, Străuț M, Ungureanu V. Group B streptococcus colonization of Romanian women: phenotypic traits of isolates from vaginal swabs. *Roumanian archives of microbiology and immunology* **2009**; 68(4): 235-9.
313. Romanik M, Nowosielski K, Poręba R, Sioma-Markowska U, Martiroisian G, Groborz J. Streptococcus group B serotype distribution in anovaginal isolates of women in term pregnancy. *Neuroendocrinology Letters* **2014**; 35(4): 301-5.
314. Brzychczy-Wloch M, Gosiewski T, Bodaszewska M, Pabian W, Ochonska D, Heczko PB. Distribution of PFGE types of group B streptococci originating from Polish pregnant women in relation to capsular polysaccharides and surface protein genes. Available at: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed9&NEWS=N&AN=70196304>. Accessed (Brzychczy-Wloch, Gosiewski, Bodaszewska, Pabian, Ochonska, Heczko) Cracow Poland.
315. Wolski B, Zegarska J, Adamczak R, Szymanski W, Kaczmarek A, Dorota M. Serotype I, II, III distribution and antimicrobial susceptibility of Streptococcus agalactiae among Polish delivering women. Available at: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed9&NEWS=N&AN=70231032>. Accessed (Wolski, Zegarska, Adamczak, Szymanski) Women's Diseases and Gynecological Oncology Department, Collegium Medicum in Bydgoszcz, Nicolaus Copernicus University, Torun, Poland.
316. Belard S, Toepfner N, Capan-Melser M, et al. Streptococcus agalactiae Serotype Distribution and Antimicrobial Susceptibility in Pregnant Women in Gabon, Central Africa. *Scientific reports* **2015**; 5: 17281.
317. Bergal A, Loucif L, Benouareth DE, Bentorki AA, Abat C, Rolain JM. Molecular epidemiology and distribution of serotypes, genotypes, and antibiotic resistance genes of Streptococcus agalactiae clinical isolates from Guelma, Algeria and Marseille, France. *Eur J Clin Microbiol Infect Dis* **2015**; 34(12): 2339-48.
318. Croak A, Abate G, Goodrum K, Modrzakowski M. Predominance of serotype V and frequency of erythromycin resistance in Streptococcus agalactiae in Ohio. *American Journal of Obstetrics and Gynecology* **2003**; 188(5): 1148-50.
319. Meehan M, Cunney R, Cafferkey M. Molecular epidemiology of group B streptococci in Ireland reveals a diverse population with evidence of capsular switching. *European Journal of Clinical Microbiology and Infectious Diseases* **2014**; 33(7): 1155-62.
320. Dore N, Bennett D, Kalischer M, Cafferkey M, Smyth CJ. Molecular epidemiology of group B streptococci in Ireland: associations between serotype, invasive status and presence of genes encoding putative virulence factors. *Epidemiol Infect* **2003**; 131.

321. Jones N, Oliver K, Jones Y, Haines A, Crook D. Carriage of group B streptococcus in pregnant women from Oxford, UK. *Journal of clinical pathology* **2006**; 59(4): 363-6.
 322. Brigtsen AK, Dedi L, Melby KK, et al. Comparison of PCR and serotyping of Group B Streptococcus in pregnant women: the Oslo GBS-study. *Journal of microbiological methods* **2015**; 108: 31-5.
 323. Berg S, Trollfors B, Lagergard T, Zackrisson G, Claesson BA. Serotypes and clinical manifestations of group B streptococcal infections in western Sweden. *Clin Microbiol Infect* **2000**; 6.
 324. Benchetrit LC, Fracalanza SEL, Peregrino H, Camelo AA, Sanches LA. Carriage of Streptococcus agalactiae in women and neonates and distribution of serological types: A study in Brazil. *Journal of Clinical Microbiology* **1982**; 15(5): 787-90.
 325. Soares GCT, Alviano DS, Santos GS, Alviano CS, Mattos-Guaraldi AL, Nagao PE. Prevalence of group B Streptococcus serotypes III and V in pregnant women of Rio de Janeiro, Brazil. *Brazilian Journal of Microbiology* **2013**; 44(3): 869-72.
 326. Palmeiro JK, Dalla-Costa LM, Fracalanza SEL, et al. Phenotypic and genotypic characterization of group B streptococcal isolates in Southern Brazil. *Journal of Clinical Microbiology* **2010**; 48(12): 4397-403.
 327. Dhanoa A, Karunakaran R, Puthucherry SD. Serotype distribution and antibiotic susceptibility of group B streptococci in pregnant women. *Epidemiology and infection* **2010**; 138(7): 979-81.
 328. Suhaimi MES, Desa MNM, Eskandarian N, et al. Characterization of a Group B Streptococcus infection based on the demographics, serotypes, antimicrobial susceptibility and genotypes of selected isolates from sterile and non-sterile isolation sites in three major hospitals in Malaysia. *Journal of Infection and Public Health* **2017**; 10(1): 14-21.
 329. Beigverdi R, Jabalameli F, Mirsalehian A, et al. Virulence factors, antimicrobial susceptibility and molecular characterization of streptococcus agalactiae isolated from pregnant women. Available at: <http://www.akademai.com>
- <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed13&NEWS=N&AN=2015986252>. Accessed (Beigverdi, Jabalameli, Mirsalehian, Emameini) Department of Microbiology, School of Medicine, Tehran University of Medical Sciences, Tehran, Iran, Islamic Republic of.
330. Jannati E, Roshani M, Shahram H, Arzanlou M. Antibiotic resistance pattern and serotype distribution of Streptococcus agalactiae isolated from pregnant women, Ardabil, Iran. Available at: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed10&NEWS=N&AN=70496609>. Accessed (Jannati) Young Researcher Club, Islamic Azad University, Ardabil Branch, Ardabil, Iran, Islamic Republic of.
 331. Martins ER, Pessanha MA, Ramirez M, et al. Analysis of group B streptococcal isolates from infants and pregnant women in Portugal revealing two lineages with enhanced invasiveness. Available at: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed8&NEWS=N&AN=2007505096>. Accessed (Martins, Pessanha, Ramirez, Melo-Cristino) Instituto de Microbiologia, Faculdade de Medicina, Universidade de Lisboa, Lisbon, Portugal.
 332. Sadeh M, Firouzi R, Derakhshandeh A, Khalili MB, Kong F, Kudinha T. Molecular characterization of streptococcus agalactiae isolates from pregnant and non-pregnant women at yazd university hospital, Iran. *Jundishapur Journal of Microbiology* **2016**; 9(2): no pagination.
 333. Puertas A, Liebana C, Vico I, Rodriguez-Granger J, Aguilar T, Carrillo MP. Distribution of serotypes of group B (GBS) streptococci isolated from newborn and pregnant women in Andalusia (Spain). Available at:

- <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed9&NEWS=N&AN=70201291>. Accessed (Puertas, Liebana, Vico, Rodriguez-Granger, Aguilar, Carrillo) Microbiology Service, Virgen de las Nieves Hospital, Granada, Spain.
334. Liebana C, Cabrera J, Moreno E, Rodriguez-Granger J, Navarro-Mari JM, Molina FS. Comparison of two capsular serotyping methods among isolates of streptococcus agalactiae from pregnant women. Available at: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed9&NEWS=N&AN=70201289>. Accessed (Liebana, Cabrera, Moreno, Rodriguez-Granger, Navarro-Mari, Molina) Microbiology Service, Virgen de las Nieves Hospital, Granada, Spain.
 335. Perez-Ruiz M, Rodriguez-Granger JM, Bautista-Marin MF, Romero-Noguera J, Rosa-Fraile M. Genetic diversity of Streptococcus agalactiae strains colonizing the same pregnant woman. *Epidemiology and infection* **2004**; 132(2): 375-8.
 336. Savoia D, Gottimer C, Crocilla C, Zucca M. Streptococcus agalactiae in pregnant women: Phenotypic and genotypic characters. Available at: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed8&NEWS=N&AN=2008057105>. Accessed (Savoia, Gottimer, Zucca) Department of Clinical and Biological Sciences, University of Turin, at S. Luigi Gonzaga Hospital, Regione Gonzole 10, 10043 Orbassano, TO, Italy.
 337. Ekin IH, Gurturk K, Ilhan Z, Arabaci C, Gulaydin O. Detection of enzyme activities and their relation to serotypes of bovine and human group B streptococci. *Journal of Medical Microbiology* **2015**; 64(9): 985-9.
 338. Ekin IH, Gurturk K. Characterization of bovine and human group B streptococci isolated in Turkey. *Journal of Medical Microbiology* **2006**; 55(5): 517-21.
 339. Udo EE, Boswihi SS, Al-Sweih N. Genotypes and virulence genes in group B streptococcus isolated in the maternity hospital, Kuwait. *Medical Principles and Practice* **2013**; 22(5): 453-7.
 340. Boswihi SS, Udo EE, Al-Sweih N. Serotypes and antibiotic resistance in group B streptococcus isolated from patients at the Maternity Hospital, Kuwait. Available at: <http://jmm.sgmjournals.org/content/61/1/126.full.pdf+html>
- <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed10&NEWS=N&AN=2011696388>. Accessed (Boswihi, Udo, Al-Sweih) Department of Microbiology, Faculty of Medicine, Kuwait University, Kuwait.
341. Hannoun A. SM, Khairallah M-T., Sabra A., Abi-Rached R., Bazi T., Yunis K.A., Araj G.F., Matar G.M. Correlation between Group B Streptococcal Genotypes, Their Antimicrobial Resistance Profiles, and Virulence Genese among Pregnant Women in Lebanon. *International Journal of Microbiology* **2009**; Article ID 796512.
 342. Marchaim D, Efrati S, Melamed R, et al. Clonal variability of group B Streptococcus among different groups of carriers in southern Israel. *European Journal of Clinical Microbiology and Infectious Diseases* **2006**; 25(7): 443-8.
 343. Bisharat N, Jones N, Marchaim D, et al. Population structure of group B streptococcus from a low-incidence region for invasive neonatal disease. *Microbiology (Reading, England)* **2005**; 151(Pt 6): 1875-81.
 344. Van Der Mee-Marquet N, Jouannet C, Domelier AS, Arnault L, Lartigue MF, Quentin R. Genetic diversity of Streptococcus agalactiae strains and density of vaginal carriage. Available at: <http://jmm.sgmjournals.org/cgi/reprint/58/2/169>
- <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed9&NEWS=N&AN=2009073172>. Accessed (Van Der Mee-Marquet, Domelier, Lartigue, Quentin) Universite Francois-Rabelais, IFR 136, Faculte de Medecine, EA 3854 Bacteries et Risque Materno-Foetal, Tours, France.

345. Lamy M-C, Dramsi S, Billoet A, et al. Rapid detection of the "highly virulent" group B Streptococcus ST-17 clone. *Microbes and infection / Institut Pasteur* **2006**; 8(7): 1714-22.
346. von Both U, Ruess M, Mueller U, Fluegge K, Sander A, Berner R. A serotype V clone is predominant among erythromycin-resistant Streptococcus agalactiae isolates in a southwestern region of Germany. *Journal of clinical microbiology* **2003**; 41(5): 2166-9.
347. Muller AE, Valkenburg-van den Berg AW, Kreft D, Oostvogel PM, Sprij AJ, van Belkum A. Low rate of carriage of macrolide-resistant group B streptococci in pregnant women in The Netherlands. *European Journal of Obstetrics Gynecology and Reproductive Biology* **2008**; 137(1): 17-20.
348. van Elzakker E, Yahiaoui R, Visser C, et al. Epidemiology of and prenatal molecular distinction between invasive and colonizing group B streptococci in The Netherlands and Taiwan. *Eur J Clin Microbiol Infect Dis* **2009**; 28.
349. Fröhlicher S, Reichen G, Müller M, et al. Serotype distribution and antimicrobial susceptibility of group B streptococci in pregnant women: Results from a Swiss tertiary centre. *Swiss Medical Weekly* **2014**; 144.
350. Law KSK, Parmar P, Gregora M, Abbott J. A comparative study assessing the efficacy and acceptability of anorectal swabs for antenatal gbs screening. *Journal of Medical Screening* **2013**; 20(1): 46-8.
351. El Aila NA, Tency I, Claeys G, et al. Comparison of different sampling techniques and of different culture methods for detection of group B streptococcus carriage in pregnant women. *BMC Infectious Diseases* **2010**; 10.
352. Goudarzi G, Ghafarzadeh M, Shakib P, Anbari K. Culture and Real-Time PCR Based Maternal Screening and Antibiotic Susceptibility for Group B Streptococcus: An Iranian Experience. *Global journal of health science* **2015**; 7(6): 233-9.
353. Kieran E, Matheson M, Mann AG, Efstratiou AA, Butler K, Gorman W. Group B streptococcus (GBS) colonisation among expectant Irish mothers. *Irish medical journal* **1998**; 91(1): 21-2.
354. Hoogkamp-Korstanje JA, Gerards LJ, Cats BP. Maternal carriage and neonatal acquisition of group B streptococci. *The Journal of infectious diseases* **1982**; 145(6): 800-3.
355. Kovavisarath E, Sa-adying W, Kanjanahareutai S. Comparison of combined vaginal-anorectal, vaginal and anorectal cultures in detecting of group B streptococci in pregnant women in labor. *Journal of the Medical Association of Thailand* **2007**; 90(9): 1710-4.
356. Dillon HC, Jr., Gray E, Pass MA, Gray BM. Anorectal and vaginal carriage of group B streptococci during pregnancy. *The Journal of infectious diseases* **1982**; 145(6): 794-9.
357. Philipson EH, Palermino DA, Robinson A. Enhanced antenatal detection of group B streptococcus colonization. *Obstetrics and gynecology* **1995**; 85(3): 437-9.
358. Jamie WE, Edwards RK, Duff P. Vaginal-perianal compared with vaginal-rectal cultures for identification of group B streptococci. Available at: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed6&NEWS=N&AN=2005148764>. Accessed (Jamie, Edwards, Duff) Department of Obstetrics, Division of Maternal-Fetal Medicine, Univ. of Florida College of Medicine, Gainesville, FL, United States.
359. Quinlan JD, Hill DA, Maxwell BD, Boone S, Hoover F, Lense JJ. The necessity of both anorectal and vaginal cultures for group B streptococcus screening during pregnancy. *The Journal of family practice* **2000**; 49(5): 447-8.
360. Badri MS, Zawaneh S, Cruz AC, et al. Rectal colonization with group B streptococcus: relation to vaginal colonization of pregnant women. *Journal of Infectious Diseases* **1977**; 135(2): 308-12.

361. Platt MW, McLaughlin JC, Gilson GJ, Wellhoner MF, Nims LJ. Increased recovery of group B Streptococcus by the inclusion of rectal culturing and enrichment. *Diagnostic microbiology and infectious disease* **1995**; 21(2): 65-8.
362. Elsayed S, Gregson DB, Church DL. Comparison of direct selective versus nonselective agar media plus LIM broth enrichment for determination of group B streptococcus colonization status in pregnant women. *Archives of Pathology and Laboratory Medicine* **2003**; 127(6): 718-20.
363. Bosch-Mestres J, Martín-Fernández RM, Jiménez de Anta-Losada MT. Comparative study of three culture media for detecting group B Streptococcus colonization in pregnant women. *Enfermedades Infecciosas y Microbiología Clínica* **2003**; 21(7): 346-9.
364. Silver HM, Struminsky J. A comparison of the yield of positive antenatal group B Streptococcus cultures with direct inoculation in selective growth medium versus primary inoculation in transport medium followed by delayed inoculation in selective growth medium. Available at: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed4&NEWS=N&AN=1996260622>. Accessed (Silver, Struminsky) Department of Obstetrics/Gynecology, 101 Dudley St., Providence, RI 02905, United States.
365. Orsello C, Dommermuth R. Maximizing neonatal early onset group B streptococcal disease prevention with universal culture screening at 35 to 37 weeks gestation: A comparison of GBS detection rates between LIM broth and CNA culture media. *Family Medicine* **2003**; 35(6): 411-3.
366. Diaz TM, Nieves BM. Comparison between culture media and procedures to detect Streptococcus agalactiae in pregnant women. Available at: <http://www.scielo.cl/pdf/rci/v25n2/art03.pdf>
<http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed8&NEWS=N&AN=18483641>. Accessed (Diaz) Universidad de los Andes, Facultad de Farmacia Y Bioanálisis, Departamento de Bioanálisis Clínico, Merida, Venezuela.
367. Thinkhamrop J, Limpongsanurak S, Festin MR, et al. Infections in international pregnancy study: performance of the optical immunoassay test for detection of group B streptococcus. *Journal of clinical microbiology* **2003**; 41(11): 5288-90.
368. Altaie SS, Dryja D. Detection of group B Streptococcus. Comparison of solid and liquid culture media with and without selective antibiotics. *Diagnostic microbiology and infectious disease* **1994**; 18(3): 141-4.
369. Nguyen TM, Gauthier DW, Myles TD, Nuwayhid BS, Viana MAG, Schreckenberger PC. Detection of group B streptococcus: Comparison of an optical immunoassay with direct plating and broth-enhanced culture methods. Available at: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emed4&NEWS=N&AN=1998282943>. Accessed (Nguyen, Gauthier, Myles, Nuwayhid, Viana, Schreckenberger) Div. of Maternal-Fetal Medicine, Dept. of Obstetrics and Gynecology, University of Illinois, 820 S. Wood St., Chicago, IL 60612-7313, United States.
370. Baker CJ, Goroff DK, Alpert SL. Comparison of bacteriological methods for the isolation of group of B Streptococcus from vaginal cultures. Available at: <http://ovidsp.ovid.com/ovidweb.cgi?T=JS&PAGE=reference&D=emcl2&NEWS=N&AN=0977177520>. Accessed (Baker, Goroff, Alpert) Channing Lab., Dept. Med., Boston City Hosp., Boston, Mass. United States.
371. Mason EO, Jr., Wong P, Barrett FF. Evaluation of four methods for detection of group B streptococcal colonization. *Journal of clinical microbiology* **1976**; 4(5): 429-31.