

SUPPORTING TABLE 1. Acute Lymphoblastic Leukemia: Age-Standardized Net Survival (%) at 1, 3, and 5 Years for Children (0-14 Years) Diagnosed During 2001-2009, by US State, Race, and Calendar Period of Diagnosis: Census Division and State^a

	Years	2001-2003						2004-2009					
		All Races		White		Black		All Races		White		Black	
		NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI
UNITED STATES													
	1	95.3	94.6-95.9	95.3	94.6-96.0	95.0	93.0-97.1	95.7	95.3-96.1	95.7	95.3-96.2	95.5	94.1-96.9
	3	89.7	88.8-90.7	89.8	88.8-90.9	87.5	84.3-90.6	90.7	90.0-91.4	91.2	90.5-92.0	86.7	84.2-89.1
	5	86.4	85.3-87.4	86.6	85.5-87.7	83.8	80.3-87.3	88.1	87.2-88.9	88.6	87.6-89.5	83.6	80.6-86.6
NORTHEAST													
New England													
Connecticut (SEER)	1	97.7	94.4-100.0	97.4	93.7-100.0	-	-	98.9	97.6-100.0	98.8	97.5-100.0	-	-
	3	93.0	87.3-98.6	91.9	85.5-98.3	-	-	93.8	89.1-98.4	93.4	88.5-98.3	-	-
	5	91.4	85.3-97.5	91.9	85.5-98.3	-	-	89.5	82.3-96.7	89.0	81.5-96.5	-	-
Massachusetts (NPCR)	1	96.6	93.2-99.9	96.1	92.2-100.0	100.0	-	96.4	94.1-98.6	96.8	94.4-99.1	95.0	85.7-100.0
	3	88.3	82.1-94.6	89.2	82.6-95.7	80.1	56.7-100.0	92.5	88.9-96.1	93.4	89.8-96.9	88.3	73.2-100.0
	5	82.0	74.6-89.4	84.4	76.9-91.9	60.2	31.7-88.6	92.6	89.0-96.2	93.4	89.8-97.0	88.3	73.2-100.0
New Hampshire (NPCR)	1	100.0	-	100.0	-	-	-	91.4	84.7-98.1	91.3	84.6-98.0	-	-
	3	100.0	-	100.0	-	-	-	85.2	76.0-94.4	85.1	75.8-94.3	-	-
	5	96.7	90.1-100.0	96.7	90.1-100.0	-	-	85.2	76.0-94.5	85.1	75.8-94.4	-	-
Rhode Island (NPCR)	1	100.0	100.0-100.0	100.0	100.0-100.0	-	-	98.6	95.8-100.0	98.6	95.8-100.0	-	-
	3	100.0	100.0-100.0	100.0	100.0-100.0	-	-	98.6	95.9-100.0	98.6	95.9-100.0	-	-
	5	89.5	81.0-98.1	88.9	79.9-98.0	-	-	98.6	95.9-100.0	98.6	95.9-100.0	-	-
Mid Atlantic													
New Jersey (NPCR/SEER)	1	95.2	92.1-98.3	95.8	92.5-99.2	89.3	78.1-100.0	95.1	92.7-97.5	95.3	92.5-98.0	95.2	89.4-100.0
	3	89.2	84.8-93.6	90.1	85.0-95.1	78.7	63.8-93.6	91.8	88.6-94.9	92.0	88.6-95.5	91.2	82.7-99.7
	5	87.3	82.5-92.1	88.5	83.1-93.8	78.7	63.8-93.6	90.1	86.4-93.9	90.7	86.5-94.9	85.3	74.1-96.5
New York (NPCR)	1	94.9	92.5-97.4	95.0	92.3-97.7	95.4	89.3-100.0	95.9	94.3-97.5	95.7	93.8-97.5	97.9	95.0-100.0
	3	89.0	85.5-92.4	89.1	85.2-92.9	87.4	78.3-96.5	91.5	89.0-93.9	91.4	88.7-94.2	91.2	84.8-97.5
	5	84.6	80.7-88.5	84.6	80.3-89.0	82.3	72.3-92.2	89.7	87.0-92.5	89.7	86.6-92.9	87.8	80.1-95.4
Pennsylvania (NPCR)	1	95.0	92.0-98.0	93.9	90.3-97.5	100.0	-	93.0	90.3-95.7	93.5	90.6-96.3	90.2	82.7-97.6
	3	91.0	87.2-94.9	90.7	86.4-94.9	92.2	81.8-100.0	88.2	84.7-91.7	89.4	85.7-93.0	79.2	68.4-90.1
	5	87.0	82.6-91.5	85.8	80.8-90.8	92.2	81.8-100.0	87.8	84.1-91.4	88.9	85.0-92.7	79.2	68.4-90.1
SOUTH													
South Atlantic													
Delaware (NPCR)	1	90.0	77.2-100.0	86.7	70.1-100.0	-	-	97.8	93.7-100.0	95.5	87.0-100.0	-	-
	3	85.0	69.8-100.0	86.7	70.1-100.0	-	-	95.0	88.7-100.0	90.2	77.5-100.0	-	-
	5	85.0	69.8-100.0	86.7	70.1-100.0	-	-	81.7	65.6-97.8	90.2	77.5-100.0	-	-
Florida (NPCR)	1	96.7	94.3-99.1	96.7	94.0-99.3	100.0	-	96.5	94.9-98.2	96.5	94.7-98.4	95.8	91.4-100.0
	3	90.7	87.0-94.5	89.6	85.3-93.9	97.5	92.3-100.0	91.8	89.1-94.5	92.4	89.5-95.3	86.3	78.4-94.2
	5	87.5	83.3-91.7	86.4	81.6-91.2	94.9	87.7-100.0	88.1	84.1-92.0	89.6	85.5-93.7	79.6	69.5-89.7
Georgia (NPCR/SEER)	1	96.4	93.3-99.4	96.3	92.4-100.0	94.0	86.0-100.0	96.3	94.1-98.5	96.8	94.2-99.3	94.5	89.7-99.3
	3	94.5	90.9-98.1	94.0	89.4-98.5	94.0	86.0-100.0	89.4	85.4-93.4	91.7	87.5-96.0	81.7	72.5-90.8
	5	92.4	88.1-96.8	91.0	85.3-96.7	94.0	86.0-100.0	87.9	83.5-92.4	89.8	84.8-94.8	81.7	72.6-90.9
Maryland (NPCR)	1	70.5	57.2-83.8	65.9	51.6-80.2	-	-	96.3	92.5-100.0	96.7	92.7-100.0	95.5	87.0-100.0
	3	64.4	50.6-78.2	61.0	46.3-75.7	-	-	92.8	87.0-98.7	94.9	89.6-100.0	90.3	77.6-100.0
	5	61.4	47.4-75.3	58.6	43.8-73.4	-	-	87.1	78.2-96.1	88.6	77.7-99.6	72.3	42.3-100.0
North Carolina (NPCR)	1	96.6	93.9-99.4	97.7	95.1-100.0	96.5	89.7-100.0	95.9	93.3-98.5	96.9	94.3-99.6	91.9	84.9-99.0
	3	92.1	88.0-96.2	95.2	91.6-98.7	82.3	68.3-96.2	90.1	86.0-94.1	93.1	89.3-96.9	78.9	67.8-90.1
	5	89.1	84.3-93.9	92.7	88.2-97.2	75.2	59.5-90.9	85.4	79.9-90.9	88.5	82.5-94.4	72.7	58.1-87.4
South Carolina (NPCR)	1	99.1	97.1-100.0	98.9	96.9-100.0	100.0	-	93.8	89.4-98.3	96.2	92.8-99.6	91.0	81.3-100.0
	3	95.2	89.8-100.0	95.4	90.9-99.8	91.0	74.8-100.0	88.4	82.3-94.4	92.3	87.4-97.3	79.9	65.4-94.4
	5	92.8	86.2-99.4	91.8	85.9-97.6	91.0	74.8-100.0	87.2	80.8-93.6	90.9	85.3-96.5	79.9	65.5-94.4
West Virginia (NPCR)	1	95.7	87.5-100.0	95.3	86.4-100.0	-	-	95.8	92.0-99.7	97.8	94.8-100.0	-	-
	3	91.4	80.1-100.0	90.6	78.3-100.0	-	-	91.6	85.6-97.6	93.4	87.8-99.1	-	-
	5	91.4	80.1-100.0	90.6	78.3-100.0	-	-	87.1	79.0-95.2	88.8	80.8-96.8	-	-
East South Central													
Alabama (NPCR)	1	96.8	92.3-100.0	97.6	92.6-100.0	93.4	81.2-100.0	92.4	87.8-96.9	91.1	85.5-96.6	96.5	91.9-100.0
	3	89.6	82.5-96.7	96.8	91.7-100.0	66.7	43.8-89.6	86.7	80.5-92.9	89.2	83.1-95.3	77.9	65.0-90.9
	5	87.2	79.4-94.9	93.8	87.4-100.0	66.7	43.8-89.6	85.6	79.0-92.1	87.8	81.1-94.5	78.0	65.0-90.9
Kentucky (NPCR/SEER)	1	91.4	83.1-99.6	96.0	92.1-99.9	-	-	95.7	90.9-100.0	95.1	89.8-100.0	100.0	100.0-100.0
	3	86.0	76.3-95.7	92.0	86.6-97.4	-	-	90.2	83.5-96.8	89.9	82.8-97.1	85.8	61.7-100.0
	5	85.3	75.4-95.1	91.1	85.5-96.8	-	-	82.4	73.3-91.6	81.9	72.4-91.5	85.9	61.7-100.0

SUPPORTING TABLE 1. *Continued*

	Years	2001-2003						2004-2009					
		All Races		White		Black		All Races		White		Black	
		NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI
Mississippi (NPCR)	1	95.3	86.4-100.0	90.9	74.7-100.0	-	-	95.4	90.9-99.9	96.6	91.6-100.0	94.8	87.6-100.0
	3	95.3	86.4-100.0	90.9	74.7-100.0	-	-	82.9	74.3-91.4	78.0	66.1-89.9	87.3	75.3-99.2
	5	95.3	86.4-100.0	90.9	74.7-100.0	-	-	83.0	74.4-91.5	78.1	66.2-90.0	87.3	75.4-99.3
Tennessee (NPCR)	1	100.0	100.0-100.0	100.0	100.0-100.0	-	-	95.5	92.5-98.6	94.8	90.9-98.7	97.2	92.2-100.0
	3	100.0	100.0-100.0	100.0	100.0-100.0	-	-	92.1	88.2-96.1	93.5	89.2-97.8	86.6	77.0-96.2
	5	100.0	100.0-100.0	100.0	100.0-100.0	-	-	92.2	88.3-96.1	93.5	89.2-97.8	86.6	77.0-96.2
West South Central													
Louisiana (NPCR/SEER)	1	94.0	88.6-99.3	97.1	92.6-100.0	88.1	75.6-100.0	96.5	93.6-99.4	96.5	93.1-100.0	96.0	90.9-100.0
	3	92.5	86.9-98.2	96.1	91.2-100.0	84.2	70.1-98.3	87.3	80.6-93.9	86.8	78.7-94.9	89.4	81.5-97.4
	5	90.1	83.4-96.7	92.1	84.9-99.3	84.3	70.2-98.4	87.4	80.7-94.0	86.9	78.8-94.9	89.5	81.6-97.5
Oklahoma (NPCR)	1	94.9	89.7-100.0	93.2	86.5-100.0	-	-	96.1	92.6-99.5	99.0	97.5-100.0	-	-
	3	88.9	81.6-96.1	87.0	78.2-95.9	-	-	84.1	75.9-92.2	89.1	80.5-97.7	-	-
	5	85.6	77.4-93.9	85.5	76.2-94.8	-	-	83.4	75.1-91.6	88.2	79.4-97.0	-	-
Texas (NPCR)	1	94.4	92.4-96.5	94.3	92.0-96.6	94.4	87.4-100.0	94.5	93.0-95.9	94.1	92.6-95.7	95.6	90.8-100.0
	3	87.4	84.4-90.4	86.7	83.4-90.0	91.7	83.3-100.0	88.7	86.6-90.9	88.7	86.4-91.0	89.6	81.8-97.4
	5	83.2	79.8-86.5	82.5	78.8-86.1	86.2	75.9-96.5	85.9	83.2-88.6	85.7	82.8-88.6	86.7	77.4-96.1
MIDWEST													
East North Central													
Michigan (NPCR)	1	96.0	92.9-99.0	96.5	93.5-99.6	94.4	84.2-100.0	95.3	93.0-97.6	94.9	92.2-97.6	98.3	95.0-100.0
	3	92.8	88.9-96.7	94.4	90.6-98.2	89.0	74.8-100.0	88.7	84.6-92.8	88.9	84.3-93.4	82.3	68.7-96.0
	5	88.7	83.9-93.5	90.6	85.7-95.5	83.5	66.7-100.0	87.8	83.5-92.1	87.7	82.8-92.5	82.4	68.8-96.1
Ohio (NPCR)	1	93.7	90.3-97.1	93.2	89.4-97.1	100.0	-	97.5	95.7-99.3	97.9	96.1-99.7	96.1	91.1-100.0
	3	89.0	84.4-93.6	88.7	83.6-93.7	94.5	84.2-100.0	93.7	90.8-96.7	94.9	91.9-97.9	88.3	80.0-96.5
	5	86.7	81.7-91.7	86.0	80.5-91.5	94.5	84.2-100.0	90.3	86.2-94.5	90.0	84.9-95.1	88.4	80.1-96.6
Wisconsin (NPCR)	1	96.0	91.9-100.0	96.8	93.0-100.0	-	-	98.4	97.2-99.6	98.2	96.8-99.5	100.0	100.0-100.0
	3	88.6	81.9-95.2	91.0	84.5-97.6	-	-	92.9	88.8-97.0	91.6	86.7-96.4	100.0	100.0-100.0
	5	88.6	81.9-95.2	91.0	84.5-97.6	-	-	89.6	83.5-95.7	87.7	80.6-94.7	100.0	100.0-100.0
West North Central													
Iowa (SEER)	1	100.0	100.0-100.0	100.0	100.0-100.0	-	-	93.9	88.8-99.1	95.0	90.1-99.9	-	-
	3	94.0	86.7-100.0	94.0	86.7-100.0	-	-	89.1	81.1-97.1	90.0	81.9-98.1	-	-
	5	90.3	81.8-98.7	89.8	81.1-98.5	-	-	89.1	81.1-97.1	90.0	81.9-98.1	-	-
Nebraska (NPCR)	1	98.2	95.8-100.0	100.0	100.0-100.0	-	-	95.5	89.2-100.0	95.0	88.1-100.0	-	-
	3	96.5	93.1-99.9	98.0	95.2-100.0	-	-	90.7	81.9-99.5	89.7	80.1-99.3	-	-
	5	94.0	88.2-99.7	95.3	89.5-100.0	-	-	88.6	79.0-98.2	87.4	77.0-97.9	-	-
WEST													
Mountain													
Colorado (NPCR)	1	91.2	85.2-97.1	91.0	85.0-97.0	-	-	95.7	92.5-98.8	95.4	92.1-98.7	-	-
	3	84.4	77.1-91.7	84.2	76.8-91.5	-	-	93.4	89.2-97.7	93.1	88.8-97.4	-	-
	5	82.9	75.4-90.3	82.7	75.1-90.2	-	-	93.5	89.3-97.7	93.2	88.8-97.5	-	-
Idaho (NPCR)	1	97.1	91.5-100.0	97.1	91.5-100.0	-	-	95.0	89.8-100.0	95.0	89.8-100.0	-	-
	3	91.3	81.9-100.0	91.3	81.9-100.0	-	-	95.0	89.8-100.0	95.0	89.8-100.0	-	-
	5	88.4	77.7-99.1	88.4	77.7-99.1	-	-	95.1	89.9-100.0	95.1	89.9-100.0	-	-
Montana (NPCR)	1	94.1	83.3-100.0	92.3	78.4-100.0	-	-	92.7	86.0-99.4	92.1	85.0-99.2	-	-
	3	94.2	83.4-100.0	92.4	78.5-100.0	-	-	89.5	81.6-97.4	88.7	80.4-96.9	-	-
	5	88.0	72.7-100.0	84.1	64.5-100.0	-	-	89.6	81.7-97.5	88.8	80.5-97.0	-	-
New Mexico (SEER)	1	100.0	100.0-100.0	100.0	100.0-100.0	-	-	96.5	93.4-99.6	96.8	93.6-100.0	-	-
	3	97.5	94.2-100.0	96.9	92.9-100.0	-	-	86.5	77.8-95.3	89.4	81.9-97.0	-	-
	5	94.5	89.4-99.7	93.6	87.8-99.5	-	-	86.6	77.8-95.4	89.5	81.9-97.1	-	-
Utah (SEER)	1	99.1	97.4-100.0	99.1	97.4-100.0	-	-	97.6	94.9-100.0	98.6	96.5-100.0	-	-
	3	98.2	95.8-100.0	98.2	95.8-100.0	-	-	95.8	92.2-99.5	96.7	93.4-100.0	-	-
	5	96.5	93.2-99.7	96.5	93.2-99.7	-	-	95.9	92.2-99.6	96.8	93.4-100.0	-	-
Wyoming (NPCR)	1	-	-	-	-	-	-	100.0	100.0-100.0	100.0	100.0-100.0	-	-
	3	-	-	-	-	-	-	100.0	100.0-100.0	100.0	100.0-100.0	-	-
	5	-	-	-	-	-	-	100.0	100.0-100.0	100.0	100.0-100.0	-	-
Pacific													
Alaska (NPCR)	1	100.0	-	-	-	-	-	91.8	83.0-100.0	92.6	82.9-100.0	-	-
	3	93.9	82.3-100.0	-	-	-	-	88.0	77.0-99.1	92.6	82.9-100.0	-	-
	5	93.9	82.3-100.0	-	-	-	-	88.1	77.0-99.2	92.7	82.9-100.0	-	-
California (NPCR/SEER)	1	95.0	93.4-96.6	95.3	93.6-97.0	91.7	84.9-98.5	95.9	94.9-96.8	95.6	94.6-96.7	98.7	96.3-100.0
	3	87.2	84.9-89.6	87.1	84.6-89.7	79.8	67.7-91.8	90.6	89.0-92.1	90.6	88.9-92.3	89.8	82.3-97.2
	5	83.4	80.8-85.9	84.0	81.2-86.7	76.5	63.7-89.3	86.0	83.7-88.4	85.9	83.3-88.4	87.7	79.3-96.0

SUPPORTING TABLE 1. *Continued*

	Years	2001-2003						2004-2009					
		All Races		White		Black		All Races		White		Black	
		NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI
Hawaii (SEER)	1	100.0	100.0-100.0	-	-	-	-	96.2	92.1-100.0	100.0	<i>100.0-100.0</i>	-	-
	3	97.0	91.6-100.0	-	-	-	-	94.4	89.2-99.5	100.0	<i>100.0-100.0</i>	-	-
	5	94.0	87.4-100.0	-	-	-	-	94.4	89.2-99.5	100.0	<i>100.0-100.0</i>	-	-
Oregon (NPCR)	1	93.2	87.3-99.1	92.1	85.3-98.8	-	-	98.1	95.8-100.0	98.1	95.5-100.0	-	-
	3	86.3	78.8-93.8	84.0	75.5-92.6	-	-	92.8	87.7-97.9	94.7	90.1-99.4	-	-
	5	83.4	75.4-91.4	83.3	74.7-91.9	-	-	88.8	81.9-95.6	90.7	83.8-97.7	-	-
Washington (NPCR)	1	96.6	93.4-99.8	96.7	93.2-100.0	-	-	97.1	94.8-99.3	97.3	94.8-99.9	100.0	<i>100.0-100.0</i>
	3	92.9	88.4-97.4	92.1	86.8-97.5	-	-	95.7	93.1-98.4	95.7	92.7-98.7	100.0	<i>100.0-100.0</i>
	5	88.7	83.0-94.5	88.2	81.6-94.9	-	-	92.3	88.1-96.5	91.8	87.0-96.6	100.0	<i>100.0-100.0</i>

Abbreviations: CI, confidence interval; NS, net survival; NPCR, National Program of Cancer Registries; SEER, Surveillance, Epidemiology, and End Results program.

^aSurvival estimates that are not age-standardized are italicized. Dashes (-) indicate where a survival estimate could not be produced.