

**SUPPORTING TABLE 1.** Prostate Cancer: Number of Males (Ages 15-99 Years) Diagnosed Between 2001 and 2009 and Distribution (%) by Surveillance, Epidemiology, and End Results Summary Stage 2000 at Diagnosis According to Race, Calendar Period of Diagnosis, and US Census Region and States<sup>a</sup>

	SEER Summary Stage 2000	2001-2003			2004-2009		
		All Races	White	Black	All Races	White	Black
<b>UNITED STATES</b>							
	No. of patients	494,511	410,029	64,335	1,033,091	831,576	144,561
	Localized (%)	76.5	77.2	72.8	78.2	78.8	76.8
	Regional (%)	8.7	8.8	8.3	9.6	10.0	8.3
	Distant (%)	3.7	3.5	5.7	3.7	3.5	5.2
	Unknown (%)	11.1	10.6	13.3	8.4	7.6	9.6
<b>NORTHEAST</b>							
<b>New England</b>							
Connecticut (SEER)	No. of patients	8774	7900	751	16,943	14,837	1607
	Localized (%)	82.9	83.1	79.8	81.0	81.2	81.5
	Regional (%)	10.5	10.4	12.3	12.1	11.9	12.5
	Distant (%)	4.4	4.3	5.9	4.1	4.2	4.3
	Unknown (%)	2.3	2.2	2.1	2.8	2.6	1.7
Massachusetts (NPCR)	No. of patients	15,594	14,261	914	30,305	26,695	1935
	Localized (%)	84.7	84.9	82.2	82.9	82.4	81.7
	Regional (%)	8.0	8.0	9.4	10.6	11.0	10.3
	Distant (%)	3.2	3.1	4.5	3.4	3.5	4.7
	Unknown (%)	4.1	4.0	3.9	3.1	3.1	3.4
New Hampshire (NPCR)	No. of patients	2974	2824	22	6291	6109	44
	Localized (%)	80.3	82.3	77.3	82.2	82.5	81.8
	Regional (%)	6.7	6.8	18.2	10.8	11.0	9.1
	Distant (%)	3.0	3.1	0.0	3.5	3.5	6.8
	Unknown (%)	10.1	7.8	4.5	3.5	3.1	2.3
Rhode Island (NPCR)	No. of patients	2583	2444	94	4858	4351	230
	Localized (%)	64.4	65.1	66.0	-	-	-
	Regional (%)	6.2	6.1	10.6	-	-	-
	Distant (%)	3.8	3.4	12.8	-	-	-
	Unknown (%)	25.6	25.5	10.6	-	-	-
<b>Mid Atlantic</b>							
New Jersey (NPCR/SEER)	No. of patients	23,230	18,842	3462	42,319	33,866	6427
	Localized (%)	84.7	85.3	82.3	84.2	84.5	83.2
	Regional (%)	6.3	6.2	7.3	8.1	8.3	7.2
	Distant (%)	3.0	2.8	4.9	3.3	3.1	4.7
	Unknown (%)	5.9	5.7	5.5	4.5	4.1	4.8
New York (NPCR)	No. of patients	42,491	33,261	7737	89,442	68,433	17,070
	Localized (%)	76.1	76.4	76.4	78.0	78.0	79.9
	Regional (%)	6.1	6.1	6.1	8.6	9.0	7.4
	Distant (%)	3.9	3.5	5.8	3.9	3.6	5.6
	Unknown (%)	13.9	14.0	11.7	9.5	9.5	7.1
Pennsylvania (NPCR)	No. of patients	31,609	27,634	3319	60,363	51,052	6490
	Localized (%)	78.7	79.2	76.0	81.0	82.3	80.6
	Regional (%)	7.8	7.8	7.8	9.1	9.4	8.8
	Distant (%)	3.8	3.6	6.4	4.0	3.9	6.3
	Unknown (%)	9.7	9.4	9.8	5.9	4.5	4.3
<b>SOUTH</b>							
<b>South Atlantic</b>							
Delaware (NPCR)	No. of patients	2136	1681	399	4688	3569	1030
	Localized (%)	87.0	87.3	86.7	87.4	87.4	87.5
	Regional (%)	6.2	6.1	6.3	8.6	8.9	7.5
	Distant (%)	3.0	2.8	3.8	2.7	2.6	3.4
	Unknown (%)	3.8	3.8	3.3	1.2	1.0	1.7
Florida (NPCR)	No. of patients	44,804	38,852	5276	87,073	72,937	11,908
	Localized (%)	79.2	79.8	75.4	82.9	83.3	80.2
	Regional (%)	6.3	6.3	6.9	7.1	7.1	7.0
	Distant (%)	3.4	3.0	6.4	3.4	3.1	5.6
	Unknown (%)	11.0	10.9	11.3	6.6	6.6	7.2
Georgia (NPCR/SEER)	No. of patients	15,639	10,778	4724	37,384	24,541	12,152
	Localized (%)	84.0	85.1	81.5	86.9	87.1	86.4
	Regional (%)	8.2	8.3	7.9	7.4	8.0	6.2
	Distant (%)	3.5	2.6	5.8	3.6	2.9	5.1
	Unknown (%)	4.3	4.0	4.9	2.1	2.0	2.3

SUPPORTING TABLE 1. *Continued*

	SEER Summary Stage 2000	2001-2003			2004-2009		
		All Races	White	Black	All Races	White	Black
Maryland (NPCR)	No. of patients	11,810	8235	3175	21,519	14,346	6091
	Localized (%)	-	-	-	-	-	-
	Regional (%)	-	-	-	-	-	-
	Distant (%)	-	-	-	-	-	-
	Unknown (%)	-	-	-	-	-	-
North Carolina (NPCR)	No. of patients	17,239	12,695	4241	39,872	28,992	9992
	Localized (%)	80.1	81.6	76.0	81.9	82.5	80.0
	Regional (%)	8.9	9.0	8.3	9.8	9.9	9.8
	Distant (%)	4.0	3.3	5.8	3.9	3.3	5.5
	Unknown (%)	7.0	6.0	9.9	4.4	4.3	4.7
South Carolina (NPCR)	No. of patients	9772	6533	3120	20,941	13,953	6417
	Localized (%)	76.5	77.7	74.7	82.6	82.5	82.6
	Regional (%)	8.6	9.1	7.6	8.9	9.7	7.8
	Distant (%)	4.3	3.1	6.9	3.4	3.1	4.3
	Unknown (%)	10.6	10.1	10.9	5.0	4.7	5.2
West Virginia (NPCR)	No. of patients	4143	3987	142	8432	8036	316
	Localized (%)	74.1	74.0	75.4	85.6	85.8	79.7
	Regional (%)	5.5	5.6	4.9	6.2	6.1	8.5
	Distant (%)	3.9	3.7	8.5	3.7	3.6	7.6
	Unknown (%)	16.5	16.7	11.3	4.5	4.5	4.1
<b>East South Central</b>							
Alabama (NPCR)	No. of patients	8906	6380	2382	21,340	14,716	5873
	Localized (%)	78.0	80.4	73.3	82.8	83.5	80.5
	Regional (%)	10.2	10.4	9.9	9.7	10.4	8.9
	Distant (%)	4.1	3.1	6.8	3.5	2.8	5.7
	Unknown (%)	7.6	6.0	9.9	3.9	3.3	5.0
Kentucky (NPCR/SEER)	No. of patients	8444	7614	744	17,021	15,356	1332
	Localized (%)	82.7	82.6	82.8	82.5	82.3	80.5
	Regional (%)	8.5	8.8	6.5	10.4	10.6	10.3
	Distant (%)	3.8	3.6	5.8	4.1	4.0	6.3
	Unknown (%)	5.1	5.1	5.0	3.0	3.1	2.9
Mississippi (NPCR)	No. of patients	2023	1260	741	13,321	8304	4817
	Localized (%)	86.7	88.5	83.4	84.8	85.3	83.7
	Regional (%)	7.7	7.5	8.1	8.8	9.4	8.1
	Distant (%)	3.3	2.1	5.5	4.0	3.1	5.5
	Unknown (%)	2.3	1.9	3.0	2.4	2.1	2.7
Tennessee (NPCR)	No. of patients	3039	2542	470	24,901	20,771	3802
	Localized (%)	81.4	82.3	76.8	83.3	83.5	81.3
	Regional (%)	11.4	11.4	11.3	10.4	10.6	9.8
	Distant (%)	3.5	3.1	5.5	3.2	2.9	5.1
	Unknown (%)	3.7	3.2	6.4	3.1	3.0	3.8
<b>West South Central</b>							
Louisiana (NPCR/SEER)	No. of patients	10,178	6993	3044	20,404	13,724	6553
	Localized (%)	81.5	83.0	77.7	83.7	84.5	81.9
	Regional (%)	12.3	12.3	12.8	11.0	11.2	10.6
	Distant (%)	4.8	3.6	7.6	4.1	3.2	6.0
	Unknown (%)	1.3	1.1	1.9	1.2	1.0	1.5
Oklahoma (NPCR)	No. of patients	7196	6174	513	15,349	12,800	1199
	Localized (%)	74.7	74.7	74.5	79.3	80.1	77.2
	Regional (%)	8.0	8.0	8.6	8.0	8.3	7.7
	Distant (%)	5.0	5.0	5.1	3.2	2.9	5.1
	Unknown (%)	12.3	12.3	11.9	9.5	8.6	10.0
Texas (NPCR)	No. of patients	38,012	32,271	4669	78,284	63,929	10,297
	Localized (%)	67.2	67.8	65.2	72.9	73.7	73.5
	Regional (%)	8.2	8.2	8.3	8.8	9.2	8.6
	Distant (%)	3.6	3.3	6.5	3.8	3.7	6.1
	Unknown (%)	21.1	20.8	20.0	14.4	13.5	11.8
<b>MIDWEST</b>							
<b>East North Central</b>							
Michigan (NPCR/SEER)	No. of patients	26,214	21,244	3957	49,079	37,879	7032
	Localized (%)	77.9	78.4	79.3	74.5	74.8	73.8
	Regional (%)	8.8	8.9	9.9	8.9	9.2	9.1
	Distant (%)	2.4	2.1	4.7	2.7	2.5	4.5
	Unknown (%)	10.9	10.6	6.1	14.0	13.5	12.7

**SUPPORTING TABLE 1.** *Continued*

	SEER Summary Stage 2000	2001-2003			2004-2009		
		All Races	White	Black	All Races	White	Black
Ohio (NPCR)	No. of patients	23,809	19,994	2956	48,442	39,641	6184
	Localized (%)	79.7	80.4	78.8	83.2	83.3	81.5
	Regional (%)	5.6	5.7	5.9	7.9	8.4	7.3
	Distant (%)	3.3	3.1	5.2	3.4	3.3	5.6
	Unknown (%)	11.4	10.8	10.2	5.4	5.0	5.5
Wisconsin (NPCR)	No. of patients	12,652	11,853	553	25,214	23,357	1290
	Localized (%)	-	-	-	-	-	-
	Regional (%)	-	-	-	-	-	-
	Distant (%)	-	-	-	-	-	-
<b>West North Central</b> Iowa (SEER)	No. of patients	6545	6362	92	13,133	12,455	255
	Localized (%)	76.7	76.7	64.1	77.4	77.1	82.4
	Regional (%)	14.5	14.6	20.7	14.6	14.8	12.2
	Distant (%)	5.7	5.7	13.0	5.4	5.5	4.7
Nebraska (NPCR)	No. of patients	4120	3871	125	8624	8043	264
	Localized (%)	78.9	79.1	81.6	78.1	78.6	71.6
	Regional (%)	9.9	10.3	5.6	14.5	14.9	16.7
	Distant (%)	4.4	4.4	4.8	4.0	4.0	7.6
<b>WEST</b> <b>Mountain</b> Colorado (NPCR)	No. of patients	8245	7543	344	18,837	16,715	886
	Localized (%)	76.4	76.7	76.7	80.1	80.1	79.6
	Regional (%)	7.7	7.9	8.4	10.3	10.6	10.2
	Distant (%)	3.9	4.0	4.9	3.8	3.9	6.1
Idaho (NPCR)	No. of patients	2839	2798	-	6428	6202	20
	Localized (%)	78.3	78.3	100.0	80.8	81.0	85.0
	Regional (%)	10.8	10.8	0.0	11.7	12.0	5.0
	Distant (%)	3.4	3.4	0.0	3.8	3.8	10.0
Montana (NPCR)	No. of patients	2614	2488	-	5317	4945	-
	Localized (%)	75.8	76.0	57.1	83.7	83.6	77.8
	Regional (%)	11.6	11.5	28.6	10.6	10.7	0.0
	Distant (%)	3.6	3.6	0.0	4.1	4.1	22.2
New Mexico (SEER)	No. of patients	3843	3646	82	8117	7608	141
	Localized (%)	82.6	83.1	74.4	83.7	84.0	80.9
	Regional (%)	10.6	10.4	14.6	9.2	9.2	12.8
	Distant (%)	3.9	3.7	4.9	3.9	3.7	3.5
Utah (SEER)	No. of patients	4300	4235	31	9781	9582	60
	Localized (%)	77.6	77.7	77.4	82.4	82.4	91.7
	Regional (%)	18.6	18.5	16.1	14.0	14.1	3.3
	Distant (%)	3.0	3.0	3.2	2.6	2.6	3.3
Wyoming (NPCR)	No. of patients	1262	1245	-	2603	2566	11
	Localized (%)	73.4	73.7	85.7	85.8	85.9	90.9
	Regional (%)	7.0	7.0	0.0	9.2	9.2	0.0
	Distant (%)	2.6	2.5	0.0	3.1	3.0	9.1
<b>Pacific</b> Alaska (NPCR)	No. of patients	1015	871	39	2088	1779	94
	Localized (%)	71.3	70.8	79.5	79.0	79.3	80.9
	Regional (%)	9.2	9.5	5.1	11.2	11.4	8.5
	Distant (%)	3.4	2.9	5.1	3.3	2.8	5.3
California (NPCR/SEER)	No. of patients	63,179	50,521	5597	129,847	101,977	11,525
	Localized (%)	79.7	79.7	75.3	78.5	79.0	77.9
	Regional (%)	12.7	13.2	14.2	12.6	13.3	12.9
	Distant (%)	4.5	4.4	6.3	4.7	4.7	5.9
		3.1	2.8	4.3	4.2	3.0	3.3

**SUPPORTING TABLE 1.** *Continued*

	SEER Summary Stage 2000	2001-2003			2004-2009		
		All Races	White	Black	All Races	White	Black
Hawaii (SEER)	No. of patients	2269	692	41	5091	1598	96
	Localized (%)	81.2	79.8	75.6	75.9	75.8	80.2
	Regional (%)	10.2	11.7	19.5	13.1	14.7	15.6
	Distant (%)	6.1	6.6	4.9	5.2	5.6	0.0
	Unknown (%)	2.5	1.9	0.0	5.7	3.9	4.2
Oregon (NPCR)	No. of patients	7760	7351	118	16,385	14,985	251
	Localized (%)	74.3	74.5	62.7	76.7	76.8	72.1
	Regional (%)	12.7	12.6	14.4	15.3	15.2	18.3
	Distant (%)	4.4	4.4	10.2	3.9	4.0	6.4
	Unknown (%)	8.6	8.5	12.7	4.2	4.1	3.2
Washington (NPCR/SEER)	No. of patients	13,249	12,154	440	23,055	20,927	861
	Localized (%)	77.6	77.7	78.2	79.4	79.5	77.0
	Regional (%)	13.3	13.4	12.5	14.9	15.0	14.5
	Distant (%)	4.6	4.6	6.4	4.4	4.3	6.9
	Unknown (%)	4.6	4.4	3.0	1.4	1.3	1.6

Abbreviations: NPCR, National Program of Cancer Registries; SEER, Surveillance, Epidemiology, and End Results program.

<sup>a</sup>Information on stage was not available for 2 states (Maryland and Wisconsin) or for Rhode Island for cases diagnosed between 2004 and 2009.

**SUPPORTING TABLE 2.** Prostate Cancer: Age-Standardized Net Survival (%) at 1, 3, and 5 Years for Males (Ages 15-99 Years) Diagnosed Between 2001 and 2009 by Race, Calendar Period of Diagnosis, and US Census Region and States<sup>a</sup>

	Years	2001-2003						2004-2009					
		All Races		White		Black		All Races		White		Black	
		NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI
<b>UNITED STATES</b>													
	1	<b>98.6</b>	98.5-98.7	<b>98.7</b>	98.7-98.8	<b>96.8</b>	96.6-97.1	<b>98.8</b>	98.8-98.9	<b>98.8</b>	98.8-98.9	<b>97.3</b>	97.1-97.5
	3	<b>97.4</b>	97.3-97.5	<b>97.6</b>	97.5-97.8	<b>94.2</b>	93.8-94.6	<b>97.6</b>	97.6-97.7	<b>97.6</b>	97.5-97.7	<b>94.7</b>	94.4-95.1
	5	<b>96.7</b>	96.5-96.8	<b>96.9</b>	96.7-97.1	<b>92.4</b>	91.8-92.9	<b>96.9</b>	96.7-97.1	<b>96.9</b>	96.7-97.1	<b>92.7</b>	92.1-93.3
<b>NORTHEAST</b>													
<b>New England</b>													
Connecticut (SEER)	1	<b>99.1</b>	98.7-99.6	<b>99.2</b>	98.7-99.7	<b>97.3</b>	95.5-99.2	<b>98.7</b>	98.3-99.0	<b>98.7</b>	98.4-99.1	<b>97.0</b>	95.2-98.8
	3	<b>97.7</b>	96.9-98.6	<b>98.1</b>	97.2-98.9	<b>91.1</b>	87.6-94.6	<b>97.3</b>	96.6-98.0	<b>97.4</b>	96.7-98.2	<b>94.7</b>	91.8-97.6
	5	<b>96.7</b>	95.6-97.9	<b>97.3</b>	96.1-98.5	<b>87.1</b>	82.7-91.4	<b>96.2</b>	95.0-97.5	<b>96.3</b>	95.0-97.6	<b>93.5</b>	88.6-98.5
Massachusetts (NPCR)	1	<b>98.4</b>	98.0-98.8	<b>98.4</b>	98.0-98.8	<b>97.0</b>	95.0-99.1	<b>98.2</b>	97.9-98.5	<b>97.9</b>	97.6-98.3	<b>97.2</b>	95.7-98.8
	3	<b>97.3</b>	96.6-97.9	<b>97.2</b>	96.6-97.9	<b>94.4</b>	91.3-97.6	<b>97.1</b>	96.6-97.7	<b>96.7</b>	96.1-97.2	<b>95.5</b>	93.0-98.1
	5	<b>96.4</b>	95.5-97.3	<b>96.1</b>	95.2-97.0	<b>93.9</b>	89.7-98.0	<b>96.9</b>	95.9-97.9	<b>96.1</b>	95.1-97.1	<b>95.9</b>	92.0-99.7
New Hampshire (NPCR)	1	<b>98.9</b>	98.1-99.8	<b>98.8</b>	97.9-99.7	100.0	-	<b>99.4</b>	98.8-100.0	<b>99.5</b>	98.9-100.0	100.0	100.0-100.0
	3	<b>97.9</b>	96.4-99.4	<b>97.7</b>	96.1-99.3	97.4	88.5-100.0	<b>99.5</b>	98.3-100.0	<b>99.7</b>	98.4-100.0	100.0	92.8-100.0
	5	<b>96.3</b>	94.2-98.4	<b>96.4</b>	94.2-98.6	91.3	76.0-100.0	<b>97.0</b>	94.4-99.6	<b>97.4</b>	94.7-100.0	100.0	98.0-100.0
Rhode Island (NPCR)	1	<b>98.8</b>	98.0-99.7	<b>98.8</b>	97.9-99.7	<b>95.5</b>	90.8-100.0	<b>97.8</b>	97.1-98.5	<b>97.6</b>	96.8-98.4	<b>95.4</b>	91.8-98.9
	3	<b>97.3</b>	95.9-98.8	<b>97.6</b>	96.1-99.1	<b>86.2</b>	77.2-95.1	<b>97.9</b>	96.6-99.2	<b>97.0</b>	95.6-98.4	<b>92.9</b>	86.0-99.8
	5	<b>96.4</b>	94.4-98.4	<b>96.5</b>	94.5-98.5	<b>80.0</b>	69.8-90.1	<b>96.0</b>	93.6-98.4	<b>94.7</b>	92.2-97.2	<b>94.2</b>	85.6-100.0
<b>Mid Atlantic</b>													
New Jersey (NPCR/SEER)	1	<b>99.0</b>	98.7-99.3	<b>99.1</b>	98.8-99.4	<b>97.9</b>	96.8-98.9	<b>99.1</b>	98.8-99.3	<b>99.2</b>	98.9-99.5	<b>97.5</b>	96.7-98.4
	3	<b>98.6</b>	98.1-99.2	<b>98.8</b>	98.2-99.3	<b>95.0</b>	93.3-96.8	<b>98.3</b>	97.8-98.8	<b>98.5</b>	98.0-99.0	<b>95.4</b>	93.9-97.0
	5	<b>98.8</b>	98.0-99.6	<b>98.7</b>	97.9-99.5	<b>93.9</b>	91.5-96.3	<b>97.8</b>	96.9-98.7	<b>98.2</b>	97.3-99.1	<b>92.8</b>	90.1-95.5
New York (NPCR)	1	<b>97.9</b>	97.6-98.1	<b>98.2</b>	97.9-98.4	<b>95.7</b>	94.9-96.4	<b>98.8</b>	98.7-99.0	<b>99.0</b>	98.8-99.2	<b>97.4</b>	96.9-97.9
	3	<b>96.4</b>	96.0-96.8	<b>96.9</b>	96.5-97.4	<b>92.0</b>	90.9-93.1	<b>97.5</b>	97.2-97.8	<b>97.8</b>	97.4-98.1	<b>94.2</b>	93.4-95.1
	5	<b>95.6</b>	95.1-96.1	<b>96.1</b>	95.5-96.7	<b>90.6</b>	89.2-91.9	<b>97.0</b>	96.4-97.6	<b>97.0</b>	96.4-97.7	<b>92.8</b>	91.3-94.2
Pennsylvania (NPCR)	1	<b>99.1</b>	98.9-99.4	<b>99.3</b>	99.0-99.5	<b>97.4</b>	96.3-98.5	<b>99.1</b>	98.9-99.3	<b>99.0</b>	98.8-99.2	<b>98.1</b>	97.3-98.9
	3	<b>97.9</b>	97.4-98.4	<b>98.0</b>	97.5-98.5	<b>96.4</b>	94.7-98.2	<b>98.2</b>	97.8-98.6	<b>98.1</b>	97.6-98.5	<b>95.4</b>	93.9-96.9
	5	<b>97.5</b>	96.9-98.2	<b>97.8</b>	97.1-98.5	<b>94.1</b>	91.7-96.4	<b>97.3</b>	96.6-98.1	<b>97.0</b>	96.3-97.8	<b>94.0</b>	91.5-96.5
<b>SOUTH</b>													
<b>South Atlantic</b>													
Delaware (NPCR)	1	<b>99.2</b>	98.3-100.0	<b>99.5</b>	98.4-100.0	<b>97.3</b>	94.5-100.0	<b>99.0</b>	98.2-99.7	<b>99.1</b>	98.3-99.9	<b>97.4</b>	95.1-99.7
	3	<b>98.8</b>	97.0-100.0	<b>98.8</b>	96.9-100.0	<b>94.6</b>	90.2-98.9	<b>98.7</b>	97.2-100.0	<b>99.1</b>	97.5-100.0	<b>95.6</b>	91.6-99.6
	5	<b>97.8</b>	95.2-100.0	<b>97.2</b>	94.4-100.0	<b>91.9</b>	86.1-97.8	<b>96.9</b>	94.0-99.7	<b>96.0</b>	92.9-99.2	<b>95.9</b>	90.1-100.0

**SUPPORTING TABLE 2.** *Continued*

		2001-2003						2004-2009					
		All Races		White		Black		All Races		White		Black	
Years	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	
Florida (NPCR)	1	<b>99.0</b>	98.8-99.2	<b>99.2</b>	99.0-99.4	<b>96.9</b>	95.9-97.8	<b>99.2</b>	99.1-99.4	<b>99.3</b>	99.1-99.4	<b>97.8</b>	97.1-98.4
	3	<b>97.8</b>	97.4-98.2	<b>98.0</b>	97.7-98.4	<b>94.4</b>	92.8-95.9	<b>98.4</b>	98.1-98.7	<b>98.6</b>	98.3-98.9	<b>95.1</b>	94.0-96.3
	5	<b>97.2</b>	96.7-97.7	<b>97.6</b>	97.0-98.1	<b>93.2</b>	91.1-95.3	<b>97.8</b>	97.2-98.4	<b>98.0</b>	97.4-98.6	<b>94.7</b>	92.7-96.7
Georgia (NPCR/SEER)	1	<b>98.5</b>	98.1-98.9	<b>98.7</b>	98.2-99.2	<b>97.6</b>	96.7-98.5	<b>98.8</b>	98.5-99.1	<b>99.2</b>	98.9-99.6	<b>97.4</b>	96.7-98.1
	3	<b>96.5</b>	95.7-97.3	<b>97.1</b>	96.2-98.0	<b>94.3</b>	92.7-95.8	<b>97.7</b>	97.1-98.4	<b>98.1</b>	97.4-98.8	<b>96.4</b>	95.1-97.6
	5	<b>95.6</b>	94.5-96.6	<b>96.3</b>	95.1-97.5	<b>92.3</b>	90.3-94.4	<b>96.9</b>	95.7-98.0	<b>98.1</b>	96.8-99.4	<b>94.0</b>	91.7-96.3
Maryland (NPCR)	1	<b>98.0</b>	97.6-98.5	<b>98.4</b>	97.8-98.9	<b>96.5</b>	95.3-97.7	<b>99.0</b>	98.7-99.4	<b>99.1</b>	98.7-99.5	<b>98.3</b>	97.4-99.1
	3	<b>97.6</b>	96.8-98.4	<b>98.3</b>	97.4-99.2	<b>94.5</b>	92.6-96.4	<b>97.8</b>	97.1-98.5	<b>97.7</b>	96.9-98.5	<b>96.3</b>	94.7-98.0
	5	<b>97.1</b>	96.0-98.2	<b>98.0</b>	96.8-99.3	<b>93.3</b>	90.8-95.7	<b>96.6</b>	95.2-97.9	<b>96.3</b>	94.8-97.8	<b>94.2</b>	91.1-97.3
North Carolina (NPCR)	1	<b>95.6</b>	95.2-96.1	<b>96.0</b>	95.5-96.6	<b>94.4</b>	93.3-95.4	<b>98.8</b>	98.5-99.1	<b>99.1</b>	98.8-99.4	<b>97.7</b>	97.0-98.4
	3	<b>96.1</b>	95.3-96.8	<b>96.6</b>	95.8-97.4	<b>93.9</b>	92.3-95.5	<b>97.5</b>	96.9-98.1	<b>98.0</b>	97.3-98.6	<b>95.8</b>	94.5-97.1
	5	<b>95.3</b>	94.3-96.3	<b>95.6</b>	94.5-96.7	<b>93.6</b>	91.4-95.7	<b>96.5</b>	95.5-97.5	<b>97.1</b>	96.0-98.2	<b>93.9</b>	91.7-96.1
South Carolina (NPCR)	1	<b>98.9</b>	98.4-99.4	<b>99.2</b>	98.6-99.8	<b>97.8</b>	96.8-98.9	<b>98.9</b>	98.6-99.3	<b>99.1</b>	98.7-99.5	<b>97.9</b>	97.1-98.7
	3	<b>96.5</b>	95.6-97.5	<b>97.3</b>	96.2-98.4	<b>93.7</b>	91.9-95.4	<b>97.1</b>	96.3-97.8	<b>97.8</b>	96.9-98.6	<b>94.8</b>	93.1-96.4
	5	<b>95.1</b>	93.9-96.4	<b>96.4</b>	94.9-97.9	<b>91.4</b>	89.2-93.7	<b>95.8</b>	94.5-97.2	<b>97.2</b>	95.6-98.8	<b>91.4</b>	88.7-94.2
West Virginia (NPCR)	1	<b>98.2</b>	97.5-99.0	<b>98.2</b>	97.5-99.0	<b>96.5</b>	92.9-100.0	<b>98.6</b>	98.0-99.1	<b>98.6</b>	98.0-99.1	<b>97.0</b>	93.8-100.0
	3	<b>97.3</b>	96.0-98.6	<b>97.3</b>	96.0-98.6	<b>94.3</b>	88.8-99.8	<b>96.9</b>	95.8-98.0	<b>97.0</b>	95.9-98.2	<b>91.8</b>	85.0-98.6
	5	<b>96.2</b>	94.4-98.0	<b>96.2</b>	94.4-98.0	<b>95.9</b>	87.6-100.0	<b>95.8</b>	93.9-97.8	<b>96.0</b>	94.0-97.9	<b>84.7</b>	73.0-96.4
<b>East South Central</b>													
Alabama (NPCR)	1	<b>98.0</b>	97.5-98.6	<b>98.3</b>	97.6-98.9	<b>96.8</b>	95.6-98.0	<b>97.2</b>	96.8-97.6	<b>97.5</b>	97.1-98.0	<b>95.0</b>	94.1-95.9
	3	<b>96.2</b>	95.2-97.2	<b>96.7</b>	95.6-97.9	<b>93.5</b>	91.5-95.6	<b>95.9</b>	95.1-96.6	<b>96.5</b>	95.6-97.4	<b>91.6</b>	90.0-93.2
	5	<b>95.0</b>	93.6-96.4	<b>95.6</b>	94.0-97.2	<b>91.2</b>	88.4-94.0	<b>95.0</b>	93.7-96.3	<b>95.8</b>	94.3-97.3	<b>89.3</b>	86.5-92.0
Kentucky (NPCR/SEER)	1	<b>98.7</b>	98.2-99.2	<b>98.8</b>	98.3-99.4	<b>95.6</b>	93.5-97.8	<b>98.1</b>	97.7-98.5	<b>98.2</b>	97.8-98.6	<b>96.2</b>	94.2-98.1
	3	<b>98.2</b>	97.2-99.2	<b>98.1</b>	97.1-99.1	<b>96.9</b>	93.5-100.0	<b>96.1</b>	95.3-96.9	<b>96.3</b>	95.4-97.1	<b>92.9</b>	89.5-96.4
	5	<b>96.8</b>	95.4-98.1	<b>96.7</b>	95.3-98.1	<b>94.7</b>	90.0-99.4	<b>95.7</b>	94.2-97.1	<b>95.8</b>	94.4-97.3	<b>90.5</b>	85.1-95.9
Mississippi (NPCR)	1	<b>98.6</b>	97.4-99.8	<b>98.1</b>	96.5-99.7	<b>97.8</b>	95.7-99.9	<b>99.3</b>	98.8-99.8	<b>99.9</b>	99.4-100.0	<b>97.6</b>	96.6-98.5
	3	<b>99.5</b>	97.5-100.0	<b>98.6</b>	96.1-100.0	<b>97.3</b>	93.9-100.0	<b>97.4</b>	96.5-98.4	<b>98.5</b>	97.3-99.7	<b>95.0</b>	93.3-96.8
	5	<b>98.8</b>	96.0-100.0	<b>99.1</b>	95.8-100.0	<b>94.5</b>	89.6-99.4	<b>95.9</b>	94.0-97.8	<b>97.2</b>	95.0-99.4	<b>92.1</b>	88.7-95.6
Tennessee (NPCR)	1	<b>97.7</b>	96.6-98.8	<b>98.0</b>	96.9-99.2	<b>93.7</b>	90.4-96.9	<b>99.2</b>	98.9-99.6	<b>99.3</b>	99.0-99.7	<b>98.5</b>	97.4-99.6
	3	<b>96.6</b>	94.8-98.4	<b>96.6</b>	94.7-98.5	<b>92.2</b>	87.4-96.9	<b>98.7</b>	98.0-99.4	<b>99.0</b>	98.2-99.7	<b>96.4</b>	94.2-98.6
	5	<b>95.4</b>	92.9-97.8	<b>95.4</b>	92.9-97.9	<b>92.4</b>	84.6-100.0	<b>97.0</b>	95.6-98.5	<b>96.9</b>	95.3-98.5	<b>96.4</b>	92.5-100.0
<b>West South Central</b>													
Louisiana (NPCR/SEER)	1	<b>98.7</b>	98.2-99.1	<b>99.1</b>	98.5-99.6	<b>97.1</b>	96.1-98.1	<b>98.8</b>	98.5-99.2	<b>99.1</b>	98.7-99.5	<b>97.1</b>	96.3-97.9
	3	<b>96.7</b>	95.9-97.6	<b>98.0</b>	97.0-99.0	<b>92.7</b>	90.9-94.5	<b>97.6</b>	96.9-98.4	<b>98.6</b>	97.7-99.4	<b>93.7</b>	92.2-95.3
	5	<b>95.7</b>	94.5-96.9	<b>97.5</b>	96.1-98.8	<b>90.2</b>	87.9-92.6	<b>96.2</b>	94.9-97.5	<b>97.6</b>	96.1-99.1	<b>92.0</b>	89.5-94.5
Oklahoma (NPCR)	1	<b>97.4</b>	96.8-98.0	<b>97.4</b>	96.8-98.0	<b>97.1</b>	94.5-99.7	<b>98.6</b>	98.2-99.0	<b>98.7</b>	98.3-99.1	<b>96.5</b>	94.7-98.3
	3	<b>95.0</b>	94.0-96.0	<b>95.4</b>	94.3-96.5	<b>91.3</b>	86.6-96.0	<b>97.3</b>	96.5-98.1	<b>97.3</b>	96.4-98.1	<b>94.0</b>	90.7-97.4
	5	<b>93.8</b>	92.5-95.2	<b>94.3</b>	92.9-95.8	<b>89.1</b>	82.8-95.4	<b>96.3</b>	94.8-97.7	<b>96.5</b>	94.9-98.0	<b>89.6</b>	84.2-94.9
Texas (NPCR)	1	<b>97.7</b>	97.5-98.0	<b>97.9</b>	97.6-98.2	<b>95.4</b>	94.5-96.4	<b>98.2</b>	98.0-98.4	<b>98.2</b>	98.0-98.4	<b>96.5</b>	95.9-97.2
	3	<b>95.2</b>	94.7-95.6	<b>95.3</b>	94.9-95.8	<b>91.2</b>	89.7-92.7	<b>96.2</b>	95.8-96.6	<b>95.9</b>	95.6-96.3	<b>92.9</b>	91.7-94.1
	5	<b>93.8</b>	93.2-94.4	<b>93.9</b>	93.3-94.6	<b>88.1</b>	86.2-90.0	<b>95.2</b>	94.5-95.8	<b>94.8</b>	94.2-95.5	<b>90.0</b>	87.8-92.2
<b>MIDWEST</b>													
<b>East North Central</b>													
Michigan (NPCR)	1	<b>98.8</b>	98.5-99.1	<b>98.9</b>	98.6-99.3	<b>96.8</b>	95.9-97.7	<b>98.6</b>	98.4-98.9	<b>98.6</b>	98.3-98.9	<b>96.2</b>	95.4-97.1
	3	<b>98.5</b>	98.0-99.0	<b>98.6</b>	98.1-99.2	<b>96.0</b>	94.5-97.4	<b>97.9</b>	97.4-98.3	<b>97.7</b>	97.2-98.2	<b>93.4</b>	91.9-94.9
	5	<b>98.8</b>	98.1-99.5	<b>98.9</b>	98.2-99.7	<b>95.3</b>	93.4-97.2	<b>98.2</b>	97.4-99.0	<b>97.8</b>	96.8-98.7	<b>92.1</b>	89.8-94.3
Ohio (NPCR)	1	<b>98.7</b>	98.4-99.0	<b>98.8</b>	98.5-99.1	<b>97.0</b>	95.9-98.2	<b>98.6</b>	98.4-98.8	<b>98.5</b>	98.2-98.7	<b>96.9</b>	96.0-97.7
	3	<b>97.9</b>	97.3-98.4	<b>98.1</b>	97.5-98.7	<b>95.1</b>	93.3-97.0	<b>97.1</b>	96.7-97.6	<b>96.8</b>	96.4-97.3	<b>93.5</b>	92.0-95.0
	5	<b>96.9</b>	96.1-97.7	<b>96.9</b>	96.1-97.8	<b>93.2</b>	90.7-95.8	<b>96.1</b>	95.3-96.9	<b>95.6</b>	94.7-96.4	<b>90.4</b>	87.8-92.9
Wisconsin (NPCR)	1	<b>98.8</b>	98.4-99.2	<b>98.8</b>	98.4-99.2	<b>98.7</b>	96.1-100.0	<b>99.0</b>	98.7-99.3	<b>99.1</b>	98.8-99.4	<b>98.7</b>	96.9-100.0
	3	<b>97.7</b>	97.0-98.5	<b>97.6</b>	96.9-98.4	<b>96.4</b>	92.0-100.0	<b>97.4</b>	96.8-98.0	<b>97.7</b>	97.1-98.3	<b>93.3</b>	89.4-97.2
	5	<b>96.6</b>	95.6-97.6	<b>96.6</b>	95.6-97.7	<b>92.4</b>	86.6-98.3	<b>95.6</b>	94.5-96.8	<b>96.1</b>	95.0-97.3	<b>87.6</b>	80.8-94.4
<b>West North Central</b>													
Iowa (SEER)	1	<b>98.9</b>	98.4-99.4	<b>98.8</b>	98.3-99.4	<b>99.4</b>	95.2-100.0	<b>98.6</b>	98.2-99.0	<b>98.5</b>	98.1-99.0	<b>98.2</b>	94.9-100.0
	3	<b>96.5</b>	95.6-97.5	<b>96.4</b>	95.4-97.3	<b>96.5</b>	87.4-100.0	<b>96.6</b>	95.8-97.4	<b>96.3</b>	95.4-97.1	<b>92.0</b>	85.3-98.7
	5	<b>94.9</b>	93.6-96.3	<b>94.7</b>	93.3-96.0	<b>94.9</b>	83.5-100.0	<b>96.5</b>	95.1-97.8	<b>95.9</b>	94.6-97.3	<b>89.7</b>	79.0-100.0
Nebraska (NPCR)	1	<b>99.3</b>	98.7-100.0	<b>99.4</b>	98.7-100.0	<b>91.1</b>	84.4-97.8	<b>99.0</b>	98.5-99.5	<b>98.9</b>	98.4-99.4	<b>97.6</b>	94.2-100.0
	3	<b>97.2</b>	96.0-98.4	<b>97.0</b>	95.8-98.3	<b>85.2</b>	77.2-93.2	<b>98.0</b>	97.1-99.0	<b>97.6</b>	96.6-98.6	<b>97.6</b>	91.8-100.0
	5	<b>95.8</b>	94.2-97.5	<b>95.3</b>	93.6-97.0	<b>88.8</b>	77.9-99.6	<b>96.5</b>	94.6-98.4	<b>95.8</b>	93.8-97.7	<b>91.8</b>	80.9-100.0
<b>WEST</b>													
<b>Mountain</b>													
Colorado (NPCR)	1	<b>98.2</b>	97.6-98.7	<b>98.1</b>	97.5-98.7	<b>95.7</b>	92.1-99.2	<b>98.8</b>	98.4-99.2	<b>98.6</b>	98.2-99.0	<b>97.3</b>	95.4-99.1
	3	<b>97.1</b>	96.1-98.0	<b>96.9</b>	95.9-97.9	<b>89.8</b>	84.1-95.6	<b>98.0</b>	97.2-98.7	<b>97.3</b>	96.5-98.1	<b>98.9</b>	96.0-100.0

**SUPPORTING TABLE 2.** *Continued*

	Years	2001-2003						2004-2009						
		All Races		White		Black		All Races		White		Black		
		NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	
Idaho (NPCR)	5	<b>96.6</b>	95.2-97.9	<b>96.3</b>	95.0-97.7	<b>83.3</b>	76.4-90.2	<b>96.6</b>	95.3-98.0	<b>95.3</b>	93.9-96.7	<b>97.9</b>	92.7-100.0	
	1	<b>98.8</b>	98.0-99.6	<b>98.7</b>	97.9-99.5	-	-	<b>99.2</b>	98.6-99.7	<b>99.1</b>	98.5-99.6	<i>100.0</i>	<i>100.0-100.0</i>	
	3	<b>97.8</b>	96.3-99.2	<b>97.7</b>	96.3-99.1	-	-	<b>97.7</b>	96.5-98.8	<b>97.5</b>	96.3-98.6	<i>91.4</i>	<i>72.1-100.0</i>	
Montana (NPCR)	5	<b>97.0</b>	94.9-99.0	<b>96.9</b>	94.9-98.9	-	-	<b>96.4</b>	94.4-98.4	<b>96.2</b>	94.2-98.2	<i>100.0</i>	<i>79.5-100.0</i>	
	1	<b>99.1</b>	98.3-100.0	<b>99.0</b>	98.1-99.9	-	-	<b>99.1</b>	98.4-99.8	<b>99.3</b>	98.6-100.0	-	-	
	3	<b>97.6</b>	96.0-99.2	<b>97.5</b>	95.8-99.1	-	-	<b>96.1</b>	94.6-97.6	<b>96.3</b>	94.8-97.8	-	-	
New Mexico (SEER)	5	<b>96.7</b>	94.4-98.9	<b>96.8</b>	94.5-99.1	-	-	<b>93.1</b>	90.6-95.6	<b>93.3</b>	90.7-95.8	-	-	
	1	<b>98.4</b>	97.6-99.2	<b>98.3</b>	97.5-99.1	<i>97.5</i>	<i>93.4-100.0</i>	<b>98.4</b>	97.9-99.0	<b>98.5</b>	97.9-99.1	<b>93.4</b>	87.8-99.1	
	3	<b>96.8</b>	95.5-98.1	<b>96.8</b>	95.5-98.1	<i>95.4</i>	<i>88.3-100.0</i>	<b>96.4</b>	95.3-97.4	<b>96.4</b>	95.3-97.5	<b>88.3</b>	79.8-96.7	
Utah (SEER)	5	<b>95.6</b>	93.9-97.4	<b>95.8</b>	94.0-97.6	<i>94.4</i>	<i>84.9-100.0</i>	<b>94.2</b>	92.1-96.3	<b>94.6</b>	92.4-96.7	<b>82.4</b>	70.3-94.6	
	1	<b>99.4</b>	98.8-100.0	<b>99.4</b>	98.7-100.0	<i>100.0</i>	-	<b>99.1</b>	98.6-99.6	<b>99.1</b>	98.7-99.6	<i>97.5</i>	<i>91.7-100.0</i>	
	3	<b>97.9</b>	96.7-99.0	<b>97.8</b>	96.7-99.0	<i>97.0</i>	<i>87.9-100.0</i>	<b>98.3</b>	97.4-99.2	<b>98.3</b>	97.4-99.3	<i>94.2</i>	<i>83.4-100.0</i>	
Wyoming (NPCR)	5	<b>97.3</b>	95.7-98.8	<b>97.4</b>	95.8-99.0	<i>88.0</i>	<i>72.8-100.0</i>	<b>97.0</b>	95.3-98.7	<b>96.9</b>	95.2-98.6	<i>100.0</i>	<i>89.1-100.0</i>	
	1	<b>99.1</b>	97.9-100.0	<b>99.1</b>	97.9-100.0	-	-	<b>98.6</b>	97.6-99.7	<b>98.7</b>	97.6-99.7	<i>100.0</i>	<i>100.0-100.0</i>	
	3	<b>98.5</b>	96.4-100.0	<b>98.5</b>	96.4-100.0	-	-	<b>97.2</b>	95.1-99.3	<b>97.1</b>	95.0-99.3	<i>100.0</i>	<i>100.0-100.0</i>	
Pacific	5	<b>96.6</b>	93.4-99.8	<b>97.1</b>	93.9-100.0	-	-	<b>95.3</b>	92.0-98.6	<b>95.3</b>	92.0-98.6	<i>100.0</i>	<i>100.0-100.0</i>	
	Alaska (NPCR)	1	<b>98.6</b>	97.0-100.0	<b>98.3</b>	96.5-100.0	<i>100.0</i>	-	<b>99.1</b>	97.9-100.0	<b>99.6</b>	98.4-100.0	<i>97.2</i>	<i>92.7-100.0</i>
	3	<b>96.7</b>	93.8-99.7	<b>97.2</b>	93.9-100.0	<i>92.9</i>	<i>83.0-100.0</i>	<b>94.9</b>	92.3-97.6	<b>96.4</b>	93.6-99.1	<i>87.6</i>	<i>77.1-98.0</i>	
California (NPCR/SEER)	5	<b>94.3</b>	90.6-98.1	<b>95.1</b>	91.1-99.1	<i>92.9</i>	<i>81.7-100.0</i>	<b>95.3</b>	91.4-99.2	<b>96.8</b>	92.7-100.0	<i>86.0</i>	<i>73.0-99.0</i>	
	1	<b>98.9</b>	98.7-99.1	<b>98.9</b>	98.7-99.1	<b>97.4</b>	96.5-98.2	<b>98.8</b>	98.7-98.9	<b>98.7</b>	98.5-98.8	<b>97.3</b>	96.7-97.9	
	3	<b>97.7</b>	97.4-98.0	<b>97.6</b>	97.3-98.0	<b>93.9</b>	92.5-95.3	<b>97.8</b>	97.5-98.0	<b>97.5</b>	97.2-97.8	<b>95.4</b>	94.3-96.5	
Hawaii (SEER)	5	<b>96.7</b>	96.3-97.2	<b>96.7</b>	96.2-97.1	<b>90.9</b>	89.1-92.6	<b>97.2</b>	96.8-97.7	<b>97.0</b>	96.4-97.5	<b>92.4</b>	90.4-94.4	
	1	<b>99.0</b>	98.2-99.8	<b>98.4</b>	96.9-99.8	<i>95.9</i>	<i>89.3-100.0</i>	<b>99.4</b>	98.9-99.9	<b>98.9</b>	97.9-99.9	<i>100.0</i>	<i>100.0-100.0</i>	
	3	<b>97.4</b>	96.0-98.8	<b>96.3</b>	93.6-99.0	<i>90.6</i>	<i>80.2-100.0</i>	<b>98.5</b>	97.4-99.5	<b>96.7</b>	94.7-98.8	<i>100.0</i>	<i>98.7-100.0</i>	
Oregon (NPCR)	5	<b>97.5</b>	95.6-99.5	<b>94.8</b>	91.1-98.5	<i>86.6</i>	<i>72.8-100.0</i>	<b>97.3</b>	95.2-99.3	<b>94.4</b>	90.9-97.9	<i>100.0</i>	<i>91.9-100.0</i>	
	1	<b>98.8</b>	98.2-99.3	<b>98.8</b>	98.2-99.3	<b>92.8</b>	87.6-98.0	<b>98.9</b>	98.5-99.3	<b>98.8</b>	98.4-99.2	<b>98.4</b>	95.1-100.0	
	3	<b>97.6</b>	96.6-98.5	<b>97.5</b>	96.6-98.4	<b>88.2</b>	80.0-96.3	<b>97.1</b>	96.4-97.9	<b>96.8</b>	96.1-97.6	<b>92.6</b>	85.7-99.5	
Washington (NPCR)	5	<b>96.6</b>	95.4-97.9	<b>96.5</b>	95.2-97.8	<b>83.2</b>	73.0-93.3	<b>95.4</b>	94.0-96.9	<b>95.1</b>	93.6-96.6	<b>91.2</b>	81.5-100.0	
	1	<b>99.0</b>	98.6-99.4	<b>98.9</b>	98.5-99.3	<b>96.7</b>	93.5-99.8	<b>99.1</b>	98.8-99.4	<b>99.1</b>	98.8-99.4	<b>97.4</b>	95.3-99.6	
	3	<b>98.2</b>	97.5-98.9	<b>98.0</b>	97.3-98.7	<b>97.1</b>	92.3-100.0	<b>97.9</b>	97.3-98.5	<b>97.8</b>	97.2-98.4	<b>94.7</b>	91.0-98.4	
	5	<b>97.3</b>	96.3-98.2	<b>97.0</b>	96.0-98.0	<b>98.1</b>	90.8-100.0	<b>97.9</b>	96.9-99.0	<b>97.7</b>	96.6-98.8	<b>92.3</b>	86.5-98.2	

Abbreviations: CI, confidence interval; NPCR, National Program of Cancer Registries; NS, net survival; SEER, Surveillance, Epidemiology, and End Results program.

<sup>a</sup>Unstandardized estimates are italicized.

**SUPPORTING TABLE 3.** Prostate Cancer: Five-Year Age-Standardized Net Survival (%) for Males (Ages 15-99 Years) Diagnosed Between 2001 and 2009 by Surveillance, Epidemiology, and End Results Summary Stage 2000 at Diagnosis; Race; Calendar Period of Diagnosis; and US Census Region and States<sup>a</sup>

	SEER Summary Stage 2000	2001-2003						2004-2009						
		All races		White		Black		All races		White		Black		
		NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	
<b>UNITED STATES</b>														
	All stages	<b>96.7</b>	96.5-96.8	<b>96.9</b>	96.7-97.1	<b>92.4</b>	91.8-92.9	<b>96.9</b>	96.7-97.1	<b>96.9</b>	96.7-97.1	<b>92.7</b>	92.1-93.3	
	Localized	<b>99.9</b>	99.7-100.0	<b>99.8</b>	99.6-100.0	<b>99.5</b>	98.8-100.0	<b>99.9</b>	99.6-100.0	<b>99.7</b>	99.5-99.9	<b>99.6</b>	98.8-100.0	
	Regional	<b>93.7</b>	92.9-94.4	<b>93.4</b>	92.6-94.2	<b>90.8</b>	88.3-93.4	<b>93.5</b>	92.7-94.4	<b>93.3</b>	92.4-94.2	<b>90.7</b>	87.8-93.6	
	Distant	<b>29.8</b>	28.9-30.6	<b>29.7</b>	28.7-30.7	<b>28.6</b>	26.8-30.4	<b>29.2</b>	28.3-30.1	<b>28.7</b>	27.6-29.8	<b>28.4</b>	26.6-30.3	
	Unknown	<b>88.3</b>	87.8-88.7	<b>88.3</b>	87.8-88.8	<b>83.9</b>	82.7-85.2	<b>88.0</b>	87.5-88.5	<b>87.3</b>	86.7-87.9	<b>82.2</b>	80.7-83.7	
<b>NORTHEAST</b>														
<b>New England</b>														
	Connecticut (SEER)	All stages	<b>96.7</b>	95.6-97.9	<b>97.3</b>	96.1-98.5	<b>87.1</b>	82.7-91.4	<b>96.2</b>	95.0-97.5	<b>96.3</b>	95.0-97.6	<b>93.5</b>	88.6-98.5
		Localized	<b>99.8</b>	98.5-100.0	<b>99.9</b>	98.6-100.0	<b>93.0</b>	88.4-97.6	<b>100.0</b>	98.5-100.0	<b>100.0</b>	98.5-100.0	<b>99.2</b>	94.7-100.0
		Regional	<b>93.1</b>	88.2-98.1	<b>92.5</b>	87.5-97.6	<i>100.0</i>	<i>93.8-100.0</i>	<b>87.0</b>	80.3-93.7	<b>86.4</b>	79.6-93.2	<b>89.3</b>	79.3-99.4
		Distant	<b>35.4</b>	29.1-41.6	<b>38.5</b>	31.2-45.7	<i>16.4</i>	<i>4.6-28.2</i>	<b>30.0</b>	23.1-36.8	<b>32.9</b>	25.6-40.3	<i>14.7</i>	<i>0.0-32.0</i>
		Unknown	<b>80.2</b>	73.0-87.4	<b>84.2</b>	77.2-91.1	<i>43.2</i>	<i>16.3-70.1</i>	<b>76.2</b>	68.1-84.2	<b>74.6</b>	66.0-83.2	<i>57.6</i>	<i>14.9-100.0</i>

**SUPPORTING TABLE 3.** *Continued*

		2001-2003						2004-2009					
SEER Summary Stage	2000	All races		White		Black		All races		White		Black	
		NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI
		Massachusetts (NPCR)	All stages	<b>96.4</b>	95.5-97.3	<b>96.1</b>	95.2-97.0	<b>93.9</b>	89.7-98.0	<b>96.9</b>	95.9-97.9	<b>96.1</b>	95.1-97.1
	Localized	<b>99.2</b>	98.1-100.0	<b>98.8</b>	97.7-99.9	<b>99.5</b>	96.5-100.0	<b>99.8</b>	98.7-100.0	<b>99.8</b>	98.5-100.0	<b>99.1</b>	94.2-100.0
	Regional	<b>94.6</b>	89.4-99.7	<b>94.2</b>	88.9-99.6	<b>88.2</b>	77.6-98.8	<b>92.9</b>	88.7-97.2	<b>92.7</b>	88.3-97.1	<b>92.0</b>	79.0-100.0
	Distant	<b>29.6</b>	24.3-34.9	<b>27.6</b>	22.0-33.2	<b>38.7</b>	21.4-56.0	<b>28.5</b>	23.0-34.0	<b>23.9</b>	18.3-29.6	<b>59.0</b>	44.6-73.5
	Unknown	<b>78.6</b>	74.2-82.9	<b>77.5</b>	72.6-82.5	<b>54.2</b>	34.0-74.4	<b>69.6</b>	63.7-75.4	<b>67.4</b>	60.8-74.0	<b>59.8</b>	42.8-76.7
New Hampshire (NPCR)	All stages	<b>96.3</b>	94.2-98.4	<b>96.4</b>	94.2-98.6	<b>91.3</b>	76.0-100.0	<b>97.0</b>	94.4-99.6	<b>97.4</b>	94.7-100.0	<b>100.0</b>	98.0-100.0
	Localized	<b>98.8</b>	95.9-100.0	<b>98.7</b>	95.9-100.0	<b>93.8</b>	77.6-100.0	<b>100.0</b>	96.9-100.0	<b>100.0</b>	96.8-100.0	<b>100.0</b>	100.0-100.0
	Regional	<b>90.9</b>	83.0-98.8	<b>91.2</b>	83.3-99.1	-	-	<b>94.7</b>	84.9-100.0	<b>94.7</b>	84.8-100.0	-	-
	Distant	<b>25.5</b>	16.5-34.5	<b>25.8</b>	16.7-35.0	-	-	<b>35.4</b>	25.2-45.6	<b>35.6</b>	25.2-46.0	-	-
	Unknown	<b>90.8</b>	85.5-96.2	<b>91.3</b>	85.0-97.6	-	-	<b>85.4</b>	77.5-93.4	<b>87.6</b>	78.5-96.7	-	-
Rhode Island (NPCR)	All stages	<b>96.4</b>	94.4-98.4	<b>96.5</b>	94.5-98.5	<b>80.0</b>	69.8-90.1	<b>96.0</b>	93.6-98.4	<b>94.7</b>	92.2-97.2	<b>94.2</b>	85.6-100.0
	Localized	<b>97.9</b>	95.3-100.0	<b>97.8</b>	95.2-100.0	<b>94.9</b>	85.3-100.0	-	-	-	-	-	-
	Regional	<b>83.4</b>	74.3-92.4	<b>83.5</b>	74.1-92.8	<b>74.5</b>	46.1-100.0	-	-	-	-	-	-
	Distant	<b>31.2</b>	21.8-40.7	<b>29.1</b>	19.1-39.2	<b>38.9</b>	8.5-69.4	-	-	-	-	-	-
	Unknown	<b>95.6</b>	92.1-99.1	<b>95.0</b>	91.4-98.5	<b>84.3</b>	53.0-100.0	-	-	-	-	-	-
<b>Mid Atlantic</b>													
New Jersey (NPCR/SEER)	All stages	<b>98.8</b>	98.0-99.6	<b>98.7</b>	97.9-99.5	<b>93.9</b>	91.5-96.3	<b>97.8</b>	96.9-98.7	<b>98.2</b>	97.3-99.1	<b>92.8</b>	90.1-95.5
	Localized	<b>100.0</b>	99.2-100.0	<b>99.9</b>	99.0-100.0	<b>99.6</b>	97.0-100.0	<b>99.9</b>	99.0-100.0	<b>100.0</b>	99.0-100.0	<b>98.5</b>	95.3-100.0
	Regional	<b>91.6</b>	87.3-95.8	<b>92.2</b>	87.6-96.7	<b>85.1</b>	76.0-94.3	<b>91.3</b>	87.2-95.5	<b>88.6</b>	83.9-93.2	<b>97.1</b>	92.2-100.0
	Distant	<b>27.5</b>	23.2-31.9	<b>28.3</b>	23.2-33.5	<b>24.7</b>	17.0-32.3	<b>27.4</b>	23.0-31.8	<b>30.7</b>	25.6-35.8	<b>16.3</b>	10.5-22.0
	Unknown	<b>88.2</b>	85.1-91.3	<b>88.2</b>	84.6-91.7	<b>75.6</b>	67.2-84.0	<b>84.7</b>	80.7-88.8	<b>85.5</b>	81.1-90.0	<b>72.0</b>	61.2-82.9
New York (NPCR)	All stages	<b>95.6</b>	95.1-96.1	<b>96.1</b>	95.5-96.7	<b>90.6</b>	89.2-91.9	<b>97.0</b>	96.4-97.6	<b>97.0</b>	96.4-97.7	<b>92.8</b>	91.3-94.2
	Localized	<b>99.4</b>	98.7-100.0	<b>99.4</b>	98.7-100.0	<b>98.6</b>	96.8-100.0	<b>100.0</b>	99.3-100.0	<b>99.7</b>	98.9-100.0	<b>99.7</b>	98.0-100.0
	Regional	<b>90.0</b>	87.4-92.6	<b>89.5</b>	86.7-92.4	<b>88.3</b>	82.6-94.0	<b>94.2</b>	91.3-97.1	<b>93.2</b>	90.2-96.2	<b>91.0</b>	83.6-98.3
	Distant	<b>32.7</b>	29.6-35.8	<b>30.3</b>	26.5-34.2	<b>35.9</b>	30.6-41.2	<b>30.4</b>	27.3-33.5	<b>27.6</b>	23.7-31.5	<b>33.3</b>	28.0-38.5
	Unknown	<b>86.7</b>	85.3-88.1	<b>87.7</b>	86.1-89.3	<b>74.9</b>	71.2-78.6	<b>90.9</b>	89.3-92.5	<b>91.8</b>	90.0-93.6	<b>79.2</b>	74.4-83.9
Pennsylvania (NPCR)	All stages	<b>97.5</b>	96.9-98.2	<b>97.8</b>	97.1-98.5	<b>94.1</b>	91.7-96.4	<b>97.3</b>	96.6-98.1	<b>97.0</b>	96.3-97.8	<b>94.0</b>	91.5-96.5
	Localized	<b>99.9</b>	99.1-100.0	<b>100.0</b>	99.1-100.0	<b>99.0</b>	96.2-100.0	<b>100.0</b>	99.2-100.0	<b>99.9</b>	99.0-100.0	<b>100.0</b>	97.1-100.0
	Regional	<b>91.6</b>	88.7-94.5	<b>91.8</b>	88.8-94.7	<b>94.4</b>	88.6-100.0	<b>93.7</b>	90.1-97.3	<b>93.5</b>	89.8-97.3	<b>91.1</b>	80.3-100.0
	Distant	<b>28.7</b>	25.4-32.1	<b>29.3</b>	25.5-33.1	<b>26.4</b>	20.0-32.7	<b>26.2</b>	22.1-30.3	<b>24.7</b>	20.1-29.3	<b>31.4</b>	23.1-39.6
	Unknown	<b>90.3</b>	88.3-92.3	<b>90.5</b>	88.4-92.6	<b>87.8</b>	81.0-94.6	<b>87.5</b>	84.4-90.7	<b>82.7</b>	78.7-86.6	<b>71.8</b>	62.5-81.2
<b>SOUTH</b>													
<b>South Atlantic</b>													
Delaware (NPCR)	All stages	<b>97.8</b>	95.2-100.0	<b>97.2</b>	94.4-100.0	<b>91.9</b>	86.1-97.8	<b>96.9</b>	94.0-99.7	<b>96.0</b>	92.9-99.2	<b>95.9</b>	90.1-100.0
	Localized	<b>98.4</b>	95.8-100.0	<b>97.9</b>	95.1-100.0	<b>93.0</b>	86.7-99.4	<b>98.3</b>	95.2-100.0	<b>97.5</b>	94.0-100.0	<b>98.3</b>	93.0-100.0
	Regional	<b>87.2</b>	79.2-95.1	<b>83.7</b>	75.5-91.8	<b>92.8</b>	79.6-100.0	<b>99.3</b>	90.9-100.0	<b>100.0</b>	96.3-100.0	<b>99.4</b>	87.8-100.0
	Distant	<b>19.2</b>	7.7-30.8	<b>20.7</b>	6.6-34.7	<b>16.2</b>	0.0-34.2	<b>37.8</b>	25.0-50.6	<b>38.9</b>	23.7-54.2	<b>37.2</b>	17.6-56.9
	Unknown	<b>94.3</b>	76.3-100.0	<b>93.9</b>	71.9-100.0	<b>99.9</b>	78.3-100.0	<b>67.9</b>	46.0-89.9	<b>50.4</b>	24.8-76.1	<b>100.0</b>	77.9-100.0
Florida (NPCR)	All stages	<b>97.2</b>	96.7-97.7	<b>97.6</b>	97.0-98.1	<b>93.2</b>	91.1-95.3	<b>97.8</b>	97.2-98.4	<b>98.0</b>	97.4-98.6	<b>94.7</b>	92.7-96.7
	Localized	<b>100.0</b>	99.4-100.0	<b>100.0</b>	99.4-100.0	<b>99.9</b>	97.1-100.0	<b>99.7</b>	99.1-100.0	<b>99.7</b>	99.0-100.0	<b>99.1</b>	96.6-100.0
	Regional	<b>92.8</b>	90.3-95.3	<b>92.9</b>	90.3-95.4	<b>92.2</b>	84.1-100.0	<b>92.8</b>	89.8-95.9	<b>92.8</b>	89.5-96.1	<b>86.4</b>	79.4-93.3
	Distant	<b>33.0</b>	30.0-35.9	<b>32.9</b>	29.4-36.3	<b>33.0</b>	27.1-39.0	<b>33.8</b>	30.7-37.0	<b>33.9</b>	30.1-37.7	<b>32.0</b>	25.7-38.2
	Unknown	<b>83.1</b>	81.3-84.8	<b>83.1</b>	81.1-85.1	<b>79.7</b>	74.7-84.7	<b>83.4</b>	81.0-85.8	<b>83.9</b>	81.1-86.6	<b>80.5</b>	74.8-86.2
Georgia (NPCR/SEER)	All stages	<b>95.6</b>	94.5-96.6	<b>96.3</b>	95.1-97.5	<b>92.3</b>	90.3-94.4	<b>96.9</b>	95.7-98.0	<b>98.1</b>	96.8-99.4	<b>94.0</b>	91.7-96.3
	Localized	<b>99.0</b>	97.9-100.0	<b>98.9</b>	97.5-100.0	<b>98.6</b>	96.1-100.0	<b>99.8</b>	98.5-100.0	<b>99.9</b>	98.5-100.0	<b>99.6</b>	96.7-100.0
	Regional	<b>89.9</b>	84.9-95.0	<b>90.0</b>	84.7-95.3	<b>89.8</b>	82.5-97.2	<b>91.2</b>	86.3-96.1	<b>93.6</b>	88.2-99.0	<b>83.9</b>	74.2-93.5
	Distant	<b>27.4</b>	22.9-31.8	<b>29.8</b>	23.5-36.1	<b>24.7</b>	18.7-30.8	<b>24.8</b>	20.7-28.8	<b>22.8</b>	17.2-28.4	<b>26.8</b>	21.4-32.2
	Unknown	<b>79.8</b>	74.8-84.7	<b>80.5</b>	75.7-85.3	<b>78.8</b>	71.2-86.4	<b>76.4</b>	70.3-82.6	<b>82.4</b>	75.7-89.1	<b>70.2</b>	60.3-80.1
Maryland (NPCR)	All stages	<b>97.1</b>	96.0-98.2	<b>98.0</b>	96.8-99.3	<b>93.3</b>	90.8-95.7	<b>96.6</b>	95.2-97.9	<b>96.3</b>	94.8-97.8	<b>94.2</b>	91.1-97.3
	Localized	-	-	-	-	-	-	-	-	-	-	-	-
	Regional	-	-	-	-	-	-	-	-	-	-	-	-
	Distant	-	-	-	-	-	-	-	-	-	-	-	-
	Unknown	-	-	-	-	-	-	-	-	-	-	-	-
North Carolina (NPCR)	All stages	<b>95.3</b>	94.3-96.3	<b>95.6</b>	94.5-96.7	<b>93.6</b>	91.4-95.7	<b>96.5</b>	95.5-97.5	<b>97.1</b>	96.0-98.2	<b>93.9</b>	91.7-96.1
	Localized	<b>99.7</b>	98.5-100.0	<b>99.4</b>	98.1-100.0	<b>100.0</b>	97.3-100.0	<b>99.3</b>	98.0-100.0	<b>99.0</b>	97.6-100.0	<b>99.7</b>	97.1-100.0
	Regional	<b>87.9</b>	84.3-91.5	<b>87.6</b>	83.6-91.6	<b>86.1</b>	79.1-93.1	<b>92.1</b>	87.6-96.7	<b>92.6</b>	87.5-97.8	<b>90.0</b>	81.7-98.4
	Distant	<b>25.1</b>	21.1-29.1	<b>25.4</b>	20.1-30.7	<b>22.1</b>	16.0-28.2	<b>28.0</b>	23.7-32.3	<b>23.5</b>	18.9-28.1	<b>29.8</b>	23.4-36.2
	Unknown	<b>83.2</b>	79.9-86.6	<b>81.7</b>	77.4-86.0	<b>83.5</b>	77.8-89.2	<b>85.5</b>	81.7-89.3	<b>86.9</b>	82.5-91.3	<b>81.7</b>	74.3-89.1
South Carolina (NPCR)	All stages	<b>95.1</b>	93.9-96.4	<b>96.4</b>	94.9-97.9	<b>91.4</b>	89.2-93.7	<b>95.8</b>	94.5-97.2	<b>97.2</b>	95.6-98.8	<b>91.4</b>	88.7-94.2
	Localized	<b>99.2</b>	97.7-100.0	<b>99.8</b>	98.0-100.0	<b>98.0</b>	95.2-100.0	<b>100.0</b>	98.4-100.0	<b>99.5</b>	97.8-100.0	<b>99.4</b>	96.0-100.0
	Regional	<b>91.7</b>	86.3-97.2	<b>92.6</b>	86.3-98.9	<b>86.0</b>	77.0-95.0	<b>87.4</b>	81.7-93.2	<b>87.6</b>	81.5-93.8	<b>78.4</b>	67.6-89.2
	Distant	<b>31.0</b>	25.4-36.7	<b>34.1</b>	26.1-42.2	<b>28.3</b>	20.6-36.1	<b>29.1</b>	23.0-35.2	<b>31.7</b>	24.0-39.3	<b>27.9</b>	19.1-36.8

SUPPORTING TABLE 3. Continued

SEER Summary Stage		2001-2003						2004-2009					
		All races		White		Black		All races		White		Black	
		2000	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)
West Virginia (NPCR)	Unknown	83.2	79.6-86.9	85.3	80.8-89.7	76.7	70.1-83.3	70.0	65.0-75.0	72.7	66.0-79.4	60.2	53.0-67.4
	All stages	96.2	94.4-98.0	96.2	94.4-98.0	95.9	87.6-100.0	95.8	93.9-97.8	96.0	94.0-97.9	84.7	73.0-96.4
	Localized	98.3	96.2-100.0	98.4	96.3-100.0	100.0	92.0-100.0	98.8	96.5-100.0	98.7	96.5-100.0	94.8	82.9-100.0
	Regional	91.7	83.3-100.0	91.2	82.7-99.7	-	-	88.9	80.7-97.1	89.6	81.4-97.7	41.1	0.0-84.3
	Distant	24.7	17.5-31.9	24.3	17.0-31.6	21.4	0.0-48.1	26.7	18.0-35.4	25.8	16.7-35.0	22.8	0.3-45.2
	Unknown	90.4	86.0-94.9	91.4	87.1-95.7	71.4	37.0-100.0	67.2	58.1-76.3	67.7	58.2-77.1	33.9	4.2-63.6
<b>East South Central</b>													
Alabama (NPCR)	All stages	95.0	93.6-96.4	95.6	94.0-97.2	91.2	88.4-94.0	95.0	93.7-96.3	95.8	94.3-97.3	89.3	86.5-92.0
	Localized	99.9	98.2-100.0	99.3	97.4-100.0	99.8	96.4-100.0	99.2	97.6-100.0	99.1	97.5-100.0	97.2	93.6-100.0
	Regional	94.3	88.6-100.0	91.8	86.3-97.2	97.8	87.1-100.0	90.3	84.8-95.9	89.9	83.8-96.0	86.2	76.4-96.0
	Distant	21.7	16.5-27.0	21.7	14.6-28.8	22.0	14.4-29.5	25.0	19.5-30.4	23.3	16.6-30.1	25.6	18.0-33.2
	Unknown	79.2	74.3-84.0	76.5	69.7-83.2	72.7	64.6-80.8	58.3	50.9-65.7	53.4	43.7-63.1	53.3	43.1-63.6
Kentucky (NPCR/SEER)	All stages	96.8	95.4-98.1	96.7	95.3-98.1	94.7	90.0-99.4	95.7	94.2-97.1	95.8	94.4-97.3	90.5	85.1-95.9
	Localized	99.7	98.2-100.0	99.6	98.0-100.0	98.5	93.5-100.0	98.7	97.1-100.0	98.6	97.0-100.0	98.5	92.3-100.0
	Regional	88.6	82.7-94.5	89.8	83.6-96.0	90.7	74.5-100.0	96.8	91.1-100.0	97.5	91.7-100.0	97.3	88.0-100.0
	Distant	32.8	25.7-39.9	30.5	22.8-38.1	40.1	21.7-58.5	18.0	12.9-23.1	16.8	11.5-22.1	16.4	9.9-23.0
	Unknown	82.2	76.9-87.6	82.8	77.1-88.6	62.5	41.2-83.7	64.1	56.4-71.7	65.4	57.4-73.4	44.5	18.7-70.2
Mississippi (NPCR)	All stages	98.8	96.0-100.0	99.1	95.8-100.0	94.5	89.6-99.4	95.9	94.0-97.8	97.2	95.0-99.4	92.1	88.7-95.6
	Localized	99.6	96.6-100.0	99.5	96.1-100.0	97.3	92.3-100.0	98.7	96.6-100.0	98.6	96.1-100.0	97.4	93.5-100.0
	Regional	91.7	83.4-100.0	92.0	81.5-100.0	91.0	77.6-100.0	90.2	82.7-97.7	90.0	81.5-98.5	88.5	76.2-100.0
	Distant	42.3	27.4-57.2	54.9	31.7-78.1	31.1	14.2-48.0	25.8	19.8-31.9	29.1	20.7-37.4	21.0	13.5-28.6
	Unknown	84.3	63.6-100.0	92.0	64.0-100.0	70.3	41.9-98.8	82.5	73.1-91.9	91.4	81.4-100.0	74.0	61.0-87.1
Tennessee (NPCR)	All stages	95.4	92.9-97.8	95.4	92.9-97.9	92.4	84.6-100.0	97.0	95.6-98.5	96.9	95.3-98.5	96.4	92.5-100.0
	Localized	97.8	95.0-100.0	98.0	95.0-100.0	97.3	90.8-100.0	99.7	98.1-100.0	99.5	97.8-100.0	100.0	95.7-100.0
	Regional	87.0	79.9-94.0	87.3	79.8-94.7	100.0	90.4-100.0	94.7	89.9-99.5	95.1	90.1-100.0	92.2	80.8-100.0
	Distant	20.6	13.0-28.1	21.1	12.4-29.8	24.2	0.0-52.2	28.5	22.7-34.3	26.9	20.6-33.1	31.8	22.7-40.8
	Unknown	82.3	68.9-95.7	76.0	59.7-92.4	97.4	74.9-100.0	79.1	72.5-85.7	79.2	72.1-86.4	74.6	59.5-89.6
<b>West South Central</b>													
Louisiana (NPCR/SEER)	All stages	95.7	94.5-96.9	97.5	96.1-98.8	90.2	87.9-92.6	96.2	94.9-97.5	97.6	96.1-99.1	92.0	89.5-94.5
	Localized	99.3	98.0-100.0	99.2	97.8-100.0	96.3	93.6-98.9	98.5	97.1-100.0	98.5	96.8-100.0	97.4	94.5-100.0
	Regional	96.0	91.3-100.0	95.4	90.0-100.0	91.9	84.2-99.7	93.0	87.9-98.0	92.1	86.5-97.7	98.1	88.9-100.0
	Distant	31.4	26.3-36.5	29.7	23.1-36.4	33.2	25.7-40.7	32.9	27.3-38.5	38.6	30.3-47.0	26.4	19.5-33.3
	Unknown	45.7	33.0-58.3	53.9	36.2-71.6	31.7	15.3-48.2	58.2	43.1-73.3	63.5	45.4-81.5	54.6	38.1-71.1
Oklahoma (NPCR)	All stages	93.8	92.5-95.2	94.3	92.9-95.8	89.1	82.8-95.4	96.3	94.8-97.7	96.5	94.9-98.0	89.6	84.2-94.9
	Localized	99.4	97.8-100.0	99.4	97.6-100.0	99.4	93.5-100.0	99.2	97.5-100.0	99.3	97.6-100.0	94.3	88.4-100.0
	Regional	91.0	85.5-96.4	89.4	83.8-95.0	99.8	88.2-100.0	92.1	86.0-98.2	91.4	85.0-97.9	95.9	77.5-100.0
	Distant	31.7	25.4-38.0	34.9	27.3-42.6	18.4	2.6-34.2	33.5	26.4-40.6	37.3	29.2-45.4	39.0	19.7-58.3
	Unknown	77.5	72.8-82.1	78.5	73.4-83.6	51.1	34.8-67.5	78.4	72.2-84.7	73.6	66.3-80.8	68.7	53.5-83.9
Texas (NPCR)	All stages	93.8	93.2-94.4	93.9	93.3-94.6	88.1	86.2-90.0	95.2	94.5-95.8	94.8	94.2-95.5	90.0	87.8-92.2
	Localized	99.7	98.8-100.0	99.4	98.5-100.0	98.7	95.5-100.0	100.0	99.1-100.0	99.8	98.9-100.0	99.2	96.5-100.0
	Regional	94.2	91.2-97.2	93.4	90.3-96.5	87.7	80.7-94.7	90.3	87.4-93.3	89.8	86.8-92.9	91.7	83.5-99.9
	Distant	30.1	27.1-33.0	30.3	26.9-33.6	28.8	22.7-34.9	30.0	26.9-33.1	30.3	26.7-33.9	28.2	22.3-34.2
	Unknown	85.4	84.1-86.6	84.5	83.1-85.9	81.0	77.3-84.7	86.0	84.5-87.6	84.2	82.4-86.0	75.6	70.3-80.8
<b>MIDWEST</b>													
<b>East North Central</b>													
Michigan (NPCR)	All stages	98.8	98.1-99.5	98.9	98.2-99.7	95.3	93.4-97.2	98.2	97.4-99.0	97.8	96.8-98.7	92.1	89.8-94.3
	Localized	99.9	99.2-100.0	99.9	99.0-100.0	97.9	95.9-99.9	100.0	98.9-100.0	100.0	98.8-100.0	96.9	93.8-99.9
	Regional	95.3	91.9-98.6	94.6	91.4-97.9	91.8	81.4-100.0	93.3	90.0-96.6	92.3	88.7-95.9	93.9	85.1-100.0
	Distant	26.4	22.2-30.6	24.2	19.2-29.2	30.9	23.2-38.6	35.1	30.1-40.0	33.2	27.4-39.1	37.3	29.5-45.1
	Unknown	92.5	90.6-94.4	91.8	89.7-93.8	81.0	74.0-88.0	94.3	92.9-95.7	93.1	91.6-94.7	87.3	83.2-91.4
Ohio (NPCR)	All stages	96.9	96.1-97.7	96.9	96.1-97.8	93.2	90.7-95.8	96.1	95.3-96.9	95.6	94.7-96.4	90.4	87.8-92.9
	Localized	99.7	98.8-100.0	99.6	98.7-100.0	99.7	96.7-100.0	100.0	99.1-100.0	99.9	98.9-100.0	98.2	95.1-100.0
	Regional	90.0	86.3-93.6	91.3	87.4-95.3	71.4	63.4-79.4	92.1	88.1-96.1	92.5	88.4-96.6	82.6	73.3-91.9
	Distant	25.2	21.4-29.0	25.3	21.1-29.5	22.1	14.4-29.8	24.9	21.0-28.8	23.8	19.2-28.3	23.5	16.5-30.5
	Unknown	87.1	84.9-89.3	86.4	84.0-88.7	82.2	74.6-89.7	65.0	60.6-69.3	63.3	58.6-68.0	46.4	34.8-58.0
Wisconsin (NPCR)	All stages	96.6	95.6-97.6	96.6	95.6-97.7	92.4	86.6-98.3	95.6	94.5-96.8	96.1	95.0-97.3	87.6	80.8-94.4
	Localized	-	-	-	-	-	-	-	-	-	-	-	-
	Regional	-	-	-	-	-	-	-	-	-	-	-	-
	Distant	-	-	-	-	-	-	-	-	-	-	-	-
	Unknown	-	-	-	-	-	-	-	-	-	-	-	-



**SUPPORTING TABLE 3.** *Continued*

SEER Summary Stage		2001-2003						2004-2009					
		All races		White		Black		All races		White		Black	
		2000	NS (%) 95% CI	NS (%) 95% CI	NS (%) 95% CI	NS (%) 95% CI	NS (%) 95% CI	NS (%) 95% CI	NS (%) 95% CI	NS (%) 95% CI	NS (%) 95% CI	NS (%) 95% CI	
<b>West North Central</b>													
Iowa (SEER)	All stages	<b>94.9</b>	93.6-96.3	<b>94.7</b>	93.3-96.0	<b>94.9</b>	83.5-100.0	<b>96.5</b>	95.1-97.8	<b>95.9</b>	94.6-97.3	<b>89.7</b>	79.0-100.0
	Localized	<b>99.6</b>	98.2-100.0	<b>99.6</b>	98.1-100.0	<i>100.0</i>	<i>94.0-100.0</i>	<b>99.6</b>	98.0-100.0	<b>99.5</b>	97.9-100.0	<b>93.1</b>	85.0-100.0
	Regional	<b>91.5</b>	87.0-96.0	<b>91.2</b>	86.7-95.7	<i>100.0</i>	<i>100.0-100.0</i>	<b>87.7</b>	82.8-92.5	<b>87.6</b>	82.7-92.5	<i>96.1</i>	<i>79.2-100.0</i>
	Distant	<b>26.8</b>	21.3-32.4	<b>26.9</b>	21.2-32.6	<i>44.5</i>	<i>8.9-80.0</i>	<b>28.7</b>	22.4-34.9	<b>28.9</b>	22.5-35.3	<i>2.9</i>	<i>0.0-9.1</i>
Nebraska (NPCR)	Unknown	<b>84.2</b>	77.3-91.2	<b>83.4</b>	76.3-90.5	-	-	<b>79.7</b>	72.4-86.9	<b>77.2</b>	69.1-85.3	-	-
	All stages	<b>95.8</b>	94.2-97.5	<b>95.3</b>	93.6-97.0	<b>88.8</b>	77.9-99.6	<b>96.5</b>	94.6-98.4	<b>95.8</b>	93.8-97.7	<b>91.8</b>	80.9-100.0
	Localized	<b>99.5</b>	97.7-100.0	<b>99.4</b>	97.6-100.0	<i>100.0</i>	<i>91.8-100.0</i>	<b>99.5</b>	97.5-100.0	<b>99.3</b>	97.2-100.0	<b>93.2</b>	79.7-100.0
	Regional	<b>94.8</b>	88.4-100.0	<b>94.9</b>	88.4-100.0	-	-	<b>93.6</b>	88.6-98.7	<b>93.4</b>	88.2-98.5	<i>100.0</i>	<i>86.5-100.0</i>
Distant		<b>27.0</b>	19.0-35.1	<b>24.9</b>	18.1-31.7	-	-	<b>23.2</b>	16.0-30.4	<b>22.4</b>	15.1-29.7	<i>0.2</i>	<i>0.0-0.5</i>
	Unknown	<b>81.1</b>	74.7-87.4	<b>77.6</b>	70.3-84.9	<i>60.9</i>	<i>25.2-96.6</i>	<b>73.4</b>	63.5-83.2	<b>64.3</b>	52.9-75.8	<i>95.2</i>	<i>55.4-100.0</i>
<b>WEST</b>													
<b>Mountain</b>													
Colorado (NPCR)	All stages	<b>96.6</b>	95.2-97.9	<b>96.3</b>	95.0-97.7	<b>83.3</b>	76.4-90.2	<b>96.6</b>	95.3-98.0	<b>95.3</b>	93.9-96.7	<b>97.9</b>	92.7-100.0
	Localized	<b>100.0</b>	98.3-100.0	<b>100.0</b>	98.3-100.0	<b>90.2</b>	81.1-99.2	<b>99.1</b>	97.5-100.0	<b>98.7</b>	97.0-100.0	<b>98.3</b>	93.3-100.0
	Regional	<b>94.0</b>	89.2-98.7	<b>94.6</b>	89.8-99.3	<i>91.9</i>	<i>78.7-100.0</i>	<b>91.8</b>	85.3-98.2	<b>90.3</b>	84.0-96.6	<i>97.5</i>	<i>88.0-100.0</i>
	Distant	<b>27.9</b>	22.0-33.7	<b>27.6</b>	21.4-33.7	<i>33.6</i>	<i>10.7-56.5</i>	<b>34.5</b>	28.4-40.6	<b>34.5</b>	28.2-40.9	<i>33.1</i>	<i>11.3-54.9</i>
Idaho (NPCR)	Unknown	<b>89.4</b>	86.1-92.6	<b>88.1</b>	84.6-91.6	<i>77.4</i>	<i>58.4-96.3</i>	<b>88.1</b>	82.9-93.4	<b>84.1</b>	78.0-90.2	<i>88.0</i>	<i>68.1-100.0</i>
	All stages	<b>97.0</b>	94.9-99.0	<b>96.9</b>	94.9-98.9	-	-	<b>96.4</b>	94.4-98.4	<b>96.2</b>	94.2-98.2	<i>100.0</i>	<i>79.5-100.0</i>
	Localized	<b>99.2</b>	96.9-100.0	<b>99.1</b>	96.9-100.0	-	-	<b>98.7</b>	96.5-100.0	<b>98.5</b>	96.3-100.0	<i>87.3</i>	<i>63.0-100.0</i>
	Regional	<b>91.7</b>	86.1-97.2	<b>91.8</b>	86.3-97.3	-	-	<b>95.4</b>	88.8-100.0	<b>95.4</b>	88.7-100.0	-	-
Montana (NPCR)	Distant	<b>29.5</b>	20.8-38.1	<b>27.6</b>	19.2-36.1	-	-	<b>31.6</b>	22.3-40.8	<b>30.8</b>	21.5-40.0	-	-
	Unknown	<b>88.8</b>	82.4-95.2	<b>88.2</b>	81.7-94.7	-	-	<b>63.0</b>	51.4-74.6	<b>60.4</b>	49.1-71.6	-	-
	All stages	<b>96.7</b>	94.4-98.9	<b>96.8</b>	94.5-99.1	-	-	<b>93.1</b>	90.6-95.6	<b>93.3</b>	90.7-95.8	-	-
	Localized	<b>99.7</b>	96.9-100.0	<b>99.8</b>	97.0-100.0	-	-	<b>96.5</b>	93.7-99.3	<b>96.5</b>	93.6-99.3	-	-
New Mexico (SEER)	Regional	<b>92.0</b>	84.1-99.8	<b>92.0</b>	84.2-99.9	-	-	<b>97.1</b>	89.8-100.0	<b>96.9</b>	89.6-100.0	-	-
	Distant	<b>28.6</b>	20.4-36.8	<b>28.7</b>	20.2-37.1	-	-	<b>29.7</b>	19.8-39.6	<b>30.9</b>	20.7-41.1	-	-
	Unknown	<b>84.2</b>	76.4-92.0	<b>83.5</b>	75.5-91.5	-	-	<i>43.9</i>	<i>21.1-66.7</i>	<i>44.6</i>	<i>21.4-67.8</i>	-	-
	All stages	<b>95.6</b>	93.9-97.4	<b>95.8</b>	94.0-97.6	<i>94.4</i>	<i>84.9-100.0</i>	<b>94.2</b>	92.1-96.3	<b>94.6</b>	92.4-96.7	<b>82.4</b>	70.3-94.6
Utah (SEER)	Localized	<b>99.4</b>	97.4-100.0	<b>99.4</b>	97.4-100.0	<i>98.1</i>	<i>88.3-100.0</i>	<b>98.4</b>	96.0-100.0	<b>98.5</b>	96.1-100.0	<b>82.5</b>	69.1-95.9
	Regional	<b>92.6</b>	86.7-98.5	<b>92.4</b>	86.4-98.4	<i>92.4</i>	<i>77.2-100.0</i>	<b>97.3</b>	88.7-100.0	<b>96.8</b>	87.7-100.0	<i>100.0</i>	<i>100.0-100.0</i>
	Distant	<b>35.6</b>	26.3-44.9	<b>35.0</b>	25.4-44.6	-	-	<b>28.4</b>	19.4-37.4	<b>26.5</b>	17.4-35.6	-	-
	Unknown	<b>86.3</b>	79.2-93.4	<b>87.8</b>	80.5-95.0	-	-	<b>73.9</b>	65.5-82.4	<b>70.0</b>	61.6-78.5	-	-
Wyoming (NPCR)	All stages	<b>97.3</b>	95.7-98.8	<b>97.4</b>	95.8-99.0	<i>88.0</i>	<i>72.8-100.0</i>	<b>97.0</b>	95.3-98.7	<b>96.9</b>	95.2-98.6	<i>100.0</i>	<i>89.1-100.0</i>
	Localized	<b>98.5</b>	96.8-100.0	<b>98.5</b>	96.8-100.0	<i>98.0</i>	<i>86.7-100.0</i>	<b>99.0</b>	97.2-100.0	<b>98.8</b>	97.0-100.0	<i>100.0</i>	<i>97.4-100.0</i>
	Regional	<b>98.7</b>	95.1-100.0	<b>98.7</b>	95.2-100.0	-	-	<b>92.1</b>	88.2-96.1	<b>91.8</b>	87.8-95.9	-	-
	Distant	<b>24.7</b>	17.1-32.2	<b>25.4</b>	17.7-33.2	-	-	<b>33.9</b>	26.4-41.5	<b>33.7</b>	26.0-41.4	-	-
Pacific	Unknown	<i>43.9</i>	<i>17.4-70.5</i>	<i>45.3</i>	<i>18.1-72.6</i>	-	-	<b>31.8</b>	21.1-42.5	<i>21.9</i>	<i>0.0-45.9</i>	-	-
	All stages	<b>96.6</b>	93.4-99.8	<b>97.1</b>	93.9-100.0	-	-	<b>95.3</b>	92.0-98.6	<b>95.3</b>	92.0-98.6	<i>100.0</i>	<i>100.0-100.0</i>
	Localized	<b>100.0</b>	96.5-100.0	<b>100.0</b>	96.5-100.0	-	-	<b>96.3</b>	92.9-99.8	<b>96.3</b>	92.9-99.8	<i>100.0</i>	<i>100.0-100.0</i>
	Regional	<i>100.0</i>	<i>94.9-100.0</i>	<i>100.0</i>	<i>94.8-100.0</i>	-	-	<i>100.0</i>	<i>97.5-100.0</i>	<i>100.0</i>	<i>98.3-100.0</i>	-	-
Alaska (NPCR)	Distant	<i>16.6</i>	<i>3.0-30.1</i>	<i>17.6</i>	<i>3.3-31.9</i>	-	-	<i>16.9</i>	<i>0.0-37.9</i>	<i>16.9</i>	<i>0.0-37.9</i>	-	-
	Unknown	<b>84.1</b>	77.7-90.4	<b>85.1</b>	78.7-91.4	-	-	<i>81.0</i>	<i>62.3-99.6</i>	<i>81.0</i>	<i>62.3-99.6</i>	-	-
	All stages	<b>94.3</b>	90.6-98.1	<b>95.1</b>	91.1-99.1	<i>92.9</i>	<i>81.7-100.0</i>	<b>95.3</b>	91.4-99.2	<b>96.8</b>	92.7-100.0	<i>86.0</i>	<i>73.0-99.0</i>
	Localized	<b>99.4</b>	96.0-100.0	<b>99.8</b>	96.3-100.0	<i>93.0</i>	<i>80.3-100.0</i>	<b>98.7</b>	94.5-100.0	<b>99.3</b>	95.0-100.0	<i>86.9</i>	<i>71.4-100.0</i>
California (NPCR/SEER)	Regional	<i>99.9</i>	<i>93.6-100.0</i>	<i>100.0</i>	<i>93.4-100.0</i>	-	-	<b>81.6</b>	72.5-90.7	<b>78.7</b>	69.5-87.9	-	-
	Distant	<i>37.9</i>	<i>10.8-65.0</i>	<i>35.1</i>	<i>1.9-68.3</i>	-	-	<i>13.0</i>	<i>0.0-27.9</i>	<i>0.0</i>	<i>0.0-0.1</i>	-	-
	Unknown	<b>92.2</b>	85.3-99.1	<b>92.4</b>	85.0-99.7	-	-	<b>90.5</b>	81.4-99.6	<b>91.1</b>	80.2-100.0	-	-
	All stages	<b>96.7</b>	96.3-97.2	<b>96.7</b>	96.2-97.1	<b>90.9</b>	89.1-92.6	<b>97.2</b>	96.8-97.7	<b>97.0</b>	96.4-97.5	<b>92.4</b>	90.4-94.4
Hawaii (SEER)	Localized	<b>100.0</b>	99.5-100.0	<b>99.9</b>	99.4-100.0	<b>97.3</b>	95.2-99.5	<b>100.0</b>	99.5-100.0	<b>100.0</b>	99.4-100.0	<b>99.3</b>	96.9-100.0
	Regional	<b>94.9</b>	93.1-96.7	<b>94.2</b>	92.3-96.1	<b>97.3</b>	91.6-100.0	<b>95.6</b>	93.6-97.6	<b>95.2</b>	93.1-97.3	<b>90.8</b>	84.0-97.7
	Distant	<b>30.1</b>	28.0-32.3	<b>30.3</b>	27.8-32.8	<b>23.8</b>	18.6-29.0	<b>30.7</b>	28.3-33.0	<b>29.9</b>	27.3-32.6	<b>25.5</b>	19.7-31.4
	Unknown	<b>67.4</b>	64.0-70.8	<b>68.3</b>	64.3-72.3	<b>60.8</b>	52.5-69.1	<b>74.5</b>	70.2-78.7	<b>71.4</b>	66.5-76.3	<b>46.8</b>	34.7-59.0
All stages		<b>97.5</b>	95.6-99.5	<b>94.8</b>	91.1-98.5	<i>86.6</i>	<i>72.8-100.0</i>	<b>97.3</b>	95.2-99.3	<b>94.4</b>	90.9-97.9	<i>100.0</i>	<i>91.9-100.0</i>
	Localized	<b>99.7</b>	97.7-100.0	<b>98.2</b>	94.2-100.0	<i>87.4</i>	<i>71.2-100.0</i>	<b>99.4</b>	97.3-100.0	<b>96.2</b>	92.6-99.9	<i>100.0</i>	<i>94.7-100.0</i>
	Regional	<b>95.0</b>	88.6-100.0	<i>96.1</i>	<i>87.2-100.0</i>	-	-	<b>94.3</b>	87.9-100.0	<b>89.6</b>	79.9-99.3	<i>92.2</i>	<i>66.7-100.0</i>
	Distant	<b>37.9</b>	29.4-46.3	<b>33.5</b>	20.6-46.3	-	-	<b>34.7</b>	28.0-41.4	<b>23.1</b>	7.9-38.2	-	-
Unknown	<i>74.7</i>	<i>55.8-93.6</i>	<i>84.8</i>	<i>53.8-100.0</i>	-	-	<b>69.6</b>	65.0-74.2	<i>82.2</i>	<i>64.6-99.7</i>	-	-	

**SUPPORTING TABLE 3.** *Continued*

SEER Summary Stage 2000		2001-2003						2004-2009					
		All races		White		Black		All races		White		Black	
		NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI
Oregon (NPCR)	All stages	<b>96.6</b>	95.4-97.9	<b>96.5</b>	95.2-97.8	<b>83.2</b>	73.0-93.3	<b>95.4</b>	94.0-96.9	<b>95.1</b>	93.6-96.6	<b>91.2</b>	81.5-100.0
	Localized	<b>100.0</b>	98.4-100.0	<b>99.9</b>	98.2-100.0	<i>100.0</i>	<i>93.8-100.0</i>	<b>99.3</b>	97.7-100.0	<b>99.2</b>	97.5-100.0	<b>93.2</b>	80.9-100.0
	Regional	<b>92.5</b>	88.7-96.3	<b>92.4</b>	88.6-96.2	66.3	<i>39.7-92.9</i>	<b>94.1</b>	89.5-98.8	<b>92.9</b>	88.0-97.7	<i>100.0</i>	<i>89.6-100.0</i>
	Distant	<b>31.7</b>	25.7-37.6	<b>33.9</b>	27.5-40.3	<i>0.0</i>	-	<b>28.4</b>	22.5-34.3	<b>27.4</b>	21.3-33.4	<i>35.1</i>	<i>4.1-66.0</i>
Washington (NPCR)	Unknown	<b>86.3</b>	82.2-90.4	<b>85.6</b>	81.2-89.9	67.5	<i>33.5-100.0</i>	<b>75.8</b>	69.1-82.5	<b>75.3</b>	68.4-82.1	-	-
	All stages	<b>97.3</b>	96.3-98.2	<b>97.0</b>	96.0-98.0	<b>98.1</b>	90.8-100.0	<b>97.9</b>	96.9-99.0	<b>97.7</b>	96.6-98.8	<b>92.3</b>	86.5-98.2
	Localized	<b>99.8</b>	98.7-100.0	<b>99.8</b>	98.7-100.0	<b>100.0</b>	94.4-100.0	<b>99.9</b>	98.8-100.0	<b>99.8</b>	98.6-100.0	<b>97.8</b>	91.8-100.0
	Regional	<b>97.7</b>	94.0-100.0	<b>97.7</b>	93.8-100.0	<i>99.2</i>	<i>90.0-100.0</i>	<b>93.7</b>	89.8-97.7	<b>93.3</b>	89.3-97.3	<i>100.0</i>	<i>92.9-100.0</i>
	Distant	<b>28.2</b>	23.6-32.9	<b>28.6</b>	23.6-33.6	38.4	<i>17.1-59.7</i>	<b>25.6</b>	20.0-31.1	<b>24.5</b>	18.8-30.2	35.0	<i>15.8-54.2</i>
	Unknown	<b>87.1</b>	82.7-91.4	<b>84.2</b>	79.3-89.0	<i>100.0</i>	<i>48.0-100.0</i>	<b>63.8</b>	55.3-72.3	<b>56.9</b>	46.9-66.9	70.2	<i>30.3-100.0</i>

Abbreviations: CI, confidence interval; NPCR, National Program of Cancer Registries; NS, net survival; SEER, Surveillance, Epidemiology, and End Results program.

<sup>a</sup>Unstandardized estimates are italicized.