

## Active Bacterial Core Surveillance (ABCs) Report Emerging Infections Program Network



### Neisseria meningitidis, 2005

#### **ABCs Areas**

California (3 county San Francisco Bay area); Colorado (5 county Denver area); Connecticut; Georgia; Maryland; Minnesota; New Mexico; New York (15 county Rochester and Albany areas); Oregon; Tennessee (11 urban counties)

#### **ABCs Population**

The surveillance areas represent 39,450,943 persons. Source: National Center for Health Statistics bridged-race vintage 2005 postcensal file

#### **ABCs Case Definition**

Invasive meningococcal disease: isolation of *Neisseria meningitidis* from normally sterile site in a resident of a surveillance area in 2005.

#### **ABCs Methodology**

ABCs personnel routinely contacted all microbiology laboratories serving acute care hospitals in their area to identify cases. Standardized case report forms that include information on demographic characteristics, clinical syndrome, and outcome of illness were completed for each identified case. Serogrouping of meningococcal isolates was done at CDC. Regular laboratory audits assessed completeness of active surveillance and detected additional cases.

All rates of invasive meningococcal disease were calculated using population estimates for 2005. For national estimates of cases, race- and age-specific rates of disease were applied from the aggregate surveillance area to the age and racial distribution of the 2005 U.S. population for 49 states (excluding Oregon due to an outbreak of serogroup B disease). The Oregon reported cases were then added to obtain the national estimates. Cases with unknown race were distributed by area based on reported race distribution for known cases within the eight age categories.

#### **Reported ABCs Profiles**

Race	No.	(Rate*)
White	138	(0.46)
Black	29	(0.44)
Other	5	(0.20)
Total	172	(0.44)

Unknown race (n=24) distributed amongst known

<sup>\*</sup> Cases per 100,000 population for ABCs areas

	Cases		Deaths	
Syndrome	No.	(%*)	No.	(Rate <sup>†</sup> )
Meningitis	96	(55.8)	1	(1.1)
Bacteremia without focus	53	(30.8)	8	(15.1)

<sup>\*</sup> Percent of cases

#### Serogroups

Age		В		C		Y	O	ther <sup>‡</sup>
(years)	No.	(Rate*)	No.	(Rate*)	No.	(Rate*)	No.	(Rate*)
< 1	8	(1.6)	0	(0.0)	3	(0.6)	0	(0.0)
1	5	(1.0)	1	(0.2)	1	(0.2)	0	(0.0)
2-4	6	(0.41)	1	(0.07)	2	(0.14)	0	(0.0)
5-17	14	(0.22)	6	(0.09)	6	(0.09)	1	(0.02)
18-34	8	(0.09)	7	(0.08)	0	(0.0)	1	(0.01)
35-49	3	(0.04)	7	(0.08)	8	(0.1)	2	(0.02)
50-64	4	(0.07)	0	(0.0)	10	(0.16)	1	(0.02)
≥ 65	2	(0.05)	3	(0.07)	9	(0.22)	0	(0.00)
Total <sup>†</sup>	50	(0.14)	25	(0.07)	39	(0.11)	5	(0.01)

Unknown serogroup (n=9) distributed amongst known

# Rates of Meningococcal Disease in Adolescents and Young Adults $^{\dagger}$

	Overall Serogroups	C/Y/W-135 Serogroups	
Age (years)	No. (Rate*)	No. (Rate*)	
11-17	14 (0.39)	9 (0.25)	
18-22	5 (0.20)	2 (0.08)	

<sup>\*</sup> Cases per 100,000 population for ABCs areas excluding Oregon

#### **National Estimates for Invasive Disease**

Cases: 1025 (0.35/100,000) Deaths: 70 (0.02/100,000)

#### **Healthy People 2010 Update**

Objective: Reduce the incidence of invasive meningococcal disease to 1.0 per 100,000 population.

2010 Objective	<b>2005</b> Rate*	
1.0/100,000	0.35/100,000	

<sup>\*</sup> Cases per 100,000 U.S. population

#### For more information, visit our web site:

http://www.cdc.gov/abcs

#### Citation

Centers for Disease Control and Prevention. 2006. Active Bacterial Core Surveillance Report, Emerging Infections Program Network, *Neisseria meningitidis*, 2005.

Available via the Internet:

http://www.cdc.gov/abcs/reports-findings/survreports/mening05.pdf

<sup>†</sup> Deaths per 100 cases with known outcomes

<sup>\*</sup>Cases per 100,000 population for ABCs areas excluding Oregon
† All rates exclude Oregon; Rates including Oregon are

<sup>&</sup>lt;sup>7</sup> All rates exclude Oregon; Rates including Oregon are serogroup B 0.2, serogroup C 0.09, serogroup Y 0.12, and serogroup Other 0.02 cases per 100,000 population for ABCs areas

<sup>‡</sup> Other includes serogroup W-135 and non-groupables

<sup>†</sup> All rates exclude Oregon; Rates including Oregon are, for 11-17 year olds, overall serogroups 0.56 and serogroup C/Y/W-135 0.36, for 18-22 year olds, overall serogroups 0.73 and serogroup C/Y/W-135 0.29 cases per 100,000 population for ABCs areas