

Workers' Memorial Day — April 28, 2015

Workers' Memorial Day, observed each year on April 28, recognizes workers who died or who have experienced exposures to hazards at work. In 2013, a total of 4,405 U.S. workers died from work-related injuries (1); in 2007, according to the latest estimate available, 53,445 deaths could be attributed to work-related illness (2).

In 2013, approximately 3 million injuries and illnesses to private industry workers and 746,000 to state and local government workers were reported by employers (3). In the same year, an estimated 2.8 million work-related injuries were treated in emergency departments, resulting in 140,000 hospitalizations (National Institute for Occupational Safety and Health, unpublished data, 2014).

Although certain national surveillance systems (4) record new cases of selected nonfatal work-related illnesses, the overall incidence of such illness is not well documented. This issue of *MMWR* includes a report on work-related asthma, one of many under-recognized work-related illnesses, in addition to a report on occupational traumatic injuries among health care workers. In 2007, the cost of work-related fatalities, injuries, and illnesses in the United States was estimated at \$250 billion (2). CDC is working to better describe the overall societal burden of occupational fatalities, injuries, and illnesses; additional information is available at <http://www.cdc.gov/niosh/programs/econ/risks.html>.

References

1. Bureau of Labor Statistics. National Census of Fatal Occupational Injuries in 2013 (preliminary results). Table 2. Washington, DC: US Department of Labor, Bureau of Labor Statistics; 2014. Available at <http://www.bls.gov/news.release/pdf/cfoi.pdf>.
2. Leigh JP. Economic burden of occupational injury and illness in the United States. *Milbank Q* 2011;89:728–72.
3. Bureau of Labor Statistics. Employer-reported workplace injuries and illnesses in 2013. Table 2. Washington, DC: US Department of Labor, Bureau of Labor Statistics; 2014. Available at <http://www.bls.gov/news.release/pdf/osh.pdf>.
4. Workplace safety and health topics. Surveillance. Atlanta, GA: US Department of Health and Human Services, CDC; 2014. Available at <http://www.cdc.gov/niosh/topics/surveillance/default.html>.

Occupational Traumatic Injuries Among Workers in Health Care Facilities — United States, 2012–2014

Ahmed E. Gomaa, MD¹, Loren C. Tapp, MD¹,
Sara E. Luckhaupt, MD¹, Kelly Vanoli¹, Raymond Francis Sarmiento,
MD^{1,2}, William M. Raudabaugh¹, Susan Nowlin¹, Susan M. Sprigg,
MPH¹ (Author affiliations at end of text)

In 2013, one in five reported nonfatal occupational injuries occurred among workers in the health care and social assistance industry, the highest number of such injuries reported for all private industries (1). In 2011, U.S. health care personnel experienced seven times the national rate of musculoskeletal disorders compared with all other private sector workers (2). To reduce the number of preventable injuries among health care personnel, CDC's National Institute for Occupational Safety and Health (NIOSH), with collaborating partners, created the Occupational Health Safety Network (OHSN) to collect detailed injury data to help target prevention efforts. OHSN, a free, voluntary surveillance system for health care facilities, enables prompt and secure tracking of occupational injuries by type, occupation, location, and risk factors. This report describes OHSN and reports on current findings for three types of injuries. A total of 112 U.S.

INSIDE

- 411 Work-Related Asthma Cluster at a Syntactic Foam Manufacturing Facility — Massachusetts 2008–2013
- 415 Tracking Progress Toward Polio Eradication — Worldwide, 2013–2014
- 421 Optimal Serum and Red Blood Cell Folate Concentrations in Women of Reproductive Age for Prevention of Neural Tube Defects: World Health Organization Guidelines
- 424 Announcements
- 427 QuickStats

Continuing Education examination available at
http://www.cdc.gov/mmwr/cme/conted_info.html#weekly.

