

Morbidity and Mortality



Vol. 15, No. 53

WEEKLY
REPORT

ANNUAL SUPPLEMENT Summary 1966

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE PUBLIC HEALTH SERVICE

FOR RELEASE
NOVEMBER 1967


REPORTED INCIDENCE OF NOTIFIABLE DISEASES IN THE UNITED STATES, 1966

MEASLES (Rubeola), 1965-1966

Reported incidence of measles per 100,000 population per month (adjusted to an annual base) is shown in the chart below for the United States and the 4 regions for 1965 and 1966. Monthly death rates, computed in the same manner, are shown for 1965, the last year for which mortality data are available. In three

of the four regions, incidence of reported cases was higher in 1965 than in 1966. In the North Central Region, a peak rate occurred in March 1966. The mortality rates show fluctuations due to small numbers but in general follow the seasonal incidence of cases. The highest mortality was recorded in the South.

REPORTED MEASLES CASES IN THE UNITED STATES AND THE FOUR REGIONS, 1965 AND 1966
RECORDED MEASLES DEATHS, 1965
(MONTHLY RATES PER 100,000 POPULATION ADJUSTED TO AN ANNUAL BASE)



RECEIVED
NOV 24 1967
NDC LIBRARY

INDEX OF TABLES

	Page
Table 1. Diseases Covered by International Quarantine Agreement, 1957-66.....	3
Table 2. Reported Cases of Specified Notifiable Diseases: United States, 1957-66.....	4
Table 3. (A) Deaths from Specified Notifiable Diseases: United States, 1956-65	5
(B) Deaths from Selected Non-Notifiable Acute Diseases: United States, 1956-65	6
Table 4. Reported Cases of Notifiable Diseases by Month: United States, 1966.....	7
Table 5. Reported Cases of Notifiable Diseases of Low Frequency: United States, 1966	8
Table 6. Reported Cases of Notifiable Diseases: United States, by Geographic Division, by State, 1966	9
Table 7. Reported Cases: Infectious Encephalitis, 1966	12
Table 8. Newly Reported Cases of Venereal Diseases: United States, by Geographic Division, by State, Age, Sex, and Race, (Civilian Cases Only), 1966.....	13
Table 9. Rabies in Man and Animals, by State, by Type of Animal, United States, 1966	14
Table 10. Reported Cases of Selected Notifiable Diseases by State, by Age, 1966	15
Table 11. Reported Cases of Selected Notifiable Diseases by State, by Month, 1966	21
Table 12. Acute Diseases Optionally Reported to the Public Health Service, by State, 1966	24
Table 13. Other Diseases Optionally Reported (Diseases reported by more than one, but less than 10 States), 1966	26
Table 14. Number of Deaths by Place of Occurrence in 122 United States Cities for Year 1966	27
Disease Trends	28-59

EXPLANATION OF SYMBOLS USED IN TABLES

Data not available ----- ...
 Quantity zero ----- -
 Report of disease not required by State Health Department ----- NN



TABLE 1. REPORTED INCIDENCE OF DISEASES COVERED BY INTERNATIONAL QUARANTINE AGREEMENT
1957 - 1966

International Classification of Diseases Covered		Number Reported									
		1966	1965	1964	1963	1962	1961	1960	1959	1958	1957
043	Cholera	-	2	-	-	-	-	-	-	-	-
058	Plague	5	8	-	1	-	3	2	4	-	1
071.0	Louse-borne relapsing fever	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-
091	Yellow fever	-	-	-	-	-	-	-	-	-	-
100	Louse-borne epidemic typhus	-	-	-	-	-	-	-	-	-	-

CASES OF QUARANTINABLE DISEASES IN 1966

Place Acquired	Date	Age	Sex	Outcome
PLAGUE				
Sylvatic				
Utah	May	5	Male	Fatal, May 23, Utah
New Mexico	June	72	Male	Recovered
	July	14	Female	Recovered
	July	7	Female	Recovered
Imported				
Texas	August	21	Male	Recovered (Diagnosis established by FA technique)

SOURCES OF DATA

This supplement carries final figures on the reported incidence of notifiable diseases in 1966 based on summaries submitted to the National Communicable Disease Center by the individual States through the National Morbidity Reporting System and on data collected by the Tuberculosis Program, the Venereal Disease Program and two surveillance units of the Epidemiology Program—the Neurotropic Viral Disease Unit and the Rabies Control Unit.

The illustrative materials depicting disease trends are for the most part based on charts and graphs published in the 1966 issues of the Morbidity and Mortality Weekly Report. Data for these charts are from the National Morbidity Reporting System, National Surveillance Programs and the National Vital Statistics Division. The population estimates used in computation of rates are from the Bureau of the Census, Current Population Reports, Series P-25.

TABLE 2. REPORTED CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES, 1957 - 1966

DISEASE	1966	1965	1964	1963	1962	1961	1960 ¹	1959 ¹	1958 ¹	1957 ¹
Amebiasis	2,921	2,768	3,304	2,886	3,048	2,850	3,424	3,508	4,380	5,031
Anthrax	5	7	5	3	9	14	23	12	16	26
Aseptic meningitis	3,058	2,329	2,177	1,844	2,654	5,162	1,593	not previously reportable nationally		
Botulism	9	19	23	47	10	14	12	20	6	28
Brucellosis (undulant fever)	262	262	411	407	409	636	751	892	924	983
Diphtheria	209	164	293	314	444	617	918	934	918	1,211
Encephalitis, primary ²	2,121	1,722	2,002	1,993	2,094	2,248	2,341	2,437	2,587	2,135
Encephalitis, post-infectious ²	964	981	1,585							
Hepatitis, serum	1,497	33,856	37,740	42,974	53,016	72,651	41,666	23,574	16,294	14,922
Hepatitis, infectious	32,859									
Leprosy	109	96	97	103	80	63	54	44	39	36
Leptospirosis	72	84	142	89	79	71	53	83	55	47
Malaria	565	147	93	99	118	73	72	71	85	132
Measles	204,136	261,904	458,083	385,156	481,530	423,919	441,703	406,162	763,094	486,799
Meningococcal infections	3,381	3,040	2,826	2,470	2,150	2,232	2,259	2,180	2,581	2,691
Pertussis (whooping cough)	7,717	6,799	13,005	17,135	17,749	11,468	14,809	40,005	32,148	28,295
Poliomyelitis, total	113	72	122	449	910	1,312	3,190	8,425	5,787	5,485
Paralytic	106	61	106	396	762	988	2,525	6,289	3,697	2,499
Psittacosis	50	60	53	76	79	102	113	147	158	278
Rabies in man ³	1	2	1	1	2	3	2	7	5	5
Rheumatic fever, acute ⁴	4,472	4,998	7,491	7,561	7,977	10,470	9,022	8,285	6,889	6,427
Rubella	46,975	not previously reportable nationally								
Rubella, congenital syndrome	11	not previously reportable nationally								
Salmonellosis, excluding typhoid fever	16,841	17,161	17,144	15,390	9,680	8,542	6,929	6,606	6,363	6,693
Shigellosis (bacillary dysentery)	11,888	11,027	12,984	13,009	12,443	12,571	12,487	12,888	11,861	9,822
Streptococcal sore throat and scarlet fever	427,752	395,168	402,334	342,161	315,809	338,410	315,173	334,715	264,097	226,973
Tetanus	235	300	289	325	322	379	368	445	445	447
Trichinosis	115	199	198	208	194	306	160	227	176	178
Tuberculosis (newly reported active cases) ⁵	47,767	49,016	50,874	54,062	53,788	53,727	55,494	57,307	63,000	66,437
Tularemia	208	264	342	327	328	365	390	459	587	601
Typhoid fever	378	454	501	566	608	814	816	859	1,043	1,231
Typhus fever, flea-borne (endemic, murine)	33	28	30	35	32	46	68	51	71	113
Typhus fever, tick-borne (Rocky Mountain spotted)	268	281	277	216	240	219	204	199	243	240
Venereal diseases (newly reported cases) ⁶										
Syphilis	126,573	112,842	114,314	124,137	126,245	124,658	122,003	120,766	113,894	123,758
Gonorrhea	351,738	324,925	300,667	278,289	263,708	264,158	258,933	240,158	232,513	214,496
Other specified venereal diseases: chancroid, granuloma inguinale and lymphogranuloma venereum	1,294	2,015	2,115	1,979	2,141	2,466	2,811	2,459	2,343	2,433
Rabies in animals	4,178	4,574	4,780	3,929	3,732	3,599	3,567	4,177	4,787	4,542

1. Figures include Alaska from 1959; Hawaii, from 1960; both are excluded in prior years.

2. Encephalitis data are from the Neurotropic Viral Disease Unit, Epidemiology Program, NCDC.

3. Figures for cases of rabies in man represent registered deaths, 1957-1961.

4. Reports of cases of acute rheumatic fever were received from 36 States (see p. 10).

5. Tuberculosis data are from the Tuberculosis Program, NCDC.

6. Venereal diseases data are from the Venereal Disease Program, NCDC.

TABLE 3. (A) DEATHS FROM SPECIFIED NOTIFIABLE DISEASES: UNITED STATES, 1956 - 1965

(Figures include Alaska from 1959; Hawaii, from 1960; both are excluded in prior years. Numbers after cause of death are category numbers of the Seventh Revision, International Classification of Diseases, 1955.)

CAUSE OF DEATH		1965	1964	1963	1962	1961	1960	1959	1958	1957	1956
Amebiasis	046	66	65	92	86	84	88	124	86	95	130
Anthrax	062	-	1	-	-	1	-	-	1	2	-
Botulism	049.1	8	8	14	11	10	12	15	4	11	14
Brucellosis	064	6	4	5	12	11	6	12	8	8	9
Diphtheria	055	18	42	45	41	68	69	72	74	81	103
Encephalitis, acute infectious	082	500	534	532	582	505	528	570	537	465	424
Hepatitis, infectious	092	707	745	852	911	976	938	897	897	897	806
Leprosy	060	3	5	3	8	8	6	6	3	3	6
Leptospirosis	072	11	14	14	10	9	14	11	11	9	8
Malaria	110 - 117	8	3	7	12	3	4	7	6	14	11
Measles	085	276	421	364	408	434	380	385	552	389	530
Meningococcal infections	057	890	750	733	649	586	644	699	746	785	762
Pertussis (whooping cough)	056	55	93	115	83	76	118	269	177	183	266
Plague	058	1	-	1	-	2	-	1	-	-	1
Poliomyelitis	080	16	17	41	60	90	230	454	255	221	566
Bulbar or polioencephalitis	080.0	6	6	22	35	61	146	299	164	151	402
With other paralysis	080.1	3	3	5	7	10	14	24	21	13	38
Unspecified	080.3	7	8	14	18	19	70	131	70	57	125
Psittacosis	096.2	-	-	1	1	-	-	1	3	3	3
Rabies	094	2	1	2	1	3	2	7	5	5	10
Rheumatic fever, acute	400 - 402	483	509	552	550	608	734	795	806	900	1,033
Salmonellosis, including paratyphoid fever	041 - 042	87	67	72	62	64	82	72	65	60	62
Shigellosis (bacillary dysentery)	045	99	125	134	134	128	153	133	157	156	156
Streptococcal sore throat and scarlet fever	050 - 051	63	95	102	102	130	108	130	139	213	240
Tetanus	061	181	179	210	215	242	231	283	303	279	246
Trichinosis	128	3	1	5	1	7	3	3	4	4	5
Tuberculosis (all forms)	001 - 019	7,934	8,303	9,311	9,506	9,938	10,866	11,456	12,361	13,324	14,061
Tularemia	059	2	6	3	1	3	3	7	6	3	4
Typhoid fever	040	6	14	21	15	17	21	22	23	34	54
Typhus fever - flea-borne (murine)	101	-	-	-	-	-	-	-	-	2	-
Typhus fever - tick-borne (Rocky Mountain spotted) ...	104	16	17	16	12	11	11	10	14	18	16
Venereal diseases and sequelae											
Syphilis	020 - 029	2,434	2,619	2,666	2,811	2,850	2,945	3,069	3,469	3,825	3,870
Gonorrhea	030 - 035	9	13	23	23	19	38	25	18	21	28
Other	036 - 039	11	10	12	16	11	15	12	20	18	20

Source: National Center for Health Statistics, Vital Statistics of the United States, Vol. II, for respective year.

TABLE 3. (B) DEATHS FROM SELECTED NON-NOTIFIABLE ACUTE DISEASES: UNITED STATES, 1956 - 1965

DISEASE		1965	1964	1963	1962	1961	1960	1959	1958	1957	1956
Abscess of lung	521	601	659	651	561	543	604	614	652	601	595
Boil and carbuncle	690	36	54	58	67	93	120	156	117	99	58
Other local skin conditions (cellulitis and abscess)...	691 - 698	445	427	445	503	520	512	476	436	384	355
Chickenpox	087	143	153	129	134	167	126	141	146	113	116
Diarrhea of newborn	764	367	400	386	410	419	463	492	531	516	527
Empyema and pleurisy	518 - 519	450	464	432	408	479	456	468	424	450	416
Erysipelas	052	12	17	16	25	32	22	28	26	27	33
Fungal infections											
Actinomycosis	132	26	31	35	17	21	28	27	21	15	24
Coccidioidomycosis	133	52	46	71	55	62	55	48	50	53	54
Blastomycosis	134.0	29	21	24	17	16	15	13	24	28	27
Cryptococcosis	134.1	62	74	73	90	86	71	84	39	55	66
Histoplasmosis	134.2	74	77	70	82	90	80	63	73	77	67
Moniliasis	134.3	93	81	105	88	100	108	101	93	82	105
Gastroenteritis and colitis (Age 4 wks - 2 yrs)	571.0	1,903	2,284	2,370	2,635	2,596	2,957	2,862	3,066	3,412	3,166
Herpes febrilis	096.0	39	18	22	19	21	12	26	26	13	13
Herpes zoster	088	78	81	66	69	63	78	58	46	47	52
Hydatid disease	125	7	6	10	7	3	10	8	14	5	8
Infections of ear and mastoid	390 - 394	234	255	261	266	314	389	399	434	404	387
Meningitis, excluding meningococcal and tuberculous ...	340	2,363	2,464	2,343	2,322	2,263	2,316	2,208	2,247	2,025	1,933
Mononucleosis, infectious	093	28	20	11	18	13	16	21	16	15	18
Mumps	089	31	50	48	43	53	42	51	37	45	49
Pemphigus	704	110	133	147	142	141	149	168	142	170	149
Pemphigus, neonatorum	766	5	17	13	16	23	30	23	26	23	22
Respiratory infections											
Bronchitis, acute	500	1,004	998	1,139	1,118	1,031	1,170	1,135	1,352	1,202	1,105
Influenza	480 - 483	2,295	1,687	7,083	3,431	2,137	7,872	2,845	4,442	7,463	2,323
Pneumonia (primary cause of death)	490 - 493	59,608	57,764	63,678	56,564	53,038	58,931	52,194	52,997	53,538	44,780
Pneumonia of newborn	763	2,773	3,091	3,181	3,350	3,541	3,544	3,761	3,918	3,715	3,400
Upper respiratory infections, acute	470 - 475	745	776	867	820	808	911	971	936	1,045	901
Sepsis of											
Abortion	651	158	167	201	213	220	191	179	159	169	136
Childbirth	680 - 681	53	67	57	55	59	76	58	50	54	48
Newborn	767 - 768	781	846	828	774	722	749	786	1,055	832	662
Septicemia and pyemia	053	2,443	2,389	2,359	2,084	1,886	1,920	1,760	1,663	1,351	1,118
Viral diseases, undifferentiated	096.9	431	451	511	476	456	434	384	308	267	302
Worm Infestation	126 - 130	68	41	44	67	48	56	65	63	56	59

Source: National Center for Health Statistics, Vital Statistics of the United States, Vol. II, for respective year.

TABLE 4. REPORTED CASES OF NOTIFIABLE DISEASES BY MONTH: UNITED STATES, 1966

DISEASE	Total	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec	Month not Stated
Amebiasis	2,921	189	219	235	241	265	277	266	249	233	286	202	259	-
Anthrax	5	-	-	-	-	1	-	1	-	1	2	-	-	-
Aseptic meningitis	3,058	121	126	135	109	132	177	284	609	622	307	210	226	-
Botulism	9	1	-	-	-	-	-	2	1	-	3	2	-	-
Brucellosis (undulant fever)	262	15	16	17	14	22	16	25	35	24	30	17	30	1
Diphtheria	209	12	9	12	16	17	11	20	13	28	22	18	31	-
Encephalitis, primary	2,121	99	79	92	74	69	107	199	607	326	130	79	78	182
Encephalitis, post-infectious	964	68	77	90	79	81	63	48	36	24	28	35	45	290
Hepatitis, serum	1,497	87	86	118	126	111	126	115	150	127	132	169	147	3
Hepatitis, infectious	32,859	2,952	3,015	3,172	2,654	2,603	2,452	2,250	2,545	2,337	2,743	2,977	3,152	7
Leprosy	109	4	4	10	10	10	12	10	11	8	7	4	10	9
Leptospirosis	72	2	5	1	3	8	8	9	7	5	10	4	10	-
Malaria	565	20	13	28	26	35	44	41	44	53	83	74	78	26
Measles	204,136	21,563	29,736	40,602	35,524	30,303	20,205	7,457	3,015	1,826	3,417	4,099	6,349	40
Meningococcal infections	3,381	292	422	561	424	378	241	168	157	118	180	208	227	5
Pertussis (whooping cough)	7,717	484	472	463	533	539	539	809	976	890	695	630	686	1
Polio myelitis, total	113	2	3	5	3	6	6	33	14	11	10	9	11	-
Paralytic	106	1	3	5	2	6	6	31	14	10	9	8	11	-
Psittacosis-Ornithosis	50	4	2	4	4	-	5	5	7	4	4	3	6	2
Rabies in man	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Rheumatic fever, acute*	4,472	596	420	408	482	445	364	324	325	271	279	260	249	49
Rubella	46,975	3,351	5,408	8,603	8,085	8,047	5,616	1,768	1,249	853	960	1,355	1,679	1
Rubella, congenital syndrome	11	-	2	1	2	-	1	2	-	-	-	3	-	-
Salmonellosis, excluding typhoid fever	16,841	1,144	951	1,013	1,115	1,462	1,369	1,361	1,800	1,723	1,613	1,446	1,818	26
Shigellosis (bacillary dysentery)	11,888	693	869	695	635	590	757	845	1,410	1,435	1,380	1,233	1,341	5
Streptococcal sore throat and scarlet fever ..	427,752	40,724	48,937	63,084	49,365	35,883	28,162	19,367	18,222	19,189	27,573	36,377	40,851	18
Tetanus	235	7	15	7	12	18	16	28	24	25	35	19	27	2
Trichinosis	115	10	7	7	9	10	6	4	13	8	5	8	25	3
Tularemia	208	16	21	10	4	6	13	22	22	20	18	15	41	-
Typhoid fever	378	19	19	23	28	27	30	53	46	46	37	23	23	4
Typhus Fever														
Flea-borne (endemic, murine)	33	-	1	4	1	2	5	1	1	4	1	7	6	-
Tick-borne (Rocky Mountain spotted)	268	1	-	2	4	25	58	66	56	31	14	4	5	2

*Based on reports from 36 States.

TABLE 5. REPORTED CASES OF NOTIFIABLE DISEASES OF LOW FREQUENCY:
UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, 1966

AREA	ANTHRAX	BOTULISM	LEPROSY	LEPTO-SPIROSIS	POLIOMYELITIS		PSITTACOSIS	MURINE TYPHUS
					TOTAL	PARALYTIC		
UNITED STATES	5	9	109	72	113	106	50	33
NEW ENGLAND	4	-	2	1	-	-	6	2
Maine	-	-	-	1	-	-	-	-
New Hampshire	3	-	-	-	-	-	1	-
Vermont	-	-	-	-	-	-	-	-
Massachusetts	1	-	1	-	-	-	4	1
Rhode Island	-	-	-	-	-	-	-	-
Connecticut	-	-	1	-	-	-	1	1
MIDDLE ATLANTIC	-	1	5	1	1	1	6	1
New York City	-	1	5	-	-	-	-	-
Upstate New York	-	-	-	1	-	-	1	1
New Jersey	-	-	-	-	-	-	1	-
Pennsylvania	-	-	-	-	1	1	4	-
EAST NORTH CENTRAL ..	-	2	2	1	11	7	8	1
Ohio	-	-	-	-	5	2	1	-
Indiana	-	2	2	-	2	2	-	-
Illinois	-	-	-	1	3	2	1	1
Michigan	-	-	-	-	1	1	-	-
Wisconsin	-	-	-	-	-	-	6	-
WEST NORTH CENTRAL ..	-	-	-	11	1	1	4	-
Minnesota	-	-	-	-	1	1	3	-
Iowa	-	-	-	9	-	-	-	-
Missouri	-	-	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-
South Dakota	-	-	-	-	-	-	-	-
Nebraska	-	-	-	-	-	-	-	-
Kansas	-	-	-	2	-	-	1	-
SOUTH ATLANTIC	-	2	13	13	4	4	3	-
Delaware	-	-	-	-	-	-	-	-
Maryland	-	2	-	1	-	-	-	-
District of Columbia	-	-	-	1	-	-	-	-
Virginia	-	-	-	-	-	-	2	-
West Virginia	-	-	-	-	2	2	-	-
North Carolina	-	-	-	-	-	-	1	-
South Carolina	-	-	-	-	-	-	-	-
Georgia	-	-	-	2	1	1	-	-
Florida	-	-	13	9	1	1	-	-
EAST SOUTH CENTRAL ..	-	-	-	4	4	4	3	5
Kentucky	-	-	-	1	-	-	-	-
Tennessee	-	-	-	3	-	-	3	-
Alabama	-	-	-	-	1	1	-	3
Mississippi	-	-	-	-	3	3	-	2
WEST SOUTH CENTRAL ..	-	-	32	18	76	75	12	22
Arkansas	-	-	-	3	1	-	-	1
Louisiana	-	-	1	4	1	1	-	-
Oklahoma	-	-	-	-	1	1	-	1
Texas	-	-	31	11	73	73	12	20
MOUNTAIN	-	-	1	2	1	-	-	-
Montana	-	-	-	-	1	-	-	-
Idaho	-	-	-	1	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-
Colorado	-	-	1	-	-	-	-	-
New Mexico	-	-	-	-	-	-	-	-
Arizona	-	-	-	1	-	-	-	-
Utah	-	-	-	-	-	-	-	-
Nevada	-	-	-	-	-	-	-	-
PACIFIC	1	4	54	21	15	14	8	2
Washington	-	-	2	1	5	5	1	-
Oregon	-	-	1	-	-	-	1	-
California	-	4	35	1	10	9	6	1
Alaska	1	-	-	-	-	-	-	-
Hawaii	-	-	16	19	-	-	-	1
Puerto Rico	-	-	3	3	2	2	-	2

TABLE 6. REPORTED CASES OF NOTIFIABLE DISEASES:
UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, 1966

AREA	AMEBIASIS	ASEPTIC MENINGITIS	BRUCELLOSIS	DIPHTHERIA	HEPATITIS		MALARIA (Acquired Outside and Within U.S.)
					SERUM	INFECTIOUS	
UNITED STATES	2,921	3,058	262	209	1,497	32,859	565
NEW ENGLAND	20	227	6	5	51	1,383	12
Maine	1	9	-	-	-	273	1
New Hampshire	-	-	-	-	-	59	1
Vermont	-	2	-	-	-	23	-
Massachusetts	5	135	4	5	14	557	9
Rhode Island	-	67	-	-	19	140	-
Connecticut	14	14	2	-	18	331	1
MIDDLE ATLANTIC	1,381	392	8	5	786	5,038	171
New York City	1,203	95	2	2	484	1,068	14
Upstate New York	18	46	2	2	60	1,453	13
New Jersey	72	174	2	-	199	893	6
Pennsylvania	88	77	2	1	43	1,624	138
EAST NORTH CENTRAL ..	197	307	21	5	58	6,005	41
Ohio	16	44	1	-	18	1,344	6
Indiana	8	28	-	1	-	488	5
Illinois	165	91	13	3	15	1,191	16
Michigan	8	118	1	1	25	2,564	14
Wisconsin	-	26	6	-	-	418	-
WEST NORTH CENTRAL ..	25	104	85	11	24	2,099	24
Minnesota	1	62	12	2	15	317	6
Iowa	8	7	41	-	-	526	8
Missouri	1	14	9	-	9	951	4
North Dakota	-	-	1	-	-	45	-
South Dakota	-	1	2	4	-	14	-
Nebraska	2	3	10	5	-	57	-
Kansas	13	17	10	-	-	189	6
SOUTH ATLANTIC	134	345	48	52	77	3,422	115
Delaware	-	38	-	-	-	81	-
Maryland	9	20	2	-	17	816	33
District of Columbia	1	6	-	3	1	38	1
Virginia	42	31	32	-	7	576	11
West Virginia	4	53	2	1	2	248	2
North Carolina	21	44	2	2	14	396	51
South Carolina	5	10	-	23	1	84	8
Georgia	6	-	7	15	6	530	-
Florida	46	143	3	8	29	653	9
EAST SOUTH CENTRAL ..	100	275	27	18	32	2,598	50
Kentucky	5	52	1	1	-	951	37
Tennessee	46	68	10	-	20	995	-
Alabama	39	48	2	9	12	329	6
Mississippi	10	107	14	8	-	323	7
WEST SOUTH CENTRAL ..	382	404	45	76	24	2,691	14
Arkansas	8	9	4	2	4	291	3
Louisiana	25	47	8	36	...	455*	7
Oklahoma	2	27	14	3	NN	117	4
Texas	347	321	19	35	20	1,828	-
MOUNTAIN	233	55	4	20	7	1,785	18
Montana	-	1	-	18	-	99	-
Idaho	-	4	-	-	-	181	-
Wyoming	5	2	-	-	-	57	-
Colorado	6	8	1	-	3	318	8
New Mexico	35	9	1	2	-	477	2
Arizona	174	17	1	-	2	424	3
Utah	-	9	1	-	2	172	3
Nevada	13	5	-	-	-	57	2
PACIFIC	449	949	18	17	438	7,838	120
Washington	2	66	2	11	20	695	1
Oregon	12	10	1	2	4	1,055	6
California	434	822	14	4	413	5,911	106
Alaska	-	3	-	-	-	110	-
Hawaii	1	48	1	-	1	67	7
Puerto Rico	7	10	-	3	-	1,116	10

*Includes serum hepatitis.

TABLE 6. REPORTED CASES OF NOTIFIABLE DISEASES
UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, 1966 - Continued

AREA	MEASLES	MENINGO- COCCAL INFECTIONS	PERTUSSIS	RHEUMATIC FEVER, ACUTE	RUBELLA		SALMONEL- LOSIS (Excluding Typhoid Fever)	SHIGELLOSIS
					CASES	CONGENITAL SYNDROME		
UNITED STATES	204,136	3,381	7,717	4,472	46,975	11	16,841	11,888
NEW ENGLAND	2,643	159	646	21	5,268	-	1,488	649
Maine	307	15	99	6	421	-	60	2
New Hampshire	104	8	53	...	133	-	78	3
Vermont	348	3	54	...	130	-	17	-
Massachusetts	853	68	165	...	2,056	-	1,033	587
Rhode Island	80	19	106	13	283	-	65	13
Connecticut	951	46	169	2	2,245	-	235	44
MIDDLE ATLANTIC	18,702	428	593	...	2,745	1	3,362	1,424
New York City	8,381	56	206	...	1,036	-	961	555
Upstate New York	2,720	116	198	...	1,595	-	843	377
New Jersey	2,090	135	6	...	-	-	778	84
Pennsylvania	5,511	121	183	...	114	1	780	408
EAST NORTH CENTRAL	69,790	536	2,122	2,668	15,020	-	2,548	1,670
Ohio	6,400	158	228	983	1,254	-	282	212
Indiana	5,840	87	166	48	2,345	-	212	73
Illinois	11,524	102	639	1,613	2,935	-	933	728
Michigan	15,251	135	653	...	3,040	-	661	340
Wisconsin	30,775	54	436	24	5,446	-	460	317
WEST NORTH CENTRAL	9,627	178	222	217	2,344	7	836	590
Minnesota	1,690	45	19	11	124	7	293	195
Iowa	5,500	23	85	27	1,952	-	89	43
Missouri	541	63	59	55	61	-	119	176
North Dakota	1,568	7	33	122	205	-	24	41
South Dakota	41	6	1	...	2	-	10	40
Nebraska	287	13	25	...	-	-	17	31
Kansas	NN	21	NN	2	NN	-	284	64
SOUTH ATLANTIC	16,437	597	698	91	4,696	1	3,345	2,244
Delaware	268	7	33	5	55	-	21	9
Maryland	2,118	56	64	5	404	-	545	470
District of Columbia	401	16	9	...	15	-	136	69
Virginia	2,271	75	92	...	961	1	390	78
West Virginia	5,554	46	219	33	1,037	-	18	9
North Carolina	819	135	59	...	-	-	451	152
South Carolina	790	52	11	43	284	-	13	16
Georgia	240	105	6	5	493	-	605	663
Florida	3,976	105	205	...	1,447	-	1,166	778
EAST SOUTH CENTRAL	21,021	293	520	753	4,660	-	574	494
Kentucky	4,877	97	165	311	1,960	-	179	26
Tennessee	12,955	100	313	247	2,578	-	229	312
Alabama	1,844	63	36	188	122	-	114	61
Mississippi	1,345	33	6	7	-	-	52	95
WEST SOUTH CENTRAL	27,850	455	1,174	73	154	-	1,049	1,138
Arkansas	1,334	38	25	3	14	-	156	107
Louisiana	145	175	18	11	-	-	249	96
Oklahoma	805	25	17	...	NN	NN	172	142
Texas	25,566	217	1,114	59	140	-	472	793
MOUNTAIN	13,752	93	574	514	4,361	1	872	903
Montana	2,583	3	46	11	376	-	91	98
Idaho	1,778	6	49	269	119	-	39	47
Wyoming	239	6	14	52	239	-	2	3
Colorado	1,489	46	155	55	785	1	376	354
New Mexico	1,295	10	12	13	113	-	110	199
Arizona	5,396	13	276	64	2,619	-	129	110
Utah	691	2	22	49	80	-	111	70
Nevada	281	7	-	1	30	-	14	22
PACIFIC	24,314	642	1,168	135	7,727	1	2,767	2,776
Washington	5,528	58	253	57	3,435	-	340	344
Oregon	2,704	43	254	11	1,174	1	320	215
California	15,254	529	661	66	2,847*	-	1,575	1,658
Alaska	660	9	-	...	112	-	9	37
Hawaii	168	3	-	1	159	-	523	522
Puerto Rico	3,598	20	139	58	78	-	9	7

*Voluntary reports prior to November when rubella became notifiable state-wide.

TABLE 6. REPORTED CASES OF NOTIFIABLE DISEASES:
UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, 1966 — Continued

AREA	STREPTOCOCCAL SORE THROAT & SCARLET FEVER	TETANUS	TRICHINOSIS	TULAREMIA	TYPHOID FEVER	TYPHUS FEVER (Tick-borne, Rky Mt Spotted)
UNITED STATES	427,752	235	115	208	378	268
NEW ENGLAND	60,953	4	14	2	13	3
Maine	4,543	-	1	-	-	-
New Hampshire	1,308	-	-	-	-	-
Vermont	1,822	-	-	-	-	-
Massachusetts	11,155	2	2	2	9	1
Rhode Island	3,579	-	-	-	-	-
Connecticut	38,546	2	11	-	4	2
MIDDLE ATLANTIC	15,172	16	41	-	62	47
New York City	879	5	10	-	23	1
Upstate New York	11,780	2	14	-	15	13
New Jersey	NN	3	6	-	8	13
Pennsylvania	2,513	6	11	-	16	20
EAST NORTH CENTRAL ..	45,523	30	13	40	47	28
Ohio	4,266	9	8	3	20	9
Indiana	9,190	6	2	15	5	8
Illinois	9,125	5	1	21	8	11
Michigan	13,862	5	2	-	7	-
Wisconsin	9,080	5	-	1	7	-
WEST NORTH CENTRAL ..	19,267	18	32	22	37	5
Minnesota	566	2	1	1	1	-
Iowa	6,841	4	29	-	5	1
Missouri	476	8	1	12	21	3
North Dakota	6,683	1	-	-	1	1
South Dakota	612	-	-	4	-	-
Nebraska	1,602	2	-	2	2	-
Kansas	2,487	1	1	3	7	-
SOUTH ATLANTIC	45,090	41	3	14	65	111
Delaware	1,501	-	-	-	1	2
Maryland	6,901	4	1	5	11	25
District of Columbia	294	-	-	-	2	-
Virginia	12,595	6	-	3	15	32
West Virginia	11,714	-	1	1	1	-
North Carolina	749	4	1	1	5	24
South Carolina	2,225	2	-	1	15	5
Georgia	302	9	-	3	4	22
Florida	8,809	16	-	-	11	1
EAST SOUTH CENTRAL ..	65,623	35	1	32	43	42
Kentucky	5,360	1	-	3	10	10
Tennessee	51,113	9	1	20	20	26
Alabama	5,293	14	-	4	6	6
Mississippi	3,857	11	-	5	7	-
WEST SOUTH CENTRAL ..	40,922	63	-	76	38	20
Arkansas	122	6	-	55	6	5
Louisiana	199	14	-	4	10	-
Oklahoma	2,269	3	-	9	12	10
Texas	38,332	40	-	8	10	5
MOUNTAIN	70,907	3	2	18	18	10
Montana	2,481	-	1	2	-	1
Idaho	5,549	-	-	1	-	2
Wyoming	2,552	-	1	7	-	1
Colorado	36,042	2	-	3	3	5
New Mexico	11,519	-	-	1	2	1
Arizona	4,769	1	-	1	5	-
Utah	7,782	-	-	3	5	-
Nevada	213	-	-	-	3	-
PACIFIC	64,295	25	9	4	55	2
Washington	20,568	-	1	-	13	-
Oregon	1,564	2	1	-	1	-
California	37,203	22	5	4	33	2
Alaska	2,447	-	-	-	-	-
Hawaii	2,513	1	2	-	8	-
Puerto Rico	277	58	-	-	20	2

TABLE 7. REPORTED CASES OF NOTIFIABLE DISEASES: UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, 1966

INFECTIOUS ENCEPHALITIS

AREA	TOTAL	ARBOVIRUSES				POST-INFECTIOUS				OTHER ENCEPHALITIDES			
		WEE	SLE	EEE	CALIF	MUMPS	MEASLES	CHICKEN-POX	RUBELLA	CAUSE SPECIFIED		ETIOLOGY UNKNOWN	
										HERPES SIMPLEX	OTHER	WITH LABORATORY DATA	WITHOUT LABORATORY DATA
U.S.	3,085	47	325	4	58	629	219	106	10	58	130	566	933
NE.....	120	-	-	-	-	47	-	4	-	4	6	2	57
Me.....	2	-	-	-	-	-	-	-	-	-	-	-	2
N.H.....	1	-	-	-	-	1	-	-	-	-	-	-	-
Vt.....	1	-	-	-	-	-	-	-	-	1	-	-	-
Mass....	62	-	-	-	-	29	-	-	-	3	5	1	24
R.I.....	35	-	-	-	-	11	-	2	-	-	-	-	22
Conn....	19	-	-	-	-	6	-	2	-	-	1	1	9
MA.....	508	-	-	-	1	139	43	27	1	13	23	111	150
NYC.....	226	-	-	-	-	58	14	5	-	1	11	49	88
Up. NY..	93	-	-	-	1	26	4	12	-	1	7	15	27
N.J.....	78	-	-	-	-	17	9	1	-	11	2	28	10
Pa.....	111	-	-	-	-	38	16	9	1	-	3	19	25
ENC.....	588	-	-	-	44	138	54	15	4	6	43	115	169
Ohio.....	333	-	-	-	37	29	10	3	-	3	35	103	113
Ind.....	31	-	-	-	2	13	5	1	1	1	1	-	7
Ill.....	115	-	-	-	1	46	21	3	3	1	7	4	29
Mich.....	97	-	-	-	-	45	17	7	-	1	-	8	19
Wisc....	12	-	-	-	4	5	1	1	-	-	-	-	1
WNC.....	239	13	39	-	13	24	14	5	-	7	7	40	77
Minn....	78	2	3	-	13	19	9	4	-	6	6	11	5
Iowa.....	21	-	-	-	-	2	4	-	-	-	1	-	14
Mo.....	39	1	13	-	-	3	-	1	-	1	-	15	5
N.D.....	19	-	-	-	-	-	-	-	-	-	-	4	15
S.D.....	12	2	2	-	-	-	1	-	-	-	-	1	6
Nebr....	13	2	1	-	-	-	-	-	-	-	-	1	9
Kans....	57	6	20	-	-	-	-	-	-	-	-	8	23
SA.....	315	-	-	4	-	84	19	13	-	15	3	57	120
Dela....	6	-	-	-	-	-	1	1	-	-	-	2	2
Md.....	24	-	-	-	-	7	1	1	-	-	1	5	9
D.C.....	1	-	-	-	-	-	-	-	-	-	-	1	-
Va.....	60	-	-	-	-	17	4	2	-	-	-	-	37
W. Va....	5	-	-	-	-	-	1	-	-	-	-	-	4
N. C....	32	-	-	-	-	6	6	4	-	-	1	-	15
S. C....	4	-	-	-	-	1	1	-	-	1	-	-	1
Ga.....	68	-	-	4	-	3	-	-	-	10	1	49	1
Fla.....	115	-	-	-	-	50	5	5	-	4	-	-	51
ESC.....	102	-	1	-	-	19	11	1	-	6	3	16	45
Ky.....	9	-	-	-	-	3	4	-	-	1	-	1	-
Tenn....	58	-	-	-	-	15	7	-	-	5	3	9	19
Ala.....	6	-	-	-	-	-	-	-	-	-	-	2	4
Miss....	29	-	1	-	-	1	-	1	-	-	-	4	22
WSC.....	582	15	263	-	-	42	15	7	-	2	8	156	74
Ark.....	52	-	2	-	-	8	3	1	-	2	1	11	24
La.....	79	-	7	-	-	4	3	2	-	-	1	51	11
Okla....	34	-	-	-	-	5	-	-	-	-	4	18	7
Tex.....	417	15	254	-	-	25	9	4	-	-	2	76	32
MT.....	123	10	14	-	-	11	2	4	-	3	1	10	68
Mont....	8	-	-	-	-	3	-	-	-	-	-	-	5
Ida.....	4	-	-	-	-	-	-	-	-	-	1	2	1
Wyo.....	6	1	-	-	-	1	-	1	-	-	-	-	3
Colo....	53	6	8	-	-	5	2	2	-	1	-	-	29
N. M....	7	2	-	-	-	-	-	-	-	-	-	-	5
Ariz....	35	1	5	-	-	2	-	-	-	1	-	5	21
Utah....	7	-	-	-	-	-	-	1	-	1	-	1	4
Nev.....	3	-	1	-	-	-	-	-	-	-	-	2	-
PAC.....	508	9	8	-	-	125	61	30	5	2	36	59	173
Wash....	57	-	-	-	-	21	5	5	-	-	4	12	10
Ore.....	22	-	-	-	-	3	2	-	-	-	1	-	16
Calif....	421	9	8	-	-	101	53	25	5	2	30	47	141
Alaska..	4	-	-	-	-	-	1	-	-	-	1	-	2
Hawaii..	4	-	-	-	-	-	-	-	-	-	-	-	4
P. Rico...	12	-	-	-	-	1	-	-	-	1	-	-	10

TABLE 8. NEWLY REPORTED CASES OF VENEREAL DISEASES:
UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE; AGE; AND SEX, BY RACE (Civilian Cases Only),
CALENDAR YEAR 1966

AREA	SYPHILIS		GONORRHEA	CHANCROID	OTHER*
	ALL STAGES	PRIMARY & SECONDARY			
UNITED STATES	105,159	21,414	351,738	838	456
NEW ENGLAND	3,147	454	9,046	14	3
Maine	375	3	404	-	-
New Hampshire	75	14	357	4	-
Vermont	26	3	245	-	-
Massachusetts	1,654	304	4,571	5	3
Rhode Island	376	26	402	-	-
Connecticut	641	104	3,067	5	-
MIDDLE ATLANTIC	24,316	3,998	51,466	56	47
New York City	13,845	2,455	29,656	32	31
Upstate New York	2,277	373	7,920	-	-
New Jersey	3,731	704	4,327	6	9
Pennsylvania	4,463	466	9,563	18	7
EAST NORTH CENTRAL ..	19,821	3,279	72,606	154	19
Ohio	4,943	680	15,071	27	2
Indiana	1,089	89	5,152	2	2
Illinois	6,554	1,207	34,344	8	2
Michigan	5,842	1,212	15,424	114	12
Wisconsin	1,393	91	2,615	3	1
WEST NORTH CENTRAL ..	6,170	404	19,287	58	5
Minnesota	171	34	2,383	1	-
Iowa	1,015	73	3,018	3	2
Missouri	3,429	145	8,497	47	-
North Dakota	19	4	439	-	-
South Dakota	120	37	683	1	-
Nebraska	372	51	1,147	2	3
Kansas	1,044	60	3,120	4	-
SOUTH ATLANTIC	20,681	6,059	70,601	289	273
Delaware	432	54	1,149	2	1
Maryland	3,178	557	7,065	2	3
District of Columbia	1,521	488	10,366	12	106
Virginia	2,077	313	8,591	15	15
West Virginia	1,400	72	999	1	-
North Carolina	2,086	796	10,518	57	33
South Carolina	1,701	875	7,512	28	-
Georgia	2,586	1,013	13,517	58	45
Florida	5,700	1,891	10,884	114	70
EAST SOUTH CENTRAL ..	5,445	2,189	23,040	70	34
Kentucky	1,761	142	3,375	10	2
Tennessee	1,200	305	10,883	21	9
Alabama	1,699	1,233	4,082	13	14
Mississippi	785	509	4,700	26	9
WEST SOUTH CENTRAL ..	10,824	2,772	44,270	124	47
Arkansas	1,227	151	6,068	3	1
Louisiana	2,667	632	5,726	11	38
Oklahoma	1,350	137	3,764	5	-
Texas	5,580	1,852	28,712	105	8
MOUNTAIN	2,408	478	9,989	17	4
Montana	115	29	416	2	1
Idaho	34	21	1,028	2	-
Wyoming	71	2	189	-	-
Colorado	390	48	2,308	1	-
New Mexico	856	125	1,677	2	2
Arizona	589	216	3,188	9	1
Utah	119	12	572	-	-
Nevada	234	25	611	1	-
PACIFIC	12,347	1,781	51,433	56	24
Washington	260	43	3,949	2	2
Oregon	214	45	2,772	2	1
California	11,676	1,655	43,155	49	19
Alaska	47	12	1,186	-	-
Hawaii	150	26	371	3	2
Puerto Rico	2,110	942	2,644	13	3
Virgin Islands	614	27	435	-	1

*Granuloma inguinale and lymphogranuloma venereum.

AGE DISTRIBUTION		
Age Group	Syphilis, Primary & Secondary	Gonorrhea
0-14	242	4,246
15-19	3,846	76,032
20-24	6,033	126,339
25-29	4,339	70,263
30-39	4,485	53,603
40-49	1,752	16,097
50+	717	5,158
Total	21,414	351,738

DISTRIBUTION by SEX by RACE		
Syphilis, All Stages		
	White	Nonwhite
Male	23,146	34,426
Female	17,018	30,569
Total	40,164	64,995
Syphilis, Primary & Secondary		
Male	3,244	9,753
Female	1,170	7,247
Total	4,414	17,000
Gonorrhea		
Male	72,745	194,299
Female	28,171	56,523
Total	100,916	250,822

CONGENITAL SYPHILIS AGE DISTRIBUTION		
Age Group	Number	Percent of Total
0-1	401	12.7
1-4	30	0.9
5-9	30	0.9
10+	2,709	85.5
Total	3,170	100.0

TABLE 9. RABIES IN MAN AND ANIMALS, BY STATE, BY TYPE OF ANIMAL, UNITED STATES, 1966
FROM REPORTS TO THE NATIONAL RABIES SURVEILLANCE PROGRAM, NCDC-PHS

Human Rabies in the United States, 1966

LOCALITY	AGE	SEX	BITING ANIMAL	NATURE OF EXPOSURE	INCUBATION PERIOD	DURATION OF ILLNESS	DATE AND PLACE OF DEATH
South Dakota	10	M	Wild Skunk	Bites on thigh, wrist, fingers and head	24 days	10 days	9/5/66 South Dakota

Rabies in Animals by Type of Animal Reported Through Surveillance Program

AREA	DOG	CATTLE	OTHER DOMESTIC	FOX	SKUNK	BAT	RACCOON	OTHER WILD	TOTAL
UNITED STATES.....	407	514	319	864	1,522	377	133	42	4,178
NEW ENGLAND.....									
Maine.....	1	3	1	20	1	-	-	-	26
New Hampshire.....	-	3	-	15	6	4	-	-	28
Vermont.....	1	4	2	17	2	1	-	-	27
Massachusetts.....	-	-	-	-	-	4	-	-	4
Connecticut.....	-	-	-	1	-	-	-	-	1
MIDDLE ATLANTIC.....									
New York.....	5	37	7	110	40	12	3	1	215
New Jersey.....	-	-	-	-	-	22	1	-	23
Pennsylvania.....	5	3	-	1	6	1	-	-	16
EAST NORTH CENTRAL...									
Ohio.....	6	9	4	12	160	9	-	-	200
Indiana.....	16	10	10	10	59	10	-	1	116
Illinois.....	14	25	22	11	112	6	1	1	192
Michigan.....	-	2	5	2	30	4	-	-	43
Wisconsin.....	16	9	11	3	23	1	-	1	64
WEST NORTH CENTRAL...									
Minnesota.....	14	40	12	1	148	2	-	1	218
Iowa.....	6	42	22	-	94	3	1	-	168
Missouri.....	43	35	28	54	97	3	2	-	262
North Dakota.....	2	15	7	1	63	-	-	-	88
South Dakota.....	10	21	14	1	70	-	-	1	117
Nebraska.....	2	9	1	1	15	1	4	1	34
Kansas.....	2	6	7	-	41	8	-	1	65
SOUTH ATLANTIC.....									
Maryland.....	-	-	-	-	-	5	1	-	6
Virginia.....	12	49	24	168	1	3	-	2	259
West Virginia.....	17	6	7	23	1	1	1	4	60
North Carolina.....	-	-	-	1	-	3	-	-	4
South Carolina.....	-	-	-	-	-	1	-	-	1
Georgia.....	2	-	3	10	2	16	77	-	110
Florida.....	4	-	4	10	2	21	37	-	78
EAST SOUTH CENTRAL...									
Kentucky.....	32	20	9	55	8	-	-	1	125
Tennessee.....	33	56	20	192	23	26	-	3	353
Alabama.....	4	1	-	6	7	3	-	1	22
Mississippi.....	-	-	-	-	-	22	-	-	22
WEST SOUTH CENTRAL...									
Arkansas.....	2	9	4	27	32	4	-	-	78
Louisiana.....	6	4	-	31	12	4	-	1	58
Oklahoma.....	10	36	19	-	106	13	2	4	190
Texas.....	98	41	60	27	180	36	3	3	448
MOUNTAIN.....									
Montana.....	-	-	-	-	7	1	-	-	8
Idaho.....	-	-	-	-	-	7	-	-	7
Wyoming.....	-	1	1	-	7	-	-	-	9
Colorado.....	1	1	1	-	2	13	-	-	18
New Mexico.....	8	2	2	-	3	4	-	-	19
Arizona.....	11	1	6	10	8	17	-	-	53
Utah.....	-	-	-	-	-	3	-	-	3
Nevada.....	-	-	-	-	-	10	-	-	10
PACIFIC.....									
Washington.....	-	-	-	-	-	15	-	-	15
Oregon.....	-	-	-	1	-	4	-	-	5
California.....	24	14	6	42	154	54	-	14	308
Alaska.....	-	-	-	1	-	-	-	1	2
Puerto Rico.....	5	5	1	-	-	-	-	8	19

States not reporting a case not listed.

TABLE 10. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1966

(A) DIPHTHERIA

AREA	Total	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	Unk.
UNITED STATES	209	2	58	67	22	12	8	9	3	3	10	4	11
NEW ENGLAND	5	-	1	2	-	1	1	-	-	-	-	-	-
Maine	-	-	-	-	-	-	-	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-	-	-	-	-
Massachusetts	5	-	1	2	-	1	1	-	-	-	-	-	-
Rhode Island	-	-	-	-	-	-	-	-	-	-	-	-	-
Connecticut	-	-	-	-	-	-	-	-	-	-	-	-	-
MIDDLE ATLANTIC	5	-	1	3	1	-	-	-	-	-	-	-	-
New York City	2	-	1	-	1	-	-	-	-	-	-	-	-
Upstate New York	2	-	-	2	-	-	-	-	-	-	-	-	-
New Jersey	-	-	-	-	-	-	-	-	-	-	-	-	-
Pennsylvania	1	-	-	1	-	-	-	-	-	-	-	-	-
EAST NORTH CENTRAL ..	5	-	2	2	-	-	1	-	-	-	-	-	-
Ohio	-	-	-	-	-	-	-	-	-	-	-	-	-
Indiana	1	-	-	-	-	-	1	-	-	-	-	-	-
Illinois	3	-	1	2	-	-	-	-	-	-	-	-	-
Michigan	1	-	1	-	-	-	-	-	-	-	-	-	-
Wisconsin	-	-	-	-	-	-	-	-	-	-	-	-	-
WEST NORTH CENTRAL ..	11	-	4	1	-	-	-	4	-	1	1	-	-
Minnesota	2	-	2	-	-	-	-	-	-	-	-	-	-
Iowa	-	-	-	-	-	-	-	-	-	-	-	-	-
Missouri	-	-	-	-	-	-	-	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	4	-	-	-	-	-	-	2	-	1	1	-	-
Nebraska	5	-	2	1	-	-	-	2	-	-	-	-	-
Kansas	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH ATLANTIC	52	1	20	16	8	1	1	1	1	-	2	1	-
Delaware	-	-	-	-	-	-	-	-	-	-	-	-	-
Maryland	-	-	-	-	-	-	-	-	-	-	-	-	-
District of Columbia	3	-	1	1	1	-	-	-	-	-	-	-	-
Virginia	-	-	-	-	-	-	-	-	-	-	-	-	-
West Virginia	1	-	1	-	-	-	-	-	-	-	-	-	-
North Carolina	2	-	-	1	-	-	-	-	-	-	-	-	-
South Carolina	23	-	9	7	5	1	-	-	1	-	1	-	-
Georgia	15	1	8	2	2	-	-	-	-	-	1	1	-
Florida	8	-	1	5	-	-	1	1	-	-	-	-	-
EAST SOUTH CENTRAL ..	18	-	7	7	1	1	-	1	-	-	-	1	-
Kentucky	1	-	-	-	-	-	-	-	-	-	-	1	-
Tennessee	-	-	-	-	-	-	-	-	-	-	-	-	-
Alabama	9	-	5	4	-	-	-	-	-	-	-	-	-
Mississippi	8	-	2	3	1	1	-	1	-	-	-	-	-
WEST SOUTH CENTRAL ..	76	-	17	26	11	7	4	3	1	1	5	-	1
Arkansas	2	-	-	1	-	-	1	-	-	-	-	-	-
Louisiana	36	-	7	9	10	5	2	1	1	-	1	-	-
Oklahoma	3	-	-	-	-	-	-	1	-	-	1	-	1
Texas	35	-	10	16	1	2	1	1	-	1	3	-	-
MOUNTAIN	20	1	2	3	-	2	-	-	-	-	1	1	10
Montana	18	1	2	3	-	1	-	-	-	-	1	1	9
Idaho	-	-	-	-	-	-	-	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-	-
Colorado	-	-	-	-	-	-	-	-	-	-	-	-	-
New Mexico	2	-	-	-	-	1	-	-	-	-	-	-	1
Arizona	-	-	-	-	-	-	-	-	-	-	-	-	-
Utah	-	-	-	-	-	-	-	-	-	-	-	-	-
Nevada	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC	17	-	4	7	1	-	1	-	1	1	1	1	-
Washington	11	-	3	4	1	-	1	-	1	-	-	1	-
Oregon	2	-	-	1	-	-	-	-	-	-	1	-	-
California	4	-	1	2	-	-	-	-	-	1	-	-	-
Alaska	-	-	-	-	-	-	-	-	-	-	-	-	-
Hawaii	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerto Rico	3	-	-	-	-	-	-	-	-	2	1	-	-

TABLE 10. REPORTED CASES OF SELECTED NOTIFIABLE DISEASE BY STATE, BY AGE, 1966 — Continued

(B) SERUM HEPATITIS

AREA	Total	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	Unk
U. S.	1,497												
Total 27 Areas	551	-	3	1	6	77	110	52	68	66	55	104	9
Alabama	12	-	-	-	-	3	-	1	1	1	2	4	-
Arizona	2	-	-	-	-	-	-	1	-	-	1	-	-
Arkansas	4	-	-	-	-	-	1	2	-	-	1	-	-
Colorado	3	-	-	-	-	-	-	-	-	-	-	3	-
Connecticut	18	-	-	-	-	5	4	3	-	1	1	1	3
District of Columbia	1	-	-	-	-	-	-	1	-	-	-	-	-
Georgia	6	-	-	-	-	-	-	1	1	-	1	3	-
Hawaii	1	-	-	-	1	-	-	-	-	-	-	-	-
Illinois	15	-	-	-	-	-	-	-	4	-	4	7	-
Maryland	17	-	-	-	-	2	2	2	2	1	1	5	2
Massachusetts	14	-	-	-	-	3	-	2	3	3	1	2	-
Michigan	25	-	-	-	-	1	8	6	2	5	-	3	-
Minnesota	15	-	-	-	-	3	5	1	1	2	1	2	-
Missouri	9	-	-	-	1	-	1	3	-	1	3	-	-
New Jersey	199	-	1	-	2	36	50	15	27	25	13	30	-
Upstate New York	60	-	-	-	2	8	17	5	3	5	5	15	-
North Carolina	14	-	1	-	-	2	-	1	2	4	-	4	-
Ohio	18	-	1	-	-	-	1	1	3	4	3	5	-
Oregon	4	-	-	1	-	-	1	-	-	-	1	1	-
Pennsylvania	43	-	-	-	-	1	9	4	8	6	9	6	-
Rhode Island	19	-	-	-	-	2	3	1	3	3	1	6	-
South Carolina	1	-	-	-	-	1	-	-	-	-	-	-	-
Tennessee	20	-	-	-	-	1	3	1	1	4	4	6	-
Utah	2	-	-	-	-	-	1	-	-	1	-	-	-
Virginia	7	-	-	-	-	-	1	-	1	-	1	1	3
Washington	20	-	-	-	-	8	3	1	5	-	2	-	1
West Virginia	2	-	-	-	-	1	-	-	1	-	-	-	-

Age Groups	Total	California	Florida	New York City	Texas
Total, 4 Areas	946	413	29	484	20
Under 15	10	2	3	4	1
15-19	119	50	1	65	3
20-24	303	146	1	154	2
25-29		70	2		4
30-34		29	3	127	3
35-39		32			
40-44					
45-49	514	27	7		
50-54					
55-59		31	2	134	7
60-64			10		
65+		26			
Unknown	-	-	-	-	-

NOTE: States not reporting a case not listed.

TABLE 10. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1966 — Continued

(C) HEPATITIS, INFECTIOUS

AREA	Total	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	Unk.
UNITED STATES	32,859												
43 Reporting Areas	21,645	46	876	4,151	3,704	2,617	2,375	1,780	2,194	1,276	797	690	1,139
NEW ENGLAND	1,383												
Maine	273	2	14	63	40	37	30	14	20	21	9	13	10
New Hampshire	59	-	2	7	4	5	6	5	9	2	5	9	5
Vermont	23	-	-	2	3	2	-	1	2	-	2	2	9
Massachusetts	557	-	13	79	88	61	86	54	68	46	33	26	3
Rhode Island	140	-	4	14	21	14	22	15	19	12	8	7	4
Connecticut	331	-	7	33	34	41	71	28	46	16	13	17	25
MIDDLE ATLANTIC	5,038												
New York City*	1,068	1	32	122	72	178	199			463			1
Upstate New York	1,453	2	41	234	230	221	162	121	160	122	91	52	17
New Jersey	893	-	26	105	104	163	135	82	114	75	54	35	-
Pennsylvania	1,624	2	48	313	336	220	165	139	173	101	78	49	-
EAST NORTH CENTRAL ..	6,005												
Ohio	1,344	1	50	229	266	160	110	115	153	85	41	51	83
Indiana	488	-	25	111	95	50	46	38	34	34	27	13	15
Illinois	1,191	3	33	222	189	136	126	108	133	83	44	63	51
Michigan	2,564	8	93	542	421	284	282	237	251	152	86	57	151
Wisconsin*	418	-	4	15	4	13	31	39	50	18	8	10	226
WEST NORTH CENTRAL ..	2,099												
Minnesota	317	1	8	52	47	25	29	30	31	31	10	14	39
Iowa*	526	-	-	291	-	-	-	-	184	-	-	-	51
Missouri	951	-	58	255	187	95	73	68	92	35	12	14	62
North Dakota	45	-	6	8	6	3	4	1	-	2	4	4	7
South Dakota	14	-	1	1	1	2	2	1	-	2	-	3	1
Nebraska	57	-	2	3	4	12	3	5	11	7	3	5	2
Kansas	189	-	3	32	23	19	25	22	31	12	10	8	4
SOUTH ATLANTIC	3,422												
Delaware	81	-	2	23	9	9	8	8	9	6	2	1	4
Maryland	816	-	30	184	158	106	92	70	77	40	12	11	36
District of Columbia	38	-	2	4	2	2	7	6	10	2	2	1	-
Virginia	576	-	15	106	82	65	66	45	64	25	21	13	74
West Virginia	248	-	10	65	57	47	12	8	12	4	7	7	19
North Carolina	396	3	20	74	67	52	58	33	44	30	7	8	-
South Carolina	84	1	4	8	12	7	13	13	7	6	4	1	8
Georgia	530	3	32	121	89	42	78	28	37	15	16	17	52
Florida*	653	1	20	77	61	90	100			249			24
EAST SOUTH CENTRAL ..	2,598												
Kentucky	951	1	33	226	206	101	46	39	42	27	8	9	213
Tennessee	995	5	47	191	215	157	121	70	81	55	25	28	-
Alabama*	329	-	15	62	54	44	40			92			15
Mississippi	323	4	11	42	39	36	47	30	29	18	19	27	21
WEST SOUTH CENTRAL ..	2,691												
Arkansas	291	-	18	67	40	42	47	19	29	12	3	13	1
Louisiana	455	2	17	62	62	67	64	45	63	20	23	27	3
Oklahoma	117	-	5	19	20	7	13	17	15	8	2	8	3
Texas*	1,828	6	129	423	288	164	197			553			68
MOUNTAIN	1,785												
Montana	99	-	4	16	15	6	8	12	10	4	2	4	18
Idaho	181	-	11	31	31	12	16	22	18	10	6	4	20
Wyoming	57	-	8	7	16	4	5	1	9	1	2	2	2
Colorado	318	1	18	62	52	37	27	29	40	24	14	12	2
New Mexico	477	1	66	155	81	36	24	17	30	10	3	4	50
Arizona*	424	-	2	4	3	3	2	1	1	-	-	-	408
Utah	172	-	7	36	29	17	23	6	15	10	4	10	15
Nevada*	57												
PACIFIC	7,838												
Washington	695	2	29	104	87	79	98	60	88	41	39	20	48
Oregon	1,055	1	49	232	224	114	102	104	88	57	40	20	24
California*	5,911	6	190	840	701	675	1,020	611		1,265			603
Alaska	110	3	2	8	10	15	2	7	9	10	5	1	38
Hawaii	67	-	2	3	2	7	21	7	21	3	1	-	-
Puerto Rico	1,116	3	103	380	179	138	108	43	55	44	27	26	10

*States not included in age group totals.

TABLE 10. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1966 — Continued

(D) MENINGOCOCCAL INFECTIONS

	Total	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	Unk.
UNITED STATES	3,381	574	961	388	203	361	197			452			245
NEW ENGLAND	159	41	40	21	8	13	9			22			5
Maine	15	5	5	2	-	2	-	-	-	-	-	1	-
New Hampshire	8	2	2	1	2	-	1	-	-	-	-	-	-
Vermont	3	1	-	1	-	-	-	-	-	-	-	-	1
Massachusetts	68	16	19	9	5	7	5	1	2	2	1	1	-
Rhode Island	19	5	3	4	-	1	3	-	1	-	-	1	1
Connecticut	46	12	11	4	1	3	-	2	4	2	2	2	3
MIDDLE ATLANTIC	428	68	110	43	23	51	38			87			8
New York City	56	13	14	2	8	3	2		2		12		-
Upstate New York	116	23	39	11	4	10	7	3	2	1	8	5	3
New Jersey	135	18	20	8	5	27	27	4	5	4	3	9	5
Pennsylvania	121	14	37	22	6	11	2	3	3	1	10	12	-
EAST NORTH CENTRAL	536	103	157	50	27	51	15			70			63
Ohio	158	37	49	20	6	17	4	-	5	6	9	2	3
Indiana	87	20	29	7	8	12	2	-	2	1	2	2	2
Illinois	102	14	40	10	5	8	6	4	5	2	2	5	1
Michigan	135	32	39	13	8	14	3	4	2	2	10	5	3
Wisconsin	* [54												54]
WEST NORTH CENTRAL	178	28	57	18	14	16	16			24			5
Minnesota	45	12	12	10	5	1	1	1	-	-	1	2	-
Iowa	23	3	9	2	1	2	1	-	-	-	1	-	4
Missouri	63	9	20	3	4	8	7	1	2	3	3	2	1
North Dakota	7	-	1	-	1	2	-	-	2	-	-	1	-
South Dakota	6	-	4	1	-	-	-	-	-	-	1	-	-
Nebraska	13	2	6	1	2	1	1	-	-	-	-	-	-
Kansas	21	2	5	1	1	2	6	-	-	-	-	2	-
SOUTH ATLANTIC	597	112	151	77	50	59	36			85			27
Delaware	7	1	3	-	-	3	-	-	-	-	-	-	-
Maryland	56	13	14	6	3	7	1	1	3	1	1	2	4
District of Columbia	16	2	3	2	-	-	3	1	1	3	1	-	-
Virginia	75	18	22	5	6	6	3	-	2	2	-	2	9
West Virginia	46	7	8	8	7	5	1	2	4	1	1	-	2
North Carolina	135	30	35	19	14	5	8	5	7	3	4	5	-
South Carolina	52	4	16	7	5	10	9	-	-	-	1	-	-
Georgia	105	15	19	11	5	14	8	3	5	5	6	2	12
Florida	105	22	31	19	10	9	3			11			-
EAST SOUTH CENTRAL	293	48	77	43	23	27	4			28			43
Kentucky	97	13	18	8	5	5	-	2	2	-	1	-	43
Tennessee	100	17	36	16	6	11	2	4	1	2	3	2	-
Alabama	63	12	13	14	9	7	1	1	-	3	2	1	-
Mississippi	33	6	10	5	3	4	1	1	1	2	-	-	-
WEST SOUTH CENTRAL	455	59	134	61	26	73	41			43			18
Arkansas	38	-	14	8	4	3	1	-	1	1	-	2	4
Louisiana	175	26	38	26	10	39	22	1	2	5	1	2	3
Oklahoma	25	3	11	2	2	2	2	-	-	1	-	1	1
Texas	217	30	71	25	10	29	16		9		4		10
MOUNTAIN	93	11	21	7	2	12	10			10			20
Montana	3	1	1	1	-	-	-	-	-	-	-	-	-
Idaho	6	-	3	1	-	2	-	-	-	-	-	-	-
Wyoming	6	2	1	1	-	-	-	-	-	1	-	1	-
Colorado	46	2	8	3	1	8	7	3	1	2	1	1	9
New Mexico	10	2	2	-	1	2	3	-	-	-	-	-	-
Arizona	13	4	5	1	-	-	-	-	-	-	-	-	3
Utah	2	-	1	-	-	-	-	-	-	-	-	-	1
Nevada	* [7												7]
PACIFIC	642	104	214	68	30	59	28			83			56
Washington	58	9	28	6	6	2	2	-	-	1	2	1	1
Oregon	43	5	11	9	4	3	4	-	3	1	1	1	1
California	529	87	171	52	19	54	21	4		29		22	53
Alaska	9	2	4	1	1	-	-	1	-	-	-	-	-
Hawaii	3	1	-	-	-	-	1	-	-	-	-	-	1
Puerto Rico	20	7	6	6	1	-	-	-	-	-	-	-	-

*Excluded from totals by age groups.

TABLE 10. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1966 — Continued

(E) TETANUS

AREA	Total	<1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50-59	60+	Unk.
UNITED STATES	235	34	11	9	7	5	4	10	20	17	31	87	-
NEW ENGLAND	4	-	1	-	-	-	1	-	1	-	1	-	-
Maine	-	-	-	-	-	-	-	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-	-	-	-	-
Massachusetts	2	-	-	-	-	-	1	-	-	-	1	-	-
Rhode Island	-	-	-	-	-	-	-	-	-	-	-	-	-
Connecticut	2	-	1	-	-	-	-	-	1	-	-	-	-
MIDDLE ATLANTIC	16	1	-	-	-	-	-	3	3	1	5	3	-
New York City	5	1	-	-	-	-	-	-	2	-	2	-	-
Upstate New York	2	-	-	-	-	-	-	1	-	-	-	1	-
New Jersey	3	-	-	-	-	-	-	-	-	-	2	1	-
Pennsylvania	6	-	-	-	-	-	-	2	1	1	1	1	-
EAST NORTH CENTRAL ..	30	1	2	2	-	1	-	2	4	1	4	13	-
Ohio	9	1	1	1	-	-	-	-	2	-	1	3	-
Indiana	6	-	1	1	-	-	-	-	1	-	1	2	-
Illinois	5	-	-	-	-	-	-	1	-	-	1	3	-
Michigan	5	-	-	-	-	1	-	-	1	-	1	2	-
Wisconsin	5	-	-	-	-	-	-	1	-	1	-	3	-
WEST NORTH CENTRAL ..	18	-	1	-	1	1	1	-	2	-	2	10	-
Minnesota	2	-	-	-	-	-	-	-	1	-	-	1	-
Iowa	4	-	-	-	-	-	-	-	-	-	-	2	-
Missouri	8	-	1	-	1	1	1	-	1	-	2	3	-
North Dakota	1	-	-	-	-	-	-	-	-	-	-	1	-
South Dakota	-	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska	2	-	-	-	-	-	-	-	-	-	-	2	-
Kansas	1	-	-	-	-	-	-	-	-	-	-	1	-
SOUTH ATLANTIC	41	3	-	2	1	1	-	1	2	4	5	22	-
Delaware	-	-	-	-	-	-	-	-	-	-	-	-	-
Maryland	4	-	-	1	-	-	-	1	1	-	-	1	-
District of Columbia	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	6	-	-	-	-	-	-	-	1	-	2	2	-
West Virginia	-	-	-	-	-	-	-	-	-	1	-	-	-
North Carolina	4	-	-	-	-	-	-	-	-	-	1	3	-
South Carolina	2	2	-	-	-	-	-	-	-	-	-	-	-
Georgia	9	-	-	-	-	-	-	-	-	-	2	7	-
Florida	16	1	-	1	1	1	-	-	-	3	-	9	-
EAST SOUTH CENTRAL ..	35	6	1	-	2	-	-	1	4	4	5	12	-
Kentucky	1	-	-	-	-	-	-	-	-	-	-	1	-
Tennessee	9	2	-	-	-	-	-	-	1	1	1	4	-
Alabama	14	3	1	-	-	-	-	1	3	1	2	3	-
Mississippi	11	1	-	-	2	-	-	-	-	2	2	4	-
WEST SOUTH CENTRAL ..	63	22	5	2	3	2	1	2	2	4	5	15	-
Arkansas	6	1	-	-	-	-	-	-	-	1	1	3	-
Louisiana	14	4	2	-	1	1	-	-	1	1	-	4	-
Oklahoma	3	-	-	-	1	1	-	-	-	-	-	1	-
Texas	40	17	3	2	1	-	1	2	1	2	4	7	-
MOUNTAIN	3	-	1	1	-	-	-	-	1	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-	-
Colorado	2	-	-	1	-	-	-	-	1	-	-	-	-
New Mexico	-	-	-	-	-	-	-	-	-	-	-	-	-
Arizona	1	-	1	-	-	-	-	-	-	-	-	-	-
Utah	-	-	-	-	-	-	-	-	-	-	-	-	-
Nevada	-	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC	25	1	-	2	-	-	1	1	1	3	4	12	-
Washington	-	-	-	-	-	-	-	-	-	-	-	-	-
Oregon	2	-	-	1	-	-	-	-	-	1	-	-	-
California	22	1	-	1	-	-	1	1	1	2	4	11	-
Alaska	-	-	-	-	-	-	-	-	-	-	-	-	-
Hawaii	1	-	-	-	-	-	-	-	-	-	-	1	-
Puerto Rico	58	7	3	7	2	4	2	2	5	4	6	15	1

TABLE 10. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1966 - Continued

(F) PARALYTIC POLIOMYELITIS							(G) TYPHOID FEVER						
AREA	Total	<1	1-4	5-9	10-19	20+	Total	<5	5-14	15-24	25-59	60+	Unk.
U.S.	106	22	57	11	6	10	378	61	100	58	95	46	18
NE	-	-	-	-	-	-	13	4	3	-	4	2	-
Me.	-	-	-	-	-	-	-	-	-	-	-	-	-
N.H.	-	-	-	-	-	-	-	-	-	-	-	-	-
Vt.	-	-	-	-	-	-	-	-	-	-	-	-	-
Mass.	-	-	-	-	-	-	9	3	3	-	2	1	-
R.I.	-	-	-	-	-	-	-	-	-	-	-	-	-
Conn.	-	-	-	-	-	-	4	1	-	-	2	1	-
MA	1	-	-	-	-	1	62	9	18	12	21	2	-
NYC	-	-	-	-	-	-	23	5	3	4	11	-	-
Up. NY ..	-	-	-	-	-	-	15	-	7	4	2	2	-
N.J.	-	-	-	-	-	-	8	3	2	-	3	-	-
Pa.	1	-	-	-	-	1	16	1	6	4	5	-	-
ENC	7	-	1	3	2	1	47	5	12	6	13	5	6
Ohio	2	-	-	2	-	-	20	1	5	2	5	2	5
Ind.	2	-	1	-	1	-	5	-	2	1	1	-	1
Ill.	2	-	-	-	1	1	8	2	2	1	3	-	-
Mich.	1	-	-	1	-	-	7	-	3	2	1	1	-
Wisc.	-	-	-	-	-	-	7	2	-	-	3	2	-
WNC	1	-	-	-	-	1	37	2	7	8	12	7	1
Minn.	1	-	-	-	-	1	1	-	-	-	1	-	-
Iowa	-	-	-	-	-	-	5	-	2	2	1	-	-
Mo.	-	-	-	-	-	-	21	1	3	5	7	4	1
N.D.	-	-	-	-	-	-	1	-	-	1	-	-	-
S.D.	-	-	-	-	-	-	-	-	-	-	-	-	-
Nebr.	-	-	-	-	-	-	2	-	-	-	1	1	-
Kans.	-	-	-	-	-	-	7	1	2	-	2	2	-
SA	4	-	1	3	-	-	65	11	21	11	15	6	1
Dela.	-	-	-	-	-	-	1	-	1	-	-	-	-
Md.	-	-	-	-	-	-	11	2	3	1	4	1	-
D.C.	-	-	-	-	-	-	2	-	1	-	-	-	-
Va.	-	-	-	-	-	-	15	1	8	3	2	1	-
W. Va.	2	-	-	2	-	-	1	1	-	-	-	-	-
N.C.	-	-	-	-	-	-	5	2	1	-	1	1	-
S.C.	-	-	-	-	-	-	15	1	2	5	5	1	1
Ga.	1	-	1	-	-	-	4	1	1	-	1	1	-
Fla.	1	-	-	1	-	-	11	3	4	2	2	-	-
ESC	4	-	3	-	-	1	43	4	17	4	12	6	-
Ky.	-	-	-	-	-	-	10	1	4	1	3	1	-
Tenn.	-	-	-	-	-	-	20	1	7	2	6	4	-
Ala.	1	-	1	-	-	-	6	-	3	-	2	1	-
Miss.	3	-	2	-	-	1	7	2	3	1	1	-	-
WSC	75	20	50	4	-	1	38	10	17	3	4	4	-
Ark.	-	-	-	-	-	-	6	1	4	-	-	1	-
La.	1	1	-	-	-	-	10	1	6	1	1	1	-
Okla.	1	-	1	-	-	-	12	4	4	-	2	2	-
Tex.	73	19	49	4	-	1	10	4	3	2	1	-	-
MT	-	-	-	-	-	-	18	3	-	3	2	2	8
Mont.	-	-	-	-	-	-	-	-	-	-	-	-	-
Ida.	-	-	-	-	-	-	-	-	-	-	-	-	-
Wyo.	-	-	-	-	-	-	-	-	-	-	-	-	-
Colo.	-	-	-	-	-	-	3	1	-	1	-	1	-
N.M.	-	-	-	-	-	-	2	-	-	1	1	-	-
Ariz.	-	-	-	-	-	-	5	-	-	-	-	-	5
Utah	-	-	-	-	-	-	5	2	-	1	1	1	-
Nev.	-	-	-	-	-	-	3	-	-	-	-	-	3
PAC	14	2	2	1	4	5	55	13	5	11	12	12	2
Wash.	5	-	-	-	3	2	13	1	2	-	2	8	-
Ore.	-	-	-	-	-	-	1	1	-	-	-	-	-
Calif.	9	2	2	1	1	3	33	11	2	7	8	3	2
Alaska ..	-	-	-	-	-	-	-	-	-	-	-	-	-
Hawaii ..	-	-	-	-	-	-	8	-	1	4	2	1	-
P. Rico...	2	-	2	-	-	-	20	1	8	4	5	2	-

TABLE 11. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY MONTH, 1966

(A) HEPATITIS, INFECTIOUS

AREA	Total	Jan	Feb	March	April	May	June	July	Aug	Sept	Oct	Nov	Dec	Mo.Unk
UNITED STATES	32,859	2,952	3,015	3,172	2,654	2,603	2,452	2,250	2,545	2,337	2,743	2,977	3,152	7
NEW ENGLAND	1,383	137	96	123	112	105	96	69	121	96	106	171	151	-
Maine	273	44	28	14	8	16	21	10	23	23	26	44	16	-
New Hampshire	59	6	8	8	8	2	4	5	4	1	5	3	5	-
Vermont	23	-	3	6	1	1	3	1	2	1	-	4	1	-
Massachusetts	557	50	29	61	70	57	30	27	34	37	40	52	70	-
Rhode Island	140	11	14	16	5	12	13	6	14	10	9	19	11	-
Connecticut	331	26	14	18	20	17	25	20	44	24	26	49	48	-
MIDDLE ATLANTIC	5,038	486	424	482	392	434	362	328	356	417	446	490	421	-
New York City	1,068	51	66	109	61	97	94	70	76	92	124	121	107	-
Upstate New York	1,453	182	124	138	101	128	138	98	100	92	102	130	120	-
New Jersey	893	73	73	84	93	83	45	56	59	111	90	65	61	-
Pennsylvania	1,624	180	161	151	137	126	85	104	121	122	130	174	133	-
EAST NORTH CENTRAL ...	6,005	636	630	624	550	420	392	330	456	375	457	509	619	7
Ohio	1,344	143	149	137	135	133	72	77	101	95	100	94	101	7
Indiana	488	39	50	37	52	30	37	34	20	37	37	48	67	-
Illinois	1,191	108	89	145	105	61	107	34	94	109	96	96	147	-
Michigan	2,564	321	306	274	235	181	160	156	209	122	192	165	243	-
Wisconsin	418	25	36	31	23	15	16	29	32	12	32	106	61	-
WEST NORTH CENTRAL ..	2,099	117	204	208	177	247	144	141	161	159	163	165	213	-
Minnesota	317	30	41	33	20	16	17	21	24	25	23	18	49	-
Iowa	526	23	35	61	44	59	49	39	47	59	37	39	34	-
Missouri	951	25	107	85	87	150	61	61	73	59	69	84	90	-
North Dakota	45	4	1	2	4	1	2	1	2	1	7	4	16	-
South Dakota	14	1	3	-	-	3	-	2	3	-	2	-	-	-
Nebraska	57	4	3	4	7	9	5	2	4	4	8	4	3	-
Kansas	189	30	14	23	15	9	10	15	8	11	17	16	21	-
SOUTH ATLANTIC	3,422	189	273	383	343	319	282	215	246	261	325	263	323	-
Delaware	81	9	6	3	7	8	5	5	2	6	6	3	21	-
Maryland	816	29	51	93	84	86	93	44	48	71	74	61	82	-
District of Columbia	38	1	1	4	3	4	1	2	2	3	7	8	2	-
Virginia	576	47	67	76	59	29	39	35	32	41	46	50	55	-
West Virginia	248	17	31	28	13	17	27	12	13	15	19	29	27	-
North Carolina	396	22	32	48	30	32	26	22	44	40	43	32	25	-
South Carolina	84	10	7	8	3	9	5	9	6	3	13	5	6	-
Georgia	530	7	19	45	69	56	41	26	52	41	61	52	61	-
Florida	653	47	59	78	75	78	45	60	47	41	56	23	44	-
EAST SOUTH CENTRAL ...	2,598	321	313	319	246	211	178	176	147	136	165	183	203	-
Kentucky	951	84	171	172	78	66	65	45	43	46	54	82	45	-
Tennessee	995	197	89	96	98	77	60	78	51	48	62	50	89	-
Alabama	329	16	27	34	43	37	25	14	18	15	36	29	35	-
Mississippi	323	24	26	17	27	31	28	39	35	27	13	22	34	-
WEST SOUTH CENTRAL ...	2,691	285	220	273	233	210	164	226	208	167	231	217	257	-
Arkansas	291	28	31	47	25	27	13	22	26	21	22	20	9	-
Louisiana*	455	28	32	43	38	50	33	46	46	27	32	31	49	-
Oklahoma	117	6	7	12	13	5	9	6	6	5	8	15	25	-
Texas	1,828	223	150	171	157	128	109	152	130	114	169	151	174	-
MOUNTAIN	1,785	236	194	107	109	99	102	110	108	130	160	169	261	-
Montana	99	4	4	7	7	10	7	4	10	3	16	9	18	-
Idaho	181	6	13	4	10	8	18	14	3	19	19	28	39	-
Wyoming	57	4	5	5	7	2	5	2	3	5	7	9	3	-
Colorado	318	63	30	24	11	30	16	38	19	25	19	18	25	-
New Mexico	477	61	71	25	32	20	18	22	20	20	56	43	89	-
Arizona	424	58	45	32	16	21	18	26	37	37	29	49	56	-
Utah	172	30	17	8	18	5	15	4	11	18	8	9	29	-
Nevada	57	10	9	2	8	3	5	-	5	3	6	4	2	-
PACIFIC	7,838	545	661	653	492	558	732	655	742	596	690	810	704	-
Washington	695	26	54	46	41	31	53	62	84	38	54	68	138	-
Oregon	1,055	68	70	71	58	64	66	77	94	90	130	119	148	-
California	5,911	440	521	512	374	452	602	498	553	456	488	603	412	-
Alaska	110	6	5	17	12	6	7	13	6	9	15	10	4	-
Hawaii	67	5	11	7	7	5	4	5	5	3	3	10	2	-
Puerto Rico	1,116	29	60	126	83	105	102	84	125	91	96	103	112	-

*Includes serum hepatitis.

Annual Supplement to the Morbidity and Mortality Weekly Report

TABLE II. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY MONTH, 1966 — Continued

(B) MEASLES (Rubeola)

AREA	Total	Jan	Feb	March	April	May	June	July	Aug	Sept	Oct	Nov	Dec	Mo. Unk
UNITED STATES	204,136	21,563	29,736	40,602	35,524	30,303	20,205	7,457	3,015	1,826	3,417	4,099	6,349	40
NEW ENGLAND	2,643	322	275	557	322	408	269	54	57	39	100	138	102	-
Maine	307	31	29	83	19	17	10	3	4	15	24	50	22	-
New Hampshire	104	17	8	4	14	16	23	8	13	-	-	-	1	-
Vermont	348	109	35	22	38	8	6	3	10	7	54	31	25	-
Massachusetts	853	89	120	222	133	104	75	10	22	8	14	28	28	-
Rhode Island	80	27	7	19	9	6	4	-	-	-	-	1	7	-
Connecticut	951	49	76	207	109	257	151	30	8	9	8	28	19	-
MIDDLE ATLANTIC	18,702	3,229	3,898	4,408	2,785	1,965	1,037	414	182	57	176	203	348	-
New York City	8,381	1,635	1,965	2,349	1,253	655	244	109	59	24	34	30	24	-
Upstate New York	2,720	402	354	503	331	331	284	242	105	16	47	38	67	-
New Jersey	2,090	207	441	571	245	188	113	17	3	3	40	79	183	-
Pennsylvania	5,511	985	1,138	985	956	791	396	46	15	14	55	56	74	-
EAST NORTH CENTRAL ...	69,790	9,392	12,540	15,181	10,387	9,892	7,180	2,093	842	431	435	647	751	19
Ohio	6,400	547	921	1,276	1,766	1,226	330	118	16	22	32	61	66	19
Indiana	5,840	345	744	1,181	901	1,243	970	220	67	37	47	33	52	-
Illinois	11,524	2,042	2,799	2,887	1,433	1,251	612	173	98	38	56	60	75	-
Michigan	15,251	1,655	1,806	2,393	1,818	2,264	2,930	1,001	449	201	167	240	327	-
Wisconsin	30,775	4,803	6,270	7,444	4,469	3,908	2,338	581	212	133	133	253	231	-
WEST NORTH CENTRAL ..	9,627	833	1,347	1,855	1,987	1,450	990	285	75	59	154	229	363	-
Minnesota	1,690	416	423	354	196	186	47	17	2	3	5	25	16	-
Iowa	5,500	166	527	1,103	1,580	1,064	705	157	31	7	39	16	105	-
Missouri	541	41	102	143	94	33	92	22	2	1	4	2	5	-
North Dakota	1,568	200	285	229	110	126	92	68	33	43	103	103	176	-
South Dakota	41	2	1	-	1	3	32	2	-	-	-	-	-	-
Nebraska	287	8	9	26	6	38	22	19	7	5	3	83	61	-
Kansas														-
not notifiable within State														
SOUTH ATLANTIC	16,437	1,933	2,037	2,962	2,805	2,257	1,955	859	346	207	203	324	549	-
Delaware	268	35	13	43	43	72	31	14	5	1	3	2	6	-
Maryland	2,118	314	374	489	269	323	255	40	17	10	14	1	12	-
District of Columbia	401	103	140	58	43	26	11	6	2	1	5	2	4	-
Virginia	2,271	121	201	227	473	392	365	290	55	56	23	33	35	-
West Virginia	5,554	965	727	1,277	618	603	661	190	143	101	70	113	86	-
North Carolina	819	22	12	90	32	85	116	42	67	16	19	105	213	-
South Carolina	790	93	134	162	188	77	80	34	12	3	1	3	3	-
Georgia	240	23	64	60	34	33	12	4	2	1	-	3	4	-
Florida	3,976	257	372	556	1,105	646	424	239	43	18	68	62	186	-
EAST SOUTH CENTRAL ...	21,021	2,640	3,449	4,122	4,127	2,849	1,568	801	221	151	163	294	636	-
Kentucky	4,877	830	1,446	1,115	588	345	224	113	38	32	14	64	68	-
Tennessee	12,955	1,735	1,669	2,276	2,725	2,179	1,153	533	142	93	117	119	214	-
Alabama	1,844	32	264	441	526	186	111	101	17	9	26	42	89	-
Mississippi	1,345	43	70	290	288	139	80	54	24	17	6	69	265	-
WEST SOUTH CENTRAL ...	27,850	1,208	2,473	4,820	6,667	4,360	2,865	1,370	526	408	599	646	1,908	-
Arkansas	1,334	22	15	230	201	221	211	11	4	1	1	10	407	-
Louisiana	145	17	23	18	14	7	10	5	6	-	-	-	45	-
Oklahoma	805	16	37	128	168	97	37	13	5	44	59	56	145	-
Texas	25,566	1,153	2,398	4,444	6,284	4,035	2,607	1,341	511	363	539	580	1,311	-
MOUNTAIN	13,752	839	1,450	2,589	2,451	2,574	1,371	637	256	116	788	267	393	21
Montana	2,583	198	181	309	385	404	244	79	3	17	655	42	45	21
Idaho	1,778	207	159	226	186	406	233	165	30	36	57	34	39	-
Wyoming	239	12	9	49	23	12	26	15	13	4	9	49	18	-
Colorado	1,489	61	162	327	187	196	197	88	81	16	16	76	82	-
New Mexico	1,295	4	38	142	366	429	103	39	29	3	8	18	116	-
Arizona	5,396	327	750	1,481	1,131	968	446	125	62	20	25	26	35	-
Utah	691	26	62	32	96	135	113	122	36	19	5	12	33	-
Nevada	281	4	89	23	77	24	9	4	2	1	13	10	25	-
PACIFIC	24,314	1,167	2,267	4,108	3,993	4,548	2,970	944	510	358	799	1,351	1,299	-
Washington	5,528	357	614	693	360	893	589	64	72	102	454	745	585	-
Oregon	2,704	128	159	251	318	260	241	280	107	82	88	326	464	-
California	15,254	667	1,467	3,123	3,257	3,309	2,060	446	183	111	213	223	195	-
Alaska	660	1	7	18	32	66	68	141	141	56	36	46	48	-
Hawaii	168	14	20	23	26	20	12	13	7	7	8	11	7	-
Puerto Rico	3,598	258	250	603	452	407	323	169	200	140	236	328	232	-

TABLE II. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY MONTH, 1966 — Continued

(C) MENINGOCOCCAL INFECTIONS

AREA	Total	Jan	Feb	March	April	May	June	July	Aug	Sept	Oct	Nov	Dec	Mo.Unk
UNITED STATES	3,381	292	422	561	424	378	241	168	157	118	180	208	227	5
NEW ENGLAND	159	18	24	23	8	24	13	5	5	5	10	12	12	-
Maine	15	-	3	4	1	2	-	1	-	-	2	2	-	-
New Hampshire	8	6	-	-	-	1	1	-	-	-	-	-	-	-
Vermont	3	1	-	1	-	-	-	1	-	-	-	-	-	-
Massachusetts	68	5	11	12	4	8	6	1	4	2	5	7	3	-
Rhode Island	19	2	1	1	-	5	2	-	1	1	1	1	4	-
Connecticut	46	4	9	5	3	8	4	2	-	2	2	2	5	-
MIDDLE ATLANTIC	428	46	32	53	45	48	27	24	26	23	30	51	23	-
New York City	56	5	3	7	3	8	4	1	5	3	5	9	3	-
Upstate New York	116	11	7	14	19	12	12	6	8	6	8	9	4	-
New Jersey	135	14	15	13	11	15	5	12	5	7	9	18	11	-
Pennsylvania	121	16	7	19	12	13	6	5	8	7	8	15	5	-
EAST NORTH CENTRAL	536	60	59	76	64	59	45	20	25	23	34	28	40	3
Ohio	158	22	9	25	17	13	8	9	6	7	15	11	13	3
Indiana	87	4	7	12	16	16	7	2	5	2	5	5	6	-
Illinois	102	10	25	11	9	11	12	2	3	4	2	4	9	-
Michigan	135	17	16	19	17	13	15	4	7	9	8	2	8	-
Wisconsin	54	7	2	9	5	6	3	3	4	1	4	6	4	-
WEST NORTH CENTRAL	178	14	23	27	30	20	13	10	1	7	4	12	17	-
Minnesota	45	3	6	7	11	2	3	2	-	-	2	2	7	-
Iowa	23	2	2	7	2	3	2	3	1	-	-	-	1	-
Missouri	63	5	9	10	9	11	5	3	-	3	2	3	3	-
North Dakota	7	-	2	1	1	1	1	-	-	1	-	-	-	-
South Dakota	6	1	-	1	1	1	-	-	-	1	-	1	-	-
Nebraska	13	-	2	1	4	1	-	-	-	-	-	3	2	-
Kansas	21	3	2	-	2	1	2	2	-	2	-	3	4	-
SOUTH ATLANTIC	597	54	88	69	79	74	36	36	27	22	42	28	40	2
Delaware	7	-	-	1	2	1	-	-	-	-	-	1	2	-
Maryland	56	5	9	6	4	6	7	3	5	1	2	1	5	2
District of Columbia	16	-	1	5	-	3	-	2	-	-	3	-	2	-
Virginia	75	4	10	7	15	10	6	1	4	2	9	3	4	-
West Virginia	46	2	3	3	1	1	2	7	2	6	5	9	5	-
North Carolina	135	4	20	11	13	33	8	7	10	8	9	4	8	-
South Carolina	52	8	14	3	12	2	2	2	1	1	4	2	1	-
Georgia	105	11	20	19	18	10	1	2	1	4	8	4	7	-
Florida	105	20	11	14	14	8	10	12	4	-	2	4	6	-
EAST SOUTH CENTRAL	293	11	56	39	38	38	23	13	13	12	13	15	22	-
Kentucky	97	3	36	14	13	7	6	1	5	2	3	5	2	-
Tennessee	100	6	12	12	11	18	8	6	1	5	8	6	7	-
Alabama	63	2	5	10	11	10	4	4	4	5	-	4	4	-
Mississippi	33	-	3	3	3	3	5	2	3	-	2	-	9	-
WEST SOUTH CENTRAL	455	27	77	94	64	44	40	17	10	9	19	20	34	-
Arkansas	38	3	3	5	2	9	9	2	-	2	-	1	2	-
Louisiana	175	6	29	42	27	14	12	6	1	2	9	11	16	-
Oklahoma	25	-	3	3	4	6	2	-	2	-	2	-	3	-
Texas	217	18	42	44	31	15	17	9	7	5	8	8	13	-
MOUNTAIN	93	13	14	9	19	9	4	4	8	3	4	5	1	-
Montana	3	-	1	-	1	-	-	-	-	-	1	-	-	-
Idaho	6	1	1	-	1	2	-	-	-	1	-	-	-	-
Wyoming	6	-	1	-	-	2	2	1	-	-	-	-	-	-
Colorado	46	10	4	5	11	4	-	3	6	1	2	-	-	-
New Mexico	10	1	3	1	4	-	1	-	-	-	-	-	-	-
Arizona	13	-	4	3	1	-	-	-	2	-	-	3	-	-
Utah	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Nevada	7	1	-	-	1	1	1	-	-	1	1	1	-	-
PACIFIC	642	49	49	171	77	62	40	39	42	14	24	37	38	-
Washington	58	5	3	9	4	11	3	2	-	2	5	6	8	-
Oregon	43	3	2	4	15	4	1	3	1	1	2	4	3	-
California	529	40	43	153	57	47	35	34	41	10	16	26	27	-
Alaska	9	-	1	4	1	-	-	-	-	1	1	1	-	-
Hawaii	3	1	-	1	-	-	1	-	-	-	-	-	-	-
Puerto Rico	20	-	-	2	2	3	2	1	1	2	4	-	3	-

TABLE 12. ACUTE DISEASES OPTIONALLY REPORTED TO THE PUBLIC HEALTH SERVICE, BY STATE, 1966

AREA	ANIMAL BITES	CHICKENPOX	CONJUNCTIVITIS (Pink Eye)	ERYSIPELAS	FUNGAL INFECTIONS		IMPETIGO
					COCCIDIOI- DOMYCOSIS	HISTOPLASMOSIS	
NO. CASES REPORTED ...	114,648	136,149	7,072	101	847	236	3,662
No. States Reporting	(16)	(41)	(25)	(15)	(10)	(19)	(10)
NEW ENGLAND							
Maine	...	1,800	112	...	...	...	...
New Hampshire	81	534	...	2	...	...	2
Vermont	...	1,190	6	...	...	...	...
Massachusetts	21,112	8,110	...	6	...	...	...
Rhode Island	456	2,010	...	1	...	...	...
Connecticut	...	7,332	116	8	...	1	...
MIDDLE ATLANTIC							
New York City	...	4,172	...	...	...	...	...
Upstate New York	...	76	15	...	...	...	...
New Jersey	...	...	...	...	...	...	...
Pennsylvania	16,689	...	...	...	...	...	...
EAST NORTH CENTRAL ..							
Ohio	...	7,455	3	5	...	14	7
Indiana	9,736	4,411	1,343	6	...	12	...
Illinois	31,033	9,067	8	10	2	44	4
Michigan	26,140	13,627	377	13	...	...	1,346
Wisconsin	...	24,140	7	...	...	7	...
WEST NORTH CENTRAL ..							
Minnesota	4,830	55	3	4	2	3	...
Iowa	...	7,446	956	...	...	46	...
Missouri	...	1,023	1	...	...	1	35
North Dakota	63	1,661	1,337	...	...	...	947
South Dakota	...	9	...	...	...	...	...
Nebraska	...	323	29	...	...	...	48
Kansas	...	...	...	1	...	10	...
SOUTH ATLANTIC							
Delaware	...	689	3	...	...	...	...
Maryland	1,544	1,192	...	...	...	...	...
District of Columbia	...	310	1	1	...	1	...
Virginia	...	...	...	...	...	...	...
West Virginia	1,354	4,503	370	...	...	...	...
North Carolina	...	...	...	...	...	...	...
South Carolina	...	577	...	...	...	...	...
Georgia	...	2	1	...	...	...	...
Florida	...	4,308	...	...	...	4	...
EAST SOUTH CENTRAL ..							
Kentucky	...	2,346	189	...	...	4	...
Tennessee	...	...	...	...	...	...	...
Alabama	...	805	...	...	...	4	...
Mississippi	...	250	...	...	2	9	...
WEST SOUTH CENTRAL ..							
Arkansas	988	312	...	...	1	61	...
Louisiana	283	...	...	...	1	10	...
Oklahoma	...	...	...	...	...	...	...
Texas	...	...	...	...	...	...	...
MOUNTAIN							
Montana	56	1,419	...	...	...	...	...
Idaho	...	440	...	6	...	...	...
Wyoming	...	58	2	...	...	1	...
Colorado	...	...	...	...	...	...	...
New Mexico	...	417	...	1	1	...	...
Arizona	...	3,546	...	...	592	3	...
Utah	...	961	...	...	2	1	...
Nevada	...	153	...	...	...	...	23
PACIFIC							
Washington	...	9,521	1,247	...	2	...	...
Oregon	243	25	2	33	...	...	53
California	...	...	31	...	242	...	...
Alaska	40*	760	849	...	...	...	1,197
Hawaii	...	2,114	64	4	...	...	...
Puerto Rico	...	938	...	...	...	...	...

*Number of animals tested for rabies

TABLE 12. ACUTE DISEASES OPTIONALLY REPORTED TO THE PUBLIC HEALTH SERVICE, BY STATE, 1966 — Continued

AREA	GASTRO-ENTERIC DISORDERS			MENINGITIS (Other & Unspecified)	MONO- NUCLEOSIS, INFECTIOUS	MUMPS	RESPIRATORY INFECTIONS	RINGWORM
	NON- SPECIFIC	ANCLYO- STOMIASIS (Hookworm)	DIARRHEA OF NEWBORN					
NO. CASES REPORTED ...	40,188	3,756	531	2,691	7,668	128,295	442,854	4,075
No. States Reporting	(18)	(10)	(15)	(37)	(34)	(40)	(19)	(19)
NEW ENGLAND								
Maine	...	...	...	22	136	3,459	...	23
New Hampshire	...	...	...	13	15	379	635	...
Vermont	...	...	...	4	275	776	...	...
Massachusetts	...	...	2	312	...	7,625	...	...
Rhode Island	...	...	...	53	39	1,966	...	3
Connecticut	...	208	...	40	1,392	8,550	407	174
MIDDLE ATLANTIC								
New York City	...	...	85	254	...	5,947	...	...
Upstate New York	...	...	51	251	...	...	...	...
New Jersey	...	...	...	...	...	...	...	...
Pennsylvania	...	81*	...	139	473	...	...	...
EAST NORTH CENTRAL ..								
Ohio	397	1	9	187	228	7,407	1,181	...
Indiana	...	...	...	45	741	3,423	...	...
Illinois	1,041	...	105	363	16	6,575	1,867	96
Michigan	...	...	32	171	861	10,798	3,545	963
Wisconsin	...	...	3	...	5	21,511	...	161
WEST NORTH CENTRAL ..								
Minnesota	143	14	86	70	1,599	93	610	34
Iowa	...	1	...	57	330	3,397	...	191
Missouri	...	...	1	11	7	1,256	121	22
North Dakota	...	...	...	...	...	1,643	17,364	63
South Dakota	...	...	...	1	1	26	...	...
Nebraska	79	...	...	...	5	119	1,824	...
Kansas	...	1	...	17	...	...	...	60
SOUTH ATLANTIC								
Delaware	...	...	...	38	4	242	...	...
Maryland	4	...	...	112	...	1,642	...	...
District of Columbia	1	...	...	35	2	214	821	...
Virginia	...	...	...	...	...	...	...	...
West Virginia	11,334	...	20	11	193	3,972	119,647	...
North Carolina	...	...	...	...	...	...	...	...
South Carolina	...	...	...	24	13	280	2,609	...
Georgia	...	2,619	...	92	...	...	69	...
Florida	...	...	85	...	...	3,276	...	...
EAST SOUTH CENTRAL ..								
Kentucky	2,560	4	...	97	173	2,309	...	60
Tennessee	...	...	...	...	...	...	71,619	...
Alabama	...	...	...	...	91	427	...	...
Mississippi	5	823	11	35	32	473	...	...
WEST SOUTH CENTRAL ..								
Arkansas	...	...	...	...	24	542	...	...
Louisiana	...	...	...	...	28	...	...	...
Oklahoma	...	...	...	...	...	...	...	...
Texas	...	...	...	...	...	...	...	...
MOUNTAIN								
Montana	794	...	...	1	73	...	...	...
Idaho	132	...	...	14	60	259	...	...
Wyoming	...	...	...	5	1	33	...	...
Colorado	...	...	...	38	...	3,604	...	38
New Mexico	10,452	...	...	11	28	282	21,673	...
Arizona	250	...	...	...	701	2,097	...	406
Utah	55	...	...	13	16	371	2,963	34
Nevada	56	...	...	1	...	54	3,398	...
PACIFIC								
Washington	10,670	...	...	77	44	10,541	172,730	1,612
Oregon	1	...	26	72	7	78	...	63
California	...	...	12	...	...	11,113	...	...
Alaska	2,218	...	...	3	...	737	19,771	71
Hawaii	...	4	3	2	55	799	...	1
Puerto Rico	...	...	...	97	2	1,082	...	...

*Philadelphia

TABLE 13. OTHER DISEASES OPTIONALLY REPORTED TO THE PUBLIC HEALTH SERVICE, 1966

(Reported by more than one, but less than 10 States)

Cat Scratch Fever	Fla. 1, Ill. 3
Fungal infections:	
Actinomycosis	Ark. 1, Fla. 2, Ill. 1, Iowa 4, La. 1, Mass. 1, Minn. 1
Blastomycosis	Ark. 10, Ill. 1, Ind. 1, Iowa 1, La. 3, Ohio 1, Va. 2
Cryptococcosis	Ariz. 1, Fla. 10, Ill. 2, Iowa 4, La. 9, Md. 3, Minn. 1, Miss. 1
Unspecified	Ill. 6
Gastroenteric disorders:	
Ascariasis	Ark. 13, D.C. 1, Ill. 2, Iowa 1, Minn. 12, Miss. 422
Food poisoning, general	Calif. 1, 025 (47 outbreaks), Ind. 145, Nev. 2
Viral enteritis	N.H. 8, W. Va. 236, Hawaii 6 (outbreak)
Specified etiology:	
<u>C. perfringens</u>	Me. 25, Minn. 70 (of 176), N.C. 168 (of 171), Wash. 61
<u>Enteropath. E. coli</u>	D.C. 15, Hawaii 52, Ill. 129, Nev. 1, Ohio 406, Ore. 102, S.C. 25, Wash. 3
<u>L. giardiasis</u>	Colo. 52, Kans. 49, Minn. 61, Utah 1
<u>Staphylococcus</u>	Iowa 258, N.C. 3
Herpes Zoster	Ohio 1, Mo. 1
Keratoconjunctivitis	Alaska 3, Ind. 19, Ore. 3
Otitis Media	Alaska 5,849, Nebr. 426, Nev. 74
Ophthalmia neonatorum	Ill. 12, Ohio 1
Pediculosis	Mich. 75, Nebr. 45
Q Fever	Calif. 12, Ida. 6, Kans. 1, Mont. 1, Wyo. 1
Rat Bite Fever	Ohio 1, Ore. 1, Tenn. 1
Scabies	Mich. 33, N.D. 343, Ore. 183
Schistosomiasis	N.M. 1, N.Y. C. 287
Staph. infections	Alaska 403, D.C. 5, Ill. 949, Wash. 1,904
Tick-borne diseases:	
Colorado Tick Fever	Colo. 136, Ida. 2, Ore. 9, Utah 4, Wyo. 5
Tick Paralysis	Ore. 1
Relapsing Fever	Calif. 5
Toxoplasmosis	Ark. 4, Ill. 1, Iowa 1, Minn. 3, Miss. 2, N.H. 1, Pa. 1, Utah 1
Trachoma	Ariz. 812, Calif. 110, Minn. 1, Mont. 102, Nebr. 1, Nev. 133, N.M. 4, Ore. 2
Vincent's Infection	Mo. 5, N.H. 5
Viral infections, specified:	
Adeno	Minn. 16, Mo. 80
Coxsackie	Minn. 2, Ohio 1, Utah 48
ECHO	Minn. 17, Ohio 1, Utah 5

Infections Reported by a Single State

Dengue	P.R. 2	Pasteurella	Ore. 4
Fifth disease	Ore. 21	Scrub typhus	Fla. 1
Gas gangrene	N.H. 5	Sepsis of newborn	Ohio 31
<u>H. influenzae</u> mening.	Mich. 74	Septicemia & pyemia	Ohio: staph. 45, strep. 945
<u>Listeriosis</u>	La. 2	Umbilical sepsis	Ohio 1
Mycobacteriosis,		Visceral larva migrans	La. 2
atypical	La. 18	Yaws	Ohio 3



TABLE 14. CUMULATIVE WEEKLY TOTAL NUMBER OF DEATHS IN 122 UNITED STATES CITIES
FOR YEAR 1966 (THROUGH 52nd WEEK ENDED DECEMBER 31, 1966)

(By place of occurrence and week of filing certificate. Excludes fetal deaths)

AREA	All Causes		Pneu- monia and Influenza All Ages	Under 1 year All Causes	AREA	All Causes		Pneu- monia and Influenza All Ages	Under 1 year All Causes
	All Ages	65 years and over				All Ages	65 years and over		
NEW ENGLAND:	38,703	23,719	1,803	1,886	SOUTH ATLANTIC:	60,991	31,597	2,698	3,682
Boston, Mass.	12,747	7,283	449	650	Atlanta, Ga.	6,897	3,062	283	535
Bridgeport, Conn.	2,271	1,401	199	100	Baltimore, Md.	13,332	6,803	407	746
Cambridge, Mass.	1,535	1,057	58	36	Charlotte, N. C.	2,395	1,120	95	156
Fall River, Mass.	1,488	1,005	34	47	Jacksonville, Fla.	3,619	1,772	135	252
Hartford, Conn.	2,870	1,532	115	225	Miami, Fla.	4,636	2,573	36	216
Lowell, Mass.	1,463	933	89	65	Norfolk, Va.	2,850	1,390	232	169
Lynn, Mass.	1,152	800	58	39	Richmond, Va.	4,313	2,226	114	283
New Bedford, Mass.	1,451	994	63	31	Savannah, Ga.	1,762	790	128	114
New Haven, Conn.	2,641	1,534	53	158	St. Petersburg, Fla.	4,242	3,433	258	69
Providence, R. I.	3,384	2,022	131	194	Tampa, Fla.	3,901	2,270	418	204
Somerville, Mass.	708	494	53	11	Washington, D. C.	10,691	4,929	459	793
Springfield, Mass.	2,546	1,693	251	111	Wilmington, Del.	2,353	1,229	133	145
Waterbury, Conn.	1,546	991	17	95					
Worcester, Mass.	2,901	1,980	233	124	EAST SOUTH CENTRAL:	32,326	16,998	1,728	1,897
MIDDLE ATLANTIC:	173,652	101,845	7,522	7,992	Birmingham, Ala.	4,909	2,484	108	261
Albany, N. Y.	2,593	1,432	59	130	Chattanooga, Tenn.	2,555	1,365	222	148
Allentown, Pa.	1,856	1,154	70	62	Knoxville, Tenn.	2,061	1,247	108	83
Buffalo, N. Y.	7,709	4,498	293	386	Louisville, Ky.	6,422	3,472	617	327
Camden, N. J.	2,241	1,272	97	125	Memphis, Tenn.	6,948	3,607	221	500
Elizabeth, N. J.	1,737	1,044	95	67	Mobile, Ala.	2,351	1,122	50	177
Eric, Pa.	2,239	1,387	141	106	Montgomery, Ala.	2,059	1,084	161	131
Jersey City, N. J.	3,649	2,120	296	211	Nashville, Tenn.	5,021	2,617	241	270
Newark, N. J.	4,852	2,346	322	389	WEST SOUTH CENTRAL:	58,744	30,263	2,340	4,093
New York City, N. Y.	88,097	51,590	3,699	3,800	Austin, Tex.	2,042	1,147	208	110
Paterson, N. J.	2,033	1,182	127	130	Baton Rouge, La.	1,874	1,020	63	132
Philadelphia, Pa.	26,187	15,200	705	1,222	Corpus Christi, Tex.	1,399	691	24	105
Pittsburgh, Pa.	10,248	5,648	228	487	Dallas, Tex.	7,773	3,941	287	532
Reading, Pa.	2,638	1,796	184	80	El Paso, Tex.	1,965	963	167	190
Rochester, N. Y.	5,369	3,486	411	277	Fort Worth, Tex.	4,038	2,183	100	288
Schenectady, N. Y.	1,385	869	67	36	Houston, Tex.	10,568	4,819	297	729
Scranton, Pa.	1,994	1,260	143	62	Little Rock, Ark.	2,962	1,573	161	209
Syracuse, N. Y.	3,118	1,936	88	187	New Orleans, La.	9,631	4,719	295	718
Trenton, N. J.	2,407	1,360	142	113	Oklahoma City, Okla.	4,429	2,377	88	260
Utica, N. Y.	1,427	1,037	209	44	San Antonio, Tex.	5,921	3,384	207	410
Yonkers, N. Y.	1,873	1,228	146	78	Shreveport, La.	2,908	1,542	220	234
EAST NORTH CENTRAL:	137,084	77,534	5,106	7,810	Tulsa, Okla.	3,234	1,904	223	176
Akron, Ohio	2,244	1,999	5	222	MOUNTAIN:	22,133	12,766	1,132	1,344
Canton, Ohio	1,761	1,153	151	106	Albuquerque, N. Mex. ...	2,280	1,184	271	165
Chicago, Ill.	2,655	21,702	1,732	2,396	Colorado Springs, Colo. ...	1,121	728	107	67
Cincinnati, Ohio	8,105	5,205	234	417	Denver, Colo.	6,107	3,527	246	397
Cleveland, Ohio	1,782	6,185	151	580	Ogden, Utah	966	585	69	70
Columbus, Ohio	6,861	3,634	134	359	Phoenix, Ariz.	5,189	2,950	250	321
Dayton, Ohio	2,006	2,387	222	237	Pueblo, Colo.	1,153	725	49	53
Detroit, Mich.	1,674	10,248	729	1,001	Salt Lake City, Utah ...	2,717	1,581	53	158
Evansville, Ind.	2,057	1,414	122	102	Tucson, Ariz.	2,600	1,486	87	113
Flint, Mich.	5,395	1,303	110	225	PACIFIC:	82,304	50,175	2,482	3,733
Fort Wayne, Ind.	3,116	1,324	163	124	Berkeley, Calif.	1,043	732	28	28
Gary, Ind.	3,375	894	155	135	Fresno, Calif.	2,551	1,386	109	177
Grand Rapids, Mich. ...	1,891	1,740	211	127	Glendale, Calif.	1,638	1,163	43	52
Indianapolis, Ind.	40,302	4,504	283	512	Honolulu, Hawaii	2,399	1,144	52	223
Madison, Wis.	8,649	919	4	117	Long Beach, Calif.	3,921	2,543	132	144
Milwaukee, Wis.	11,196	4,196	162	397	Los Angeles, Calif.	24,791	15,311	788	1,091
Peoria, Ill.	6,524	1,150	44	165	Oakland, Calif.	4,743	2,761	148	269
Rockford, Ill.	4,133	1,009	149	128	Pasadena, Calif.	1,970	1,398	25	53
South Bend, Ind.	18,560	1,269	122	96	Portland, Oreg.	6,094	3,710	98	261
Toledo, Ohio	2,197	3,344	174	247	Sacramento, Calif.	3,608	2,135	75	177
Youngstown, Ohio	2,601	1,955	49	117	San Diego, Calif.	5,138	3,001	149	276
WEST NORTH CENTRAL:	44,462	27,337	1,586	2,280	San Francisco, Calif. ...	9,958	5,670	256	365
Des Moines, Iowa	3,052	2,033	125	141	San Jose, Calif.	2,125	1,358	189	112
Duluth, Minn.	1,295	851	48	54	Seattle, Wash.	7,532	4,603	269	333
Kansas City, Kans.	1,982	1,034	148	191	Spokane, Wash.	2,661	1,851	56	95
Kansas City, Mo.	6,853	4,196	175	310	Tacoma, Wash.	2,132	1,409	65	77
Lincoln, Nebr.	1,467	1,003	67	51					
Minneapolis, Minn.	6,108	3,856	144	318	Total	650,399	372,234	26,397	34,717
Omaha, Nebr.	4,012	2,413	108	200					
St. Louis, Mo.	13,198	7,865	452	627					
St. Paul, Minn.	3,797	2,473	96	196					
Wichita, Kans.	2,698	1,613	223	192					

DISEASE TRENDS


	Page
Anthrax	29
Botulism	29
Brucellosis	30
Diphtheria	31-32
Encephalitis	32-34
Hepatitis	35
Leprosy	36
Leptospirosis	37
Malaria	38
Measles (Rubeola)	39
Meningococcal Infections	40
Meningitis, Aseptic	41
Pertussis	42
Plague	43
Pneumonia-Influenza Deaths - 122 Cities	44
Mortality in 122 Cities	45
Poliomyelitis	46-47
Rabies	48-49
Rocky Mountain Spotted Fever (tick-borne typhus)	50
Rubella (German Measles)	51
Salmonella	52
Shigella	53
Trichinosis	53
Tetanus	54-55
Tularemia	55
Typhoid Fever	56
Typhus Fever (flea-borne, murine)	57
Venereal Diseases	58-59

ANTHRAX – REPORTED HUMAN CASES
1950-1966BOTULISM – REPORTED CASES AND DEATHS
UNITED STATES, 1950-1966


REPORTED HUMAN BRUCELLOSIS UNITED STATES, 1950-1966




BRUCELLOSIS REPORTED CASES PER 100,000 POPULATION, 1966




DIPHTHERIA-REPORTED ANNUAL CASE AND
DEATH RATES, AND CASE-FATALITY RATIO
UNITED STATES, 1920-1966




DIPHTHERIA
CASES BY FIVE-YEAR AGE GROUPS
UNITED STATES, 1966



DIPHTHERIA GEOGRAPHIC DISTRIBUTION, UNITED STATES, 1966




ENCEPHALITIS, ASEPTIC MENINGITIS, ALL FORMS UNITED STATES, 1966





NATIONAL ENCEPHALITIS SURVEILLANCE PROGRAM
UNITED STATES, 1966

ARTHROPOD-BORNE ENCEPHALITIDES




ENCEPHALITIS—ETIOLOGY UNKNOWN


POST-INFECTIOUS ENCEPHALITIS ASSOCIATED
WITH MEASLES, MUMPS, CHICKEN POX, AND RUBELLA

HUMAN CASES OF ARTHROPOD-BORNE ENCEPHALITIS BY STATE, 1966


WESTERN ENCEPHALITIS






ST. LOUIS ENCEPHALITIS



CALIFORNIA AND EASTERN ENCEPHALITIS






LEPROSY—REPORTED CASES
1950-1966LEPROSY
AVERAGE NUMBER OF REPORTED CASES, BY MONTH
1962-1966


LEPTOSPIROSIS
GEOGRAPHIC DISTRIBUTION, UNITED STATES, 1966




LEPTOSPIROSIS
REPORTED CASES BY MONTH, 1965-1966





MALARIA
CASES BY DATE OF REPORT, UNITED STATES, 1933-1966




MALARIA
MILITARY AND CIVILIAN, UNITED STATES, 1957-1966
SURVEILLANCE PROGRAM






REPORTED MEASLES CASES, BY MONTH
1962-1966MEASLES (RUBEOLA)
DEATHS IN THE UNITED STATES
PERCENT DISTRIBUTION BY AGE, 1961-1965



MENINGOCOCCAL INFECTIONS
REPORTED BY YEAR
UNITED STATES, 1920-1966




MENINGOCOCCAL INFECTIONS
REPORTED CASES PER 100,000 POPULATION
1966








HUMAN PLAGUE
COUNTIES REPORTING ONE OR MORE CASES
1900-1966




- 1,2. LABORATORY ACQUIRED CASES - 1901, 1959
3. ONE CASE, INFECTION ACQUIRED IN COLO., DIAGNOSED IN TEXAS.
4. THREE CASES, ONE DIAGNOSED IN MASS. - 1961.
5. IMPORTED CASE, 1966.


HUMAN CASES OF PLAGUE
UNITED STATES, 1950-1966, BY AGE AND SEX





PNEUMONIA-INFLUENZA DEATHS IN 122 UNITED STATES CITIES




MORTALITY IN 122 UNITED STATES CITIES






ANNUAL POLIOMYELITIS INCIDENCE RATES
UNITED STATES, 1941-1966POLIOMYELITIS
REPORTED PARALYTIC CASES, BY MONTH
1961-1966

PARALYTIC POLIOMYELITIS
GEOGRAPHIC DISTRIBUTION, UNITED STATES, 1966




PARALYTIC POLIOMYELITIS
REPORTED CASES BY FIVE-YEAR AGE GROUPS
UNITED STATES, 1966







HUMAN RABIES DEATHS BY AGE AND SEX
UNITED STATES, 1950-1966




RABIES
COUNTIES REPORTING ONE OR MORE ANIMAL CASES
1966




ROCKY MOUNTAIN SPOTTED FEVER
REPORTED CASES IN THE UNITED STATES, 1950-1966





ROCKY MOUNTAIN SPOTTED FEVER
GEOGRAPHIC DISTRIBUTION, UNITED STATES, 1966




RUBELLA
REPORTED MONTHLY CASE RATES BY REGION*
UNITED STATES, 1965-66



Annual Supplement to the Morbidity and Mortality Weekly Report

SALMONELLA SURVEILLANCE*
REPORTED HUMAN ISOLATIONS


SHIGELLA SURVEILLANCE
HUMAN ISOLATIONS REPORTED BY 17 STATES*
1964-1966




* BASED ON REPORTS TO THE ENTERIC DISEASES UNIT FROM:

ALASKA, ARIZONA, HAWAII, ILLINOIS, KANSAS, MARYLAND, NEW JERSEY, NEW MEXICO, NORTH CAROLINA, NORTH DAKOTA, OHIO, OKLAHOMA, OREGON, SOUTH DAKOTA, TENNESSEE, TEXAS AND VERMONT.


TRICHINOSIS
REPORTED CASES, UNITED STATES, 1950-1966






REPORTED TETANUS UNITED STATES, 1950-1966



TETANUS GEOGRAPHIC DISTRIBUTION, UNITED STATES, 1966







TYPHOID FEVER
REPORTED CASES PER 100,000 POPULATION
1966

ALASKA

HAWAII

U.S. REPORTED CASE RATE 0.19


LESS THAN 0.10

0.10 TO 0.49

0.50 OR GREATER


PUERTO RICO

REPORTED CASES OF
TYPHUS FEVER, FLEA-BORNE (ENDEMIC, MURINE)
UNITED STATES, 1949-1966




MURINE TYPHUS
GEOGRAPHIC DISTRIBUTION, UNITED STATES, 1966







REPORTED CIVILIAN CASES OF GONORRHEA
UNITED STATES, 1954-1966



SYPHILIS - PRIMARY AND SECONDARY
REPORTED CASE RATE PER 100,000 POPULATION
CALENDAR YEAR 1966



SYPHILIS - REPORTED PRIMARY AND SECONDARY CASES
AGE SPECIFIC RATES PER 100,000 POPULATION BY SEX AND COLOR
UNITED STATES, CALENDAR YEAR 1966



THE ANNUAL SUPPLEMENT TO THE MORBIDITY AND MORTALITY WEEKLY REPORT IS PUBLISHED BY THE NATIONAL COMMUNICABLE DISEASE CENTER, PUBLIC HEALTH SERVICE, DHEW, ATLANTA, GEORGIA.

DAVID J. SENCER, M.D.
DIRECTOR, NATIONAL COMMUNICABLE DISEASE CENTER

ALEXANDER D. LANGMUIR, M.D.
CHIEF, EPIDEMIOLOGY PROGRAM

IDA L. SHERMAN, M.S.
ACTING CHIEF, STATISTICS SECTION

WITH ERNESTINE TOMLINSON, MAXINE SPOON, AND CYRUS STOW.

U. S. DEPARTMENT OF
HEALTH, EDUCATION, AND WELFARE
PUBLIC HEALTH SERVICE
National Communicable Disease Center
Atlanta, Georgia 30333

Official Business

POSTAGE AND FEES PAID
U. S. DEPARTMENT OF H. E. W.

