

estimated at 1,157,014. The lowest rate was recorded at Queens-town, viz, 00.0, and the highest at Sligo, viz, 28 per 1,000.

Scotland.—The deaths registered in 18 principal towns correspond to an annual rate of 14.8 per 1,000 of the population, which is estimated at 2,182,400. The lowest rate was recorded at Kirkcaldy, viz, 5.2, and the highest at Hamilton, viz, 21.2 per 1,000. The total number of deaths from all causes was 620, including diphtheria 4, measles 27, scarlet fever 1.

HAWAII—Honolulu.—Three weeks ended June 22, 1912. Population, 39,306. Total number of deaths from all causes 52, including tuberculosis 11. Cases reported: Tuberculosis 9, typhoid fever 1.

PORTO RICO—Ponce.—Three weeks ended June 29, 1912. Population, 27,952. Total number of deaths from all causes not reported: Tuberculosis 4. Cases reported: Tuberculosis 7. Five hundred and nineteen cases of hookworm disease were reported.

San Juan.—Four weeks ended June 29, 1912. Total number of deaths from all causes not reported, including tuberculosis 1. Cases reported: Diphtheria 1, tuberculosis 25, typhoid fever 11. Fifteen cases of hookworm disease were reported.

SPAIN—Cadiz.—Month of May, 1912. Population 67,306. Total number of deaths from all causes 195, including measles 2, smallpox 2, typhoid fever 1.

SPAIN—Huelva.—Month of May, 1912. Population 28,982. Total number of deaths from all causes 79, including measles 2, tuberculosis 11.

By authority of the Secretary of the Treasury:

RUPERT BLUE,
Surgeon General,

United States Public Health and Marine-Hospital Service.

ADDITIONAL COPIES of this publication
A may be procured from the SUPERINTEND-
ENT OF DOCUMENTS, Government Printing
Office, Washington, D. C., at 5 cents per copy.
Subscription price, per volume - - - - \$2

