PUBLIC HEALTH REPORTS

VOLUME 32

JUNE 1, 1917

No. 22

MAINTENANCE OF HEALTH IN INDUSTRIES.

ITS RELATION TO THE ADEQUATE PRODUCTION OF WAR MATERIALS

By J. W. SCHERESCHEWSKY, Surgeon, United States Public Health Service.

How to safeguard the health of the three and one-half to four million workers in industries producing war materials, such as the metal trades generally and the mining, rubber, shipbuilding, chemical, leather, and motor vehicle industries, is of deep interest at this moment, because in a crisis of this nature the tendency is to speed up industry at the sacrifice of the workers' health. War materials must be produced in unprecedented quantities; continuous maximum production must be maintained. Under such pressing conditions the abiding program of health protection may easily be neglected, and the additional measures necessitated by the influx of a large number of temporary workers may not be taken.

The convincing illustration of this danger is the situation arising in England after the outbreak of the war. The factory laws of England contain many wise provisions for the safeguarding of industries. There is a comprehensive system of workmen's compensation and a sickness insurance law. Women and children are an especially pro-

¹ Industries coming under the English Munitions of War Act are the following:

⁽a) The manufacture or repair of arms, ammunition, ships, vessels, vehicles, and aircraft, and any other articles or parts of articles (whether of a similar nature to the aforesaid or not) intended or adapted for use in war, and of any other ships or vessels, or classes of ships or vessels, or parts of ships or vessels, which may be certified by the Board of Trade to be necessary for the successful prosecution of the war; and of any metals, machines, or tools required for any such manufacture or repair, and of the materials of any class specified in an order for the purpose by the Minister of Munitions, required for or for use in any such manufacture or repair as aforesaid.

⁽b) The construction, alteration, or repair of works of construction and buildings for naval or military purposes, and of buildings in which munitions work is or is intended to be carried on, and the erection of machinery and plant therein, and the erection of houses for the accommodation of persons engaged or about to be engaged on munitions work.

⁽c) The construction, alteration, repair, or maintenance of docks and harbors, and work in estuaries in cases where such construction, alteration, repair, maintenance, or work is certified by the Admiralty to be necessary for the successful prosecution of the war.

⁽d) The supply of light, heat, water, or power, or the supply of tramways facilities in cases where the Minister of Munitions certifies that such supply is of importance for the purpose of carrying on munitions work, and the erection of buildings, machinery, and plant required for such supply.

⁽c) The repair of fire engines and any other fire-brigade appliances in cases where the Minister of Munitions certifies that such repair is necessary in the national interest.

June 1, 1917 836

tected class of industrial workers. Nevertheless, when war began, industry in general was speeded up to the breaking point in the desire to produce a maximum output. At many establishments work was continuous seven days in the week. Long periods of overtime were required. Sanitary precautions ordinarily enforced were disregarded. These conditions, aggravated by the enlistment of skilled industrial workers, very quickly resulted in a decline in output, instead of an increase. This led to the general control of the munitions industry by the Munitions of War Act of July, 1915, and the appointment of the Health of Munitions Workers Committee. It became evident in England, as it must be here, that the health of workers should be guarded, not only for the conservation of every resource in this war of resources, but also for the purpose of maintaining in the factories the highest level of production over a protracted period of time.

It is entirely practicable to keep the health of the workers at an efficient point, and thus avoid the difficulty in which England found herself, by steps looking toward (1) the prevention of occupational diseases and poisonings, (2) the sanitation of work places, (3) the prevention of undue fatigue, (4) the medical supervision of workers, and (5) the sanitation of industrial communities. It is the intention to consider in subsequent articles each of these topics in detail. Brief reference, however, will be made to some of their important features.

Sanitation of work places.—Leaving the factor of occupational diseases and poisonings to a later paper, it may be said that for the sanitating of work places definite standards must be established and maintained in regard to hygienic construction, ventilation, illumination, water supply, washing and eating facilities, and disposal of sewage and waste.

The usual standards for factory illumination have in the past been too low, and sufficient attention has not been paid to other factors entering into the promotion of visual ease and comfort, such as avoidance of glare and correct light distribution. Under the present circumstances, however, with the pressing need of raising the output of the individual worker to the maximum, the great frequency of night work, and the probable influx of large numbers of temporary workers, every attention must be paid to provisions for adequate and correct illumination of premises and workrooms. A natural outgrowth of the provisions for proper illumination will be the protection of workers from eye strain by visual examinations of those engaged in fine operations and provision of glasses for workers whose vision needs correcting. The importance of adequate illumination may be seen from the facts that many more industrial accidents

837 June 1, 1917

take place during the winter than during the summer and that in a large percentage of accidents defective illumination of the work place is a decided factor in the causation.

That an abundant supply of fresh air is a necessity for workers is of course conceded by all; but in order to prevent listlessness and inability to concentrate the attention, and generally to maintain production at a high level, the physiological stimulus of the air supply must also be considered. This means that not only must the temperature and relative humidity of the air in work places be subject to control and supervision, but the factor of air movement must also be taken into account. Ventilation provisions are particularly important in industries making war materials because the workers are often exposed to highly poisonous dusts and volatile compounds, of which good examples are trinitrotoluol, in the explosives industry, and tetrachlorethane, which has been extensively used as a solvent in aeroplane varnish.

Adequate washing facilities and lunch rooms are highly desirable adjuncts to any industrial establishment and are indispensable whenever the industrial processes concerned involve the handling of poisonous substances. Under war conditions increasing numbers of workers will be exposed to such poisons. Special attention will be required in the case of washing facilities and shower baths, first, as a preventive measure to guard against these poisons, and second, in the case of operations characterized by severe physical labor, exposure to intense heat, or soiling of the body, as a means of promoting personal hygiene and furnishing at the close of the day's work a refreshing physiological stimulus, which promotes the rapid elimination of fatigue products. So far as eating facilities are concerned, the provision for separate lunch rooms will be a necessity in all industries and operations in which the workers come into contact with poisonous materials. This provision is of almost equal importance in other industries where the workers are engaged at high pressure, for the opportunity to obtain good food on the premises, eaten in surroundings other than those of the dust and turmoil of the shop, will enable the meal time to furnish its maximum of comfort and relaxation, thus helping materially in keeping accumulation of fatigue down to a minimum.

Prevention of undue fatigue.—A prerequisite of maximum continuous production is that the worker return to his work completely recuperated from the previous day's fatigue. Probably the most important memorandum contributed by the British committee on the health of munitions workers to the literature of industrial hygiene refers to the relation of hours of labor to bodily fatigue. From these

memoranda and other provisions which have been made, it is evident that we can not make a blanket rule which in emergencies will apply to all industries alike. The health of munitions workers committee is of the opinion that, in the case of men, for heavy labor the maximum weekly hours of labor can not exceed 56 without causing fatigue accumulation; for moderately heavy labor, 60; and for light labor, such as tending semiautomatic machines, probably 64. It is also found that women have not the capacity to stand long hours of work so well as men. The British experience also warns us that at least one day's rest in seven is a necessity.

Medical supervision.—A comprehensive system for the medical supervision of workers is necessary in order to attain the following objects:

- (1) Physical examinations as to fitness, so as (a) to assign the worker to such work as he is physically fitted to perform to the best advantage, without injury to himself; (b) to detect defects and diseases in their incipiency, so that they may be removed by appropriate treatment; (c) to guard the personnel from the introduction of communicable diseases.
- (2) The provision of adequate medical and surgical relief, so that (a) trifling illnesses may be treated in the works' dispensary and serious loss of time avoided; (b) an early diagnosis may be made in the event of serious illness; (c) arrangements for appropriate treatment may be made.
- (3) The detection of the early onset of industrial poisoning and occupational diseases by means of periodical inspections and reexaminations in processes which expose workers to these dangers.
- (4) The maintenance of watch and control over the sanitary conditions in industrial plants, so that (a) workers are always assured of proper sanitary surroundings, (b) protective measures against occupational diseases and industrial poisonings are always maintained.

Sanitation of industrial communities.—Inasmuch as the worker is exposed not only to the environment of the work place, but also to that of the community in which he lives, it is evident that it would be of little use to maintain ideal factory conditions if at the same time the worker were endangered during his leisure hours by defective community sanitation and all the elements for ill health which this implies—such as overcrowding, unsafe water supply, and insanitary surface privies. It is evident, therefore, that if we are to provide for a maximum state of health and efficiency on the part of the workers to meet the present emergency, adequate sanitary conditions in industrial communities must be properly maintained.

839 June 1, 1917

Cooperation needed.—To make the above-outlined program efficient in maintaining the health of workers, cooperation is imperative on the part of the public, the owners of factories, the workers, and the various governmental authorities, and all of these have their part to play in thus increasing the output of war materials.

EPIDEMIC CEREBROSPINAL MENINGITIS.

CURRENT PREVALENCE IN CITIES OF THE UNITED STATES.

The table which follows shows the number of cases of epidemic cerebrospinal meningitis notified in cities of the United States having over 10,000 population, as reported to the United States Public Health Service, since April 22, 1917. This table is a continuation of the table which appeared in the Public Health Reports May 4, 1917, page 640.

		Cases repo	rted for we	ek ended-	-
City.	Apr. 28.	May 5.	May 12.	May 19.	May 26.
Akron, Ohio 1					
Aklony, N. Y Atlantic City, N. J Baltimore, Md Birghamton, N. Y Birmingham, Ala				1	
Atlantić City, N. J		2			
Baltimore, Md	5	9	5	10	8
Binghamton, N. Y	1				
Birmingham, Ala			- -	1	1
		1	. 4	3	
Driugeport, Conn	1 5	3	2		
Bridgeport, Conn Buffalo, N. Y Canton, Ohio	_	ំ ំ			2
Chicago, Ill	6	8	12	8	13
Cincinnati. Ohio.	, ,	l រំ	l ï	5	1
Cleveland Ohio	5	l ŝ	1 7	4	6
Cleveland, Ohio		l ĭ		li	l
Cumberland Md		l ī		l	
Dayton, Ohio Detroit, Mich Dubuque, Iowa	1	l		1	i 1
Detroit. Mich	l ī	4	5	6	1 4
Dubuque, Iowa	l	ĺ			
Duluth, Minn Blizabeth, N. J	1		2	1	1
Elizabeth, N. J		1	1		
Erie. Pa			2		
Astveston, Tex Hartford, Conn Indianapolis, Ind	1			• • • • • • • • • • • • • • • • • • • •	• • • • • • • • •
Hartford, Conn	12	7	9	6	4
Indianapolis, Ind			1		1
lersey City, N. J Kansas City, Kans Kansas City, Mo. Kenosha, Wis	5				
Kansas City, Kans	1		1	5	2
Kansas City, Mo	5		3	4	3
kenosha, Wis	• • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	1	
Lima, Ohio Lancaster, Pa	•••••		•••••••	1	
Ancaster, Pa		1		i	1
lowell Moss	1	i		i	2
owell, Mass. Medford, Mass Memphis, Tenn	1	- 1		- 1	2
famphic Tenn	-	1		• • • • • • • • • • • •	
filwanka Wie	1	3	1		2
Minneanolie Minn	13		8	13	
Vashvilla Tenn	10		١		
Newark N. J	2	4		i	
dilwaukee, Wis. Ginneapolis, Minn. Sahville, Tenn Newark, N. J. New Britain, Conn					3
Newburyport, Mass	1				.
Newburyport, Mass			2	1	
New York, N. Y.	16	8	15	23	10
New York, N. Y		1			1
Vorth Adams, Mass			1		

^{1 55} cases were reported in Akron during the month of April.

City.	Cases reported for week ended—				
City.	Apr. 28.	May 5.	May 12.	May 19.	May 26.
Oklahoma City, Okla. Omaha, Nebr. Orange, N. J. Philadelphia, Pa. Pittsburgh, Pa. Pittsfield, Mass. Pontiac, Mich. Portland, Oreg. Providence, R. I. Racine, Wis. Roading, Pa. St. Joseph, Mo. St. Louis, Mo.	32 9 1 1 2 2 1 2	7		18 5 1 1	2 27 3 1
Sait Lake City, Usah San Francisco, Cal. San Francisco, Cal. Schemectedy, N. Y. Sfoux City, Iowa. Souner ville, Mass. South Bend, Ind Steubenville, Ohic Wa'tham, Mass. Washington, D. C. Wheeling, W. V. Wilkinsburg, Pa. Wilkinsburg, Pa. Wilmin-toa, Det.	1 1	1)	1	1 1 2	1 1 1

POLIOMYELITIS (INFANTILE PARALYSIS).

RECORDED PREVALENCE BY STATES, 1916.

The table which follows shows the recorded prevalence of policmyelitis in the several States during the calendar year 1916.

State.	Cases re- ported.	Deatheregis-	Indicated case rate per 1,000 inhabi- tants.	Indicated fatality rate per 100 cases.	Esti- mated popula- tion July 1, 1916.
Alabama Arizona California Colorado Connecticut District or Columbia Indiana Iowa Kansas Kentucky Louisiana Maine Maryland Massachusetts Michigan Linnesota	132 16 951 39 207 259 103 146 77 149 352 1,928 909	28 235 6 50 51 28 48 18 111 424 138 105	0.086 .023 .045 .047 .764 .107 .073 .117 .056 .061 .042 .193 .258 .518 .518	27. 42 19. 70 24. 71 15. 38 24. 15 19. 69 25. 27 32. 89 22. 36 31. 53 22. 40 11. 55	2, 332, 668 253, 544 2, 985, 684 982, 679 363, 900 2, 816, 917 2, 226, 821 1, 829, 145 2, 377, 689 1, 822, 987 3, 719, 136 3, 654, 884 3, 273, 683
Mississippi Montana. New Jersey New Jersey New York. Ohio. Oregon Pennsylvania South (arolina Texas Vermont Virginia Washington West Virginia Wisconsin Wyoming	269 94 4,055 13,223 13, 223 13, 223 2, 181 123 86 64 330 82 475 7	31 26 1,180 3,331 4 36 35 12 59 7	. 138 . 205 . 205 . 1.376 . 1.287 . 106 . 045 . 256 . 076 . 019 . 176 . 151 . 020 . 059 . 190	11.52 27.68 28.19 10.53 10.53 20.27 46.70 18.75 17.88 23.33 16.63 42.86	1, 951, 674 2, 995, 687 10, 273, 975 5, 155, 286 368, 471 8, 527, 687 1, 628, 475 4, 422, 686 361, 689 2, 182, 689 1, 381, 638 2, 500, 350 179, 559

841 June 1, 1917

IMMUNIZATION AGAINST TYPHUS FEVER.

A REPORT OF AN UNSUCCESSFUL ATTEMPT TO IMMUNIZE MONK .YS AGAINST TYPHUS INFECTION BY CULTURES OF B. TYPHI EXANTHEMATIC! (PLOTZ)

By G. W. McCov, Director Hygienic Laboratory, and M. H. NEILL, Passed Assistant Surgeon, United States Public Health Service.

The following experiments were undertaken for the purpose of determining whether it is possible to immunize monkeys against typhus fever by means of a vaccine made from the *B. typhi exanthematici* (Plotz). While the results of the work throw light upon this point, any bearing they may have on the etiological relation of the organism to the disease is considered to be aside from the present discussion.

In the experiments to be reported, rhesus monkeys were injected subcutaneously at spaced intervals with living and dead cultures of *B. typhi exanthematici* (Plotz). After an interval of 12 days or more these animals and appropriate control monkeys received virulent typhus blood intraperitoneally.

The rectal temperatures of the monkeys receiving the vaccine were taken twice daily from the time of giving the first dose; that of the control monkeys from the time of receiving the test inoculation of virulent typhus blood. A rise of temperature occurring after an incubation period of about 10 days and lasting about 10 days was regarded as evidence of infection. We recognize that the indications of typhus infection in monkeys are not very striking, but controlled as the experiments were, by the inoculation of normal (nonvaccinated) monkeys and of immune monkeys, i. e., monkeys that had previously reacted to typhus, the results are regarded as trustworthy.

Procedure.

The cultures of B. typhi exanthematici (Plotz) were grown in glucose-broth fermentation tubes which had been heated and cooled just prior to inoculation. In this manner a good growth of the organism was obtained in the closed arm of the tube. Four days after inoculation an estimate of the number of organisms in the tubes was made and a dilution of the culture equivalent to 1,000,000,000 organisms was injected subcutaneously into each of six test monkeys. The vaccine represented four strains of the organism. In half of the tests the bacilli had been killed by heating to 60° C. for one hour before use; in the remainder live organisms were injected.

The virus of the virulent typhus blood used was that of Mexican typhus. The history of the strains used was as follows: The first was obtained on February 20, 1917, from a man 23 years of age, said to have been ill 11 days, who, for two days, presented an exanthem characteristic of typhus fever. The second strain was obtained on

March 13, 1917, from a man 22 years of age, in the fifth day of the fever, and in the third day of the exanthem. In both instances the patients were bled from the arm and the blood was diluted with an equal volume of physiological salt solution; about 6 cubic centimeters of the mixture were then injected into each of several guinea pigs. These were shipped to the Hygienic Laboratory and when the characteristic reaction to the typhus virus was observed the animals were bled from the heart, and other guinea pigs and monkeys were intraperitoneally inoculated with the blood. Thus two strains of the virus were available for experimental purposes.

The monkeys were injected with the vaccine on the first, eighth, and fifteenth day of the experiments. Not less than 12 days after the last of these injections of bacilli, the monkeys received from 3 to 4 cubic centimeters of virulent typhus blood intraperitoneally. At the same time for each vaccinated monkey one fresh monkey and one monkey which had previously reacted characteristically to the virus of typhus fever and was therefore considered to be immune, were inoculated in the same way with the same amount of the same sample of virulent typhus blood.

By consulting the protocols and charts it will be seen that in five of the six vaccinated monkeys the rise of temperature which is interpreted as evidence of typhus infection came somewhat later than in the nonvaccinated control monkeys. We are not prepared to express an opinion as to whether this is to be regarded as of significance.

With reference to the fresh monkeys, six in number, which were inoculated with typhus blood, it is to be noted that two of these animals failed to react satisfactorily to a single injection of the typhus blood. That this is not an uncommon occurrence is indicated by the experience of Anderson and Goldberger, who noted that 22.5 per cent of the rhesus monkeys injected with typhus-fever blood failed to exhibit the characteristic febrile reaction, although some of them reacted to subsequent injections.

We consider it permissible to suggest that, as two of the six normal controls failed to react to the test inoculation of typhus blood, the dose given is not to be regarded as an overwhelming one.

Summary.

Neither the living nor the dead cultures of B. typhi exanthematici (Plotz) caused any observable disturbance of the temperature of the monkeys.

All the monkeys which had received B. typhi exanthematici (Plotz) exhibited temperature curves characteristic of the reaction to typhus fever in the monkey when given a test dose of typhus virus.

Four of the fresh control monkeys showed typical reactions, while in one of the fresh animals the reaction was frankly negative and in one it was indefinite.

None of the typhus-immune animals, six in number, showed temperature reactions.

Conclusion.

Evidence has been presented that a bacterial vaccine prepared from B. typhi exanthematici (Plotz) failed to protect monkeys against typhus infection (Mexican).

Acknowledgment.

The strains of typhus virus used to produce the characteristic reaction for monkeys in the animals included in the experiments were obtained by Surg. Edward Francis, of the United States Public Health Service at Laredo, Tex., through the cooperation of Dr. E. Hernandez, of the Mexican Health Service, to both of whom we express our thanks.

PROTOCOLS.

The details of the experiment are set forth in the following protocols.

Experiment No. 1. (See Chart.)

On April 16, 1917, monkey No. X5, nine days after inoculation, exhibited a characteristic temperature reaction to typhus virus No. 2, which had been passed through one guinea pig and one monkey since the virus was obtained. It was accordingly bled from the heart, the blood being mixed with a little 5 per cent sodium citrate solution, and 3½ cubic centimeters of the blood were then injected intraperitoneally in each of the following animals:

- A. Monkey No. T202. This animal had received subcutaneously 1,000,000,000 living B. typhi exanthematici (Plotz) on March 21, March 28, and April 4, 1917.
 - B. Monkey No. Cl. A fresh monkey.
- C. Monkey No. 1. A typhus-immune monkey which had reacted to virus No. 1 from March 20 to March 29, 1917.


RESULTS.


Monkey No. T202 developed a definite febrile reaction seven days after inoculation. Monkey No. C1 developed an indefinite febrile reaction nine days after inoculation. Monkey No. 1 developed no febrile reaction.

Experiment No. 2. (See Chart.)

On April 17, 1917, monkey No. X4, 10 days after inoculation, exhibited a characteristic reaction to typhus virus No. 2 which had been passed through one guinea pig and one monkey since the strain was obtained. It was accordingly bled from the heart, the blood being mixed with a little 5 per cent sodium citrate solution, and 3 cubic centimeters of the blood were then injected intraperitoneally into each of the following animals:

- A. Monkey No. T204. This animal had received subcutaneously 1,000,000,000 living B. typhi exanthematici (Plotz) on March 21, March 28 and April 4, 1917.
- B. Monkey No. T207. This animal had received subcutaneously 1,000,000,000 dead B. typhi exanthematici (Plotz) on March 21, March 28, and April 4, 1917.
 - C. Monkey No. C2X, a fresh monkey.





YOUR PATRIOTIC DUTY—BUY A 1917 LIBERTY BOND.

- D. Monkey No. C3X, a fresh monkey.
- E. Monkey No. 11, a typhus-immune monkey, which had reacted to virus No. 1 from April 5 to April 11, 1917.
- F. Monkey No. 13, a typhus-immune monkey, which had reacted to virus No. 1 from April 1 to April 11, 1917.

RESULTS.

Monkeys Nos. T204 and T207 developed definite febrile reactions eight and nine days, respectively, after inoculation.

Monkey No. C2X developed no febrile reaction suggestive of typhus.

Monkey No. C3X developed a definite febrile reaction six days after inoculation.

Monkeys Nos. 11 and 13 developed no febrile reactions.

Experiment No. 3. (See Chart.)

On April 27, 1917, monkey No. C3X, eight days after inoculation, exhibited a characteristic reaction to typhus virus No. 2, which had been passed through one guinea pig and two monkeys since the strain was obtained. It was accordingly bled from the heart, the blood being mixed with a little 5 per cent sodium citrate solution, and 4 cubic centimeters of the blood were then injected intraperitoneally into each of the following animals:

- A. Monkey No. T208. This animal had received subcutaneously 1,000,000,000 heat-killed B. typhi exanthematici (Plotz) on March 21, March 28, and April 4, 1917.
 - B. Monkey No. C9X. A fresh monkey.
- C. Monkey No. 2. A typhus-immune monkey which had reacted to virus No. 1 from March 22 to March 27, 1917.

RESULTS.

Monkey No. T208 developed a definite febrile reaction 14 days after inoculation and expelled a macerated fetus 4 days subsequently.

Monkey No. C9X developed a definite febrile reaction 9 days after inoculation.

Monkey No. 2 developed no febrile reaction.

Experiment No. 4. (See Chart.)

On April 29, 1917, monkey No. 22, 10 days after inoculation, exhibited a characteristic reaction to typhus virus No. 1 which had been passed through four guinea pigs and three monkeys since it was obtained. It was accordingly bled from the heart, the blood being mixed with a little 5 per cent sodium citrate solution, and 4 cubic centimeters of the blood were then injected intraperitoneally into each of the following animals:


- A. Monkey No. T201. This animal had received subcutaneously 1,000,000,000 living B. typhi exanthematici (Plotz) on March 21, March 28, and April 4, 1917.
- B. Monkey No. T215. This animal had received subcutaneously 1,000,000,000 heat-killed B. typhi exanthematici (Plotz) on March 21, March 28, and April 4, 1917.
 - C. Monkey No. C10. A fresh monkey.
 - D. Monkey No. C11. A fresh monkey.
- E. Monkey No. 7. A typhus-immune monkey which had reacted to virus No. 1 from March 27 to April 6, 1917.
- F. Monkey No. $\overline{X}4$. A typhus-immune monkey which had reacted to virus No. 2 from April 16 to 23, 1917.


RESULTS.

Monkeys Nos. T201 and T215 both developed definite febrile reactions 11 days after inoculation.

Monkeys Nos. C10 and C11 both developed definite febrile reactions 9 days after inoculation.

Monkeys Nos. 7 and X4 developed no febrile reactions.





YOUR PATRIOTIC DUTY—BUY A 1917 LIBERTY BOND.

PREVALENCE OF DISEASE.

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring.

UNITED STATES.

RECIPROCAL NOTIFICATION.

Minnesota.

Cases of communicable diseases referred during April, 1917, to other State health departments by department of health of the State of Minnesota.

Disease and locality of notification.	Referred to health authority of—	Why referred.
Smallpox: Minneapolis Health Department, Hennepin, County.	Kansas City, Wyandotte County, Kans.	Arrived Minneapolis from Kansas City, with small- pox of weeks duration.
	Wishek, Grant County, N. Dak., superintendent Soo Line.	lis from Wishek, N. Dak., via Soo Line, broken out
Tuberculosis:	Deadwood, Lawrence County, S. Dak., Rapid City, Pennington, County, S. Dak., Bellefourche, Butte County, S. Dak.	with smallpox. Traveling salesman broken out with smallpox on ar- rival in Minneapolis from South Dakota.
Mayo Clinic, Rochester, Olm- sted County.	Auburn, Sangamon County, Ill.; Kewanee, Henry County, Ill.; Marshalltown, Marshall County, Iowa; Schaller, Sac County, Iowa; Dows, Wright County, Iowa; Crawfordsville, Montgomery County, Ind.; Reedpoint, Stillwater County, Mont.; Grand Forks, Grand Forks County, N. Dak.; Alcester, R. F. D. No. 2, Union County, S. Dak.; Portage, Columbia County, Wis.; Edmonton, Alberta, Canada; Ponteix, Saskatchewan, Canada.	5 advanced, 6 moderately advanced, 1 quiescent, cases left Mayo Clinic for homes.
Thomas Hospital, Minneapolis, Hennepin County.	Irwin, Shelby County, Iowa; Mil- nor, Sargent County, N. Dak.; Rhinelander, Oneida County, Wis.	1 far advanced and 2 fatal cases removed to homes from Thomas Hospital.
Typhoid fever: St. Hilaire, Pennington County.	Emerado, Grand Forks County, N. Dak.	Suspected typhoid fever case removed from Minnesota to home in North Dakota.

CEREBROSPINAL MENINGITIS.

Kansas.

Collaborating Epidemiologist Crumbine reported that cases of cerebrospinal meningitis have occurred in Kansas since May 1, 1917, as follows: Fort Leavenworth 1, Wichita 1, Conway Springs (R. F. D.) 1, Wakeeney 1, Kansas City 6.

Ohio-Akron.

The city health officer of Akron, Ohio, reported that during the period from April 1 to 28, 1917, 55 cases of cerebrospinal meningitis were notified in the city of Akron.

State Reports for April, 1917.

Place.	New cases reported.	Place.	New cases reported.
ndiana:		Louisiana:	
Blackford County		Acadia Parish	1
Flovd County	1 1 1	Calcasieu Parish	ĺi
Fulton County	†	Orleans Parish	l i
Hamilton County	2	Olicans I ansn	
Lawrence County		Total	3
Marion County	4	10031	
Miami County	i	Minnesota:	
Scott County	i	Dakota County—	1
Vanderburgh County	i	South St. Paul	1
Washington County	i	Hennepin County—	1
Washington County	1	Hennepin County—	
Total	14	Minneapolis Minnetonka Township	55
T0ta1	14	Minnetonka Township	1
		Richfield.	1
owa:	_ 1	West Minneapolis	1
Hardin County	1	Kittson County—	_
Marion County	ī	Kennedy	1
Pottawattamie County Webster County	. 2	Martin County—	_
webster County	· ī	Welcome	1
l		Morrison County—	_
Total	5	Granite Township	1
_		Murray County-	_
Cansas:		Murray Township	1
Butler County—		Ottertail County—	
Augusta	1 ;	Everts Township	1
Eldorado	1	Pine County—	
Doniphan County—	. !	Pine City	1
Leona (R. F. D.)	1	Ramsey County— St. Paul	
Franklin County—	_ 1	St. Paul	16
Ottawa	3	Rice County—	
Gove County—	. 1	Faribault	. 1
Quinter (R. F. D.)	2	St. Louis County— Buhl	
Gove County— Quinter (R. F. D.) Greenwood County—	. 1	Buhl	1
Eureka	. 1	Duluth	2
Lincoln County—	ì	Ely	ī
Lincoln	1	Virginia	2
Lyon County—		Stearns County—	
Emporia	1	St. Cloud	2
Reno County—	!!	Lyndon Township	1
Castleton (R. F. D.)	1	Trovorce County	
Riley County—		Browns Valley	1
Manhattan	1	Winona County— Rollingstone Township	
Wyandotte County—	_ ii	Rollingstone Township	1
Wyandotte County— Kansas City	11	Wright County—	
Rosedale	1	Rockford Township	1
Total	25	Total	94

CEREBROSPINAL MENINGITIS—Continued.

State Reports for April, 1917—Continued.

Place.	New cases reported.	Place.	New cases reported.
Mississippi: Tate County Pennsylvania: Allegheny County Berks County Blair County Cambria County Clearfield County Dauphin County Dauphin County Leaware County Fayette County Indiana County Lackawanna County Lawrence County Lebenon County Lebenon County Lucerne County Lucerne County Mercer County	47 2 1 4 1 1 3 9 1 1 1 1 1	Pennsylvania—Continued. Northampton County Perry County Perry County Philadelphin County Tioga County Washington County Wayne County Westmoreland County York County Total South Carolina: Union County York County Total South Dakota: Day County	1 111 2 3 1 3 1 206

Washington Report for March, 1917.

During the month of March, 1917, two cases of cerebrospinal meningitis were reported in Washington, one in Adams County and one in Spokane city.

City Reports for Week Ended May 12, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Baltimore, Md. Boston, Mass Buffalo, N. Y Canton, Ohio Chicago, Ill Cincinnati, Ohio Cleveland, Ohio Dayton, Ohio Detroit, Mich Duluth, Minn Elizabeth, N. J Erie, Pa Hartford, Conn. Indianapolis, Ind. Jersey City, N. J Kansas City, Kans Kansas City, Kans Kansas City, Mo Memphis, Tenn	12 17 7 5 2 1 2 9	2 2 4 4 1 5 5 1 2 2 2 2 3 5 5 1 1 1 1 1 1 1	Milwaukee, Wis. Minneapolis, Minn New Castle, Pa. New York, N Y Norfolk, Va. North Adams, Mass. Orange, N J Philadelphia, Pa. Pittsburgh, Pa. Providence, R. I St. Louis, Mo. Schenectady, N. Y Sioux City, Iowa South Bend, Ind. Wheeling, W. Va. Wichita, Kans. Wilkinsburg, Pa. Wilmington, Del.	1 1 28 4 1 8 1 1	

DIPHTHERIA.

North Carolina—Edgecombe County.

Asst. Surg. Miller reported that during the week ended May 23, 1917, three cases of diphtheria were notified in Edgecombe County, N. C.

See also Diphtheria, measles, scarlet fever, and tuberculosis, p. 866.

ERYSIPELAS. City Reports for Week Ended May 12, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Ann Arbor, Mich Baltimore, Md Binghamton, N. Y Birmingham, Ala. Boston, Mass Braddock, Pa. Bridgeport, Conn. Buffalo, N. Y Chicago, HI. Chicago, HI. Chicopee, Mass. Cleveland, Ohio Detroit, Mich Dututh, Minn Hartford, Conn. Johnstown, Pa. Kalamazoo, Mich Kansas City, Mo. Los Angeles, Cal.	2 2 1 1 3 24 8 5 4 2	77 11 11 11 11 11 11 11 11 11 11 11 11 1	Omaha, Nébr Passaic, N. J.	5 1 1 8 8 1 2 3 17 13 2	1 1 2 5 5

LEPROSY.

California-Los Angeles County.

The California State Board of Health reported May 26, 1917, that a case of leprosy had been notified in Los Angeles County, Cal., in a Mexican boy 14 years old, who resided near Artesia, and has been in California two years.

City Report for Week Ended May 12, 1917.

During the week ended May 12, 1917, one case of leprosy was reported in Springfield, Mass.

MALARIA.

State Reports for April, 1917.

Place.	New cases re- ported.	Place.	New cases re- ported.		
Indiana: Gibson County. Martin County. Owen County. Perry County. Pike County. Johnson County. Clark County. Total. Kansas: Wilson County— Fredonia. Louisiana: Acadia Parish. Allen Parish. Avoyelles Parish. Beauregard Parish. Caddo Parish. Cataboula Parish.	1 10 2 6 46 46 1 2 7 7 7 3	Louisiana—Continued. Concordia Parish De Soto Parish East Carroll Parish East Feliciana Parish Iberia Parish Jackson Parish Jefferson Davis Parish Morehouse Parish Natchitoches Parish St. Charles Parish St. Landry Parish St. Landry Parish St. Martin Parish St. Mary Parish St. Mary Parish Mary Parish St. Mary Parish Tangipahoa Parish Vermalion Parish Vernon Parish West Carroll Parish	20 5		

MALARIA-Continued.

State Reports for April, 1917—Continued.

Place.	New cases re- ported.	Place.	New cases reported.
Miedsippi:		Mississippi—Continued.	
Adams County	27	Monroe County	30
Alcorn County	27	Montgomery County	45
Amite County	62	Neshoba County	8
Attala County	111	Newton County	
Benton County	44	Noxubee County	60
Bolivar County	484	Oktibbeha County	
Calhoun County	125	Panola County	54
Carroll County	52	Pearl River County	
Chickasaw County	40	Perry County	
Choctaw County	39	Pike County	
Claiborne County	72	Pontotoc County	
Clarke County	29	Prentiss County	
Clay County	54	Quitman County	108
Coahoma County	358	Rankin County	20
Copiah County	90	Scott County	
Covington County	80	Sharkey County	
De Soto County.	46	Simpson County	
Forrest County	114	Smith County.	
Franklin County	92	Stone County	
George County.	25	Sunflower County	
Greene County	25	Tate County	- 76
Grenada County.	32	Tippah County	
Hancock County	53	Tishomingo County	
Harrison County	66	Tunica County	
Hinds County	282	Union County	56
Holmes County	290	Warren County	265
Itawamba County	86	Washington County	275
Jackson County	36	Wayne County	22
Jasper County	76	Webster County	26
Jefferson County	89	Winston County	69
Jefferson Davis County	29	Yalobusha County	69
Jones County.	149	Yazoo County	366
Kemper County	34	Walthall County.	
Lafayette County	60	***************************************	
Lamar County	41	Total	7, 222
Lauderdale County	100	1000	
Lawrence County	39	South Carolina:	
Leake County	66	Beaufort County	8
Lee County.	101	Dorchester County	36
Leftore County.	249	Marion County	13
Lincoln County	76	Orangeburg County	
Lowndes County.	27	Williamsburg County	
Madison County	31	York County	2
Marion County	105		
Marshall County	147	Total	62

City Reports for Week Ended May 12, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Berkeley, Cal Birmingham, Ala Cincinnati, Ohio	1 3 1	i	New Orleans, La	1	

MEASLES.

Alabama—Jefferson County.

Asst. Epidemiologist Harrington reported that during the month of April, 1917, 732 cases of measles, with 19 deaths, were notified in Birmingham, Jefferson County, Ala., and 1,372 cases, with 45 deaths, in Jefferson County outside the city of Birmingham.

MEASLES—Continued.

California—Los Angeles.

Senior Surg. Brooks reported that during the week ended May 19, 1917, 243 cases of measles were notified in Los Angeles, Cal.

North Carolina-Edgecombe County.

Asst. Surg. Miller reported that during the period from May 10 to 23, 1917, 9 cases of measles were notified in Edgecombe County, N.C.

Washington-Seattle.

Surg. Lloyd reported that during the week ended May 19, 1917, 45 cases of measles were notified in Seattle, Wash., making a total of 8,318 cases reported since February 15, 1916.

See also Diphtheria, measles, scarlet fever, and tuberculosis, page 866.

PELLAGRA.
State Reports for April, 1917.

Place.	New cases reported.	Place.	New cases reported.
Kansas:		Mississippi—Continued.	
Reno County—		Hinds County	44
Pretty Prairie (R. F. D.)	1	Holmes County	10
Sedgwick County—	1 -1	Itawamba County	5
Cheney	1 1	Jackson County	4
Onomoj		Jasper County	10
Total	2	Jefferson County	10
***************************************	1	Jefferson Davis County	1 3
ouisiana:		Jener County	4 2 77
Allen Parish	1 1	Jones County	177
Assumption Parish	2	Kemper County	4
Caddo Parish	1	Lafayette County	.4
Do Cota Danish	1 1	Lamar County	14
De Soto Parish	3	Lauderdale County	24
East Baton Rouge Parish	1	Lawrence County	6
East Carroll Parish	1	Leake County	6
Iberville Parish	1	Lee County	17
Lincoln Parish	1	Leflore County	13
Morehouse Parish	1	Lincoln County	20
Orleans Parish	4	Lowndes County	7
		Madison County	11
Total	16	Marion County	17
		Marshall County	23
ississippi:	ii ii	Monroe County	4
Adams County	14	Montgomery County	9
Alcorn County	4	Neshoba County	26
Amite County	2	Newton County	ĩ
Attala County	6	Noxubee County	12
Bolivar County	72	Oktibbeha County	10
Calhoun County	3	Panola County	4
Carroll County	1	Poorl Divon Country	2
Chickasaw County	÷ 11	Pearl River County	
Choctaw County	4	Perry County	20
Claibarna County	1 2 3 5	Pike County	13
Claiborne County	5	Pontotoc County	5
Clarke County	6	Prentiss County	. 7
Clay County	7	Quitman County	28
Coahoma County	65	Scott County	17
Copiah County	26	Sharkey County	5
Covington County	17	Simpson County	6
De Soto County	11	Smith County	6
Forrest County	21	Stone County	4
Franklin County	1	Sunflower County	21
George County	13	Tate County	11
Greene County	12	Tippah County	2
Grenada County	2	Tishomingo County	7
Hancock County	3	Tunica County	15
Horrison County	16	Union County	

PELLAGRA—Continued.

State Reports for April, 1917—Continued.

Place.	New cases reported.	Place.	New cases reported.
Mfssissippi—Continued. Warren County Washington County Wayne County Webster County Winston County Yalobusha County Yazoo County Waithall County Total South Carolina: Anderson County Cherokee County	10 24 12 1 6 4 28 6 961	South Carolina—Continued. Chester County Dorchester County Greenwile County Greenwood County Laurens County Newberry County Orangeburg County Fickens County Richland County Union County Williamsburg County York County	2 1 1 1 1 3 1

City Reports for Week Ended May 12, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Austin, Tex. Birmingham, Ala Charleston, S. C. Löwell, Mass.	! l	1 1 3 1	Mobile, Ala. Nashville, Tenn Norfolk, Va. Winston-Salem, N. C.	1 3	3 1 1 1

PNEUMONIA.

City Reports for Week Ended May 12, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Auburn, N. Y. Baltimore, Md. Baltimore, Md. Binghamton, N. Y. Braddock, Pa. Cairo, Ill. Chelsea, Mass. Chicago, Ill. Clieveland, Ohio. Clinton, Mass. Dayton, Ohio. Detroit, Mich. Duluth, Minn. Everett, Mass. Fall River, Mass. Filnt, Mich. Grand Rapids, Mich. Haverhill, Mass. Jackson, Mich. Kalamazoo, Mich. Kanass City, Kans. Kanass City, Kans.	16 111 2 2 1 204 222 3 4 6 6 2 1 1 3 8 8 2 1 1 6	123 33 32 126 32 1 2 36 2 1 1 5 1 1 5	New Bedford, Mass New Castle, Pa Newport, Ky	1 1 24 1 1 7 2 655 27 1 12 18 2 1 2 2	1.

POLIOMYELITIS (INFANTILE PARALYSIS).

Kansas.

Collaborating Epidemiologist Crumbine reported that cases of poliomyelitis have been notified in Kansas since May 1, 1917, as follows: Galena 1, Wichita 1.

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued.

State Reports for April, 1917.

Place.	New cases reported.	Place.	New cases reported.
Indiana: Lake County Ripley County Total. Iowa: Jefferson County Kansas: Harper County— Bluff City (R. F. D.) Rawlins County— Beardsley Wyandotte County— Kansas City Total Louisiana: Caddo Parish Maine: Penobscot County— Kingman Newport Total		Minnesota: Blue Earth County— Blue Earth City Township. Ramsey County— St. Paul. Total. Pennsylvania: Allegheny County Cambria County Eria County Franklin County Lancaster County Lebanon County Philadelphia County Schuylkill County Westmoreland County Wyoming County Total South Carolina: Marion County	2 1 1 1 1 1 1 1 1 2 1 1 2

City Reports for Week Ended May 12, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Camden, N. J. Grand Rapids, Mich Newark, N. J. New York, N. Y	1 1 1 3	3	Philadelphia, Pa. Wichita, Kans. Wilmington, Del.	2 1 1	1

RABIES IN ANIMALS.

City Reports for Week Ended May 12, 1917.

During the week ended May 12, 1917, four cases of rabies in animals were reported in Detroit, Mich., and three cases were reported in Memphis, Tenn.

ROCKY MOUNTAIN SPOTTED FEVER.

Wyoming-Washakie County.

During the month of April, 1917, one case of Rocky Mountain spotted fever was reported in Washakie County, Wyo.

SCARLET FEVER.

Wyoming-Cheyenne.

Asst. Surg. Wynne reported that during the period from February 12 to May 17, 1917, 31 cases of scarlet fever had been notified in

857. June 1, 1917

Cheyenne, Wyo., as follows: February 12 to 28, 4 cases with 2 deaths; month of March, 9 cases with 2 deaths; April, 10 cases; May 1 to 17, 8 cases.

See also Diphtheria, measles, scarlet fever, and tuberculosis, page 866.

SMALLPOX.

Massachusetts-Fitchburg.

Collaborating Epidemiologist Kelley reported that 2 cases of small-pox were notified at Fitchburg, Mass., May 26, 1917.

Massachusetts-Worcester.

Collaborating Epidemiologist Kelley reported that during the period from January 25 to May 18, 1917, 25 cases of smallpox were notified in Worcester, Mass., as follows: January 25, 1 case; during March, 5 cases; month of April, 5 cases; May 1 to 18, 14 cases.

Minnesota.

Collaborating Epidemiologist Bracken reported that during the week ended May 26, 1917, two new foci of smallpox infection were reported in Minnesota, cases of the disease having been notified as follows: Crow Wing County, Klondyke Township, 1; Marshall County, Alma Township, 1.

North Carolina-Edgecombe County.

Asst. Surg. Miller reported that during the week ended May 16, 1917, two cases of smallpox were notified in Edgecomb County, N. C.

Pennsylvania-Philadelphia.

Senior Surg. Irwin reported that on May 24, 1917, 4 cases of smallpox were notified at Philadelphia, Pa.

Texas-Galveston.

Surg. Bahrenburg reported that cases of smallpox were notified at Galveston, Tex., as follows: On May 23 one case and on May 28 two cases.

State Reports for April, 1917.

Place.			Vaccination history of cases.			
	New cases reported.	Deaths.	Number vaccinated within 7 years pre- ceding attack.	Number last vacci- nated more than 7 years preceding attack.	Number never suc- cessfully vaccinated.	Vaccination history not obtained or uncertain.
Kansas:						
Allen County—]			3	
Iola	3				·	
Atchison	8 2				8 2	<u> </u>
Barton County—	1				_	
Hoisington	42			1	41	ļ
Strong City	1				1	
Coffey County—	1				. ,	
Burlington (R. F. D.) Le Roy (R. F. D.)	10	•••••			10	
. Cowley County—	ا ا				2	
Arkansas Čity Winfield (R. F. D.)	2 2	• • • • • • • • • • • • • • • • • • • •		·····i	î	
Crawford County—	_			_		
Arma. Cherokee (R. F. D.)	3 7	•••••			. 3.	
Franklin	2				2	
Frontenac (R. F. D.)	7				y	
Mulberry Doniphan County—	3	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •		3	· · · · · · · · · · · · · · · · · · ·
Bendena (R. F. D.)	1			1		
Elwood	13				13	
Troy (R. F. D.)	9			1	8	
Troy (R. F. D.)	5 3	•••••		1	3	
Douglas County—	ı "	•••••			_	
Lone Star	1				1	
Ellis County— Hays (R. F. D.)	2				2	
Ford County—						
Dodge CityGreenwood County—	1			• • • • • • • • • • • • • • • • • • • •	1	· · · · · · · · · · · · · · · · · · ·
Fall River	1				1	
Harper County					2	
Bluff City (R. F. D.) Jackson County—	2				2	••••••
Holton	1				1	
Labette County— Parsons		- 1	1	- 1	1	
Leavenworth County—	1	••••••			- 1	•••••••
Bonner Springs (R. F. D.).	1				1	
Lincoln County— Beverly (R. F. D.)	1	l			1	
Lincoln	1				ī	
Sylvan Grove (R. F. D.)	2				2	· · · · · · · · · · · · · · · · · · ·
Linn County—	2	i		j	2	
LaCygne Pleasanton	î				ī	
Logan County—	- [1	_ 1	
Russell Springs	1 1	••••••			1 1	• • • • • • • • • • • • • • • • • • • •
Winona (R. F. D.) Marion County—	11:		••••••		- 1	•••••••
Durham (R. F. D.)	1 .				1	
Hillsboro	3				3	······
Miami County— Osawatomie	3 .				3	
Paola	i i				1	
Nemana County—	,	1	l	į	1	
Centralia	1	······	·····/		* }	· · · · · · · · · · · · · · · · · · ·
Alexander (R. F. D.)	1 .				1	
Norton County— Norton	1.	ŀ	l		1	
Ottawa County—	- 1		•••••••••••••••••••••••••••••••••••••••	•••••	- 1	
Minneapolis (R. F. D.)	6 '.				6 ^J .	• • • • • • • • • • • • • • • • • • • •

State Reports for April, 1917—Continued.

			\	accination l	nistory of case	88.
Place.	New cases reported.	Deaths.	Number vaccinated within 7 years pre- ceding attack.	Number last vacci- nated more than 7 years preceding attack.	Number never suc- cessfully vaccinated.	Vaccination history not obtained or uncertain.
Kansas—Continued.						
Pratt County— Pratt Reno County—	2		ļ	. 1	1	
Hutchinson	2	ļ	ļ		2	
Belleville	1				1	• • • • • • • • • • • • • • • • • • • •
Little River (R. F. D.)	25			ĺ	25	
Riley County— Manhattan (R. F. D.) Rooks County—	1				1	• • • • • • • • • • • • • • • • • • • •
Rooks County— Palco (R. F. D.) Sedgwick County— Wichita.	1				1	
	14	• • • • • • • • • • • • • • • • • • • •			14	••••••
Shawnee County—	3	• • • • • • • • • • • • • • • • • • • •			3	
Topeka (R. F. D.) Sumner County—	6	• • • • • • • • • • • • • • • • • • • •			6	• • • • • • • • • • • • • • • • • • • •
Caldwell	7	• • • • • • • • • • • • • • • • • • • •	i	2	5	
Thomas County— Colby (R. F. D.). Wabaumsee County—	3	• • • • • • • • • • • • • • • • • • • •			3	
Аша	2				2	
Washington County— Greenleaf	1				1	· · · · · · · · · · · · · · · · · · ·
Wilson County— Neodesha	1			1		
Wyandotte County— Kansas City	10				10	
Total	240		1	10	229	
Minnesota:						
Blue Earth County— Mankato Chisago County—	1				1	
Taylors Falls	4				4	
Franconia Township Clay County— Spring Prairie Township	2			1	1	
Crow Wing County— Brainerd	2			1	1	
Jenkins Dodge County—	ī			••••	1	
Claremont	1			1		•••••
Edina. Minneapolis.	1 133			11	122	1
Kanabec County— Hilman Township	1				1	·····
Kandiyohi County— Willmar	1				1	
Lake County— Two Harbors	1					1
Lincoln County— Lake Stay Township	1					1
Lyon County— Balaton	3				1	2
Rock Lake Township Marshall County—	1		······		1	••••••
Warren Mille Lacs County—	1				1	••••••
Milo Township Morrison County—	1		·····		1	•••••••
Belle Prairie Township	1 .				1].	· · · · · · · · · · · • •

State Reports for April, 1917—Continued.

			v	accination h	ıstory of case	× 3.
Place.	New cases reported.	Deaths.	Number vaccinated within 7 years pre- ceding attack.	Number last vacci- nated more than 7 years preceding attack.		Vaccination history not obtained or uncertain.
Minnesota—Continued.						
Mower County-		į			İ	ł ·
Racine	1				1	
Murray County—	1	l	İ	!		!
Holly Township					1	
Rochester	111		l	l	11	l
Haverhill Township	3				3	
Ottertail County—					1	
Trondjem Township	1	• • • • • • • • • • •			1	
Pennington County—				l	l .	
Thief River Falls Pipestone County—	4	•••••	1		3	
Elmer Township	1			l	,	
Polk County—	-	•••••			1	• • • • • • • • • • • • • • • • • • • •
Crookston	5			!	5	ł
Ramsey County-	_				"	
St. Paul	15			l 	15	i
Redwood County—						
Morgan	1				1	
Granite Rock Township	1	• • • • • • • • • • • • • • • • • • • •			1	
St. Louis County—			_			
Duluth		1	8 1	3	4	· · · · · · · · · · · · · · · · · · ·
Eveleth	1 2	•••••	1			
Fayal Township	1	•••••			2	• • • • • • • • • • • • • • • • • • • •
Sherburne County—	•	•••••				• • • • • • • • • • •
Livonia Township	1				1	
Stearns County—	-				•	••••••
St. Cloud	2				2	
Steele County-	_					
Blooming Prairie	1	• • • • • • • • • •	•••••		· · · · · · · · · ·	1
Swift County-						
De GraffDublin Township	12 2	•••••	••••••	2	10 2	
Todd County—		•••••	•••••		Z	
Staples	3				3	
Wabasha County-	"				•	••••••
Plainview	1				1	
Winona County—	_				_	
Winona	4				4	
Total	246	1	10	19	210	
1 Utal	240		10	19	210	7

Miscellaneous State Reports.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Indiana (Apr. 1-30): Boone County Clay County Davless County Elkhart County Floyd County Fountain County Gibson County Grant County Hamilton County Henry County Henry County	1 15 15 1 3 1 12 5	i	Indiana (Apr. 1-30)—Contd. Jay County Johnson Ccunty Knox County Lagrange County Lake County Lawrence County Madison County Marion County Martin County Morgan County Owen County Parke County Pike County Posey County	1 2 19 12 17 2 4 40 1 1 26 2 5	

Miscellaneous State Reports-Continued.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Indiana (Apr. 1-30)—Contd.			Mississippi (Apr. 1-30):		
Ripley County	2		Mississippi (Apr. 1-30): Alcorn County	8	
Sullivan County	9		Attala County	8	
Tippecanoe County	58		Calhoun County	2	
Tipton County Vanderburg County Vermilion County. Vigo County.	19 14		Chectaw County	15 1	
Vanderburg County	23		Clarke County	1 -	
Vien County	71	ļ	Copiah County	1 6	
Warren County	'i		Covington County	1 1	
Warrick County	3		Forrest County	4	
Wells County	2		Forrest County	10	
., 0.2 5,002.0, 00000000000000000000000000000000			Holmes County	. 2	
Total	496	1	itawamba County	8	l
			Jasper County	18]
Iowa (Apr. 1-30): Benton County	_	ļ	Jefferson County	1	
Benton County	2		Jones County	32	
Blackhawk County	.1		Leuderdale County	3	
Boone County	15		Landerdale County	6 9	
Carroll County	1 8		Leake County	2	
Cedar County Cherokee County Crawford County Davis County	î		Leflore County Madison County	13	i
Cherokee County	3		Marion County	13	
Dovie County	i	·	Marion County Marshall County	3	
Davis County Des Moines County	i.		Neshoba County	3	
Fayette County	ī		Noxubee County	25	1
Floyd County	3		Oktibbeha County	ī	
Hardin County	ĭ		Panola County	1	
Hardin County Henry County	11		Pearl River County	1 · i	
Ida County	1		Quitman County	2	
ROOKIE COURTY	1	ł	Tate County	1	
Lina County	1		Tunica County	2	
MUICOBII COUNTY	1		.Union County	15	
Monona County	7		Warren County	10	
O'Brief County	1		Walthall County	4	
Osceola County	1		H	001	
Page County	3		Total	221	
Page County Plymouth County Possbonts County	2		N-42 Dabata (4 1 90).		
	6		North Dakota (Apr. 1-30): Bowman County	1 1	l
FOIR COULLY	41		Diekov Countr	2	••••
Pottawattamie County	1		Dickey County Golden Valley County	1 1	
Ringgold County Scott County	15		La Moure County	i	
Signer County	1		LaMoure County McHenry County	2	
Sioux County Van Buren County	8		McKenzie County	6	
Wapello County	4		Mountrail County	40	
Wayne County	8		Nelson County	9	
Webster County	10		Ramsey County	3	
Webster County Wright County	1		Rolette County	4	
i			Brope County	1	
Total	163		Steele County	8	
			Towner County	3	
Louisiana (Apr. 1-30): Allen Parish	_		Walsh County	3 2	
Allen Parish	1		Burleigh County	2	• • • • • • • • • • • • • • • • • • •
Caddo Parish	.2	· · · · · · · · · · · · · · · ·	Model	86	
Calcasien Parish East Baton Rouge Parish.	14		Total		
Iberia Parish	1	• • • • • • • • •	Pennsylvania (Apr. 1-30):		
Orleans Parish	23		Allegheny County	10	
Pointe Coupee Parish	ĩ		Allegheny County Dauphin County	2	
Ranides Parish	10		Jefferson County	1	
St. Landry Parish			Lawrence County	17	
St. Landry Parish St. Tammany Parish Tangipahoa Parish Terrebonne Parish	2 3 3 3 3		Mercer County	2	
Tangipahoa Parish	3		Warren County	1	
Terrebonne Parish	3		· 1		
vermillon l'arish	3 !		Total	33	
Washington Parish	1				
West Baton Rouge Parish.	1		South Carolina (Apr. 1-30):		
			Aiken County		• • • • • • • • • • • • • • • • • • • •
Total	69		Mariboro County	1	
			m-4-3	2	
Maine (Apr. 1-30): Kennebec County—			Total	Z	• • • • • • • • • • • • • • • • • • • •
Kennebec County—			Guidh Dalasta (Amn 1 20)		
Waterville	1	•••••	South Dakota (Apr. 1-30): Codington County	ا م	
Penobscot County— Millinocket	1		Davison County	18	
	- 1	•••••	Deway County	2	
Washington County— Calais	1		Davison County Dewey County Edmunds County	2	
Carais			Faulk County	2	
Total	3		Faulk County	2	•••••••
v.			Gregory County	ī	
j.			1 2.0801) committy	•	

Miscellaneous State Reports-Continued.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
South Dakota (Apr. 1-30)— Continued. Jerauld County. Kingsbury County Lake County. Miner County. Minner County. Sully County. Walworth County. Washington (Mar. 1-31): Adams County. Chelan County. King County. Seattle.	2 1 5 2 8 10 6 63		Washington (Mar. 1-31)— Continued. Okanogan County Pend Oreille County. Snohomish County Everett Snohomish Spokane County. Spokane Whatcom County Yakima County Granger Total.	1 1 1 1 1 17 14 1 1	

City Reports for Week Ended May 12, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Austin, Tex. Buffalo, N. Y. Buffalo, N. Y. Buffalo, N. Y. Butfalo, N. Y. Butte, Mont. Cairo, Ill. Canton, Ohio Chicago, Ill. Cincinnati, Ohio. Cleveland, Ohio. Danville, Ill Davenport, Iowa Detrott, Mich Duluth, Minn East Chicago, Ind Evansville, Ind Fort Wayne, Ind Galesburg, Ill Galveston, Tex. Grand Rapids, Mich Hartford, Conn Indianapolis, Ind Jackson, Mich Kansas City, Kans Kansas City, Kans Kansas City, Mo. La Crosse, Wis	1151653 12114643 11652	2	Oklahoma City, Okla. Omaha, Nebr. Pittsburgh, Pa. Ponliac, Mich. Quincy, Ill Roanoke, Va. St. Joseph, Mo.	77 2 2 1 4 4 7 7 5 2 2 1 4 4 1 1 4 2 2 1 1 1 1 1 1 1 1 1 1	

TETANUS.

City Reports for Week Ended May 12, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Austin, Tex	1 2	1 1 1	New York, N. Y Orange, N. J. St. Louis, Mo	2 2	2 1 2

TUBERCULOSIS.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 866.

TYPHOID FEVER.

State Reports for April, 1917.

Place.	New cases reported.	Place.	New cases reported.
Indiana:		Louisiana:	
Clark County	1	Allem Parish	1
Clark County	5 1	Avoyelles Parish Beauregard Parish	10
	1 1	Beauregard Parish	1
Elkhart County	3	Bienville Parish Caddo Parish	1 1
Elkhart County Fulton County Greene County Harrison County Howard County Kockenen County	1 2	Calcacion Parich	1 8
Harrison County	2 1	De Soto Parish	1 Y
Howard County	1 1	De Soto Parish East Baton Rouge Parish Derville Parish	ī
Kosciusco County Lake County Marion County Owen County	2	Iberville Parish	2
Marion County.	27 5	n jackson farish	1
Owen County	1	Jefferson Davis Parish Lafayette Parish	2
Posey County.	ī	Lafourche Parish	10 1 1 3 6 1 1 2 2 2 7 1
St. Joseph County	23	Lafourche Parish Livingston Parish	i
rosey county	3	Orleans Parish Plaquemines Parish	20 1 1 1 2 5 1
Vanderburg County	1 4	St. Charles Parish	1
	2	St Holena Parish	1 1
Washington County	ĩ	St. James Parish St. Landry Parish St. Martin Parish	2
Wells County	4	St. Landry Parish	5
		St. Martin Parish	1
Total	89	St. Mary Parish	1
Kansas:		West Raton Rouge Perish	1
Atchison County—		St. Tammany Parish West Baton Rouge Parish West Carroll Parish	i
Atchison.	1		
Atchison	1	Total	74
Rutler County		Maine:	
Augusta (R. F. D.) Rose Hill Chautangua County—	1 2	Cumberland County—	
Chautangua County—	-	Portland	6
Chautauqua County— Peru. Sedan.	1	Penobscot County—	
Sedan	1	Glenburn Piscataquis County—	2
Cherokee County—	_ !	Greenville	1
Scammon	5	Washington County—	, -
Crawford County— Arma Radley Dickinson County—	1	Machias	1
Radley	î	York County—	
Dickinson County—		Bickleford Limerick	1
neringion	1	***************************************	
Douglas County— Lawrence (R. F. D.)	2	Total	12
Ford County—		Minnesota:	
Ford County— Spearville (R. F. D.) Franklin County—	. 1	Beltrami County —	
Franklin County—	_ 1	Baudette	2
Ullawa	1 1	Bemidji	1
Harper County— Anthony	2	Spooner	1
Johnson County—	- "	Bigstone County—	•
Stanley	1	Johnson	1
Leavenworth County—	. 1	Brown County— New Ulm	
Leavenworth (R. F. D.)	3 23	Carlton County—	1
Marian County—	23	Moose Lake	
Marion County— Marion (R. F. D.)	1	Crow Wing County—	•
Marshali County	- H	Brainerd	1
Frankfort	1	Klondyke Township Perry Lake Township	1
Nemaha County—	. #	Perry Lake Township	1
Centralia	1	Grant County— Herman	,
Hutchinson	2 1	Kittson County—	•
Republic County—	- 4	Kennedy	1
Grandia	1]	Lake County—	
Sedgwick County— Kechi (R. F. D.)	. 1	Two Harbors	1
Shawnee County—	2	Marshall County—	
Topeka	2	Warren Valley Township	1
Wilson County-	- 1		-
Fredonia	1 🛭	Lyle	1
Woodeen County-	_ A	Lyle Township	1
Gridley (R. F. D.)	1	Norman County—	
Wyan 10tte County— Kansas City.	1	Olmeted County	
2.0000 Varj		Pleasant Grove Township	1
Total	61	Pleasant Grove Township Pennington County— Sanders Township	•
		Sanders Township	1

TYPHOID FEVER—Continued. State Reports for April, 1917—Continued.

Place.	New cases reported.	Place.	New eacs reported.
Minnesota—Continued.		Mississippi—Continued.	
Remeev County-		Yalobusha County	5
St. Paul	1	Yazoo County	2
Dica County	1	m.4.3	100
FaribaultRoseau County—		Total	188
Warroad	1	North Dakota:	
St. Louis County—		Burleigh County	9 2
St. Louis County— Duluth	1	Cass County Stutsman County Morton County Ward County	1 4
Ely Eveleth	1 2	Morton County	4
Soudan	í	Ward County	Ī
Stearns County-		8	
Ook Township	. 2	Total	17
Wahasha County—		Pennsylvania:	
PlainviewWadena County—	. 1	Adams County	1
	2	Allegheny County. Armstrong County Beaver County. Bedford County.	39
Wilkin County— Roberts Township	_	Beaver County.	22
Roberts Township	1	Bedford County	3
	•	Deras County	20
Cokato	1	Blair County	9
Total	36	Bradford County	5
		Butler County. Cambria County. Carbon County. Center County. Clarion County. Clearfield County.	4
Mississippi:		Cambria County	5
Adams County	4	Carbon County	. 4
Amite County	i	Clerion County	. 4
Benton County	. 3	Clearfield County	3
Bolivar County	1		3
Attala County Benton County Bolivar County Calhoun County Carroll County	2 .	Crawford County	3
	2	Cumberland County	1
Chickasaw CountyClarke County	2	Dauphin County Delaware County	D 4
Clay County	1 3 1 2 2 1 2 3	Elk County	39 32 3 29 15 4 5 4 3 2 3 3 1 5 4 1 1 1
Copiah County	6	Erie County	11
Covington County	14	Fayette County Franklin County	6
Forrest County Franklin County Greene County Hancock County Harrison County	4 3	Fulton County	6 2 2 1 3 6 8 17
Greene County	ĭ	Indiana County	í
Hancock County	1	Indiana County Lackswanna County Lancaster County Lawrence County	$\bar{3}$
Harrison County	2	Lancaster County	6
mus comey	10 5	Lawrence County	. 8
Holmes County	2	Lebanon County Lehigh County	17
Jasner County	4	Luzerne County	. 6 10
Tefferson Domis County	1	Lycoming County	2
Jones County	4	Montgomery County Northampton County	2 7 7
Jones County Kemper County Lafayette County Lamar County	12	Northampton County	6
Lamer County	iî	Perry County Philadelphia County Schuylkill County Snyder County	23
Lauderdale County	ī	Schuylkill County	4
Lawrence County	2	Snyder County	23 4 3 3
Leake County	2	Somerset County	3
Lee County	3	Union County	2
Madiaan Country	ĭ	Weshington County	2 14
Marion County	ĩ j	Wayne County	5 7
Marshall County	1	Westmoreland County	
Marion County Marshall County Neshoba County Noxubee County	1 2 2 3 3 1 1 1 2 3 3 1 1 2 3 3 1	York County	5
Oktibbeha County	3	Total	303
Pearl River County	3		
Perry County	1	South Carolina: Charleston County	13
Perry County		Chester County	1
Pontotoe County	6	Chesterfield County	2
Scott County	2	Chesterfield County	ĩ
Stone County	ĩ l	Richland CountySumpter County	1
Scott County Smith County Stone County Sunflower County	5	sumpter County	1
Tate County Tippah County Tishomingo County	1	Total	19
Tippah County	2		
	1	South Dakota: Charles Mix County	1
1 UHC COUITY	3	Minnehaha County	2
Union County			
Union County Warren County	ĝ	Spink County	2
Union County Union County Warren County Washington County Webster County Winston County	2 2 1 5 1 2 1 3 1 9 10 2 5	Spink County	2 2 2 3

TYPHOID FEVER—Continued.

Washington Report for March, 1917.

Place.	New cases reported.	Place.	New cases reported.
Washington: Clark County Ridgefield. Columbia County Cowlits County King County Auburn Seattle Tolt Lincoln County Okanogan County Okanogan Pend Oreille County Metalline Falls	3 1 2 3 1 1 1 1 2	Washington—Continued. Skagit County. Snohomish County. Spokane County— Spokane. Stevens County— Kettle Fails. Thurston County— Tono. Walla Walla County— Prescott. Yakima County North Yakima Total.	1 5 4 1 1 1 2 1 33

City Reports for Week Ended May 12, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Place. Albany, N. Y Atlantic City, N. J. Auburn, N. Y. Baltimore, Md. Birmingham, Ala. Boston, Mass. Brockton, Mass. Brockton, Mass. Brotlon, N. Y. Butte, Mont. Cairo, Ill. Chicago, Ill. Cleveland, Ohio Covington, K. Y. Danville, Ill. Dayton, Ohio. Detroit, Mich. East Chicago, Ind. Erie, Pa	2 1 4 7 2 1 5 3 1	1 1 1 2	Milwaukee, Wis. Mobile, Ala. Nashville, Tenn Newark, N. J. New Haven, Conn New Orleans, La. New York, N. Y. Oakland, Cal. Pasadena, Cal. Philadelphia, Pa. Pittaburgh, Pa. Plainfield, N. J. Portland, Me. Providence, R. I. Roanoke, Va. Rochester, N. Y.	1 2 1 3 3 28 2 2 5 1 3 1 3 1	1 2 7 7 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Erie, Pa. Everett, Mass. Flint, Mich. Fort Wayne, Ind. Galveston, Tex. Hartford, Conn. Indianapolis, Ind. Kenosha, Wis. Kokomo, Ind. Lancaster, Pa. Lima, Ohio. Los Angeles, Cal. Lowell, Mass. Lynn, Mass. Memphis, Tenn.	2 1 1 1 1 1 1 1	1	St. Louis, Mo. Salt Lake City, Utah San Francisco, Cal. Schenectady, N. Y. Somerville, Mass. Superior, Wis. Topeka, Kans. Troy, N. Y. Washington, D. C. Watertown, N. Y. Wheeling, W. Va. Wilmington, Del. York, Pa. Zanesville, Ohio.	2 2 1 2 1 2 2 2 2 2 2	

TYPHUS FEVER.

Texas.

Senior Surg. Pierce reported concerning the typhus fever situation on the Texas-Mexico border during the week ended May 12, 1917, as follows: No new cases were notified during the week. The total number of cases that have been reported on the border from July

1, 1916, to May 12, 1917, is 82. During the week named, 66,568 persons were inspected by medical officers. Of the number inspected, 2,971 were disinfected for the destruction of vermin and 1,220 were vaccinated against smallpox. Five persons were refused admission on account of illness.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS.

State Reports for April, 1917.

8 4-4-	C	ases report	ed.		Ca	ed.	
State.	Diph- theria.	Measles.	Scarlet fever.	State.	Diph- theria.	Measles.	Scarlet fever.
Indiana Iowa Kansas Louisiana Maine Minnesota	194 16 109 52 19 246	7, 188 6, 353 361 445 1, 404	543 125 556 9 17 376	Mississippi North Dakota Pennsylvania South Carolina South Dakota Wyoming	27 24 1,088 55 16	6,092 197 5,319 604 97 196	45 81 886 12 42 43

Washington Report for March, 1917.

During the month of March, 1917, 24 cases of diphtheria, 3,179 cases of measles, and 118 cases of scarlet fever were reported in Washington.

City Reports for Week Ended May 12, 1917.

	Popula- tion as of July 1, 1916	Total deaths	Diph	theria.	Mea	sles.	Scarlet fever.			ber- osis.
City.	Bureau).	from all causes.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Over 500,000 inhabitants: Baltimore, Md Boston, Mass Chicago, Ill Cleveland, Ohio. Detroit, Mich Los Angeles, Cal New York, N. Y Philadelphia, Pa Pittsburgh, Pa St. Louis, Mo From 300,000 to 500,000 inhabitants: Buffalo, N. Y Cincinnati, Ohio	2, 497, 722 674, 073 571, 784 503, 812 5, 602, 841 1, 709, 518 579, 090 757, 309	232 278 800 220 255 108 1,521 597 138 246	8 94 181 30 72 10 285 54 23 80	2 5 27 2 10 	261 239 870 118 42 292 1,176 140 134 360	20 20 2 1 7	22 38 350 19 110 20 201 46 14 92	1 3 25 2 2 2 2 2	35 56 239 37 35 40 242 120 36 42	35 30 81 22 31 20 180 88 16 20
Cincinnati, Ohio Jersey City, N. J. Milwaukee, Wis. Minneapolis, Minn Newark, N. J. New Orleans, La. San Francisco, Cal Seattle, Wash. Washington, D. C. From 200,000 to 300,000 inhabitants:	410, 476 306, 345 436, 535 363, 454 408, 894 371, 747 463, 516 348, 639 363, 980	121 89 128 114 141 139 58 113	17 10 12 24 13 3	1 2 1	91 52 35 22 78 14 126 63 152	2	9 22 78 16 9 1 22 3 5	1	29 13 23 48 35 19 18 20	15 11 4 9 27 14 4 10
Columbus, Ohio	214,878 260,800 271,708 297,847 295,463 254,960 256,417	71 81 48 91 85	5 3 17 8 6 3	1	14 95 332 95 28 18 93	1	3 12 30 52 26 7 26	2	20 3 6	5 14 6 3 9

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

City Reports for Week Ended May 12, 1917—Continued.

	Popula- tion as of July 1, 1916	Total deaths	Diph	theria.	Mea	sles.		rlet ær.		ber- osis.
City.	(estimated by U. S. Census Bureau).	from all causes.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 100,000 to 200,000 inhabit-										
ants: Albany, N. Y	104, 199	l	4	 	31	ļ	5		3	l
	181,762	83 44	1 2	2	64 37 2	5 1	5 3 5		11	6 2
Bridingnan, Aisa Bridgeport, Conn Camden, N. J Dayton, Ohlo Fall River, Mass Fort Worth, Tex Grand Rapids, Mich Hartford, Conn Lawrence Mass	121, 579 106, 233	12	3		32	1	1		1 4	1
Dayton, Ohio	106, 233 127, 224 128, 366 104, 562	28	5		73	į	20		4 7	5
Fall River, Mass	128,366 104,562	46 24	4	•••••	56	5 1	1		7	6
Grand Rapids, Mich	128, 291	47	2		154	ī	16		5 8	1 4 2 7 4 10 7 5 5 3
Hartford, Conn	110,900 100,560	33	2 3 3 4	····i	18 1		8		8	4
Lowell, Mass	113 245	46	4	i	10		i		5 7	7
Lynn, Mass. Memphis, Tenn Nashville, Tenn New Bedford, Mass New Haven, Conn Oakland, Cal. Omaha, Nebr Reading, Pa Richmond, Va Salt Lake City, Utah Springfield, Mass Syracuse, N, Y Tacoma, Wash Toledo, Ohio. Trenton, N, J	102, 425 148, 995 117, 057	28	2 4 1 2		11 24		5	1	5	1
Nashville, Tenn	148,990	46	i		17		6		19 8	107
New Bedford, Mass	118, 158	31			7		i		11	5
New Haven, Conn	149, 685 198, 604		4		113 13	3	14		17	5
Omaha, Nebr	165, 470	50	3		97	i	32		ľ	5
Reading, Pa.	165, 470 109, 381	35 42	2		2		5 1	1	····;·	1
Salt Lake City Utah	156, 687 117, 399	42 28			42 5		13		1	4
Springfield, Mass	105, 942	28 26	7		75		5		3	6
Syracuse, N. Y	155,624	46	6		63		20	• • • • • •	4	6
Toledo, Ohio	112,770 191,554	74	2		56		38	1	32	9
Trenton, N. J	111,593 163,314	38 66	2 3	1	2				6	4
Trenton, N. J. Worcester, Mass. From 50,000 to 100,000 inhabit-	163,314	66	3	1	5	• • • • • •	9	1	8	9
ants:			i							}
ants: Atlantic City, N. J. Bayonne, N. J. Berkeley, Cal. Binghamton, N. Y. Brockton, Mass. Canton, Ohio. Charleston, S. C. Covington, Ky. Duluth, Minn. Elizabeth, N. J. El Paso, Tex. Erie, Pa.	57,660				33				2	
Bayonne, N. J	69, 893 57, 653	9	3		19		3 1		4	• • • • • •
Binghamton, N. Y	53.973	17	1		21		3			i
Brockton, Mass	67, 449 60, 852	16	1	;-	6				3	1 1 5 5
Charleston, S. C	60, 734	17 37	2	1	1 2	• • • • • • •	3 1		3	5
Covington, Ky	57, 144 94, 495	22	3		4		1		6	5
Duluth, Minn	94, 495	12 28	4 8		30		3 4	• • • • • •	1 2	1
El Paso, Tex.	86, 690 63, 705	80		••••2	58 16 48	····i	1			4 11
Erie, Pa. Evansville, Ind.	75. 195		···i		48		1			. 20
Evansville, ind	76,078 54,772	21 7	1		25 18		22		4 2	2
Fort Wayne, Ind	54,772 76,183	23			5 9		7		3	2
Flint, Mich Fort Wayne, Ind Harrisburg, Pa Hoboken, N. J	72,015	24 21			9		6 2		6	3 5
Johnstown, Pa	77, 214 68, 529	33			32		6		4	
Johnstown, Pa Kansas City, Kans. Lancaster, Pa	99, 437		2		15		10		3	•••••
Lancaster, Pa	50, 853 57, 343	27			14		····i			• • • • • •
Malden, Mass	51, 155	11	8		27		5			
Manchester, N. H	78, 283 l	29 20	1		7	_i	5		¦	
New Britain Conn	58, 221 53, 794	13	••••		6 3	1	1 4	•••••		1
Norfolk, Va	89, 612 92, 943				14		3			3
Lancaster, Pa. Little Rock, Ark. Malden, Mass. Manchester, N. H Mobile, Ala. New Britain, Conn. Norfolk, Va Oklahoma City, Okla Passaic, N. J. Portland, Ma	92,943	13	3		5	•••••	3		···· <u>;</u> ·	1 3 1
Portland. Me.	71,744 63,867	17 18	1		5		···i			1
Passac, Me. Portland, Me. Sacramento, Cal. Saginaw, Mich. St. Joseph, Mo. San Diego, Cal. Schenectady, N. Y.	66, 895	22 .			7				7	ĩ
Saginaw, Mich	55, 642 85, 236	14 20	1	•••••	3 4	•••••	8		····i	i
San Diego, Cal	85, 236 53, 330	16	i		48			:::::	4	4
Schenectady, N. Y.	ו עום.עע	25	3		69		7		13	•••••
Companyille More	57, 078 87, 039	28	···· <u>}</u> - -	····· ·	ю.		5		····· <u>2</u> ·	3
South Bend, Ind Springfield, Ill	68, 946	8 !.			6		10			2
Springfield, Ill	. 61, 120	17	4	1 1	11		3 .	! .		

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

City Reports for Week Ended May 12, 1917-Continued.

	Popula- tion as of July 1, 1916	Total deaths	Dipb	theria.	Mes	sles.	Sca fer	rlet ver.	Tu	ber- osis.
City.	(estimated by U. S. Census Bureau).	from all causes.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths,	Cases.	Deaths.
From 50,000 to 100,000 inhabit- ants—Continued.										
Troy, N. Y. Wichita, Kans. Wilkes-Barre, Pa. Wilmington, Del.	77,916 70,722 76,776 94,265 51,656	ļ	3		33 41	ļ	6 5		2	7
Wilkes-Barre, Pa.	76,776	21	7 2		12		4		2	·····2
	51,656	30	15		2		1		2	3
From 25 000 to 50 000 inhabitants:		7	1		8		1			l
Alameda, Cal Auburn, N. Y Austin, Tex	27,732 37,385 34,814	6	ļ <u>.</u> .		i					i
Austin, Tex	309 730 1	20 10		ļ	7		1 2		3	1 1 1
Brookline, Mass. Butler, Pa. Butte, Mont.	27,632	6	2		16		ī		2	î
Chelsea, Mass. Chicopee, Mass.	27,632 43,425 46,192	23 13	3	ļ	10				3	3
	29,319 26,074	6		·····	6		····i		11 5	
Danville, III. Davenport, Iowa Dubuque, Iowa East Chicago, Ind East Orange, N. J	32, 201	3	1		22					
Davenport, Iowa	48, 811 39, 873	• • • • • • • • • • • • • • • • • • • •	1		2 3		1 5	•••••		
East Chicago, Ind	39, 873 28, 743 42, 458		2		24		6		1	i
Elgin, Ill	28, 203	6 12	2 2 8 7	····i	25 5 4		4 1 1		2:	1
Everett, Mass	39, 233 35, 486	8 12	7	1	4 2		1		4	
Fitchburg, Mass	35, 486 41, 781 41, 863	8			6		2		2	
Galveston, Tex	41,863	11 22	1 3			• • • • • • •	2		1 3	1
Jackson, Mich	48, 477 35, 363	10		1 2	33 22		2 3		1	
Eigm, III Everett, Mass Everett, Wash Fitchburg, Mass Galveston, Tex. Haverhill, Mass Jackson, Mich Kalamazoo, Mich Kenosha, Wis Kingston, N. Y. Knexville, Tean	48, 886 31, 576	26 5	····i	2	70	1	4	1	8	4
Kingston, N. Y	26,771 38,676	6		• • • • • •	···· ₂				3	2
La Crossa Wis	31,677	6	8 1				2 1		1 1	
Lexington, Ky Lima, Ohio	41,097 35,384	27 10	1	1	13 1		1		7	4
Lincoln, Nebr	46,515	19	i		46		2 7	· i		i 1
Long Beach, Cal	36,964	10	····i	•••••	2 1		8		1	
Lynchburg, Va	32,940	6			$\tilde{2}$		1			····i
Medford, Mass.	30, 699 26, 234	5	4		22	::::: <u> </u>	11		2	•••••
Montclair, N. J	26,318 27,327	5 10	•••••		1 58		1			•••••
Newburgh, N. Y.	20,603	14			[1		2	2
New Castle, Pa. Newport Ky.	41, 133 31, 927	12	•••••		1	:::::l	1			•••••
Newport, R. I.	300 1/100 1	7 7	3		27		1			i
Long Beach, Cal. Lorsin, Ohio Lynchburg, Va. Madison, Wis Mediord, Mass. Montclair, N. J. Nashua, N. H. Newburgh, N. Y. New Castle, Pa. Newport, R. J. Newton, Mass. Niagara Falls, N. Y. Norristown, Pa.	43,715 37,353	15	3		49		1		i	····i
Norristown, Pa	31, 401 31, 404	6			•••••		1			1
Nerristown, Pa. Ogden, Utah. Ovange, N. J. Pasadena, Cal. Perth Amboy, N. J. Pittsfield, Mass. Portsmouth, Va.	33.080 1	14	···i		3		i			
Pasadena, Cal Perth Ambov. N. J	46, 450 41, 185	12	3		10 2		••••••		···i	2
Pittsfield, Mass	38, 629	15			46		2 6		5	3
Quincy, III.	39,651 36,798	6	:::::	:::::	11 12	:::::	2 2			
Quincy, Mass	38, 136 46, 486	12	····i		2		2		1	4
Pittsfield, Mass. Pertsmouth, Va. Quincy, III. Quincy, Mass. Racine, Wis. Roanoke, Va. San Jose, Cal. Steubenville, Ohio. Superior, Wis. Taunton, Mass. Topeka, Kans. Waktham, Mass.	43, 284	9	4		6 [· i			1	2 2 2
San Jose, Cal	38,902 . 27,445		3		36		1 .	•••••	2	
Superior, Wis	27, 445 46, 226 36, 283	12		i			i .		5	i
Topeka, Kans.	48, 726	12 12 6 7 10 7	4	·······\	9	······			2	3
Wattham, Mass	30,570	7			8		i.]		
West Hoboken, N. J.	29, 894 43, 139	7	2 1		9 .		10		3 4 3	i 3
Wheeling, W. Va	43,377	14	11	1	8 1	1	11.		1 [3

869 June 1, 1917

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS— Continued.

City Reports for Week Ended May 12, 1917—Continued.

	Popula- tion as of July 1, 1916	Total deaths	Diph	theria.	Mea	Measles. Scarlet fever.			ber- osis.	
City.	(estimated by U. S. Census Bureau).	from all causes.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 25,000 to 50,000 inhabit- ants—Continued. Williamsport, Ps Wilmington, N. C Winston-Salem, N. C Zanesville, Ohio From 10,000 to 25,000 inhabit- ants:	33, 809 29, 892 31, 155 30, 863	13 20 10	4 1 2 1		16 15 38 1		1		7	2
Ann Arbor, Mich. Beaver Falls, Pa. Braddock, Pa. Cairo, III. Clinton, Mass. Coffeyville, Kans. Concord, N. H. Galesburg, III. Kokomo, Ind. Long Branch, N. J. Marinette, Wis. Melrose, Mass. Morristown, N. J. Nanticoke, Pa. New buryport, Mass. New London, Conn. North Adams, Mass. North Adams, Mass. Northampton, Mass. Plainfield, N. J. Pontiac, Mich. Portsmouth, N. H. Rocky Mount, N. C. Rutland, Vt. Sandusky, Ohio. Saratoga Springs, N. Y. Stelton, Pa.	23,539	10 4 2 5 5 10 5 6 3 5 7 7 3 9 9 2 2	1 2 2 2 1 1 1 1	1	41 8 2 1 4 7 34 28 4 4 1 1 1 1 23 6 48 30 2 7 4		1 1 1 1 1 1 1 17 5	1	2 1 1 1 1 2 2 1 3 4	3 1

¹ Population Apr. 15, 1910; no estimate made.

SPECIAL STATE REPORTS.

California Report for Week Ended May 12, 1917.

Measles still continues throughout the State. During the second week of May large numbers of cases were notified in Berkeley, Reedley, Los Angeles, Pasadena, San Diego, San Francisco, San Jose, Santa Clara, and Red Bluff. From the rural districts many cases were also reported, particularly in Shasta, Solano, Los Angeles, and Fresno Counties. Mumps became more prevalent during the week. The cities reporting its presence are Alameda, Lordsburg, Compton, Los Angeles, Riverside, Redlands, San Francisco, and San Diego. The distribution in rural communities is shown by the reports from Sonoma and Los Angeles Counties. Scarlet fever continues to be widely prevalent. Increases were shown in the reports from Oakland. Los Angeles, and San Francisco. The disease is also present

in Sonoma, Los Angeles, and Kern Counties. No cases of smallpox or poliomyelitis were reported during the week. Whooping cough showed a slight decrease. Of typhoid fever 11 cases were reported as follows: Four in Oakland, 1 in Colusa County, 1 in El Centro, 2 in Los Angeles, 2 in San Francisco, and 1 in Pasadena.

Preventable diseases reported in California during the week ended May 12, 1917.

Disease.	Cases reported.	Disease.	Cases reported.
Chicken pox Diphtheria. Erysipelas German measles Gonorrhea Leprosy Malaria Measles	52 6 30 30	Mumps Peilagra. Pneumonia. Scarler fever Syphilis. Tuberculosis. Typhold fever Whooping cough.	1 38 84 20 91

FOREIGN.

CHINA.

Plague-Amoy.

Information dated April 4, 1917, shows human and rodent plague present at Amoy.

Access of Rats to Vessels-Precautions Against-Amoy.

The following requirement has been ordered into effect at Amoy from April 25, 1917, for all vessels sailing for or calling at American ports or ports of the Philippine Islands:

All cargo boats and lighter lines and lines leading to the vessel from any other vessel or craftlying alongside must be equipped with inverted cones or other approved rat guards.

Previous requirements provide for the maintenance of clean and rat-free cargo boats and the rat proofing of cargo, these requirements being applicable whether or not the vessel takes on cargo or passengers for American ports or ports of the Philippine Islands.

CUBA.

Communicable Diseases—Habana.

Communicable diseases have been notified at Habana as follows:

	May 1-	10, 1917.	Remain- ing under		May 1-	Remain- ing under	
Disease.	New cases.	Deaths.	treat- ment May 10, 1917.	Disease.	New cases.	Deaths.	treat- ment, May 10, 1917.
DiphtheriaLeprosyMalariaMeasles	7 16 20	1	4 10 36 43	Paratyphoid fever Scarlet fever Typhoid fever Varicella	1 4 7 3		3 4 32 4

INDO-CHINA.

Cholera-Plague-Smallpox-January, 1917.

During the month of January, 1917, 52 cases of cholera, 82 of plague, and 174 of smallpox were notified in Indo-China. The cases were distributed by Provinces as follows:

Cholera.—Province of Anam, 1 case; Cambodia, 10 cases occurring at three localities; Cochin-China, 21 cases at four localities; Laos, 20 at one locality—Vientiane.

Plague.—Province of Anam, 29 cases at three localities; Cambodia 37 at two; Cochin-China, 14 at four; and Kwang-Tcheou-Wan, 2 at one locality.

Smallpox.—Province of Anam, 22 cases at four localities; Cambodia, 14 at 1 locality; Cochin-China, 110 at 11 localities; and Tonkin, 28 at 6 localities.

As regards cholera, only one case was reported in Anam, as against 909 cases reported in the corresponding month of the year 1916. In Laos 20 cases occurred in the locality affected.

As regards plague, an increase of 24 cases was noted in Anam over the number reported for December, 1916. In Cambodia the number of cases was three times that reported for December, 1916. An increase in the number of cases of smallpox was also noted in Cambodia. Vaccination tours have been discontinued in this Province during the past two years.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER.

Reports Received During the Week Ended June 1, 1917.

CHOLERA.

Place.	Date.	Cases.	Deaths.	Remarks.
India: Calcutta Indo-China: Provinces	Mar. 18-24		21	Jan. 1-31, 1917: Cases, 52; deaths,
Anam	dododo	1 10 21 20	9 8 12	29. Mar. 23-Apr. 5, 1917: Cases, 3.
Philippine Islands: Provinces Albay. Bohol. Cebu. Leyte. Sorsogon.	Apr. 8-14dodododododo	3 3 3 22 20	1 1 12 9	Apr. 8–14, 1917: Cases, 51; deaths, 23.
	PLA	GUE.		
India Bombay Karachi Madras Presidency Indo-China:		93 75 179	80 64 138	Mar. 18-24, 1917: Cases, 18,394; deaths, 14,795.
Provinces Anama Cambodia. Cochin China Kwang-Tcheou-Wan Saigon Java:	do	29 37 14 2 18	18 33 13 2 9	Jan. 1-31, 1917: Cases, 53; deaths, 66.
East Java. Docjakarta Residency Kediri Residency Madeora Residency		1 2	1 2 1	Mar. 5-25, 1917: Cases, 14; deaths, 16.

¹ From medical officers of the Public Health Service, American consuls, and other sources.

Reports Received During the Week Ended June 1, 1917—Continued.

PLAGUE-Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Java—Continued. East Java—Continued.				
Pasoeroean Residency Samarang Residency Surabaya Residency	do	1 1 7	1 2 7	
Surakarta Residency Siam:	do	2	2	
Bangkok Straits Settlements: Singapore	Mar. 11-24	1	5	
	<u> </u>	LPOX.	!	
Australia:				
New South Wales— WalgettQueensland—	Apr. 2	1		
Thursday Island (quarantine).	Apr. 8	. 1		On s. s. Eastern from Kobe viz Hongkong. Vessel proceeled in quarantine to Townsville Brisbane, and Sydney.
Brazil: Rio de Janeiro	Apr. 1-21	31	2	
China: Chungking France:	Apr. 1-14			Present.
France: MarseilleGreece: Tripolis	Mar. 1-31 May 12		2	Outbreak.
India: Bombay	Apr. 1-7		19	Outbreak.
Calcutta Karachi Madras	Mar. 18-24 Apr. 1-7do	1 33	1 12	
Indo-China: Provinces				Jan. 1-31, 1917: Cases, 174; deaths, 37.
AnamCambodia	do	22 14 110	2 6 29	31.
TonkinSaigonJamaica:	do Mar. 19–Apr. 8	28 135	36	
Kingston Japan:	May 6-12	1		,
Kobe Osaka Yokkaichi	Apr. 16–29 Apr. 21–30 Apr. 1–14	15 48 3	18 1	
Java: East Java	Mar. 19–25 Mar. 11–24	1 25	3	Mar. 23-Apr. 5, 1917: Cases, 29;
Batavia	Mar. 23-Apr. 5	7	3	deaths, 5.
Russia: Archangel Spain:	Mar. 1-14	16	1	
SevilleValenciaStraits Settlements:	Mar. 1-31 Apr. 15-21	5	8	
Singapore Uruguay:		1		
Montevideo	Feb. 1-28	1	1	

Reports Received During the Week Ended June 1, 1917-Continued.

TYPHUS FEVER.

Place.	Date.	Cases.	Deaths.	Remerks.
Great Britain: Belfast. Java: Sast Java. Mid-Java. West Java. Batavia. Russia: Archangel.	Apr. 22-28	1 4 12 19 18	1 3 3	

Reports Received from Dec. 30, 1916, to May 25, 1917. CHOLERA.

Place.	Date.	Cases.	Deaths.	Remarks.
China:				•
Hunan Province—	.]	ł		Epidemic in August, 1916.
Changteh			1	Outbreak with 72 cases reported
паско	1	1	1	Mar. 1, 1917.
Chosen (Kores)	Aug Dec. 29	1,998	l	
Germany:	1	, ,,,,,		1
Marienwerder	. Jan. 21-27	. 3	1	Prisoners of war.
India:	l =	1		
Bassein	Dec. 31-Mar. 17		48	Ì
Bombay	Nov. 5-Dec. 23		12	
Do		1 1	161	Oct. 8-14, 1916; Cases, 3.
Do			142	Oct. 6-11, 1910. Oasos, e.
Henzada			1 7	
Madras	. Nov. 5-Dec. 16	5	l	
Do		6	4	Dec. 17-23, 1916; One case.
Moulmein	do		7	*
Rangoon	Nov. 26-Dec. 30	5	6	
Ďo	. Dec. 31-Mar. 17	11	9	
Indo-China	4			Apr. 1-June 30, 1916: Cases, 4,540;
_	1	l		deaths, 2,869. July 1-Dec. 31, 1916; Cases, 2,984;
Do	·4	(deaths, 2,398.
Provinces— Anam	. Apr. 1-June 30	1,381	2,309	uomins, 2,000.
Do		7,700	544	
Cambodia		47	13	
Do			116	
Cochin-China	. Apr. 1-June 30	269	111	
Do		123	111	
Kwang-Tcheou-Wan			264	*
Laos	. Apr. 1-June 30	102	57	•
Do	. July 1-Nov. 30	652	630	
Tonkin	. Apr. 1-June 30		1,385	
Do Saigon	July 1-Dec. 31 Dec. 25-31	999	725 . 3	
Do	Jan. 29-Mar. 18	7	5	
Japan:	. Jan. 25-Mai. 10	'		
Fukuoka	. Jan. 19	33		
Nagasaki	. Nov. 27-Dec. 3	9	4	
Do	.] Feb. 19-25	1	1	,
Osaka	Nov. 16-Dec. 25	23	57	Aug. 13-Dec. 25, 1916: Cases, 971;
	1			deaths, 754.
Do	. Dec. 26-Jan. 25	19	10	Jan. 6-16, 1917: Cases, 9. Aug. 14,
Taiwan Island—	No. 10 Dec 00	ا ۔ ا	!	1916-Jan. 25, 1917: Cases, 990;
Keelung	Nov. 13-Dec. 23 Feb. 18-24	5	7	deaths, 641.
Do Taihoku	do.	14	5	
Tokyo	Jan. 23-Feb. 4	4		
Yokohama	Nov. 6-Dec. 3	5	3	
Districts	do		ĭl	

Reports Received from Dec. 30, 1916, to May 25, 1917—Continued.

CHOLERA—Continued.

Java: East Java	Oct. 14-17.		1	
East Java	Ont 14 17	1	1	
		. 5	3	
West Java		.		Nov. 17-Dec. 14, 1916; Cases, 135;
Batavia	Nev. 17-Dec. 7	. 23		Nov. 17-Dec. 14, 1916: Cases, 135 deaths, 65. Jan. 26-Mar. 8
D0	Jan. 26-Mar. 8	4	1	1917: Cases, 5; deaths, 1.
Enzeli	Mar. 21-Sept. 9	74	37	
Kazvin	July 18-Sept. 19	107	86	
Mazanderan Province—	37 10	}	1	**
Amol	Nov. 16	8	8	Epidemic.
Ferikenar Recht.	Mar. 21-Oct. 14	165	66	
Teheran	Aug. 3-Oct. 19	428	409	At two localities in vicinity;
	1	l	1	Cases, 64; deaths, 38.
Philippine Islands:	Oct 20 Dec 20		1	Not providendly separated. (large
Manila Do	Oct. 29-Dec. 30 Dec. 31-Feb. 24	201 14	70	Not previously reported: ('ases,
Provinces	Doc. 01-1-00. 24	1	·	55; deaths, 2. Oct. 29-Dec. 9, 1916: Cases, 4,191; deaths, 2,030, Dec. 17,30, 1916.
Albay	Oct. 29-Dec. 9	246	147	deaths, 2,030. Dec. 17-30, 1916
Do	Dec. 17-30	20	10	deaths, 2,030. Dec. 17-30, 1916. Cases, 282; deaths, 188. Dec.
Do	Dec. 31-Apr. 7	123	88	31, 1916-Apr. 7, 1917: Cases,
Antique	Nov. 18-25	8	98	2,347, deaths, 1,647.
Do	Dec. 31-Mar. 24 Oct. 29-Dec. 9	138 93	77	
Betnan Do	Dec. 17-23	2	2	
Do	Dec. 31-Jan. 6	2	ş	
Batangas] Oct. 29-Nov. 18	1	1	
Bohol	Oct. 29-Dec. 9	46	18	
Do Do	Dec. 17-23	1 62	34	
Bulacan	Feb. 25-Apr. 7 Oct. 29-Dec. 9	96	67	
Do	1 Dec. 17-23	10	6	
Camarines	Oct. 29-Dec. 9	. 61	37	
Capiz] do	45	34	
Do	Dec. 17-39 Dec. 31-Mar. 31	27 249	23 183	
Do Cavite	Oct. 29-Dec. 9	156	113	~
Do	Dec. 17-30	24	13	
Do	Dec. 31-Feb. 10	45	33	
Cebu	Dec. 24-30	12		
Do Tl oilo	Jan. 7-Apr. 7 Oct. 29-Dec. 9	149 237	81 148	
Do	Dec. 17-30.	37	31	
Do	i Dec. 31-Apr. 7	118	84	
Laguna	Nov. 2-25 Oct. 29-Dec. 9	12	10	
Leyte	. 1 Oct. 29-Dec. 9	127	98 62	
Do	Dec. 17-30 Dec. 31-Apr. 7	90 625	497	
Masbate	Dec. 17-23	8	12	
Mindanao] Jan. 14-Feb. 3	25	18	
Mindoro	Dec . 31-Feb. 3	8	7	
Misamis	Oct. 29-Dec. 9	126	79 12	
Do		17 49	36	
Do Negros Occidental	Oct. 29-Dec. 9	910	553	
Do	. Dec. 24-30	11	5 1	
Do	i Jan. 7-Mar. 31	69	56	
Pampanga Do	Dec. 3-9	4	3 5	
Do	Dec. 31-Jan. 5	6	ĭl	
Rizal	Oct. 29-Fec. 9	27	14	
De	Dec. 17-39	4		
Do	Dec. 31-Jan. 27	2		•
Romblon		38 13	26 10	
Samar Do	Nov. 5-18	359	266	
Sorsogon	.] Oct. 29-Γec. 2	131	71	
Do	. Dec. 17-23	1]	2	
Do	. Jan. 21-Mar. 31	198	111	
Tayabas	. Nov. 5-18	1 46	1 31	
Zambales	Mar. 18-Apr. 7 Oct. 29-Γec. 2	10	4 1	

Reports Received from Dec. 30, 1916, to May 25, 1917—Continued.

CHOLERA—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Straits Settlements:				
Penang	Mar. 11-17	1	1	
SingaporeDo	Oct. 22-28 Jan. 7-Mar. 10	2 5	2 5	<u> </u>
Turkey in Asia	I		1	July-Dec. 31, 1916; Cases, 9.565;
Aleppo	Dec. 9-15. Jan. 15-Mar. 5		1	July-Dec. 31, 1916: Cases, 9,565; deaths, 4,909. Mar. 4-24, 1917: Cases, 32; deaths, 22.
Do	Jan. 15-Mar. 5	2 19	8	Cases, 32; deaths, 22.
Bagdad Beirut	Nov. 6-30 Dec. 7-12	2	l î	
Panderma	Jan. 8-Mar. 13	1 3	1	
Rodosto	Jan. 18 Nov. 7	1	1 1	***
Turkey in Europe:	1404.7			
Constantinople	Oct. 1-Nov. 17	8	1	
Do	Mar. 4-22	8	6	
	PLA	GUE.		
Arabia:			1	\
Aden	Apr. 8-14	14	7	26.75
Brazil:				
Bahia	Nov. 5-Dec. 16 Jan. 7-Mar. 31	15 6	9	Jan. 1-Nov. 11, 1916: Cases, 14; deaths, 7. Nov. 5-11: Cases, 4; deaths, 2.
Joazeiro				June 1-Nov. 6, 1916: Cases, 67;
Pernambuco, State	Jan. 16-Apr. 26		l	deaths, 51. Present in interior cities.
Cevlon:	_			
Colombo	Oct. 28-Dec. 30 Dec. 31-Feb. 10	50 48	30 46	July 23-29, 1916: Cases, 9; deaths,
Chile:			10	0.
Antofagasta	Mar. 1-31		• • • • • • • • • • • • • • • • • • • •	
Tacna. Tocopilla.	do Sept. 12	1	·····i	·
China:		_	•	
Amoy, vicinity	Nov. 19-Dec. 2			Present.
Do Chaochowfu	Feb. 18-Mar. 24 Feb. 24		• • • • • • • • •	Present and in vicinity.
Hongkong	Dec. 24-30	·····i	i	Present, 26 miles from Swatow.
Do	Dec. 24–30 Jan. 21–Feb. 3	24	12	Present in vicinity.
Kansu Province—				Durant Brand Brand
Taochow	Oct. 1-24	• • • • • • • •	20	Pneumonic. Reported present in other localities in Province.
Nanking	Mar. 4-24			Present.
Ecuador	0.4 1 D 01			Sept. 1-Dec. 31, 1916: Cases, 353;
DuranGuayaquil	Oct. 1-Dec. 31 Sept. 1-Dec. 31	2 347	116	deaths, 119. Jan. 1-31, 1917: Cases, 106; deaths,
Do	Jan. 1-31	104	43	43.
Milagro Naranjal Nobol Santa Rosa	Nov. 1-Dec. 31 !	2	ĩ	
Naranjal	Jan. 1-31	1		
Nobol	Oct. 1-31	1	1 1	
Taura	Sept. 1-30 Jan. 1-31	i	1	
Egypt		<u>.</u> .		Jan. 1-Dec. 30, 1916: Cases, 1,702;
				Jan. 1-Dec. 30, 1916: Cases, 1,702; deaths, 828. Jan. 1-Apr. 19, 1917: Cases, 149; deaths, 74. One case on s. s. Proton, arrived Nov. 16, 1916, from Sidi Ba- rani and Sollum.
Alexandria	Nov. 12-Dec. 25	4	3	One case on s. s. Proton, arrived
Do	Nov. 12-Dec. 25 Feb. 21-Mar. 28	3	ĭ	Nov. 16, 1916, from Sidi Ba-
Port Said	Dec. 11	1		rani and Sollum.
Do Provinces—	Jan. 18-Apr. 18	13	8	
A ssiout	Mar. 8-Apr. 19	22	16	•
Assiout Beni-Souef	Feb 1	1		
Fayoum	Jan. 24-Apr. 19	28	12	
Fayoum Girgeh Keneh	Mar. 27-Apr. 19	38 35	23	
Minieh	Jan. 24-Apr. 19 Mar. 27-Apr. 19 Mar. 20-Apr. 19 Jan. 25-Apr. 19	35	23 3	
Gold Coast:	***** *** *******	١	٠	
Akkra	Apr. 4			Present.
Greece:	Apr 22	2		In military homital
Attiens	Apr. 23	21	l	In military hospital.

Reports Received from Dec. 30, 1916, to May 25, 1917—Continued.

PLAGUE-Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Hawaii:	-			
Paauilo	Mar. 7	1	1	Oct 15 Dec 92 1016: Green 90
India Bassein	Oot 22-Dec 30			519 deaths 67 069 Dec 21
Do	Oct. 22-Dec. 30 Dec. 31-Mar. 17		119	Oct. 15-Dec. 23, 1916: Cases, 89, 512; deaths, 67,088. Dec. 31, 1916-Mar. 17, 1917: Cases, 20, 116; deaths, 16,402. Oct. 8-14, 1916: Cases, 13; deaths,
Bembay	Nov. 5-Dec. 30	73	59	Oct. 8-14, 1916; Cases, 13; deaths.
Do	Dec. 31-Mar. 31	580	422	1. Acoceived out of date. Ong
Calcutta	Mar. 4-17]	3	inal report lost on s. s. Arabia
Calcutta Henzada Karachi	Feb. 18-Mar. 10		14	
Karacol	Dec 21 Mar 21	209	3 155	İ
Do	Now 10-Dec 30	7	135	Oct. 8-14, 1916: Case, 1; death, 1
Do	Oct. 29-Dec. 30 Dec. 31-Mar. 31 Nov. 19-Dec. 30 Dec. 2-Mar. 17	81	51	Joe. 0 11, 1510. 0000, 1, double, 1
Do	Nov. 5-Dec. 30	5.854	3,932	Oct. 8-14, 1916: Cases, 534: deaths,
Do	Dec. 31-Mar. 31	6,760	4,583	353. Sept. 17-23, 1916; Cases, 429; deaths, 280.
Mandalay	Oct. 28-Dec. 30 Feb. 4-Mar. 10		.3	,
Do	Mar. 11-17		17	
Mergui Moulmein	Dec. 3-9		i i	
Do	Feb. 4-Mar. 17		34	•
Myingyan	I Маг. 4 –17		7	
Prome			177	· ·
Do	Dec. 31-Mar. 17.:.		108	
Rangoon	Dec. 31-Mar. 17 Oct. 28-Dec. 30 Dec. 31-Mar. 17 Oct. 22-Dec. 30	43	30	Oct. 1-7, 1916: Cases, 9; deaths, 9.
Do Toungeo	Oot 22-Dec 20	339	318 12	
Do	Dec. 31-Mar. 17	•••••	45	
Indo-China	200.01 Man. 11			Apr. 1-June 30, 1916; Cases, 325;
Provinces—	A 1 T 66	***	~	Apr. 1-June 30, 1916: Cases, 325; deaths, 148. July 1-Dec. 31, 1916: Cases, 230; deaths, 142.
Anam Do	Apr. 1-June 30 July 1-Dec. 31	142	83 49	1910: Cases, 290; deaths, 142.
Cambodia	Ang 1-Dec. 31	75 43	41	
Do	Apr. 1-June 39 July 1-Dec. 31 Apr. 1-June 30	57	54	
Cochin-China	Apr. 1-June 30	135	63	
_ Do	July 1–Nov. 30	58	22	
Kwang-Tcheou-Wan	do	29	8	
Tonkin	Oct. 1-31 Nov. 6-Dec. 17	2 9	3	
Saigon Do	Jan. 1- Mar. 18	31	21	
Japan: Nagoya	Dec. 19-16.	2		
Taiwan Island—		_		
Shirin	Feb. 18-24	1	1	Three miles from Taihoku.
Tansui	Feb. 15-Apr. 4	5	5	
YokkaichiJava:	Nov. 12-Dec. 16	32	12	
East Java				Aug. 26-Fec. 31, 1916: Cases, 133;
Djocjakarta Residency.	Nov. 4-Dec. 31 Jan. 1-Feb. 25	2 7	2 7	deaths, 116. Jan. 1-Feb. 25, 1917: Cases, 51; deaths, 49.
Do Kediri Residency	Aug. 26-Dec. 31	20	18	1911. Cases, or, weaths, 49.
Do	Jan. 1-Feb. 25	3	31	
Madioen Residency	Aug. 26-Dec. 31	8	8	
Do	Jan. 1-Feb. 25	20	20	
Pasoeroean Residencyl	Aug. 26-Dec. 31 Dec. 2-31 Jan. 1-Feb. 25	3	31	
Samarang Residency	Dec. 2-31	6	6	
Do	Ang 28. Dec 31	49	49	
Surabaya Residency Do	Aug. 26-Dec. 31 Jan. 15-Feb. 11	13	12	
Surakarta Residency	Aug. 26-Dec. 31	28	28	
Do	Jan. 29-Feb. 11	2	1	
Mid-Java—	1	!	. 1	
SamarangDo	Aug. 26-Dec. 31 Jan. 1-Feb. 25	1	1	
Mauritius.	Dec. 9-Feb. 3	20	ni (District of Port Louis Jan 1-
Tauring	200.5-200.0	~]	**	District of Port Louis. Jan. 1- Feb. 15, 1917: 101 cases. Jan. 1-
1	1	ì	į	June 30, 1916: Cases, 360; deaths.
_	I	1	i	191. July 1-Dec. 31, 1916: Cases
Peru:	1]	I	150; deaths, 77.
Department—	Ten 1 Turnen	<u>,,</u> }	21	
Ancachs	Jan. 1-June 30 July 1-Dec. 31	57 5	1	
Casma	Jan. 1-Feb. 15	31		

Manitoba— Winnipeg..

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.

Reports Received from Dec. 30, 1916, to May 25, 1917—Continued.

PLAGUE—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Peru-Continued.				
Department—Continued.	1	l	1.	i e
Arequipa	. Jan. 1-June 30	23	18	1 .
Do	July 1-Dec. 31	1	1	,
Cajamarca	. do	2		ł
Lambayeque	. Jan. 1-June 30	84		1
Do	. July 1-Dec. 31	6		ì
Chiclayo	Jan. 1-15	2		·}
Libertad Do	Jan. 1-June 30 July 1-Dec. 31	54 75		
Do	Jan. 1-Feb. 15	60	1 20	Occurring in Guadalune Pages
Lima	Jan. 1-June 30	45	19	Occurring in Guadalupe, Pacas mayo, Salaverry, San Pedro Trujillo (city and country)
Do	July 1-Dec. 31	40	18	Truillo (city and country)
Callao Province		36	20	and Viru.
Do	July 1-Dec. 31	4	2	
Do	Jan. 1-Feb. 15	3		In Callao City.
Lima	do	22		City and country.
Piura	Jan. 1-June 30	561	45	
Do	July 1-Dec. 31	17	13]
Catacaos	Jan. 1-Feb. 15	11		# pf 1
Siam:				
Bangkok	Oct. 22-Dec. 30	12	10	5-6
Do	Jan. 14-Mar. 10	12	10	All Purci
Straits Settlements:	T 00 Ti-b 04		2	
Penang	Jan. 28-Feb. 24	3 7	7	
Singapore	Oct. 22-Dec. 30	10	6	
Do Union of South Africa:	Dec. 31-Mar. 17	10	,	l
	1		1	
Cape of Good Hope State— Uitenhage district	Oct. 31-Nov. 12	. 2	2	Total, Oct. 23-Nov. 12, 1916:
Orange Free State—	000.31-1107.12	•	_	Cases, 24; deaths, 13.
Winburg district	Feb. 5-Mar. 18	16	8	On 5 farms.
Transvaal—	1 0000 22000			
Potcheistroom district	Dec. 21-Jan. 21	12	12	On 2 adjoining farms.
	SMAL	LPOX.		2 11
Australia:				
New South Wales—	l			
Coonamble	Dec. 8	1		
Queensland—	l	_	1	
Thursday Island, quarantine station.	Feb. 8	1	•••••	On steamship St. Albans, from Kobe via Hongkong. Vessel proceeded in quarantime to Townsville, Brisbane, and Sydney, arriving Feb. 16: 180
				leased Feb. 23.
Austria-Hungary:				Jeg. p.
Austria—				: 41°°
Prague	Jan. 21-27	1		
Vienna	Nov. 12-Dec. 9	8	1	•
Do	Feb. 11-Mar. 24	4	••••••	
Hungary—	N 5 Dec 00	70	ا ما	
Budapest	Nov. 5-Dec. 23	73	,2	
Do	Dec. 31-Mar. 24	81	11	
Brazil:	Nov. 12 Dec 22	5		•
Bahia	Nov. 12-Dec. 23 Jan. 7-Mar. 17	9	•••••••••••••••••••••••••••••••••••••••	
Do Rio de Janeiro	Nov. 12-Dec. 30	50	12	•
Do	Dec. 31-Mar. 31	139	37	
Canada:			"	
Alberta—	i		i	
Lethbridge	Feb. 1-28	2		
British Columbia-		- 1		
Vancouver	Feb. 18-Apr. 7	2	2	
Victoria	Feb. 11-17	ī		

YOUR PATRIOTIC DUTY-BUY A 1917 LIBERTY BOND.

6

1 3 6

..... Feb. 11-Apr. 7....

 Willing
 Feb. 12-Apr

 Ontario Mar. 11-17.

 Sarnia.
 Jan. 28-Feb. 10.

 Toronto.
 Jan. 28-Mar. 31.

Reports Received from Dec. 30, 1916, to May 25, 1917-Continued.

SMALEPOX—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Canary Islands: Las Palmas Ceylon:	Feb. 25-Mar. 3	1		On American vessel.
ColomboChina:	Dec. 31-Jan. 6 Oct. 31-Dec. 9	1		Present. Dec. 10-16, 1916, Cases,
Do	Feb. 11-Mar. 31]	3. Present and in vicinity.
Antung Canton Changsha	Jan. 8-14. Nov. 1-Dec. 20 Mar. 11-17.	3	14	
Chungking Do	Oct. 28-Dec. 30 Dec. 31-Mar. 31			Present. Do.
Dairen Do Facchow	Nov. 5-Dec. 30 Dec. 31-Apr. 7 Oct. 29-Dec. 16	63 53	8 19	In vicinity, Jan. 14–20, 1917, case. Present.
Do	Feb. 18-Mar. 24 Nov. 6-Dec. 17	3		Do.
Do	Jan. 2-Mar. 11 Oct. 28-Dec. 30 Dec. 31-Apr. 7	2 349 511	243 428	Present in vicinity.
Kwangtung Province— Chaoyang district	Jan. 21-27			Present. Vicinity of Swatow.
Manchuria Station Mukden Do	Jan. 8-Feb. 25 Dec. 9-30	4		On Chinese Railway. Present. Do.
Nauking	Bec. 31-Apr. 14 Nov. 12-25 Jan. 28-Apr. 14	3	11	Do. Deaths among native population.
Tientsin	Dec. 17-39 Jun. 28-Feb. 3 Dec. 1-9	1 2	1	
Do Colombia: Espinal	Dec. 28-Apr. 15 Feb. 17	79	4	Present. Suburb of Cartagena.
Cuba: Casa Blanca	Jan. 12	1		Vicinity of Hahana. Case landed
Emeruoijada	Jam. 10	1		Jan. 1, 1917, from s. s. Alfonso XII, from Santander, Spain. In Santa Clara Province. Case landed from s. s. Montevideo, from Barcelona, via Las Pal-
Guanabacca	Jan. 9	1		mas, Canary Islands, and Porto Rico; arrived at Habana Jan. 6, 1917. Vicinity of Habana. Case landed from s. s. Montavideo
Habana	Jan. 10-20	2		At Mariel quarantine station, from s. s. Montevideo.
Ecuador: Guayaquil Egypt:	Nov. 1-30	10	1	
Alexandria Do	Dec. 25-31	31	3 15	
Cairo	July 2-Nov. 11 June 11-17	50 61 1	20 20 1	
Do	Aug. 20-Sept. 9 Oct. 1-Dec. 31	2	1 16	
Do Paris	Feb. 1-28 Dec. 17-23	ı	2	
Germany	Jan. 14-20 Dec. 17-Jan. 13	150	1	Lubeck, Hamburg, and the district of Luneburg.
Do	Jan. 21-Feb. 17	369	••••••	trict of Luneburg. 12 cities and 16 districts and States.
Do	Feb. 18-Mar. 10 Jan. 7-13de	375 1 1 2		8 cities and 22 districts and States.
Bremen	Dec. 31-Jan. 27 Jan. 7-13	3		
	dodo	1 1 1		
#A*** D. #B**A		****	4048	TINDBER DANK

Reports Received from Dec. 30, 1916, to May 25, 1917—Continued.

SMALLPOX-Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Germany—Continued.				1
Geesthacht	Jan. 7—13	. 2		4
Gosewerder Hamburg district Harburg	do	. 2		'
Hamburg district	Dec. 31-Jan. 20	71		
Harburg	Jan. 7-13	1 1		
Husum Lübeck Reinfeld Soltau Undelos	do	8		•
Doinfold	do	1 :		1
Reilleid	do	1		ł
Undeles	do	l i		1
Winsen	do	l i	l	· ·
Great Britain:		1 .	l	
Liverpool	Feb. 4-Mar. 3	3	1	
Greece:	Jan. 1-Mar. 5	ļ	6	
Hawaii: Honolulu	Jan. 9	1		From s. s. Tenyo Maru from
Do	Jan. 24	1 1	l	oriental ports. From s. s. Ecuador from Hong-
	V	1		kong.
India: Bombay	Dec. 10-30	5	1 1	Oct. 8-14, 1916: Cases, 3; deaths,
Do	Dec. 31-Mar. 31	170	66	3. Received out of date.
Calcutta	Nov 5_Dec 2		2	3. Received out of date. Original report lost on s. s.
Do	Feb. 18-Mar. 3 Dec. 31-Mar. 17 Nov. 5-Dec. 30		2	Arabia.
Karachi	Dec. 31-Mar. 17	5	1	
Madras	Nov. 5-Dec. 30	35	19	
Do	Dec. 31-Mar. 31 Oct. 28-Nov. 14 Oct. 28-Dec. 30 Dec. 31-Mar. 17	364	77	
Moulmein	Oct. 28-Nov. 14	•••••	4	
Rangoon	Oct. 28-Dec. 30	17	1	***
Do	Dec. 31-Mar. 17	63	2	f
Indo-China:				Amm 1 Tuma 20 1016: Casas 221:
Provinces	Ane 1-Tuno 20	45	8	Apr. 1-June 30, 1916: Cases, 331; deaths, 28. July 1-Dec. 31, 1916: Cases, 503; deaths, 194.
Anam Do	Apr. 1-June 30 July 1-Dec. 31	114	43	1016: Cases 502: deaths 104
Cambodia	Apr 1-Tune 20	30	11	1910. Cases, 505, deaths, 191.
Do	Apr. 1-June 30 July 1-Dec. 31	24	10	
Cochin China	Apr 1-Tune 30	44	5	*4*
Cochin-China Do	Apr. 1-June 30 July 1-Dec. 31	336	99	
Laos	Aug. 1-Oct. 31	39	16	
Tonkin	Apr 1-June 30	215	4	• •
Tonkin Do	July 1-Dec. 31	69	25 7	4 (4)
Saigon	Nov. 6-Dec. 31	28	7	The second second
Do	Nov. 6-Dec. 31 Jan. 1-Mar. 18	246	57	1.0
Italy:				
italy: Turin Japan:	Feb. 19-Apr. 15	36	6	Roumanian refugees.
Japan:				
Ehime	JanFeb		• • • • • • • • • • • • • • • • • • • •	
Hyogo	do	•••••		
KagawaKobe	do			Do. (yar al Paris)
Kobe	Nov. 28-Dec. 10	1.4		1
Do	Jan. 1-Apr. 8	105	21	Do. http://doi.org/10.11
Kochi	JanFeb	*****	97	Do.
Osaka	Jan. 22-Apr. 20	485	97	
Taiwan Island— Tansui	Mar. 29-Apr. 4	1	- 1	
ava:	mai. 25-Apr. 4	- 1	•••••	
	ı	i	ł	Sept. 16-Dec. 31, 1916: Cases, 92,
East JavaSurabaya	Nov. 4-10	····i		
Sulabaya	1101. 1-10	- 1		1917: Cases, 32: death, 1.
Mid-Java		1		Sept. 16-Dec. 29, 1916; Cases, 227;
Samarang	Nov. 4-10	3		deaths, 24. Jan. 6-Mar. 10.
Damarang		١		1917: Cases, 133; deaths, 12.
West-Java				deaths, 2. Jan. 8-Mar. 11, 1917: Cases, 32; death, 1. Sept. 16-Dec. 29, 1916: Cases, 227; deaths, 24. Jan. 6-Mar. 10, 1917: Cases, 133; deaths, 12. Sept. 29-Dec. 28, 1916: Cases, 408; deaths, 63. Jan. 19-Mar. 22, 1917: Cases, 169; deaths, 20.
Batavia	Sept. 29-Dec. 28	54	9	deaths, 63. Jan. 19-Mar. 22,
Do	Sept. 29-Dec. 28 Dec. 29-Feb. 22	25	2	1917: Cases, 169; deaths, 30.
fexico:			- 1	
Coatepec	Apr. 18	. 		Epidemic; 6 miles from Jalapa.
Durango	Feb. 17			Epidemic; 6 miles from Jalapa. Present; also in vicinity
Coatepec Durango Jalapa	Apr. 18			Prevalent.
Mexico City	Apr. 18 Dec. 10-30			
Do	Dec. 31-Apr. 21 Mar. 12-Apr. 29	169		
Monterey	Mar. 12-Apr. 29		6	
Monterey	Dec. 10-30 Apr. 7	1		
Progreso	Apr. 7	1	1	
Vera Cruz	Feb. 18-Apr. 7	8 !.		,
	-			

Reports Received from Dec. 30, 1916, to May 25, 1917—Continued.

SMALLPOX—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
New Zealand:	1	1	ļ -	
Auckland	. Feb. 4-10	. 4	ſ	[
Norway:	1 200. 1-10	1 •	1	•
Turned bisses	Jazz. 1-31	. 2		_}
Philippine Islands:	1			ł
Manila	Jan. 21-Feb. 17	. 15		July 30-Dec. 30, 1916: Cases, X0.
Portugai:	Nov. 19-Dec. 2	. 6	Ī	
Lisbon	1404. 19-Dec. 2	. •		- i
Lourenço Marques	Sept. 1-30		. 1	
Russia:	1	1	, -	1
Archangel	Nov. 25-Dec. 29	. 6	1	
. Do	Jan. 1-Mar. 14	. 76	12	
Moscow	Oct. 16-Dec. 31 Jan. 1-Feb. 11	. 139	49	Nov. 13-25, 1916: Cases, 3
Petrograd	Oct. 8-Dec. 30	173 180	65	deaths, 8.
Do.	Dec. 31-Feb. 17	206	73	}
Poland				Oet. 1-Dec. 2, 1916; Cases, 38.
Warsaw	Oct. 1-Dec. 2	. 25		Mar. 4-20, 1916: Cases, 65; deaths
Do	Jan. 9-Feb. 12	. 39	4	7.
RigaDo	Dec. 1-31 Jan. 1-27	1 4		· į
Vladivostek	Jan. 22-Feb. 21		3	1
Siam:	Ţ	1	, .	1
Bangkok	Mar. 4-10	. 1	1	
Spain:		,		
Bilbao	Jan. 1-31		?	
Cadiz Madrid	Nov. 1-Dec. 31		144	Tom t Dog 21 1010, Dogaha 400
Do	Jan. 1-Mar. 31		41	Jan. 1-Dec. 31, 1916: Deaths, 405
Malaga	Sept. 1-Nov. 30		15	,
Seville	Nev. 1-30		22	
Do	Jan. 1-Feb. 28	<u>-</u> -	16	
Valencia	Nov. 19-Dec. 23 Jan. 14-Apr. 7	5 9	1	
Do Straits Settlements:	Jan. 11-Apr. /		••••••	
Penang	Oct. 28-Dec. 30	16	3	
Do	Dec. 31-Mar. 17	33	5	
Singapore:	Nov. 19-Dec. 30	3	2	
Do	Jan. 7-Mar. 10	3	1	
Sweden: Goteborg	Jan. 28-Feb. 3		1	
Stockholm	Mar. 18-31	2		
Switzerland:		l -		
Basel	Nov. 5-11	1		
Do	Dec. 31-Mar. 24	36	• • • • • • • • • •	
Funisia: Tunis	Nov. 25-Dec. 15	51	27	· ·
Do	Dec. 30-Apr. 6	75	48	
Furkey in Asia:				
Trebizond	Nov. 11-Dec. 30	1	I.	
Do	Dec. 31-Feb. 24		20	
Union of South Africa:	Comt 10 Dec 20	45		
Johannesburg Do	Sept. 19-Dec. 30 Dec. 31-Mar. 10	22	······································	
Venezuela:	Dec. SI-Mai. IV	-		
Maracaibo	Mar. 3-Apr. 21		21	
On vessel:			ı	
S. S. Nippon Maru	Jan. 22	2	<u>. </u>	Landed at Yokahama quaran-
Do	Jan. 24-Feb. 3	9	3	tine.
	Jan. 24-Feb. 3	•	"	En route to Honolulu. Vessel from oriental ports.
	TYPHUS	PEVER		
Jessia			1	
Algeria:	Feb. 1-Mar. 31	3	2	
rgentina:		•	-1	
Rosario	Nov. 1-30		1	
ustria-Hungary:		1		
Austria	*			July 23-Oct. 21, 1916: Cases, 1,685.
PragueVienna	Jan. 28-Mar. 10 Nov. 5-Dec. 30	21	2	
Do	Dec. 31-Mar. 24	38	i	

Reports Received from Dec. 30, 1916, to May 25, 1917—Continued.

TYPHUS FEVER-Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Austria-Hungary—Continued.				
Bosnia-Herzegovina		ļ		July 23-Oct. 22, 1916: Cases, 32. Nov. 20-Dec. 17, 1916: Cases, 36. Dec. 23, 1916-Feb. 11, 1917: Cases,
HungaryBudapest	Nov. 5-Dec. 30	3		Nov. 20-Dec. 17, 1910; Cases, 80.
Do	Jan. 14-Mar. 24	94	7	130.
Belgium:		1		
Ghent	Oct. 29-Nov. 4	ļ	1	
Liege	Jan. 28-Feb. 3	·····	1	
Canada:	Vall. 20-F 00. 0			
Ontario-	I .	l	i	
Ottawa	Apr. 9-15	 	1	
China:	Nov. 27-Dec. 10	6	1	
Do	Jan. 15-21	Ž		
Hankow	Nov. 12-18	1		
Tientsin	Oct. 29-Nov. 4	1 9		
Tsingtao	Dec. 28-Apr. 15	, ,		
Santiago	Dec. 7-13	1	1	
Egypt:		1		
Alexandria	Nov. 12-Dec. 31	28	12	Nov. 19-Dec. 23, 1916: 5 cases.
Do	Jan. 1–Apr. 15 June 11–July 1	1,136 275	264 142	
Do	July 2–Nov. 11	300	152	
Port Said	June 11–17	20	9	
Do	July 2-Oct. 14	10	8	'
Germany:	Oct. 15-Dec. 23		7	
Bremen	Oct. 22-Dec. 30	1	3	
_ Do	Dec. 31-Jan. 27	1	3	·
Brunswick	Jan. 21-Feb. 17	1		
ErfurtFrankfort-on-Main	Nov. 12–18		i	
Greifswald	Feb. 18-Mar. 10	1		
Königsberg	Nov. 12-Dec. 23	5	5	+
Do	Dec. 31-Feb. 17 Dec. 3-9	6 1	2	Prison camp.
Marienwerder	1760.3-9			rison camp.
Posen	Feb. 18-Mar. 10	· 19		
Potsdam	J			
Merseburg Neidenburg	Jan. 21-Feb. 17 Oct. 29-Nov. 18 Oct. 29-Nov. 11	7		
Nuremberg	Oct. 29-Nov. 11	3		
Potsdam	Jan. 7–13	2		
Ruhleben	Feb. 18-Mar. 10	6	•••••••	•
StettinGreat Britain:	Jan. 21–27		1	•
Belfast	Mar. 11-Apr. 21	35	3	•
Cork	Mar. 11-Apr. 21 Jan. 7-Feb. 3 Dec. 3-30	1		
GlasgowDo	Dec. 3-30	4	••••••••	
Greece:	Jan. 1-13		1	
Saloniki	Nov. 7-Dec. 25 Dec. 26-Mar. 10		36	
Do	Dec. 26-Mar. 10	••••••	28	
Italy: Bari Province—			1	
Corato	Mar. 5-11	5		
Java:		-		
East Java		••••••		Sept. 16-Dec. 16, 1916: Cases, 10.
·	*			Jan. 8-Mar. 5, 1917: Cases, 14; deaths, 2.
Mid-Java				Sept. 16-Dec. 29, 1916: Cases, 87;
				Sept. 16-Dec. 29, 1916: Cases, 87; deaths, 7. Jan. 7-Mar. 10, 1917; Cases, 49; deaths, 3.
Samarang	Nov. 4-Dec. 1	10	ļ	Cases, 49; Qeaths, 3.
West Java	140A. 4-D6C. 1	10		Sept. 29-Dec. 28, 1916; Cases, 185;
00000				Sept. 29-Dec. 28, 1916: Cases, 185; deaths, 13. Jan. 19-Mar. 22,
	0 00 00			1917: Cases, 68; deaths, 5.
Batavia Do	Sept. 29-Dec. 28 Jan. 19-Mar. 22	139 59	12	•
Mexico:	JOH. 13-MBF. 22	39	• •	
Aguascalientes	Dec.22			Epidemic. July, 1916-Feb. 5, 1917: Cases, 100
Ciudad Juarez		•••••	•••••	July, 1916-Feb. 5, 1917: Cases, 100
,		,	•	(estimated).

Reports Received from Dec. 30, 1916, to May 25, 1917—Continued.

TYPHUS FEVER-Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Mexico—Continued.		-		
Durango	Dec. 12	.1		. Present.
Do	JanFeb			
D 0	Jan. -1 65			daily, about 25. Presenthroughout year 1916.
Mexico City	Dec.3-30	. 835	1	throughout year 1910.
Do	Dec. 31-Apr. 21			•
Monterey	Apr. 2-8	., _,_	. i	1
Nuevo Laredo Netherlands:	Dec. 10-16	4		July 1-Dec. 16, 1916: Cases, 28.
Amsterdam	Feb. 25-Mar. 3	. 2	1	
Rotterdam	Nov. 26-Dec. 30		1	
Do	Feb. 4-10	i ĭ		1
Russia:	1 0001 10	1		
Archangel	Nov. 25-Dec. 29	29	9	}
Do	Jan. 1-Mar. 14		20	
Moscow	Oct. 16-Dec. 31	127	17	
Do	Jan. 1-Feb. 11	141	19	1
Petrograd	Oct. 8-Dec. 30	155		1
	Dec. 31-Feb. 17	100	44	
Do	Bec. 31-Feb. 17	120	38	O-4 1 D 0 1010 G 1 100
PolandLodz	Oct. 1-Dec. 2	201	20	Oct. 1-Dec. 2, 1916: Cases, 1,538 deaths, 119. In invaded re
Warsaw Do	do Jan. 9–Feb. 12	611 497	36 27	gions. Mar. 4-May 29, 1916: Cases, 836
Vladivostok	Jan. 22-Feb. 4	497	21	deaths, 80.
	Jan. 22-Feb. 4		•••••	1
Spain: Madrid	Now 1 Dec 21	i		Tom 1 Dec 21 1010, Decahe 25
	Nov. 1-Dec. 31		. 3	Jan. 1-Dec. 31, 1916: Deaths, 35
Do	Jan. 1-Feb. 28		3	
straits Settlements:	7.1 07 35 0	i .		ĺ
Penang	Feb. 25-Mar. 3	1		ł
weden: Stockholm	Nov. 28-Dec. 4	1 3		
Do	Dec. 31-Jan. 6	3		
witzerland:	T	_	1	
Basel	Feb. 18-24	1		
Zurich	Dec. 3-9	1		i
Do	Jan. 1-Mar. 17	4		
Cunisia:				•
Tunis	Dec. 16-22	1		
urkey in Asia				Feb. 7, 1917: 54 cases reported in
Haifa	Oct. 16-22	1		Army of the Orient.
Trebizond	Dec. 17-30	3	3	-
Do	Dec. 31-Feb. 24		7	
⁷ enezuela:	1			
Maracaibo	Apr. 15–28		2	
	YELLOW	FEVE	R.	
				•
Brazil: Espirito Santo, State	Jan. 27-Feb. 26	18	. 4	
Ccuador:		- 1	- 1	
Babahoyo	Nov. 1-30	1	1	
Chobo	do	il	- 1	
	Oct. 1-31	il		
Duran			;;	
Guayaquil	Sept. 1-Dec. 31	46	24	
Do	Jan. 1-30	17	7	
Milagro	(Sept. 1-31	1		
- 1	Oct. 1-31	2	. 1	
Do	Jan. 1-31	1		T. 1017 G 6. 345. 6. 7.
old Coast	· · · · · · · · · · · · · · · · · · ·			In 1915: Cases, 2; deaths, 2—Eu-
ļ	•	-	1	ropean and native.