PUBLIC HEALTH REPORTS

VOL. 33

JANUARY 25, 1918

No. 4

NEGATIVE EXAMINATIONS OF TYPHOID CARRIERS.

A TYPHOID CARRIER DISCHARGED DURING CONVALESCENCE AFTER THREE NEGATIVE FECAL EXAMINATIONS—TYPHOID HISTORY IN FAMILY.

By CHARLES KRUMWIEDE, Jr., and MORRIS L. OGAN, Department of Health, New York City.

The requirement that the feces and urine should, prior to discharge of the patient, be found negative on bacteriological examination has undoubted value. Such negative examinations, however, are not conclusive evidence that the excretion of bacilli has ceased, or that if it has ceased excretion may not be resumed. The excretion during convalescence may be very irregular and a negative result may be due to the fact that the number of typhoid bacilli present is so small that they can not be isolated by our present methods. Furthermore, actual absence from the feces would not exclude the presence of developing biliary lesions which will later discharge bacilli into the intestinal tract. Although these facts are generally known, it is seldom that we encounter such a striking illustration of their importance as the one here reported.

On April 28, 1914, we were notified of the death of Mrs. Las. An autopsy was obtained and the post-mortem findings verified the clinical diagnosis of typhoid fever. The typhoid fever was complicated by the abortion of a six months' fetus. Investigation revealed an interesting family typhoid history, showing the importance of contact infection. It also revealed the presence in the family of a chronic carrier.

Four related families were found involved. Of a total of 37 persons, 12 had developed typhoid fever. Three of the families, C., G., and Lib., are related—the mothers are sisters. Mrs. Las. is the daughter of Mrs. C. The cases of typhoid fever in the order of their onset are as follows:

C. family:

Mike; onset September 3, 1913; age 17 years.

Mrs.; onset October 3, 1913; age 54 years.

Julia; onset October 3, 1913, or possibly before; age 15 years. George; onset October 13, 1913; probable typhoid; age 25 years.

8

G. family:

Angelina; onset October 8, 1913; age 2 years. Rocco; onset October 11, 1913; age 6 years.

Lib. family: Julia: onset October 14, 1913; age 15 years.

Las. family:

Rocco; onset March 11, 1914; age 10 years. Daniel; onset March 20, 1914; age 12 years. Louis: onset March 20, 1914; age 8 years. Theresa; onset March 20, 1914; age 4 years. Mrs.; onset April 1, 1914; died; age 30 years.

The probable sequence ¹ of infection is as follows. Mrs. C. and Julia C. were probably infected nursing Mike, who did not enter the hospital till late in the course of the disease, being sent to the hospital because of the development of a peri-renal abscess. As Mike did not enter the hospital till October 11, he was probably the source of infection for George as well, rather than the more recently ill mother and sister.

The members of the G. and Lib. family visited the C. family during the illness of Mike and may have easily been infected from this source, especially considering the cramped quarters the family occupied.

With the developing of pregnancy of Mrs. Las., the mother, Mrs. C., was called upon for help in the household work, and came in more frequent contact with the members of the Las family. Although Mrs. C. was discharged from the hospital only after three negative examinations of her feces, she was found to be a carrier when examined in May, 1914, and is still excreting typhoid bacilli at the present time, although remittently. A remission of nearly six months has occurred while under our observation.

Discharge negative examinations are a safeguard only in so far as they prevent the return of convalescents to their homes while still excreting typhoid bacilli in appreciable numbers. The history of the above carrier indicates the value of a prolonged period of observation of those convalescents who are engaged in occupations where they handle foodstuffs. According to the present department procedure, such persons are now kept under observation and reexamined over a period of six months.

MALARIA IN ARKANSAS.


PREVALENCE AND GEOGRAPHIC DISTRIBUTION-1915 AND 1916.

The study of the prevalence and geographic distribution of malarial fevers in the State of Arkansas, through the circularization of the practicing physicians, was begun in 1913. Previous reports on this subject were published in the Public Health Reports of January 2, 1914, and May 28, 1915, and issued as reprints Nos. 160 and 277.

During 1915 and 1916 the physicians were circularized every three months, reply postal cards being used for the purpose.

Of the cards sent to the physicians about 14 per cent were returned. The number of cards sent out, the number of schedules returned, and the number of counties represented at each circularization are shown in Table 1.

It is to be borne in mind that the number of cases reported by the physicians does not show the number of cases that actually occurred, for an average of only a little more than 14 per cent of the physicians




Relative prevalence of malaria in Arkansas, by counties in proportion to the population, as indicated by the number of cases reported.

returned the schedules. While there must have been many more cases of malaria in the State, the reports of the physicians on which this study is based are sufficient to show whether malaria was present or absent in the several counties, and reasonably accurately the relative intensity of the infection in the counties.

The cases reported throughout the State by months are shown in Table 2. The relative numbers of cases reported by months are shown in the chart.

The number of cases reported from the several counties of the State are given by race and year in Table 3.

The map on page 101 shows the relative prevalence of the disease in the several counties of the State, the heavier shaded counties being those in which the infection was heaviest, the unshaded counties those in which the infection was lightest, as indicated by the numbers of cases reported. The relative intensity of infection was determined



Relative pre-aience of malaria in Arkansas, by months, as indicated by the number of cases reported.

by ascertaining the number of cases reported in each county during the two years—1915 and 1916—per 1,000 population. The population used was that of the 1910 census, it being impracticable to use current estimates for the purpose.

Table 4 shows that hemoglobinuric fever was reported in 17 counties.

TABLE 1.—Results of circularization of practicing physicians.

Period.	Inquiry cards sent to physi- cians.	Replies received.	Percent- age of replies.	Counties repre- sented in replies.	Coun no hea froi

Period.	Inquiry cards sent to physi- cians,	Replies received.	Percent- age of replies.	Counties repre- sented in replies.	Counties not heard from.	Cases of malaria reported.
January to March	6, 900	1, 248	18-09	74	1	2,359
	2, 300	226	14-17	73	2	4,319
	2, 300	348	15-13	73	2	18,950
	2, 300	282	12-17	70	5	6,334
January to March April to June July to September October to December	2, 300	284	12.35	70	5	2,167
	2, 300	254	11.04	69	6	4,844
	2, 300	267	11.61	69	6	9,095
	2, 300	237	10.30	70	5	4,409

TABLE 2.—Cases of malaria reported by months.

Year.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
1915		831	942	942	1,177	2, 200	3,753	5, 900	9, 297	3, 090	1,990	1, 254
1916		641	892	927	1,400	2, 517	2,582	3, 119	3, 394	2, 003	1,464	942

TABLE 3.—Cases reported by counties, by years, and by color.

	Ca	lendar year 1	915.	Cal	Calendar year 1916.			
County.	White.	Colored.	Combined.	White.	Colored.	Combined.		
Arkansas	263	59	322	286	112	398		
Ashley	378	230	608	65	113	178		
Baxter	100	2	102	54		54		
Benton	48		48	228 10		228		
Boone	100	129	100 · 564	471	152	10 623		
BradleyCalhoun	435 105	60	165	56	29	85		
Carroll	37		37					
Chicot	158	381	539	19	192	211		
Clark	89	43	132	64	41	105		
Clay	894		894	501		501		
Cleburne	326		326	189 25	20	189		
Cleveland	172 61	21 28	193 89	34	11	45 45		
Conway.	940	103	1,043	116	14	130		
Craighead	195	10	205	141	4	145		
Craighead Crawford Crittenden	1,018	198	1,216	523	94	617		
Crittenden	70	238	308	70	169	539		
Cross	187	20	207	169	24	193		
Dallas	133	73	206	128	75	203		
Desna	97 234	59	156 380	136	176	312		
Drew	234 294	146	313	149 153	203 71	352 224		
FaulknerFranklin	287	3	290	244	1 17	251		
Fulton	30	,	30	211	•	271		
Garland	235	6	241	212	8	220		
Grant	407	82	489	232	146	378		
Greene	355		355	248		248		
Hempstead	629	473	1, 102	214	55	269		
Hot Spring	131	80	211	122	45	167		
Howard	195	71	266	173	175	348		
Independence	311 98	6	317 99	271	23 2	294 171		
Jackson	252	189	141	169 258	203	461		
Jefferson.	223	223	146	213	697	910		
Johnson	851	5	856	179		179		
Afayette	108	99	207	45	57	102		
Lawrence	543	20	563	336	84	420		
Lee	194	719	913	65	153	218		
Lincoln	323	182	505	125	579 76	704		
Little River	642 470	667 8	1,309 478	76 279	15	152 294		
Logan	301	120	421	261	61	322		
Madison.	165	5	170	57	91	57		
Marion	14	1	15	18		18		
Miller	283	27	310	398	89	487		
MISSISSIPPI	226	134	360	98	.88	186		
Monroe	1,099	1,773	2, 872	255	258	513		
Montgomery	137	8 12	145	123	28 51	151 197		
Newton	35 290	12	47 290	146 38	91	38		
Duachita	428	392	820	222	145	367		
Perry	1,096	216	1,312	285	59	341		
Phillips	376	378	754	217	286	503		
Pike	165	16	181	108	5	113		
Poinsett	708	234	942	35	1 j	36		
Polk	108	10	118	28		28		
Pope	523 84	52 130	575 214	116	5	121 114		
Prairie	222	167	389	100 413	14 249	662		
Pulaski	122	10/	123	165	73	238		
t. Francis.	130	182	312	403	175	578		
Saline	275	90	365	567	92	659		
cott	555		555	174		174		
learcy	60		60	113	101	214		
ebastian	629	112	741	502	151	653		

TABLE 3.—Cases reported by counties, by years, and by color—Continued.

	Cal	endar year i	915.	Calendar year 1916.			
County.	White.	Colored.	Combined.	White.	Colored.	Cembined.	
Sevier Sharp Stone Union Van Buren Washington White Woodruff Yell	694 52 74 246 176 216 232 107	99 128 38 153 106	793 52 74 374 176 216 270 280 385	436 10 280 429 113 116 267 308 183	53 28 227 6 40 58 58 7 15	489 10 308 656 113 122 307 366 198	
Total	22, 725	9, 237	31, 962	14, 032	6, 483	20, 51	

TABLE 4.—Hemoglobinuric fever reported, 1916.

			Cases n	ported.		
County.	County.				Fourth quarter.	
Arkansas Çolumbia				1		
Conway				2		
rawford	••••	1		7		
ohnson		·····i				
æe		4		i		
Mississippi Imachita	••••	1		•••••		
erry. Phillips		2		3		
ope	•••••			2		
evier				2		
W OOGFUIF	••••		•••••	2		

PREVALENCE OF DISEASE.

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring.

UNITED STATES.

EXTRA-CANTONMENT ZONES—CASES REPORTED WEEK ENDED JAN. 22.

Camp Beauregard, La.—City of Alexandria: Pneumonia 3, measles 9, mumps 1, meningitis 2, German measles 3. For city of Pineville: Meningitis 1, pneumonia 1, measles 2, chicken pox 1. For Boyce: Measles 12, pneumonia 2, malaria 1. Village of Ball: Pneumonia 1. For rest of rural district: Measles 3, pneumonia 1.

Camp Bowie, Tex.—Fort Worth: Diphtheria 1, smallpox 13, measles 2, tuberculosis 2.

Camp Dodge, Iowa.—Des Moines: Smallpox 51, diphtheria 2, scarlet fever 11, German measles 1, measles 2, syphilis 9, gonorrhea 8, syphilis and gonorrhea 4. Polk City: Chicken pox 2, measles 1. Grimes: Pneumonia 1. Bloomfield township: Smallpox 6, scarlet fever 1.

Camp Funston, Kans.—Army City: Measles 2. Leonardville: Chicken pox 1. Green: Measles 1. Ogden: Typhoid 1, measles 1, chicken pox 2. Cleburne: Measles 1. Riley: Measles 7, smallpox 3. Milford: Measles 1. Manhattan: Measles 81, scarlet fever 6, chicken pox 1, pneumonia 2, diphtheria 1, meningitis carriers 3, whooping cough 3. Junction City: Measles 7, scarlet fever 1.

Camp Gordon, Ga.—Atlanta: Diphtheria 13, German measles 12, gonococcus infection 1, measles 4, epidemic cerebrospinal meningitis 2, tuberculous meningitis 1, mumps 3, lobar pneumonia 5, scarlet fever 2, smallpox 2, syphilis 1. East Point, Fulton County: Smallpox 1. Clarkston, Dekalb County: Measles 4. Armour Station, Fulton County: Epidemic cerebrospinal meningitis 1. Marietta Road, Fulton County: Diphtheria 1. Bolton, Fulton County: Diphtheria 1. Ashford Park, Dekalb County: Diphtheria 1. Stone Mountain, Dekalb County: Measles 1, chicken pox 1.

Camp Greene, N. C.—Chicken pox 5, chancroids 1, cerebrospinal meningitis 4, gonorrhea 1, measles 35, German measles 8, mumps 4, syphilis 3, whooping cough 5, trachoma 1, smallpox 1; all in Charlotte township.

Camp Hancock, Ga.—Measles: Augusta 22, County Home 4, Hephzibah 10, Blythe 6. German measles: Augusta 40. Chicken pox: Augusta 3. Cerebrospinal meningitis: Augusta 2, one of which was fatal. Scarlet fever: Augusta 1. Mumps: Augusta 1. Lobar pneumonia: Blythe 1.

Camp Jackson, S. C.—Columbia, week ending 19th: Roseola 9, diphtheria 2, measles 10, varicella 1, pneumonia 1, cerebrospinal meningitis 1. January 21: Columbia, Meningitis 1; extra-urban Columbia, Rose Hill 1. January 22: Extra-urban Liberty Hill: Meningitis 2.

Fort Leavenworth, Kans.—German measles: City 10, county 2. Measles: City 5, county 1. Diphtheria: City 2, county 2. Lobar pneumonia: City 3, county 1. Smallpox: City 1, county 6. Chicken pox: City 6. Cerebrospinal meningitis: County 1. Scarlet fever: City 5. Gonococcus infection: City 1.

Camp Lee, Va.—Petersburg: Typhoid 1, German measles 7, measles 7, pneumonia 4, acute food poisoning 1, tuberculosis 4, gonorrhea 3. Ettrick: Whooping cough 5, German measles 1, tonsilitis 1. Hopewell: Measles 4. City Point: Measles 1. Chesterfield County: Chicken pox 2, tuberculosis 1, syphilis 1. Dinwiddie County: Tuberculosis 2, malaria 1.

Camp Logan, Tex.—Houston: Chicken pox 3, German measles 15, measles 26, mumps 4, cerebrospinal meningitis 1, pneumonia 6. Houston Heights: German measles 1. Pasadena: Pneumonia 2. Park Place: Pneumonia 1.

Camp MacArthur, Tex.—Waco: Chicken pox 2, German measles 7, gonococcus 1, measles 1, epidemic meningitis 2, lobar pneumonia 1.

Camp McClellan. Ala.—Anniston: Measles 12. mumps 1, chicken pox 17, German measles 8, tuberculosis 1, typhoid fever 1, pneumonia 1, smallpox 2, poliomyelitis 1. District Fifteen: Pneumonia 1.

Fort Oglethorpe, Ga.—Chattanooga: Tuberculosis 6, svphilis 2, mumps 5, gonorrhea 2, German measles 18, pneumonia 3, scarlet fever 1, whooping cough 1. Alton Park: Tuberculosis 1, scarlet fever 4, measles 1. St. Elmo: German measles 2. Fast Lake: Pneumonia 2, mumps 1, measles 1. East Chattanooga: Measles 1. North Chattanooga: Measles 2. Rossville: Pneumonia 1, mumps 2.

Camp Pike, Ark.—Cases reported wee's ending January 22: Little Rock: Measles 15, chicken pox 1, smallpox 33, scarlet fever 1, tuberculosis 1, pneumonia 5, mumps 1, malaria 3, syphilis 4, gonorrhea 12, chancroid 2, meningitis 3. North Little Rock: Smallpox 5, tuberculosis 1, German measles 5, syphilis 1, chancroid 1, meningitis 1, whooping cough 1. Sweet Home: Smallpox 1. Toltec: Scarlet fever 1, pellagra 1. Scotts: German measles 1, syphilis 1, gonorrhea 6.

Camp Sevier, S. C.—Juds in Mill: Four measles. Monaghan Mill: One measles. Poe Mill: One epidemic cerebrospinal meningitis.

Camp Shelby, Miss.—Week ending January 19, 1918. Forest County: Hatti sburg: chicken pox 4, malaria 5, measles 5, German measles 3, mumps 7, pneumonia 2, smallpox 4, syphilis 1. Carnes: measles 8. Macedonia: measles 3, pneumonia 1. McLaurin: diphtheria 3, smallpox 2. Stone County: Wiggins: smallpox 10. Lamar County: Richburg: measles 1. Harrison County: Gulfport: anterior poliomyelitis 1. Lamar County: Lumberton: smallpox 1.

Camp Sheridan, Ala.—Montgomery: Measles 33, German measles 32, smallpox 3, meningitis 1, scarlet fever 1, mumps 3. Capitol Heights: Measles 1. Cloverdale: Scarlet fever 1, measles 3. Rural district in 5-mile zone: Measles, smallpox 1.

Camp Sherman, Ohio.—Chicken pox: Chillicothe 1. Diphtheria: Chillicothe 1. German measles: Chillicothe 20, East Scioto Township 1. Measles: Chillicothe 8. Scarlet fever: Chillicothe 4. Syphilis: Chillicothe 2. Tuberculosis: Chillicothe 1.

Camp Zachary Taylor, Ky.—Jefferson County: Chicken pox 2, German measles 3, measles 2. Louisville: Diphtheria 7, German measles 7, measles 35, scarlet fever 5, meningitis (tubercular) 1, cerebrospinal, 2, tuberculosis 5, typhoid fever 1, whooping cough 2.

Camp Wadsworth, S. C.—Spartanburg city: Measles 1, German measles 19, whooping cough 3, chicken pox 4, diphtheria 1, cerebrospinal meningitis 2, scarlet fever 2, smallpox 1. Glenn Spring: German measles 1.

Camp Wheeler, Ga.—In Macon: Measles 15, meningitis 3, diphtheria 2, tuberculosis 3, pneumonia 4, mumps 16, chicken pox 2, scarlet fever 5. In East Macon: Measles 1.

CURRENT STATE SUMMARIES.

Alabama.

From Collaborating Epidemiologist Perry, telegram dated January 21, 1918:

Smallpox: Five cases Limestone County, 1 Monroe, 1 Shelby, 1 Sumter, 3 Walker, 1 Wilcox.

Arkansas.

From Collaborating Epidemiologist Garrison, telegram dated January 21, 1918:

For week ended 19th, have to report smallpox: Three cases Lonoke County, several Lawrence County, 75 Trumann, 1 Calico Rock, 2 Clarksville, 3 Dermott, 1 Holly Grove, 5 Phillips County, 1 Hope. One case meningitis Dermott, 1 diphtheria Camden.

California.

From the California State Board of Health, telegram dated January 22, 1918:

Sharp increase last week in chicken pox, diphtheria, and measles. Smallpox more prevalent: 9 cases reported, 2 of which just arrived from Illinois and Kansas. One case anthrax in man, Napa County. Three cases epidemic cerebrospinal menigitis, 1 Los Angeles County, 1 Los Angeles City, and 1 San Francisco. One case leprosy, Oakland. One suspected leprosy, Contra Costa County. Measles especially prevalent San Diego and Palo Alto.

Reported by mail for preceding week (ended Jan. 12):

Anthrax	1	Pneumonia	88
Cerebrospinal meningitis	4	Ophthalmia neonatorum	1
Chicken pox	134	Scarlet fever	117
Diphtheria	52	Smallpox	4
Dysentery	2	Syphilis	
		Trachoma.	
German measles	103	Tuberculosis	93
Gonococcus infection	45	Typhoid fever	9
Malaria	8	Paratyphoid	1
Measles	309	Whooping cough	115
Mumps	74		

Connecticut.

From Collaborating Epidemiologist Black, telegram dated January 21, 1918:

One cerebrospinal meningitis navy yard, New London. One smallpox, Winsted.

Indiana.

From the State Board of Health of Indiana, telegram dated January 21, 1918:

Scarlet fever: Epidemic Vevay, Crandall, Harrison County, Banquo, Grant County, Bartholomew County, 50 cases Kosciusko County; 1 death Sullivan; Winslow, Pike County. Diphtheria: Epidemic Owensville, Gibson County, and Sheridan; 1 death

Veedersburg, Jasper. Measles: Epidemic Wayne, Shelbyville, Huntington, Martinsville. Whooping cough: Vallonia, Jackson County. Smallpox: Epidemic New Haven, Allen County, Knightsville, Clay County, South Milford, Lagrange.

Kansas.

From Collaborating Epidemiologist Crumbine, telegram dated January 22, 1918:

Week ending January 19. Poliomyelitis: Harper County 1. Meningitis: Great Bend 1, Frederick 1, Manhattan 3. Meningitis carriers: Manhattan 1. Smallpox: Kansas City 59. Diphtheria: Pleasanton 25.

Louisiana.

From Collaborating Epidemiologist Dowling, telegram dated January 21, 1918:

Meningitis (excluding Rapides): Vermilion 2, 14th; DeSoto 1, 14th; Vermilion 1, 16th; DeSoto 1, 16th; LaFourche 1, 16th; Orleans 2, 18th; St. James 1, 21st. Poliomyelitis: January 16, 1.

Massachusetts.

From Collaborating Epidemiologist Kelley, telegram dated January 21, 1918:

Unusual prevalence: Diphtheria: Waltham, January 10. Measles; Blandford, total January 18, Braintree 31 additional; Marlboro total January 100, Medfield 20 additional.

Minnesota.

From Collaborating Epidemiologist Bracken, telegram dated January 21, 1918:

Smallpox: Clay County, Elmwood Township; Filmore County, Forestville Township; Kittson County, Deerwood Township, St. Joseph Township; Roseau County, Greenbush Township; Scott County, New Margaret village; each 1 case. Four cerebrospinal meningitis, two poliomyelitis cases reported since January 14.

Mississippi.

From Collaborating Epidemiologist Leathers, telegram dated January 21, 1918:

Negro dead 20th epidemic cerebrospinal meningitis Jackson; otherwise negative.

Ohio.

From Collaborating Epidemiologist Freeman, telegram dated January 21, 1918:

No unusual prevalence. Smallpox situation improving.

South Carolina.

From Collaborating Epidemiologist Hayne, telegram dated January 21, 1918:

Five new cases meningitis in State during week, pneumonia epidemic, measles lessening.

Virginia.

From Collaborating Epidemiologist Traynham, telegram dated January 21, 1918:

Five cases smallpox Wise County, two Russell County. Two cases cerebrospinal meningitis Alexandria County, one case Norfolk.

CEREBROSPINAL MENINGITIS.

State Reports for November and December, 1917.

Place.	New cases reported.	Place.	New cases reported.
District of Columbia (Dec. 1-31): District of Columbia. Louisiana (Dec. 1-31): Caddo Parish. De- tot Parish. Rapides Parish. Total. Maryland (Dec. 1-31): Baltimore City. Baltimore County. Atlinten. Deli-ht. Sparrows Point.	1 1 18 20 7 1 1 1 1	Massachusetts—Continued. Sufiolk County— Boston. Winthrop (town) Total. Pennsylvania (Dec. 1-31): Allegheny County. Peaver (ounty Blair County. Cambria County. Chester County Chester County Dauphin County Delaware County Fayette County Fayette County Lehigh County Philadelphia County Tioga County Tioga County Venango County	15
Massachusetts (Dec. 1-31): Essex (ounty— I cverly Lawrence Franklin County— Greenfield (town). Middlesex (ounty— Cambridge Camp flovens Lowell Malden Tewksbury State Infirmary Waitham Norfolk (ounty— Canton (town). Plymouth (ounty— Brockton	1 1 1 2 1 1 1	Total. Virginia (Nov. 1-30): Augusta County. Caroline County. Essex County. Grayson County. Norfolk— Portsmonth Patrick County. Prince George County. Roanoke— Salem. Rockbridge County. Washington County.	32 1 1 1 2 2 1 5 5

City Reports for Week Ended Jan. 5, 1918.

Place.	Cases.	Deaths.	Place	Cases.	Deaths.
Albany, N. Y. Alexandria, La. Baltimore, Md. Boston, Mass Bridgeport, Conn. Buffalo, N. Y. Chicago, Ill. Cleveland, Ohio Dayton, Ohio Dayton, Ohio Fall River, Mass. Fort Worth, Tex Hartford, Conn. Kansas City, Mo Lawrence, Mass. Little Rock, Ark. Los Angeles, Cal. Lowell, Mass Macon, Ga.	7 1 1 1 8 2 1	2 1 1 1 1 4 1 1 1 1 2	Memphis. Tenn Montgomery, Ala. Newark, N. J. New Bedford, Mass. New Britain, Conn Newport News, Va. New York, N. Y. North Little Rock, Ark. Philadelphis, Pa. Prittsburgh, Pa. Providence, R. I. Rockford, Ill. St. Louis, Mo. San Jose, Cal. San Antonio, Tex. Toledo, Ohio Wichita. Kans.	1 3 1 1 1 4 2 1 3	221

DIPHTHERIA.

ERYSIPELAS. City Reports for Week Ended Jan. 5, 1918.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Baltimore, Md			Nashville, Tenn Newark, N. J New York, N. Y	1 6	
Buffalo, N. Y	3 20 6	5	Norristown, Pa. Omaha, Nebr. Pawtucket, R. I.	2 1	
Denver, Colo	1		Philadelphia, Pa Pittsburgh, Pa Pontiae, Mich Portland. Oreg	9 2	
Hartford, Conn	2 1		Portland, Oreg	7	
Lancaster, Pa. Lawrence, Mass Los Angeles, Cal. Memphis, Tenn	2	i	San Francisco, Cal. Schenectady, N. Y Troy, N. Y. Wheeling, W. Va.	i	
Muscatine, Iowa	1		Wilkinsburg, Pa. Wilmington, Del	1	

MALARIA. State Reports for November and December, 1917.

Place.	New cases reported.	Place.	New case reported
Louisiana (Dec. 1-31):		Virginia (Nov. 1-30): Continued.	
Acadia Parish	10	Gloucester County	1 9
Concordia Parish	8	Greensville County	
De Soto Parish	1 1	Emporia	1 6
Iberia Parish	2	North Emporia	1 3
Jackson Parish	1 2 1	Halifax County	Ì
Madison Parish	1 1	South Boston	1 2
Ouachita Parish	1	Hanover County	23
St. Martin Parish	1 4	Henrico County.	1 7
St. Mary Parish.	. 1	Henry County-	
St. Tammany Parish	45	Martinsville.	l
Tensas Parish.	19	Isle of Wight County	22
Vermilion Parish	. 31	James City County—	
West Feliciana Parish	1	Williamshurg	3
		King and Queen County	4
Total	98	Lancaster County	l s
		Lee County Lunenburg County	8 2 2
Maryland (Dec. 1-31):	l i	Lunenburg County	2
Anne Arundel County—	1	Victoria.	
Camp Meade	1	Mathews County	1
•		Mecklenburg County	i
Massachusetts (Dec. 1-31):	l i	Middlesex County	6
Essex County—	l i	Nansemond County.	8
Marblehead (town)	1	Suffolk	13
Sunoik County-	1	Nelson County	1
Boston	1	New Kent County	5
		Noriolk County	1
Total	2	Northampton County	29
Virginia (Nov. 1-30);		Northumberland County	7
Accomac County	4	Nottoway County	2
Chincoteaque	8	Crewe	1
Greenbackville.	4	Pittsvlvania County	7
Albamarla Country	2	Powhatan County	
Albemarle County		Princess Anne County	24
Clifton Form	1	Prince Edward County	1
Clifton Forge	i	Farmville	2
Amelia County	il	Prince George County	11
Appropriate County	1	City Point	1
Appomattox County Augusta County—	•	Richmond County	2
Staunton	1	Rockbridge County	1
Podford Country	i	Rockingham County—	
Bedford County	17	Dayton	1
Brunswick County	2	Smyth County	1
Buckingham County	3	Southampton County	5
Caroline County.	5	Stafford County	4
Dinniddia County	7	Surrey County	4
Dinwiddie County Elizabeth City County—	1	Sussex County	15
Phoebus	1	Warwick County	1
Essex County.	3	į,	
	3	Total	332
Franklin County	1		

MALARIA-Continued.

City Reports for Week Ended Jan. 5, 1918.

During the week ended January 5, 1918, three cases of malaria were reported at Birmingham, Ala., one case at North Little Rock, Ark., one case at Rocky Mount, N. C., and one case at San Francisco, Cal.

MEASLES.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 117.

PELLAGRA.

State Reports for November and December, 1917.

Place.	New cases reported.	Place.	New cases reported.
Louisiana (Dec. 1-31): Reaurerard Parish. Concordia Parish. Orleans Parish St. Tammany Parish Total. Massachusetts (Dec. 1-61): Fristol (ounty— Fall River Essex (ounty— Middleton (town) Middlesev (ounty— Malden Malden Total.	7	Virginia (Nov. 1-30): Augusta. Charles City Chesterfield County— Winterpock. Henrion County— Richmond. King and Queen County Pittsylvania County— Danville Princess Anne County Prince George County Stafford County Washington County Total.	1 1 1 6 2 1

City Reports for Week Ended Jan. 5, 1918.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Atlanta, Ga. Birmingham, Ala. Charlest n, S. C. Chicag i, III. Galveston, Tex.	2	2 3 1	Mac^n, Ga Memphis, Tenn New Orleans, La San Antonis, Tex San Diego, Cal	1 1	

POLIOMYELITIS (INFANTILE PARALYSIS).

State Reports for November and December, 1917.

Place.	New cases reported.	Place.	New cases reported.
Louisiana (Dec. 1-31): Iberville Parish West Feliciana Parish Total Massachusetts (Dec. 1-31): Bristol County— Fall River Hampden County— Springfield Plymouth County— Brockton Total Pennsylvania (Dec. 1-31): Allegheny County Blair County Butler County Butler County Lancaster County Philadelphia County Total.	1 1 2 1 1 1 2 4 2 1 1 2 3 9	Virginia (Nov. 1-30): Ace mac County— Chincoteague Henric County— Richmond Louisa C Amty Rockbridge County Rockingham County Total West Virginia (Dec. 1-31): Berkeley County Hane sek County Kanawha County Roane County Total	8 1 2 2 2 1

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued.

City Reports for Week Ended Jan. 5, 1918.

During the week ended January 5, 1918, two cases of poliomyelitis were reported at Chicago, Ill., one case at Cincinnati, Ohio, and one case at Taunton, Mass. One death from this disease was reported at Little Rock, Ark.

PNEUMONIA. City Reports for Week Ended Jan. 5, 1918.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Alameda, Cal	1	1	Lowell, MassLynn, Mass	2 2	2
Baltimore, Md Bethlehem, Pa	26	23	Macon, Ga	3	1 1
Boston, Mass	56	61	Macon, Ga	ĩ	1 3
Brockton, Mass	3 3 2				1
Braddock, Fa Brockton, Mass. Cambridge, Mass. Canton, Ohio. Chattanooga, Tenn Chelsea, Mass. Chicago, Ill. Cleveland, Ohio.	2	5		46	14 2
Chelsea, Mass	i	1	New Bedlord, Mass Newport, Ky	í	
Chicago, III	169 45	89 55	NewBedford, Mass NewBedford, Mass Newport, Ky Newton, Mass North Little Rock, Ark Pawtucket, R. I Patersburg Va	3.	1 2 2 4
Clinton, Mass		10	Pawtucket, R. 1 Petersburg, Va	1	l
Duluth, Minn	1		Petersburg, Va. Philadelphia, Pa Pittsburgh, Pa. Rochester, N. Y	125 46	73
Fall River, Mass Fitchburg, Mass			Rochester, N. Y	11 2	4 3 3
Grand Rapids, Mich	5 2	i	San Diego, Cal	1	
Haverbill, Mass	2	2	Savanneh Ga	19	13 2 2
Jackson, Mich	2	2 3	Schenectady, N. Y	2	2
Kansas City, Kans Kansas City, Mo	9	3 19	Springfield, Mass	4 3	4
Lancaster, Pa	1 5		Toledo, Ohio	3	- 3
Leavenworth, Kans	Ā		Waltham, Mass	2	1
Lexington, KyLincoln, NebrLittle Rock, Ark	8	2 2	Wilkinsburg, Pa Worcester, Mass.	3 10	3 2
Los Angeles, Cal	19	10	TT ULUUUUL, MANA		•

SCARLET FEVER.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 117.

SMALLPOX.

Texas-El Paso.

During the week ended January 21, 1918, 9 new cases of smallpox, with 2 deaths, occurred at El Paso, Tex., making a total of 44 cases, with 7 deaths, reported since December 12, 1917.

'SMALLPOX-Continued.

State Reports for December, 1917.

130			,	accination h	istory of cas	es.
Place	New cases reported.	Deaths.	Number vaccinated within 7 years pre- ceding attack.	Number last vacci- nated more than 7 years preceding attack.		Vaccination history not obtained or uncertain.
District of Columbia	5				5	
Maryland: Baltimore City Allegany County—	10				, 10	
Lonaconing Cumberland Westernport County—	1 15 4	•••••			1 15 4	
Avilton	1				9 4 1	
Grantsville	7	•••••			7	
Total	52				52	
Massachusetts: Essex County— Beverly	2	•••••		••••	. 2	•
Springfield	1	•••••		1	1	• • • • • • • • • • • • • • • • • • • •
Malden Norfolk County—	î 1	•••••	•		1 1	
Broo'-line (town) Suffolk County— Boston	3	• • • • • • • • • • • • • • • • • • • •		2	1	
Worcester County— Worcester	. 1			1		
Total	10			4	6	

Miscellaneous State Reports.

Place.	Cases.	Place.	Cases.
Place. Louisiana (Dec. 1-31): Caddo Parish. Calcasieu Parish. East Baton Rouge Parish Iberia Parish. Jackson Parish. Jefferson Parish Jefferson Davis Parish Natchitoches Parish Rapides Parish. St. Tammany Parish Total. Pennsylvania (Dec. 1-31): Allegheny County. Armstrong County.	6 1 2 22 22 3 19 5 12 1 24 97	Place. Virginia (Nov. 1-30): Franklin. Louisa Roanoke County— Roanoke. Scott County. Total. West Virginia (Dec. 1-31): Fayette County. Harrison County Shinston Kanawha County Charleston Logan County Mason County Mingo County Mingo County	5 1 1 1 8 5 3 12 32 14 11
Armstrong Cointy Butler County Cambria County Centre County Clearfield County Daurhin County Frie County Indiana County Lehigh County MeKean County Mercer County Somerset County	1 2 6 14 4 5 3 1 1	Mingo County— Ohio County— Wheeling. Roane County. Wayne County. Wood County. Parkersburg. Total.	3 2 1

SMALLPOX-Continued.

City Reports for Week Ended Jan. 5, 1918.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Akron, Ohio					
Alton, Ill	. 9		Lowell, Mass	1	
Anniston, Ala	10			9	
Birmingham, Ala Buffalo, N. Y	4		Minneapolis, Minn		
Butte. Mont	8		Montgomery, Ala		
anton, Ohio	10		Nashville, Tenn	2	
hicago, Illincinnati, Ohio	13		New Orleans, La	7	
incinnati, Ohio	6		New York, N. Y	1	
levaland, Ohio	22			. 6	
olumbus, Ohio	11			10 28	
Payton, Ohio	- 6		Pittsburgh, Pa	20	
Denver, Colo	11		Pontiac, Mich	ĭ	
Denver, ColoDetroit, Mich	77		Quincy, Ill.	3	
ubuque, lowa	1		Roanoke, Va	2	
rie, Pa	.2			.1	• • • • • • • • •
ort Wayne, Indalesburg, Ill				13 18	
rand Rapids, Mich	10			18	
lattiesburg, Miss	A 19		San Antonio, Tex	i	•••••••
dianapolis. Ind	45		Sandusky, Ohio	1	
ckson, Mich	1		Seattle, Wash	5	
ansas City, Kans				4	
ansas City, Mo	104		Springfield, Ohio	. 1	• • • • • • • • •
a Crosse, Wisima, Ohio	9		Toledo, Ohio	10	• • • • • • • •
incoln, Nebr	1 3	• • • • • • • • • • • • • • • • • • • •	Wheeling, W. Va	1	• • • • • • • • • •
ittle Rock, Ark	20		17 Heeming, 17. Va	*	

TETANUS.

City Report for Week Ended Jan. 5, 1918.

During the week ended January 5, 1918, one death from tetanus was reported at St. Louis, Mo.

TUBERCULOSIS.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 117.

TYPHOID FEVER.

State Reports for November and December, 1917.

Place.	New cases reported.	Place.	New cases reported.
District of Columbia (Dec. 1-31): District of Columbia	13	Louisiana—Continued. St. Landry Parish Tangipaho: Parish.	4
Louisiana (Dec. 1-31):		Terrebonne Parish	1
Acadia Parish	2	Union Parish	1
Avoyelles Parish	1	West Feliciana Parish	1
Calcasieu Parish	9	Total	66
De Soto Parish.	3	Maryland (Dec. 1-31):	
Evangeline Parish	5	Baltimore City	17
Iberville Parish	2	Allegany County— Cumberland Allegany Hospital	3
Orleans Parish	21	Anne Arundel County— Davidsonville	2
Rapides Parish	2	Baltimore County—	2
St. Charles 1 arish		St. Agnes Hospital Roslyn.	1
St. John Parish		Fort Howard	Ī

TYPHOID FEVER—Continued.

State Reports for November and December, 1917—Continued.

Place.	New cases reported.	Place.	New cases reported.	
Maryland—Continued.		Massachusetts—Continued.		
Maryland—Continued. Caroline County—	1	Middlesex County—Continued.		
Denton	. 2	Waltham	1	
Cecil County—	1 -	Watertown (town)	1	
Chesapeake City (R. D.)	1 1	Winchester (town) Norfolk County—	1	
Elkton	1 1	Quincy	1	
Charles County— McChonie (R. D.)	1	Quincy	i	
McChonie (R. D.)	. 2	Suffolk County-		
Dorchester County—	·	Boston	8	
Reids Grove. Reids Grove. East Now Market Wingate. Cambridge.	2	Worcester County—		
East New Market	1 1	Athol (town) North Brookfield (town)	1	
Cambridge	1 2	Woroester.	13 10	
Thompsontown	1	W Grooswer		
ThompsontownEastern Shore State Hospital	2	Total	99	
Frederick County—	į			
_ Frederick	2	Pennsylvania (Dec. 1-31):		
Howard County—		Adams County	6	
Howard County— Ellicott City	1	Ametrona County	17	
Kent County— East Neck Island	1	Allegheny County	7 7	
Montgomery County—	l '	Bedford County	9	
Montgomery County— Forest Glen	1	Berks County	4	
Darnesvine		Blair County	5	
Clarksburg Prince Georges County— Benning (R. D.)	1	Bradford County	2 4 5 3 3	
Prince Georges County—		Bucks County	3	
Oxen Hill.	1	Butler County Cambria County		
Sharpersville (R. D.)	1 1	Chester County	1 10	
Queen Annes County-		Clarion County.	10	
Queen Anne (R. D.)	1	Clearfield County	i	
Somerset County—	ĺ	Columbia County	6	
Crisfield	1	Crawford County	1	
Westover (R. D.)	1	Cumberland County	5 3	
Talbot County— St. Michaels		Dauphin County	3	
Washington County-	1	Eric County	6	
Hagerstown.	10	Fayette County	ì	
Washington County— Hagerstown. Williamsport (R. D.).	1	Franklin County	1	
SmithsburgBoonsboro	3	Greene County	1 3	
Boonsboro	1	Jefferson County	3	
Wicomico County—	1	Juniata County	1 5	
Salisbury Peninsula General Hospital	1	Lancaster County Lawrence County	3 3	
Worcester County—	-	Lebanon County	4	
Girdletree	1	Labigh County	Ž	
m		Luzerne County	4	
Total	74	Lycoming County	2	
Maggachugatte (Dag. 1 21):		Mercer County	4	
Massachusetts (Dec. 1-31): Barnstable County—		Mifflin County	3	
Barnstable County— Orleans (town)	1	Montour County	4 7 4 2 4 3 4	
Berkshire County—	_	Northampton County	3	
Adams (town)	3	Northumberland County	3 1 14 2 1 3 2 1 3	
Lee (town)	1	Perry County	.1	
North Adams	1	Philadelphia County	14	
Bristol County— Fall River	25	Potter CountySchuylkill County	2	
New Bedford	7	Somerset County	3	
Swansea (town).	i	Tioga County Venango County Washington County	2	
Essex County—	-	Venango County	1	
Gloucester	1	Washington County	3	
Haverhill	1	Wayne County		
Lawrence	4	Wayne County	5	
LynnPeabody (town)	2	1 Ork County	6	
Franklin County—	-	Total	184	
Orange (town)	1	-		
Montague (town)	1	Virginia (Nov. 1-30):		
Warwick (town)	2	Accomac County	6	
Hampden County—	اا ـ	Tangier	1	
Springfield	5	Albemarle County Alexandria County	1	
Everett	1	Alleghany County	1 2 2	
Everett	1	Covington	$ar{f 2}$	
Somerville	3	Amelia County	4	

TYPHOID FEVER—Continued.

State Reports for November and December, 1917—Continued.

Place.	Total cases reported.	Place.	Total cases reported.
Virginia—Continued. Appomattox County Augusta County Bath County Bedf rd County Biand County Bedf rd County Bether County Buchanan County Campbell County— Lynchburg Caroline County Carroll County Culpeper County Farian County Cunty— Petersburg Essex County Fairfax County Fauquier County Fauquier County Frankin County Frankin County Crays n County Crays n County Han.ver County Henrico County Henrico County Kichm nd Henry County Lie County Lie County Loudoun County Loudoun County Loudoun County Mathews County Mathews County Mecklenburg County Middiesex County Mits merry County Nels n County Ne	1 5 1 1 1 2 9 3	Virginia—Continued. Prince Edward County Prince George County Pulaski County Pulaski County Roanoke Cuuty Rickbridge County Elikt.n. Harris.nburg Russell Cunty Shenand. ah County Woodst ck Smyth County Sutthampton County Stafford County Surry County— Dendr.n. Sussex County Wakefield Tazewell County Graham Pocahontas Washingt n County Abingd.n. Damascus Westmoreland County Wise Cunty— Rural Retreat Total West Virginia (Dec. 1-31): Berkeley County Fayette County Fayette County Granat County Wise Wythe Cunty— Rural Retreat Total West Virginia (Dec. 1-31): Berkeley County Fayette County Hancock County Kanawha County Marshall County Mingo County Marshall County Mingo County Marshall County Mingo County Marshall County Mingo	55 31 11 11 11 12 11 11 11 11 12 27 11 12 12 13 14 14 13 14 14 13 14 14 15 16 16 16 16 16 16 16 16 16 16 16 16 16
Nott way County— Blackstone Patrick County Pittsylvania County Princess Anne County	1 2 2 1	Wheeling Summers County Tucker County Total	19 1 4 45

City Reports for Week Ended Jan. 5, 1918.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Akron, Ohio Albany, N. Y Aurusta, Ga. Austin, Tex Baltimore, Md Beaver Falls, Pa Birmingham, Ala Boston, Mass Buffalo, N. Y Camden, N. J Charleston, S. C Chattanooca, Tenn Chicaro, Ill Cleveland, Ohio Columbia, S. C	3 1 1 1 1 1 2 1 4	1	Davenport, Iowa Dayton, Ohio. Detroit, Mich. Fall iver, Mass. Fort Wayne, Ind. Fort Worth, Tex. Grand Papids, Mich. Haverhill, Mass. Indianapolis, Ind. Kalamazoo, Mich. Kansac City, Kanss.	219111111111111111111111111111111111111	

TYPHOID FEVER—Continued.

City Reports for Week Ended Jan. 5, 1918—Continued.

TYPHUS FEVER.

City Reports for Week Ended Jan. 5, 1918.

During the week ended January 5, 1918, two deaths from typhus fever were reported at Baltimore, Md., and one case at San Antonio, Tex.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS.

State Reports for November and December, 1917.

	Ca	ses repor	ted.	1	Cases reported.		
State.	Diph- theria.	Mea- sles.	Scarlet fever.		Diph- theria.	Mea- sies.	Scarlet fever.
District of Columbia (December). Louisiana (December) Maryland (December) Massachusetts (December).	88 72 191 1,156	268 626 463 1,920	121 21 143 671	Pennsylvania (December). Virginia (November) West Virginia (December).	1,551 380 73	1,620 646 21	999 126 59

City Reports for Week Ended Jan. 5, 1918.

	(estimated by U. S.	tion as of Total		Diphtheria.		Measles.		Scarlet fover.		ber- osis.
City.			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Over 500,000 inhabitants: Baltimore, Md. Boston, Mass Chicago, Ill Cleveland, Ohio. Detroit, Mich Los Angeles, Cal. New York, N. Y Philadelphia, Pa Pittsburgh, Pa St. Louis, Mo.	589, 621 756, 476 2, 497, 722 674, 073 571, 784 503, 812 5, 602, 841 1, 709, 518 579, 090 757, 309	244 298 706 240 230 128 1,681 671 251 229	13 104 201 18 72 14 163 55 12 96	1 15 23 1 4 1 29 16 3	45 117 38 13 10 23 705 35 123 46	2 4 2 5	13 23 75 4 44 10 95 37 9	1 1 2 1 4	26 39 390 28 18 41 170 81 18 42	28 21 82 29 16 19 165 70 12

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

City Reports for Week Ended Jan. 5, 1918-Continued.

	Popula- tion as of July 1, 1916	Total deaths	1 -	theria	Me	asies.		arlet ver.		aber- losis.
City.	(estimated by U. S. Census Bureau).	from all causes.		Deaths.	Cases.	Deaths.	Cases.	Deaths.	Chaeses.	Deaths.
From 300,000 to 500,000 inhabit-										
ants: Buffalo, N. Y	468, 558	142	20	8	14	l	. 11	1	. 20	12
Cincinnati, Ohio	410, 476	154	19	i	2		. 11		. 24	12 22
Jersey City, N. J	306, 345		14		16		4		. 23	1
MAIWAUMEE, WIS	436, 535 363, 454	96	10 21		57 19		37	1	22	9
Minneap lis, Minn Newark, N. J	408, 894	143	12	8		3	14	1	20	19
New Orleans, La	371,747	174	18		33		. 4		26	29
San Francisco, Cal	463, 516	130	18		26		15	1	24	9
Seattle, Wash	348, 639 363, 580	54 151	14	2	71 70	2	7 26	i	15	7
From 200,000 to 300,000 inhabit-	300, 800	101	14	-		-	-		13	17
ants:		i	1	1	l		1	1	ļ	l
Columbus, Ohio	214,878	84	2		5		29		7	5
	260, 800	68	6	1	25		17 30		••••	11
Kansas City Ma	271, 708 297, 847	115	33	2	21 53		16		3 3	12
Pertiand, Oreg	25, 463	39			ii		5		2	1
Providence, R. I	254,960	79	17	1	y		5	1	Ī	7
Indianap lis, Ind. Kansas City, Mo. Purtland, Oreg. Providence, R. I. Rechester, N. Y From 100,000 to 200,000 inhabit-	256, 417	50	14	- 1	16		12		6	3
Prom 100,000 to 200,000 inhabit-	•		l' '	ł	l	ı			l	ł
ants: Albany, N. Y	104, 199		1	1	6	i .	2	l	12	l
Atianta, Ga.	190, 558		9	2	17		3		12	7
Birmingham, Ala	181, 762	79	2	l . .	144	2	2 2		7	
Birmingham, Ala Bridgep rt, C nn	121,579	32	10		2		. 2		1	8 3
Cambridge, Mass Camden, N. J. Dayt.n, Ohi	112, 581	34	6		26	1	. 1		3	
Dowt n Ohi	100, 233 127, 224	•••••	7 7	• • • • • •	58 2		2	····i	2	
Fail River, Mass	128, 366	54	6	1			li		9	1 2
Furt Wurth Tex	104,562	37	5		6		ī			1
Grand Ranids Mich	128, 291	40	3		8	J	4		6	3 1 1
Harti. rd, Conn	110,900	63	4	1	6		6		2	4 6
Houston, Tex	112,307	43	2	1	27			•••••	6	6
Lawrence, Mass	100, 560 113, 245	30 44	4	• • • • • • •	1		•••••		4	2
Lunn Moce	102, 425	22	····i		4		3			4
Memphis, Tenn Nashville, Tenn New Bedird, Mass New Haven, Conn Oakland, Cal Omaha, Nebr	148, 995 117, 057 118, 158	55	5	i			2 6		3 7	1 3 5 6 3 7
Nashville, Tenn	117,057	44	8						3	3
New Bedf. rd, Mass	118, 158	46	4		22		2		5	5
Oakland Cal	149, 685 198, 604	49	2	••••••	4		6	•••••	6	6
Omaha, Nehr	165 470	41	3		28		6			7
Reading, Pa	165,470 109,381	42	8		~				1	2
Reading, Pa	156,687	75	15	2	9		6		4	6
Sait Lake City, Utah San Ant.ni , Tex Springfield, Mass	117,399	35			43	• • • • • •	13	1		1
Springfield Mose	123, 831 105, 942	34	1 15		7 12		3		3	16
Syracuse, N. Y.	155, (24		15	2	39		13		2	2 2
Syracuse, N. Y Tacoma, Wash Toledo, Ohio	112, , , 0		1				4			
Toleds, Ohis	191,554	55	3	• • • • • •	10		10		2	5
Trenton, N. J. W. reester, Mass.	111,593 163,314	41	7	•••••	4		2	•••••	2	5 2
From 50,000 to 100,000 inhabit-	100,014	64	1		15		4		4	2
ants:	i	İ	- 1	- 1	- 1	į	ı	- 1	i	
Akren, Ohio	85,625		5		4		6			• • • • • •
Alient wn, Pa	63,505	19	6		3		2	• • • • •	2	•••••
Atlantic City, N. J.	57,000				2	• • • • • •	••••;•	•••••	8	• • • • • •
Augusta, Ga Bay nne, N. J.	50, 245 69, 893	12	2	•••••	19		1		···i'	• • • • • •
Berkeiey, Cal	57, 053	15	ī į		2		3			2
Br. ckt n, Mass	67, 449	18			2		5		3	3
Cant.n, Ohi	60,852	18 37	2 2		ا-ير		9			
Charleston, S. C. Chattanoogs, Tenn. Covington, Ky. Luhrth, Minn.	60, 734	37	2 .		2			•••••	ا-يـ	2
Cosmoton Ky	60, 0 75 57, 144	5 19	···i		34		1	•••••	2 2	Ţ
I uhrth, Minn.	94, 495	13	2	1	15		12	1	4	i
	63, 705	29		1.						2 1 1 1 5
Eric, Pa. Fort Wayne, Ind Larrisburg, Pa. Heboken, N. J.	94, 495 63, 705 75, 195		7 .				4 .		2	39
Nort Wayne Ind	76, 183	22 33 25	9 .		1		1.			2 5
1miah.ma D-	72,015 77,214		2		3		5 .		8	

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

City Reports for Week Ended Jan. 5, 1918—Continued.

	Popula- tion as of July 1, 1916	Total deaths	Diph	theria.	Mea	sles.		rlet ver.		ber- osis.
City.	(estimated by U. S. Census Bureau).	from all causes.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 50,000 to 100,000 inhabit-										
ants—Continued. Johnstown, Pa	68, 529	24	9	1	1	 	6	 	1	
Kansas City, Kans Lancaster, Pa	99, 437		1		4		6		1	
Lancaster, Pa	50,853 57,343	12	2		35		2 2		1 2	i
Little Rock, Ark Malden, Mass	51, 155		10		10		3		1	1
Manchester, N. H	78, 283	25	1		7		4		3	3 1
Mobile, Ala New Britain, Conn	58, 221 53, 794	24 9	1 2		1				1 10	
Norfolk, Va. Okłahoma City, Okła. Passaie, N. J. Pawtucket, R. I. Portland, Me. Rockford, Ill.	89.612	 			10		4			2
Oklahoma City, Okla	92, 943 71, 744	16	2	• • • • • •		¦	2			• • • • • •
Passaic, N. J Pawtucket, R. I.	71, 744 59, 411	17 29	5	2			1 3	····i		
Portland, Me	59, 411 63, 867	24	ĭ	ī	100		1			1
Rockford, Ill	55, 185	22			2		. 3			3 2 2
Sacramento, Cal	66, 895 55, 642	32 15	i	• • • • • • •	3		4 3		6 2	2
St. Joseph, Mo	85, 236	14	8		1		4		2	ī
Sacramento, Cat. Saginaw, Mich. St. Joseph, Mo. San Diego, Cal. Savannah, Ga. Schenectady, N. Y. Sioux City, Iowa Somerville, Mass. South Band, Ind.	53, 330 68, 805	21	5		63		3 1		····i	····· <u>·</u>
Schenectady, N. Y	99,519	40 28	2		11		3			2
Sioux City, Iowa	57,078		1				10			
Somerville, Mass	87,039	21	5	1	61		5		4	2
Springfield III	68,946 61,120	20 20	1 6	1 2	3		1		3	1
Springfield, Ohio	51,550	15			1		i		3	
Terre Haute, Ind	66, 083	25			2		1 7	•••••	1 3	2
Wichita Kans	77, 916 70, 722	•••••			1 27		7		3	3
Wilkes-Barre, Pa	70, 722 76, 776	16	5		7		5	i		
Somervine, Mass South Bend, Ind Springfield, Ill. Springfield, Ohio Terre Haute, Ind Trey, N. Y. Wichita, Kans Wilkes-Barre, Pa. Wilmington, Del From 25,000 to 50,000 inhabits.	91, 265	37	5		3				• • • • • •	4
From 25,000 to 50,000 inhabitants:						- 1	1	l	- 1	
Alameda, Cal	27,732	4	6						1	1
Alameda, Cal Auburn, N. Y Austin, Tex	37,385	11	2							;
Brookline, Mass	34,814 32,730	19 9	1 2		8 2		3		•••••	1
Butler, Pa	27,632	ıĭ	2		6					i
Butler, Pa Butte, Mont	43, 425	15	3		3		22	-	.	· • • • •
Charlotte, N. C. Chelsen, Mass	39,823 46,192	27	•••••		18		2		1	3
Chicopee, Mass	29,319	ĩo			7	1			î	3
Chicopee, Mass. Columbia, S. C. Cumberland, Md	34,611		1		9			-		••••
Danville, Ill	26,074 32,261	10 7			···i					
Davennort Iowa	48,811		i		!		7			
Dubuque, Iowa	39,873		1	2	1			-	2	
Dubuque, Iowa East Orange, N. J. Elgin, Ill.	42, 458 28, 203	9	\mathbf{i}		26 5				-	
	39, 233	9	8 .		10		i .		4	
Fitchburg, Mass	41,781 41,863	7 17	3 1	1	6		···i		6	····i
Green Bay, Wis.	29, 353	ió	2		3		3			
Fitchburg, Mass Galveston, Tex. Green Bay, Wis Hagerstown, Md Haverhill, Mass Jackson, Mich	25,679		2 .		3		1 .		:- -	
Havernill, Mass	48, 477 35, 363	19	1 .		12		10		3	2 3
Kalamazoo, Mich	48,886	23	8 .		26				î	ĭ
Kenosha, Wis	31,576	4	11	1	1		5	1 .		
Kalamazoo, Mich	38,676 . 31,677	12	3 .	1	3	•••••	3 .		2 1	2
Lexington, Ky	41,097		i i		26				28	``ii
Lima, Ohio	35,384	18 17 12	1 .		.		1 .			1
Lincoln, Nebr	46, 515 36, 964	12	6	1	5		11 .	•••• •		••••
Lynchburg, Va	32.940	12		*	4			:::::		
Mooon Go	45,757	12 7 12	2 .		32 .		1 .			••••
Mediord, Mass	26,234	12	2	1	6 .		····2		···i'.	2
Montgomery, Ala	43. 285	5 7 9			22					• • • • •
Medford, Mass Montclair, N. J. Montgomery, Ala Nashua, N. H. Newburgh, N. Y.	36, 944 32, 944 45, 757 26, 234 28, 318 43, 285 27, 327 29, 603			2 .		1 .				• • • •
New Costle Po	29,603	9	1.	•••••	46 .	•••• •	3:		6 .	• • • • •
New Castle, Pa Newport, Ky	41, 133 . 31, 927	2	i .			•••••	٠.		0	

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

City Reports for Week Ended Jan. 5, 1918—Continued.

	Popula- tion as of July 1, 1916	Total deaths	1 -	theria	Ме	asles.		rlet er.	Tt cu	iher- losis.
City.	by U. S. Census Bureau).	from all causes.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 25,000 to 50,000 inhabit-										
ants—Continued	49 715	16	3	l	6	1	l		l	
Newton, Mass. Niagara Falls, N. Y. Norristown Pa.	43,715 37,353 31,401	5	2				1		i	
Norristown Pa	31,401	16		ļ	. 2		<u>-</u> -		1	1
Orange, N. J.	31, 404 33, 080	5 12	i		4		5			
Nisgara Fails, N. Y. Norristown Pa. Ogden, Utah. Orunge, N. J. Pasadena, Cal. Perth Amboy, N. J. Petersburg, Va Pittsfield, Mass. Portsmouth, Va. Quincy, Ill. Quincy, Mass. Racine, Wis. Roanoke, Va. Rock Island, Ill. San Jose, Cal. Steubenville, Ohio. Superior, Wis. Taunton, Mass. Waco, Tex Waltham, Mass. Watertown, N. Y. West. oboken, N. J. Wheeling, W. Va Winston-Salem, N. C. Zanesville, Ohio. From 10 000 to 2 000 inhabit.	46, 450	6	ļ <u>.</u> .						i	i
Petersburg Va	41, 185 25, 582	10	·····		20		2		1	····-;
Pittsfield, Mass	38,629	5	i		8		3			3
Portsmouth, Va	39,651	14 6	1	ļ	1 13		···· ₂ ·		ļ	ļ
Quincy, Mass.	36, 798 38, 136	10	i		13.		í		2	
Racine, Wis	46, 486	18	2	• • • • • •	1 1		1			
Rock Island, Ill	43, 284 28, 926	10 14	2		3			•••••	1	
San Jose, (al	38,902				7				ï	
Steubenville, Ohio	27, 445 46, 226	12 6	•••••		3		••••2	•••••		
Taunton, Mass	36, 283 33, 385	8	i		1				i	
Waco, Tex	33, 385 30, 570	2 9		• • • • • •	6	j	2	• • • • • •	1	
Watertown, N. Y	29,894	1	····i	•••••	i i				1	•••••
West oboken, N. J	43, 139	9			1					
Winston-Salem N.C.	43, 377 31, 155	18		• • • • • •	20		3		2	•••••
Zanesville, Ohio From 10,000 to 25,000 inhabit-	30, 843	9		• • • • • •	ĩ				····i	
From 10,000 to 25,000 inhabit-										
Alexandria, La Alexandria, La Alton, III Ann Arbor, Mich Anniston, Ala Beaver Falls, Pa Berlin, N. I Bethlehem, Pa Braddock, Pa Chillicothe, Ohio. Clinton, Mass. Coffeyville, Kans Concord, N. II Galesburg, III II attiesburg, Miss Kearney, N. J. Kokomo, Ind. Leavenworth, Kans Long Branch, N. J. Marinette, Wis Melrose, Mass. Morristown, N. J. Nanticobe, Pa New Albany, Ind.	15,333	12			62					
Alton, Ill	22,874	10	3	2	8		1			
Anniston Ala	15,010 14,112	6	3	ł	10			•••••	1	• • • • • •
Beaver Falls, Pa	13, 532 13, 599		2		ű		2			
Berlin, N. II	13, 599 14, 142	2	···· ₂ ·	•••••				•••••	2	•••••
Braddock, Pa	21,685		3						2	•••••
Chillicothe, Ohio	15, 470		1		7		2			
Coffeyville Kons	1 13,075 17,548	6		•••••	23		•••••		• • • • • •	1
Concord, N. II	22,669	6	2		ĩ		.3			
Galesburg, Ill	24,276	7 10	•••••	•••••	*****				•••••	• • • • •
Kearney, N. J.	16, 482 23, 539				29				3	•••••
Kokomo, Ind	20,930	6								
Long Branch, N. J.	1 19.363 15,395	2	2		4				2	•••••
Marinette, Wis	1 14, 610 17, 445	1								
Melrose, Mass	17, 445 13, 284	3 2 1 5 2 4 5		•••••	1		2	•••••	•••••	•••••
Nanticole, Pa.	23, 126	4	i		i		i		···i	• • • • • •
New Albany, Ind	23, 629 15, 243	5	• • • • • •	•••••		-	-		2	1
	20, 985	6 3	1 3	1	1				····i	•••••
Newport News, Va	20,562	19	.		13					•••••••
North Adams, Mass	1 22,019 19,926	8	3	•••••			· · · · · · · ·	••••[•	2	- 1
North Little Rock, Ark	14,907	12			5					
Plainfield, N. J	23,805	12 8	1	1	1 .	-				1
New London, 'c onn Newport News, Va North Adems, Mass North Adems, Mass North Little Rock, Ark Plainfield, N. J Pontine, Mich Portsmouth, N. II Rocky Mount, N. C Rutland, Vt Sandusky, Ohio Saratoga Sprines, N. Y Spartanburg, S. C Steelton, Pa Washington, Pa	17,524 11,666		2	i	5		2 . 3 .		1	1
Rocky Mount, N. C	12,067	7			2				2	i
Rutiand, Vt	14,831 20,193	9	•••••			•••••	;.			•••••
Saratoga Springs, N. Y	13,821	6 .			1		2 .			····i
Spartanburg, S. C.	21,365	9	1 .		5 .	-		······	1	
Washington, Pa	15, 548 21, 618	2			5		:::: :		1	1
Will insburg, Pa	23, 228	14	1 .		ě.					i
Woburn, Mass	15,969	4 .								

FOREIGN.

CHINA.

Examination of Rats-Shanghai.

During the six weeks ended December 1, 1917, 1,617 rats were examined at Shanghai. No plague infection was found. The last plague-infected rat at Shanghai was reported found May 6, 1916.

GREAT BRITAIN.

Examination of Rats-Liverpool.

During the five weeks ended December 15, 1917, 1,843 rats were examined at Liverpool. No plague infection was found.

INDO-CHINA.

Cholera-Plague-Smallpox-Leprosy-September, 1917.

During the month of September, 1917, 74 cases of cholera, 34 cases of plague, and 193 cases of smallpox were notified in Indo-China. For the month of August, 1917, the reported prevalence was as follows: Cholera, 328 cases; plague, 50 cases; smallpox, 234 cases. The distribution of these diseases during the month of September, 1917, was as follows:

Cholera.—Province of Anam, 13 cases; Cambodia, 19 cases; Cochin-China, 32 cases; Kwang-Chow-Wan, 10 cases; total, 74 cases. The total for the corresponding month of the previous year was 107 cases.

Plague.—Province of Anam, 12 cases; Cambodia, 12 cases; Cochin-China, 10 cases; total, 34 cases. The total for September, 1916, was 26.

Smallpox.—Province of Anam, 61 cases; Cambodia, 7 cases; Cochin-China, 124 cases; Tonkin, 1 case; total, 193 cases. The total for September, 1916, was 25.

Leprosy.—During the month of September, 1917, 20 cases of leprosy were notified in Indo-China, of which 12 cases were notified in the city of Hanoi, Tonkin, and 8 in two localities in Cochin-China.

CHOLERA, PLAGUE, SMALLPOX, AND TYPHUS FEVER.

Reports Received During Week Ended Jan. 25, 1918.1

CHOLERA.

Place.	Date.	Cases.	Deaths.	Remarks.
India: Calcutta Indo-China: Provinces.	Oct. 14-27		26	Sept. 1-30, 1917: Cases, 74; deaths.
Anam	do	13 19 32 10	10 12 13 2	37.
	PLA	GUE.		
India Mandalay Indo-China:	Oct. 14-20		20	Sept. 30-Nov. 10, 1917: Cases 80,105; deaths, 58,838.
Provinces Anam Cambodia.	Sept. 1-30dodo	12 12 10	11 11 8	Sept. 1-30,1917: Cases, 34; deaths, 30.
· · · · · · · · · · · · · · · · · · ·	SMAL	LPOX.	<u> </u>	
Australia:				
New South Wales Kurri Kurri Brazil:	Dec. 5	i		Dec. 5, 1917: 1 case.
Rio de Janeiro Canada: Montreal	Oct. 28-Dec. 1 Jan. 6-12	206 1	63	
China: Harbin Do	May 14-June 30 July 1-Oct. 15	20		Chinese Eastern Ry. Do.
Manchuria Station Do Shanghai	May 14-June 30	6 3 21	45	Do. Do.
Tientsin	Nov. 25-Dec. 16 Nov. 25-Dec. 8 Dec. 10-16	5 2	2	
Indo-China: Provinces	Sept. 1–30do	61	12	Sept. 1-30, 1917: Cases. 192; deaths, 56.
Cochin-China	dodo.	124 1	44	
Castellamare Florence Naples	Dec. 10	2 17 2	4	Among refugees. Do.
Newfoundland: St. Johns Philippine Islands:	Dec. 29-Jan. 11	25		
Manila	Dec. 2-8	2		
,	TYPHUS	FEVER	:. ₍	
Brazil: Rio de Janeiro Chosen (Formosa):	Oct. 28-Dec. 1	7		
Great Britain: Manchester	Nov. 1-30 Dec. 2-8	1		•
Russia:	Dec. 10-16	1	5	
Siberia— Vladivostok	Oct. 29-Nov. 4	12	1	

¹ From medical officers of the Public Health Service, American consuls, and other sources.

CHOLERA, PLAGUE, SMALLPOX, AND TYPHUS FEVER-Continued.

Reports Received from Dec. 29, 1917, to Jan. 18, 1918.1

CHOLERA.

Place.	Date.	Cases.	Deaths.	Remarks.
China:				
Antung	Nov. 26-Dec. 2	3	1	ľ
India:		_	ļ.	
Bombay	Oct. 28-Nov. 3	. 2	1	į.
Calcutta	Sept. 16-Oct. 6	l	42	f.
Java:				Ē.
West Java	l			Oet. 19-Nov. 8, 1917; Cases, 19
Batavia	Oct. 19-Nov. 8	13	4	deaths, 7.
Persia:	000. 20 2.00.		-	,
Mazanderan Province-				•
Astrabad	July 31			Present.
Barfrush	July 1-27	34	23	
Chahmirzad	July 1 2000			25 cases reported July 31, 1917.
Chahrastagh	June 15-July 25	10	8	
K harek	May 28-June 11	21	13	•
Sari	July 3-29	273	144	
Yekchambe-Bazar	June 3.	6		
Philippine Islands:	J	·		i ·
Provinces				Nov. 18-24, 1917; Cases, 262;
Antique	Nov 18_94	32	23	deaths, 167.
Bohol.	do	10	- 9	1
Iloilo	do	57	38	
Leyte	do	4	3	
Mindanao	do	77	47	
Occidental Necros		47	30	
Oriental Negros	do	35	17	
Provinces		3,	•••	Nov. 25-Dec. 1, 1917: Cases, 251;
Anti-me	Nov 25-Dec 1	16	9	deaths, 166.
Pohol	do	36	19	
Caniz	do	ľ	í	-
lloilo	do	67	40	
Leyte	do	3	2	
Mindanao	do	38	ลกั	
Cccidental Nerros	dodo	71	47	
Oriental Negros	do	18	17	
Romblon	do	t	l i	
		٠.	· •	
Siam: Bangkok	Samt 16-22	1	1	
Dankkor	Cept. 10-22			· ·

PLAGUE.

British Gold Coast: Axim Ceylon: Colombo Egypt. Port Said India Bombay. Calcutta Karachi. Madras Presidency Rangoon. Indo-China: Saigon Siam: Bangkok. Straits Settlements: Singapore.	July 2:-29	1 18	3 2 17 2 5 1,200 10 4 1	Present. Jan. 1-Nov. 15, 1917: Cases, 728; deaths, 398. Sept. '6-29, 1917: Cases, 18,663; deaths, 13,810. Oct. 21-27, 1917: Cases, 13,571; deaths, 9,390.
--	------------	------	---	--

¹ From medical officers of the Public Health Service, American consuls, and other sources. For reports received from June 39, 1917, to Dec. 28, 1917, see Public Health Reports for Dec. 28, 1917. The tables of epidemic diseases are terminated semiannually and new tables begun.

CHOLERA, PLAGUE, SMALLPOX, AND TYPHUS FEVER—Continued. Reports Received from Dec. 29, 1917, to Jan. 18, 1918—Continued.

SMALLPOX.

Place.	Date.	Cases.	Deaths.	Remarks.
Algeria:				
Algiers	. Nov. 1-30	. 1		-}
Australia: New South Wales	1		1	Sept. 28-Nov. 20, 1917: Cases, 9.
Abermain	Oct. 25-Nov. 20	3		Sept. 20-110V. 20, 1917. Cases, 9.
Cessnock	. Sept. 28-Oct. 11	. š		Newcastle district.
Warren	. Oct. 12-13	.] 3		.[
Brazil:	37 1 15	١.	I	
Pernambuco Rio de Janeiro	Nov. 1-15 Sept. 30-Oct. 27	313		1
Sao Paulo.	Oct. 29-Nov. 4	510	. 2	
Canada:		1	l	l
New Brunswick-	Dec. 4	İ		Outbreak. On main line Cana
Kent County	Dec. 4		• ••••••	dian Ry., 25 miles north of
		l		Moneton.
Ontario—		l	Í	
Hamilton	Dec. 16-22	1		
Sarnia	Dec. 9-15	1 1		
WindsorQuebec—	Dec. 30-Jan. 5	1		
Montreal	Dec. 16-Jan. 5	5		
China:	1	•		
Amoy	Oct. 22-Nov. 4		i	Present.
Antung.	Dec. 3-9	ï	1	Do.
Chungking Dairen	Nov. 11-17	·····i		D0.
Mukden	Nov. 11-24			Do.
ShanghaiTientsin	Dec. 3-9 Nov. 11-17 Nov. 18-24 Nov. 11-24 Nov. 18-Dec. 2	9	17	Cases, foreign; deaths among
	Nov. 11-17	2		natives.
luba: Habana	Jan. 7	1		Nov. 8, 1917: 1 case from Coruna, Dec. 5, 1917: 1 case.
Marianao Egypt:	Jan. 8	1		6 miles distant from Habana.
Alexandria	Nov. 12-18	1		
Cairo	July 23-Aug. 5	5	1	
rance:			1 .1	To be an ital Traces Clistons
Lyon: reat Britain:	Nov. 18-Dec. 9	4	1	In hospital. From Givors.
Birmingham	Nov. 11-17	19		
Madras	Oct. 31-Nov. 6	4	1	
ndo-China:	000.01 1101.0	•	-	
Saigon	Oct. 29-Nov. 18	41	12	
taly:	Oat 00 Mars 07	77	116	
Turinava:	Oct. 29-Nov. 25	"	110	
Mid-Java	Oct. 10-30	25		
West Java				Oct. 19-Nov. 8, 1917: Cases, 59;
Batavia	Nov. 2-8	1		deaths, 8.
lexico: Mazatlan	Dec. 5-11		1	
Mexico City	Nov. 11-17	9		
Piedras Negras	Jan. 11	200		
lewfoundland:	7			
St. Johns	Dec. 8-28	14	• • • • • • • • • • • • • • • • • • • •	
hilippine Islands: Manila	Oct. 28-Nov. 10	3		
ortugal:	000.20 1101.10	١		
Lisbon	Nov. 4-10	1		
ortuguese East Africa:	4 1 01 00			
Lourenço Marques	Aug. 1-Sept, 30	••••••	4	
Moscow	Aug. 26-Oct. 6	22	2	
Petrograd.	Aug. 31-Oct. 27	59	3	
pain:	_			
Coruna	Dec. 2-15		9	
Sevilleenezuela:	Oct. 1-30		9	
Maracaibo	Dec. 2-8		1	
Maracaibo	Dec. 2-8		1	

CHOLERA, PLAGUE, SMALLPOX, AND TYPHUS FEVER—Continued.

Reports Received from Dec. 29, 1917, to Jan. 18, 1918—Continued.

TYPHUS FEVER.

Place.	Date.	Cases.	Deaths.	Remarks.
Algeria: Algiers	Nov. 1-30	2		Nov. 11-17, 1917; Cases, 1.
Canada:	• • • • • • • • • • • • • • • • • • • •			Nov. 11-17, 1917. Cases, 1.
Ontario— Kingston	Dec. 2-8	3		
Quebec—	D 10 00	2	1	
Montreal	Dec. 16-22	2	1 1	
Antung Egypt:	Dec. 3-9	5	1	•
Alexandria	Nov. 8-25	110	44	
Cairo	July 23-Sept. 23	23	8	
Port Said	July 30-Sept. 23	3	3	
Greece: Saloniki	Nov. 11-24		19	
Japan:			"	
Nagasaki	Nov. 26-Dec. 9	4		
Java: Last Java				Oct. 15-21, 1917: Cases, 5; deaths
Mid-Java			2	2. Oct. 10-30, 1917:Cases,22;deaths,2.
Samarang	Oct 17-30	4	·····i	Oct. 10-01, 1917.0ascs,22,06atus,2
West Java	000.17-00		İ	Oct. 19-Nov. 8, 1917; Cases, 33;
Batavia	Oct. 19-Nov. 8	22	4	deaths, 5.
Mexico:				_
Aguascatientes	Dec. 15		2	•
Mexico City	Nov. 11-Dec. 15	337		•
Russia:	0	_	ا ما	
Archangel	Sept. 1-14	7 49	2 2	
Petrograd	Aug. 26-Oct. 6 Aug. 31-Oct. 27	22	- 4	
Sweden:	Aug. 31-00t. 27	22	•••••	
Goteborg	Nov. 18-24	1		
Tunisia:	11011.10 #11	•		
Tunis	Nov. 30-Dec. 6		1	