

PUBLIC HEALTH REPORTS

VOL. 34

JUNE 6, 1919

No. 23

WAR ACTIVITIES OF THE UNITED STATES PUBLIC HEALTH SERVICE.¹

By BENJAMIN S. WARREN, M. D., Assistant Surgeon General, and CHARLES F. BOLDUAN, M. D., Chief, Section of Public Health Education, United States Public Health Service.

In describing the activities of the United States Public Health Service, so far as they were directly related to the prosecution of the war, it may be well to record that though many of these activities were not undertaken until 1918, developing as they did out of necessities arising as the war progressed, the need for most of them was foreseen by the service, and was made the subject of official recommendations. Thus, in a report dated February 4, 1917, two months before the entry of the United States into war, a board of officers of the United States Public Health Service formulated a program of activities which could be undertaken by the service in order to assist in the prosecution of the war. Among these are mentioned:

The sanitation of ports and places within the United States in order to prepare them for camps of mobilization, concentration, or training for the Army or Navy.

The sanitary supervision of mobilized industrial forces.

Medical and surgical relief to sick, wounded, or disabled soldiers and sailors at relief stations of the service.

Medical and surgical relief to mobilized industrial workers.

Laboratory operations, including both research and manufacture of serums and vaccines.

This was supplemented by a memorandum, dated April 7, 1917, outlining desirable activities of the United States Public Health Service in the field of industrial hygiene, especially as related to war industries.

It was clear that the carrying out of the contemplated war activities demanded a considerable increase in the personnel of the Public Health Service. In order that such an enlargement of the personnel might subsequently be available for other public health emergencies Congress was asked to authorize the establishment of a reserve in the Public Health Service, to consist of medical officers, sanitarians, engineers, and other qualified experts.

¹ Reprinted, by permission, from the Medical Record, May 24, 1919.

A bill covering this matter was introduced into Congress and passed by the Senate on June 18, 1917, but was not adopted by the House of Representatives until more than a year later. The reserve act became a law on October 27, 1918.

However, without waiting for authority to establish a reserve, the pressing demands made upon the Public Health Service led to a great increase in the personnel of the service. Thus at the close of the fiscal year, June 30, 1917, the service consisted of 538 professional personnel, 1,506 other personnel, a total of 2,044; at the close of the fiscal year, June 30, 1918, the professional personnel amounted to 1,472, and the other personnel to 3,515, a total of 4,987. These figures do not include the personnel of the American Red Cross, or State and local health authorities operating under the direction of the service.

In the early part of 1918 it became evident that a number of different Government agencies were undertaking what were really Federal public health functions. It was realized that unless some plan of effective coordination was devised, there would be much duplication and waste of effort in this important field.

Under these circumstances, very soon after the passage of the Overman Act, the Public Health Service initiated action looking toward bringing all Federal civil health functions under the supervision and control of the Public Health Service. An Executive order effecting this was signed by the President on July 1, 1918. The text of this was as follows:

Whereas, In order to avoid confusion in policies, duplication of effort, and to bring about more effective results, unity of control in the administration of the public health activities of the Federal Government is obviously essential, and has been so recognized by acts of Congress creating in the Treasury Department a Public Health Service, and specially authorizing such service "to study the diseases of man and the conditions influencing the propagation and spread thereof" and "to cooperate with and aid State and municipal boards of health":

Now, therefore, I, Woodrow Wilson, President of the United States, by virtue of the authority vested in me as Chief Executive, and by the act "authorizing the President to coordinate or consolidate executive bureaus, agencies, and offices, and for other purposes, in the interest of economy and the more efficient concentration of the Government," approved May 20, 1918, do hereby order that all sanitary or public health activities carried on by any executive bureau, agency, or office, especially created for or concerned in the prosecution of the existing war, shall be exercised under the supervision and control of the Secretary of the Treasury.

This order shall not be construed as affecting the jurisdiction exercised under authority of existing law by the Surgeon General of the Army, the Surgeon General of the Navy, and the Provost Marshal General in the performance of health functions which are military in character as distinguished from civil public health duties, or as prohibiting investigations by the Bureau of Labor Statistics of vocational diseases, shop sanitation, and hygiene.

(Signed) WOODROW WILSON.

THE WHITE HOUSE, July 1, 1918.

Before taking up the war activities of the Public Health Service in more detail, it may be well to point out that much of the work of the service in dealing with the pandemic of influenza in the fall of 1918 was imposed on the service because of the entry of more than 30,000 physicians practicing in the United States into military service. With the spread of the pandemic over the United States urgent calls were addressed by stricken communities to the Public Health Service for medical assistance. In response to this the Public Health Service organized a mobile corps of nearly 1,100 physicians and detailed these to render the needed medical attention. The emergency expenditures required for this and other purposes in dealing with the pandemic were met by a special appropriation of \$1,000,000 voted by Congress on October 1, 1918.

In describing the war activities of the United States Public Health Service, it may be well to consider these under the following heads:

- Sanitation of extra-cantonment areas.
- Industrial hygiene.
- Scientific research.
- Production and supervision of biological products.
- Campaign against venereal diseases.
- Medical and surgical relief.
- Miscellaneous activities.
- Publications of the service.

Sanitation of Extra-Cantonment Areas.

Inauguration and organization of the work.—With the outbreak of the war it began to be realized that the backward state of public health administration throughout a large part of the United States threatened to constitute a distinct handicap to the country's military effectiveness. It was felt that this handicap could be materially reduced only by an intensive system of Federal health supervision in and about zones surrounding military camps and important industrial centers engaged in war work (mines, munition plants, shipyards). Within the camps themselves responsibility for the supervision and control of sanitary matters rested with the Army Medical Corps; their jurisdiction, however, ended with the camp boundaries and the Public Health Service was responsible for the correction of insanitary conditions which menaced them from without.

In the summer of 1917, in cooperation with the Army authorities and State and local health officers, the Public Health Service undertook to sanitize a zone around each of the 26 military cantonments; the end of 1918 saw 47 zones, most of them around military cantonments, under the operation of the Public Health Service. In most instances the officer of the service who was in charge of a zone was appointed by the State and local health authorities a deputy

health officer. Inasmuch as the intensive health work was carried on primarily for the protection of the military forces and of industrial workers engaged in essential war work, it was manifestly unjust to ask the local communities to bear the entire expense involved. In the circumstances most of the work was done with Public Health Service sharing the expenses. Moreover, as described below, the American Red Cross maintained a number of sanitary units which rendered invaluable aid in the sanitation of these areas.

At the same time it was felt that the intensive health work carried on as a war measure should be made to constitute really a demonstration of profitable health activities and that every effort should be made to have the local and State health authorities continue the work after the war emergency had passed. To this end it was the aim to rouse a wider interest in health matters, to present the cost and the results of health work in the form of simple statements published in the local newspapers, to invite public attention to attainable results as shown by the experience of other communities—in short to seek in every way to make the people realize that “public health is purchasable.”

American Red Cross.—It is certain that the work of the Public Health Service, especially as it related to the sanitation of extra-cantonment and industrial areas, was greatly facilitated by the effective aid rendered by the American Red Cross. At the request of the Surgeon General the War Council appropriated funds, and authorized sanitary units to be operated in such areas under the direction of officers of the Public Health Service. The first of these units was organized at Columbia, S. C., and by the end of the following year, January 1, 1919, 36 such units were in operation.

A Red Cross sanitary unit consisted of one or two bacteriologists, a chief sanitary inspector and a number of sanitary inspectors, a supervising public health nurse with the required number of assistants, clerks, stenographers, and laboratory assistants, and miscellaneous employees such as laborers, messengers, etc.

In addition to the salaries of these employees the Red Cross paid their traveling expenses, including, where necessary, the service of automobiles, and it also provided limited funds for sanitary necessities of the poor. The direction of the work of the sanitary unit was always lodged in an officer of the Public Health Service. Moreover, a general supervision over the work of the various Red Cross units was exercised by a senior officer of the United States Public Health Service, detailed to Red Cross headquarters as liaison officer.

Cooperation of State and local health authorities.—Without the cooperation on the part of the State and local health authorities it would have been impossible to carry on the intensive health activities dealing with the sanitation of extra-cantonment areas. In

many instances this work was supported by funds supplied by State and local authorities. Such support was often invaluable because of the legal limitations on the character of expenditures by the Federal health authorities. In addition to this, officers of the Public Health Service detailed to extra-cantonment areas were usually given appointment as deputy health officers by the State and local authorities, thus arming them with the necessary authority to administer health regulations. It was often discovered that regulations were lacking to provide the desired control. In these cases model regulations prepared by the Public Health Service were recommended and were usually adopted by the proper local authorities.

Activities carried on.—The work done in the sanitation of the areas already mentioned has been of endless variety: In some rural areas it has consisted largely of measures designed to control the spread of malaria; in others, of efforts to provide proper disposal of human excreta, to protect drinking water, and to safeguard the milk supply; in urban communities, the home of important war industries, questions of sanitary housing, of the control of communicable diseases, of industrial hygiene demanded a large share of attention.

Some idea of the magnitude of this undertaking can be gained from the following list of places where this intensive health supervision was maintained:

EXTRA-CANTONMENT ZONES.

Following is a list of the extra-cantonment areas where the Public Health Service carried on intensive health supervision, and where Red Cross sanitary units were operated:

Alexandria, La.....	Sanitary unit No. 22.
Alexandria, Va.....	Sanitary unit No. 31.
Americus, Ga.....	Extra-cantonment zone only.
American Lake, Wash.....	Sanitary unit No. 18.
Anniston, Ala.....	Sanitary unit No. 8.
Atlanta, Ga.....	Sanitary unit No. 11.
Augusta, Ga.....	Sanitary unit No. 25.
Ayer, Mass.....	Sanitary unit No. 10.
Brunswick, Ga.....	Extra-cantonment zone only.
Charleston, S. C.....	Sanitary unit No. 33.
Charlotte, N. C.....	Sanitary unit No. 20.
Chattanooga, Tenn.....	Sanitary unit No. 16.
Chillicothe, Ohio.....	Sanitary unit No. 12.
Columbia, S. C.....	Sanitary unit No. 1.
Columbus, Ga.....	Extra-cantonment zone only.
Des Moines, Iowa.....	Sanitary unit No. 4.
El Paso, Tex.....	Sanitary unit No. 24.
Fayetteville, S. C.....	Sanitary unit No. 35.
Florence, Ala.....	Extra-cantonment zone only.
Fort Worth, Tex.....	Sanitary unit No. 23.

Gulfport, Miss.....	Extra-cantonment zone only.
Greenville, S. C.....	Sanitary unit No. 13.
Hattiesburg, Miss.....	Sanitary unit No. 6.
Houston, Tex.....	Sanitary unit No. 27.
Jacksonville, Fla.....	Sanitary unit No. 29.
Lawton, Okla.....	Sanitary unit No. 34.
Leavenworth, Kans.....	Sanitary unit No. 5.
Lake Charles, La.....	Extra-cantonment zone only.
Louisville, Ky.....	Sanitary unit No. 3.
Little Rock, Ark.....	Sanitary unit No. 2.
Millington, Tenn.....	Extra-cantonment zone only.
Macon, Ga.....	Sanitary unit No. 14.
Manhattan, Kans.....	Sanitary unit No. 15.
Montgomery, Ala.....	Sanitary unit No. 19.
New London, Conn.....	Sanitary unit No. 32.
Newport News, Va.....	Sanitary unit No. 9.
Petersburg, Va.....	Sanitary unit No. 7.
Portsmouth, Va.....	Sanitary unit No. 28.
Portsmouth, N. H.....	Sanitary unit No. 30.
Pensacola, Fla.....	Extra-cantonment zone only.
Raleigh, N. C.....	Extra-cantonment zone only.
San Antonio, Tex.....	Sanitary unit No. 26.
Seattle, Wash.....	Extra-cantonment zone only.
Spartanburg, S. C.....	Sanitary unit No. 17.
Tacoma, Wash.....	Extra-cantonment zone only.
Waco, Tex.....	Sanitary unit No. 21.
West Point, Miss.....	Extra-cantonment zone only.
Wilmington, N. C.....	Extra-cantonment zone only.
Washington, D. C.....	Sanitary unit No. 26.
Wrightstown, N. J.....	Sanitary unit only.

The organization built up to deal with the sanitation of extra-cantonment areas dovetailed into the existing local health machinery, thus making up a complete sanitary unit. The amount and character of the work done by the United States Public Health Service therefore varied, in the different areas, according to the amount and character of the work which State, city, county, or other local health authorities were willing and able to do. Altogether the end of the year 1918 found 49 commissioned medical officers and 72 acting assistant surgeons engaged in this work by the United States Public Health Service. These, with sanitary engineers, scientific assistants, epidemiologists, sanitary inspectors, and public health nurses, made up a total force of over 500, exclusive of laborers.

Following is a more detailed description of the activities carried on to sanitize these special areas:

Malaria control.—In general it has been the aim of the Public Health Service to establish around each cantonment a mile-wide belt entirely free from mosquito-breeding places. The means to attain this has varied with the local conditions. In some instances extensive swamp areas have been ditched and drained, in others

sluggish water courses have been channeled and straightened, here small ponds have been drained dry, there they have been filled in; in still other cases they have been oiled. Now and then it was feasible to poison mosquito-breeding waters by turning into them industrial wastes.

Altogether, the total area in and about camps and war-industrial communities which was thus treated to prevent the breeding of mosquitoes was over 1,200 square miles. The total cost of the work was \$1,300,000, of which approximately 35 per cent was obtained locally. Nearly 2,500 miles of ditches were dug and the population protected by these measures was 1,730,000 civilian population and an average of 826,000 military population.

Illustrative of the operations carried on it may be mentioned that at Park Field, near Memphis, about half of the work consisted in regrading and clearing natural water courses. The total area involved was 16 square miles, and the total cost was \$65,000.

In other areas, especially where the soil was free from roots, the antimosquito work consisted largely of cutting V-shaped ditches with a horse plow. Such ditches were from 18 to 25 inches deep and about $2\frac{1}{2}$ to 3 feet in width at the top. Much of the work at Montgomery, Ala., was of this type. There, approximately 86 square miles were protected at a cost of \$45,000, involving the cutting of 123 linear miles of light ditches.

In still other areas it was necessary to cut and clean an outlet to a swamp and to secure good drainage of such camps when water levels were favorable. This often involved heavy operations, even including blasting with dynamite. The costs have varied considerably depending on local conditions. Operations of this kind were carried on at Macon, Ga. They protected an area of 26 square miles, involved the cutting of 50 linear miles of ditches, and cost \$107,000. Similar work was carried on at Hattiesburg, Miss.

General sanitation.—Under this head are embraced a number of health activities having to do largely with the correction of the insanitary environment of the rural population usually in a zone from 1 to 5 miles wide around the military cantonments. Much of the work consisted in the improvement of local water supplies and in provision for the safe disposal of human excreta. In connection with the latter, in some communities the double-compartment concrete vault type of privy was largely introduced; in others, sanitary pails combined with scavenger system were utilized. In all cases attention was given to preventing the spread of diseases of excretal origin by flies.

Vaccination.—In order to reduce to a minimum the prevalence of smallpox and typhoid fever in the extra-cantonment areas much emphasis was placed on protective vaccination. Smallpox and

typhoid vaccines prepared by the Hygienic Laboratory were administered by officers of the Public Health Service. The extent of this activity is indicated by the following figures showing total vaccinations in the extra-cantonment areas:

Antityphoid inoculations.....	259, 888
Smallpox vaccination.....	107, 497

Morbidity reports.—With the inauguration of the intensive health work in the extra-cantonment areas, the possibility was presented of securing more complete morbidity reports than had previously been received from any miscellaneous group of the population. Arrangements were accordingly made to secure the following regular reports:

1. Daily morbidity reports, mailed to the Public Health Service.
2. Weekly telegraphic reports, for publication in "Public Health Reports."
3. Records of individual cases of illness, showing diagnosis, age, sex, color, occupation, date of onset, and termination of the disease.

One of the important outcomes of the collection of these morbidity reports was the possibility of currently transmitting the information thus obtained to the medical authorities of the Army and Navy and the Council of National Defense. Accordingly, daily statements were prepared for this purpose containing the following:

1. Transcripts of monthly reports from collaborating epidemiologists and State health officers. (This information was thus available to the military authorities prior to publication in "Public Health Reports.")
2. Transcripts of the daily health reports from the extra-cantonment areas.
3. Transcripts of weekly postal card morbidity reports from the larger cities.
4. Information of unusual or immediate importance relative to the prevalence of disease.

Health education.—Much of the work in the extra-cantonment areas was necessarily educational, and was carried on largely by personal visits to the individual homes by public health nurses or sanitary inspectors. At these visits attention was called to matters relating to child hygiene, to the importance of cleanliness and the proper disposal of human excreta, the need of pure water and milk supplies, the rôle of flies in the transmission of disease, the recognition and prevention of communicable diseases, the control of mosquito breeding, and any other matters of special importance to the particular home visited.

Typhoid-fever index.—Among the different statistical indices in use by sanitarians for measuring the results of public health activities, the prevalence of typhoid fever has generally been accepted as simple, useful, and reliable. Omitting those extra-cantonment areas which were not established until after the beginning of 1918, the carefully collected morbidity reports from these areas show a total of 2,835 cases of typhoid fever, in 31 areas having a total population of at least 3,033,000. This is equivalent to a morbidity rate of 93.5 per 100,000 population, and an estimated mortality rate, according to the usual method of calculation, of 9.35 per 100,000 population.

This rate may fairly be compared to the typhoid fever rate of the United States registration area, which was 13.3 in 1916 (the latest figures available). As a matter of fact the results achieved were even more favorable, for inasmuch as most of these extra-cantonment areas were located in the South, the comparison should really be made with the typhoid rate of that part of the country. Such a comparison has been made in the following tabulations:

Typhoid death rates per 100,000.

Texas (1917).....	19.2	Extra-cantonment areas (1916).....	11.0
Georgia (1916).....	22.0	Extra-cantonment areas (1918).....	7.6
Virginia (1916).....	25.1	Extra-cantonment areas (1918).....	9.8
South Carolina (1916).....	34.1	Extra-cantonment areas (1918).....	7.2
Alabama (1917).....	38.0	Extra-cantonment areas (1918).....	15.1

Altogether, the conclusion is warranted that the public health activities carried on in the extra-cantonment areas resulted in a marked improvement in sanitary conditions and a consequent high degree of health protection not only to the people living in these areas but to those in the military and industrial camps there located.

Malaria index.—It may be mentioned that malaria, which was a serious potential disability factor about many of the camps, especially those located in the South, was practically eliminated from the soldier population and only 3,160 cases were reported to the Public Health Service during the malarial season of 1918 from among the civil population of three and three-quarter million, a rate of 83 per 100,000. From such data as are obtainable from previous years this was a tremendous reduction in the malarial rate in these communities. These results may well be compared with those in Panama, especially since they were obtained, not under military conditions but through the voluntary work of a civil population.

Industrial Hygiene.

An important contribution to promoting efficiency in war industries consisted in the health and sanitary supervision of these industries by the Public Health Service.

In cooperation with the Safety and Sanitation Division of the Industrial Service Section of the Ordnance Department, officers of

the Public Health Service conducted examinations as to the hygienic conditions of the explosives industry in such plants as—

The Etna Explosive Co., Mount Union, Pa., and Emporium, Pa.

The Atlas Powder Co., Webster, Pa., and Perry Point, Perryville, Md.

McArthur Bros.' Bag Loading Co., Woodbury, N. J.

Nitrate Plant No. 2, Muscle Shoals, Ala.

Penn Trojan Powder Co. and Chemical Co., Allentown, Pa.

Picric Acid Plant, Brunswick, Va.

Quaker Valley Works of John B. Semple Co., Sewickley, Pa.

Roessler & Hasslacher Chemical Co., Perth Amboy, N. J.

Tullytown Bag Loading Co., Niagara Falls, N. Y.

U. S. Explosives Plant, No. 6, Nitro, W. Va.

U. S. Nitrate Plant, Toledo, Ohio.

Western Cartridge Co., West Alton, Ill.

Particular attention was paid to the subjects of T. N. T. poisoning and poisoning from other comparatively new similar chemicals and explosive compounds. Laboratory work incident thereto was done by the Hygienic Laboratory and the National Research Council.

The Public Health Service also conducted investigations of the sanitary condition of a number of large aniline and other chemical factories; the electro-chemical industry of Niagara Falls, as well as the storage battery and abrasive industries.

Surveys were also made of health conditions of establishments manufacturing uniforms and other articles of clothing equipment for the United States Army, mostly in the State of Ohio.

The demonstration at Nitro, W. Va.—On the theory that the Government should take the lead in demonstrating how to safeguard the health of industrial workers, arrangements were made at the request of the Secretary of War to have the United States Public Health Service undertake the sanitation and medical and surgical relief at the United States explosives plant located at Nitro, W. Va. Some idea of the magnitude of the work thus undertaken by the Public Health Service may be gained from the fact that it required the services of 35 medical officers, 80 nurses, and numerous other persons including laborers, artisans and clerks. The total personnel was about 500, not including laborers in the sanitary department, who numbered approximately 300.

Inasmuch as the sanitary and medical work began with the construction of the plant, the work at first had to do largely with the health supervision of the large army of temporary employees engaged in construction work; subsequently, as this phase of activity subsided, matters of industrial hygiene arising with the operation of the plant required an increasing amount of attention. A brief summary of the more important phases of this work may be of interest.

Examination of applicants for employment.—A suitable building was erected and properly fitted out, both in supplies, equipment, and personnel, for the purpose of examining physically all applicants

for employment. In this way it was possible to control the introduction of dangerous communicable diseases and to reject for employment those disqualified by disease or physical defects. Out of the 45,858 applicants examined to July 1, 1918, only 0.8 per cent were permanently rejected for employment. In addition to this 1.8 per cent were rejected temporarily. Most of the latter were cases of venereal disease, and the infected individuals were referred immediately to the proper department for treatment. In most cases as soon as they were under proper medical treatment these persons were put to work. In this way the labor supply was conserved and the men were not refused the opportunity to earn a living because of their unfortunate infection. Of the total number of applicants accepted for employment 11 per cent had marked physical disabilities, such as defects of sight, of hearing, of loss of fingers or of entire limbs. With proper attention to the placing of these individuals, practically no interference with efficient labor resulted.

Delousing.—As a result of the physical examination, 1,690 individuals were discovered to be infested with lice. The infested men were temporarily placed in a detention barracks, and then sent through the delousing house. Here they were subjected to a cleansing bath, medical inspection, and treatment. In the meantime, their clothing was run through the sterilizer. Their bed clothing was placed in a small air-tight building and subjected to cyanide fumigation.

It is of interest to note, however, that in spite of most rigid inspection and treatment, cases of pediculosis constantly escaped notice, to be discovered at a later date.

Vaccination and typhoid inoculation.—At the time of enrollment the men were vaccinated against smallpox and were also encouraged to receive typhoid inoculation. By means of the persistent health propaganda carried on, it has been possible to spread the knowledge of the value of these measures among those employed at this plant with the result that 116,668 persons have received the prophylactic typhoid inoculation, and 76,920 persons smallpox vaccination. Owing to the many changes among the people employed at the plant, it was not possible to complete the course of treatment in many of these cases of typhoid inoculation. By far the great majority who remained at the plant have completed this treatment.

Hygiene of Housing.—During the period of construction practically all persons engaged at the plant were housed in barracks similar to those used by the Army during mobilization. These barracks number 27, and are 160 feet in length by 48 feet in width and 18 feet high, providing 7,680 square feet of floor space and 69,120 cubic feet of air to each floor. They are two stories in height, with 34 regulation windows on either side and 12 on the ends. They are equipped with 100 double-deck iron beds on the second floor, and 50 double-deck iron

beds on the first floor, one-half of the first floor being used as a recreation room. These barracks house 300 men each. Twenty bunk houses, 120 feet long by 24 feet wide and 8 feet high, also offer facilities for sleeping quarters of the laborers. These are likewise equipped with double-deck beds.

Between each barracks building and bunk house is a bath house connecting with the barracks by a covered passageway.

Bungalow housing.—Various employees, mostly administrative officers and office force, were housed in the bungalow section apart from the barracks section. The total number living under these conditions was relatively small at first, numbering possibly 1,500 persons, but later increased to approximately 10,000.

Medical and surgical relief.—Four six-bed emergency dressing stations were constructed in connection with the plant. In addition to this there was a 40-bed emergency hospital, an 80-bed isolation hospital, a 325-bed general hospital, and a dispensary in the bungalow section; the last named was for handling bungalow visits and giving dispensary service to the bungalow occupants. In addition to the relief of those actually ill or injured, medical relief was given those afflicted with disabilities, and to constructive and repair work in connection with eye, ear, nose and throat and dental affections.

Sanitation.—The problem of sanitation required both temporary and permanent measures. Under the former are embraced the measures taken to provide a safe disposal of excreta of the many thousand employees engaged in the construction of the plant; to maintain in sanitary conditions the stables for the several thousand horses and mules used in construction work; the provision of pure drinking water; the disposal of rubbish and garbage; the maintenance of sanitary kitchen and mess halls; inspection of all food—in short, such matters of general sanitation as generally arise in the maintenance of a large construction camp. Under the temporary measures, in order to furnish a safe water supply, a small chlorinating plant was installed, and several deep wells were drilled. From these, water was delivered to the whole plant. Under the permanent sanitary measures may be enumerated provision of a safe water supply; construction and maintenance of an adequate sewerage system and sewage disposal; inauguration of a system of street cleaning, including garbage and refuse collection and disposal; establishment of a system of food supervision.

A permanent water system was installed with necessary filters to supply a city of 35,000 population, and chemical and bacteriological analyses of this water were made daily in the laboratories at the hospital.

All food entering the plant was shipped to the commissary warehouses and refrigerating plant, and there inspected by the food

inspectors, and likewise again inspected in the commissary stores and mess halls before being consumed.

Occupational health hazards.—The gradual completion of the plant witnessed the inauguration of the industrial operation for which the plant was established; that is, the production of smokeless powder. Some of the health hazards met with during operation are as follows: Nitric and sulphuric acid burns, caustic alkali burns, the inhalation of nitrous and sulphuric fumes and of chlorine, excessive heat and humidity, alcohol and ether intoxication, poisoning by diphenylamine, and burns from a flare or sudden burning of powder. In order to lessen these hazards an educational campaign was conducted by medical officers instructing the workmen in the dangers and the first-aid treatment to be employed. One hundred and twenty-five stretcher outfits, containing each one stretcher and one blanket, were scattered through the plant, being easily accessible to those who might be injured, and the nearness of the field emergency stations made it possible to render medical service almost immediately upon the occurrence of an accident. Three motor ambulances were stationed at the emergency hospital, having free access to all parts of the reservation. First-aid boxes were installed in all places deemed advisable for immediate relief, and shower-bath facilities were installed in the acid area for bad acid burns.

Scientific Research.

Industrial fatigue.—With the necessity imposed by the war to conduct its industrial operations at the highest possible degree of efficiency, the Public Health Service at once became vitally interested in the relation of industrial fatigue to efficiency. In cooperation with the divisional committee on industrial fatigue of the Council of National Defense, the Service in the summer of 1917 began an extensive investigation of this important health problem.

While a considerable number of factories were visited, detailed studies were limited to two large establishments which offered exceptional opportunities for observation. One of the main objects in view was the determination of the conditions under which the operatives, the human machines of the factory, can perform their work with the highest degree of efficiency. The subjects considered included output, night work, effect of recess periods, accidents, and physiological tests for fatigue. A summary of the results of these studies was published in the annual report of the Public Health Service for the fiscal year ending June 30, 1918.

Trinitrotoluol poisoning.—At the Hygienic Laboratory systematic studies were commenced in regard to the methods of absorption, detection, and prevention of trinitrotoluol poisoning. These studies are expected to be of great assistance in providing sanitary requirements which will minimize the danger from trinitrotoluol, a sub-

stance which is used principally as a charge in high-explosive shells. The manufacture of trinitrotoluol is surrounded with considerable risk of poisoning.

The investigation related to:

1. Simple diagnostic tests for the recognition of early poisoning.
2. A preventive skin wash for the efficient removal of T. N. T.
3. The relative importance of absorption of the poison through the skin and the respiratory passages.
4. The prophylactic value of proper diet.
5. The incidence of poisoning in one of the larger shell-loading plants.

Nutritive value of various kinds of flour and bread.—At the Hygienic Laboratory an extensive investigation covering a period of nearly two years has shown that highly milled flour and bread made from this flour are considerably inferior in vitamine content to the "low extraction" flours now so extensively used in European countries. This conclusion was reached from well-planned feeding experiments on animals, in which all extraneous and complicating factors were eliminated. One of the main objections against the "low extraction" flour, namely, its excessive cellulose content, could easily be overcome by a method of milling which would permit the elimination of a greater part of the bran.

Influence of heat on the vitamine content of beef.—Another investigation bearing quite directly on war matters was one carried on by the Hygienic Laboratory to determine whether the canning process robbed meat of the so-called vitamine present in fresh meat. The work has conclusively shown that under ordinary conditions beef does not lose any of its vitamine content when heated for three hours to 120° C.

Studies on dermatitis from mercury fulminate and parazol.—At the request of the Ordnance Department of the Army and of the United States Navy an investigation was undertaken to devise means of preventing the severe dermatitis which results from mercury fulminate and parazol respectively. A protective skin varnish against parazol was developed.

Antitoxin against gas gangrene.—The Hygienic Laboratory was called upon to prepare and standardize an antitoxin against gas gangrene. Considerable work on gas gangrene has been done by investigators abroad, but no definite results have been obtained. The studies conducted by the Hygienic Laboratory resulted in a method of standardization for perfringens antitoxin for gas gangrene.

Laboratory studies on arsphenamine.—Up to the time of the outbreak of the war, arsphenamine (salvarsan) was exclusively manufactured in Germany and was protected by patents in most countries.

As a result of the war the supply in the United States was seriously reduced, particularly on account of the blockade, which made it impossible to secure enough of the German product. In 1916 a few private institutions began the manufacture of arsphenamine in the United States, under an agreement with the Farbwerke Hoechst Co., the German holders of the patent in this country. Soon after the declaration of war by the United States the patent on salvarsan was suspended and the Federal Trade Commission was authorized by Congress to issue licenses for the manufacture and sale of the drug. The manufacture of arsphenamine is extremely difficult and results very often in a product of high toxicity which is dangerous to the life of the patient. Hence it is absolutely essential to control the commercial product by proper toxicity tests before the drug is released for sale to the medical profession. These circumstances therefore necessitated the adoption of a satisfactory method for this purpose, and after considerable work such a method was developed. Standards of toxicity for arsphenamine, submitted to the Federal Trade Commission, were accepted and the manufacturer was required to test his product by means of the method developed at the Hygienic Laboratory. This laboratory furthermore controlled the commercial product by testing many hundred samples submitted by the manufacturer. In addition to the toxicological tests, chemical standards were worked out so as to insure, as much as possible, uniformity in the therapeutic value of the drug.

An investigation was conducted into the process of manufacture of arsphenamine. The work was done at the Hygienic Laboratory, the University of Chicago, and at one of the larger plants where arsphenamine was produced. This led to marked improvement in the quality of this particular brand of arsphenamine and removed the serious shortage of the drug at the beginning of the year 1918. As a result of this work the Army and Navy were able to secure a sufficient supply of the drug.

Another phase of the arsphenamine work had for its purpose the elimination of the untoward reactions sometimes following the administration of the drug to patients. It appeared particularly important to determine the causes of these reactions and to discover means for their prevention and treatment. The work was divided into:

1. A study of the cause of the circulatory and respiratory reactions (nitritoid crises).
2. The study of arsphenamine nephritis. Considerable progress has been made on this subject and upon completion of the work it is hoped that certain definite recommendations will be available which will eliminate some of the disadvantages possessed by this drug and prevent the deaths occasionally resulting from its use.

Miscellaneous laboratory examinations.—In connection with the rumors that many kinds of contaminations, poisons and glass were being introduced into food by enemy sympathizers, the Hygienic Laboratory examined specimens from suspicious cases submitted by officers of the Government. The specimens covered an exceedingly wide range of objects, such as candy, cakes, bread, pies, breakfast foods, and dried and preserved fruits. The most interesting of these specimens were those of court plaster, sent to the laboratory because it was suspected by the general public that German agents had introduced tetanus bacilli into the court plaster and then had peddled the plaster to the public. Thirteen samples of the suspected court plaster were examined and tetanus bacilli were found in two samples. This was so interesting that the laboratory deemed it advisable to go into these investigations more thoroughly. Accordingly, numerous samples of court plaster were purchased in drug stores in the open market and submitted to examination. The result showed that a number of the specimens contained tetanus bacilli and that the presence of these bacilli was due to insufficient sterilization of the gelatin used in the plaster.

Another interesting case was the appearance of anthrax in several cantonments among the users of new shaving brushes. Several soldiers who had purchased new shaving brushes developed anthrax with fatal results. The brushes which they used were submitted to the Hygienic Laboratory and the examination showed the presence of anthrax spores in the bristles. The manufacturers of the various brushes were communicated with and their cooperation was secured in solving this interesting problem. It appeared that the bristles used in the manufacture of shaving brushes are to a large extent imported from China. It further appeared that although the bristles were cleansed by ordinary scrubbing, they were not really sterilized. Under these circumstances it is readily seen that anthrax infection in an animal whose bristles were used for shaving brushes could be transferred to the user of the shaving brush. Regulations governing the sterilization of bristles used in the shaving brushes were prepared under the authority of the Interstate Quarantine Act.

Production and Supervision of Biological Products.

The entry of America into the war resulted in an enormous increase in the production and use of serums, toxins, and analogous products. As all manufacturers of these products are licensed by the Federal Government and as the law provides for the examination and control of the products and for the inspection of the manufactories, an immensely increased amount of work was thrown upon the Hygienic Laboratory. It was particularly necessary that every lot should be tested before being released for use in the Army or the Navy, as these

two services depended entirely upon the reports of tests made at this institution. Promptness was an important factor. The outbreak of meningitis and pneumonia in the military camps was the signal for using vast quantities of specific sera for these infections. These sera were standardized in the Hygienic Laboratory, and manufacturers were instructed to comply with these tentative standards.

In order to help protect the military forces against typhoid fever considerable attention was devoted to the control and eradication of typhoid infection from extra-cantonment areas. In this work extensive use was made of antityphoid inoculations. The vaccine for this purpose was prepared and furnished by the Hygienic Laboratory. In this connection the following table will be of interest:

<i>Production of typhoid vaccine.</i>	
Fiscal year ending:	Cc. produced.
June 30, 1914.....	4,892
June 30, 1915.....	17,248
June 30, 1916.....	16,075
June 30, 1917.....	99,889
June 30, 1918.....	348,275
July 1 to Dec. 1, 1918.....	612,908

During the period of the war 1,102,812 cc. of bacterial vaccine were distributed. This includes typhoid, paratyphoid, and the so-called "triple vaccine." The manufacture of the last named was begun in 1917.

Campaign Against Venereal Diseases.

Inasmuch as venereal infection had regularly exacted a heavy toll from military forces, and because experience had shown that the source of this infection was principally an infected civilian population, the outbreak of the war naturally focused the attention of civilian health authorities on the control of venereal diseases to the end that the military forces might be protected. Prior to the war a number of progressive States had begun to deal with this problem, and in general the result of their activities had demonstrated a practicable plan by which health authorities might hope to secure some measure of control of the venereal diseases. There was lacking, however, any nation-wide interest in this important health problem, and, still more important, very little disposition on the part of most State authorities to provide funds for anything approaching an adequate plan of control.

Charged as it is with the control and prevention of communicable diseases spread from State to State, the Public Health Service realized that it had a definite responsibility in organizing an effective campaign for the control of venereal diseases.

Accordingly, through its Division of Domestic Quarantine, it outlined a plan whereby the Public Health Service would cooperate with State health authorities in effective antivenereal disease control. Briefly summarized, the plan provided for the appointment of an officer in each State to direct the work of venereal disease control. The salary of such officer, selected by the State health officer, was to be paid by the State and Federal Governments jointly. Each State was at once to provide for the notification of all cases of venereal disease, and to make provision for the extension of facilities for early diagnosis and treatment. Repressive measures, looking to isolation and treatment of dangerously infected individuals, and educational measures for the general public as well as for the infected persons, were also to be provided for.

Under the stimulus of the war emergency a considerable number of States accepted the plan of cooperation just outlined. Nevertheless it is certain that nowhere near the progress that actually has been made would have been made had it not been for the Federal financial aid given by the so-called Chamberlain-Kahn Act approved July 9, 1918.

Under the provisions of this act allotments were made to each of the various States. Such allotments were to be expended in accordance with the rules and regulations promulgated by the Secretary of the Treasury. These provide that approximately 50 per cent of the State's allotment is to be used in treatment of venereal diseases; 20 per cent for the educational work; 20 per cent for law enforcement; and 10 per cent for administration.

At the present time venereal disease clinics are being conducted in 28 extra-cantonment zones, and 112 in other locations. During the period of one year—1918—22,441 cases of venereal diseases were treated in the extra-cantonment clinics. These cases were divided as follows: Syphilis, 9,250; gonorrhea, 12,210; chancroid, 981. At each of these clinics a circular is handed to the patients, giving important confidential information in regard to syphilis and gonorrhea.

At the time of the second draft the Provost Marshal General of the Army requested the Public Health Service to carry on a campaign of education among the drafted men. Lecturers were appointed and nine regional supervisors were placed on the road to supervise this lecture work. Three million copies of the leaflet entitled "Come Clean" were printed and distributed to the men in class A.

The moving picture film "Fit to Fight" prepared by the Army Medical Department has been revised and the title changed to "Fit to Win" and is being shown before civilian audiences throughout the country.

A circular letter was sent to all of the retail druggists in the United States (about 47,000) asking that they discontinue the sale of venereal disease nostrums and cease counter-prescribing for venereal infections. A bulletin entitled "Responsibility of Druggists for the Public Health" was also sent to each of these druggists.

A circular letter will soon be sent to all of the physicians in the United States, asking that they cooperate in the fight against venereal diseases. This is Venereal Disease Circular No. 35. Seventy thousand copies of the Manual for the Treatment of Venereal Diseases are now in the hands of the printer and will be sent free of charge to each physician that replies to this appeal.

More than 17,000 letters have been received by the bureau as a result of the circular "War on Venereal Diseases to Continue." Out of this total number, only four contained adverse criticisms. All of the other letters received showed a deep interest and sympathy with the movement for control of venereal diseases throughout the country.

Following is a list showing the allotments made under the provisions of the Chamberlain-Kahn Act. Each of the States has received the allotment, with the exception of those marked with a star.

Alabama.....	\$23,247.41	Massachusetts.....	\$36,603.94
Arkansas.....	17,117.43	Nebraska.....	12,962.79
Arizona.....	2,221.95	*New Mexico.....	3,558.74
California.....	25,851.07	Nevada.....	890.22
Colorado.....	8,687.79	North Dakota.....	6,274.30
Connecticut.....	12,120.75	North Carolina.....	23,988.94
Delaware.....	2,199.84	New Hampshire.....	4,681.62
*District of Columbia.....	3,598.72	New York.....	99,089.31
Florida.....	8,182.47	Oregon.....	7,315.04
Georgia.....	28,368.95	Ohio.....	51,832.61
*Idaho.....	3,540.19	Oklahoma.....	18,017.23
Indiana.....	29,366.62	*Pennsylvania.....	83,342.76
Illinois.....	61,308.38	Rhode Island.....	5,899.80
Iowa.....	24,194.56	South Dakota.....	6,348.61
Kentucky.....	24,898.14	South Carolina.....	16,476.95
Kansas.....	18,385.49	*Tennessee.....	23,755.21
Louisiana.....	18,008.89	Texas.....	42,367.08
Montana.....	4,088.71	*Utah.....	4,059.33
Michigan.....	30,555.01	Virginia.....	22,415.90
Minnesota.....	22,569.18	Vermont.....	3,870.31
*Missouri.....	35,808.43	West Virginia.....	13,277.22
Maryland.....	14,084.18	Washington.....	12,416.85
Mississippi.....	19,540.22	Wisconsin.....	25,370.06
Maine.....	8,071.80	Wyoming.....	1,587.07

Medical and Surgical Relief.

War work of the marine hospitals.—The Executive order of the President dated April 3, 1917, made all marine hospitals of the Public Health Service available for the treatment of the enlisted personnel and officers of the Army and Navy whenever such treatment was requested by the proper military authorities. Of course the Army and Navy have their own hospitals, but it was expected that in many places where there is no regular military post or hospital, officers and enlisted men would be taken sick and require hospital treatment. In this way the marine hospitals practically acted as military hospitals in many cities. Notable examples of this are Savannah, Detroit, and Chicago. Besides Army and Navy personnel, civilian employees on vessels operated by the military authorities were admitted at many hospitals after the boats upon which they served had been torpedoed. This occurred especially at the marine hospital in Boston. Altogether, for the fiscal year ending June 30, 1918, there were treated at the United States marine hospitals and relief stations over 5,000 officers and enlisted men of the Army and Navy. Of this number approximately 1,000 were admitted to hospital for treatment, the remainder having been given treatment as out-patients in the dispensaries operated either in connection with the hospitals themselves or at other relief stations.

In addition to the foregoing, soldiers suffering from trachoma were admitted to some of the marine hospitals for treatment and in the majority of instances these were cured and returned to their respective commands.

Cooperation with Bureau of War Risk Insurance.—A direct outgrowth of the war activities of the Public Health Service is the plan to provide medical, hospital and sanatorium care for the beneficiaries of the Bureau of War Risk Insurance.

Already, with demobilization just begun, the War Risk Insurance Bureau has under medical treatment 1,724 beneficiaries (January 16, 1919).

Within a very short time hospital care will have to be provided for a considerable proportion of the 24,500 soldiers, sailors, and marines discharged from military service because of tuberculosis, and for the 50,000 cases of psychoneurosis, epilepsy, and other nervous and mental disorders reported among the military forces up to December 1, 1918. But this by no means exhausts the demands for hospital care which may be expected to be made upon the Public Health Service. According to the provisions of the war risk insurance act the Government is obligated to provide "such reasonable governmental medical, surgical and hospital services, and such supplies including artificial limbs, trusses and similar appliances as the

director may determine to be useful and reasonably necessary." The application of such sick benefits is limited to illness contracted in line of duty, and it is further provided that symptoms must have appeared within a year after discharge from military service. In order to prevent the unnecessary duplication of hospital construction by various bureaus and departments of the Federal Government, the suggestion was made that the hospitals in the present cantonments be utilized for the care of beneficiaries of the war risk insurance. In a bill recently passed by Congress, certain cantonment hospitals, together with the large and newly completed "Speedway" hospital in Chicago, are given over to the Public Health Service for the care of war-risk patients. In addition to this the bill provides for the establishment of sanatoria for the tuberculous in various parts of the country.

There is an advantage in having the hospital activities of the War Risk Insurance conducted by the United States Public Health Service; both services are lodged in the Treasury Department, and the Public Health Service already maintains a well-organized hospital service which, by law, stands obligated to treat:

1. Merchant seaman.
2. Employees of the Mississippi River Commission.
3. The United States Coast Guard Service.
4. The United States Lighthouse Service.
5. Employees aboard vessels of the Engineer Corps of the United States Army.
6. The United States Coast and Geodetic Survey.
7. Injured civil employees of the United States, under the Federal compensation act.
8. Civil employees on Army transports.

Miscellaneous Activities.

Sanitary engineering.—The sudden development of industrial towns and villages in connection with munition plants, shipyards, and the like resulted in a considerable number of requests to the Public Health Service for assistance in the solution of problems relating to water supply, sewage disposal, and the like. Some idea of the character of the activities thus carried on by the service may be gained from the following examples:

The citizens of Nashville, Tenn., became somewhat alarmed over the safety of their water supply when it was decided to locate a large Government explosives works on the Cumberland River, about 12 miles above the city. An investigation was made by the Public Health Service and a report submitted, including suitable recommendations for the disposal of sewage at the Government plant and

for necessary additional safeguards to the water supply. Later, the question of the discharge of waste acid liquors into the Cumberland River was raised, and a board was appointed to consider this matter. Extensive studies were made and a remedial plan was worked out.

The attempt on the part of the city of Petersburg, Va., to furnish water to Camp Lee led to a shortage in the supply and inadequacy of treatment. An officer of the service investigated this situation and made recommendations toward general improvement of the supply. The city having declined to make the necessary changes, this matter was later referred to the War Department, which assumed charge of the entire waterworks.

Shortly after the signing of the armistice serious complaint arose in Milwaukee, Wis., over the alleged pollution of the drinking water by a phenol plant located south of the city and discharging wastes into the lake about 12 miles from the waterworks intake. Investigation by the service showed that the complaints were well founded. Recommendations were made that the matter be referred to the War Department, and that the contract under which the plant was operating be canceled. The operation of this plant was discontinued very shortly thereafter.

At the request of the Navy Department a visit of inspection was made to the marine camp, Quantico, Va., and a report with recommendations was subsequently submitted, with reference to the proper treatment and disposal of sewage of the camp.

A small factory at Gaithersburg, Md., engaged in canning beans for the War Department, had failed to provide proper means of disposal for its waste water and was seriously polluting a small stream. Complaints of nuisance in the town and of the poisoning of cattle were pressed and the closing down of the factory was seriously threatened. An investigation made by the service resulted in the construction of some temporary works which greatly relieved the situation and made it possible to continue the factory in operation throughout the remainder of the season.

In connection with service activities at Newport News, the importance of milk pasteurization led to the study of the possibilities of a central pasteurizing plant for that city. An officer of the service who had already made similar studies for Tuscaloosa, Ala., was assigned to this study and prepared complete plans and in part supervised the installation of this pasteurizing plant. The plant at this time is complete and in operation under the general supervision of the service.

A similar need for a satisfactory milk supply having arisen at the Government powder plant at Nitro, W. Va., plans were originally prepared for a pasteurization plant, but it was later decided to undertake at that point a demonstration of the possibilities of

reconstructed milk. An officer of the Public Health Service accordingly prepared plans and supervised the construction of this plant. The operation has been most satisfactory, and an abundant supply of clean and wholesome milk was assured the city at a price considerably lower than normal city prices at the time.

Cooperation with other Government agencies, Council of National Defense, War Industries Board, Capital Issues Committee.—Actuated as it was by the desire to do all in its power to insure the success of the Nation's great undertaking, the Public Health Service gave freely of its services to other Government departments and to agencies engaged in war work. Mention has already been made of the cooperation with the military authorities and the American Red Cross in the sanitation of extra-cantonment areas and of the cooperation with the Bureau of War Risk Insurance in providing medical and surgical care for beneficiaries of the insurance fund. The Public Health Service also cooperated with the Council of National Defense, in the medical section of which the Surgeon General served as chairman of the committee on Hygiene and Sanitation. In the council's section on labor, the Public Health Service took an active part in matters relating to industrial hygiene; with the National Research Council it cooperated in a number of scientific investigations, and it furnished expert advice as to the health needs of civilian communities to the priorities committee of the War Industries Board and to the Capital Issues Committee.

United States Navy.—An important war activity of the Public Health Service was its cooperation with the Navy Department.

For the purpose of assisting in the protection of health of the Navy and thus aid in increasing the efficiency of the Navy as a fighting force, a medical officer of the Public Health Service was detailed as sanitation officer to each of the 14 naval districts in the United States.

In general the duties of these officers embraced the following:

1. To make regular inspections of the sanitary conditions of the naval stations and all places within the naval districts to which they are assigned, with special reference to water supplies, sewage, garbage and manure disposal, introduction, presence and disposition of cases of communicable diseases, the presence of disease-carrying insects, or of conditions favoring their growth, and to the facilities for messing and housing the personnel.

2. To secure information by personal observation and through civilian health authorities as to the prevalence of communicable diseases and sanitary conditions in the areas around naval stations and in localities from which recruits are collected.

3. To advise and assist in eradicating any communicable disease that may make its appearance in the district, and to make such epidemiological investigations as may be necessary and practicable.

4. To secure information as to the quality of water and milk supplied to both naval forces and civil population in the immediate environments of camps and stations, and as to methods of disposal of sewage, etc., in such localities.

5. To pay particular attention to the presence of disease-bearing and other mosquito-breeding areas either within the camp or within its immediate environment.

6. To determine as far as practicable the prevalence of venereal diseases in the civil communities adjacent to camps and stations, and the measures used for their control.

7. To make monthly inspection of the industrial establishments in the navy yards and make suitable recommendations, when necessary, for the correction of insanitary and unhygienic conditions.

Additional activities were undertaken as the needs arose. In the New York Naval District, for example, these included the inspection of various shipyards in the neighborhood where navy yard personnel was employed, the inspection of ships belonging to the transport cruiser force, and the fumigation of these vessels by the Navy personnel under the direction of the sanitation officer.

Publications Relating to War Activities.

An important function of the Public Health Service is the dissemination of information regarding public health matters. The following list of articles published by the service gives such a good idea of the war activities of the Public Health Service that its publication here may be of interest:

Trachoma and the Army—The Dangers Incident to Enlisting Recruits Affected with the Disease. By John McMullen.

Meningococcus Carriers—Their Recognition and Treatment.

Certain Military Aspects of Hookworm Disease. By Ch. Wardell Stiles.

The Lighting of Industrial Establishments—The Need for Supervision, with Suggested System of Maintenance Rating for Artificial Light Equipment. By Davis H. Tuck.

The Simulation of Disease—Drugs, Chemicals, and Septic Materials Used Therefor. By A. G. DuMez.

Trinitrotoluol—Practical Points in Its Safe Handling. By J. W. Schereschewsky.

Mitigation of the Heat Hazard in Industries. By J. A. Watkins.

Extra-Cantonment Zone Sanitation—Camp Shelby, near Hattiesburg, Miss. By J. A. Watkins.

Industrial Efficiency—The Bearings of Physiological Science Thereon—A Review of Recent Work. By Frederic S. Lee.

Morbidity Statistics of War Industries Needed. By B. S. Warren.

A State-wide Plan for the Prevention of Venereal Disease. By Allan J. McLaughlin.

Extra-Cantonment Zone Sanitation, Newport News, Va., and Vicinity. By S. B. Grubbs.

Methods for Field Study of Industrial Fatigue. By P. Sargent Florence.

Suggestions for State Board of Health Regulations for the Prevention of Venereal Diseases.

The Present Status of Our Knowledge of Fatigue Products. By Ernest L. Scott.

Progress in Venereal Disease Control. By J. G. Wilson.

The Dietary Deficiency of Cereal Foods with Reference to Their Content in "Antineuritic Vitamine." By Carl Voegtlin, G. C. Lake, C. N. Myers.

The Growth-Promoting Properties of Foods Derived from Corn and Wheat. By Carl Voegtlin and C. N. Myers.

Phosphorus as an Indicator of the "Vitamine," Content of Corn and Wheat. By Carl Voegtlin and C. N. Myers.

Some Qualitative and Quantitative Tests for Arsphenamine. By C. N. Myers and A. G. DuMez.

Dried Milk Powder—A Review of British Experience.

State and Federal Cooperation in Combating the Venereal Diseases. By J. G. Wilson.

Control of Diseases in Establishments for the Manufacture and Loading of High Explosives. Report of Divisional Committee on Industrial Diseases, Section of Sanitation, of the Committee on Labor, Council of National Defense.

Venereal Disease Control—Standards for Discharge of Carriers.

Regulations—Promulgated by the Secretary of the Treasury, under which State Boards or State Departments of Health Receive the Allotment of Funds provided in Section 6, Chapter XV, of the Act approved July 9, Entitled "An Act Making Appropriations for the Support of the Army for the Fiscal Year Ending June 30, 1919."

War Program of the Public Health Service—Intended Especially for Extra-Cantonment Areas and War Industrial Centers.

Sanitation of Rural Workmen's Areas—With Special Reference to Housing. Report of Divisional Committee on Village and Public Sanitation, Section of Sanitation, Committee on Welfare Work of the Committee on Labor, Advisory Commission, Council of National Defense.

Preliminary Report on Carbon Tetrachloride Vapor as a Delousing Agent. By H. M. Foster.

Maintenance of Health in Industries—Its Relation to the Adequate Production of War Materials.

Extra-Cantonment Zone Regulations—Regulations Governing the Sale of Food and Drink in the Special Sanitary Zone Around Camp Pike, near Little Rock, Ark.

Tetanus in Court-plaster—Results of the Bacteriological Examination of Fourteen specimens.

Diphtheria, an Epidemic, Probably of Milk Origin, Occurring at Newport, R. I., and Vicinity.

Arsphenamine (Salvarsan) Licenses Ordered and Rules and Standards Prescribed for Its Manufacture.

Venereal Disease Legislation—A Compilation of Laws and Regulations Showing the Trend of Modern Legislation for the Control of Venereal Diseases.

Physical Fatigue as a Factor in Increasing Susceptibility to Communicable Disease.

Anthrax from Shaving Brushes.

Industrial Fatigue—Investigation by Means of Factory Statistics.

The Reserve of the Public Health Service.

COOPERATION OF THE RED CROSS IN PUBLIC HEALTH SERVICE HOSPITALS.

Many of the soldiers, sailors, and marines who are undergoing examination and treatment in the hospitals operated by the United States Public Health Service are but recently discharged from military hospitals, where they have been the recipients of much kindness from volunteer organizations. Because of legal limitations which prevent the service from supplying these delicacies of comfort, the Surgeon General expressed the desire to the American Red Cross that it cooperate with the Public Health Service in supplying them. The activities to be undertaken are similar to those conducted by

the Bureau of Camp Service in various cantonments and have been classified in the last annual report of the Red Cross as follows:

1. Distribution of comfort articles, such as sweaters, mufflers, socks and comfort kits.

2. Hospital service, which included (a) ward service, consisting of daily visits to patients and rendering services which were not possible for the attending doctors and aids; (b) convalescent service, which consisted of writing and reading facilities, games, and entertainments for convalescent soldiers and sailors; (c) nurses' service, directed to adding to the comfort of the nurses administering to soldiers and sailors; (d) communication service, supplementing the facilities of the various Army and Navy hospitals for furnishing information to families of soldiers and sailors according to regulations.

3. Home service, operating in connection with the home service sections and Red Cross chapters under the department of civilian relief to furnish assistance to families of enlisted men to meet the problems arising from diminishing incomes, the care and education of children, the solution of household and legal difficulties and unsatisfactory working conditions, and to help in case of loneliness, mental depression, or physical disability.

4. Emergency service, to meet certain emergency situations, such as supplementing the clothing of soldiers and sailors during extremely cold spells.

5. Miscellaneous, covering a variety of activities, such as making vegetable gardens, furnishing diet kitchens, mending clothes, planting lawns and shrubberies around hospital buildings, making loans to soldiers and sailors, conducting Christmas celebrations, etc.

The American Red Cross, through its vice chairman, Mr. Willoughby G. Walling, has heartily concurred in the idea of cooperation, and the organization and direction of the work are being undertaken by the department of civilian relief.

The commissioned medical officers, acting assistant surgeons, and others of the Public Health Service concerned, have been instructed by the Surgeon General to cooperate with the Red Cross in the performance of this work and to offer to Red Cross representatives all the facilities possible at their stations to properly carry out the program outlined in so far as it is applicable to the hospitals under their charge.

HAS YOUR COMMUNITY A PUBLIC HEALTH NURSE?

To those who have followed the development of public health work in this country it becomes more and more evident that much of the progress which has been made is due to the introduction of public health nursing as an integral part of public health administration. And yet it seems but yesterday when the first nurses were assigned to visit tuberculosis patients in their homes, report on the sanitary conditions found there, and by practical instruction to the patient and his family help combat the spread of the disease to others.

The results achieved by this band of pioneers exceeded all expectations, so that in a short time it was realized that in no other way could the work of public authorities so effectively be brought home to the people.

The reasons for this are not far to seek, for the personal contact thus established between the health authorities on the one hand and the people on the other is incomparably more effective than any other means of promoting health education.

It would be a long story to describe in detail all the important activities now carried on in a modern health department by public health nurses. The fact is that the work of these newer recruits to the ranks of public health workers has proved invaluable. They have studied and reported on the home conditions so frequently responsible for disease, discovered unreported cases of infectious diseases, given practical instruction in the prevention and care of infectious diseases, collected epidemiological and statistical data, supervised the maintenance of quarantine measures, helped in securing proper medical and surgical treatment for the sick; in short, they have made possible the practical utilization of valuable medical knowledge and experience for the promotion of health and welfare.

Unfortunately, a very large number of communities in the United States are still without a public health nursing service. It seems not to be realized that such a service constitutes a well-paying investment. Yet nothing has been more clearly demonstrated. Progressive health administrators who have had experience with public health nursing are unanimous in praise of the results obtained.

More than ever before there is great need for additional well-trained workers in this field. It is to be hoped the time is not far distant when every community throughout the United States will enjoy the benefits of a system of public health nursing, for experience has demonstrated that this is an invaluable measure for bringing the work of the health authorities to the people.

Why not at once take steps so that your community may enjoy the invaluable services of a public health nurse?

COURSES IN PUBLIC HEALTH NURSING.

In response to numerous requests concerning the training of public health nurses, we publish the following list of training courses, compiled by the National Organization for Public Health Nursing.

Massachusetts:

8 months' course at Simmons College, 300 Fenway, Boston. Tuition, \$80. Entrance requirements, high-school graduation and eligibility for National Organization for Public Health Nursing.

4 months' course, Simmons College, 300 Fenway, Boston. Tuition, \$20. Entrance requirement, eligibility for National Organization for Public Health Nursing.

Connecticut:

9 months' course at New Haven Visiting Nurse Association and Yale University, 200 Orange Street, New Haven. Tuition free. Entrance requirement, graduate registered nurse.

New York:

8 months' course at Teachers' College, New York City. Tuition \$185. Entrance requirements, three years of high school; graduate registered nurse, and eligibility for National Organization for Public Health Nursing.

8 months' combination course; 4 of theory at Teachers' College, and 4 of practice with Henry Street Settlement. Tuition \$90. Same requirements.

4 months' course in practical work at Henry Street Settlement, with some classes at Teachers' College. Tuition, \$41. Same requirements.

Ohio:

8 months' course at Medical College, University of Cincinnati. Tuition, \$50 to those outside of State. Entrance requirement, high-school graduation.

8 months' course at School of Practical Arts, Western Reserve University. Tuition, \$125. Entrance requirement, eligibility for National Organization for Public Health Nursing.

Pennsylvania:

8 months' course at Pennsylvania School for Social Service, 1302 Pine Street, Philadelphia. Tuition, \$75. Entrance requirements, high school graduation and eligibility for National Organization for Public Health Nursing.

Illinois:

8 months' course, School of Civics, 2559 South Michigan Avenue, Chicago, Ill. Tuition, \$35. Entrance requirement, graduate nurse.

4 months' course, School of Civics, Tuition, \$35. Same requirement.

Missouri:

9 months' course at School of Social Economy, 2221 Locust Street, St. Louis. Tuition, \$50. Entrance requirement, graduate registered nurse.

Virginia:

8 months' course, School for Social Work and Public Health, 1112 Capitol Street, Richmond. Tuition, \$40. Entrance requirement, graduate nurse.

4 months' course, same school. Tuition, \$20. Same requirement.

Wisconsin:

4 months' course with Wisconsin Anti-Tuberculosis Association, 471 Van Buren Street, Milwaukee. Tuition, \$25. Entrance requirement, graduate registered nurse.

Summer courses have also been given at the following places:

Teachers' College, New York City: Six weeks.

Cleveland Normal School, Cleveland, Ohio (school nursing): Six weeks.

University of Washington, Seattle, Wash: Eleven weeks.

University of California, Berkeley and Los Angeles: Six weeks.

Syracuse University, Syracuse, N. Y.: Six weeks.

Minnesota Anti-Tuberculosis Association, St. Paul, Minn.: Six weeks.

Wisconsin Anti-Tuberculosis Association, Milwaukee (for experienced workers): Six weeks.

DEATHS DURING WEEK ENDED MAY 24, 1919, IN CITIES.

The table following shows the registered deaths from all causes and from pneumonia (all forms) and influenza combined in certain large cities of the United States during the week ended May 24, 1919.

The data are taken from the "Weekly Health Index," May 27, 1919, issued by the Bureau of the Census, Department of Commerce.

Registered deaths and annual death rates per 1,000 population in certain large cities of the United States, week ended May 24, 1919--Deaths from all causes, and from pneumonia (all forms) and influenza combined.

City.	Population July 1, 1918, estimated.	Total deaths, all causes.	Annual death rate per 1,000.	Annual death rate for preceding years. ¹	Influenza and pneu- monia (all forms).	
					Number of deaths.	Annual death rate per 1,000.
Albany, N. Y.	112,565	33	15.3	C. 14.8	6	2.8
Atlanta, Ga.	201,732	58	15.0	C. 17.8		
Baltimore, Md.	2 669,981	216	16.8	A. 16.2		
Boston, Mass.	785,245	220	14.6	A. 15.9	16	1.1
Buffalo, N. Y.	473,229	129	14.2	C. 14.1		
Cambridge, Mass.	111,432	26	12.2	A. 13.7		
Chicago, Ill.	2,596,681	660	13.3	A. 14.4	73	1.5
Cincinnati, Ohio.	418,022	104	13.0	C. 15.5		
Cleveland, Ohio.	810,306	171	11.0	C. 10.5	24	1.5
Columbus, Ohio.	225,296	60	13.9	C. 11.6	6	1.4
Dayton, Ohio.	130,655	27	10.8	C. 15.2	2	.8
Fall River, Mass.	128,392	33	13.4	C. 13.0	2	.8
Grand Rapids, Mich.	135,450	34	13.1	C. 9.6		
Indianapolis, Ind.	290,389	64	11.5	C. 13.5		
Jersey City, N. J.	318,770	78	12.8	C. 12.1		
Kansas City, Mo.	313,785	78	13.0	C. 15.1	8	1.3
Los Angeles, Calif.	568,495	124	11.4	A. 12.5		
Louisville, Ky.	242,707	87	18.7	C. 14.2	10	2.1
Lowell, Mass.	109,081	29	13.9	A. 15.6		
Memphis, Tenn.	154,759	57	19.2	C. 19.2	3	1.0
Milwaukee, Wis.	453,481	80	9.2	A. 11.5	13	1.5
Minneapolis, Minn.	383,442	94	12.8	C. 12.9		
Nashville, Tenn.	119,215	45	19.7	C. 17.9	7	3.1
Newark, N. J.	428,684	85	10.3	C. 16.2		
New Haven, Conn.	154,865	32	10.8	C. 16.8		
New Orleans, La.	382,273	117	16.0	A. 19.0		
New York, N. Y.	5,215,879	1,258	12.6	C. 12.5	170	1.7
Oakland, Calif.	214,206	54	13.1	A. 10.7		
Omaha, Nebr.	180,264	33	9.5	C. 14.5		
Philadelphia, Pa.	1,761,371	593	17.6	15.7		
Pittsburgh, Pa.	593,303	157	13.8	C. 13.4	38	3.3
Portland, Oreg.		55		C. 11.1	6	
Providence, R. I.	263,613	54	10.7	C. 11.1	4	.8
Richmond, Va.	160,719	42	13.6	C. 10.1	3	1.0
Rochester, N. Y.	264,856	75	14.8	C. 12.8	12	2.4
St. Louis, Mo.	779,951	171	11.4	C. 13.8		
St. Paul, Minn.	257,699	62	12.5	C. 12.5		
San Francisco, Calif.	478,530	139	15.1	C. 14.4	21	2.3
Seattle, Wash.		67			8	
Spokane, Wash.		18				
Syracuse, N. Y.	161,404	37	12.0	C. 13.2	3	1.0
Toledo, Ohio.	262,234	55	10.9	A. 14.8	2	.4
Washington, D. C.	401,681	128	16.0	A. 15.8	10	1.3
Worcester, Mass.	173,650	58	17.4	C. 12.3	11	3.3

¹ "A" indicates that the rate given is the average annual death rate per 1,000 population for the corresponding week of the years 1913 to 1917, inclusive. "C" indicates that the rate is the annual death rate per 1,000 population for the corresponding week of 1918.

² Population estimated as of July 1, 1919.

* Rate is based on statistics of 1915, 1916, and 1917.

PREVALENCE OF DISEASE.

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring.

UNITED STATES.

EXTRA-CANTONMENT ZONES—CASES REPORTED WEEK ENDED MAY 31.

CAMP DIX ZONE, N. J.		CAMP GORDON ZONE, GA.	
Diphtheria:	Cases.	Atlanta:	Cases.
New Hanover Township.....	1	Chancroid.....	1
Springfield Township.....	1	Chicken pox.....	2
FAYETTEVILLE SANITARY DISTRICT, N. C.		Diphtheria.....	1
Chancroid.....	1	Gonorrhea.....	32
Gonorrhea.....	6	Influenza.....	2
Measles.....	1	Measles.....	15
Syphilis.....	3	Mumps.....	1
Typhoid fever.....	1	Pneumonia.....	1
CAMP FUNSTON ZONE, KANS.		Scarlet fever.....	3
Junction City:		Septic sore throat.....	1
Diphtheria.....	1	Smallpox.....	34
Manhattan:		Syphilis.....	10
Chicken pox.....	7	Tuberculosis.....	2
Gonorrhea.....	2	Typhoid fever.....	1
Scarlet fever.....	1	GULFPORT HEALTH DISTRICT, MISS.	
Whooping cough.....	5	Dysentery:	
Millford:		Caesar.....	1
Tuberculosis.....	1	Long Beach.....	1
GAS AND FLAME SCHOOL ZONE, GA. AND ALA.		Lyman.....	1
Chancroid:		Gonorrhea:	
Columbus.....	1	Biloxi.....	1
Erysipelas:		Gulfport.....	1
Columbus.....	1	Lyman.....	1
Gonorrhea:		Pascagoula.....	1
Columbus.....	2	Malaria:	
Hookworm:		Bay St. Louis.....	1
Muscogee County.....	1	Gulfport.....	7
Measles:		Handsboro.....	2
Columbus.....	5	Kiln.....	1
Muscogee County.....	9	Logtown.....	1
Pellagra:		Lyman.....	2
Girard.....	1	Mississippi City.....	2
Smallpox:		Moss Point.....	6
Columbus.....	1	Measles:	
Muscogee County.....	2	Pecan.....	22
Syphilis:		Mumps:	
Girard.....	2	Gulfport.....	2
Tuberculosis:		Lyman.....	3
Columbus.....	1	Moss Point.....	1
Muscogee County.....	1	Mississippi City.....	1
Tuberculous adenitis:		Ophthalmia neonatorum:	
Columbus.....	1	Moss Point.....	1
Typhoid fever:		Smallpox:	
Muscogee County.....	1	Lyman.....	1
Whooping cough:		Tuberculosis:	
Muscogee County.....	5	Long Beach.....	1
		Whooping cough:	
		Gulfport.....	3

CAMP A. A. HUMPHREYS ZONE, VA.

Alexandria:	Cases.
Chicken pox.....	2
Diphtheria.....	1
Mumps.....	1
Typhoid fever.....	3

CAMP LEE ZONE, VA.

Petersburg:	
Gonorrhea.....	5
Syphilis.....	6
Tuberculosis.....	1

CAMP MERRITT ZONE, N. J.

Englewood:	
Chicken pox.....	9
Diphtheria.....	2
Mumps.....	3
Haworth:	
Chicken pox.....	1
Measles.....	2
Tenafly:	
Measles.....	1

PICRIC ACID PLANT ZONE, GA.

Brunswick:	
Gonorrhea.....	4
Pneumonia.....	1
Syphilis.....	1

CAMP PIKE ZONE, ARK.

Chancroid:	
Little Rock.....	1
Chicken pox:	
Little Rock.....	1
Gonorrhea:	
Little Rock.....	6
North Little Rock.....	8
Influenza:	
Scott.....	1
Malaria:	
Little Rock.....	4
North Little Rock.....	1
Measles:	
Little Rock.....	1
North Little Rock.....	1
Mumps:	
Little Rock.....	1
North Little Rock.....	1
Pellagra:	
Scott.....	1
Pneumonia:	
Little Rock.....	2
Scarlet fever:	
North Little Rock.....	1
Syphilis:	
Little Rock.....	3
Tuberculosis:	
Little Rock.....	1
Scott.....	2
Sweet Home.....	1

CAMP POLK ZONE, N. C.

Chicken pox:	
Durham.....	1
Diphtheria:	
Buckhorn Township.....	1
Cedar Fork Township.....	1

CAMP POLK ZONE, N. C.—continued.

Gonorrhea:	Cases.
Durham.....	3
Raleigh.....	2
Wake Forest Township.....	2
Mumps:	
Durham Township.....	1
Raleigh.....	1
Scarlet fever:	
White Oak Township.....	1
Smallpox:	
Raleigh.....	2
Syphilis:	
Durham.....	1
Tuberculosis:	
Cary Township.....	1
Raleigh.....	1
Typhoid fever:	
Durham.....	1
Wake Forest Township.....	1
Whooping cough:	
Buckhorn.....	1
Durham.....	17
White Oak Township.....	3

PORTSMOUTH AND NORFOLK COUNTY HEALTH DISTRICT, VA.

Chicken pox:	
Norfolk.....	2
Diphtheria:	
Portsmouth.....	1
Measles:	
Norfolk.....	4
Mumps:	
Norfolk.....	1
Smallpox:	
Norfolk.....	2
Portsmouth.....	2
Typhoid fever:	
Portsmouth.....	1
Whooping cough:	
Norfolk County.....	5

CAMP SHERMAN ZONE, OHIO.

Gonorrhea:	
Government clinic.....	1
Scarlet fever:	
Chillicothe.....	2
Scioto Township.....	1
Syphilis:	
Government clinic.....	3

SOUTHER FIELD ZONE, GA.

Paratyphoid fever.....	1
Rabies in animals.....	2

CAMP TRAVIS ZONE, TEX.

San Antonio:	
Gonorrhea.....	9
Lethargic encephalitis.....	1
Scarlet fever.....	1
Smallpox.....	2
Typhoid fever.....	1

CAMP UPTON ZONE, N. Y.		WILMINGTON SANITARY DISTRICT, N. C.	
Brook Haven:	Cases.	Wilmington:	Cases.
Diphtheria.....	2	Chicken pox.....	1
Pneumonia.....	1	Gonorrhea.....	16
Syphilis.....	1	Pneumonia.....	1
Tuberculosis.....	1	Syphilis.....	1
Riverhead:		Tetanus.....	1
Chicken pox.....	3	Tuberculosis.....	3
		Typhoid fever.....	1
		Whooping cough.....	3

DISEASE CONDITIONS AMONG TROOPS IN THE UNITED STATES.

The following data are taken from telegraphic reports received in the office of the Surgeon General of the United States Army for the week ended May 23, 1919. Reports from the American Expeditionary Forces are delayed in transmission, and the "current week" for troops in the American Expeditionary Forces is not the same period as "current week" for troops in the United States.

	Current week.	Last week.
Annual admission rate per 1,000 (all causes).....	552.02	516.00
All troops in United States.....	1,114.33	958.86
American Expeditionary Forces.....	330.85	341.21
Annual admission rate per 1,000 (disease only).....	493.70	450.58
All troops in United States.....	1,013.58	827.02
American Expeditionary Forces.....	289.23	303.18
Noneffective per 1,000 on day of report.....	36.42	38.79
All troops in United States ¹	55.82	50.73
American Expeditionary Forces.....	28.79	34.08
Annual death rate per 1,000 (all causes).....	5.89	4.97
All troops in United States ¹	8.20	6.66
American Expeditionary Forces.....	4.83	4.30
Annual death rate per 1,000 (disease only).....	4.08	3.48
All troops in United States ¹	7.36	5.76
American Expeditionary Forces.....	2.78	2.58

¹ Sick and death rates among troops in the United States will continue to be relatively high, as the numerical strength of troops in the United States continues to decline from week to week as a result of demobilization. Well men only are eligible for discharge, while the sick and otherwise disabled are retained in service for further treatment. The continued influx of sick and wounded (properly chargeable to commands overseas) is another factor tending to increase rates in the United States and to diminish correspondingly similar rates overseas.

Cases of special diseases reported during the week ended May 23, 1919.

Camp.	Pneumonia.	Dysentery.	Malaria.	Venereal diseases.		Influenza.	Measles.	Meningitis.	Scarlet fever.	Annual admission rate per 1,000 (disease only).	Non-effective rate per 1,000 on day of report.
				Total.	New infections.						
Bowie.....	1			14	3					1,122.75	215.51
Bragg.....										371.04	12.23
Custer.....				14	7					837.14	32.24
Deyens.....				10		1			2	445.30	81.18
Dix.....	1			15	4					454.77	48.67
Dodge.....				11	4					286.96	76.49
Funston.....	2			3			1			1,326.45	89.58
Gordon.....				99						1,967.74	79.19
Grant.....	1			19	1				1	947.78	98.64
Humphreys.....				6	2					368.35	21.64
Jackson.....	2		4	26						854.90	101.70
Kearny.....	1			4	4					1,915.68	165.59
Henry Knox.....	1			3						100.10	4.91
Lee.....				15	12				1	1,082.09	126.95
Lewis.....	1			5	3		2			1,843.44	114.75
Meade.....	1		2	16	2				17	813.99	77.44
Pike.....	2			30	5					993.51	106.17
Shelby.....				19						701.84	60.85
Sherman.....	1			17		1			2	974.41	110.90
Taylor.....			1	6	3				4	1,130.57	112.54
Travis.....			4	12	10					1,183.34	76.54
Upton.....	5			116			1			1,277.24	58.39
Benning.....				14						716.16	18.56
Northeastern Department.....				2	2					453.59	20.98
Eastern Department.....	1			20	7					471.67	17.62
Southeastern Department.....				9	1					859.73	28.80
Central Department.....				13						541.05	16.96
Southern Department.....	1			58	3	6				680.64	58.29
Western Department.....			1	16	12		2			570.99	15.50
Aviation camps.....				26	9	1			1	675.40	41.92
Port of embarkation:											
Hoboken.....	2	1		36	4	5	6			3,242.26	96.42
Newport News.....	13			103	3	61			2	1,629.51	89.77
Fort Monroe.....				7						590.36	24.24
Alcatraz Disciplinary Barracks.....										705.08	16.94
Leavenworth Disciplinary Barracks.....										809.21	38.59
Columbus Barracks.....				1	1					819.20	24.75
Jefferson Barracks.....				3	2					963.44	26.03
Fort Logan.....				3						582.54	16.50
Fort McDowell.....				1		3				844.38	31.12
Fort Sill.....				7	7					363.36	16.91
Fort Slocum.....				2	1					636.30	28.55
Fort Thomas.....				5	5					1,224.73	27.47
West Point.....										590.90	17.94
Arsenals.....				6						572.90	31.43
Miscellaneous small stations.....				2						328.57	30.31
Total.....	36	1	12	794	117	78	12		30	1,013.58	55.82

Number of deaths at large camps in United States, week ended May 23, 1919.

Camp.	Strength.	Deaths.		Camp.	Strength.	Deaths.	
		All causes.	Disease only.			All causes.	Disease only.
Bowie.....	2,501			Taylor.....	7,819	2	2
Bragg.....	982			Travis.....	3,867	2	2
Custer.....	5,397			Upton.....	19,423	2	2
Devens.....	8,758			Northeastern Department.....	2,866		
Dix.....	23,445			Eastern Department.....	13,451		
Dodge.....	6,654			Southeastern Department.....	3,750		
Funston.....	3,232	1	1	Central Department.....	4,421		
Gordon.....	4,836	1	1	Southern Department.....	30,231	2	
Grant.....	8,120	1	1	Western Department.....	11,933		
Humphreys.....	2,541	1	1	Aviation camps.....	15,866	1	
Jackson.....	5,231			Port of embarkation:			
Kearny.....	2,633			Hoboken.....	34,456	1	1
Henry Knox.....	9,350			Newport News.....	13,696	1	1
Lee.....	5,238			All others.....	86,657	41	38
Lewis.....	4,880						
Meade.....	10,862			Total.....	274,142	50	53
Pike.....	5,706						
Shelby.....	4,075	1	1				
Sherman.....	11,102	1	1				

Annual admission rate per 1,000 for certain diseases.

Disease.	Troops in United States.		American Expeditionary Forces.	
	Current week.	Last week.	Current week.	Last week.
Pneumonia.....	5.00	3.84	5.46	6.68
Dysentery.....	.13		.19	.05
Malaria.....	1.66	.89	.43	.25
Venereal.....	110.36	68.57	67.14	39.12
Paratyphoid.....			.19	.45
Typhoid.....	.13	.12	.21	.20
Measles.....	1.66	1.66	1.85	1.11
Meningitis.....		.12	.82	1.11
Scarlet fever.....	4.17	3.07	.38	.65
Influenza.....	10.84	6.53		

CURRENT STATE SUMMARIES.

Telegraphic Reports for Week Ended May 31, 1919.

Alabama.—State totals: Typhoid fever 7, malaria 12, smallpox 23, scarlet fever 46, diphtheria 7, whooping cough 3, measles 4, chicken pox 8, mumps 6, tuberculosis 25, venereal diseases 16.

California.—Influenza: Cases reported 123. Smallpox: Oakland 2, San Francisco 3, Santa Clara County 1, San Jose 3, Lincoln 1, Los Angeles County 2, Long Beach 2, Pasadena 2. Typhoid fever: Sacramento County 2, Oakland 1, San Francisco 1, Calexico 1, Modoc County 1, Los Angeles County 1, Long Beach 1, Santa Barbara 1. Cerebrospinal meningitis: Tulare County 1, Merced County 1.

Connecticut.—Cerebrospinal meningitis in New Haven 1.

Delaware.—Chancroid in Wilmington 2. Gonorrhea in Wilmington 14, Laurel 1. Malaria in Dover 1. Measles: Dover 8, Wilmington

ton 1, Wyoming 1. Tuberculosis: Dover 1, Felton 1, New Castle 1. Typhoid fever: Wilmington 1, Seaford 1.

Florida.—Typhoid fever by counties: Escambia 1, Gadsden 1, Hillsboro 1, Pinellas 1, Volusia 2, Monroe 1. Total typhoid fever cases reported 7. Malaria, State total, 10.

Georgia.—State totals: Acute infectious conjunctivitis 5, hookworm 4, cerebrospinal meningitis 1, chicken pox 21, diphtheria 6, dysentery (amebic) 14, dysentery (bacillary) 35, gonorrhea 87, influenza 2, malaria 28, measles 32, mumps 27, pneumonia (acute lobar) 15, rabies in animals 2, scarlet fever 10, septic sore throat 2, smallpox 70, syphilis 50, tuberculosis (other than pulmonary) 1, tuberculosis (pulmonary) 14, typhoid fever 16, whooping cough 6.

Illinois.—Diphtheria: Cases reported 143, of which in Chicago 101, Dekalb 6, Joliet 3. Scarlet fever: Cases reported 105, of which in Chicago 62, Oglesby 6, Stockton 4, Woosung Township (Ogle County) 4, Buffalo Township (Ogle County) 3. Smallpox: Cases reported 140, of which in McLeansboro 21, Rock Island 19, Peoria 13, Galesburg 10, Sawyerville 7, Rio Township (Knox County) 6, Pekin 6, Norris 6, Walkerville Township (Greene County) 6, Aurora 5, Fairmount 5, Canton Township (Fulton County) 4, East Peoria 4, Muncie 4, Sublette Township (Lee County) 3, Erie 3, Chicago 3. Meningitis in Chicago 2. Poliomyelitis in Chicago 2. Lethargic encephalitis in Fairfield 1. Influenza: Cases reported 21, of which in Chicago 20. Gonorrhea 104, syphilis 48.

Indiana.—Smallpox in Elkhart County. Diphtheria: Dekalb County reports 1 case and Hendricks County 2. Typhoid fever: 1 case reported from Noblesville. Rabies: Jeffersonville 1, Noblesville 1. Syphilis 38, gonorrhea 83, chancroid 5.

Iowa.—Chancroid: Des Moines 1, Manning 1. Chickenpox: Avoca 5, Davenport 3, Mason City 1. Diphtheria: Council Bluffs 1, Davenport 1, Des Moines 2, Dubuque 1. Gonorrhea: Arthur 2, Cedar Rapids 2, Cherokee 2, Davenport 6, Des Moines 3, Dubuque 1, Lake Mills 1, Manning 1, Mason City 2. Measles: Davenport 1. Mumps: Davenport 2, Fort Des Moines 1. Scarlet fever: Brooklyn 1, Council Bluffs 1, Des Moines 6, Fort Dodge 1, Lamoni 1, Livermore 1, McGregor 1, Villisca 4. Smallpox: Albia 1, Boone 6, Cedar Falls 1, Cedar Rapids 13, Council Bluffs 3, Davenport 18, Des Moines 10, Dubuque 1, Fort Dodge 1, Mason City 2, Postville 1, Sumner 2. Syphilis: Des Moines 1, Dubuque 1. Whooping cough: Council Bluffs 2. In rural districts of the following counties: Scarlet fever: Adams 1, Clarke 1, Decatur 1, Polk 1. Smallpox: Buchanan 6, Carroll 5, Grundy 5, Keokuk 1, Lucas 1, Mahaska 1, Wapello 1, Warren 1, Wright 1.

Kansas.—Meningitis by cities: Leavenworth 1, Topeka 1. State totals: Smallpox 76, diphtheria 19, scarlet fever 47, influenza 39.

Louisiana.—Encephalitis 1, smallpox 18, typhoid fever 19, diphtheria 5, gonorrhea 109, syphilis 113, chancreoid 15.

Maine.—Cerebrospinal meningitis: Standish 1. Chancreoid: Rockland 1. Chicken pox: Portland 4. Diphtheria: Washburn 2, Belfast 1. Gonorrhea: Portland 5, Lewiston 2, Sanford 2, Brunswick 2, Camden 2, Bath 1, Dover 1, Augusta 1, Jonesport 1, Rumford 1. Mumps: Portland 1, Sanford 1. Scarlet fever: Farmington 8, Bath 5, Portland 6, Auburn 2, Brunswick 2, Rockland 1. Smallpox: Van Buren 2. Syphilis: Augusta 1, Jonesport 2. Tuberculosis: Lewiston 5, Bangor 3, Fallmouth 1, Fairfield 1, Millbridge 1, Rumford 1, Union 1, Brunswick 1, Portland 1. Typhoid fever: Portland 3, Millbridge 1. Whooping cough: Sanford 2. Influenza: Portland 2.

Massachusetts.—Unusual prevalence of measles, 21 cases reported from Fall River.

Minnesota.—Smallpox (new foci): Dodge Center village 2, Lake Benton Township (Lincoln County) 1, Austin (Mower County) 3, Wabasha (Wabasha County) 7, South Haven (Wright County) 1. Syphilis 30, gonorrhea 56, chancreoid 1. Cerebrospinal meningitis 1.

Mississippi.—Three cases scarlet fever reported from Clarksdale. No other outbreak or unusual prevalence.

New Jersey.—Cases reported: Influenza 16, pneumonia 58. Smallpox reported from Beverly city, Bordentown city, Willingboro Township (Burlington County), Camden, Pensauken Township (Camden County), Belleville, and Newark. No unusual prevalence of other diseases reported.

New York.—State reports, exclusive of New York City. Typhoid fever 9, measles 438, scarlet fever 125, whooping cough 88, diphtheria 170, smallpox in Oneonta 1, cerebrospinal meningitis in Jamestown 1, pneumonia 47. Voluntary reports: Syphilis 91, gonorrhea 27, poliomyelitis, reported from Middletown, 1.

North Carolina.—State totals: Whooping cough 150, measles 166, diphtheria 13, scarlet fever 9, septic sore throat 1, smallpox 89, chicken pox 18, typhoid fever 26, epidemic meningitis 1, broncho-pneumonia 6, lobar pneumonia 4, cholera infantum 8, dysentery (bacillary) 11, dysentery (amebic) 6, trachoma 2, gonorrhea 147, syphilis 49, chancreoid 15, gonorrhea and syphilis 2, gonorrhea and chancreoid 3, gonorrhea and balanitis 1, gonorrhea syphilis and chancreoid 1, influenza reported from Cumberland County 1 case.

Ohio.—Scarlet fever: Washington Court House 8, Cuyahoga Falls 8, Cincinnati 32, Ashtabula 9, Youngstown 9, Akron 9. Smallpox: Washington Court House 6, New Lexington 6, Youngstown 11, Cleveland 18, Hamilton 9, Crooksville 8. Lethargic encephalitis: Akron 1, Cuyahoga Falls 1.

Oregon.—Portland reports 10 cases and 2 deaths from influenza, Hood River 14, and Linn 6.

Vermont.—No outbreak or unusual prevalence.

Virginia.—Smallpox: Cases reported in Norfolk County 1, Bedford 1, and Alexandria 1.

Washington.—No outbreak or unusual prevalence reported. Smallpox: Seattle 19, Everett 12, Yakima 2. Scarlet fever: Seattle 10, Spokane 14, Yakima 12.

West Virginia.—Diphtheria: Charleston 1, Fairmont 2, Wellsburg 1, Wheeling 2. Measles: Charleston 2, Clarksburg 2, Fairmont 10, Huntington 2, Martinsburg 4, Parkersburg 3, Weston 15, Wheeling 1. Scarlet fever: Bluefield 5, Charleston 2, Hinton 2, Huntington 20, Keyser 1, Martinsburg 10, Parkersburg 5, Wheeling 2. Smallpox: Fairmont 3, Hinton 1, Keyser 2, Wellsburg 2, Wheeling 1. Typhoid fever: Wellsburg 1, Wheeling 1.

ANTHRAX.

Denver, Colo., and Philadelphia, Pa.

During the week ended May 17, 1919, one death from anthrax was reported at Denver, Colo., and one case was reported at Philadelphia, Pa.

CEREBROSPINAL MENINGITIS.

State Reports for April, 1919.

Place.	New cases reported.	Place.	New cases reported.
California:		Connecticut—Continued.	
Alameda County—		Hartford County—	
Oakland.....	2	Hartford.....	2
Los Angeles County.....	1	New Haven County—	
Los Angeles.....	4	New Haven.....	1
San Francisco.....	3	Total.....	5
San Joaquin County—			
Lodi.....	1	Indiana:	
Total.....	11	Clark County.....	4
		Knox County.....	1
Connecticut:		Total.....	5
Fairfield County—		Oregon: Portland.....	1
Bridgeport.....	2		

City Reports for Week Ended May 17, 1919.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Baltimore, Md.....	1	1	Middletown, N. Y.....	1	1
Bellaire, Ohio.....		2	Milwaukee, Wis.....	3	3
Chicago, Ill.....	5	1	Muscatine, Iowa.....		1
Dallas, Tex.....	1		Nashville, Tenn.....	1	1
Detroit, Mich.....	1		Newark, N. J.....	1	1
Everett, Mass.....	2	1	New Brunswick, N. J.....	1	
Fall River, Mass.....	2		New Haven, Conn.....	1	6
Galveston, Tex.....		1	New York, N. Y.....	2	
Geneva, N. Y.....	1	1	Norwalk, Conn.....	2	
Grand Rapids, Mich.....	1		Paterson, N. J.....	1	
Kansas City, Mo.....	1		Philadelphia, Pa.....	4	3
Lackawanna, N. Y.....	1		Pocatello, Idaho.....		1
Los Angeles, Calif.....	1		Quincy, Mass.....	1	1
Macon, Ga.....	1		St. Louis, Mo.....	1	
Marion, Ind.....		1	Waterbury, Conn.....	1	

CHANCROID.**Cases Reported in Extra-Cantonment Zones, Week Ended May 31, 1919.**

	Cases.		Cases.
Fayetteville sanitary district, N. C.....	1	Camp Gordon zone, Ga.....	1
Gas and flame school zone, Ga. and Ala.....	1	Camp Pike zone, Ark.....	1

DIPHTHERIA.**Cases Reported in Extra-Cantonment Zones, Week Ended May 31, 1919.**

	Cases.		Cases.
Camp Dix zone, N. J.....	2	Camp Polk zone, N. C.....	2
Camp Funston zone, Kans.....	1	Portsmouth and Norfolk County health district, Va.....	1
Camp Gordon zone, Ga.....	1	Camp Upton zone, N. Y.....	2
Camp A. A. Humphreys zone, Va.....	1		
Camp Merritt zone, N. J.....	2		

See also Diphtheria, measles, scarlet fever, and tuberculosis, page 1288.

GONORRHEA.**Cases Reported in Extra-Cantonment Zones, Week Ended May 31, 1919.**

	Cases.		Cases.
Fayetteville sanitary district, N. C.....	6	Picrie Acid plant zone, Ga.....	4
Camp Funston zone, Kans.....	2	Camp Pike zone, Ark.....	14
Gas and flame school zone, Ga. and Ala.....	2	Camp Polk zone, N. C.....	7
Camp Gordon zone, Ga.....	32	Camp Sherman zone, Ohio.....	1
Gulfport health district, Miss.....	4	Camp Travis zone, Tex.....	9
Camp Lee zone, Va.....	5	Wilmington sanitary district, N. C.....	16

INFLUENZA.**Cases Reported in Extra-Cantonment Zones, Week Ended May 31, 1919.**

Camp Gordon zone, Ga.....	2	Camp Pike zone, Ark.....	1
---------------------------	---	--------------------------	---

LEPROSY.**California and Connecticut, April, 1919.**

During the month of April, 1919, one case of leprosy was reported at Stockton, Calif., in the person of T. F., white, male, aged 16, born in Stockton and having lived there and at Modesto, Calif., during his life. The disease was diagnosed clinically April 8 and the patient is now isolated under the supervision of San Joaquin County. The patient's brother, aged 17, is suspected of being a leper, and the father had leprosy at the time of his death in 1912.

One case of leprosy was reported at Hartford, Conn., during April, in the person of G. T., white, male, aged 19, born in Trinidad, West Indies, and having lived in the United States 27 months as follows: Providence, R. I., 14 months; Boston, Mass., 6 months; Hartford, Conn., 7 months. The disease was diagnosed clinically April 26 and verified bacteriologically. The type of the disease is macular with pigmentation. Patient is in the Isolation Hospital.

LETHARGIC ENCEPHALITIS.**California Report for April, 1919.**

During the month of April, 1919, ten cases of lethargic encephalitis were reported in California.

MALARIA.**Cases Reported in Extra-Cantonment Zones, Week Ended May 31, 1919.**

Gulfport health district, Miss..... 22 | Camp Pike zone, Ark..... 5

California Report for April, 1919.

Place.	New cases reported.	Place.	New cases reported.
California:		California—Continued.	
Calaveras County—		Marin County—	
Angels.....	1	Fort McDowell.....	1
Colusa County.....	2	Riverside County—	
Colusa.....	1	Perris.....	1
Contra Costa County—		Stanislaus County—	
Concord.....	1	Oakdale.....	1
Fresno County—		Trinity County.....	1
Clovis.....	1	Yuba County.....	2
Firebaugh.....	4	Total.....	17
Glenn County—			
Orland.....	1		

City Reports for Week Ended May 17, 1919.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Anniston, Ala.....	2	Memphis, Tenn.....	2
Bloomington, Ind.....	1	Newark, N. J.....	1
Charleston, S. C.....	1	Savannah, Ga.....	1	2
Danville, Ill.....	1	Tuscaloosa, Ala.....	1
Little Rock, Ark.....	2			

MEASLES.**Cases Reported in Extra-Cantonment Zones, Week Ended May 31, 1919.**

Cases.	Cases.
Fayetteville sanitary district, N. C..... 1	Camp Merritt zone, N. J..... 3
Gas and flame school zone, Ga. and Ala..... 14	Camp Pike zone, Ark..... 2
Camp Gordon zone, Ga..... 15	Portsmouth and Norfolk County health district, Va..... 4
Gulfport health district, Miss..... 22	

See also Diphtheria, measles, scarlet fever, and tuberculosis, page 1288.

PELLAGRA.**Cases Reported in Extra-Cantonment Zones, Week Ended May 31, 1919.**

Cases.	Cases.
Gas and flame school zone, Ga. and Ala..... 1	Camp Pike zone, Ark..... 1

California Report for April, 1919.

During April, 1919, three cases of pellagra were reported in California; one case in San Bernardino County, and two cases in San Joaquin County.

PELLAGRA—Continued.

City Reports for Week Ended May 17, 1919.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Anniston, Ala.....	1	Fort Worth, Tex.....	1	1
Atlanta, Ga.....	1	Houston, Tex.....	1
Birmingham, Ala.....	1	1	Lexington, Ky.....	1
Charleston, S. C.....	3	Los Angeles, Calif.....	1
Dallas, Tex.....	1	Oklahoma City, Okla.....	1
Danville, Va.....	1			

PLAGUE-INFECTED GROUND SQUIRREL.

Alameda County, Calif.

A plague-infected ground squirrel (*Citellus beechyni*) was reported found about 4 miles north of Altamont, Alameda County, Calif., May 16, 1919. Diagnosis, based upon animal inoculation and cultures, was made May 22, 1919. Intensive hunting operations are being carried on.

PNEUMONIA.

Cases Reported in Extra-Cantonment Zones, Week Ended May 31, 1919.

	Cases.		Cases.
Camp Gordon zone, Ga.....	1	Camp Pike zone, Ark.....	2
Picricacid plant zone, Ga.....	1	Wilmington sanitary district, N. C.....	1

City Reports for Week Ended May 17, 1919.

Place.	Lobar.		All forms.		Place.	Lobar.		All forms.	
	Cases.	Deaths.	Cases.	Deaths.		Cases.	Deaths.	Cases.	Deaths.
Adams, Mass.....	1	Lynn, Mass.....	4	1
Anniston, Ala.....	1	Manchester, N. H.....	1	1
Atchison, Kans.....	3	Medford, Mass.....	1	1
Baltimore, Md.....	14	7	Montclair, N. J.....	2
Baton Rouge, La.....	2	Mount Vernon, N. Y.....	1	3
Bellaire, Ohio.....	1	Newark, N. J.....	32	5
Belleville, N. J.....	1	New Bedford, Mass.....	1	1
Binghamton, N. Y.....	2	New Britain, Conn.....	1	1
Bloomfield, N. J.....	2	Newburgh, N. Y.....	1
Boston, Mass.....	23	12	Newburyport, Mass.....	1
Brunswick, Ga.....	3	Newport, Ky.....	1	1
Cambridge, Mass.....	5	1	New York, N. Y.....	1	98	90	171
Camden, N. J.....	2	North Tonawanda, N. Y.....	1	1
Charleston, W. Va.....	1	Oak Park, Ill.....	1
Chelsea, Mass.....	1	Ossining, N. Y.....	3	1
Chicago, Ill.....	183	40	Passadena, Calif.....	1
Cleveland, Ohio.....	12	17	Pateron, N. J.....	2
Dallas, Tex.....	1	Philadelphia, Pa.....	49
Dayton, Ohio.....	4	4	Pittsfield, Mass.....	1	1
Detroit, Mich.....	4	16	5	22	Reno, Nev.....	2	2
Duluth, Minn.....	2	7	6	Richmond, Va.....	1
Elizabeth, N. J.....	2	3	Rochester, N. Y.....	10
El Paso, Tex.....	2	Rome, N. Y.....	3
Fall River, Mass.....	1	1	Salem, Mass.....
Framingham, Mass.....	Sandusky, Ohio.....	4	2
Geneva, N. Y.....	11	11	San Francisco, Calif.....	9	6
Gloversville, N. Y.....	2	2	Saratoga Springs, N. Y.....	1
Grand Rapids, Mich.....	6	2	Sault Ste. Marie, Mich.....	2
Green Bay, Wis.....	1	1	Schenectady, N. Y.....	1
Haverhill, Mass.....	1	Somerville, Mass.....	5	1
Independence, Mo.....	2	1	South Bend, Ind.....	1	1
Kalamazoo, Mich.....	1	Southbridge, Mass.....	1	1
Kansas City, Mo.....	5	6	Springfield, Mass.....	4	4
Lackawanna, N. Y.....	4	1	Winston-Salem, N. C.....	1
Lawrence, Mass.....	1	Winthrop, Mass.....	1
Leominster, Mass.....	1	Worcester, Mass.....	2	4
Los Angeles, Calif.....	3	2					

POLIOMYELITIS (INFANTILE PARALYSIS).**California and Connecticut, April, 1919.**

During April, 1919, poliomyelitis was reported at San Francisco and at Yreka, Siskiyou County, Calif., one case each, and one case was reported at Middletown, Middlesex County, Conn.

City Reports for Week Ended May 17, 1919.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Chicago, Ill.	3	Milwaukee, Wis.	1	1
East Providence, R. I.	1	Mount Carmel, Pa.	1
Houston, Tex.	2	New Bedford, Mass.	1

RABIES IN ANIMALS.**City Reports for Week Ended May 17, 1919.**

During the week ended May 17, 1919, cases of rabies in animals were reported as follows: Akron, Ohio, 2; Colorado Springs, Colo., 1; Kansas City, Mo., 4; Savannah, Ga., 4.

ROCKY MOUNTAIN SPOTTED OR TICK FEVER.**California and Wyoming, April, 1919.**

During April, 1919, one case of Rocky Mountain spotted or tick fever was reported in Modoc County, Calif., and one case was reported in Fremont County, Wyo.

SCARLET FEVER.**Cases Reported in Extra-Cantonment Zones, Week Ended May 31, 1919.**

Cases.	Cases.
Camp Funston zone, Kans.	1
Camp Gordon zone, Ga.	3
Camp Pike zone, Ark.	1
Camp Polk zone, N. C.	1
Camp Travis zone, Tex.	1

See also Diphtheria, measles, scarlet fever, and tuberculosis, page 1288.

SMALLPOX.**Cases Reported in Extra-Cantonment Zones, Week Ended May 31, 1919.**

Cases.	Cases.
Cas and flame school zone, Ga. and Ala.	3
Camp Gordon zone, Ga.	34
Gulfport health district, Miss.	1
Camp Polk zone, N. C.	2
Portsmouth and Norfolk County health district, Va.	4
Camp Travis zone, Tex.	2

SMALLPOX—Continued.

California Report for April, 1919—Vaccination Histories.

Place.	New cases reported.	Deaths.	Vaccination history of cases.			
			Number vaccinated within 7 years preceding attack.	Number last vaccinated more than 7 years preceding attack.	Number never successfully vaccinated.	Vaccination history not obtained or uncertain.
California:						
Alameda County—						
Oakland.....	5				5	
Butte County—						
Chico.....	25			3	22	
Colusa County.....	1				1	
Colusa.....	3				3	
Contra Costa County—						
Concord.....	1				1	
Fresno County.....	3				3	
Clovis.....	1				1	
Humboldt County.....	2				2	
Eureka.....	1				1	
Ferndale.....	1				1	
Imperial County.....	2					2
El Centro.....	1					1
Kings County.....	1					1
Corcoran.....	1					1
Los Angeles County—						
Long Beach.....	18		1		17	
Los Angeles.....	8				8	
Pomona.....	2				2	
Sierra Madre.....	2				2	
Nevada County—						
Grass Valley.....	1				1	
Orange County.....	2				1	1
Riverside County—						
Riverside.....	1				1	
Sacramento County—						
Sacramento.....	3		1		1	1
San Bernardino County.....	3				3	
San Diego County.....	1				1	
San Francisco.....	18			1	17	
Santa Clara County—						
San Jose.....	3				3	
Santa Cruz County.....	4				4	
Sutter County.....	2					2
Tulare County.....	25				25	
Dinuba.....	8		1		7	
Tulare.....	1				1	
Yuba County—						
Marysville.....	12			1	11	
Total.....	162		3	5	145	9

State Reports for April, 1919.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Indiana:			Indiana—Continued.		
Allen County.....	24		Lawrence County.....	3	
Cass County.....	2		Madison County.....	84	
Clay County.....	10		Marion County.....	30	
Clinton County.....	1		Marshall County.....	10	
Davess County.....	2		Miami County.....	2	
Dearborn County.....	5		Morgan County.....	8	
Decatur County.....	5		Parke County.....	14	
Delaware County.....	50		Pike County.....	1	
Elkhart County.....	26		Ripley County.....	1	
Fayette County.....	5		Shelby County.....	10	
Floyd County.....	2		Starke County.....	1	
Franklin County.....	4		St. Joseph County.....	4	
Hamilton County.....	1		Tipton County.....	6	
Howard County.....	22		Union County.....	2	
Huntington County.....	48		Vanderburg County.....	1	
Jasper County.....	5		Vigo County.....	45	
Jay County.....	10		Wayne County.....	7	
Jennings County.....	6		Whitley County.....	4	
Kosciusko County.....	4				
Lake County.....	22		Total.....	490	
LaPorte County.....	3				

SMALLPOX—Continued.
State Reports for April, 1919—Continued.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Oregon:			Wyoming:		
Portland.....	129	Laramie County.....	7
Clackamas County.....	2	Campbell County.....	4
Columbia County.....	1	Sheridan County.....	2
Gilliam County.....	2	Goshen County.....	1
Hood River County.....	15	Weston County.....	38
Josephine County.....	8	Washakie County.....	3
Lane County.....	1	Albany County.....	3
Malheur County.....	6	Converse County.....	6
Morrow County.....	9	Platte County.....	1
Umatilla County.....	1	Hot Springs County.....	3
Union County.....	8	Fremont County.....	1
Washington County.....	2			
Total.....	184		Total.....	69	

City Reports for Week Ended May 17, 1919.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Aberdeen, S. Dak.....	3	Marinette, Wis.....	4
Adrian, Mich.....	3	Marshalltown, Iowa.....	8
Akron, Ohio.....	6	Memphis, Tenn.....	3
Atchison, Kans.....	3	Middletown, Ohio.....	1
Atlanta, Ga.....	24	Milwaukee, Wis.....	10
Austin, Tex.....	1	Minneapolis, Minn.....	16
Baltimore, Md.....	1	Mobile, Ala.....	7
Baton Rouge, La.....	1	Moline, Ill.....	3
Battle Creek, Mich.....	5	Muskogee, Okla.....	1
Bedford, Ind.....	5	Nashville, Tenn.....	3
Billings, Mont.....	1	New Orleans, La.....	4	1
Birmingham, Ala.....	3	Newport, Ky.....	1
Bloomington, Ind.....	1	Norfolk, Va.....	5
Boise, Idaho.....	2	Oakland, Calif.....	1
Boston, Mass.....	1	Ogden, Utah.....	5
Cambridge, Mass.....	1	Omaha, Nebr.....	26
Carbondale, Pa.....	1	Oshkosh, Wis.....	15
Cedar Rapids, Iowa.....	13	Parsons, Kans.....	2
Chanute, Kans.....	1	Pekin, Ill.....	8
Charleston, S. C.....	1	Pittsburgh, Pa.....	1
Charleston, W. Va.....	1	Pocatello, Idaho.....	3
Cheyenne, Wyo.....	1	Portland, Oreg.....	15
Chicago, Ill.....	2	Portsmouth, Ohio.....	1
Cincinnati, Ohio.....	1	Providence, R. I.....	1
Cleveland, Ohio.....	10	Pueblo, Colo.....	2
Council Bluffs, Iowa.....	2	Racine, Wis.....	4
Dallas, Tex.....	10	Roanoke, Va.....	5
Danville, Ill.....	2	Rockford, Ill.....	1
Davenport, Iowa.....	7	Rock Island, Ill.....	15
Denver, Colo.....	8	Saginaw, Mich.....	1
Des Moines, Iowa.....	2	St. Cloud, Minn.....	1
Detroit, Mich.....	12	St. Joseph, Mo.....	13
Duluth, Minn.....	6	St. Louis, Mo.....	2
Durham, N. C.....	4	St. Paul, Minn.....	8
East St. Louis, Ill.....	1	Salt Lake City, Utah.....	6
Everett, Wash.....	5	Savannah, Ga.....	1
Flint, Mich.....	1	Seattle, Wash.....	14
Fort Wayne, Ind.....	2	Sioux City, Iowa.....	4
Fort Worth, Tex.....	2	Sioux Falls, S. Dak.....	1
Galesburg, Ill.....	6	South Bend, Ind.....	3
Hammond, Ind.....	1	Spartanburg, S. C.....	2
Hoquiam, Wash.....	1	Spokane, Wash.....	3
Houston, Tex.....	1	Springfield, Ill.....	1
Independence, Mo.....	1	Springfield, Ohio.....	1
Indianapolis, Ind.....	2	Steubenville, Ohio.....	1
Kalamazoo, Mich.....	5	Stillwater, Minn.....	2
Kansas City, Kans.....	1	Superior, Wis.....	1
Kansas City, Mo.....	7	Tacoma, Wash.....	3
Kokomo, Ind.....	9	Toledo, Ohio.....	18
La Crosse, Wis.....	1	Tuscaloosa, Ala.....	1
Lincoln, Nebr.....	15	Walla Walla, Wash.....	2
Logansport, Ind.....	6	Washington, D. C.....	7
Long Beach, Calif.....	4	Wichita, Kans.....	7
Los Angeles, Calif.....	2	Winston-Salem, N. C.....	16
Louisville, Ky.....	2	Yakima, Wash.....	3
Lynchburg, Va.....	1	Youngstown, Ohio.....	12
Madison, Wis.....	1	Zanesville, Ohio.....	1
Mankato, Minn.....	2			

SYPHILIS.

Cases Reported in Extra-Cantonment Zones, Week Ended May 31, 1919.

	Cases.		Cases.
Fayetteville sanitary district, N. C.....	3	Camp Pike zone, Ark.....	3
Gas and flame school zone, Ga. and Ala.....	2	Camp Polk zone, N. C.....	1
Camp Gordon zone, Ga.....	10	Camp Sherman zone, Ohio.....	3
Camp Lee zone, Va.....	6	Camp Upton zone, N. Y.....	1
Picric acid plant zone, Ga.....	1	Wilmington sanitary district, N. C.....	1

TETANUS.

City Reports for Week Ended May 17, 1919.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Birmingham, Ala.....	1	1	New York, N. Y.....	1
Cincinnati, Ohio.....	1	Philadelphia, Pa.....	1
Duluth, Minn.....	1	St. Louis, Mo.....	1	1
Lexington, Ky.....	1	Topeka, Kans.....	1	1
Lockport, N. Y.....	1	1			

TUBERCULOSIS.

Cases Reported in Extra-Cantonment Zones, Week Ended May 31, 1919.

	Cases.		Cases.
Camp Funston zone, Kans.....	1	Camp Pike zone, Ark.....	4
Gas and flame school zone, Ga. and Ala.....	3	Camp Polk zone, N. C.....	2
Camp Gordon zone, Ga.....	2	Camp Upton zone, N. Y.....	1
Gulfport health district, Miss.....	1	Wilmington sanitary district, N. C.....	3
Camp Lee zone, Va.....	1		

See also Diphtheria, measles, scarlet fever, and tuberculosis, page 1288.

TYPHOID FEVER.

Cases Reported in Extra-Cantonment Zones, Week Ended May 31, 1919.

	Cases.		Cases.
Fayetteville sanitary district, N. C.....	1	Portsmouth and Norfolk County health district, Va.....	1
Gas and flame school zone, Ga. and Ala.....	1	Camp Travis zone, Tex.....	1
Camp Gordon zone, Ga.....	1	Wilmington sanitary district, N. C.....	1
Camp A. A. Humphreys zone, Va.....	3		
Camp Polk zone, N. C.....	2		

State Reports for April, 1919.

Place.	New cases reported.	Place.	New cases reported.
California:		California—Continued.	
Alameda County.....	1	Orange County.....	1
Berkeley.....	1	Orange.....	2
Oakland.....	4	Sacramento County.....	1
Contra Costa County.....	1	Sacramento.....	1
Richmond.....	1	San Bernardino County—	
Fresno County.....	2	San Bernardino.....	1
Humboldt County—		San Francisco.....	12
Eureka.....	1	San Joaquin County.....	2
Imperial County—		Stockton.....	3
El Centro.....	7	San Mateo County—	
Kern County.....	1	South San Francisco.....	1
Los Angeles County—		Sierra County.....	1
Covina.....	1	Tulare County.....	1
Los Angeles.....	7	Ventura County—	
Monterey County—		Santa Paula.....	3
Monterey.....	1	Total.....	57

TYPHOID FEVER—Continued.**State Reports for April, 1919—Continued.**

Place.	New cases reported.	Place.	New cases reported.
Connecticut:		Indiana—Continued.	
Fairfield County—		Decatur County.....	3
Bethel.....	1	Elkhart County.....	1
Bridgeport.....	2	Gibson County.....	2
Shelton.....	1	Jefferson County.....	4
Stamford.....	3	Lake County.....	29
Hartford County—		LaPorte County.....	1
Hartford.....	1	Lawrence County.....	1
Manchester.....	2	Martin County.....	1
Southington.....	1	Putnam County.....	1
West Hartford.....	1	Rush County.....	1
New Haven County—		Total.....	53
Meriden.....	2		
New Haven.....	2	Oregon:	
New London County—		Baker County.....	1
Groton.....	1	Lane County.....	1
Preston.....	2	Total.....	2
Total.....	19		
Indiana:		Wyoming:	
Clark County.....	7	Sheridan County.....	1
Davless County.....	2		

City Reports for Week Ended May 17, 1919.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Anniston, Ala.....	1		Los Angeles, Calif.....	6	
Arlington, Mass.....	1		Louisville, Ky.....	1	
Atlanta, Ga.....	3		Lowell, Mass.....	1	
Baltimore, Md.....	3	2	Lynn, Mass.....	1	
Baton Rouge, La.....	1		Martinsburg, W. Va.....	1	
Birmingham, Ala.....		1	Memphis, Tenn.....	3	4
Boston, Mass.....	3		New Orleans, La.....	4	
Bridgeport, Conn.....	1		Newton, Mass.....	1	
Brunswick, Ga.....	1	1	New York, N. Y.....	10	4
Butler, Pa.....	1		Norristown, Pa.....	1	
Centralia, Ill.....	1		Norwalk, Conn.....	1	
Chicago, Ill.....	3		Oil City, Pa.....	1	
Cincinnati, Ohio.....	1		Philadelphia, Pa.....	9	3
Coffeyville, Kans.....	1		Pueblo, Colo.....	1	
Columbus, Ohio.....	3		Reading, Pa.....	1	
Covington, Ky.....	1	1	Richmond, Va.....	3	
Dayton, Ohio.....	1		Saginaw, Mich.....	1	
Duluth, Minn.....	3		St. Louis, Mo.....	1	
East Chicago, Ind.....		2	Salem, Oreg.....	2	
El Paso, Tex.....	1		Savannah, Ga.....	7	
Fall River, Mass.....	1		Seattle, Wash.....	1	
Farrell, Pa.....	1		Troy, N. Y.....	1	1
Flint, Mich.....	2		Tuscaloosa, Ala.....	1	
Fort Worth, Tex.....	2		Washington, D. C.....	1	
Hammond, Ind.....		2	Waterbury, Conn.....	1	
Harrisburg, Pa.....	1		Wilkinsburg, Pa.....	1	
Homestead, Pa.....	4		Wilmington, N. C.....		2
Houston, Tex.....		1	Worcester, Mass.....	1	
Knoxville, Tenn.....	1		Youngstown, Ohio.....		1
Lawrence, Kans.....	1		Zanesville, Ohio.....		1

TYPHUS FEVER.**New York, N. Y., Week Ended May 17, 1919.**

During the week ended May 17, 1919, one death from typhus fever was reported in New York, N. Y.

DIPHThERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS.

State Reports for April, 1919.

State.	Cases reported.			State.	Cases reported.		
	Diph-theria.	Meas-les.	Scarlet fever.		Diph-theria.	Meas-les.	Scarlet fever.
California.....	244	99	236	Oregon.....	13	35	75
Connecticut.....	171	939	234	Wyoming.....	8	53	41
Indiana.....		782	404				

City Reports for Week Ended May 17, 1919.

City.	Popula- tion as of July 1, 1917 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Aberdeen, S. Dak.....	15,926				1		1			
Adams, Mass.....	14,406	6								1
Adrian, Mich.....	11,570	2								
Akron, Ohio.....	93,604	38	3		39		7		1	
Alamodea, Calif.....	28,433	5			7		1			
Allentown, Pa.....	65,109		1		87		4		6	
Alton, Ill.....	23,783	5					1			2
Altoona, Pa.....	59,712		7		1		2			
Anderson, Ind.....	24,230	6								
Ann Arbor, Mich.....	15,041	17	2				2		2	1
Anniston, Ala.....	14,326								1	
Ansonia, Conn.....	16,954	2			1					
Appleton, Wis.....	18,005	5					1			
Arlington, Mass.....	13,073	4					1			
Asbury Park, N. J.....	14,629	3	1		2		2			
Ashtabula, Ohio.....	22,008	5							1	
Atchison, Kans.....	16,785						4			
Atlanta, Ga.....	193,144	47	2		11		3		2	5
Atlantic City, N. J.....	59,515	12			5		1		5	2
Attleboro, Mass.....	19,776	5								
Austin, Tex.....	35,612	10	1							
Bakersfield, Calif.....	17,543	4							2	1
Baltimore, Md.....	594,637	177	27	3	20		158		41	19
Barre, Vt.....	12,401	5								1
Baton Rouge, La.....	17,544		2		10					
Battle Creek, Mich.....	30,159		4		4		2			
Bayonne, N. J.....	72,204		11		4				4	
Beatrice, Nebr.....	10,437	3	1				2			
Beaumont, Tex.....	28,851	12								3
Bedford, Ind.....	10,613	1			1				1	1
Bellaire, Ohio.....	14,575	5			2				2	
Belleville, N. J.....	12,797						2			
Beloit, Wis.....	18,547	3			7		3			
Benton Harbor, Mich.....	11,099	3			9				1	
Berkeley, Calif.....	60,427	9	1		1					
Berlin, N. H.....	13,892	10								
Beverly, Mass.....	22,128	5							1	
Biddeford, Me.....	17,760	11								1
Billings, Mont.....	13,123						2			
Binghamton, N. Y.....	54,864	15			5		1			2
Birmingham, Ala.....	189,716	60			3	1	3		7	5
Bloomfield, N. J.....	19,013	2	1	1			2		1	1
Bloomington, Ill.....	27,462	3	1						1	3
Boise, Idaho.....	35,951	5			1		2			
Boston, Mass.....	767,813	202	31	2	18		47	1	57	34
Braddock, Pa.....	22,060	2								
Bradford, Pa.....	14,544		2		4					
Brazil, Ind.....	10,472	2			4					1
Bridgeport, Conn.....	124,724	26	3		5		1		7	3
Bristol, Conn.....	16,318	5			7		1		3	
Brockton, Mass.....	69,152	12	1		1		2		3	2
Brookline, Mass.....	33,526	10	1		8		3		3	1
Brunswick, Ga.....	10,984	5							2	1
Buffalo, N. Y.....	475,781	151	46	3	75	3	19		57	14
Burlington, Iowa.....	25,144	7	2	1						
Burlington, Vt.....	21,802	4			5		3			1
Butler, Pa.....	28,677		1		5					

¹ Population Apr. 15, 1910.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS— Continued.

City Reports for Week Ended May 17, 1919—Continued.

City.	Popula- tion as of July 1, 1917 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Butte, Mont.	44,067	2	2
Cadillac, Mich.	10,158	2	1
Cairo, Ill.	15,996	5	1	1
Cambridge, Mass.	114,293	30	4	14	4	3	7
Camden, N. J.	108,117	1	1	4	2
Canton, Ill.	12,674	4	2
Canton, Ohio.	62,666	8	4	2	1
Carbondale, Pa.	19,697	1
Carlisle, Pa.	10,796	1	19
Cedar Rapids, Iowa.	38,083	1	2
Champaign, Ill.	15,062	5
Chanute, Kans.	12,968	4
Charleston, S. C.	61,041	30
Charleston, W. Va.	31,060	5	1	5	4	2	1
Charlotte, N. C.	40,769	16	5	4	2	1
Chelsea, Mass.	48,406	8	1	1	2	1
Chester, Pa.	41,867	1	4
Cheyenne, Wyo.	11,320	6
Chicago, Ill.	2,547,201	662	112	12	1,091	10	53	1	379	81
Chicopee, Mass.	29,960	7	6
Chillicothe, Ohio.	15,625	5	4
Cincinnati, Ohio.	414,248	102	6	1	41	40	1	17	14
Cleveland, Ohio.	692,269	22	2	68	7	37	16
Clinton, Mass.	18,075	2	1
Coatesville, Pa.	14,996	3
Coffeyville, Kans.	18,831	2
Cohoes, N. Y.	25,292	3	1
Colorado Springs, Colo.	38,965	12	2	2	8
Columbia, S. C.	35,165	1
Columbus, Ohio.	220,135	65	8	1	7	3	6	7
Concord, N. H.	22,858	9	1	1	2	2
Council Bluffs, Iowa.	31,838	10	2	1	5
Covington, Ky.	59,623	18	1	1	1	3
Cranston, R. I.	26,773	2	1
Cumberland, Md.	26,686	5	2	7	3
Dallas, Tex.	129,738	26	1	1	3
Danbury, Conn.	22,931	9	1	2	6
Danville, Ill.	32,969	25
Danville, Va.	20,133	2
Davenport, Iowa.	49,618	3	1
Dayton, Ohio.	128,939	27	2	2	3
Dedham, Mass.	10,618	1	1
Denver, Colo.	268,499	52	7	33	14	10
Des Moines, Iowa.	104,052	2	1	7
Detroit, Mich.	619,648	182	47	2	64	1	52	3	72	22
Dover, N. H.	13,276	7	2	1
Du Bois, Pa.	14,994	1	3
Dubuque, Iowa.	40,096	2	2	1
Duluth, Minn.	97,077	40	9	63	5	4	3
Durham, N. C.	26,160	5	2	3
East Chicago, Ind.	30,286	6
East Cleveland, Ohio.	13,864	1	1
Easthampton, Mass.	10,656	2
Easton, Pa.	30,854	2	3	1
East Orange, N. J.	43,761	5	6	1	2	2
East Providence, R. I.	18,485	1
East St. Louis, Ill.	77,312	1	1	1
Elgin, Ill.	28,562	5	1	1	3
Elizabeth, N. J.	88,830	1	1	14	6	4
Elmira, N. Y.	38,272	3
El Paso, Tex.	69,149	42	1	3
Englewood, N. J.	12,603	2	2	3	1
Eureka, Calif.	15,142	5
Evanson, Ill.	29,304	5	92
Evansville, Ind.	76,981	19	1	2	1
Everett, Mass.	40,160	9	1	4	2	1
Everett, Wash.	37,206	1	1
Fairmount, W. Va.	16,111	9
Fall River, Mass.	129,828	32	2	79	5	3	6	1
Fargo, N. Dak.	17,872	7	33	2
Farrell, Pa.	10,190	1
Findlay, Ohio.	14,868	2	21	1

1 Population Apr. 15, 1910.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS— Continued.

City Reports for Week Ended May 17, 1919—Continued.

City.	Popula- tion as of July 1, 1917 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Flint, Mich.	57,386	10	6		2		5			
Pond du Lac, Wis.	21,486	4					4			
Port Scott, Kans.	10,564	3								
Fort Wayne, Ind.	78,014	17	2		5		1		1	1
Fort Worth, Tex.	108,597	21	1		5			1	3	3
Fostoria, Ohio	10,959	6								
Frammingham, Mass.	14,149	4					1			
Frederick, Md.	11,225	5			9		2		1	
Fremont, Nebr.	10,080	4								
Fremont, Ohio	11,034	1	1		3					
Fresno, Calif.	86,914	8	1							
Galesburg, Ill.	24,629	5			5		1			
Galveston, Tex.	42,650	11	1							
Geneva, N. Y.	13,915	4								
Grand Forks, N. Dak.	16,842	4					1			
Grand Rapids, Mich.	132,861	45	4		11		5		4	2
Great Falls, Mont.	13,948	4	1				4			
Greely, Colo.	11,942	1								
Green Bay, Wis.	30,017	12					1			
Greenfield, Mass.	12,251	1	1		1					
Greensboro, N. C.	20,171	5				1				
Greensburg, Pa.	15,881		1		13		2			
Greenville, S. C.	18,574				1					
Hackensack, N. J.	17,412	5			1				1	
Hammond, Ind.	27,016	14			3					
Harrisburg, Pa.	73,276		2		302		17			
Harrison, N. J.	17,345		1							
Hartford, Conn.	112,851	45	8	2	12		2		3	5
Haverhill, Mass.	49,180	22	5				4		2	2
Hazleton, Pa.	28,981				1		2			
Hibbing, Minn.	17,550								1	
Highland Park, Mich.	33,859	6	14		5		5			
Hoboken, N. J.	78,324	18	5	1	7				6	1
Holland, Mich.	12,459	4		1						
Homestead, Pa.	23,071		1				2			
Houston, Tex.	116,878	45							1	1
Hudson, N. Y.	12,898	1								
Independence, Mo.	11,964	7								
Indianapolis, Ind.	283,622	60	13	1	54		10		25	5
Iowa City, Iowa	11,626						3			
Ironton, Ohio	14,079	4							1	1
Ironwood, Mich.	15,095	5								
Ithaca, N. Y.	16,017	5					6		1	1
Jamestown, N. Y.	37,431	17	2	1	3		4	1		1
Janesville, Wis.	14,411	2								
Jersey City, N. J.	312,557		26		9		9		10	
Johnstown, N. Y.	10,678	6							1	1
Johnstown, Pa.	70,473		2		2		2			
Kalamazoo, Mich.	50,408	15			20		4			1
Kansas City, Kans.	102,096		1		4		1		2	
Kansas City, Mo.	305,816	89	2		25	1	5		1	9
Kearny, N. J.	24,325	4	2		5		7		3	
Keene, N. H.	10,725		1							
Kenosha, Wis.	32,833	8	1	1	34		4		1	1
Knoxville, Tenn.	59,112		1		4		1			
Kokomo, Ind.	21,929	5					4			
Lackawanna, N. Y.	16,219	4	2		3				3	
La Crosse, Wis.	31,833	10	2	1						
La Fayette, Ind.	21,481	4					1	1		
Lancaster, Ohio	16,086	4			4				3	
Lancaster, Pa.	51,437				3		1		1	
Lawrence, Kans.	13,477	3								
Lawrence, Mass.	102,923	22	2				8		4	3
Leavenworth, Kans.	19,363		2						1	
Leominster, Mass.	21,365	5			7		1		1	1
Lexington, Ky.	41,997	22			5	1				6
Lincoln, Nebr.	46,957	12			1					1
Little Rock, Ark.	38,716	11					3		1	4
Lockport, N. Y.	20,028	7			47					
Logansport, Ind.	21,338	3					2			1
Long Beach, Calif.	29,163	11							1	
Long Branch, N. J.	15,733	4					4			

Population Apr. 15, 1910.

DIPHThERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS— Continued.

City Reports for Week Ended May 17, 1919—Continued.

City.	Popula- tion as of July 1, 1917 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Lorain, Ohio.....	38,266	20			3	1	1		1	
Los Angeles, Calif.....	535,485	108	7		4		3		50	21
Louisville, Ky.....	240,808	59	2		4		9		4	8
Lowell, Mass.....	114,366	47	10	2	5	1	4		3	6
Ludington, Mich.....	10,566	5			2					
Lynchburg, Va.....	33,497	11	1		1		1			1
Lynn, Mass.....	104,534	18	1	1	31	1	11		2	1
McKeesport, Pa.....	48,299		1		1				5	
Macon, Ga.....	46,099	21			1					
Madison, Wis.....	31,315	10	1		15		1			
Malden, Mass.....	52,243	7			3		3		6	
Manchester, Conn.....	15,850						1		1	
Manchester, N. H.....	79,607	21	2				2		6	3
Manitowoc, Wis.....	13,931				15					
Mankato, Minn.....	10,365	5	3				1		1	
Marinette, Wis.....	14,610	3			6		1			
Marion, Ind.....	19,923	9					1			1
Marion, Ohio.....	24,129						1			
Marlboro, Mass.....	15,285	3							2	
Marshalltown, Iowa.....	14,519				1					
Martinsburg, W. Va.....	12,984				6		9			
Mason City, Iowa.....	14,938	11								
Meadville, Pa.....	13,968						1			
Medford, Mass.....	26,681	10	1				1		2	1
Melrose, Mass.....	17,724	4	1				3			
Memphis, Tenn.....	151,877		47		37	3	8		9	5
Meriden, Conn.....	29,431		2				1		1	
Methuen, Mass.....	14,320	6	1				1			
Middletown, N. Y.....	15,890		1				1		1	
Middletown, Ohio.....	16,384	5								2
Millford, Mass.....	14,280	6								1
Milwaukee, Wis.....	445,008	101	12	3	6		24	1	16	9
Minneapolis, Minn.....	373,448	80	19	1	36		21		13	11
Missoula, Mont.....	19,075	5					1			
Mobile, Ala.....	59,201	19			2		1			4
Moline, Ill.....	27,976	1	3							1
Monessen, Pa.....	23,070						2			
Montclair, N. J.....	27,087	1	3				2			1
Montgomery, Ala.....	44,039	15			1					
Morgantown, W. Va.....	14,444	2					1			
Morristown, N. J.....	13,410	2					1			
Moundsville, W. Va.....	11,513	2								
Mount Carmel, Pa.....	20,709				7					
Mount Vernon, N. Y.....	37,991	9							2	
Muscatine, Iowa.....	17,713	1								
Muskogee, Okla.....	47,173						1			
Nanticoke, Pa.....	23,811				2					
Nashua, N. H.....	27,541	13	1				2			
Nashville, Tenn.....	118,136	45			11		7		5	6
Newark, N. J.....	418,789	98	32		7		32		23	13
New Bedford, Mass.....	121,622	27	1	1	10		6		7	2
New Britain, Conn.....	55,385	11			5	1	2			2
New Brunswick, N. J.....	25,855		3		1		2		1	
Newburgh, N. Y.....	29,893	10					2		3	4
Newburyport, Mass.....	15,291	4	1							
New Castle, Pa.....	41,015						4			
New Haven, Conn.....	152,275	42	6		2		6		6	4
New London, Conn.....	21,199	10	1		1					1
New Orleans, La.....	377,010	119	5		7		4		17	6
Newport, Ky.....	32,133	6					2			
Newport, R. I.....	33,585	2					2			
Newton, Mass.....	41,345	3	1		1				2	
New York, N. Y.....	5,737,492	1,354	378	32	257	7	115	4	215	144
Niagara Falls, N. Y.....	38,466	10			3		5			
Norfolk, Va.....	91,148		2		4		1			
Norristown, Pa.....	31,960				18		1			
North Adams, Mass.....	22,019	9								
Northampton, Mass.....	20,006	8					1			
North Tonawanda, N. Y.....	14,060	3				4				
Norwalk, Conn.....	27,332	2	1						1	
Norwich, Conn.....	21,923	1							1	1

¹ Population Apr. 15, 1910.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS— Continued.

City Reports for Week Ended May 17, 1919—Continued.

City.	Popula- tion as of July 1, 1917 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Norwood, Ohio.	23,269	3			10					
Oakland, Calif.	206,405	47	5	1			9		10	1
Oak Park, Ill.	27,816	3			76		1			
Ogden, Utah.	32,343	5	5						1	1
Oil City, Pa.	20,162				68					
Okahoma City, Okla.	97,588	12								
Olean, N. Y.	16,927	10								1
Omaha, Nebr.	177,777	22	2		32		9			2
Orange, Conn.	14,393	8	1				3		4	1
Oshkosh, Wis.	36,549									2
Ossining, N. Y.	14,064	8			12					
Parkarsburg, W. Va.	21,659	3			2		1		1	
Pasadena, Calif.	49,620	6	1				1			
Passaic, N. J.	74,478	14	6		1		3		3	
Patersburg, N. J.	140,512		3				3		8	
Peekskill, N. Y.	19,034	2								
Pekin, Ill.	10,973		1		1					
Perth Amboy, N. J.	42,646	8					4		2	
Philadelphia, Pa.	1,735,514	442	70	6	119	4	83	1	102	62
Phillipsburg, N. J.	15,879	4							1	
Phoenixville, Pa.	11,871		1		5					
Piqua, Ohio.	14,275	5								
Pittsburgh, Pa.	586,196		14		34		9		28	
Pittsburg, Kans.	18,340	5								
Pittsfield, Mass.	39,678	12	1				1		2	2
Plainfield, N. J.	24,330	5	2				2		1	1
Plattsburg, N. Y.	13,111	4			1				1	1
Plymouth, Mass.	14,001	2								1
Plymouth, Pa.	19,439				3					
Pocatello, Idaho.	12,806						1			
Pomona, Calif.	13,624	5								
Pontiac, Mich.	18,006	10	7	1					1	2
Port Chester, N. Y.	16,727	5								
Portland, Me.	64,720	26	1				5			
Portland, Oreg.	308,399	52	3				24		9	2
Portsmouth, N. H.	11,730				1		1		1	
Portsmouth, Ohio.	29,356		1						2	
Portsmouth, Va.	40,693	16			2		1			1
Pottsville, Pa.	22,717				4		1			
Poughkeepsie, N. Y.	30,786	10	3				2		2	
Providence, R. I.	259,895	59	8		2		5	1		7
Pueblo, Colo.	56,084						1			
Quincy, Ill.	36,832	8								
Quincy, Mass.	39,022	5	1						4	2
Racine, Wis.	47,465	15								
Rahway, N. J.	10,361	1								
Raleigh, N. C.	20,274	8			1		1		3	
Reading, Pa.	111,607		11		13		1			
Redlands, Calif.	14,573	4			1					
Reno, Nev.	15,514	5								
Richmond, Va.	158,702	36	2		6		1		9	6
Riverside, Calif.	20,496	10								2
Roanoke, Va.	46,282	7	1		15	1	1	1	1	1
Rochester, N. Y.	264,714	64	11		5		12		6	7
Rockford, Ill.	56,739	13	2		14		4			1
Rock Island, Ill.	29,452						2			
Rocky Mount, N. C.	19,673	4							2	2
Rome, N. Y.	24,259				2		2		1	
Rutland, Vt.	15,038	3								
Sacramento, Calif.	68,884	17							6	3
Saginaw, Mich.	56,469	10					2	1	2	1
Saint Cloud, Minn.	12,013		1		6					
Saint Joseph, Mo.	88,498	28					1			
Saint Louis, Mo.	768,630	150	42	1	110	2	21	1	35	13
Saint Paul, Minn.	252,465	65	54	4	88		6	1	12	6
Salem, Mass.	49,346						3			
Salem, Oreg.	21,274	14							1	4
Salt Lake City, Utah.	121,623	21	1				3			1
San Angelo, Tex.	10,321	4								1
San Bernardino, Calif.	17,616	6								1
San Diego, Calif.	56,412		1	1			2			3
Sandusky, Ohio.	20,228	6							1	1

1 Population Apr. 15, 1910.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS— Continued.

City Reports for Week Ended May 17, 1919—Continued.

City.	Popula- tion as of July 1, 1917 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Sanford, Me.	11,217	2				1				
San Jose, Calif.	39,810		1				1			
Santa Barbara, Calif.	15,360	1								
Saratoga Springs, N. Y.	13,839	1			1				3	
Saugus, Mass.	10,210	2			1		4			1
Savannah, Ga.	69,250	28				1			5	2
Schenectady, N. Y.	103,774	18	1		1		3		4	2
Seattle, Wash.	366,445		7		23		11			
Shamokin, Pa.	21,274		2		7					
Sharon, Pa.	19,156				3					
Sioux City, Iowa.	58,568						4			
Sioux Falls, S. Dak.	16,887	3			3					
Somerville, Mass.	88,618	25	2				6		7	1
South Bend, Ind.	70,967	14	1		8		2			
Southbridge, Mass.	14,465	3	1						1	
Spartanburg, S. C.	21,985	5								1
Spokane, Wash.	157,656				1		5			
Springfield, Ill.	62,623	19	1		1		1			
Springfield, Mass.	108,668	37	2		1		1		6	3
Springfield, Mo.	41,169	14								2
Springfield, Ohio.	52,296	12	1		18					2
Steeltown, Pa.	15,759				6				1	
Steubenville, Ohio.	28,259	8	1							
Stillwater, Minn.	10,198		1							
Stockton, Calif.	36,209	6	2							
Streator, Ill.	14,313	9								
Sunbury, Pa.	16,661						1			
Superior, Wis.	47,167	5	1		1		2			2
Syracuse, N. Y.	158,559	42	6	2			6	1	5	2
Tacoma, Wash.	117,446				10		5			
Taunton, Mass.	36,610	8			15		4			1
Toledo, Ohio.	202,010		2		107		6		3	10
Topeka, Kans.	49,538	7	1		1					
Trenton, N. J.	113,974	35			32				7	4
Troy, N. Y.	78,094	21	2						5	3
Tuscaloosa, Ala.	10,824	1	1						2	
Uniontown, Pa.	21,600						1			
Virginia, Minn.	15,954		1							
Wakefield, Mass.	12,947	7							1	1
Walla Walla, Wash.	28,067						6			
Waltham, Mass.	31,011	6	1				1		1	1
Warren, Pa.	15,083				1					
Washington, D. C.	366,282	102	23	3	7		22	1	13	9
Washington, Pa.	22,076				1					
Waterbury, Conn.	89,201		3	1	20		7		2	
Watertown, Mass.	15,188	1								
Wausau, Wis.	19,666	7			1		3			1
West Chester, Pa.	13,403						4			
Westfield, Mass.	18,760	2					3			
West Hoboken, N. J.	44,386		3		1				1	
West New York, N. J.	19,613	5	2	1					1	1
West Orange, N. J.	13,964	5	3		1		2		1	
Wheeling, W. Va.	43,687								1	2
White Plains, N. Y.	23,331	8								
Wichita, Kans.	73,597	20	2						2	1
Wilkes-Barre, Pa.	78,334		1		10					
Wilkesburg, Pa.	23,899		3						2	
Williamsport, Pa.	34,123		3		1					
Wilmington, Del.	95,369	29	1	1	1		1			
Wilmington, N. C.	30,400	13			2					3
Winchester, Mass.	10,812	1								
Winona, Minn.	18,583	7			5					
Winston-Salem, N. C.	33,136	9			24		1		1	1
Winthrop, Mass.	13,105						1		1	
Woburn, Mass.	16,076	2							4	5
Worcester, Mass.	166,106	48			60	2	2		1	
Yakima, Wash.	22,058						2			
Yonkers, N. Y.	103,066	18			6		3			4
York, Pa.	52,770				2		4			
Youngstown, Ohio.	112,282	26	3	1	46				3	
Zanesville, Ohio.	31,320	6								2

FOREIGN.

CHINA.

Plague—Hongkong.

During the week ended May 24, 1919, 41 cases of plague were notified at Hongkong, China.

FINLAND.

Smallpox—Typhus Fever—March, 1919.¹

During the month of March, 1919, 265 cases of smallpox and 17 cases of typhus fever were notified in Finland. The smallpox cases were distributed by Provinces as follows: Abo Och Björneborg, 10 cases; Kuopio, 68; Nyland, 4; St. Michael, 49; Tavastehus, 1 case; Vasa, 5 cases; Viborg, 128 cases. Of the typhus fever cases, 10 occurred in the Province of Abo Och Björneborg, 6 in the Province of Nyland, and 1 in the Province of Uleaborg.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER.

Reports Received During Week Ended June 6, 1919.²

CHOLERA.

Place.	Date.	Cases.	Deaths.	Remarks.
China:				
Swatow.....	June 5.....			Present.
India:				
Madras.....	Apr. 13-19.....		1	
Indo-China:				
Cochin-China—				
Saigon.....	Mar. 24-Apr. 6.....	107	81	City and vicinity.
Philippine Islands:				
Manila.....	Mar. 30-Apr. 5.....	9	4	
Provinces.....				Mar. 30-Apr. 5, 1919: Cases, 41; deaths, 28.
Batangas.....	Mar. 30-Apr. 5.....	4	3	
Iloilo.....	do.....	6	6	
Laguna.....	do.....	11	9	
Pampanga.....	do.....	20	10	
Manila.....	Apr. 13-19.....	3	2	
Provinces.....				Apr. 13-19, 1919: Cases, 59; deaths, 40.
Batangas.....	Apr. 13-19.....	10	6	
Cavite.....	do.....	1	1	
Cebu.....	do.....	7	3	
Laguna.....	do.....	20	15	
Pampanga.....	do.....	20	14	
Pangasinan.....	do.....	1	1	

¹ Public Health Reports, May 16, 1919, p. 1103.

² From medical officers of the Public Health Service, American consuls, and other sources.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.

Reports Received During Week Ended June 6, 1919—Continued.

PLAGUE.

Place.	Date.	Cases.	Deaths.	Remarks.
China:				
Hongkong.....	Mar. 29-Apr. 5.....	26	24	May 18-24, 1919: Cases, 41.
India:				
Madras Presidency.....	Apr. 13-19.....	21	17	
Indo-China:				
Cochin-China— Saigon.....	Mar. 29-Apr. 6.....	9	3	

SMALLPOX.

Canada:				
Nova Scotia— Halifax.....	May 11-17.....	44	
Quebec.....	May 11-17.....	2	
China:				Present.
Canton.....	Apr. 6-12.....	
Changsha.....	Apr. 6-12.....	2	Do.
Chungking.....	Mar. 29-Apr. 5.....	Do.
Foochow.....	Mar. 23-Apr. 5.....	
Hongkong.....	Mar. 29-Apr. 12.....	2	1	
Nanking.....	Apr. 13-19.....	Do.
Denmark:				
Copenhagen.....	Mar. 17-Apr. 5.....	32	
Finland:				Mar. 1-31, 1919: Cases, 265.
Provinces—				
Abo Och Björneborg.....	Mar. 1-31.....	10	
Kupio.....	do.....	68	
Nyland.....	do.....	4	
St. Michael.....	do.....	49	
Tavastehus.....	do.....	1	
Vasa.....	do.....	5	
Viborg.....	do.....	128	
France:				
Paris.....	Apr. 13-19.....	1	
Greece:				
Saloniki.....	Feb. 16-Apr. 5.....	39	
India:				
Madras.....	Apr. 13-19.....	46	17	
Indo-China:				
Cochin-China— Saigon.....	Mar. 30-Apr. 6.....	23	6	
Japan:				
Kobe.....	Apr. 6-19.....	57	30	
Newfoundland:				
St. Johns.....	May 10-16.....	5	Outports, 6 cases.
Philippine Islands:				
Manila.....	Mar. 29-Apr. 5.....	1	
Spain:				
Cadiz.....	Mar. 1-31.....	9	
Madrid.....	do.....	7	
Seville.....	do.....	1	
Valencia.....	Mar. 29-Apr. 26.....	226	16	

TYPHUS FEVER.

Finland:				Mar. 1-31, 1919: Cases, 17.
Provinces—				
Abo Och Björneborg.....	Mar. 1-31.....	10	
Nyland.....	do.....	6	
Uleaborg.....	do.....	1	
Greece:				
Saloniki.....	Feb. 16-Apr. 5.....	29	
Mesopotamia:				
Bagdad.....	Mar. 14-21.....	5	

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.

Reports Received from Dec. 28, 1918, to May 30, 1919.

CHOLERA.

Place.	Date.	Cases.	Deaths.	Remarks.
Ceylon:				
Colombia.....	Nov. 17-30.....	4	5	
Germany:				
Berlin.....	To Oct. 5.....	17	11	
Bremen.....	Oct. 13-19.....	1		On a barge.
Marienwerder.....				1 case in October, 1918, on a barge in canal.
India:				
Bombay.....	Aug. 18-Dec. 28.....	1,351	1,031	
Do.....	Dec. 29-Mar. 22.....	9,691	8,510	
Calcutta.....	Sept. 20-Dec. 21.....		241	Reports for weeks ended Nov. 23, 1918, and Mar. 29, 1919, missing.
Do.....	Dec. 29-Apr. 5.....		1,154	
Karachi.....	Jan. 26-Mar. 22.....	3	3	
Madras.....	Oct. 5-Dec. 28.....	264	164	Oct. 27-Nov. 2, 1918: Cases, 9; deaths, 4.
Do.....	Jan. 5-Mar. 29.....	430	299	
Rangoon.....	Oct. 5-Dec. 21.....	35	35	
Do.....	Dec. 29-Mar. 22.....	41	33	
Indo-China:				
Anam.....	July 1-Aug. 31.....	37	30	July 1-Oct. 31, 1918: Cases, 753; deaths, 472.
Cambodia.....	July 1-Oct. 31.....	324	171	
Cochin China.....	do.....	496	337	
Saigon.....	Oct. 7-Dec. 22.....	75	45	
Do.....	Dec. 3-Mar. 23.....	456	267	
Kwang-Chow-Wan.....	July 1-31.....	50	34	
Tonkin.....	July 1-Oct. 31.....	6		
Java:				
East Java.....				
Surabaya district.....	Oct. 7-Dec. 31.....	655	423	Oct. 7-Dec. 31, 1918: Cases, 381; deaths, 323. Jan. 1-Mar. 27, 1919: Cases, 756; deaths, 719.
Do.....	Jan. 1-Mar. 17.....	387	282	
Mid-Java.....				
Samarang.....	Sept. 26-Oct. 16.....	120	111	Sept. 25-Dec. 18, 1918: Cases, 3,282; deaths, 2,014. Jan. 24-Feb. 20, 1919: Cases, 1,183; deaths, 928.
West Java.....				
Batavia.....	Oct. 3-Dec. 11.....	291	148	Oct. 3-Dec. 11, 1918: Cases, 412; deaths, 238. Dec. 27, 1918-Jan. 23, 1919: Cases, 10; deaths, 3.
Do.....	Dec. 27-Jan. 23.....	8	2	
Cheribon.....	Jan. 3-9.....	1		
Mesopotamia:				
Bagdad.....	Oct. 11-18.....	8		
Philippine Islands:				
Manila.....	Sept. 22-Dec. 28.....	209	135	
Do.....	Dec. 29-Mar. 29.....	25	13	
Do.....	Apr. 6-12.....	4	1	
Provinces.....				Nov. 2-Dec. 28, 1918: Cases, 1,966; deaths, 1,515. Dec. 29, 1918-Mar. 29, 1919: Cases, 1,301; deaths, 917. Apr. 6-12, 1919: Cases, 53; deaths, 37.
Albay.....	Dec. 15-21.....	1	1	
Ambos Camarines.....	Feb. 15-21.....	10	2	
Bataan.....	Nov. 17-Dec. 28.....	38	32	
Batangas.....	Nov. 2-Dec. 28.....	258	230	
Do.....	Dec. 29-Mar. 29.....	71	55	
Do.....	Apr. 6-12.....	5	2	
Bohol.....	Nov. 2-Dec. 28.....	29	24	
Do.....	Dec. 29-Mar. 29.....	88	55	
Do.....	Apr. 6-12.....	10	6	
Bulacan.....	Oct. 12-Dec. 28.....	51	8	
Do.....	Dec. 29-Feb. 21.....	42		
Capiz.....	Dec. 22-28.....	7	5	
Do.....	Jan. 5-25.....	28	14	
Cavite.....	Oct. 27-Dec. 21.....	207	115	
Do.....	Dec. 29-Jan. 25.....	17	16	
Cebu.....	Nov. 10-Dec. 21.....	50	27	
Do.....	Jan. 12-18.....	13	12	
Ilocos Sur.....	Dec. 8-28.....	17	8	
Do.....	Dec. 29-Feb. 15.....	56	38	
Iloilo.....	Oct. 27-Dec. 21.....	112	78	
Do.....	Jan. 5-Mar. 29.....	186	118	
Do.....	Apr. 6-12.....	2	1	
Laguna.....	Oct. 27-Dec. 28.....	18	11	
Do.....	Dec. 29-Mar. 29.....	142	90	
Do.....	Apr. 6-12.....	7	6	
Lanao.....	Jan. 5-11.....	8	4	
Mindoro.....	Nov. 21-30.....	7	14	
Misamis.....	Oct. 27-Nov. 2.....	6	5	
Do.....	Nov. 17-Dec. 28.....	75	48	
Do.....	Jan. 5-Mar. 29.....	194	8	
Nueva Ecija.....	Jan. 12-25.....	9	6	

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.

Reports Received from Dec. 28, 1918, to May 30, 1919—Continued.

CHOLERA—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Philippine Islands—Contd				
Provinces—Continued.				
Occidental Negros.....	Feb. 2-Mar. 21.....	8	5	
Oriental Negros.....	Nov. 2-Dec. 7.....	32	18	
Do.....	Jan. 5-Feb. 8.....	35	22	
Pampanga.....	Nov. 24-Dec. 14.....	4	4	
Do.....	Jan. 5-Mar. 29.....	51	38	
Do.....	Apr. 6-12.....	28	21	
Pangasinan.....	Nov. 2-Dec. 28.....	930	652	
Do.....	Dec. 29-Mar. 29.....	167	129	
Do.....	Apr. 6-12.....	1	1	
Rizal.....	Oct. 27-Nov. 2.....	3	1	
Do.....	Nov. 24-30.....	16	5	
Samar.....	Dec. 15-21.....	8	1	
Sorsogon.....	Nov. 17-23.....	8	4	
Do.....	Jan. 19-Feb. 8.....	44	36	
Tayabas.....	Nov. 2-Dec. 28.....	64	31	
Do.....	Nov. 10-Dec. 28.....	54	25	
Do.....	Dec. 29-Feb. 15.....	69	62	
Union.....	Nov. 2-Dec. 28.....	18	14	
Zamboanga.....	Dec. 8-28.....	27	19	
Do.....	Jan. 5-Feb. 8.....	25	21	
Poland:				
Plonsk district.....	Oct. 2-Nov. 27.....	5	
Warsaw.....	Sept. 29-Oct. 26.....	5	1	
Russia:				
Petrograd.....	To July 16.....	3,388	1,054	In civil and military hospitals: In military hospitals, July 5-Aug. 21, 1918: Cases, 384; deaths, 783. In municipal hospitals, Oct. 1, 1918: Cases, 279.
Do.....	July 17-Sept. 11.....	3,479	1,455	
Ukrania:				
Ekaterinaslav.....	Sept. 1-20.....	7	6	
Odessa.....	do.....	25	Sept. 1-20, 1918: 11 cases on s. s. Helena.

PLAGUE.

Ceylon:				
Colombo.....	Oct. 27-Nov. 2.....	1	1	
Do.....	Feb. 9-Mar. 22.....	13	10	
China:				
Amoy.....	Nov. 24-Dec. 8.....	Present. Do. Do.
Chungking.....	Dec. 1-7.....	
Hing-Ning district.....	Mar. 15.....	
Hongkong.....	Oct. 1-Dec. 28.....	4	4	
Do.....	Jan. 1-May 17.....	83	80	
Ecuador:				
Duran.....	Feb. 16-Mar. 16.....	2	1	
Guayaquil.....	July 1-Dec. 31.....	20	7	
Do.....	Jan. 1-Apr. 15.....	55	17	
Taura.....	Dec. 16-31.....	1	1	
Egypt:				
Cities—				
Alexandria.....	Mar. 23.....	1	1	Jan. 1-Nov. 21, 1918: Cases, 357; deaths, 153. Jan. 1-Apr. 10, 1919: Cases, 130; deaths, 96.
Suez.....	Jan. 31-Apr. 7.....	40	25	
Provinces—				
Assiout.....	Feb. 24-Apr. 5.....	9	1 septicemic.
Girgeh.....	Feb. 22-Mar. 22.....	10	5	2 pneumonic.
Minieh.....	Feb. 21-27.....	2	2	1 pneumonic.
India.....				
Bombay.....	Aug. 18-Dec. 28.....	41	29	Sept. 23-Dec. 23, 1918: Cases, 24,279; deaths, 18,369. Dec. 29, 1918-Mar. 1, 1919: Cases, 25,506; deaths, 19,401. Mar. 9-15, 1919: Cases, 13,981; deaths, 5,402.
Do.....	Jan. 12-Mar. 22.....	68	52	
Calcutta.....	Dec. 22-28.....	1	
Do.....	Jan. 12-Apr. 5.....	83	
Karachi.....	Oct. 19-Dec. 28.....	17	17	
Do.....	Dec. 29-Apr. 12.....	55	44	
Madras.....	Dec. 8-28.....	26	17	
Do.....	Dec. 29-Apr. 5.....	206	117	
Madras Presidency.....	Oct. 13-Dec. 28.....	1,152	774	Oct. 27-Nov. 2, 1918; Cases, 142; deaths, 38.
Do.....	Dec. 29-Mar. 8.....	2,562	1,726	
Rangoon.....	Oct. 5-Dec. 21.....	84	81	
Do.....	Dec. 29-Mar. 22.....	230	220	

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.**Reports Received from Dec. 28, 1918, to May 30, 1919—Continued.****PLAGUE—Continued.**

Place.	Date.	Cases.	Deaths.	Remarks.
Indo-China.				July 1-Oct. 21, 1918: Cases, 161; deaths, 145.
Anam.....	July 1-Oct. 31.....	42	36	
Cambodia.....	do.....	72	72	
Cochin-China.....	do.....	65	35	
Saigon.....	Oct. 7-Nov. 24.....	5	1	
Do.....	Jan. 13-Mar. 23.....	14	10	City and vicinity.
Kwang-Chow-Wan.....	July 1-31.....	1	1	
Java:				Oct. 7-Nov. 18, 1918: Cases, 109; deaths, 109. Jan. 1-Feb. 25, 1919: Cases, 179; deaths, 179.
East Java.....	Oct. 7-Dec. 31.....	92	92	
Surabaya (district).....	Jan. 1-Feb. 25.....	49	49	
Do.....				Sept. 25-Oct. 16, 1918: Cases, 14; deaths, 14. Jan. 30-Feb. 11, 1919: Cases, 110; deaths, 110.
Mid-Java.....	Sept. 25-Oct. 16.....	6	6	
Samarang.....				
Mesopotamia:				
Bagdad.....	Nov. 16-29.....	5	2	
Do.....	Feb. 22-Mar. 14.....	65	20	
Siam:				
Bangkok.....	Sept. 21-Oct. 12.....	6	5	
Do.....	Jan. 19-Feb. 22.....	7	6	
Venezuela:				
Caracas.....	Dec. 30.....	1		
On vessel:				
S. S. Japan.....	Jan. 14.....	1	1	At Suez quarantine station from Bombay.
S. S. Sparta.....	May 21.....	1	1	At Liverpool, England, from Bombay.

SMALLPOX.

Algeria:				
Algiers.....	Oct. 1-Dec. 31.....	2	1	
Do.....	Mar. 1-31.....	1	1	
Austria:				Dec. 1, 1918-Jan. 11, 1919: Cases, 68. Jan. 12-Feb. 8, 1919: Cases, 57.
Vienna.....	Dec. 1-Jan. 11.....	6		
Bohemia.				Feb., 1919: Reported prevalent.
Gablonz.....	Mar. 1-31.....	26		March, 1919: Cases, 57.
Brazil:				
Rio de Janeiro.....	Dec. 1-28.....	46	19	Oct. 6-12, 1918: Cases, 15; deaths, 10.
Do.....	Dec. 30-Jan. 25.....	25	11	
Sao Paulo.....	Mar. 3-16.....		2	
British East Africa:				
Mombasa.....	Sept. 1-Nov. 30.....	6	1	
Canada:				
New Brunswick—				
Campbellton.....	Dec. 22-28.....	1		
Do.....	Jan. 5-18.....	2		
St. John.....	Nov. 8-14.....	3		
Do.....	Jan. 26-Feb. 22.....	6		
Nova Scotia—				
Bear River.....	Dec. 29-Jan. 4.....			Present.
Bigbee.....	Jan. 10.....			Do.
Cape Sable Island.....	May 13.....			Present on south side.
Digby.....	Jan. 4.....			Present.
Halifax.....	Dec. 7-28.....	10		
Do.....	Jan. 5-May 10.....	317		
Middleton.....	Dec. 29-Jan. 4.....			Do.
Sydney.....	Jan. 5-Mar. 8.....	4		
Do.....	Mar. 23-May 10.....	10		
Ontario—				
North Bay.....	Jan. 19-25.....	1		
Ottawa.....	Jan. 12-Apr. 12.....	13		
Toronto.....	Feb. 2-15.....	2		
Do.....	Mar. 16-22.....	1		
Prince Edward Island—				
Charlotte Town.....	Feb. 27-Apr. 16.....	2		
Quebec—				
Montreal.....	Jan. 24-Dec. 21.....	2		
Do.....	Jan. 12-May 10.....	32		
Paspebiac.....	Jan. 12-Mar. 8.....	8		
Quebec.....	Dec. 15-21.....	1		
Do.....	Dec. 29-May 10.....	21		

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.

Reports Received from Dec. 28, 1918, to May 30, 1919—Continued.

SMALLPOX—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Ceylon:				
Colombo.....	Jan. 12-Mar. 29....	4	Present.
China:				
Amoy.....	Oct. 13-Dec. 28....	Do.
Do.....	Mar. 11-Apr. 7....	4	3	Do.
Antung.....	Feb. 10-16.....	1
Do.....	Feb. 24-Mar. 2....	1
Canton.....	Nov. 17-23.....	Do.
Do.....	Feb. 9-15.....	Do.
Changsha.....	Mar. 16-23.....	3
Chungking.....	Nov. 10-Dec. 28....	Do.
Do.....	Jan. 5-Mar. 29....	Do.
Foochow.....	Nov. 24-Dec. 28....	Do.
Do.....	Dec. 29-Feb. 22....	Do.
Hongkong.....	Dec. 15-21.....	1	1
Do.....	Feb. 2-8.....	1
Do.....	Feb. 16-Mar. 29....	7	2
Nanking.....	Dec. 1-28.....	Do.
Do.....	Dec. 29-Apr. 11....	Do.
Shanghai.....	Jan. 20-26.....	1
Tsingtau.....	Mar. 3-9.....	1
Chosen (Korea):				
Chemulpo.....	Nov. 1-Dec. 31....	15	4
Do.....	Jan. 1-Feb. 28....	15	6
Fusan.....	Feb. 1-28.....	5
Seoul.....	do.....	1
Colombia:				
Barranquilla.....	Apr. 6-12.....	1
Denmark:				
Copenhagen.....	Nov. 9-Dec. 28....	12
Do.....	Dec. 29-Mar. 15....	69
Egypt:				
Alexandria.....	Dec. 17-23.....	1	1
Do.....	Jan. 22-Apr. 22....	26	10
Finland:				
Provinces.....				Jan. 1-31, 1919: Cases, 279.
Abo Och Björneborg.....	Jan. 1-31.....	47
Kuopio.....	do.....	47
Nyland.....	do.....	2
St. Michael.....	do.....	51
Tavastehus.....	do.....	4
Åleaborg.....	do.....	1
Vasa.....	do.....	1
Viborg.....	do.....	126
Provinces.....				Feb. 1-28, 1919: Cases, 234.
Abo Och Björneborg.....	Feb. 1-28.....	23
Kuopio.....	do.....	54
Nyland.....	do.....	15
St. Michael.....	do.....	20
Tavastehus.....	do.....	4
Viborg.....	do.....	118
France:				
Bordeaux.....	Feb. 8-13.....	1
Brest.....	Feb. 2-8.....	1
Paris.....	Mar. 2-Apr. 12....	12	3
Germany:				
Dresden.....	Nov. 24-Dec. 7....	18	Nov. 24-Dec. 7, 1918: Cases, 34.
Halle.....	do.....	4
Friedland.....	do.....	1
Königsberg.....	do.....	8	In persons evacuated from the
Schkeuditz.....	do.....	1	Ukraine.
Tilsit.....	do.....	1
Torgau.....	do.....	1
Germany:				
Aix-la-Chapelle (district).....	Dec. 8-Jan. 11....	17	Dec. 8, 1918-Jan. 11, 1919: Cases,
Cassel.....	do.....	10	177. Additional cases reported
Danzig.....	do.....	3	later, 54, for week ended Jan.
Doristhal.....	do.....	8	11.
Dresden.....	Dec. 8-Feb. 15....	247	District of Gumbinnen.
Halle.....	Dec. 8-Jan. 11....	5	26 additional cases reported later
Hanover.....	do.....	7	at Dresden.
Königsberg.....	do.....	15	Among interned Russians.
Kottowitz.....	do.....	5
Meyrode.....	do.....	6
Riesa.....	do.....	4	District of Dresden.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.

Reports Received from Dec. 28, 1918, to May 30, 1919—Continued.

SMALLPOX—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Great Britain:				
Liverpool.....	Jan. 26-Mar. 15.....	7	Of these, 2 from vessels.
London.....	Mar. 9-Apr. 19.....	7	1	
Greece:				
Saloniki.....	Feb. 2-15.....	3	
India:				
Bombay.....	Aug. 18-Dec. 28.....	35	8	
Do.....	Dec. 29-Mar. 22.....	430	179	
Calcutta.....	Sept. 29-Dec. 23.....	17	Reports for weeks ended Nov. 23,
Do.....	Dec. 29-Apr. 5.....	406	1918, and Mar. 29, 1919, missing.
Karachi.....	Sept. 29-Dec. 23.....	13	4	
Do.....	Dec. 29-Apr. 12.....	144	61	
Madras.....	Oct. 5-Dec. 23.....	62	40	
Do.....	Dec. 29-Apr. 5.....	249	114	
Rangoon.....	Oct. 20-Dec. 21.....	32	6	
Do.....	Dec. 29-Mar. 22.....	817	306	
Indo-China:				
Anam.....	July 1-Oct. 31.....	146	67	
Cambodia.....	Aug. 1-Oct. 31.....	165	74	July 1-Oct. 31, 1918: Cases, 620;
Cochin-China.....	July 1-Oct. 31.....	400	112	deaths, 254.
Saigon.....	Oct. 7-Dec. 22.....	20	5	
Do.....	Dec. 30-Mar. 23.....	93	15	City and vicinity.
Tonkin.....	July 1-Oct. 31.....	20	1	
Italy:				
Andria.....	Mar. 10-18.....	1	Province of Bari.
Barletta.....	Mar. 3-9.....	2	Do.
Genoa.....	Jan. 9-Mar. 15.....	4	2	
Lecce (Province).....	Feb. 17-23.....	2	
Leghorn.....	Apr. 14-30.....	1	
Messina.....	Mar. 2-30.....	4	Cases reported in several locali-
Naples.....	Mar. 10-16.....	2	ties in Province.
Palermo.....	Jan. 31-Apr. 16.....	53	2	
Turin.....	Jan. 27-Mar. 23.....	9	2	
Japan:				
Kobe.....	Oct. 26-Dec. 28.....	186	46	
Do.....	Dec. 29-Mar. 22.....	499	165	
Nagasaki.....	Mar. 31-Apr. 6.....	3	
Nagoya.....	Mar. 2-15.....	2	
Taihoku.....	Jan. 15-Apr. 15.....	151	18	Island of Formosa.
Yokohama.....	Jan. 23-26.....	1	
Java:				
East Java.....				Oct. 7-Dec. 31, 1918: Cases, 22,
Surabaya (district).....	Oct. 7-Dec. 31.....	16	deaths, 1. Jan. 1-Feb. 25, 1919:
Do.....	Jan. 1-Feb. 25.....	4	2	Cases, 4; deaths, 3.
Mid-Java.....				Sept. 25-Dec. 18, 1918: Cases, 172;
				deaths, 3. Jan. 24-30, 1919:
				Case, 1.
West Java.....				Oct. 2-Dec. 11, 1918: Cases, 809;
Batavia.....	Oct. 2-Dec. 11.....	185	151	deaths, 263. Dec. 27, 1918-
Do.....	Dec. 27-Mar. 27.....	49	27	Mar. 27, 1919: Cases, 459;
				deaths, 99.
Lithuania.....				Sept. 1-Oct. 16, 1918: Cases, 44.
Manchuria:				
Dairen.....	Jan. 15-21.....	1	
Do.....	Feb. 22-Apr. 14.....	4	2	
Mesopotamia:				
Bagdad.....	Oct. 11-Dec. 27.....	308	97	
Do.....	Dec. 28-Feb. 9.....	8	
Mexico:				
Ciudad Juarez.....	Nov. 24-30.....	1	
Guadalajara.....	Mar. 1-31.....	1	
Do.....	Mar. 29-Apr. 5.....	1	
Mexico City.....	Sept. 22-Dec. 28.....	23	
Do.....	Dec. 29-May 3.....	28	
Vera Cruz.....	Feb. 10-Apr. 12.....	2	1	
Newfoundland:				
St. Johns.....	Dec. 6-20.....	4	Outports—Dec. 6-27, 1918: Cases,
Do.....	Jan. 24-May 9.....	37	78. Dec. 28, 1918-May 9, 1919:
				Cases, 201.
Panama:				
Colon.....	Dec. 15-21.....	1	Aug. 1-31, 1918: Cases, 133, oc-
Do.....	Dec. 29-Feb. 9.....	8	curring at Colon, Panama, and
				points in the interior. Jan.
				1-25, 1919: Cases, 28.
Philippine Islands:				
Manila.....	Nov. 2-16.....	5	3	
Do.....	Dec. 29-Apr. 12.....	40	21	Varioloid, 16.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.

Reports Received from Dec. 28, 1918, to May 30, 1919—Continued.

SMALLPOX—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Portugal:				
Lisbon.....	Nov. 16-Dec. 28....	843		
Oporto.....	Mar. 9-Apr. 26....	128	83	
Portuguese East Africa:				
Lourenco Marques.....				July 1-Oct. 31, 1918: 45 fatal cases.
Siberia:				
Vladivostok.....	Nov. 1-3.....	4		
Do.....	Jan. 17-23.....		1	
Do.....	Feb. 1-Mar. 15....	16	1	
Spain:				
Barcelona.....	Jan. 9-Feb. 11....		5	
Do.....	Feb. 19-Apr. 9....	2	2	
Bilbao.....	Jan. 1-Feb. 20....	6		
Cadiz.....	Oct. 1-Dec. 31....	18		
Do.....	Jan. 1-Feb. 28....		26	
Madrid.....	Sept. 1-Oct. 31....	153		
Do.....	Jan. 1-Feb. 28....		74	
Seville.....	Nov. 1-Dec. 31....		8	
Do.....	Jan. 1-Feb. 28....		4	
Valencia.....	Nov. 10-Dec. 21....	40	9	
Do.....	Dec. 29-Jan. 25....	93	10	
Do.....	Feb. 16-Mar. 29....	290	29	
Straits Settlements:				
Penang.....	Oct. 6-12.....	1		
Singapore.....	Feb. 2-22.....	3		
Sweden:				
Stockholm.....	Feb. 2-8.....		1	
Union of South Africa:				
Cape Town.....	Aug. 1-30.....	1		
Do.....	Dec. 21-Jan. 31....	1		
Johannesburg.....	Aug. 1-Oct. 31....	12		Nov. 1-30, 1918: Cases, 4.

TYPHUS FEVER.

Algeria:				
Algiers.....	Nov. 1-30.....	1		
Austria-Hungary:				
Austria.....				Dec. 1, 1918-Jan. 11, 1919: Cases, 125. Jan. 12-Feb. 8, 1919: Cases, 157.
Vienna.....	Dec. 1-Jan. 11....	110		Occurring almost exclusively in repatriated soldiers and their contacts.
	Jan. 12-Feb. 8....	119		
Hungary.....	Sept. 2-8.....	2		Sept. 9-Nov. 26, 1918: Cases, 110; deaths, 8. Nov. 27, 1918-Jan. 12, 1919: Cases, 210.
Budapest.....	Sept. 9-Nov. 26....	73	2	
Do.....	Nov. 27-Jan. 12....	159		
Pressburg.....	Sept. 9-Nov. 26....	11	1	
Tyrnau.....	Nov. 4-26.....	1		
Szatmarnemeti.....	do.....	1		Present, county of Bihar.
Brazil:				
Ceara.....	Sept. 14-21.....	1		
Rio de Janeiro.....	Dec. 15-22.....	2		
Do.....	Dec. 29-Feb. 15....	28	3	
São Paulo.....	Jan. 13-19.....	3		
Bulgaria:				
Aeteven.....	Mar. 10.....			Present.
Rustchuk.....	do.....			Do.
China:				
Antung.....	Dec. 2-15.....	2		
Do.....	Jan. 6-Apr. 20....	3	1	
Chosen (Korea):				
Fusan.....	Feb. 1-28.....	1	1	
Seoul.....	Jan. 1-Feb. 28....	12	1	
Colombia:				
Barranquilla.....	Nov. 8-Dec. 28....		3	
Do.....	Jan. 5-Mar. 8....	2	3	
Egypt:				
Alexandria.....	Oct. 14-Dec. 31....	85	36	
Do.....	Jan. 1-Apr. 22....	627	163	Confined to one quarter of city and mostly to natives. Oct. 20-Nov. 7, 1918: Cases, 12; deaths, 1.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.

Reports Received from Dec. 28, 1918, to May 30, 1919—Continued.

TYPHUS FEVER—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Finland:				
Provinces—				
Abo Och Björneborg...	Jan. 1-31.....	24		
Do.....	Feb. 1-28.....	19		
Nyland.....	do.....	10		
France:				
Marseille.....	Mar. 1-31.....		31	Apr. 26, 1919, present in 2 civil and 2 military prisons.
Germany:				
Breslau.....	Sept. 29-Oct. 19.....	12	8	
Gumbinnen district.....	Oct. 20-Nov. 7.....	1		
Dresden.....	do.....	1		
Griefswald.....	do.....	1		
Godullahutte.....	do.....	1		
Königsberg.....	Sept. 29-Oct. 19.....	3	1	
Königshutte.....	Oct. 20-Nov. 7.....	1	1	
Magdeburg.....	do.....	2		
Mostalten.....	Sept. 29-Oct. 19.....	7	2	District of Allenstein.
Oppeln district.....	Oct. 20-Nov. 7.....	5		
Great Britain:				
Cork.....	Feb. 2-22.....	4		
Glasgow.....	Dec. 22-23.....	5		
Do.....	Jan. 5-Feb. 8.....	9	1	
Do.....	Mar. 9-15.....	1		
Greece:				
Athens.....	Mar. 8.....	2	2	
Saloniki.....	Sept. 29-Dec. 21.....		34	
Do.....	Dec. 29-Feb. 15.....		78	
Italy:				
Bari.....	Feb. 3-9.....	19		In soldiers returning from Black Sea.
Leghorn.....	Apr. 14-27.....	9	2	
Naples.....	Feb. 3-9.....	3		
Taranto.....	do.....	2		Do.
Japan:				
Nagasaki.....	Nov. 10-Dec. 29.....	13	4	
Do.....	Dec. 30-Apr. 20.....	33	5	
Java:				
East Java.....				Oct. 7-21, 1918: Cases, 5.
Surabaya.....	Oct. 7-21.....	4		
Mid-Java.....				Sept. 25-Oct. 16, 1918: Cases, 3.
West Java.....				Oct. 2-23: Cases, 31; deaths, 6.
Batavia.....	Oct. 2-23.....	15	4	
Lithuania.				Sept. 1-Oct. 26, 1918: Cases, 539; deaths, 23.
Macedonia:				
Drama.....	Mar. 17.....			Present.
Epirus.....	Mar. 21.....			Do.
Kavala.....	Mar. 17.....	300		Estimated.
Mesopotamia:				
Bagdad.....	Oct. 5-Dec. 27.....	2		
Do.....	Dec. 28-Jan. 31.....	4		
Mexico:				
Aguscalientes.....	Feb. 2-23.....		3	
Do.....	Mar. 24-Apr. 13.....		4	
Guadalajara.....	Nov. 1-Dec. 31.....	4	1	
Do.....	Jan. 1-Mar. 31.....	4	2	
Mexico City.....	Sept. 22-Dec. 28.....	431		
Do.....	Dec. 29-May 3.....	644		
Netherlands:				
Amsterdam.....	Dec. 8-14.....	1		
Do.....	Jan. 12-13.....	4		
Delft.....	Feb. 26.....			Present.
Harlem.....	do.....			Do.
Leiden.....	do.....			Do.
Limburg.....	do.....	5	1	Mining district.
Rotterdam.....	Feb. 2-Apr. 5.....	504	89	Jan. 30-Feb. 27, 1919: Cases, 462 deaths, 46.
Schiedam.....	Feb. 26.....			Present. Sept. 29-Oct. 26, 1918: Cases, 572; deaths, 50.
Poland:				
Lodz.....	Sept. 29-Oct. 26.....	55	8	
Warsaw.....	do.....	111	13	
Portugal:				
Braga.....	Mar. 24.....			
Oporto.....	Mar. 8-Apr. 26.....	721		
Russia:				
Archangel.....	Jan. 15-Mar. 15.....	233	61	

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.

Reports Received from Dec. 28, 1918, to May 30, 1919—Continued.

TYPHUS FEVER—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Serbia:				
Belgrade.....	Feb. 5.....	62	Among soldiers and prisoners.
Siberia:				
Vladivostok.....	Sept. 1-Dec. 30....	43	
Do.....	Jan. 17-Mar. 15....	143	15	
Spain:				
Huelva.....	Oct. 1-31.....	2	
Madrid.....	Dec. 1-31.....	1	
Tunis:				
Tunis.....	Apr. 12-25.....	2	1	
Ukraine.....	Apr. 5, 1919: Reported to be spreading.
Union of South Africa:				
Port Elizabeth.....	Sept. 14-28.....	Present among natives in several interior towns.

YELLOW FEVER.

Brazil:				
Bahia.....	Jan. 12-Mar. 1....	5	2	
Pernambuco.....	Oct. 1-Nov. 30....	2	1	
Colombia:				
Cartagena.....	Jan. 29-Feb. 4....	4	
Ecuador:				
Babahoyo.....	Nov. 1-30.....	1	
Do.....	Mar. 1-15.....	1	
Catarama.....	Feb. 1-15.....	1	
Chobo.....	Jan. 1-15.....	1	
Daule.....	do.....	1	1	
Duran.....	Nov. 1-Dec. 31....	3	2	
Do.....	Jan. 16-Mar. 15....	5	1	
Guayaquil.....	July 1-Dec. 31....	326	177	
Do.....	Jan. 1-Mar. 31....	124	68	
Hacienda Vainilla.....	Feb. 16-28.....	1	
Milagro.....	Nov. 1-15.....	1	
Do.....	Feb. 1-Mar. 15....	2	1	
Naranjal.....	Nov. 1-15.....	1	1	
Do.....	Jan. 1-15.....	1	1	
Naranjito.....	Nov. 1-15.....	1	1	
Do.....	Jan. 1-Feb. 28....	2	2	
Payo (Hacienda).....	Nov. 1-15.....	1	
Punta de Piedra.....	Nov. 1-30.....	1	
Salvador:				
San Salvador.....	Jan. 9.....	1	
On vessel:				
S. S. Jamaica.....	Jan. 30.....	1	At quarantine station, Canal Zone, Panama.