

PUBLIC HEALTH REPORTS

VOL. 36

AUGUST 5, 1921

No. 31

RELATION OF STATE HEALTH DEPARTMENTS TO FEDERAL AND VOLUNTEER HEALTH AGENCIES.¹

By CHARLES F. DALTON, M. D., Secretary Vermont State Board of Health.

Two years ago there was appointed by this conference an executive committee, whose object is to represent the State health officers in all matters which might arise in the interim between conferences. This committee began to function immediately, and as the months have passed, the wisdom of having such an executive body has become more and more apparent. The secretary's report will give a résumé of the questions handled by the committee during the past year, but some of these require further discussion and possible action by the conference as a whole. I desire to direct your attention to certain matters of the utmost importance which are still pending, meanwhile reviewing other subjects which have a considerable bearing upon the present situation.

Stated briefly, the problems now before us are the relations of the State boards and departments of health to the various Federal health agencies and to the voluntary health agencies now operating or planning to operate on a national basis.

The Federal Agencies.

During the war, when the State health departments were being rapidly disintegrated by calls to military service, these departments made overtures to the Secretary of War looking toward their absorption, at least temporarily, into the military organization. These advances were refused, but incidentally they had the effect of creating a union closer than ever before between the United States Public Health Service and the State health departments. Under the forward-looking régime of Surgeon General Cumming, this cooperation has continued and is now at a most satisfactory state.

There exists, however, in the minds of many Members of Congress an opinion that the State health officers are serving as political tools for the Public Health Service, particularly as agents for obtaining increased appropriations, and this has brought both the State and Federal agencies into a more or less odious situation. This opinion

¹ Presidential address delivered at the Conference of State and Provincial Health Authorities of North America, Boston, Mass., June 1, 1921.

is far from the truth. The State health officers are not taking orders from anyone outside their own States, and I doubt if the time ever comes when they will be willing to do so.

The principal cause of this attitude among Members of Congress, which is now, unfortunately, reflected by various health workers throughout the country, is undoubtedly the difficulty which has arisen over the distribution of appropriations for the control of venereal disease. Since practically every State has participated in this fund and obtained concurrent legislation or other authority to actively engage in work partially subsidized by Federal money, every executive officer has naturally been desirous of having the fund continued, and to this end Congressmen and Senators have been asked to lend their influence.

Later, when it became manifest that trouble had occurred in Washington over the administration of venereal disease work, the State health officers were drawn into the controversy and almost unanimously threw their influence on the side of the Public Health Service, which, as the long-established and fully authorized agency, they believed should be placed at the head of Federal or cooperative public health work.

Although the last Congress took measures to eliminate the Inter-departmental Social Hygiene Board, there is still a struggle for its continued existence, and those persons interested in its future have obtained the assistance of some voluntary organizations, which recognize the appeal and necessity of venereal disease control work, but evidently are not fully informed as to the relations existing in the involved situation.

The dissension caused by this controversy has jeopardized the entire public health program, and there is evidence that partisan individuals are seeking to discredit State officials in the eyes of their constituents and influential citizens.

In view of the fact that the rumors, which are in apparently wide circulation, are not only without foundation but are actually malicious, this conference is not in a position to evade a problem of such magnitude, and at this meeting should consider the advisability of a resolution memorializing Congress in favor of the United States Public Health Service as the sole administrator of this important work, not because we are puppets or have been subsidized by money, but because we believe the cause is too great to be subjected to the danger of internal ructions and personal animosities.

The whole system of Federal aid to States on a partially subsidizing basis is fraught with a considerable danger. We all know that disputes arise more easily over money matters than over almost any other subject, and apparently the relations of State and Nation are as readily upset as are those of individuals. While the difficulty

in venereal disease control is not entirely financial in nature, it is quite apparent that Federal money, its distribution and use, is at the foundation of the trouble.

Naturally, most States desire to profit by the generosity of Congress, but certainly such appropriations are not altogether unmixed blessings. With the passage of the Sheppard-Towner bill, another distribution agency will be established; and other bills are in the congressional hopper which contemplate similar grants of varying amounts, but almost without exception they are based upon equal or larger appropriations by the States. We may well stop to ask how far it is wise to carry such centralization, and whether it is advisable to risk the dangers to State health departments in support of plans which provide financial assistance for the time being, but may be changed or discontinued and the aid withdrawn upon slight notice. Every such plan draws the State departments more and more into national politics and disagreements, and such a result is obviously to be avoided even at the expense of somewhat circumscribed activities.

The Voluntary Agencies.

Public health work is evolving at so rapid a rate that one hesitates to say to-day what will be in vogue to-morrow. The lesson of the war, with its physical examinations of drafted men, has taken so great a hold upon the people of the country that everyone has become a potential health officer. Public opinion has been stirred to its very foundations in regard to health and the prevention of disease and disability. From the White House to the lowest hovel, people are thinking in terms of public health and are on tiptoe to do something which will benefit the community, the State, and the Nation.

Here, then, is a tremendous force, capable of producing results beyond the highest dreams of mankind if properly directed, but also liable to cause the greatest confusion if allowed to run at cross purposes.

This great power is already being utilized to a considerable extent by the various welfare and public health agencies which were in the field before the war, and by others formed during the reconstruction period. The danger of misdirected or unharnessed energy has been recognized by the workers in public health. Some have taken advantage of the potential energy to build up their own organizations and increase their scope of work. Others have seen the necessity of correlating allied agencies, and as a result we have in the country to-day various councils formed by organizations having allied objects. Witness the National Health Council, the National Child Health Council (this being an integral part of the National Health Council), the National Council of Social Workers, and the National Council of Women's Organizations. All these have for

their object the conserving, directing, and utilization of the active and potential energy of public sentiment, and the prevention of duplication in their work.

Unfortunately the post-war enthusiasm caused by the health and welfare appeal is not self-perpetuating. It must be fostered and nourished or it will gradually diminish, if, indeed, it does not reach the point of reaction. All this is doubtless recognized by the voluntary health organizations, which realize that they must not only utilize every means provided for maintaining the continued interest and dues of their membership, but that they must also "deliver the goods" which have been bought and paid for by the public. And what are these commodities which have been the object of such immense investments? Lower death rate, lower morbidity rate, longer life, better health, improved sanitary conditions, safe and happy childhood, better family life. In its enthusiasm the public has dealt generously in "futures." On a falling market the seller must be prepared to meet the call for delivery which is sure to come.

As between the voluntary and the authorized agencies, one difference is plainly marked. The State and Federal departments are burdened by law with the routine duties relating to life and health, which, through many years of legal enactments, have become a recognized and constituent part of government, and they are allowed money raised by taxation for the support of such work.

The voluntary organizations, having no duties imposed by law, must justify themselves before their members and contributors and rely upon new and continued stimuli in the form of added or revised activities in order to insure the constant flow of income necessary to their support. They possess also wonderful opportunities to try out experiments, and demonstrate new phases of public health endeavor, which may eventually become proper objects for the appropriation of public money and administration by the public authorities.

The similarity of the two groups exists in the demands of the constituted governments that their departments show progress commensurate with the advance of science and public sentiment at the time. And in the initiation of new work the two groups sometimes conflict.

Coincidently the public becomes confused and begins to question where each organization begins and ends its work. This situation is already upon us. Specialization has become established in the field of public health to an extent which threatens its future prospects.

Prof. G. C. Whipple, in his excellent eulogy of the late Prof. Sedgwick, makes this statement: "There is danger that public health education will be organized and legislated, propagandized and commercialized to the point of nullification." The same statement is

true in regard to all public health work. Overspecialization must be avoided.

An analogous situation exists in the treatment of disease. The multiplicity of medical and quasi-medical cults has so obscured the vision of the public that every school, including the regular medical profession, has become the object of criticism, and is subjected to distrust and charges of commercialism. The time to correct this condition in public health is before the lines of demarkation have become so firmly established that they can not be altered.

This conference has as its invited guests, representatives of many of the organizations doing public health and welfare work, and to them we desire to state that we crave the closest cooperation and coordination of work. We are not, as has been intimated, in collusion with any organization, and have the best feeling for all, wishing them Godspeed in their chosen fields. I hope this subject will have full and free discussion at this conference, to the end that any existing difficulties or conflict may be cleared away.

The great field of public health is big enough for all, and the great fight against suffering, disease, and death, which is the one reason for the existence of any of our organizations, demands the orderly mobilization of every force which can be utilized. We have no time for internal dissension. The enemy is still unconquered and must be met by a united front, fully equipped with every known weapon, and particularly with the armor of mutual trust and consistent cooperation.

Remedies in Prospect.

Cloudy as the atmosphere may appear in the presentation of the foregoing problems, there are signs of clearing which give great promise. Early in the last Congress our executive committee proposed a resolution providing for the appointment of a joint congressional committee to gather evidence in regard to the existing governmental and extragovernmental agencies concerned in public health work and propose a plan for their closer coordination and uniform supervision. This resolution passed the Senate, but was later superseded by the Smoot-Revis resolution, which has a much broader scope, but includes the investigation of public health activities.

President Harding is advocating the formation of a Department of Public Welfare with a cabinet secretary, which will presumably take over the principal Government health agencies and bring into line all National and State public health work. Senate bill 1607 has already been introduced to provide for such a department.

Finally, there has been formed the National Health Council, with centralized, cooperating offices; which seeks to unite the various health activities for mutual aid, coordination, and avoidance of duplication.

Out of one or more of these efforts may grow the superdirecting body which shall bring into parallel lines the now divergent operations which are being conducted throughout the country.

After all, the ultimate citizen is the supporter of all agencies and it is for the health workers to decide whether the people shall be separated into competitive groups or united in one great army ranged against a common enemy and striving toward the same goal.

There are several other matters of importance directly concerning our conference which I desire to present for your consideration. We are from time to time losing valuable members by reason of changes in State departments of health. Two such members leave our conference with this session, and there are several others, who, while not now connected with State work, retain their interest in public health and still hold in remembrance the long association which they had with us. In order that we may not lose the valuable advice and ripened judgment of these former State health officers I would recommend that honorary memberships be created and offered to those whom we regard so highly.

Consistent with our desire for progress, the suggestion has been made that the scope of this conference be enlarged to include chiefs of bureaus in State departments, allowing them participating but nonvoting memberships. I commend such action to your earnest consideration.

The duties of the secretary have been so greatly enlarged since the organization of the executive committee that I feel some arrangement should be made to allow him at least part-time clerical assistance and, if possible, expenses on trips in the performance of his duties as secretary. In this connection I would call attention to the fact that some of the members of the executive committee have made repeated trips to Washington on conference business without expense to the organization and sometimes at considerable expense and inconvenience to themselves. Eventually I believe we shall find it necessary to employ a full-time executive secretary, but at the present time our circumstances hardly seem to warrant such a proposal.

I would particularly recommend the occasional meeting of health executives in adjoining and near-by States for the purposes of discussing problems relating to their local section and of joint interest. Each member of the executive committee is the center of a geographical group which he represents and to which he reports. These groups would find a wonderful advantage in sectional meetings at least twice a year where distances are not too great, thereby coming into closer personal relationship and better mutual understanding. We of New England have already adopted such a plan and find it of great benefit and encouragement.

In conclusion, I desire to express my appreciation of the honor which has been mine during the past year as president of this confer-

ence. Such an experience is one of the mountain peaks of life and is the more appreciated because it brings into prominence the little State of Vermont, where, in spite of our small population, we are endeavoring to establish beacon lights in public health for the guidance of workers in this field. I thank each member of the conference and particularly the members of the executive committee and the secretary for their helpfulness and consideration during the perplexing period through which we have just passed.

For this Conference of State and Provincial Health Authorities I bespeak a wonderful future, for it is my firm belief that the work of public health, with its mitigation of human suffering, is as yet only in its early beginnings.

PREVALENCE OF POLIOMYELITIS.

The following table gives the number of cases of poliomyelitis (infantile paralysis) reported to the Public Health Service by State health officers from May 29 to July 30, 1921, inclusive. These reports are preliminary and necessarily incomplete.

Poliomyelitis (infantile paralysis)—Number of cases of poliomyelitis occurring in various States, as reported to the Public Health Service by the State health officers in weekly telegraphic or mail reports.

[States omitted are those from which no reports have been received or which have reported no poliomyelitis during the period covered. Leaders indicate that reports were received but no cases of poliomyelitis were reported.]

State.	Week ended (1921)—								
	June.				July.				
	4	11	18	25	2	9	16	23	30
Arkansas.....				1					●
California.....	1	1	2	5		3	3	6	10
Connecticut.....			6	2		3	2	4	5
District of Columbia.....						3	4	3	7
Georgia.....	1	1		1					
Illinois.....	2	4	5	10	12	15	24	39	
Indiana.....		2	1	1	1	1	3	6	8
Iowa.....					1	1	1	1	1
Kansas.....					2	2	2	2	1
Kentucky.....	1				1	2	2	1	
Louisiana.....									2
Maine.....	3						1		1
Maryland.....	1	2	3	4	1	4	8	7	
Massachusetts.....	1	2	1	4	3	6	4	10	
Minnesota.....	1	1	2	10	1	3	5	101	
Mississippi.....	1								
Missouri.....		(1)		6	(1)	8	3	4	
Montana.....	1								
Nebraska.....		1	1	3		1	2	2	
New Jersey.....		2	1	1	(1)	3	1	6	
New York ¹			1	4	2	4	10	15	
North Carolina.....	1		3	(1)	(1)	1	(1)		27
Ohio.....	(1)	(1)	(1)	(1)	(1)	3	(1)		
South Dakota.....							(1)		3
Texas.....									3
Vermont.....		(1)	(1)	1		3	1		2
Virginia.....	2				1	(1)	2	1	2
Wisconsin.....					1	4	9	14	12

¹ No report received.

² Exclusive of New York City.

THE NOTIFIABLE DISEASES.

PREVALENCE DURING 1920 IN STATES.

ANTHRAX, CEREBROSPINAL MENINGITIS, DENGUE, DIPHTHERIA, GONORRHEA, INFLUENZA, MALARIA, MEASLES, PNEUMONIA, POLIOMYELITIS, RABIES, ROCKY MOUNTAIN SPOTTED FEVER, SCARLET FEVER, SEPTIC SORE THROAT, SMALLPOX, SYPHILIS, TUBERCULOSIS (ALL FORMS AND PULMONARY), TYPHOID FEVER, AND TYPHUS FEVER.

The tables which appear on the following pages have been compiled from data furnished by the health officers of the several States. The data for syphilis and gonorrhea were furnished by the Division of Venereal Diseases of the Public Health Service. The following table shows the States for which morbidity and mortality data were received:

Morbidity.	Mortality.	Morbidity.	Mortality.
Alabama.	Alabama.	Montana.	Missouri. ¹
Arizona.	Arizona. ¹	Nebraska.	Nebraska.
Arkansas.	Arkansas.	New Hampshire.	New Jersey.
California.	California.	New Jersey.	New Mexico.
Colorado.	Colorado.	New Mexico.	New York.
Connecticut.	Connecticut.	New York.	North Carolina.
Delaware.	Delaware.	North Carolina.	North Dakota.
District of Columbia.	District of Columbia.	North Dakota.	Ohio.
Florida.	Florida.	Oregon.	Oklahoma.
Georgia.	Georgia.	Pennsylvania.	Oregon.
Hawaii.	Hawaii.	Porto Rico.	Pennsylvania.
Idaho.	Idaho.	Rhode Island.	Porto Rico.
Illinois.	Illinois.	South Carolina.	South Carolina.
Indiana.	Indiana.	South Dakota.	South Dakota.
Iowa.	Iowa.	Texas.	Texas.
Kansas.	Kansas.	Virginia.	Virginia.
Louisiana.	Kentucky.	Washington.	Washington.
Maine.	Louisiana.	West Virginia.	Wisconsin.
Maryland.	Maine.	Wisconsin.	Wyoming.
Massachusetts.	Maryland.		
Michigan.	Massachusetts.		
Minnesota.	Michigan.		
Mississippi.	Minnesota.		

¹ Data not given by months.

For the purpose of comparison with States, the data for New York City are given in a separate table.

The populations given in the tables and used in computing case and death rates were estimated as of July 1, 1920, by using the returns of the United States censuses of April 15, 1910, and January 1, 1920.

For most of the diseases four tables are given: (1) Medians, (2) morbidity, (3) mortality, (4) rates.

It is believed that the median gives a better idea of the usual conditions than does the arithmetical average, which has been used in former publications.

In ascertaining the medians,¹ data for the years 1913 to 1919, inclusive, were used, but for many States information was not available for the full seven years. The column headed "Number of years included" shows the number of years for which data were obtained.

In comparing the figures for 1920 with the medians for preceding years, it should be borne in mind that an increase in the number of cases reported may indicate that there were more cases of the particular disease in the State during 1920, or it may indicate that the cases were better reported by the physicians.

A relatively large number of reported cases of a communicable disease, as indicated by a high case rate (and more especially when accompanied by a relatively small number of deaths, as indicated by a low fatality rate), usually means that the health department of that State is active and that the cases of the disease are being well reported by the practicing physicians. It does not necessarily mean that the disease is more prevalent in that State than in other States. A high fatality rate may mean that the disease was unusually virulent in a State, that the physicians did not treat the disease in that State with the success usual elsewhere, or that the practicing physicians did not report all of their cases. On the other hand, an unusually low fatality rate may be due to the fact that the disease in the State was unusually mild, that the physicians treated it with unusual success, that the practicing physicians reported their cases satisfactorily, or that the registration of deaths was incomplete, or the assignment of the causes of death inaccurate.

In some instances comparatively large numbers of cases of diseases reported in certain States may be due to the system of reporting rather than to unusual prevalence of the diseases. For instance, in Mississippi physicians report some diseases monthly to the State health officer, giving the number of cases occurring in their practice during the month. This method of reporting probably is responsible, in part, at least, for the comparatively large number of cases of certain diseases reported in Mississippi.

Summaries of reported cases and deaths from communicable diseases, similar to the summary here presented, have been issued by the United States Public Health Service for the years 1912 to 1919, inclusive (Reprints numbered 163, 208, 298, 345, 426, 505, 551, and 643).

¹ The median has been defined as the magnitude of the middle item in an array. If the numbers of cases reported are arranged so that the greatest number reported in any one year is first, the second greatest number is second, and so on, then the number of cases in the center of the array is the median. The following illustration shows the method followed when data for five years are available: In a State reporting 60 cases in 1915, 79 cases in 1916, 71 cases in 1917, 58 cases in 1918, and 53 cases in 1919, the median is 60 cases.

Cases reported and deaths registered in New York City during the calendar year 1920, from certain diseases, with indicated morbidity, mortality, and fatality rates.

	Cases.	Deaths.		Cases.	Deaths.
Anthrax:			Malaria—Continued.		
January.....	4	1	October.....	6
February.....	1	November.....	2
March.....	4	December.....	3
April.....	1	Total.....	53	4
May.....	1	Rate per 1,000 population.....	0.009	0.001
June.....	1	Number of cases reported for each death registered, 13.2.		
July.....	2			
August.....	4	1	Measles:		
September.....	2	January.....	7,756	111
October.....	February.....	7,784	185
November.....	March.....	6,813	125
December.....	4	1	April.....	5,777	136
Total.....	24	3	May.....	3,922	90
Rate per 1,000 population.....	0.004	0.001	June.....	1,811	45
Deaths per 100 cases, 12.5.			July.....	354	14
Cerebrospinalmeningitis:			August.....	150	6
January.....	24	15	September.....	67	4
February.....	32	12	October.....	134	5
March.....	14	8	November.....	199	3
April.....	26	10	December.....	316	12
May.....	21	16	Total.....	35,083	736
June.....	11	8	Rate per 1,000 population.....	6.19	0.13
July.....	17	8	Deaths per 100 cases, 2.1.		
August.....	24	10	Pneumonia (all forms):		
September.....	23	7	January.....	6,715	1,672
October.....	13	4	February.....	10,448	3,108
November.....	20	12	March.....	1,909	1,091
December.....	19	13	April.....	1,618	883
Total.....	244	123	May.....	795	630
Rate per 1,000 population.....	0.04	0.02	June.....	619	389
Deaths per 100 cases, 50.4.			July.....	258	259
Diphtheria:			August.....	257	262
January.....	1,492	136	September.....	362	266
February.....	1,229	149	October.....	559	351
March.....	1,364	136	November.....	1,092	477
April.....	1,345	113	December.....	1,451	667
May.....	1,308	81	Total.....	26,083	10,055
June.....	1,246	79	Rate per 1,000 population.....	4.60	1.77
July.....	817	41	Number of cases reported for each death registered, 2.6.		
August.....	522	35	Poliomyelitis:		
September.....	522	29	January.....	1	2
October.....	934	44	February.....	2
November.....	1,535	86	March.....	4
December.....	1,852	116	April.....
Total.....	14,166	1,045	May.....	1
Rate per 1,000 population.....	2.50	0.18	June.....	3	1
Deaths per 100 cases, 7.4.			July.....	10	4
Influenza:			August.....	8	1
January.....	33,559	711	September.....	30	6
February.....	33,580	2,220	October.....	60	15
March.....	1,567	256	November.....	29	8
April.....	212	94	December.....	6	3
May.....	409	62	Total.....	154	40
June.....	20	24	Rate per 1,000 population.....	0.03	0.01
July.....	9	16	Deaths per 100 cases, 26.0.		
August.....	12	16	Scarlet fever:		
September.....	33	15	January.....	647	12
October.....	63	18	February.....	568	21
November.....	114	22	March.....	662	15
December.....	246	38	April.....	642	19
Total.....	69,824	3,492	May.....	690	26
Rate per 1,000 population.....	12.33	0.62	June.....	429	16
Number of cases reported for each death registered, 20.0.			July.....	208	11
Malaria:			August.....	146	11
January.....	3	September.....	183	10
February.....	3	October.....	388	14
March.....	3	1	November.....	697	14
April.....	3	December.....	1,277	51
May.....	2	Total.....	6,537	220
June.....	8	Rate per 1,000 population.....	1.15	0.04
July.....	8	1	Deaths per 100 cases, 3.4.		
August.....	3	1			
September.....	9	1			

Cases reported and deaths registered in New York City during the calendar year 1920, from certain diseases, with indicated morbidity, mortality, and fatality rates—Contd.

	Cases.	Deaths.		Cases.	Deaths.
Smallpox:					
January.....			Tuberculosis (pulmonary)—Con.		
February.....	2		October.....	1,515	405
March.....	2		November.....	974	436
April.....			December.....	1,125	443
May.....	1		Total.....	14,035	6,165
June.....			Rate per 1,000 population.....	2.48	1.09
July.....	5		Number of cases reported for each death registered, 2.3.		
August.....	6				
September.....	2		Typhoid fever:		
October.....			January.....	47	7
November.....	4		February.....	14	4
December.....	3		March.....	25	7
Total.....	23		April.....	26	5
Rate per 1,000 population.....	0.001		May.....	29	5
Tuberculosis (all forms):			June.....	51	1
January.....	679		July.....	78	15
February.....	778		August.....	199	25
March.....	739		September.....	196	31
April.....	678		October.....	142	15
May.....	664		November.....	92	10
June.....	572		December.....	70	12
July.....	550		Total.....	969	137
August.....	519		Rate per 1,000 population.....	0.17	0.02
September.....	471		Deaths per 100 cases, 14.1.		
October.....	474				
November.....	491				
December.....	510				
Total.....	7,135				
Rate per 1,000 population.....	1.28				
Tuberculosis (pulmonary):					
January.....	957	596			
February.....	1,163	692			
March.....	1,566	651			
April.....	1,255	575			
May.....	1,211	573			
June.....	1,325	482			
July.....	994	465			
August.....	986	438			
September.....	964	409	Total.....	11	
			Rate per 1,000 population.....	0.002	

August 5, 1921.

1804

Cases of anthrax reported, 1920.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
California.....	1	1			2			1	2				9	California.
Connecticut.....													1	Connecticut.
Delaware.....		1	1		1								1	Delaware.
Georgia.....			1										1	Georgia.
Idaho.....											1		3	Idaho.
Illinois.....	1		2	3				2					1	Illinois.
Iowa.....											2		2	Iowa.
Louisiana.....						3	2	1					2	Louisiana.
Maine.....		1	1	1	6	1		1					1	Maine.
Massachusetts.....								1					17	Massachusetts.
Michigan.....			2			2							4	Michigan.
Minnesota.....	1		1			1	1		2				1	Minnesota.
Montana.....										1			1	Montana.
Nebraska.....													1	Nebraska.
New Jersey.....	4		3					2					1	New Jersey.
New York.....	8	3	8	3	4	3	5	5	3				5	New York.
Rhode Island.....			1			1							1	Rhode Island.
South Dakota.....										1			4	South Dakota.
West Virginia.....											1		2	West Virginia.

Deaths registered as due to anthrax, 1920.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	1												1	Alabama.
California.....													1	California.
Connecticut.....													1	Connecticut.
Georgia.....													1	Georgia.
Illinois.....	1	1											4	Illinois.
Kansas.....													3	Kansas.
Louisiana.....													4	Louisiana.
Massachusetts.....													4	Massachusetts.
Minnesota.....													3	Minnesota.
Nebraska.....													1	Nebraska.
New Jersey.....													1	New Jersey.
New York.....													6	New York.
Oklahoma.....													2	Oklahoma.
Puerto Rico.....													1	Puerto Rico.
Texas.....													3	Texas.

August 5, 1921.

1806

Anthrax—Cases reported 1916, 1917, 1918, and 1919; cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1920.

State.	Estimated population July 1, 1920.	Total cases reported.			1920		
		1916	1917	1918	Total cases reported.	Cases per 1,000 inhabitants.	Deaths per 1,000 inhabitants.
Alabama.....	2,358,994	12	23	19	12	.003	1
California.....	3,450,063	1	1	1	1	1	11.1
Connecticut.....	1,394,324	(1)	(1)	(1)	5	.022	1
Delaware.....	224,068				1		
Georgia.....	2,910,508	(1)	(1)	(1)			
Idaho.....	437,339	(1)	(1)	(1)	3	.007	0
Illinois.....	6,538,886	(1)	2	2	9	.001	4
Iowa.....	2,413,253				2	.001	0
Kansas.....	1,773,260	4	2	3	3	0	
Louisiana.....	1,805,829	4	27	13	5	.004	4
Maine.....	769,335				1	.001	0
Massachusetts.....	3,877,383	31	54	23	18	.004	4
Michigan.....	3,712,013				17		
Minnesota.....	2,403,104				4	.001	
Montana.....	657,790				1		
Nebraska.....	1,301,736	(1)	(1)	(1)	2	.002	3
New Jersey.....	3,187,756	7	21	10	7	1	
New York.....	10,450,359	15	32	20	25	.004	11
Oklahoma.....	2,041,387	(1)	(1)	(1)	47		12.8
Puerto Rico.....	1,305,172						
Rhode Island.....	607,379						
South Dakota.....	639,259	(1)	(1)	(1)			
Texas.....	4,702,754						
West Virginia.....	1,176,194	(1)	(1)	(1)	2	.001	3

¹ No report received.² Nine months only.³ Deaths: Cases not reported.Alabama,
California,
Connecticut,
Delaware,
Georgia,Idaho,
Illinois,
Iowa,
Kansas,
Louisiana,Maine,
Massachusetts,
Michigan,
Minnesota,
Montana,Nebraska,
New Jersey,
New York,
Oklahoma,
Porto Rico.Rhode Island,
South Dakota,
Texas,
West Virginia.

Cerebrospinal meningitis—Monthly median of cases reported during the years (1913-1919) for which data are available, and number of cases reported for the median year.

1807

August 5, 1921.

State.	Number of years included.	Median number of cases reported.										Cases reported in median year.	State.	
		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
Arizona.....	1	1	2	3	4	5	6	7	10	6	2	7	1	8
California.....	6	9	14	17	5	10	5	1	3	3	7	5	1	87
Connecticut.....	7	3	4	1	1	1	1	1	1	1	1	4	3	44
District of Columbia.....	2	4	15	9	4	2	3	3	5	1	4	3	1	8
Florida.....	2	4	15	9	4	2	3	3	5	1	4	3	2	54
Georgia.....	1	7	7	8	4	9	6	3	2	3	2	5	2	58
Illinois.....	5	17	15	23	30	18	12	19	14	16	12	13	12	196
Indiana.....	4	10	13	14	12	4	6	3	3	3	15	1	6	80
Louisiana.....	6	7	9	8	6	2	1	1	1	1	2	4	6	64
Maine.....	2	2	4	1	1	6	16
Maryland.....	5	9	6	8	10	4	6	8	7	4	3	4	7	77
Massachusetts.....	6	14	15	18	16	21	22	13	14	15	12	15	16	167
Michigan.....	2	8	13	9	5	5	8	6	8	4	6	2	8	88
Minnesota.....	5	4	7	6	7	5	6	3	5	3	5	3	5	56
Mississippi.....	6	4	6	10	3	5	2	2	1	2	3	4	3	56
Montana.....	5	1	1	1	1	2	1	1	1	1	1	1	1	14
New Jersey.....	2	19	19	25	31	23	11	16	14	8	17	9	9	207
New York.....	7	31	33	46	38	55	43	33	26	28	20	27	31	446
North Carolina.....	2	13	16	23	7	7	4	7	7	7	7	3	11	114
Ohio.....	6	12	16	22	31	17	16	16	13	13	13	11	12	194
Oregon.....	4	17	27	51	56	53	20	25	28	17	16	17	18	8
Pennsylvania.....	2	2	2	1	1	1	1	1	1	1	1	2	2	3
Porto Rico.....	4	3	2	2	8	4	3	4	1	1	1	2	2	42
Rhode Island.....
South Dakota.....	5	2	1	3	2	1	1	1	1	1	1	2	2	9
Virginia.....	4	12	15	19	17	13	9	10	10	14	5	14	15	161
West Virginia.....	3	5	6	4	4	2	1	3	4	1	2	2	5	40
Wisconsin.....	6	10	9	15	12	13	14	8	8	4	5	5	5	109

Cases of cerebrospinal meningitis reported, 1920.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Arizona.....	2	1	3	4	6	4	1	3	1	3	4	4	3	Arizona.
Arkansas.....	10	20	13	16	10	14	13	14	11	12	13	2	40	Arkansas.
California.....	16	1	1	1	1	1	1	1	1	1	1	1	27	California.
Colorado.....	2	1	1	1	1	1	1	1	1	1	1	1	5	Colorado.
Connecticut.....	8	9	11	5	10	6	9	10	3	11	6	4	92	Connecticut.
District of Columbia.....	3	2	2	3	3	1	3	1	1	1	1	1	1	District of Columbia.
Florida.....	8	2	6	8	6	5	5	1	7	2	1	1	4	Florida.
Georgia.....	9	33	28	12	14	13	8	11	15	17	27	8	29	Georgia.
Illinois.....	31	4	6	5	2	8	3	3	4	2	1	2	51	Illinois.
Indiana.....	4	4	6	5	5	10	6	4	3	2	1	2	42	Indiana.
Louisiana.....	15	5	9	10	6	4	2	4	3	3	7	5	70	Louisiana.
Maryland.....	4	4	6	4	5	4	2	4	2	4	1	2	5	Maryland.
Massachusetts.....	28	22	21	11	10	7	14	12	24	12	7	14	182	Massachusetts.
Michigan.....	16	15	12	14	18	17	20	14	10	6	9	20	171	Michigan.
Minnesota.....	8	10	4	8	3	2	1	1	1	5	6	4	53	Minnesota.
Mississippi.....	11	2	9	4	5	1	1	1	3	2	4	3	45	Mississippi.
Montana.....	1	1	2	1	2	2	2	1	3	3	1	2	19	Montana.
Nebraska.....	3	9	4	4	2	2	2	1	3	4	3	2	40	Nebraska.
New Hampshire.....	1	1	1	1	1	1	1	1	1	1	2	1	5	New Hampshire.
New Jersey.....	13	14	11	11	17	7	13	7	16	14	8	3	134	New Jersey.
New Mexico.....	1	1	1	1	4	1	1	1	3	2	4	3	8	New Mexico.
New York.....	35	40	26	44	32	26	20	33	29	15	25	27	351	New York.
North Carolina.....	16	9	19	10	9	13	4	2	4	6	1	4	96	North Carolina.
Ohio.....	11	9	22	12	10	12	16	12	10	11	20	21	166	Ohio.
Oregon.....	1	1	4	1	1	1	1	1	1	1	1	1	12	Oregon.
Pennsylvania.....	16	17	18	23	21	11	8	9	14	14	11	6	168	Pennsylvania.
Rhode Island.....	1	1	3	2	3	3	1	1	1	1	1	1	5	Rhode Island.
South Dakota.....	3	3	2	3	3	5	1	4	6	1	2	3	19	South Dakota.
Virginia.....	4	11	16	9	10	16	9	11	9	16	7	12	131	Virginia.
West Virginia.....	10	5	12	18	10	7	5	2	6	2	1	5	57	West Virginia.
Wisconsin.....	12	12	18	10	12	11	5	4	9	11	6	6	115	Wisconsin.
Wyoming.....	1	1	1	1	6	1	1	1	4	2	1	1	19	Wyoming.

Deaths registered as due to cerebrospinal meningitis, 1920.

State.	Jan.	Feb.	Mar.	Apr.	May	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	2	1	11	1	1	3	3	3	1	2	2	2	14	Alabama.
California.....	5	8	3	4	6	5	4	6	3	2	2	6	55	California.
Connecticut.....	4	10	4	6	8	4	6	10	4	1	3	5	66	Connecticut.
District of Columbia.....	1	1	2	1	1	1	1	1	1	1	1	1	3	District of Columbia.
Florida.....	2	3	2	1	1	1	1	1	1	1	1	1	11	Florida.
Georgia.....	4	1	1	1	1	1	1	1	2	8	1	3	18	Georgia.
Hawaii.....	1	2	1	1	1	1	1	1	2	1	1	1	5	Hawaii.
Idaho.....	3	9	9	3	1	6	3	1	7	4	8	3	72	Idaho.
Illinois.....	16	9	9	3	3	4	6	1	1	2	1	1	20	Illinois.
Indiana.....	2	2	2	4	4	6	1	1	2	1	1	1	20	Indiana.
Iowa.....	8	5	8	5	5	9	3	3	1	1	1	1	7	Iowa.
Kansas.....	3	2	4	4	3	2	2	1	1	1	1	1	23	Kansas.
Louisiana.....	7	3	4	2	2	1	1	1	2	1	2	3	23	Louisiana.
Maine.....	2	2	6	3	1	3	2	2	2	5	2	1	13	Maine.
Maryland.....	2	1	1	1	1	1	1	1	2	2	1	1	27	Maryland.
Massachusetts.....	11	15	16	7	10	8	8	8	14	16	6	10	120	Massachusetts.
Minnesota.....	2	1	6	2	2	2	2	1	2	3	4	3	25	Minnesota.
Nebraska.....	4	11	1	2	2	1	1	1	2	3	3	3	30	Nebraska.
New Jersey.....	13	12	8	6	8	3	1	9	10	9	9	6	100	New Jersey.
New York.....	21	20	13	22	26	15	13	18	10	7	15	18	201	New York.
North Carolina.....	1	1	3	4	2	1	3	2	3	2	1	1	10	North Carolina.
North Dakota.....	2	4	4	1	1	2	1	1	1	1	1	1	13	North Dakota.
Oklahoma.....	1	2	1	1	1	1	1	1	2	2	1	1	17	Oklahoma.
Oregon.....	1	1	1	1	1	1	1	1	1	1	1	1	8	Oregon.
Puerto Rico.....	1	1	1	1	1	1	1	1	1	1	1	1	2	Puerto Rico.
South Carolina.....	4	4	6	5	3	3	2	9	1	1	3	3	4	South Carolina.
Texas.....	3	6	5	8	3	3	2	8	5	5	6	3	59	Texas.
Washington.....	7	8	11	12	8	11	8	4	3	3	6	8	87	Washington.
Wyoming.....	1	1	1	1	1	1	1	1	1	2	1	1	18	Wyoming.

Cerebrospinal meningitis—Median number of cases reported per annum and indicated morbidity rates, 1913-1919; cases reported, deaths registered, and indicated mortality, morality, and fatality rates, 1920.

State.	Estimated population July 1, 1920.	Median.		1920				State.
		Number of years indicated.	Cases reported in median year.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	
Alabama.....	2,358,994	6	11	0.03	0.01	14	0.01	Alabama.
Arizona.....	240,575	1	8	0.03	0.02	12	0.02	Arizona.
Arkansas.....	1,761,359	6	87	0.03	0.05	55	0.02	Arkansas.
California.....	4,480,903	6	188	0.03	0.05	12	0.02	California.
Colorado.....	946,870	6	6	0.01	0.01	0	0	Colorado.
Connecticut.....	1,394,384	7	44	0.03	0.02	65	0.01	Connecticut.
District of Columbia.....	443,056	7	8	0.02	0.05	3	0.01	District of Columbia.
Florida.....	979,657	2	84	0.06	0.02	11	0.01	Florida.
Georgia.....	2,910,598	1	88	0.02	0.02	18	0.01	Georgia.
Hawaii.....	259,298	6	8	0.03	0.02	5	0.02	Hawaii.
Idaho.....	437,359	5	196	0.03	0.02	11	0.03	Idaho.
Illinois.....	6,528,858	5	80	0.03	0.02	72	0.01	Illinois.
Indiana.....	2,942,210	4	2	0.02	0.01	20	0.01	Indiana.
Iowa.....	2,413,263	2	88	0.03	0.02	56	0.02	Iowa.
Kansas.....	1,773,260	6	45	0.03	0.02	23	0.01	Kansas.
Louisiana.....	1,865,829	6	64	0.03	0.02	26	0.01	Louisiana.
Maine.....	2,769,333	2	16	0.02	0.01	13	0.02	Maine.
Maryland.....	1,457,609	5	77	0.05	0.04	27	0.02	Maryland.
Massachusetts.....	3,877,382	6	187	0.05	0.05	120	0.03	Massachusetts.
Michigan.....	3,712,613	2	85	0.02	0.02	171	0.05	Michigan.
Minnesota.....	2,483,164	5	56	0.02	0.02	25	0.01	Minnesota.
Mississippi.....	1,780,283	6	66	0.03	0.02	33	0.01	Mississippi.
Missouri.....	3,409,767	5	14	0.03	0.02	13	0.00	Missouri.
Montana.....	537,790	5	•	•	19	0.03	Montana.	
Nebraska.....	1,301,786	5	•	•	40	0.03	Nebraska.	
New Hampshire.....	443,727	2	207	0.07	5	0.01	New Hampshire.	
New Jersey.....	3,157,768	2	•	•	134	0.02	New Jersey.	
New Mexico.....	3,382,052	2	446	0.04	8	0.02	New Mexico.	
New York.....	10,466,298	2	114	0.04	261	0.03	New York.	
North Carolina.....	2,077,295	2	•	•	10	0.04	North Carolina.	

August 5, 1921.

North Dakota.....	649, 214	6	194	.04	.04	166	.03	.03	13	.02
Ohio.....	5, 810, 498									
Oklahoma.....	2, 047, 387									
Oregon.....	1, 739, 086									
Pennsylvania.....	8, 774, 347	4	347	.8	.04	12	.01	.01		
Porto Rico.....	1, 309, 172	2	3	.00	.00	5	.00	.00		
Rhode Island.....	607, 679	4	42	.07	.07	19	.03	.03		
South Carolina.....	1, 692, 383	5	32	.02	.02					
South Dakota.....	1, 639, 256	5	9	.01	.01	42	.07	.07		
Texas.....	4, 702, 714	1	188	.04	.04					
Virginia.....	2, 321, 988	4	161	.07	.07	131	.06	.06		
Washington.....	1, 387, 675	6	24	.02	.02					
West Virginia.....	1, 476, 194	3	40	.03	.03	57	.04	.04		
Wisconsin.....	2, 647, 425	6	109	.04	.04	115	.04	.04		
Wyoming.....	196, 887					19	.10	.10		

Dengue—Cases reported and deaths registered, 1920.

State.	Cases.	Deaths.	State.	Cases.	Deaths.	State.		Cases.	Deaths.
						Porto Rico.....	South Dakota.....		
Alabama.....	45	1	Georgea.....						
Florida.....	1		Hawaii.....	170	1				

Diphtheria—Monthly median of cases reported during the years (1913-1919) for which data are available and number of cases reported for the median year.

State.	Num- ber of years in- cluded.	Median number of cases reported.										Cases report- ed in median year.	State.			
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.			
Alabama.....	6	46	32	36	28	19	18	26	70	137	126	99	67	742	Alabama.	
Arizona.....	3	3	1	3	3	1	5	1	2	4	6	1	1	39	Arizona.	
Arkansas.....	3	17	19	15	11	6	5	4	14	40	53	33	76	288	Arkansas.	
California.....	7	304	265	209	237	228	195	170	149	154	268	327	286	3,073	California.	
Colorado.....	5	40	27	48	44	40	39	45	38	58	76	49	55	598	Colorado.	
Connecticut.....	7	280	200	186	171	159	137	134	104	166	264	327	271	2,367	Connecticut.	
District of Columbia.....	7	61	37	44	38	54	22	19	17	27	75	82	67	644	District of Columbia.	
Florida.....	2	30	29	20	21	13	13	14	17	62	64	78	67	419	Florida.	
Georgia.....	1	19	43	38	13	16	10	10	13	37	43	27	128	1,651	Georgia.	
Hawaii.....	6	17	15	18	14	11	10	11	10	11	10	7	11	143	Hawaii.	
Idaho.....	1	2	6	1	3	5	4	4	4	1	1	2	1	20	Idaho.	
Illinois.....	5	1,158	657	970	749	714	635	606	479	751	1,251	1,318	1,174	10,453	Illinois.	
Indiana.....	6	77	352	247	189	147	137	99	65	33	31	51	53	436	3,190	Indiana.
Iowa.....	6	71	68	62	45	43	33	30	38	60	59	58	100	88	888	Iowa.
Kansas.....	7	170	86	95	79	68	68	68	60	60	60	263	282	172	1,528	Kansas.
Louisiana.....	6	79	75	55	62	50	30	48	79	21	21	95	73	69	1,125	Louisiana.
Maine.....	4	24	16	25	19	18	16	15	15	22	22	41	51	46	323	Maine.
Maryland.....	5	168	161	149	93	93	71	66	52	179	215	228	203	1,884	Maryland.	
Massachusetts.....	6	854	696	707	609	624	551	450	408	817	944	944	879	7,905	Massachusetts.	
Michigan.....	7	504	363	368	379	368	342	327	302	402	647	778	709	5,320	Michigan.	
Minnesota.....	7	314	231	254	247	335	255	227	226	226	411	415	365	3,600	Minnesota.	
Mississippi.....	6	75	45	38	37	28	36	36	39	163	210	164	125	1,984	Mississippi.	
Montana.....	6	20	21	22	16	26	19	22	15	15	22	26	24	275	Montana.	
Nebraska.....	2	44	35	33	36	68	48	58	50	50	70	37	65	664	Nebraska.	
New Jersey.....	7	563	535	461	449	553	433	388	285	431	763	721	673	6,082	New Jersey.	
New York.....	7	2,061	1,907	1,906	1,888	1,985	1,870	1,388	1,010	1,131	1,764	1,880	2,044	20,144	New York.	
North Carolina.....	2	79	61	64	66	55	45	65	187	490	622	490	2,430	2,423	North Carolina.	
North Dakota.....	3	33	36	49	24	23	31	37	47	47	47	47	27	48	48	North Dakota.
Ohio.....	6	716	591	562	452	406	366	338	475	740	1,168	1,303	960	7,810	Ohio.	
Oregon.....	7	19	19	19	15	25	24	14	17	17	22	22	24	36	38	Oregon.
Pennsylvania.....	4	1,234	1,198	1,115	1,027	988	875	779	988	1,374	1,948	1,948	1,929	15,297	Pennsylvania.	
Porto Rico.....	5	9	11	11	6	15	7	10	17	6	11	11	7	131	Porto Rico.	
Rhode Island.....	6	106	93	92	75	70	68	65	61	69	115	105	105	1,029	Rhode Island.	

August 5, 1921.

Cases of diphtheria reported, 1920.

South Carolina.	96	90	68	51	46	30	171	242	382	270	143	1,947
South Dakota.	26	15	17	22	10	17	23	20	14	25	26	273
Texas.	140	100	78	61	63	50	48	76	75	183	262	1,306
Virginia.	203	147	97	78	67	51	64	190	428	518	590	2,906
Washington.	56	43	40	44	40	36	34	32	37	42	47	57
West Virginia.	3	51	55	45	40	36	29	31	70	125	173	927
Wisconsin.	7	241	167	144	102	147	133	137	117	154	258	244
Wyoming.	.5	2	2	7	1	1	2	2	2	10	5	50

August 5, 1921.

1814

Cases of diphtheria reported 1920—Continued.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
New Hampshire.....	60	32	33	40	38	15	12	19	67	95	107	521	New Hampshire.	
New Jersey.....	812	490	484	460	454	427	295	247	769	1,113	1,050	6,931	New Jersey.	
New Mexico.....	16	12	16	45	105	45	35	35	116	117	140	623	New Mexico.	
New York.....	2,574	1,816	2,146	1,961	2,076	1,902	1,316	914	1,051	1,064	3,364	3,562	New York.	
North Carolina.....	236	106	115	103	82	43	57	177	602	923	643	332	North Carolina.	
North Dakota.....	37	25	57	30	21	20	42	43	53	195	117	72	North Dakota.	
Ohio.....	638	436	486	371	319	294	207	345	709	1,480	1,702	1,425	Ohio.	
Oregon.....	45	57	21	24	28	13	34	34	95	116	66	655	Oregon.	
Pennsylvania.....	1,711	1,232	1,377	1,016	898	828	723	618	1,162	2,187	2,671	2,635	Pennsylvania.	
Porto Rico.....	23	25	15	7	9	2	14	6	27	11	6	6	Porto Rico.	
Rhode Island.....	164	182	187	86	110	75	45	46	76	91	127	136	Rhode Island.	
South Carolina.....	208	59	76	50	44	93	56	59	417	516	345	208	South Carolina.	
South Dakota.....	20	12	42	22	21	23	22	22	59	59	48	95	South Dakota.	
Texas.....	163	159	523	53	138	110	94	121	121	132	687	259	Texas.	
Virginia.....	248	159	110	127	63	71	67	125	411	1,008	885	719	Virginia.	
Washington.....	150	113	77	54	134	71	56	73	73	169	231	147	Washington.	
West Virginia.....	287	145	169	96	82	44	66	66	189	384	378	2,072	West Virginia.	
Wisconsin.....	233	148	217	128	178	126	171	171	207	445	728	3,482	Wisconsin.	
Wyoming.....	5	11	7	1	3	1	4	1	9	31	8	8	Wyoming.	

Deaths registered as due to diphtheria, 1920.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	15	8	6	5	4	9	4	6	22	20	48	28	67	244
Arkansas.....	10	12	30	31	38	32	27	23	33	30	38	42	170	Alabama.
California.....	28	39	10	8	10	9	5	4	5	6	5	53	170	Arkansas.
Colorado.....	10	5	22	22	17	9	14	14	14	13	20	24	141	California.
Connecticut.....	37	33	22	22	17	9	14	14	14	10	14	23	30	141
Delaware.....	4	2	3	2	3	2	3	3	1	3	7	1	3	28
District of Columbia.....	12	4	4	4	6	4	2	3	3	1	4	5	6	14
Florida.....	10	5	25	20	14	5	5	5	31	64	8	6	18	63
Georgia.....	25	25	21	15	15	5	5	48	1	1	82	71	9	453
Hawaii.....	2	1	5	2	2	2	1	1	1	1	1	1	17	17
Idaho.....	116	106	71	78	80	46	44	46	66	120	179	170	1	1
Illinois.....	42	26	24	22	25	11	16	9	18	50	67	170	1,122	Illinois.
Indiana.....	23	6	12	7	5	15	10	7	7	13	18	20	358	Indiana.
Iowa.....	16	12	16	11	6	12	6	6	9	23	47	23	169	Iowa.
Kansas.....	51	22	19	11	11	6	11	17	27	27	77	90	244	Kansas.
Kentucky.....	11	13	11	11	11	4	2	6	11	12	12	13	63	405
Louisiana.....	8	5	4	5	3	7	2	3	3	3	5	5	107	Kentucky.
Maine.....	33	19	15	17	7	9	5	2	2	15	18	27	111	Louisiana.
Maryland.....	115	60	55	33	33	45	31	26	27	54	54	45	64	Maine.
Massachusetts.....	69	69	71	44	61	52	37	55	54	83	83	114	127	Massachusetts.
Michigan.....	26.	19	19	16	19	14	20	19	15	15	27	29	20	886
Minnesota.....	10	5	47	46	49	36	25	27	26	10	19	19	113	Michigan.
Nebraska.....	61	63	22	15	16	6	11	16	16	16	17	16	16	886
New Jersey.....	11	3	22	15	16	6	6	11	16	16	17	30	33	Nebraska.
New Mexico.....	28	28	226	171	136	127	74	74	65	137	180	231	1,905	New Jersey.
New York.....	27	23	10	18	10	4	5	3	28	41	53	51	273	New Mexico.
North Carolina.....	8	3	3	2	2	2	1	1	3	2	2	2	4	35
Oklahoma.....	20	27	18	10	11	5	7	21	44	94	77	57	400	North Carolina.
Oregon.....	6	2	2	7	1	2	1	1	1	6	5	4	6	41
Pennsylvania.....	201	170	143	130	100	92	83	70	101	173	210	223	1,705	Oregon.
Puerto Rico.....	4	4	2	5	4	4	5	3	6	4	4	1	3	46
South Carolina.....	7	4	4	2	1	2	5	11	28	33	27	20	144	Puerto Rico.
South Dakota.....	3	1	3	4	2	4	3	4	2	3	3	5	4	38
Texas.....	103	103	42	20	8	17	18	27	31	56	62	40	527	South Dakota.
Virginia.....	20	26	16	11	12	5	7	4	16	46	73	45	292	Texas.
Washington.....	16	14	5	13	9	8	7	7	11	13	12	12	122	Virginia.
Wisconsin.....	20	17	31	20	18	18	33	23	27	40	35	34	345	Washington.
Wyoming.....	1	1	1	1	2	2	2	2	2	1	6	6	12	12

Diphtheria—Median number of cases reported per annum and indicated morbidity rates, 1913-1919; cases reported, deaths registered, and indicated mortality, morbidity, and fatality rates, 1920.

State.	Estimated population July 1, 1920.	Median.		1920				State.	
		Number of years included.	Cases reported in median year.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.		
Alabama.....	2,358,954	6	742	0.33	1,053	0.45	244	0.10	Alabama.
Arizona.....	240,575	3	359	.14	87	.26	27	.08	Arizona.
Arkansas.....	1,761,839	3	288	.17	1,116	.03	176	.10	Arkansas.
California.....	3,490,933	7	3,073	1.01	5,734	1.66	451	.13	California.
Colorado.....	946,870	5	555	.65	1,006	1.66	141	.15	Colorado.
Connecticut.....	1,384,324	7	2,367	1.84	3,754	2.69	285	.17	Connecticut.
Delaware.....	224,063	1	44	.27	227	1.06	28	.12	Delaware.
District of Columbia.....	443,056	7	644	1.61	713	1.31	66	.14	District of Columbia.
Florida.....	970,587	2	419	.44	578	.59	79	.18	Florida.
Georgia.....	2,910,956	1	1,551	.54	1,450	.49	453	.15	Georgia.
Hawaii.....	259,265	0	143	.01	125	.48	17	.07	Hawaii.
Idaho.....	437,359	1	25	.08	145	.33	23	.05	Idaho.
Illinois.....	6,028,896	5	10,558	1.69	14,106	2.10	1,125	.17	Illinois.
Indiana.....	2,942,210	7	3,190	1.12	5,966	.87	358	.12	Indiana.
Iowa.....	2,413,253	6	888	.38	1,195	.50	168	.07	Iowa.
Kansas.....	1,773,290	7	1,558	.88	4,375	2.47	254	.15	Kansas.
Kentucky.....	2,493,157	6	1,25	.04	566	.38	486	.17	Kentucky.
Louisiana.....	1,865,829	6	1,333	.44	616	.30	107	.06	Louisiana.
Maine.....	769,335	4	1,984	1.34	2,501	1.76	184	.08	Maine.
Maryland.....	1,437,670	5	1,76	.20	2,501	1.76	184	.13	Maryland.
Massachusetts.....	3,877,382	6	7,905	2.97	7,514	1.94	593	.15	Massachusetts.
Michigan.....	3,712,613	7	5,920	1.64	10,407	2.50	836	.23	Michigan.
Minnesota.....	2,463,168	7	3,006	1.38	3,616	1.50	243	.10	Minnesota.
Mississippi.....	1,700,283	6	1,094	.61	2,226	1.24	556	.17	Mississippi.
Missouri.....	3,409,757	7	Missouri.
Montana.....	537,750	6	275	.57	268	.48	113	.06	Montana.
Nebraska.....	1,301,732	2	504	.44	963	1.17	117	.12	Nebraska.
New Hampshire.....	443,727	7	6,082	2.07	6,931	2.17	588	.18	New Hampshire.
New Jersey.....	1,497,766	7	New Jersey.
New Mexico.....	3,302,662	2	196	.54	New Mexico.

New York.....	10,450,295	7	20,144	2,03	24,806	2,37	1,905	.18	7.7
North Carolina.....	2,377,265	2	2,423	.95	3,422	1.37	1,273	.11	8.0
North Dakota.....	140,214	3	394	.62	763	1.18	35	.05	4.6
Ohio.....	5,810,488	6	7,810	1.42	8,887	1.48	400	.20	Ohio.
Oklahoma.....	2,04,397	Oklahoma.
Oregon.....	789,086	7	308	.41	498	.63	41	.05	Oregon.
Pennsylvania.....	8,774,347	4	15,297	1.79	16,959	1.88	1,705	.19	Pennsylvania.
Puerto Rico.....	309,172	5	131	.10	149	.11	46	.04	Puerto Rico.
Rhode Island.....	607,579	5	1,029	1.75	1,369	2.25	Rhode Island.
South Carolina.....	1,692,388	7	1,947	1.20	2,158	1.28	144	.09	South Carolina.
South Dakota.....	139,239	5	273	.44	516	.84	38	.06	South Dakota.
Texas.....	4,702,714	3	1,319	.29	2,419	.51	527	.11	Texas.
Virginia.....	2,321,938	7	2,906	1.31	3,983	1.72	262	.13	Virginia.
Washington.....	1,367,675	7	459	.36	1,238	.99	122	.09	Washington.
West Virginia.....	1,476,184	3	927	.05	2,678	1.40	West Virginia.
Wisconsin.....	2,047,425	7	2,186	.87	3,485	1.32	365	.14	Wisconsin.
Wyoming.....	195,887	7	50	.2845	12	.06	Wyoming.

Cases of gonorrhœa reported, 1920.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	600	580	586	547	523	569	723	677	638	544	468	436	6,870	Alabama.
Arizona.....	30	22	24	24	31	31	39	28	49	20	19	19	301	Arizona.
Arkansas.....	265	250	240	207	219	180	434	212	446	3,518	446	446	3,518	Arkansas.
California.....	554	379	577	440	165	393	383	204	547	284	487	4,675	4,675	California.
Colorado.....	255	171	164	139	169	166	210	221	198	180	207	136	2,221	Colorado.
Connecticut.....	120	70	120	90	99	98	118	118	70	66	110	164	1,283	Connecticut.
Delaware.....	37	26	18	11	26	34	108	108	181	247	132	48	48	Delaware.
Florida.....	225	111	113	156	103	148	169	178	181	57	49	132	1,967	Florida.
Georgia.....	454	399	448	348	385	501	183	444	531	336	439	5,133	5,133	Georgia.
I Idaho.....	31	28	27	27	40	10	2	21	21	18	2	15	213	Idaho.
Illinois.....	1,413	966	1,350	1,435	1,728	1,069	1,563	1,571	2,024	1,887	1,000	18,820	18,820	Illinois.
Indiana.....	563	396	491	329	386	343	199	221	275	263	196	3,571	3,571	Indiana.
Iowa.....	267	188	211	167	177	217	288	200	218	370	267	2,843	2,843	Iowa.
Kansas.....	171	132	127	127	234	62	143	196	122	119	119	1,888	1,888	Kansas.
Kentucky.....	222	172	156	204	170	327	722	656	632	731	756	923	5,680	Kentucky.
Louisiana.....	374	300	311	289	222	383	494	563	421	414	433	4,431	4,431	Louisiana.
Maine.....	108	97	98	75	35	121	107	125	108	118	118	1,223	1,223	Maine.
Maryland.....	139	109	204	171	135	152	142	375	273	318	186	173	2,366	Maryland.
Massachusetts.....	600	465	523	536	615	685	913	686	619	678	532	600	7,432	Massachusetts.
Michigan.....	841	965	841	945	939	1,060	1,323	1,031	1,113	1,105	886	11,865	11,865	Michigan.

Cases of gonorrhea reported, 1920—Continued.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Minnesota.....	344	424	492	482	508	525	700	500	514	478	Minnesota.
Mississippi.....	104	137	156	280	271	161	232	459	395	357	183	183	2,852	New Jersey.
Missouri.....	517	527	456	486	486	621	514	678	684	353	374	374	5,705	Missouri.
Montana.....	131	140	98	165	62	114	144	52	123	97	76	76	1,500	Montana.
Nebraska.....	313	199	282	262	257	327	313	326	394	425	310	310	3,920	Nebraska.
New Hampshire.....	59	39	35	60	40	33	52	20	73	86	55	55	588	New Hampshire.
New Jersey.....	267	163	244	249	184	267	211	245	416	250	269	269	3,092	New Jersey.
New Mexico.....	52	40	34	277	158	237	24	28	21	21	18	18	420	New Mexico.
New York.....	643	584	655	585	763	922	666	579	588	682	561	561	8,210	New York.
North Carolina.....	433	236	371	380	466	683	439	554	665	539	390	390	5,330	North Carolina.
North Dakota.....	57	57	62	59	59	73	67	91	139	117	95	95	48	North Dakota.
Ohio.....	574	285	445	506	445	580	545	428	484	456	413	413	400	Ohio.
Oklahoma.....	483	172	440	337	253	212	300	361	258	384	200	200	3,741	Oklahoma.
Oregon.....	74	58	57	73	39	73	156	117	125	128	108	108	1,066	Oregon.
Pennsylvania.....	165	179	190	1,001	1,380	1,286	780	959	1,158	Pennsylvania.
Rhode Island.....	37	47	61	46	40	171	53	26	43	165	191	191	19,887	Rhode Island.
South Carolina.....	178	448	580	420	452	541	1,034	597	386	487	350	350	6,102	South Carolina.
South Dakota.....	175	64	90	65	65	68	63	71	86	73	20	20	890	South Dakota.
Tennessee.....	383	471	412	356	446	283	382	327	327	267	272	272	3,860	Tennessee.
Texas.....	677	882	681	771	597	888	3,138	3,320	2,415	2,267	2,193	2,193	1,908	Texas.
Utah.....	95	75	150	63	45	15	32	45	47	35	69	69	446	Utah.
Vermont.....	52	24	25	24	15	234	234	250	312	274	411	411	31	Vermont.
Virginia.....	268	158	215	267	234	250	324	324	327	329	257	257	3,201	Virginia.
Washington.....	317	220	272	248	247	267	247	247	458	364	281	281	3,455	Washington.
West Virginia.....	404	202	302	521	550	329	521	442	786	480	229	229	5,893	West Virginia.
Wisconsin.....	255	206	249	241	221	253	303	338	291	283	216	216	3,150	Wisconsin.
Wyoming.....	33	38	33	51	34	71	54	64	64	64	120	120	87	Wyoming.

Gonorrhea—Cases reported and indicated morbidity rates, 1920.

State.	Estimated population July 1, 1920.	Total cases reported.	Cases per 1,000 inhabitants.	State.	Estimated population July 1, 1920.	Total cases reported.	Cases per 1,000 inhabitants.
Alabama.....	2,358,994	6,870	2.91	Nebraska.....	1,301,738	3,620	2.93
Arkansas.....	1,761,359	3,518	2.00	New Hampshire.....	448,727	568	1.33
California.....	3,450,908	4,676	1.34	New Jersey.....	3,187,766	3,022	.97
Colorado.....	946,570	2,321	2.35	Mexico.....	382,032	450	1.16
Connecticut.....	1,580,324	1,288	.92	New York.....	10,440,239	8,210	.79
Florida.....	979,587	1,962	2.00	North Carolina.....	2,577,245	5,350	2.07
Georgia.....	2,910,588	5,133	1.78	North Dakota.....	649,214	925	1.42
Idaho.....	2,527,380	6,213	2.40	Ohio.....	5,810,488	5,581	.96
Illinois.....	6,422,886	18,820	2.88	Oklahoma.....	2,047,367	3,741	1.83
Indiana.....	2,642,210	3,871	1.32	Oregon.....	729,086	1,056	1.35
Iowa.....	2,415,258	2,943	1.18	South Carolina.....	1,692,363	6,162	3.01
Kansas.....	1,773,290	1,888	1.06	South Dakota.....	639,259	890	1.39
Kentucky.....	2,423,187	5,696	2.34	Tennessee.....	2,345,770	3,900	1.06
Louisiana.....	1,805,820	4,431	2.45	Texas.....	4,702,714	19,687	4.19
Maine.....	1,756,335	1,253	1.60	Utah.....	4,456,312	6,932	2.06
Maryland.....	1,547,609	2,368	1.62	Vermont.....	322,240	465	1.15
Massachusetts.....	3,871,383	7,493	1.92	Virginia.....	2,321,938	3,211	1.38
Michigan.....	3,712,613	11,865	3.20	Washington.....	1,897,675	3,455	2.53
Mississippi.....	1,790,283	2,832	1.59	West Virginia.....	1,479,194	5,893	3.99
Missouri.....	1,409,757	6,705	1.67	Wisconsin.....	2,647,425	3,150	1.19
Montana.....	1,337	1,500	2.00	Wyoming.....	1,194,897	800	4.00

August 5, 1921.

1820

Cases of influenza reported, 1920.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	204	11,089	6,320	117	10	9	1	3	12	4	30	17,749	Alabama.	
Arizona.....	160	900	6,450	153	171	2	1	2	3	1	8	1,736	Arizona.	
Arkansas.....	3,526	22,718	6,533	575	101	33	17	38	36	62	223	31,088	Arkansas.	
California.....	3,165	46,837	7,944	457	175	15	26	19	61	73	48	136	38,976	California.
Colorado.....	5,634	7,007	4	30	1	7	12,673	Colorado.
Connecticut.....	7,732	15,055	890	62	6	2	1	14	16	24	74	65	23,931	Connecticut.
Dakota.....	2,288	244	94	4	15	3	2	1	2	2	5	41	21,413	Dakota.
District of Columbia.....	2,950	1,065	43	15	3	2	1	4	1	7	5	50	4,115	District of Columbia.
Florida.....	2,086	5,991	1,936	165	23	16	10	9	10	56	11	36	10,349	Florida.
Georgia.....	850	22,139	10,890	1,985	199	19	41	36	132	183	114	125	36,193	Georgia.
Hawaii.....	328	7,422	8,251	974	204	• 68	2	3	12	19	28	387	17,832	Hawaii.
Idaho.....	6,138	2,890	300	12	10	2	1	1	1	1	1	1	9,367	Idaho.
Illinois.....	80,020	80,946	5,731	741	159	156	52	100	147	186	274	168,956	Illinois.	
Indiana.....	5,175	18,217	3,050	279	40	34	10	10	12	52	79	113	27,091	Indiana.
Iowa.....	4,838	8,070	134	11	2	2	7	16,083	Iowa.
Kansas.....	15,803	50,209	8,859	188	12	3	3	13	14	42	59	38	70,243	Kansas.
Louisiana.....	968	12,117	6,419	83	12	11	75	4	61	45	59	59	19,854	Louisiana.
Maine.....	517	11,725	1,750	128	15	3	1	7	11	19	19	19	14,322	Maine.
Maryland.....	4,032	22,358	4,422	595	134	8	8	10	13	57	124	202	31,324	Maryland.
Massachusetts.....	6,078	28,407	2,222	227	98	24	13	10	39	41	67	86	38,312	Massachusetts.
Minnesota.....	1,958	1,975	258	70	87	19	10	9	5	16	9	17	4,436	Minnesota.
Mississippi.....	3,673	26,470	17,452	1,985	520	189	234	277	421	585	901	744	58,350	Mississippi.
Montana.....	1,615	5,301	369	3	2	2	2	6	16	5	7,308	Montana.
Nebraska.....	2,988	16,845	2,758	238	6	16	1	1	1	1	4	22	387	Nebraska.
New Hampshire.....	331	2,222	336	3	6	18	1	1	1	1	1	57	3,014	New Hampshire.
New Jersey.....	10,395	17,356	1,059	60	26	13	8	8	23	37	63	120	26,110	New Jersey.
New Mexico.....	327	3,673	2,927	59	21	1	1	1	8	9	7	2	5,132	New Mexico.
New York.....	39,432	75,799	10,072	909	613	41	22	19	90	183	262	389	127,772	New York.
North Carolina.....	3,567	66,233	6,475	337	1	1	1	1	1	1	1	308	North Carolina.
North Dakota.....	3,709	6,244	1,548	35	1	1	1	1	1	1	1	11,645	North Dakota.
Ohio.....	16,118	52,146	3,202	210	71	24	6	11	45	41	69	99	72,041	Ohio.
Oregon.....	1,668	6,350	3,637	4	1,160	635	140	181	253	255	16	9	8,738	Oregon.
Puerto Rico.....	1,170	5,799	232	15	3	1	3	6	6	4	6,365	Puerto Rico.
Rhode Island.....	2,464	3,496	567	76	60	7	4	16	30	5	6	7	7,260	Rhode Island.
South Carolina.....	1,960	1,424	3,944	82	2	2	1	1	1	5	7	13	6,728	South Carolina.
Texas.....	6,365	16,294	3,732	68	38	77	8	8	4	24	117	104	22,414	Texas.
Virginia.....	15,837	68,397	15,128	1,610	310	106	81	174	338	542	646	1,228	101,497	Virginia.
Washington.....	2,862	19,424	703	26	8	28	18	8	107	138	20	22	31,198	Washington.
West Virginia.....	3,558	32,124	3,032	296	90	18	47	11	8	34	116	163	127,395	West Virginia.
Wyoming.....	1,285	24,731	1,823	36	18	10	6	1	1	96	163	3,980	3,980	Wyoming.

¹ Months not stated for 98 of these cases.

Deaths registered as due to influenza, 1920.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.	
Alabama.....	51	451	408	98	64	37	17	10	9	7	18	205	1,361	Alabama.	
Arkansas.....	24	276	237	78	41	18	52	23	13	57	68	183	998	Arkansas.	
California.....	289	1,633	492	94	47	34	23	9	21	17	20	30	2,715	California.	
Colorado.....	109	565	104	45	10	7	6	6	1	9	8	27	2,885	Colorado.	
Connecticut.....	125	820	160	54	27	8	8	3	1	7	22	19	1,254	Connecticut.	
District of Columbia.....	4	42	21	8	3	1	1	1	1	1	1	5	34	Delaware.	
Florida.....	169	120	18	11	4	4	1	1	1	1	1	13	232	District of Columbia.	
Georgia.....	76	288	344	59	30	8	15	9	4	9	23	29	888	Florida.	
Hawaii.....	68	1,099	992	216	60	26	18	14	6	24	24	17	2,551	Georgia.	
Idaho.....	29	233	590	147	22	8	1	4	3	2	5	17	112	Hawaii.	
Illinois.....	1,320	8,064	613	169	53	34	23	23	23	23	23	57	5,714	Idaho.	
Indiana.....	311	1,284	420	105	46	34	13	6	6	6	15	31	2,250	Indiana.	
Iowa.....	113	1,088	216	45	36	17	10	4	5	6	10	11	1,543	Iowa.	
Kansas.....	62	696	183	46	25	7	7	7	6	6	6	12	14	1,071	Kansas.
Kentucky.....	82	1,030	892	162	67	23	21	14	11	15	23	32	2,286	Kentucky.	
Louisiana.....	53	336	295	67	13	9	3	3	3	15	10	21	940	Louisiana.	
Maine.....	22	234	111	35	17	8	2	1	4	3	5	12	477	Maine.	
Maryland.....	46	416	98	26	7	2	2	1	1	4	6	7	9	Maryland.	
Massachusetts.....	110	1,216	234	60	25	10	7	6	11	7	9	15	1,760	Massachusetts.	
Michigan.....	337	2,035	291	73	42	19	12	5	3	4	13	18	2,872	Michigan.	
Minnesota.....	308	1,480	249	68	34	19	12	8	9	3	8	4	7	2,199	Minnesota.
Nebraska.....	44	441	203	66	16	12	7	5	4	1	4	4	7	863	Nebraska.
New Jersey.....	165	705	149	39	27	9	4	3	4	3	9	12	21	1,173	New Jersey.
New Mexico.....	20	183	67	14	9	4	3	3	4	3	1	1	1	320	New Mexico.
New York.....	900	3,681	641	201	128	49	22	31	30	37	47	60	5,892	New York.	
North Carolina.....	84	1,273	971	46	128	131	12	4	1	1	1	2	3	575	North Carolina.
North Dakota.....	23	75	46	25	25	12	4	4	1	3	1	2	10	197	North Dakota.
Oklahoma.....	55	832	284	52	21	16	2	8	4	9	24	22	1,751	Oklahoma.	
Oregon.....	26	576	152	20	6	1	1	1	1	3	3	6	616	Oregon.	
Pennsylvania.....	377	5,078	1,281	368	183	77	44	27	34	67	82	143	7,781	Pennsylvania.	
Puerto Rico.....	10	42	150	95	49	42	20	32	13	30	30	26	585	Puerto Rico.	
South Carolina.....	20	442	226	95	18	5	3	10	10	10	10	10	671	South Carolina.	
South Dakota.....	23	258	127	43	41	12	10	8	5	13	12	10	561	South Dakota.	
Texas.....	222	1,322	561	145	69	42	24	18	24	31	33	45	2,879	Texas.	
Virginia.....	182	1,329	666	128	62	22	3	2	6	14	19	23	2,446	Virginia.	
Washington.....	52	797	264	38	31	14	9	4	1	6	10	9	2,207	Washington.	
Wisconsin.....	286	901	264	74	49	26	16	11	4	7	26	15	1,737	Wisconsin.	
Wyoming.....	4	21	9	6	1	1	1	1	1	1	1	1	57	Wyoming.	

August 5, 1921.

1822

Influenza—Cases reported, deaths registered, indicated morbidity and mortality rates, and number of cases reported for each death registered, 1920.

State.	Estimated population July 1, 1920.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.	State.	Estimated population July 1, 1920.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.
Alabama.....	2,368,994	17,749	7.52	1,361	.08	13.0	Missouri.....	3,409,757	7,308	21.10	3,714	1.09
Arizona.....	340,575	1,736	5.10	120	.36	13.5	Montana.....	1,557,790	1,310	803	803	.62	28.5
Arkansas.....	1,761,359	34,088	19.35	988	.57	34.2	Nebraska.....	1,301,736	22,887	17.58
California.....	3,450,903	58,976	16.04	2,715	.78	21.7	New Hampshire.....	1,443,727	3,014	6.70
Colorado.....	946,870	12,673	13.38	865	.86	14.2	New Jersey.....	3,187,766	29,110	9.13	1,173	.37	24.8
Connecticut.....	1,384,324	23,931	17.16	1,254	.00	19.1	New Mexico.....	362,052	5,132	14.17
Delaware.....	224,038	413	1.84	54	.37	4.9	New York.....	10,450,269	127,772	12.23	5,852	.56	16.0
District of Columbia.....	443,036	4,115	9.20	282	.64	14.6	North Carolina.....	2,577,295	3,575	1.39	21.8
Florida.....	970,557	10,346	10.55	868	.99	11.9	North Dakota.....	649,214	11,645	17.94	197	.30	50.1
Georgia.....	2,010,586	36,188	12.43	2,581	.89	14.0	Ohio.....	5,810,498	72,041	12.40
Hawaii.....	259,208	17,843	68.94	1,112	4.20	16.0	Oklahoma.....	2,047,397	1,334	.65
Idaho.....	437,339	9,317	21.40	475	1.09	19.7	Oregon.....	759,086	8,733	11.07	616	.78	14.2
Illinois.....	6,528,886	168,955	25.88	5,714	.88	28.6	Pennsylvania.....	8,774,347	7,781	.90
Indiana.....	2,942,210	27,081	9.21	2,280	.75	11.8	Porto Rico.....	1,309,172	6,396	4.90	595	.45	10.7
Iowa.....	2,413,253	13,083	5.43	1,583	.64	8.5	Rhode Island.....	607,570	7,250	11.83
Kansas.....	1,773,290	70,243	39.61	1,071	.60	65.6	South Carolina.....	1,662,393	6,728	3.98	671	.40	10.0
Kentucky.....	2,423,157	2,286	.94	South Dakota.....	639,259	7,479	11.70	551	.88	13.6
Louisiana.....	1,505,820	19,854	10.99	940	.52	21.1	Texas.....	22,414	4,702,714	2.579	8.7
Maine.....	1,769,335	14,332	18.63	477	.62	30.6	Virginia.....	2,321,838	104,97	45.00	2,446	1.05	42.7
Maryland.....	1,457,600	31,924	21.80	621	.43	51.4	Washington.....	1,367,675	23,108	16.90	1,207	.88	19.1
Massachusetts.....	3,877,383	36,312	9.37	1,700	.44	21.4	West Virginia.....	1,476,194	39,965	26.87
Michigan.....	3,712,613	1,57,474	1.85	2,872	.77	2.0	Wisconsin.....	2,647,325	37,960	14.33	1,737	.66	21.8
Minnesota.....	2,403,164	4,436	1.85	2,199	.92	2.0	Wyoming.....	196,987	3,930	19.98	57	.29	68.9
Mississippi.....	1,700,283	53,256	26.77							

1 Incomplete.

Cases of malaria reported, 1920.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	10	23	17	11	39	98	135	196	66	31	756	... Alabama.	756	
Arkansas.....	352	127	278	327	491	578	1,099	1,186	2,011	1,073	416	174	8,022	Arkansas.
California.....	29	21	41	27	38	13	59	44	71	80	31	25	479	California.
Colorado.....	1	1	1	1	1	1	1	1	1	1	1	1	3	Colorado.
Connecticut.....	1	1	1	1	2	2	5	8	3	2	1	22	1	Connecticut.
Delaware.....	1	1	1	1	1	1	1	1	1	1	1	1	3	Delaware.
Florida.....	120	90	110	48	103	127	172	363	326	274	98	58	6	Florida.
Georgia.....	64	65	93	106	251	501	591	1,183	805	965	288	130	1,862	Georgia.
Illinois.....	59	112	84	114	143	194	153	196	119	124	48	84	5,108	Illinois.
Louisiana.....	55	23	11	18	58	90	338	592	752	173	117	62	2,292	Louisiana.
Maine.....	1	1	1	1	6	7	8	13	27	21	10	9	2	Maine.
Maryland.....	1	1	1	1	2	1	9	14	9	8	5	5	136	Maryland.
Massachusetts.....	4	1	1	1	1	1	1	1	1	1	1	1	60	Massachusetts.
Minnesota.....	3,909	3,405	4,163	5,433	7,295	9,564	14,134	18,372	24,041	16,015	7,954	4,361	118,376	Minnesota.
Mississippi.....	1	1	1	1	1	1	1	1	1	1	1	1	1	Mississippi.
Montana.....	4	3	5	9	8	10	11	8	4	16	2	1	2	Montana.
New Jersey.....	3	1	4	3	9	7	8	15	8	3	2	6	1,105	New Jersey.
New Mexico.....	1	2	1	1	13	18	17	3	4	7	1	1	67	New Mexico.
Ohio.....	1	1	1	1	1	1	1	1	1	1	1	1	67	Ohio.
Oregon.....	1	1	1	1	1	1	1	1	1	1	1	1	10	Oregon.
Puerto Rico.....	658	483	295	290	96	212	228	247	185	238	98	71	3,077	Puerto Rico.
Rhode Island.....	14	30	23	19	43	61	114	166	347	194	57	33	1,131	Rhode Island.
South Carolina.....	67	124	80	478	1,706	2,794	7,408	7,401	9,373	5,583	2,544	1,272	38,066	South Carolina.
Texas.....	132	137	140	172	335	279	691	595	521	283	188	4,576	4,576	Texas.
Virginia.....														Virginia.

¹ Months not stated for 26 of these cases.

August 5, 1921.

1824

Deaths registered as due to malaria, 1920.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.	
Alabama.....	6	2	4	8	10	21	14	26	35	38	10	49	221	Alabama.	
Arkansas.....	15	13	6	11	14	34	20	67	98	135	91	97	610	Arkansas.	
California.....	3	1	2	1	1	4	4	7	8	4	1	1	34	California.	
Connecticut.....													3	Connecticut.	
District of Columbia.....													1	District of Columbia.	
Florida.....	30	13	15	9	23	20	38	59	50	44	23	18	351	Florida.	
Georgia.....	20	18	12	15	23	48	56	76	132	80	65	24	659	Georgia.	
Illinois.....	6	3	4	3	5	10	13	7	9	13	9	2	84	Illinois.	
Indiana.....	2		1	1	3	2	3	2	4	1	1	2	22	Indiana.	
Kansas.....			1	1	2	3	1	1	1	2	1	3	15	Kansas.	
Kentucky.....	2	4	3	5	4	4	4	7	7	12	1	5	57	Kentucky.	
Louisiana.....	18	12	13	4	27	45	38	98	120	90	63	22	678	Louisiana.	
Maine.....													2	Maine.	
Maryland.....	1												2	Maryland.	
Massachusetts.....	1												5	Massachusetts.	
Nebraska.....													1	Nebraska.	
New Jersey.....													1	New Jersey.	
North Carolina.....	8	9	3	4	7	12	17	2	1	38	37	29	16	5	North Carolina.
North Dakota.....													2	North Dakota.	
Oklahoma.....	4	3	4	2	2	4	13	14	20	28	4	8	106	Oklahoma.	
Oregon.....													1	Oregon.	
Pennsylvania.....													18	Pennsylvania.	
Porto Rico.....	124	108	120	112	91	124	123	138	127	141	147	154	1,536	Porto Rico.	
South Carolina.....	10	6	4	6	18	12	21	30	52	66	26	13	254	South Carolina.	
South Dakota.....	36	23	16	11	16	40	61	66	105	76	76	10	567	South Dakota.	
Texas.....													2	Texas.	
Virginia.....	2												64	Virginia.	

Malaria—Cases reported, deaths registered, indicated morbidity and mortality rates, and cases reported for each death registered, 1920.

State.	Estimated population July 1, 1920.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.	State.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.
Alabama.....	2,358,994	756	0.32	221	0.09	3.4	Mississippi.....	1,780,288	118,376	66.12
Arkansas.....	1,761,339	8,022	4.55	610	.35	13.2	Missouri.....	3,409,757	2	.00	112
California.....	3,480,903	479	.14	34	.01	14.1	Montana.....	537,79003
Colorado.....	946,870	3	.00	Nebraska.....	1,301,738	1
Connecticut.....	1,394,324	22	.02	3	.00	7.3	New Jersey.....	3,187,766	106	.03	5
Delaware.....	224,068	6	.03	0	New Mexico.....	382,052	67	.19
District of Columbia.....	445,036	1	North Carolina.....	2,577,265	207
Florida.....	979,887	1,962	1.90	351	.36	5.3	North Dakota.....	646,214	2
Georgia.....	2,910,588	5,108	1.75	539	.19	9.1	Ohio.....	5,810,498	67	.01
Illinois.....	6,528,886	1,481	.22	84	.01	17.0	Oklahoma.....	2,047,39705
Indiana.....	2,942,210	22	.01	Oregon.....	789,086	10	.01	1
Kansas.....	2,773,250	33	.02	15	.01	2.2	Pennsylvania.....	8,774,347	10.0
Kentucky.....	2,525,157	57	.02	Porto Rico.....	1,306,172	3,077	2.35	1,535
Louisiana.....	1,905,829	2,282	1.27	578	.32	4.0	Rhode Island.....	607,579	13	.02	1.17
Maine.....	789,335	2	.00	South Carolina.....	1,692,338	1,131	.67	254
Maryland.....	1,457,800	136	.09	2	.00	South Dakota.....	1,639,259	15
Massachusetts.....	3,377,383	60	.02	5	.00	Texas.....	4,702,714	39,603	2	567
Minnesota.....	2,405,194	1	.00	0	Virginia.....	2,321,938	4,575	1.97	68.8

Measles—Monthly median of cases reported during the years (1913-1919) for which data are available, and number of cases reported for the median year.

State,	Num- ber of years in- cluded.	Median number of cases reported.										Cases report- ed in median year.	State.	
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	
Alabama.....	5	148	170	322	385	119	81	38	24	16	10	18	41	1,333
Arizona.....	5	38	73	27	6	8	2	2	2	1	1	1	1	162
Arkansas.....	3	891	1,517	1,651	527	362	99	33	5	9	13	15	15	5,335
California.....	7	252	389	792	1,011	1,560	890	225	106	175	310	360	494	8,852
Colorado.....	5	363	482	498	840	1,056	258	66	10	6	10	18	45	4,148
Connecticut.....	7	501	619	821	930	932	693	266	58	43	121	264	303	5,884
District of Columbia.....	7	89	207	332	525	485	214	79	22	11	12	13	13	2,642
Florida.....	2	302	384	219	139	109	46	34	68	36	18	39	34	1,481
Georgia.....	1	82	210	274	177	197	90	37	20	10	30	32	77	1,256
Hawaii.....	6	10	12	13	9	15	22	15	5	4	5	2	3	148
Idaho.....	1	18	138	205	160	82	77	18	56	5	5	0	54	822
Illinois.....	6	2,016	1,460	1,817	4,717	4,599	2,866	671	169	110	141	389	598	16,844
Indiana.....	6	791	1,273	1,059	2,470	2,441	1,081	278	63	41	92	204	464	9,998
Iowa.....	2	226	126	139	59	31	16	7	2	3	9	16	34	671
Kansas.....	7	229	1,115	1,504	1,960	1,837	481	107	32	20	62	120	100	7,687
Louisiana.....	6	73	90	124	170	144	70	37	41	17	27	50	90	2,159
Maine.....	4	60	119	127	59	34	18	12	34	23	30	162	122	1,388
Maryland.....	6	801	761	1,292	1,648	2,339	1,287	647	164	91	91	173	446	10,613
Massachusetts.....	6	876	2,065	3,125	4,028	4,443	3,713	1,639	885	180	346	604	1,103	9,177
Michigan.....	7	554	1,276	1,031	1,263	1,586	863	283	102	98	306	437	925	24,070
Minnesota.....	7	295	549	615	695	1,010	707	398	52	31	44	210	180	4,469
Mississippi.....	6	501	1,376	2,648	2,311	1,233	489	217	260	124	77	164	203	10,591
Montana.....	6	103	216	340	313	390	143	67	22	15	20	14	36	2,457
Nebraska.....	2	163	164	168	249	208	62	31	7	35	12	2	2	1,119
New Jersey.....	2	1,394	2,049	2,907	2,406	3,211	1,761	724	184	84	156	185	644	16,606
New York.....	7	4,386	5,238	7,902	9,451	11,712	8,257	3,711	1,073	925	671	1,584	2,237	62,660
North Carolina.....	2	838	1,114	1,576	1,962	1,013	434	161	96	124	106	57	104	6,918
North Dakota.....	3	360	388	231	81	133	56	27	4	5	11	8	18	6,015
Ohio.....	6	1,276	2,068	2,441	3,176	3,388	2,532	889	249	163	261	624	694	18,088
Oregon.....	7	43	95	159	327	424	147	42	20	18	32	31	48	1,790
Pennsylvania.....	4	6,467	4,459	7,151	8,837	9,434	6,717	2,464	917	5	134	2,277	48	48,773
Porto Rico.....	3	112	181	337	95	70	62	6	11	5	21	21	7	1,746
Rhode Island.....	5	48	47	99	192	249	99	88	11	6	7	23	31	80

South Carolina.....	7	62	45	257	434	174	29	7	1	13	41	34	20	2,180
South Dakota.....	5	108	131	140	168	139	88	17	6	6	7	10	22	1,028
Texas.....	2	1,041	1,218	1,112	4,105	3,858	4,105	2,206	68	4	15	33	46	4,651
Virginia.....	5	1,183	1,333	3,79	147	807	391	172	85	172	85	102	144	336
Washington.....	7	352	498	748	961	668	486	132	35	22	25	38	5,166	5,166
West Virginia.....	3	116	276	354	482	359	160	69	29	8	17	16	21	1,888
Wisconsin.....	7	454	574	900	1,039	1,038	1,038	288	73	45	176	236	349	6,047
Wyoming.....	6	61	87	127	127	82	88	21	2	2	7	17	27	596

Cases of measles reported, 1920.

State	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.	
Alabama.....	76	105	182	143	81	75	52	6	9	7	6	27	768	Alabama.	
Arizona.....	4	10	4	55	57	47	22	2	1	76	12	5	295	Arizona.	
Arkansas.....	114	70	120	449	313	171	71	51	19	95	319	1,027	Arkansas.		
California.....	4,371	3,865	2,263	1,380	1,830	1,003	488	170	180	191	307	1,022	California.		
Colorado.....	102	262	373	469	1,134	621	119	36	29	128	546	845	4,664	Colorado.	
Connecticut.....	1,425	1,165	1,313	1,110	1,247	987	224	102	66	285	390	526	3,526	Connecticut.	
Delaware.....	300	335	481	268	268	164	49	8	7	2	11	1,886	1,886	Delaware.	
District of Columbia.....	43	68	69	78	82	72	50	21	8	12	45	34	532	District of Columbia.	
Florida.....	54	90	46	50	46	35	10	6	3	1	2	15	370	Florida.	
Georgia.....	128	191	222	338	424	172	51	39	64	279	28	81	2,018	Georgia.	
Hawaii.....	31	107	63	73	34	49	67	54	29	36	34	54	631	Hawaii.	
Idaho.....	32	37	73	74	128	238	40	64	8	13	24	48	778	Idaho.	
Illinois.....	4,386	4,610	5,982	5,343	5,542	4,434	1,500	386	203	495	1,117	1,832	34,810	Illinois.	
Indiana.....	1,673	1,907	2,681	5,836	3,215	1,494	274	63	26	65	151	137	17,522	Indiana.	
Iowa.....	164	57	85	283	780	285	53	16	12	25	53	81	1,899	Iowa.	
Kansas.....	325	58	611	1,089	1,309	721	210	50	65	207	640	857	6,632	Kansas.	
Louisiana.....	37	115	67	114	62	64	47	38	28	95	171	577	1,433	Louisiana.	
Maine.....	50	198	125	46	200	273	363	87	58	239	291	272	2,202	Maine.	
Maryland.....	967	1,283	1,564	1,805	1,929	1,142	306	69	60	49	100	340	9,627	Maryland.	
Massachusetts.....	3,986	2,952	3,010	4,149	5,750	5,288	2,110	452	207	714	1,647	1,876	32,141	Massachusetts.	
Michigan.....	3,689	2,907	3,501	4,126	4,479	2,138	596	301	106	109	183	256	22,391	Michigan.	
Minnesota.....	746	822	1,133	1,423	2,013	1,044	233	74	9	23	35	118	7,673	Minnesota.	
Mississippi.....	48	187	273	307	319	109	61	67	173	67	28	83	1,796	Mississippi.	
Montana.....	41	32	84	1,342	758	587	426	367	134	38	202	692	846	4,491	Montana.
Nebraska.....												23	50	3,779	Nebraska.

Cases of measles reported, 1920—Continued.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
New Hampshire	227	287	242	350	911	900	178	21	7	8	100	57	3,188	New Hampshire.
New Jersey	2,946	3,667	4,630	5,586	5,511	3,411	928	161	131	131	253	376	27,642	New Jersey.
New Mexico.....	124	181	146	185	170	101	29	4	12	8	78	219	7,257	New Mexico.
New York.....	10,928	11,231	10,758	10,537	11,013	9,044	4,130	1,180	507	1,213	3,100	4,732	78,473	New York.
North Carolina.....	346	326	312	363	480	651	221	107	75	71	216	423	3,021	North Carolina.
North Dakota.....	228	52	64	59	106	130	26	43	10	35	82	91	920	North Dakota.
Ohio.....	6,376	6,556	5,986	8,265	6,702	2,917	765	234	122	163	345	472	38,908	Ohio.
Oregon.....	61	14	61	108	265	546	226	81	38	62	149	215	2,386	Oregon.
Pennsylvania.....	8,905	9,147	10,032	11,402	11,015	7,929	3,004	798	576	1,611	2,863	4,004	71,346	Pennsylvania.
Porto Rico.....	22	23	9	1	6	9	18	3	188	38	148	417	Porto Rico.
Rhode Island.....	73	110	159	343	354	318	94	31	33	24	145	207	1,901	Rhode Island.
South Carolina.....	62	38	32	56	69	36	44	42	16	15	56	151	637	South Carolina.
South Dakota.....	80	239	618	785	970	438	108	49	20	15	178	111	3,620	South Dakota.
Texas.....	33	33	174	187	368	117	26	11	4	33	1	907	Texas.
Virginia.....	598	881	801	1,084	1,572	1,388	461	133	151	319	527	936	8,881	Virginia.
Washington.....	739	1,107	1,370	2,611	2,325	1,177	275	44	25	44	102	224	10,083	Washington.
West Virginia.....	184	402	441	995	1,539	598	426	107	110	163	219	463	5,646	West Virginia.
Wisconsin.....	1,200	1,793	2,047	2,211	4,888	4,477	1,076	264	184	305	377	395	19,150	Wisconsin.
Wyoming.....	60	94	103	140	133	75	2	8	59	114	140	41	977	Wyoming.

Deaths registered as due to measles, 1920.

1829

August 5, 1921.

Measles—Median number of cases reported per annum and indicated morbidity rates, 1913-1919; cases reported, deaths registered, and indicated mortality, mortality, and fatality rates, 1920.

State.	1920			1920						
	Estimated population July 1, 1920.	Number of years included.	Median.	Cases reported in median year.	Cases per 1,000 inhabitants.	Total deaths registered.	Cases per 1,000 inhabitants.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.	State.
Alabama.....	2,358,984	5	1,323	0.58	759	0.33	14	0.01	1.8	Alabama.
Arizona.....	3,346,575	1	1,162	.52	295	.97	23	.07	7.8	Arizona.
Arkansas.....	1,701,369	3	5,335	3.09	2,067	1.17	25	.01	1.0	Arkansas.
California.....	3,480,903	7	8,852	2.90	17,079	4.91	183	.05	1.0	California.
Colorado.....	946,870	5	4,148	4.59	4,694	4.26	75	.03	1.6	Colorado.
Connecticut.....	1,384,324	7	5,884	4.58	8,926	6.11	136	1.0	Connecticut.	
Delaware.....	1,221,048	7	2,642	0.62	1,895	8.42	32	.16	1.9	Delaware.
District of Columbia.....	445,056	7	1,881	1.55	3,562	1.31	2	.00	3.3	District of Columbia.
Florida.....	978,587	2	1,181	.44	2,370	.38	12	.01	3.2	Florida.
Georgia.....	2,910,688	1	1,090	.44	2,018	.09	61	.02	3.0	Georgia.
Hawaii.....	259,208	6	148	.64	631	2.43	55	.21	8.7	Hawaii.
Idaho.....	437,339	1	822	2.28	770	1.76	4	.01	1.5	Idaho.
Illinois.....	6,528,886	5	18,844	3.05	34,810	5.33	481	.07	1.6	Illinois.
Indiana.....	2,942,210	6	9,988	3.48	17,522	5.96	286	.00	1.6	Indiana.
Iowa.....	2,413,253	2	671	.28	1,890	.79	94	.04	4.9	Iowa.
Kansas.....	1,773,290	7	7,687	4.42	6,632	3.74	81	.05	1.2	Kansas.
Kentucky.....	2,422,157	6	1,236	1.23	1,453	.76	23	.10	2.6	Kentucky.
Louisiana.....	1,805,829	6	2,158	1.82	2,202	2.86	40	.02	2.6	Louisiana.
Maine.....	709,335	4	1,288	7.53	9,637	6.60	90	.06	1.1	Maine.
Maryland.....	1,487,606	5	10,613	1.96	1,786	1.00	30	.03	.9	Maryland.
Massachusetts.....	3,877,383	6	24,070	6.71	32,141	8.29	347	.09	1.1	Massachusetts.
Michigan.....	3,712,613	7	9,177	2.73	23,391	6.03	410	.11	1.8	Michigan.
Minnesota.....	2,403,164	7	4,460	1.96	7,673	3.10	159	.07	2.1	Minnesota.
Mississippi.....	1,780,283	6	10,591	5.91	1,786	1.00	30	.03	2.1	Mississippi.
Missouri.....	3,409,757	Missouri.
Montana.....	537,790	6	2,457	5.05	4,491	8.05	50	.04	1.5	Montana.
Nebraska.....	1,301,736	2	1,119	.87	3,778	2.90	50	Nebraska.
New Hampshire.....	443,727	2	16,665	5.32	3,188	7.18	297	.09	1.1	New Hampshire.
New Jersey.....	187,766	2	16,665	5.32	27,642	8.67	30	.03	2.4	New Jersey.
New Mexico.....	382,052	1,257	3.47	30	.08	2.4	New Mexico.

New York.....	10,450,260	7	62,660	6,31	78,473	7,51	1,098	.11	1.4
North Carolina.....	2,577,265	2	6,918	2,72	3,621	1,40	.58	.02	1.6
North Dakota.....	646,214	3	615	.97	630	1,43	7	.01	1.6
Ohio.....	5,810,498	6	18,088	3,26	35,903	6,70	1,111	...	1.8
Oklahoma.....	2,047,387	3	2,824	1,52	84	.04	1.8
Oregon.....	789,086	7	1,790	2,41	2,386	3,02	.28	.04	Oregon.
Pennsylvania.....	8,774,347	4	48,773	5,70	71,346	8,13	1,081	.12	1.2
Porto Rico.....	1,308,172	3	4,746	1,37	4,417	3,32	28	.02	1.5
Rhode Island.....	607,579	5	816	1,39	1,861	3,11	Porto Rico.
South Carolina.....	1,692,383	7	2,180	1,34	657	.39	13	.01	Rhode Island.
South Dakota.....	638,259	5	1,028	1,66	3,020	5,66	26	.04	South Carolina.
Texas.....	4,702,714	4	4,551	1,00	8,967	2,21	87	.02	South Dakota.
Virginia.....	2,321,838	5	20,546	9,15	8,381	3,82	87	.04	Texas.
Washington.....	1,367,615	7	5,166	4,04	10,063	7,36	78	.06	Virginia.
West Virginia.....	1,176,184	3	1,888	1,33	5,646	3,82	Washington.
Wisconsin.....	2,641,425	7	6,047	2,40	19,159	7,24	208	.08	West Virginia.
Wyoming.....	196,387	6	598	3,29	19,977	4,96	2	.01	Wisconsin.
									Wyoming.

Cases of pneumonia (all forms) reported, 1920.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.		
Connecticut ¹	259	743	119	57	20	9	13	22	51	65	148	148	1,545	Connecticut.		
Florida.....	334	522	417	83	43	23	26	24	35	7	19	19	1,570	Florida.		
Illinois.....	7,012	4,689	1,655	1,066	938	485	270	310	273	347	708	963	18,074	Illinois.		
Maryland.....	818	2,391	830	421	254	97	90	99	150	244	375	375	4,178	Maryland.		
Massachusetts ¹	815	1,801	585	387	435	233	96	73	122	220	288	453	5,558	Massachusetts.		
Michigan.....	1,346	3,033	922	625	638	262	116	217	198	219	366	383	8,496	Michigan.		
Minnesota.....	2,251	3,366	141	182	183	96	46	45	43	64	145	150	1,652	Minnesota.		
Mississippi.....	2,072	3,389	3,071	1,118	446	201	183	217	280	560	1,034	1,034	14,073	Mississippi.		
New Hampshire.....	43	128	36	13	12	3	1	1	7	3	224	224	5	252	New Hampshire.	
New Jersey.....	1,768	3,394	950	717	551	318	163	68	149	11	428	428	961	9,401	New Jersey.	
New Mexico.....	50	234	84	39	34	9	3	4	10	24	11	11	48	550	New Mexico.	
New York.....	8,020	19,517	5,151	3,387	1,861	1,225	604	507	672	1,048	1,811	2,607	46,420	New York.		
Ohio.....	1,010	2,304	589	648	516	219	117	69	83	163	251	251	385	6,354	Ohio.	
South Dakota.....	140	413	86	47	44	20	26	10	24	23	27	27	57	926	South Dakota.	
Washington.....	212	1,038	128	54	57	39	13	13	17	30	45	45	1,674	1,674	Washington.	
Wyoming.....	91	1,157	9	3	3	3	3	3	3	3	5	5	5	281	281	Wyoming.

¹ Includes cases of lobar pneumonia only.

Deaths registered as due to pneumonia (all forms), 1920.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.	
Alabama.....	290	631	699	191	113	67	68	46	94	253	170	132	2,710	Alabama.	
Arkansas.....	102	172	266	124	71	74	69	121	58	110	124	238	1,529	Arkansas.	
California.....	562	602	389	275	243	196	174	144	150	200	265	3,556	3,556	California.	
Colorado.....	247	666	169	121	96	90	94	44	73	88	121	215	1,846	Colorado.	
Connecticut.....	290	533	230	179	106	103	52	71	63	81	142	167	2,072	Connecticut.	
District of Columbia.....	58	94	72	25	28	15	9	0	14	14	17	30	377	District of Columbia.	
Florida.....	227	186	75	57	33	38	27	22	28	21	39	46	58	898	Florida.
Georgia.....	345	534	305	187	49	24	34	21	28	21	40	46	62	838	Georgia.
Hawaii.....	36	42	36	44	23	142	98	65	69	76	88	152	216	2,468	Hawaii.
Idaho.....	124	61	54	53	32	32	30	30	28	31	41	47	319	319	Idaho.
Illinois.....	1,921	2,054	917	639	534	264	163	154	10	11	10	8	22	8,029	Illinois.
Indiana.....	624	1,207	366	289	381	181	88	80	70	130	217	365	4,161	Indiana.	
Iowa.....	370	888	206	177	140	100	63	46	46	83	169	206	2,682	Iowa.	
Kansas.....	294	1,017	302	139	84	48	27	40	38	59	112	184	2,899	Kansas.	
Kentucky.....	412	686	464	229	163	78	46	56	68	138	221	225	2,800	Kentucky.	
Louisiana.....	296	349	380	160	78	64	39	68	65	101	106	1,935	1,935	Louisiana.	
Maine.....	162	431	184	112	105	63	40	18	22	61	59	81	1,318	Maine.	
Maryland.....	284	777	360	164	156	116	41	46	64	68	102	140	1,187	Maryland.	
Massachusetts.....	401	934	368	207	156	92	50	38	65	100	149	221	2,781	Massachusetts.	
Michigan.....	2,151	587	447	433	175	109	87	87	98	155	219	270	5,608	Michigan.	
Minnesota.....	230	278	196	138	87	41	41	43	59	136	138	183	1,154	Minnesota.	
Nebraska.....	98	359	172	122	94	44	20	23	31	34	73	106	990	990	Nebraska.
New Jersey.....	735	1,675	969	410	324	190	122	97	134	169	262	6,960	6,960	New Jersey.	
New Mexico.....	43	121	37	29	22	8	8	14	21	28	43	43	437	437	New Mexico.
New York.....	5,239	9,904	1,485	1,180	643	418	369	426	577	743	1,116	16,435	16,435	New York.	
North Carolina.....	225	421	233	170	130	131	77	50	51	114	169	263	2,194	North Carolina.	
North Dakota.....	64	208	150	98	32	17	25	23	19	28	41	59	722	722	North Dakota.
Oklahoma.....	249	474	210	117	82	38	37	34	45	65	106	124	1,661	Oklahoma.	
Oregon.....	131	183	108	43	56	44	18	19	20	33	49	82	786	786	Oregon.
Pennsylvania.....	1,755	4,431	1,766	1,449	1,306	856	433	426	472	774	1,007	1,930	15,986	Pennsylvania.	
Puerto Rico.....	120	115	121	142	129	121	126	104	82	99	122	106	1,386	1,386	Puerto Rico.
South Carolina.....	49	99	72	47	44	92	68	62	74	120	112	194	2,706	South Carolina.	
South Dakota.....	482	826	876	249	116	96	76	26	10	24	23	67	505	505	South Dakota.
Texas.....	363	621	875	166	120	72	62	60	67	112	118	231	2,841	Texas.	
Virginia.....	156	445	146	138	81	86	60	40	38	68	190	207	2,412	2,412	Virginia.
Washington.....	546	905	386	283	174	111	75	97	115	198	62	91	1,401	1,401	Washington.
Wisconsin.....	27	9	17	20	18	9	6	5	4	11	17	32	296	296	Wisconsin.
Wyoming.....													176	176	Wyoming.

* Deaths from lobar pneumonia only.

† Includes deaths in January also.

Pneumonia (all forms) - Cases reported, deaths registered, indicated mortality and mortality rates, and number of cases reported for each death registered, 1920.

State.	Estimated population July 1, 1920.	Total cases reported.	Cases per 1,000 inhabitants.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.	State.	Estimated population July 1, 1920.	Total cases reported.	Cases per 1,000 inhabitants.	Deaths per 1,000 inhabitants registered.	Cases reported for each death registered.	Cases reported for each death registered.	
												Total deaths registered.	Cases per 1,000 inhabitants.
Alabama.....	2,388,094	2,719	1.15	2,719	1.15	Minnesota.....	2,403,164	1,652	0.69	1,470	0.61	1,1	1,1
Arizona.....	340,575	834	2.45	834	2.45	Mississippi.....	1,790,283	14,073	7.86	5,725	1.68
Arkansas.....	1,761,310	1,529	.87	1,529	.87	Missouri.....	3,409,757	1,154	.90
California.....	3,480,933	3,556	1.03	3,556	1.03	Nebraska.....	1,361,738
Colorado.....	946,870	1,936	2.07	1,936	2.07	New Hampshire.....	443,727	252	.57
Connecticut.....	1,394,324	1,1,343	1.11	2,072	1.49	New Jersey.....	3,187,706	9,401	2.65	5,050	1.68	1.9	1.9
Delaware.....	224,038	377	1.68	377	1.68	New Mexico.....	362,052	550	1.52	437	1.21	1.3	1.3
District of Columbia.....	442	836	1.96	838	1.96	New York.....	10,450,299	46,420	4.44	18,457	1.57	2.8	2.8
Florida.....	979,587	1,570	1.60	838	.98	North Carolina.....	2,377,285	2,194	.85
Georgia.....	2,910,988	2,563	.88	2,563	.88	North Dakota.....	649,214	722	1.11
Hawaii.....	279,208	463	1.70	463	1.70	Ohio.....	5,810,498	6,354	1.09
Idaho.....	457,359	319	.73	8,029	1.23	Oklahoma.....	2,047,397	1,361	.70
Illinois.....	6,528,886	18,074	2.77	4,151	1.41	Oregon.....	750,046	746	1.00
Indiana.....	2,942,210	Pennsylvania.....	8,774,347	15,886	1.81
Iowa.....	2,413,253	Porto Rico.....	1,390,172	1,386	1.06
Kansas.....	1,773,290	South Carolina.....	1,622,383	2,703	1.00
Kentucky.....	2,423,167	638,259	1,45	.79	1.3	1.3
Louisiana.....	1,805,829	4,702,714	2,841	.60
Maine.....	798,325
Maryland.....	1,457,699	6,175	4.24	1,318	1.71	Virginia.....	2,321,938	2,412	1.04	1.2	1.2
Massachusetts.....	3,677,383	15,533	11.43	2,187	1.50	Washington.....	1,367,875	1,367	1.02	3.47	3.47
Michigan.....	3,712,613	8,498	2.29	1,781	1.72	Wisconsin.....	2,647,125	180,897	1.00	1,78	1.29	1.29	1.29
				5,606	1.64	Wyoming.....	1,43	281	1.43	176	.89	1.6	1.6

1. Includes both pneumonia only.

August 5, 1921.

1834

Poliomyelitis (infantile paralysis)—Monthly median of cases reported during the years (1913-1919) for which data are available, and number of cases reported for the median year.

State.	Number of years in- cluded.	Median number of cases reported.										Cases report- ed in median year.	State.	
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	
Alabama.....	6	1	1			1	4	6		3	2	2	1	25
Arkansas.....	7	6	2	2	3	2	4	5	2	1	1	1	1	12
California.....	3								10	5	9	8	7	67
Colorado.....	7	1	1	1	1	1			2	2	3	3	2	8
Connecticut.....									1	3	4	7	2	29
District of Columbia.....	7									2	1	2	1	6
Florida.....	1	1	2	3		1	1	3	1	3	1	1	1	6
Georgia.....	1								3	1	1	1	1	23
Idaho.....	10	7	9	11	13	12	18	73	56	18	11	11	11	10
Illinois.....	7	3	2	3	2	1	1	5	16	10	12	4	1	273
Indiana.....	6	2	1	1	1	1	1	6	19	16	14	2	1	68
Iowa.....	6	1	1	1	1	1	1	6	8	9	7	6	3	103
Kansas.....	5	1	1	1	1	2	2	4	3	4	2	2	2	61
Louisiana.....	4								1	1	2	2	1	31
Maine.....														8
Maryland.....	5	2	3	1	1	3	3	15	25	23	12	3	1	90
Massachusetts.....	6	3	5	5	5	5	5	10	32	18	22	13	8	156
Michigan.....	7	2	2	1	2	2	4	5	15	18	19	9	2	73
Minnesota.....	6	5	6	4	4	4	5	11	24	14	6	3	1	82
Mississippi.....	6								7	7	7	8	7	80
Montana.....	2								1	2	2	3	1	9
Nebraska.....	7	2	1	1	1	1	1	5	4	4	4	4	2	22
New Jersey.....	10	7	6	11	7	6	11	16	38	47	53	31	7	44
New York.....	2	1	3	1	2	2	2	3	2	4	4	5	2	27
North Carolina.....	2													32
North Dakota.....	6	2	7	8	6	6	3	2	3	8	4	6	5	1
Ohio.....	4	4	4	7	4	4	11	48	111	110	48	30	11	31
Oregon.....	6									1	1	1	5	5
Pennsylvania.....	4													283
Rhode Island.....	3													3
South Carolina.....	4													429
South Dakota.....	4													9
Texas.....	2													18
Virginia.....	6	11	9	11	11	10	13	23	30	24	23	13	8	27
Washington.....	6													242
West Virginia.....	3	2	1	1	1	1	1	1	1	4	2	1	1	19
Wisconsin.....	7	3	1	1	1	1	2	2	11	6	8	9	10	61
Wyoming.....	4									5	10	13	5	74

Cases of poliomyelitis (infantile paralysis) reported, 1920.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
California.....	4	3	1	2	4	6	4	10	11	14	4	9	72	California.
Colorado.....	2	1	2	1	1	1	2	2	3	2	2	1	10	Colorado.
Connecticut.....													1	Connecticut.
Delaware.....													1	Delaware.
District of Columbia.....													1	District of Columbia.
Florida.....	1	5	2	1	2	1	1	2	1	2	3	4	3	Florida.
Georgia.....	3	5	9	7	6	12	11	42	66	69	41	16	23	Georgia.
Illinois.....	3	5	1	3	5	7	5	1	6*	7	3	2	27	Illinois.
Indiana.....	1	3			1	1				7	13	6	1	Indiana.
Iowa.....													32	Iowa.
Louisiana.....	1		1	1	2	2	3		1	10	17	1	2	Maine.
Maine.....													34	Maine.
Maryland.....	3	1	1	2	3	2	6	7	7	7	4	4	47	Maryland.
Massachusetts.....	2	4	1	1	2	5	16	98	273	190	77	31	696	Massachusetts.
Michigan.....	2	2	1	1	2	1	5	3	10	13	15	6	61	Michigan.
Minnesota.....	2	1	1	1	2	1	5	21	20	15	10	1	80	Minnesota.
Mississippi.....	10	17	7	9	4	1	3	4	5	5	4	3	66	Mississippi.
Montana.....													25	Montana.
Nebraska.....													13	Nebraska.
New Hampshire.....					1	1		2		8		4	16	New Hampshire.
New Jersey.....	1	2		2	1		5	7	15	13	3	2	51	New Jersey.
New Mexico.....	1	1											3	New Mexico.
New York.....	2	3	8	2	2	4	14	14	40	60	41	16	24	New York.
North Carolina.....	4	1	1	3		4	1	1	3	4	7	1	1	North Carolina.
North Dakota.....													9	North Dakota.
Ohio.....	3	2		3	3	5	5	10	13	11	7	6	68	Ohio.
Oregon.....	5	6	3	6	3	2	20	17	30	27	15	10	144	Oregon.
Pennsylvania.....	1	1											6	Pennsylvania.
Rhode Island.....	2	1			1	1	1	1	1	7	6	1	1	Rhode Island.
South Dakota.....													1	South Dakota.
Virginia.....	9	4	4	19	3	3	7	4	7	7	8	1	76	Virginia.
Washington.....	1			1	1		1		1	4	2	1	10	Washington.
West Virginia.....	1	1	1	3	6	7	12	12	10	20	15	3	16	West Virginia.
Wisconsin.....													34	Wisconsin.
Wyoming.....													3	Wyoming.

August 5, 1921.

1836

Deaths registered as due to poliomyelitis (infantile paralysis), 1920.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	1	3	1	2	1	2	1	1	3	1	2	16	16	Alabama.
Arkansas.....	1	1	1	2	1	2	1	1	5	5	5	14	14	Arkansas.
California.....	1	1	1	2	1	2	4	4	2	6	5	30	30	California.
Connecticut.....	2	1	1	2	1	3	1	5	4	2	1	23	23	Connecticut.
District of Columbia.....	1	1	1	2	2	District of Columbia.
Florida.....	1	1	1	1	1	1	1	1	1	1	1	4	4	Florida.
Georgia.....	1	1	1	2	1	1	1	1	1	1	1	8	8	Georgia.
Idaho.....	1	1	1	1	1	1	1	1	1	1	1	4	4	Idaho.
Illinois.....	7	6	17	1	8	6	5	7	6	23	6	4	90	Illinois.
Indiana.....	1	1	1	2	2	1	2	1	1	1	1	12	12	Indiana.
Iowa.....	2	1	1	1	1	1	1	1	1	1	1	5	5	Iowa.
Kansas.....	2	2	1	1	1	1	1	2	1	2	1	8	8	Kansas.
Kentucky.....	2	2	1	1	1	1	1	1	1	2	4	1	18	Kentucky.
Louisiana.....	2	1	1	2	1	1	1	1	1	1	1	8	8	Louisiana.
Maine.....	1	1	2	1	1	1	1	1	1	2	1	10	10	Maine.
Maryland.....	1	1	1	2	1	1	1	1	1	2	1	9	9	Maryland.
Massachusetts.....	2	3	1	1	1	3	2	3	26	48	30	10	8	Massachusetts.
Michigan.....	3	1	4	2	2	2	1	2	1	2	9	4	1	Michigan.
Minnesota.....	1	1	4	2	2	1	6	5	4	4	2	18	18	Minnesota.
Nebraska.....	1	1	2	1	1	1	1	1	1	1	1	1	5	Nebraska.
New Jersey.....	1	1	15	1	1	1	1	1	4	3	2	16	16	New Jersey.
New York.....	4	1	1	1	1	1	1	3	2	7	17	9	3	New York.
North Carolina.....	1	1	1	1	1	1	1	4	1	3	3	3	3	North Carolina.
North Dakota.....	1	1	2	1	1	1	3	1	1	1	1	1	1	North Dakota.
Oklahoma.....	1	2	1	1	1	1	3	1	1	2	1	2	15	Oklahoma.
Oregon.....	3	5	2	3	2	2	4	5	2	3	9	1	2	Oregon.
Pennsylvania.....	8	3	6	1	2	1	1	4	1	3	4	3	43	Pennsylvania.
Puerto Rico.....	3	3	2	1	1	1	1	1	2	1	2	2	31	Puerto Rico.
South Carolina.....	2	1	1	1	1	1	1	1	1	1	2	3	12	South Carolina.
South Dakota.....	1	1	1	1	1	1	1	1	1	1	1	1	8	South Dakota.
Texas.....	3	3	1	1	2	1	2	1	2	4	3	1	22	Texas.
Virginia.....	2	3	3	2	1	1	3	4	1	3	2	23	23	Virginia.
Washington.....	1	1	2	1	1	1	2	1	2	1	1	6	6	Washington.
Wisconsin.....	1	2	1	1	2	1	1	3	1	1	1	17	17	Wisconsin.

Poliomyelitis (infantile paralysis)—Median number of cases reported per annum, and indicated morbidity rates, 1913–1919; cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1920.

State.	Estimated population July 1, 1920.	Number of years included.	Cases reported in median year.	Median.		1920			State.
				Total cases reported.	Cases per 1,000 inhabitants.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	
Alabama.....	2,358,994	0	25	0.01			16	0.01	Alabama.
Arkansas.....	1,701,359	1	12	.01			14	.01	Arkansas.
California.....	3,490,903	7	67	.02			30	.01	California.
Colorado.....	946,870	3	8	.01					Colorado.
Connecticut.....	1,394,324	7	29	.02					Connecticut.
Delaware.....	224,068								Delaware.
District of Columbia.....	443,059	7	6	.02					District of Columbia.
Florida.....	970,567	2	6	.01					Florida.
Georgia.....	2,910,598	1	23	.01					Georgia.
Idaho.....	437,339	1	10	.03					Idaho.
Illinois.....	6,528,886	5	273	.04					Illinois.
Indiana.....	2,942,210	7	68	.02					Indiana.
Iowa.....	2,413,253	6	103	.04					Iowa.
Kansas.....	1,773,290	6	61	.04					Kansas.
Kentucky.....	2,423,137								Kentucky.
Louisiana.....	1,805,829	5	31	.02					Louisiana.
Maine.....	759,335	4	8	.01					Maine.
Maryland.....	1,427,636	5	90	.06					Maryland.
Massachusetts.....	3,877,383	6	156	.04					Massachusetts.
Michigan.....	3,712,613	7	73	.02					Michigan.
Minnesota.....	2,403,164	7	82	.04					Minnesota.
Mississippi.....	1,790,283	6	90	.04					Mississippi.
Missouri.....	3,409,757								Missouri.
Montana.....	557,730	6	6	.02					Montana.
Nebraska.....	1,301,736	2	22	.02					Nebraska.
New Hampshire.....	443,727								New Hampshire.
New Jersey.....	3,187,766	7	44	.02					New Jersey.
New Mexico.....	342,052								New Mexico.
New York.....	10,450,299	7	277	.03					New York.
North Carolina.....	2,577,285	2	32	.01					North Carolina.

August 5, 1921.

1838

Poliomyelitis (infantile paralysis)—Median number of cases reported per annum and indicated morbidity rates, 1913-1919, cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1920—Continued.

State.	Estimated population July 1, 1920.	Median.		1920				State.
		Number of years included.	Cases reported in median year.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	
North Dakota.....	649,214	2	31	.05	.01	1	.00	11.1
Ohio.....	5,819,498	6	253	.05	.01	15	.01	Ohio.....
Oklahoma.....	2,047,397	1	20	.01	.01	2	.00	Oklahoma.....
Oregon.....	6,758,086	6	3	.00	.00	1	.01	Oregon.....
Pennsylvania.....	8,774,347	4	428	.05	.02	43	.00	Pennsylvania.....
Porto Rico.....	1,309,172	3	8	.02	.01	31	.02	Porto Rico.....
Rhode Island.....	607,570	3	18	.01	.01	12	.01	Rhode Island.....
South Carolina.....	1,692,385	4	19	.03	.02	8	.01	South Carolina.....
South Dakota.....	1,636,239	4	27	.01	.01	22	.01	South Dakota.....
Texas.....	4,702,714	2	243	.11	.03	23	.01	Texas.....
Virginia.....	2,321,938	6	19	.01	.01	6	.00	Virginia.....
Washington.....	1,327,675	6	61	.04	.01	17	.01	Washington.....
West Virginia.....	1,476,194	3	74	.03	.03	0	.02	West Virginia.....
Wisconsin.....	2,647,423	7	2	.01	.01	0	.01	Wisconsin.....
Wyoming.....	196,897	4	2	.01	.01	0	.02	Wyoming.....

Cases of rabies in animals reported, 1920.

State.	Cases reported.	State,		Cases reported.	Cases reported.
		State.	State.		
Arkansas.....	82	Maryland.....		41	North Carolina.....
Connecticut.....	10	Massachusetts.....		99	Rhode Island.....
Florida.....	70	Minnesota.....		4	South Carolina.....
Indiana.....	49	Mississippi.....		110	

207
23
223

1839

August 5, 1921.

Rabies in man—Deaths registered, 1920.

State.	Deaths registered	State.	Deaths registered	Deaths registered
Alabama.....	4	Indiana.....	1	North Carolina.....
Alaska.....	7	Kentucky.....	2	Oklahoma.....
Arizona.....	2	Louisiana.....	1	South Carolina.....
Arkansas.....	1	New Jersey.....	3	Texas.....
California.....	1	New York.....	1	
Colorado.....	1			
Connecticut.....	1			
Delaware.....	1			
Florida.....				
Georgia.....				
Hawaii.....				
Iowa.....				
Illinois.....				
Indiana.....				
Michigan.....				
Minnesota.....				
Mississippi.....				
Missouri.....				
Montana.....				
Nebraska.....				
Nevada.....				
New Hampshire.....				
New Jersey.....				
New Mexico.....				
New York.....				
Pennsylvania.....				
Rhode Island.....				
South Carolina.....				
Tennessee.....				
Vermont.....				
Virginia.....				
Washington.....				
West Virginia.....				
Wisconsin.....				
Wyoming.....				

Cases of Rocky Mountain spotted or tick fever reported, 1920.

Deaths registered as due to Rocky Mountain spotted or tick fever, 1920.

Scarlet fever—Monthly median of cases reported during the years (1913-1919) for which data are available, and number of cases reported for the median year.

State,	Num- ber of years in- cluded,	Median number of cases reported.										Cases reported in median year.	State.				
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.				
Alabama.....	6	38	35	37	20	25	18	20	55	73	116	61	56	676	Alabama.		
Arizona.....	3	9	4	5	8	4	2	13	4	19	17	1	2	15	67	Arizona.	
Arkansas.....	3	27	12	30	12	8	6	13	118	165	27	35	66	389	Arkansas.		
California.....	7	368	326	270	276	190	178	141	118	133	313	401	2,993	2,998	California.		
Colorado.....	5	130	147	128	118	80	79	43	23	27	60	87	121	1,641	Colorado.		
Connecticut.....	7	108	100	185	222	180	121	61	41	67	120	155	175	1,641	Connecticut.		
District of Columbia.....	7	70	60	83	87	48	28	15	9	20	37	38	34	394	District of Columbia.		
Florida.....	2	10	35	10	8	3	8	5	7	6	11	23	12	142	Florida.		
Georgia.....	1	27	52	62	31	47	30	39	46	83	97	87	107	708	Georgia.		
Hawaii.....	6	1	1	1	1	1	10	10	Hawaii.		
Idaho.....	1	31	33	8	18	5	21	8	1	27	55	207	Idaho.		
Illinois.....	5	1,048	893	1,066	870	727	836	274	237	323	634	814	7,921	7,921	Illinois.		
Indiana.....	7	564	548	544	498	315	160	100	94	212	394	601	607	750	750	Indiana.	
Iowa.....	6	128	141	183	177	146	50	26	26	41	94	104	108	1,884	1,884	Iowa.	
Kansas.....	7	233	204	298	232	213	81	43	47	73	105	201	201	2,265	2,265	Kansas.	
Louisiana.....	6	16	13	12	12	11	11	5	8	14	27	32	23	190	190	Louisiana.	
Maine.....	4	20	17	20	19	19	19	18	18	43	73	12	12	46	46	Maine.	
Maryland.....	5	285	212	225	211	181	111	87	46	246	288	458	564	690	7,145	Maryland.	
Massachusetts.....	6	810	694	780	705	712	462	175	175	163	220	322	337	449	5,398	Massachusetts.	
Michigan.....	7	509	604	642	607	489	304	184	163	113	122	222	258	370	3,768	Michigan.	
Minnesota.....	7	366	501	536	484	394	278	131	113	122	122	222	258	370	3,768	Minnesota.	
Mississippi.....	6	39	39	25	37	32	23	23	36	56	76	63	65	556	556	Mississippi.	
Montana.....	6	69	66	114	125	126	72	52	41	43	73	73	64	1,197	1,197	Montana.	
Nebraska.....	2	119	133	113	127	137	45	151	16	36	63	63	64	106	1,063	Nebraska.	
New Jersey.....	7	542	550	626	568	526	382	170	103	162	246	370	359	4,067	4,067	New Jersey.	
New York.....	7	1,450	1,706	2,237	2,237	2,234	1,745	1,079	575	302	436	663	882	1,246	1,246	New York.	
North Carolina.....	2	76	76	20	33	30	28	15	65	116	188	229	173	1,158	1,158	North Carolina.	
North Dakota.....	3	37	146	134	94	57	34	15	20	20	12	35	20	71	71	North Dakota.	
Ohio.....	6	1,063	850	900	841	688	409	241	225	423	784	898	894	8,581	8,581	Ohio.	
Oregon.....	7	42	41	58	69	75	50	24	24	27	38	54	53	620	620	Oregon.	
Pennsylvania.....	4	946	905	1,022	910	794	525	333	1	269	357	648	806	825	8,290	8,290	Pennsylvania.
Porto Rico.....	3	3	3	3	3	Porto Rico.
Rhode Island.....	7	44	46	46	46	46	46	44	44	44	44	44	44	71	71	71	Rhode Island.

South Carolina.....	7	14	10	10	8	3	6	11	9	23	28	36	14	188
South Dakota.....	5	79	101	104	85	74	50	21	13	20	47	34	14	785
Texas.....	3	160	142	67	67	61	46	34	43	80	164	324	1,217	Texas.
Virginia.....	6	178	121	80	95	69	48	32	62	123	238	280	106	1,638
Washington.....	7	100	98	111	88	63	47	35	36	47	68	96	97	West Virginia.
West Virginia.....	3	70	52	52	36	30	17	28	27	61	64	105	59	58
Wisconsin.....	7	400	329	512	462	345	186	137	117	249	221	265	3,776	Wisconsin.
Wyoming.....	7	12	13	25	19	22	5	5	7	15	8	11	190	Wyoming.

Cases of scarlet fever reported, 1920.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	58	58	61	64	44	46	49	32	82	88	66	52	690	Alabama.
Arizona.....	20	17	22	22	23	23	1	3	8	17	14	22	181	Arizona.
Arkansas.....	100	27	23	52	26	16	33	42	78	114	142	51	704	Arkansas.
California.....	618	446	360	246	346	179	132	127	227	374	474	576	4,117	California.
Colorado.....	120	104	67	112	108	101	33	20	46	89	74	136	1,010	Colorado.
Connecticut.....	438	385	442	407	334	245	125	104	130	279	476	683	4,028	Connecticut.
Delaware.....	28	17	16	16	42	40	7	15	12	30	44	50	317	Delaware.
District of Columbia.....	81	76	81	79	96	53	23	19	19	77	88	102	782	District of Columbia.
Florida.....	15	17	12	5	4	9	2	6	11	21	28	33	163	Florida.
Georgia.....	80	53	51	43	49	18	17	31	79	141	116	73	759	Georgia.
Hawaii.....	2	2	3	2	1	1	1	1	1	1	1	1	1	Hawaii.
Idaho.....	81	85	57	44	44	14	26	3	8	14	62	23	461	Idaho.
Illinois.....	2,449	2,235	2,335	1,708	1,456	862	394	282	632	1,370	1,844	2,547	18,084	Illinois.
Indiana.....	809	913	674	958	661	374	215	159	195	563	820	1,085	7,435	Indiana.
Iowa.....	258	210	259	180	270	112	83	78	148	325	432	468	2,832	Iowa.
Kansas.....	612	326	348	285	178	85	110	212	340	927	906	762	5,091	Kansas.
Louisiana.....	35	41	35	24	16	9	12	22	20	39	67	62	372	Louisiana.
Maine.....	187	130	78	85	131	40	67	20	37	63	97	104	1,038	Maine.
Maryland.....	388	416	354	243	177	152	43	62	126	197	198	270	2,636	Maryland.
Massachusetts.....	1,714	1,079	1,223	1,358	1,216	715	337	213	287	543	658	917	10,260	Massachusetts.
Michigan.....	1,017	741	1,019	990	982	617	465	374	522	886	1,229	1,484	10,286	Michigan.
Minnesota.....	326	338	352	289	177	140	110	149	268	362	244	542	3,329	Minnesota.
Mississippi.....	119	96	111	41	71	46	54	131	263	281	140	150	1,610	Mississippi.
Montana.....	183	99	62	97	62	39	24	30	112	82	53	53	891	Montana.
Nebraska.....	317	317	232	275	100	102	11	16	58	124	124	303	2,058	Nebraska.

Cases of scarlet fever reported, 1920—Continued.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.	
New Hampshire.	94	50	51	56	105	54	10	22	12	41	54	48	597	New Hampshire.	
New Jersey.	557	417	490	422	430	326	134	107	173	327	547	500	4,782	New Jersey.	
New Mexico.	61	45	53	49	29	15	11	8	13	31	45	44	402	New Mexico.	
New York.	1,620	1,376	1,454	1,426	1,463	1,034	548	383	486	975	1,663	2,051	15,188	New York.	
North Carolina.	191	100	120	82	89	74	41	55	172	299	150	150	1,663	North Carolina.	
North Dakota.	381	221	157	107	2,271	1,023	65	25	39	41	10	26	82	1,223	North Dakota.
Ohio.	1,640	1,902	2,271	2,023	1,508	747	460	405	541	1,310	1,575	1,823	10,211	Ohio.	
Oregon.	140	133	97	82	41	45	20	22	34	76	58	96	844	Oregon.	
Pennsylvania.	2,018	1,935	2,172	2,106	1,639	1,024	605	439	807	1,981	2,662	3,459	21,027	Pennsylvania.	
Porto Rico.	7	8	2	2	1	6	1	27	Porto Rico.	
Rhode Island.	116	100	132	59	77	63	32	18	52	47	64	116	876	Rhode Island.	
South Carolina.	11	16	8	6	17	15	3	5	17	20	10	9	143	South Carolina.	
South Dakota.	316	323	283	250	211	111	55	54	34	96	116	173	2,062	South Dakota.	
Texas.	57	14	59	29	193	86	57	32	57	122	125	831	Texas.	
Virginia.	232	169	157	118	71	77	73	76	128	315	332	400	2,188	Virginia.	
Washington.	307	275	312	251	210	156	69	32	67	144	179	206	2,228	Washington.	
West Virginia.	283	205	167	138	71	107	72	123	266	229	278	2,073	West Virginia.		
Wisconsin.	674	522	627	422	538	518	261	227	321	487	607	718	5,822	Wisconsin.	
Wyoming.	7	20	11	26	23	8	28	6	15	21	45	45	203	Wyoming.	

Deaths registered as due to scarlet fever, 1920.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	2	2	1	3	2	2	2	2	3	2	5	4	28	Alabama.
Arkansas.....	1	12	8	6	9	4	4	2	1	3	2	4	12	Arkansas.
California.....	10	8	3	2	5	6	2	2	2	10	11	14	90	California.
Colorado.....	6	10	8	10	16	9	3	3	1	2	11	11	35	Colorado.
Connecticut.....	7	2	2	1	1	1	1	1	1	4	4	1	73	Connecticut.
Delaware.....	1	4	2	1	5	8	3	1	1	4	5	1	34	Delaware.
District of Columbia.....	4	2	1	1	1	1	1	1	1	2	2	1	8	District of Columbia.
Florida.....	2	1	2	4	1	1	1	1	1	8	1	1	32	Florida.
Georgia.....	3	7	4	3	3	1	1	1	1	8	1	1	9	Georgia.
Idaho.....													16	Idaho.
Illinois.....	46	51	53	29	35	21	8	4	11	23	37	39	357	Illinois.
Indiana.....	18	41	20	16	22	11	8	4	2	12	19	16	168	Indiana.
Iowa.....	18	17	16	10	8	7	5	1	6	15	19	20	131	Iowa.
Kansas.....	12	17	9	7	9	3	2	6	2	9	11	13	100	Kansas.
Kentucky.....	5	6	7	4	6	1	2	4	4	7	3	3	52	Kentucky.
Louisiana.....													1	Louisiana.
Maine.....	6	3	5	2	1	1	1	1	1	1	1	1	21	Maine.
Maryland.....	7	7	6	3	2	2	2	2	2	2	1	1	2	Maryland.
Massachusetts.....	22	37	23	21	21	13	8	9	7	9	19	20	215	Massachusetts.
Michigan.....	25	47	25	21	30	10	18	11	13	22	27	27	286	Michigan.
Minnesota.....	15	16	8	14	11	5	5	2	6	9	11	15	117	Minnesota.
Nebraska.....	2	9	11	9	5	5	5	4	4	4	8	5	54	Nebraska.
New Jersey.....	14	11	4	10	8	7	3	5	4	4	4	15	18	New Jersey.
New Mexico.....	1	2	1	1	1	1	1	1	1	1	1	1	9	New Mexico.
New York.....	36	52	31	33	41	34	24	19	23	29	38	38	445	New York.
North Carolina.....													37	North Carolina.
North Dakota.....	2	4	3	1	4	2	1	2	4	5	4	5	23	North Dakota.
Oklahoma.....	5	7	1	3	2	2	2	2	2	3	2	2	29	Oklahoma.
Oregon.....	2	1	3	1	1	2	1	1	2	3	2	2	14	Oregon.
Pennsylvania.....	38	72	64	45	39	26	11	11	17	36	60	60	483	Pennsylvania.
Porto Rico.....													2	Porto Rico.
South Carolina.....	1	1	2	1	1	1	1	1	2	2	4	4	6	South Carolina.
South Dakota.....	6	6	3	1	4	2	4	2	1	2	6	3	69	South Dakota.
Texas.....	5	6	6	3	1	4	2	1	1	1	1	1	30	Texas.
Virginia.....	3	1	3	2	1	2	1	2	1	1	6	2	24	Virginia.
Washington.....	6	6	12	14	6	4	2	1	1	1	3	3	60	Washington.
Wisconsin.....	23	30	39	20	17	10	8	9	18	17	20	20	235	Wisconsin.
Wyoming.....													5	Wyoming.

August 5, 1921.

1844

Scarlet fever—Median number of cases reported per annum and indicated morbidity rates, 1913-1919; cases reported, deaths registered, and indicated mortality, morbidity, and fatality rates, 1920.

State.	Estimated population July 1, 1920.	Median.		1920				State.
		Number of years indicated.	Cases reported in median year.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	
Alabama.....	2,358,994	6	676	0.30	.050	28	0.01	Alabama.
Arizona.....	340,575	3	389	.23	.181	1	.00	Arizona.
Arkansas.....	1,761,356	3	2,833	.95	.704	12	.07	Arkansas.
California.....	3,480,993	7	988	1.10	4,117	1.18	.03	California.
Colorado.....	946,870	5	988	1.10	1,010	1.07	.04	Colorado.
Connecticut.....	1,394,324	7	1,641	1.28	4,028	2.59	.05	Connecticut.
Delaware.....	224,068	7	584	1.46	317	1.41	.15	Delaware.
District of Columbia.....	443,056	7	142	.15	732	1.77	.02	District of Columbia.
Florida.....	979,587	2	708	.25	163	.77	.01	Florida.
Georgia.....	2,910,598	1	708	.25	759	.26	.01	Georgia.
Hawaii.....	259,206	6	10	.04	17	.07	0	Hawaii.
Idaho.....	457,339	1	207	.57	461	1.05	.04	Idaho.
Illinois.....	6,528,846	5	7,211	1.28	18,084	2.77	.05	Illinois.
Indiana.....	2,942,210	7	4,105	1.44	4,435	2.53	.07	Indiana.
Iowa.....	2,413,233	6	1,584	.68	2,832	1.17	.05	Iowa.
Kansas.....	1,773,290	7	2,265	1.30	5,091	2.87	.06	Kansas.
Kentucky.....	2,423,157	6	190	.11	372	.21	.02	Kentucky.
Louisiana.....	1,865,829	6	293	.38	1,039	1.35	.01	Louisiana.
Maine.....	769,335	4	1,967	1.40	2,636	1.81	.03	Maine.
Maryland.....	1,457,609	5	1,967	1.40	2,811	3.35	.02	Maryland.
Massachusetts.....	3,877,383	6	7,145	1.94	10,260	2.65	.05	Massachusetts.
Michigan.....	3,712,613	7	5,398	1.61	10,266	2.77	.08	Michigan.
Minnesota.....	2,403,164	7	3,768	1.66	3,329	1.39	.03	Minnesota.
Mississippi.....	1,786,283	6	636	.31	1,610	.90	.07	Mississippi.
Missouri.....	3,409,737	7	137	.04	Missouri.
Montana.....	557,790	6	1,187	2.44	891	1.60	0	Montana.
Nebraska.....	1,301,736	2	1,093	.85	2,055	1.53	.04	Nebraska.
New Hampshire.....	443,727	7	4,667	1.59	5,603	1.35	.03	New Hampshire.
New Jersey.....	157,766	7	4,782	1.50	.02	New Jersey.
New Mexico.....	362,052	103	.02	.02	New Mexico.

New York.....	10,450,289	2	15,234	1,53	15,188	1,45	445	.04	2.9
North Carolina.....	2,577,255	2	1,138	.46	1,063	.65	37	.01	2.2
North Dakota.....	649,214	3	869	1.08	1,232	1.90	23	.04	1.9
Ohio.....	5,510,498	6	8,591	1.56	16,211	2.79	29	.01	0.0
Oklahoma.....	2,041,387	3	1,314	.71	Oklahoma.
Oregon.....	789,086	7	620	.85	844	1.07	14	.02	Oregon.
Pennsylvania.....	8,774,347	4	8,250	.97	21,027	2.40	483	.06	Pennsylvania.
Puerto Rico.....	1,308,172	3	3	.00	.27	.02	2	.00	Puerto Rico.
Rhode Island.....	601,519	5	792	1.35	876	1.44	Rhode Island.
South Carolina.....	1,692,383	7	188	.12	143	.08	6	.00	4.2
South Dakota.....	639,259	5	795	1.29	2,062	3.23	69	.11	South Dakota.
Texas.....	4,702,714	3	1,217	.27	831	.18	36	.01	Texas.
Virginia.....	2,321,988	6	1,658	.74	2,188	.04	24	.01	Virginia.
Washington.....	1,387,670	7	797	.62	2,228	1.63	60	.04	Washington.
West Virginia.....	1,416,194	3	586	.41	2,073	1.40	West Virginia.
Wisconsin.....	2,647,425	7	3,776	1.50	5,822	2.20	235	.09	Wisconsin.
Wyoming.....	1,198,887	7	190	1.07	263	1.34	5	.03	Wyoming.

Cases of septic sore throat reported, 1920.

State.	Cases of septic sore throat reported, 1920.														
	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.	
Alabama.....	6	2	4	2	1	1	4	21	4	38	Alabama.	
Colorado.....	1	2	17	37	20	14	17	46	66	1	2	2	Colorado.	
Connecticut.....	4	22	23	20	1	4	1	1	37	27	357	Connecticut.	
Georgia.....	174	174	1,576	Georgia.	
Illinois.....	180	278	206	114	57	63	64	82	122	171	5	2	16	Illinois.	
Maine.....	4	17	6	3	1	5	15	3	3	7	5	11	82	Maine.	
Maryland.....	19	18	9	10	5	53	6	6	2	5	10	10	153	Maryland.	
Massachusetts.....	3	5	5	5	3	3	3	3	Massachusetts.	
Montana.....	11	5	1	1	1	1	1	1	1	12	31	6	6	22	Montana.
New Mexico.....	64	20	39	36	19	10	8	12	31	33	17	37	37	New Mexico.	
New York.....	14	17	10	12	11	12	17	25	31	33	19	19	218	New York.	
North Carolina.....	North Carolina.	
Ohio.....	17	12	28	12	3	5	1	2	12	9	101	Ohio.	
Oregon.....	1	2	3	8	15	2	1	1	1	19	33	1	13	4	Oregon.
Rhode Island.....	12	3	2	3	10	3	10	7	1	19	33	20	6	58	Rhode Island.
South Carolina.....	27	10	12	3	10	3	10	7	1	19	33	20	184	58	South Carolina.

Smallpox—Monthly median of cases reported during the years (1918-1919) for which data are available, and number of cases reported for the median year.

State,	Num- ber of years in- cluded,	Median number of cases reported.										Cases report- ed in median year,	State,	
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.		
Alabama.....	6	157	135	124	98	80	42	21	19	11	17	28	66	Alabama.
Arizona.....	1	12	5	66	34	17	4	3	1	1	1	1	1	200 Arizona.
Arkansas.....	3	166	232	212	200	62	28	10	6	15	58	58	2,016	Arkansas.
California.....	7	73	79	76	81	50	35	26	19	22	34	34	677	Colorado.
Colorado.....	6	73	40	42	46	31	51	41	27	12	15	33	46	381 Colorado.
District of Columbia.....	7	3	3	2	5	3	4	3	1	1	1	1	1	95 District of Columbia.
Florida.....	7	7	2	1	3	1	4	3	1	1	2	2	48 Florida.	
Georgia.....	3	6	11	10	5	10	10	6	3	1	2	2	59 Georgia.	
Idaho.....	1	101	213	353	272	361	142	57	40	17	40	43	71	1,710 Idaho.
Illinois.....	1	73	96	27	42	8	130	23	17	30	6	32	116	609 Illinois.
Indiana.....	5	501	415	526	401	554	192	120	58	67	134	292	300	3,842 Indiana.
Iowa.....	7	255	455	524	477	487	313	131	86	57	126	191	246	3,833 Iowa.
Kansas.....	6	251	273	358	286	285	163	61	17	20	67	138	223	2,129 Kansas.
Louisiana.....	6	108	114	137	114	92	33	89	24	26	81	162	169	2,437 Louisiana.
Maine.....	3	22	55	86	16	14	44	50	15	6	23	21	21	752 Maine.
Maryland.....	5	16	10	7	32	17	6	3	1	1	1	1	1	98 Maryland.
Massachusetts.....	6	1	1	6	5	6	5	3	1	1	1	1	1	36 Massachusetts.
Michigan.....	7	191	145	181	200	193	137	117	51	53	116	159	162	1,988 Michigan.
Minnesota.....	7	210	249	222	217	248	107	47	37	68	126	226	2,252 Minnesota.	
Mississippi.....	6	205	254	245	303	185	110	36	39	42	61	89	171	1,985 Mississippi.
Montana.....	6	127	112	111	103	99	96	51	23	18	52	93	80	1,037 Montana.
Nebraska.....	2	306	372	482	462	509	352	100	42	163	113	161	310	3,375 Nebraska.
New Jersey.....	7	7	2	2	2	2	3	3	5	7	1	1	1	32 New Jersey.
New York.....	2	88	180	120	250	254	211	126	92	51	52	75	77	1,610 New York.
North Carolina.....	4	22	30	50	67	22	30	16	6	7	16	33	44	370 North Carolina.
North Dakota.....	7	366	356	452	443	454	370	168	103	68	122	192	342	3,384 North Dakota.
Ohio.....	7	51	70	49	61	57	48	28	16	7	9	21	35	4,107 Ohio.
Oregon.....	4	14	18	34	38	45	30	21	11	6	4	6	6	304 Oregon.
Pennsylvania.....	3	4	1	4	5	2	1	1	1	1	1	1	1	27 Pennsylvania.
Porto Rico.....	3	25	18	16	23	28	22	10	6	3	16	20	29	29 Porto Rico.
Rhode Island.....	2	124	80	141	119	103	72	36	20	25	26	67	67	3 Rhode Island.
South Carolina.....	5	285	282	354	264	187	121	79	24	23	20	74	182	1,901 South Carolina.
Texas.....	4	144	149	145	178	108	115	70	31	35	56	43	99	1,408 Texas.
Virginia.....	7	112	62	108	106	112	61	36	24	26	46	51	749 Virginia.	
Washington.....	3	145	130	184	218	145	63	37	22	24	36	95	96 West Virginia.	
West Virginia.....	7	194	180	183	237	158	141	96	62	62	101	156	2,026 West Virginia.	
Wisconsin.....	7	6	26	10	2	7	13	10	8	2	4	6	5	246 Wisconsin.
Wyoming.....														88 Wyoming.

1847

August 5, 1921.

August 5, 1921.

1848

Cases of smallpox reported, 1920.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	151	136	220	292	154	116	65	19	16	36	37	200	1,442	Alabama.
Arizona.....	10	19	21	55	15	5	3	2	1	5	7	172	172	Arizona.
Arkansas.....	167	97	107	143	87	57	31	16	26	18	18	790	790	Arkansas.
California.....	457	473	491	267	306	225	190	159	200	388	588	742	4,486	California.
Colorado.....	385	384	344	259	289	238	117	69	83	139	318	303	2,888	Colorado.
Connecticut.....	2												2	Connecticut.
Delaware.....	16	4	18	22	12	13	10	1		2	1		27	Delaware.
District of Columbia.....	2	9	21	26	15	4	5	2	1	12	30	51	69	District of Columbia.
Florida.....	240	173	96	177	98	61	44	91	48	78	230	428	1,323	Florida.
Georgia.....														Georgia.
Idaho.....	331	288	410	409	264	201	394	83	39	69	267	167	2,556	Idaho.
Illinois.....	776	822	748	1,003	1,232	909	364	189	175	315	657	1,327	8,527	Illinois.
Indiana.....	790	486	619	817	569	421	254	141	111	321	452	794	5,776	Indiana.
Iowa.....	431	298	343	391	539	411	210	105	121	243	375	526	4,503	Iowa.
Kansas.....	419	398	508	595	595	413	226	120	75	156	143	288	3,900	Kansas.
Louisiana.....	123	222	283	209	125	91	66	32	37	26	86	254	1,564	Louisiana.
Maine.....	96	23	13	25	9	15	11	11	11	18	19	19	1,254	Maine.
Maryland.....	18	24	31	25	20	8	7	2		3	3	16	179	Maryland.
Massachusetts.....														Massachusetts.
Michigan.....	490	351	466	419	622	409	323	165	164	285	366	795	4,845	Michigan.
Minnesota.....	653	442	501	455	576	414	227	182	173	402	882	1,446	6,333	Minnesota.
Mississippi.....	417	598	635	450	375	146	123	70	44	56	116	118	3,448	Mississippi.
Montana.....	106	111	118	123	189	77	38	24	35	58	94	102	1,066	Montana.
Nebraska.....	538	625	602	607	492	271	112	66	77	102	194	449	4,135	Nebraska.
New Jersey.....	16	7	46	37	17	13	35	6		1		5	182	New Jersey.
New Mexico.....	23	68	44	48	14	19	1	3	9	9	9	6	7	New Mexico.
New York.....	40	21	47	21	29	21	23	17	19	20	13	307	307	New York.
North Carolina.....	641	340	475	371	313	243	155	83	42	60	82	156	2,961	North Carolina.
North Dakota.....	9	26	28	38	51	18	16	14	17	26	104	186	533	North Dakota.
Ohio.....	621	490	637	783	741	603	299	284	142	477	921	1,211	7,209	Ohio.
Oregon.....	820	455	280	262	189	193	151	101	75	144	178	145	2,988	Oregon.
Pennsylvania.....	14	9	24	26	29	24	27	26	16	2	4	14	215	Pennsylvania.
Rhode Island.....			1										1	Rhode Island.
South Carolina.....	302	68	44	66	96	209	34	35	11	29	27	197	1,118	South Carolina.
South Dakota.....	140	224	190	213	238	102	40	33	49	112	112	186	1,334	South Dakota.
Texas.....	248	97	79	268	263	570	401	55	19	23	91	47	2,113	Texas.
Virginia.....	467	963	421	320	329	440	152	123	110	56	78	120	3,488	Virginia.
Washington.....	1,014	955	790	667	643	350	292	176	122	184	473	534	6,146	Washington.
West Virginia.....	431	280	289	312	341	138	155	90	97	85	110	225	2,692	West Virginia.
Wisconsin.....	748	635	532	373	499	582	258	208	205	293	573	702	5,638	Wisconsin.
Wyoming.....	136	116	120	78	174	53	71	13	30	30	43	911	911	Wyoming.

Deaths registered as due to smallpox, 1920.

1849

August 5, 1921.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....			2	2	1	1					1		5	Alabama.
Arkansas.....	1	1	1	1	1	2	1				1		5	Arkansas.
California.....	1	1	1	1	1	1	1				1		7	California.
Colorado.....	1	1	1	1	1	1	1				1		7	Colorado.
Delaware.....	1	1	1	1	1								2	Delaware.
Florida.....													3	Florida.
Georgia.....	1												3	Georgia.
Idaho.....													5	Idaho.
Illinois.....	1	2	2	2	1	1	1				1		16	Illinois.
Indiana.....	1	2	2	2	1	1	1				1		15	Indiana.
Iowa.....													2	Iowa.
Kansas.....	1	1	1	1	2	1							3	Kansas.
Kentucky.....	2	5	3	3	3	1							20	Kentucky.
Louisiana.....	13	24	37	26	13	12	4				5		100	Louisiana.
Massachusetts.....						1							1	Massachusetts.
Michigan.....	1		3	5	2								9	Michigan.
Minnesota.....	2	3	2	1	1	1	1				3		3	Minnesota.
Nebraska.....			2	1	4	1							1	Nebraska.
New Mexico.....	1							2					3	New Mexico.
New York.....													1	New York.
North Carolina.....	4	6	3	6	2	3	2				1		20	North Carolina.
Oklahoma.....	1	1	1	4	2	1	3						13	Oklahoma.
Oregon.....	3	1	2	2			2						10	Oregon.
Pennsylvania.....													1	Pennsylvania.
Porto Rico.....													2	Porto Rico.
South Carolina.....													2	South Carolina.
South Dakota.....	1												1	South Dakota.
Texas.....	2	3	2			3	3	1	1	1	2		20	Texas.
Virginia.....													10	Virginia.
Washington.....	2	4	4	1	1	1	1				1		18	Washington.
Wisconsin.....	2						2						3	Wisconsin.
Wyoming.....						1							1	Wyoming.

Smallpox—Median number of cases reported per annum and indicated morbidity rates, 1918-1919; cases reported, deaths registered, and indicated mortality, morbidity, and fatality rates, 1920.

State.	Estimated population July 1, 1920.	Number of years included.	Cases reported in median year.	Cases per 1,000 inhabitants.	Median.		1920		State.
					Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	
Alabama.....	2,358,994	6	850	0.37	1,442	0.61	7	0.00	Alabama.
Arizona.....	340,575	1	200	.64	172	.51	5	.01	Arizona.
Arkansas.....	1,361,359	3	2,016	1.17	780	1.45	7	.00	Arkansas.
California.....	3,480,913	7	677	.22	4,480	1.26	7	.00	California.
Colorado.....	946,870	6	381	.43	2,888	3.06	7	.01	Colorado.
Connecticut.....									Connecticut.
Delaware.....									Delaware.
District of Columbia.....									District of Columbia.
Florida.....	1,394,324	7	95	.07	2	.00	0		Florida.
Georgia.....	224,086				27	.12	0		Georgia.
Idaho.....	443,056	7	48	.12	89	.20	0		Idaho.
Illinois.....	978,587	3	59	.07	428	.12	3	.00	Illinois.
Indiana.....	2,910,598	1	1,710	.50	1,328	.46	3	.00	Indiana.
Iowa.....	437,339	1	690	1.69	2,556	5.84	5	.01	Iowa.
Kansas.....	6,528,886	5	3,942	.62	8,527	1.31	16	.00	Kansas.
Louisiana.....	2,952,210	7	3,583	1.35	6,775	1.98	15	.01	Louisiana.
Maine.....	2,413,253	6	2,129	.91	4,533	1.87	12	.00	Maine.
Maryland.....	1,773,260	7	2,437	1.40	3,900	2.20	3	.00	Maryland.
Massachusetts.....	2,423,157	6	827	.47	1,564	.87	20	.01	Massachusetts.
Michigan.....	1,805,829	6	595	.77	256	.33	0		Michigan.
Minnesota.....	1,769,335	3	98	.07	179	.12	0		Minnesota.
Mississippi.....	1,457,009	5	36	.01	20	.01	1	.00	Mississippi.
Montana.....	3,877,388	6	1,037	2.13	1,066	1.91			Montana.
Nebraska.....	3,712,613	7	1,988	.59	4,845	1.31	9	.00	Nebraska.
New Jersey.....	2,403,164	7	2,252	.99	6,333	2.64	15	.01	New Jersey.
New Mexico.....	1,790,283	6	1,995	1.11	3,148	1.76			New Mexico.
North Carolina.....	3,468,157	6					28	.01	North Carolina.
North Carolina.....	557,780	6							North Carolina.
Ohio.....	2,301,736	2	3,375	2.61	4,135	3.18	10	.01	Ohio.
Pennsylvania.....	3,187,766	7	63	.02	1,82	.06	0		Pennsylvania.
Rhode Island.....	362,652	7	333	.68	251	.69	3	.01	Rhode Island.
South Carolina.....	10,450,269	2	1,610	.68	307	1.08	1	.00	South Carolina.
Tennessee.....	2,577,285						2,861	.29	Tennessee.

Cases of syphilis reported, 1920.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sep.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	520	634	702	637	648	703	748	695	638	632	424	7,634	Alabama.	
Arizona.....	20	7	192	197	171	168	16	11	9	22	9	125	Arizona.	
Arkansas.....	194	173	398	501	337	306	90	151	395	116	157	504	Arkansas.	
California.....	518	398	94	76	414	375	337	238	320	390	1,036	517	California.	
Colorado.....	207	67	309	17	210	172	146	171	171	120	163	93	Colorado.	
Connecticut.....	238	132	19	17	13	1	1	1	1	73	102	373	Connecticut.	
Delaware.....	429	175	163	341	136	248	258	222	214	214	14	10	Delaware.	
Florida.....	411	400	363	462	438	390	325	257	271	373	137	293	Florida.	
Georgia.....	27	27	28	5	11	10	13	3	15	5	197	427	Georgia.	
Idaho.....	1,206	724	1,503	1,297	1,622	1,218	901	793	714	662	945	830	Idaho.	
Illinois.....	422	343	279	319	270	279	242	155	216	240	108	12,445	Illinois.	
Indiana.....	95	55	85	96	95	92	97	100	62	62	119	198	Indiana.	
Iowa.....	117	111	117	111	111	102	135	146	120	103	71	1,167	Iowa.	
Kansas.....	184	199	144	182	213	220	321	719	1,120	1,234	214	1,312	Kansas.	
Kentucky.....	155	129	134	178	164	223	185	372	417	296	308	295	Kentucky.	
Louisiana.....	34	35	49	54	60	23	35	35	48	48	66	2,956	Louisiana.	
Maine.....	81	88	207	187	234	151	131	250	196	241	207	527	Maine.	
Maryland.....	332	216	278	251	254	206	206	227	270	257	248	2,195	Maryland.	
Massachusetts.....	781	921	799	1,062	845	694	517	613	679	592	879	2,989	Massachusetts.	
Michigan.....												708	Michigan.	

Cases of syphilis reported, 1920—Continued.

State	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Minnesota.....	276	204	509	397	392	317	411	379	452	619	301	321	...321	Minnesota.
Mississippi.....	75	87	136	138	154	116	196	398	407	248	424	147	2,795	Mississippi.
Missouri.....	249	219	272	360	217	316	396	275	218	136	275	278	3,499	Missouri.
Montana.....	27	45	41	201	43	41	63	38	22	136	64	19	740	Montana.
Nebraska.....	185	140	223	189	142	181	173	181	124	162	196	158	2,073	Nebraska.
New Hampshire.....	55	29	21	24	33	34	40	40	14	38	37	8	352	New Hampshire.
New Jersey.....	406	151	322	281	237	282	243	222	447	302	311	328	3,542	New Jersey.
New Mexico.....	11	6	6	22	37	59	7	9	2	4	14	14	208	New Mexico.
New York.....	2,336	1,888	2,148	2,574	2,956	3,075	2,654	2,153	2,501	2,565	2,517	30	322	New York.
North Carolina.....	183	133	162	192	215	231	229	188	177	153	153	2,237	2,237	North Carolina.
North Dakota.....	16	14	19	49	44	37	43	54	26	27	25	20	374	North Dakota.
Ohio.....	547	383	499	536	471	540	469	534	489	589	452	460	6,049	Ohio.
Oklahoma.....	311	70	316	276	156	231	317	367	259	252	380	285	3,220	Oklahoma.
Oregon.....	26	13	12	12	12	25	61	59	25	19	7	18	289	Oregon.
Pennsylvania.....	314	366	322	2,729	3,146	2,823	2,573	2,462	2,969	2,969	Pennsylvania.
Rhode Island.....	62	67	102	101	73	436	90	67	106	476	630	630	6,522	Rhode Island.
South Carolina.....	423	45	495	382	498	501	1,483	588	496	456	461	275	6,522	South Carolina.
South Dakota.....	50	20	38	10	19	12	10	22	24	11	13	13	251	South Dakota.
Tennessee.....	218	367	276	314	395	388	302	257	106	211	345	153	3,262	Tennessee.
Texas.....	432	737	617	520	488	747	1,962	2,074	1,779	1,868	1,900	1,751	14,875	Texas.
Utah.....	35	11	44	23	13	17	24	22	30	15	20	12	266	Utah.
Vermont.....	29	21	15	20	18	17	26	26	20	43	41	37	334	Vermont.
Virginia.....	357	169	204	250	239	234	273	193	304	238	191	161	2,787	Virginia.
Washington.....	110	69	89	69	57	62	44	107	97	90	79	83	956	Washington.
West Virginia.....	118	88	163	236	210	18	384	110	345	332	254	236	2,484	West Virginia.
Wisconsin.....	85	46	94	53	38	39	42	50	52	44	51	51	644	Wisconsin.
Wyoming.....	6	32	20	8	19	25	42	57	16	63	59	27	374	Wyoming.

Syphilis—Cases reported and indicated morbidity rates, 1920.

State.	Estimated population July 1, 1920.	Total cases reported.	Cases per 1,000 inhabitants.	State.	Total cases reported.	Estimated population July 1, 1920.	Cases per 1,000 inhabitants.
Alabama.....	2,358,994	7,634	3.24	Nebraska.....	1,301,736	2,073	1.59
Arkansas.....	1,761,359	2,718	1.51	New Hampshire.....	443,227	352	.79
California.....	3,580,903	4,943	1.32	New Jersey.....	3,167,766	3,942	1.11
Colorado.....	946,870	1,618	1.74	New Mexico.....	362,062	208	.57
Connecticut.....	1,391,324	2,206	1.58	New York.....	10,450,299	30,322	2.90
Florida.....	979,587	2,980	3.05	North Carolina.....	2,577,295	2,237	.87
Georgia.....	2,910,598	4,275	1.47	Ohio.....	640,214	574	.87
Idaho.....	6,457,339	1,188	1.83	North Dakota.....	5,810,188	6,049	1.04
Illinois.....	6,528,886	12,445	1.91	Oklahoma.....	2,047,367	3,220	1.47
Indiana.....	2,942,210	3,131	1.06	Oregon.....	789,096	289	.37
Iowa.....	2,413,253	1,167	.48	South Carolina.....	1,032,393	6,022	3.85
Kansas.....	1,773,290	1,272	.72	South Dakota.....	630,259	251	.39
Kentucky.....	2,423,157	7,121	2.04	Tennessee.....	2,346,770	3,262	1.33
Louisiana.....	1,805,629	2,656	1.58	Texas.....	4,702,714	14,875	3.16
Maine.....	1,789,333	527	.69	Utah.....	403,312	266	.39
Maryland.....	1,457,609	2,195	1.61	Vermont.....	332,246	331	.45
Massachusetts.....	3,877,383	2,989	.77	Virginia.....	2,321,938	5,787	1.20
Michigan.....	3,712,613	8,707	2.37	Washington.....	1,367,675	956	.70
Mississippi.....	1,780,883	2,785	1.60	West Virginia.....	1,476,184	2,484	1.69
Missouri.....	3,409,157	3,899	1.08	Wisconsin.....	1,647,325	644	.39
Montana.....	657,780	740	1.13	Wyoming.....	198,897	374	1.90

August 5, 1921.

1854

Cases of tuberculosis (all forms) reported, 1920.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
California.....	1,009	451	972	736	885	649	617	616	690	525	615	721	8,486	California.
Connecticut.....	136	101	200	208	168	189	154	157	186	180	194	203	2,053	Connecticut.
District of Columbia.....	91	77	118	120	112	102	133	85	82	96	82	91	1,189	District of Columbia.
Florida.....	153	106	140	98	99	95	100	120	106	107	72	47	1,252	Florida.
Hawaii.....	85	73	116	84	100	86	66	83	91	85	70	90	1,028	Hawaii.
Illinois.....	1,433	1,164	1,820	1,280	1,285	1,488	1,076	773	1,244	1,035	984	1,137	14,774	Illinois.
Kansas.....	86	85	93	90	105	166	263	168	107	207	149	197	1,736	Kansas.
Maine.....	65	48	47	67	167	90	115	72	66	105	52	1,048	Maine.	
Massachusetts.....	567	490	641	784	750	717	635	524	630	618	528	670	7,563	Massachusetts.
Michigan.....	333	142	492	315	420	443	536	394	486	513	439	501	4,994	Michigan.
Minnesota.....	373	301	434	448	487	480	433	404	355	360	334	362	4,841	Minnesota.
Mississippi.....	380	414	428	350	378	359	461	370	334	231	235	220	4,180	Mississippi.
Montana.....	76	80	56	69	83	51	65	77	140	44	64	68	863	Montana.
New Hampshire.....	30	30	23	30	74	73	65	1	43	60	36	33	498	New Hampshire.
New Jersey.....	661	473	633	521	492	509	486	401	603	409	381	486	6,055	New Jersey.
New Mexico.....	160	201	132	132	100	101	205	257	327	304	329	310	2,310	New Mexico.
New York.....	1,680	1,794	2,280	2,189	2,285	2,347	1,023	1,727	1,820	2,349	1,640	1,758	23,908	New York.
Ohio.....	406	351	606	673	676	632	630	453	449	495	390	496	6,166	Ohio.
Oregon.....	51	95	39	77	73	76	57	68	87	50	60	46	687	Oregon.
Rhode Island.....	60	37	17	27	22	24	24	15	23	20	20	43	770	Rhode Island.
South Dakota.....	22	19										23	277	South Dakota.

¹Months not stated for 54 of these cases.

August 5, 1921.

Details registered as due to tuberculosis (all forms), 1920.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.	
Alabama.....	162	167	173	163	168	164	162	153	153	125	125	129	349	Alabama.	
Kansas.....	67	102	85	108	113	113	106	131	74	122	117	175	1,275	Arkansas.	
California.....	563	517	623	473	456	429	445	360	373	413	413	413	5,347	California.	
Colorado.....	206	302	176	165	157	160	182	152	156	137	137	194	2,016	Colorado.	
Connecticut.....	152	173	161	149	157	148	127	116	108	124	116	116	1,648	Connecticut.	
Delaware.....	31	34	28	33	32	26	25	25	26	27	27	24	322	Delaware.	
District of Columbia.....	56	49	47	61	63	47	33	38	40	37	48	45	573	District of Columbia.	
Florida.....	76	97	121	83	78	80	88	76	60	71	94	83	1,016	Florida.	
Georgia.....	194	233	234	234	253	211	217	205	176	204	182	201	2,544	Georgia.	
Hawaii.....	55	36	65	39	47	37	45	35	35	36	40	48	518	Hawaii.	
Idaho.....	9	10	20	9	13	15	3	14	19	3	1	1	117	Idaho.	
Illinois.....	613	729	630	636	620	578	504	403	438	422	416	463	6,524	Illinois.	
Indiana.....	302	370	322	330	307	253	242	223	197	212	198	204	3,155	Indiana.	
Iowa.....	88	147	127	111	126	101	80	85	65	78	65	80	1,192	Iowa.	
Kansas.....	55	90	76	77	97	82	69	50	50	61	63	65	871	Kansas.	
Kentucky.....	329	368	411	326	312	311	304	246	214	232	222	224	3,531	Kentucky.	
Louisiana.....	212	236	261	225	247	213	206	197	170	170	183	173	2,988	Louisiana.	
Maine.....	70	90	79	83	80	53	67	67	50	50	48	57	798	Maine.	
Maryland.....	184	223	212	211	190	156	179	159	138	132	164	139	2,156	Maryland.	
Massachusetts.....	377	488	402	436	437	343	334	300	301	287	290	290	312	4,382	Massachusetts.
Michigan.....	278	352	263	300	294	257	232	227	198	206	157	194	2,995	Michigan.	
Minnesota.....	197	223	227	210	232	192	188	154	119	187	139	140	2,144	Minnesota.	
Nebraska.....	37	65	32	68	45	42	36	43	35	33	37	42	525	Nebraska.	
New Jersey.....	317	396	374	349	324	306	289	267	242	247	236	234	3,225	New Jersey.	
New Mexico.....	77	75	83	91	106	69	66	53	52	66	73	76	917	New Mexico.	
New York.....	1,128	1,372	1,256	1,183	1,198	1,041	942	922	835	820	827	916	12,475	New York.	
North Carolina.....	1,164	330	250	321	214	232	283	223	204	200	200	227	2,905	North Carolina.	
North Dakota.....	9	22	33	29	21	34	35	22	14	21	21	27	288	North Dakota.	
Oklahoma.....	89	128	117	103	97	80	92	60	60	81	80	104	1,118	Oklahoma.	
Oregon.....	63	69	61	62	70	61	53	45	38	32	42	51	609	Oregon.	
Pennsylvania.....	790	1,071	962	927	856	763	659	648	584	627	627	636	9,160	Pennsylvania.	
Puerto Rico.....	192	207	238	221	189	245	228	211	215	234	218	219	2,651	Puerto Rico.	
South Carolina.....	113	136	153	152	127	135	135	108	117	136	94	141	1,570	South Carolina.	
South Dakota.....	22	10	17	27	22	24	15	15	23	20	16	23	273	South Dakota.	
Texas.....	295	311	244	319	301	283	283	258	266	240	238	234	3,288	Texas.	
Virginia.....	316	349	336	298	269	248	249	263	227	269	218	223	3,386	Virginia.	
Washington.....	112	134	168	118	121	122	80	99	88	87	74	94	1,306	Washington.	
Wisconsin.....	196	250	221	191	227	184	184	174	135	140	160	160	2,217	Wisconsin.	
Wyoming.....	4	1	5	1	5	1	6	2	3	6	4	9	57	Wyoming.	

August 5, 1921.

1856

Tuberculosis (all forms)—Cases reported, deaths registered, indicated morbidity and mortality rates, and number of cases reported for each death registered, 1920.

State.	Estimated population July 1, 1920.	Total cases reported.	Cases per 1,000 inhabitants.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.	State.	Estimated population July 1, 1920.	Total cases reported.	Cases per 1,000 inhabitants.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.
Alabama.....	2,358,994	2,020	0.86	3.52	·	Mississippi.....	1,790,283	4,190	2.33	·	·
Arizona.....	2,240,575	1,202	·	1.27	·	Missouri.....	3,409,757	·	3,562	·	1.05
Arkansas.....	1,761,530	5,367	2.44	1.64	·	Montana.....	3,457,790	833	1.65	·	·
California.....	3,480,903	8,456	2.44	2.016	2.13	Nebraska.....	1,301,738	·	528	·	.41
Colorado.....	946,870	·	·	·	·	New Hampshire.....	443,727	498	1.12	·	·
Connecticut.....	1,394,324	2,053	1.47	1,649	1.18	New Jersey.....	3,187,766	6,055	1.90	3,625	1.14
Delaware.....	224,088	·	·	322	1.44	New Mexico.....	382,052	2,410	6.40	917	2.53
District of Columbia.....	443,036	1,180	2.08	573	1.20	New York.....	10,450,289	23,803	2.28	12,475	2.6
Florida.....	979,157	1,252	1.28	1,016	1.04	North Carolina.....	2,577,295	·	865	1.19	1.9
Georgia.....	2,916,598	·	·	2,544	.87	North Dakota.....	649,214	·	288	1.11	·
Hawaii.....	229,208	1,020	3.97	518	2.00	Ohio.....	5,810,498	6,166	1.06	·	·
Idaho.....	437,339	·	·	117	2.27	Oklahoma.....	2,047,397	·	118	·	·
Illinois.....	6,528,986	14,774	2.26	6,524	1.03	Oregon.....	758,086	687	.87	860	.85
Indiana.....	2,944,210	·	·	1,153	1.07	Pennsylvania.....	8,714,347	·	9,160	1.04	1.0
Iowa.....	2,413,233	·	·	1,192	.49	Puerto Rico.....	1,308,172	·	2,651	2.02	·
Kansas.....	1,773,290	1,736	.98	871	.49	Rhode Island.....	607,579	770	1.27	1,570	.65
Kentucky.....	2,922,157	·	·	3,531	1.46	South Carolina.....	1,692,393	·	43	273	.43
Louisiana.....	1,805,820	·	·	2,468	1.38	South Dakota.....	639,259	277	·	3,288	.70
Maine.....	700,335	1,048	1.38	798	1.04	Texas.....	4,702,714	·	·	3,286	1.41
Maryland.....	1,457,608	·	·	2,156	1.48	Virginia.....	2,321,938	·	1,303	.95	·
Massachusetts.....	3,677,388	7,563	1.95	4,362	1.13	Washington.....	1,361,675	·	2,217	.84	·
Michigan.....	3,712,013	4,994	1.33	2,995	1.71	Wisconsin.....	2,647,325	·	106,807	.29	.57
Minnesota.....	2,403,164	4,941	2.01	2,144	.80	Wyoming.....	2,311,16	16	17	238	·

Cases of tuberculosis (pulmonary) reported, 1920.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Connecticut.....	131	100	189	192	154	171	166	145	151	164	166	176	1,905	Connecticut.
District of Columbia.....	90	77	114	119	111	102	130	82	92	81	90	1,168	1,168	District of Columbia.
Hawaii.....	80	74	110	78	66	62	76	87	81	68	84	985	985	Hawaii.
Massachusetts.....	483	461	555	697	673	640	586	472	580	587	492	622	6,758	Massachusetts.
New York.....	1,611	1,730	18	2,061	2,265	1,858	1,668	1,762	2,297	1,682	1,728	22,882	22,882	New York.
North Dakota.....	50	28	19	24	29	25	61	57	60	38	40	313	313	North Dakota.
Rhode Island.....	15	17	15	21	19	20	11	31	16	16	16	667	667	Rhode Island.
South Dakota.....	·	·	·	·	·	·	·	·	·	·	·	238	238	South Dakota.

Deaths registered as due to tuberculosis (pulmonary), 1920.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	151	157	166	154	147	159	140	140	120	116	123	339	1,912	Alabama.
Arkansas.....	63	74	97	82	102	110	105	115	113	112	112	375	1,233	Arkansas.
California.....	461	455	447	417	389	363	397	339	343	365	359	4,781	4,787	California.
Colorado.....	122	120	204	159	144	146	145	118	139	142	130	117	135	Colorado.
Connecticut.....	137	150	147	133	130	120	116	94	94	102	104	103	1,438	Connecticut.
Delaware.....	26	32	25	27	28	24	15	21	22	23	21	16	280	Delaware.
District of Columbia.....	51	45	40	48	65	35	30	34	45	29	42	38	492	District of Columbia.
Florida.....	63	84	112	73	70	68	58	69	62	63	85	76	908	Florida.
Hawaii.....	51	33	54	37	40	33	39	32	27	33	36	41	456	Hawaii.
Idaho.....	9	10	20	8	12	10	1	13	17	3	1	1	104	Idaho.
Illinois.....	545	661	557	569	539	491	434	404	405	360	371	412	5,748	Illinois.
Indiana.....	259	332	287	288	262	206	165	188	155	158	162	169	2,661	Indiana.
Iowa.....	80	128	114	98	111	92	68	73	80	67	59	65	1,035	Iowa.
Kansas.....	78	67	83	83	63	68	56	49	44	52	50	54	741	Kansas.
Kentucky.....	290	331	367	284	277	270	272	225	185	219	186	204	3,110	Kentucky.
Louisiana.....	194	224	240	208	224	195	190	179	157	159	171	167	2,308	Louisiana.
Maine.....	56	73	62	67	65	45	45	44	36	43	44	48	642	Maine.
Maryland.....	161	245	182	173	163	117	153	128	138	137	146	129	1,852	Maryland.
Massachusetts.....	319	442	388	373	369	294	283	262	252	240	249	262	3,748	Massachusetts.
Michigan.....	246	307	254	261	243	204	195	187	168	177	132	167	2,531	Michigan.
Minnesota.....	162	190	178	200	156	139	124	96	108	116	116	31	1,775	Minnesota.
Nebraska.....	30	48	40	51	43	34	34	35	31	31	31	31	424	Nebraska.
New Mexico.....	76	68	81	83	86	55	53	47	77	64	71	75	851	New Mexico.
New York.....	933	1,222	1,107	1,046	1,050	903	823	786	741	720	736	794	10,862	New York.
North Dakota.....	6	20	30	17	23	16	24	29	16	12	19	25	237	North Dakota.
Oklahoma.....	74	120	104	93	87	70	82	71	52	73	79	90	995	Oklahoma.
Oregon.....	51	64	56	48	55	48	47	31	30	42	31	38	541	Oregon.
Pennsylvania.....	669	926	824	771	700	636	524	508	473	522	493	576	7,612	Pennsylvania.
Puerto Rico.....	181	165	245	214	182	230	215	201	202	212	203	201	2,487	Puerto Rico.
South Carolina.....	104	129	159	140	119	145	128	106	108	126	89	131	1,462	South Carolina.
Texas.....	15	17	15	21	19	20	40	11	21	247	216	16	228	Texas.
Virginia.....	268	286	223	362	276	273	264	231	207	233	207	211	2,912	Virginia.
Washington.....	290	316	308	240	212	220	207	20	74	193	197	197	1,988	Washington.
Wisconsin.....	97	124	138	92	96	98	70	87	60	60	79	132	1,939	Wisconsin.
	170	227	197	156	184	170	162	135	161	114	131	132		

August 5, 1921.

185

Tuberculosis (pulmonary)—Cases reported, deaths registered, indicated morbidity and mortality rates, and number of cases reported for each death registered, 1920.

State.	Estimated population July 1, 1920.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.	State.	Estimated population July 1, 1920.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.	
Alabama.....	2,305,924	924	1,912	0.91	Massachusetts.....	3,877,383	6.736	1.74	3,743	0.97	1.8
Alaska.....	340,075	1,169	3.43	Michigan.....	3,712,013	2,631	.68
Arkansas.....	1,761,359	1,203	1.88	Minnesota.....	3,403,164	1,776	.74
Oklahoma.....	3,497,075	4,710	1.34	Missouri.....	3,407,157	1,241	.96
Colorado.....	946,570	1,961	1.07	Nebraska.....	1,301,730	424	.33
Connecticut.....	1,394,924	1,905	1.37	1,330	1.03	1.8	New Mexico.....	368,052	851	2.35
Delaware.....	294,068	280	1.20	New York.....	10,450,289	22,963	2.19	10,863	1.05	2.1
District of Columbia.....	443,056	1,168	2.64	492	1.11	2.4	North Dakota.....	648,214	313	.48	237	.37	1.3
Florida.....	979,067	908	1.03	Oklahoma.....	2,047,397	698	.49
Illinois.....	209,303	965	3.72	458	1.73	2.1	Oregon.....	758,066	541	.65
Idaho.....	437,369	104	.24	Pennsylvania.....	8,774,947	7,017	.87
Indiana.....	0,926,860	5,748	.96	Porto Rico.....	1,806,172	2,487	1.90
Illinois.....	2,932,210	2,063	.90	Rhode Island.....	607,579	687	1.10	1,460
Illinois.....	2,413,369	1,035	.43	South Carolina.....	1,482,383	228	.86
Illinois.....	1,775,590	741	.43	South Dakota.....	638,259	238	36	.36	1.0
Michigan.....	2,452,107	3,110	1.28	Florida.....	4,709,714	3,013	.64
Minnesota.....	1,800,809	2,308	1.26	Virginia.....	2,821,939	2,029	1.26
Mississippi.....	769,335	643	.84	Washington.....	1,367,675	1,083	.79
Maryland.....	1,407,009	1,852	1.27	Wisconsin.....	2,647,425	1,338	.73

Typhoid fever—Monthly median of cases reported during the years (1918-1919) for which data are available, and number of cases reported for the median year.

State.	Number of years included.	Median number of cases reported.										Cases reported in median year.	State.	
		Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.		
Alabama.....	6	60	58	37	53	95	275	419	423	278	177	98	74	2,056 Alabama.
Arizona.....	2	3	20	15	17	42	98	6	7	2	7	2	3	61 Arizona.
Arkansas.....	3	16	37	61	57	90	105	162	170	131	139	91	48	677 Arkansas.
California.....	7	81	53	11	19	10	11	52	60	91	76	34	7	1,205 California.
Colorado.....	5	15	5	11	19	10	11	52	60	91	76	34	7	420 Colorado.
Connecticut.....	5	17	18	15	19	13	13	15	28	68	147	38	30	538 Connecticut.
District of Columbia.....	7	11	9	9	9	13	13	15	28	68	147	38	32	338 District of Columbia.
Florida.....	2	23	17	30	60	61	43	73	64	41	36	32	32	510 Florida.
Georgia.....	1	11	22	24	24	94	200	236	236	261	171	94	68	1,448 Georgia.
Hawaii.....	6	12	11	15	13	13	13	11	20	19	21	22	22	246 Hawaii.
Idaho.....	1	1	1	1	1	1	1	10	12	26	56	23	30	18 Idaho.
Illinois.....	116	182	109	149	91	73	212	405	597	207	170	113	2,343 Illinois.	
Indiana.....	7	104	74	87	83	71	74	149	306	323	249	133	123	1,966 Indiana.
Kansas.....	7	35	31	30	26	36	55	241	266	304	218	168	101	1,683 Kansas.
Louisiana.....	6	34	33	33	33	71	98	210	202	153	125	104	74	100 Louisiana.
Maine.....	4	12	9	7	7	11	11	19	22	18	27	21	13	210 Maine.
Maryland.....	5	86	63	75	74	79	91	180	473	665	361	175	101	2,341 Maryland.
Massachusetts.....	6	74	57	62	59	73	86	120	240	263	212	117	88	1,580 Massachusetts.
Michigan.....	7	118	113	94	95	75	105	138	244	239	128	95	1,730 Michigan.	
Minnesota.....	7	53	59	65	56	30	41	69	114	112	114	77	68 Minnesota.	
Mississippi.....	6	218	183	149	162	248	567	888	1,046	779	514	349	232	5,684 Mississippi.
Montana.....	6	23	25	17	23	19	17	30	55	63	53	31	31	454 Montana.
Nebeska.....	2	10	4	5	3	5	1	3	12	40	24	14	9	123 Nebraska.
New Jersey.....	7	237	53	53	53	56	60	125	201	273	164	96	57	1,390 New Jersey.
New York.....	7	237	189	211	225	250	380	620	807	641	349	282	417	2,417 New York.
North Carolina.....	2	38	23	25	35	78	344	810	720	650	240	169	91	3,172 North Carolina.
North Dakota.....	3	187	164	159	176	164	232	300	557	778	547	318	139	1,139 North Dakota.
Ohio.....	6	7	12	13	14	10	11	15	26	28	35	17	14	210 Ohio.
Pennsylvania.....	4	294	265	316	287	246	314	376	667	1,000	668	321	223	4,811 Pennsylvania.
Porto Rico.....	5	13	14	14	39	40	24	27	24	24	17	12	21	275 Porto Rico.
Rhode Island.....	5	5	8	3	11	8	11	14	27	24	24	14	6	1,177 Rhode Island.
South Carolina.....	7	12	8	15	19	58	186	158	177	105	55	40	18	869 South Carolina.
South Dakota.....	5	3	4	4	4	4	5	4	16	21	24	14	7	113 South Dakota.
Texas.....	3	45	41	20	34	39	109	183	149	175	147	138	65	1,256 Texas.
Oregon.....	6	187	164	159	176	164	232	300	557	778	547	318	139	3,700 Oregon.
Virginia.....	7	90	82	66	108	139	258	537	828	644	456	229	138	3,224 Virginia.
Washington.....	7	43	31	27	63	71	106	177	326	271	161	120	52	733 Washington.
West Virginia.....	3	48	46	40	42	36	35	20	39	43	47	43	31	1,510 West Virginia.
Wisconsin.....	7	45	30	40	42	36	35	20	39	43	47	43	31	1,486 Wisconsin.
Wyoming.....	7	1	2	2	2	2	4	3	4	9	7	3	5	57 Wyoming.

August 5, 1921.

1860

Cases of typhoid fever reported, 1920.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.	
Alabama.....	20	20	18	20	36	122	161	248	190	178	64	44	1,049	Alabama.	
Arizona.....	1	13	17	23	11	32	122	131	12	15	4	1,36	Arizona.	
Arkansas.....	52	20	47	37	67	179	125	159	186	166	114	23	912	Arkansas.	
California.....	57	3	10	7	11	18	30	39	156	184	129	73	1,397	California.	
Colorado.....	2	6	6	15	22	15	29	65	66	66	24	9	372	Colorado.	
Connecticut.....	11	4	6	3	4	7	8	4	5	62	45	40	426	Connecticut.	
Delaware.....	4	6	3	2	5	5	7	14	14	21	9	15	163	Delaware.	
District of Columbia.....	6	5	35	52	49	92	60	59	23	22	15	26	160	District of Columbia.	
Florida.....	59	41	22	16	19	93	161	267	190	20	20	20	618	Florida.	
Georgia.....	35	11	6	7	30	20	34	18	15	11	10	141	1,141	Georgia.	
Hawaii.....	10	2	5	115	103	138	186	133	23	11	8	24	173	Hawaii.	
Idaho.....	124	80	88	115	98	83	64	69	50	138	112	140	1,890	Idaho.	
Illinois.....	68	22	27	39	58	75	134	237	232	167	76	33	1,154	Illinois.	
Indiana.....	44	30	31	26	49	78	102	191	116	83	44	50	814	Indiana.	
Kansas.....	41	19	14	26	47	57	56	27	36	60	93	43	30	481	Kansas.
Louisiana.....	31	19	25	20	30	43	104	123	230	169	121	35	1,081	Louisiana.	
Maine.....	21	19	15	25	25	30	43	104	123	116	121	35	1,081	Maine.	
Maryland.....	42	32	32	32	44	63	104	104	109	127	63	22	1,077	Maryland.	
Massachusetts.....	62	53	45	70	166	94	97	169	161	166	166	223	1,118	Massachusetts.	
Michigan.....	53	26	22	45	24	40	36	63	61	76	61	61	56	554	Michigan.
Minnesota.....	80	78	98	142	140	269	441	523	391	391	391	391	89	2,094	Minnesota.
Mississippi.....	10	3	10	13	11	23	25	25	40	40	44	12	241	Mississippi.	
Montana.....	7	5	4	16	14	19	19	12	48	34	11	8	181	Montana.	
Nebraska.....	1	5	4	5	3	5	6	6	8	12	10	14	2	74	Nebraska.
New Hampshire.....	31	18	26	29	45	20	41	94	124	91	79	50	657	New Hampshire.	
New Jersey.....	14	9	4	7	13	26	42	26	64	64	63	61	344	New Jersey.	
New Mexico.....	118	60	75	206	108	154	178	391	570	381	270	189	2,094	New Mexico.	
New York.....	44	8	6	87	54	152	292	436	890	890	890	890	44	1,986	New York.
North Carolina.....	17	2	18	4	7	3	16	24	44	34	23	15	215	North Carolina.	
North Dakota.....	1	1	5	4	5	3	5	6	8	12	10	14	2	74	North Dakota.
Ohio.....	98	52	59	136	127	117	191	332	498	690	526	179	3,004	Ohio.	
Oregon.....	11	2	3	1	4	9	4	7	24	22	14	3	104	Oregon.	
Pennsylvania.....	173	85	112	163	151	164	272	390	495	495	495	210	2,883	Pennsylvania.	
Puerto Rico.....	24	20	23	30	25	30	12	11	11	11	11	6	9	226	Puerto Rico.
Rhode Island.....	2	1	2	4	1	2	4	6	5	9	16	6	8	68	Rhode Island.
South Carolina.....	5	2	4	14	10	113	103	108	106	106	41	39	4	547	South Carolina.
South Dakota.....	6	8	4	14	6	4	10	10	10	10	5	7	3	77	South Dakota.
Texas.....	24	13	19	37	308	346	97	77	71	74	19	145	1,145	Texas.	
Virginia.....	64	18	26	64	78	92	272	283	361	217	126	60	1,984	Virginia.	
Washington.....	24	8	20	14	13	25	39	75	73	73	45	24	460	Washington.	
West Virginia.....	135	40	34	50	100	114	135	108	114	135	60	64	1,042	West Virginia.	
Wisconsin.....	19	15	14	15	27	80	30	28	38	38	39	20	315	Wisconsin.	
Wyoming.....	8	4	7	6	4	7	6	7	7	15	12	5	4	60	Wyoming.

Deaths registered as due to typhoid fever, 1920.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.	
Alabama.....	12	13	9	11	16	25	37	53	50	42	25	71	364	Alabama.	
Arkansas.....	9	11	10	5	13	9	12	32	35	35	52	48	271	Arkansas.	
California.....	11	7	9	6	9	10	18	20	28	13	13	13	172	California.	
Colorado.....	2	4	4	1	6	9	9	17	11	11	11	6	90	Colorado.	
Connecticut.....	2	1	1	4	2	3	1	7	13	9	12	6	59	Connecticut.	
Delaware.....	1	1	1	4	1	2	2	3	5	1	2	3	25	Delaware.	
District of Columbia.....	1	1	1	1	1	1	4	3	6	5	5	4	29	District of Columbia.	
Florida.....	11	8	15	8	8	13	18	17	13	14	12	3	124	Florida.	
Georgia.....	26	16	23	18	20	49	94	86	94	82	49	22	549	Georgia.	
Hawaii.....	1	2	2	2	7	4	8	6	2	2	2	3	39	Hawaii.	
Idaho.....	2	2	2	2	3	1	2	3	4	4	4	10	35	Idaho.	
Illinois.....	34	24	21	12	15	18	45	32	53	59	47	26	386	Illinois.	
Indiana.....	16	19	14	9	18	21	21	32	35	41	30	26	282	Indiana.	
Iowa.....	6	5	4	5	7	6	12	12	25	11	8	11	113	Iowa.	
Kansas.....	6	3	4	1	6	11	14	19	30	18	14	12	138	Kansas.	
Kentucky.....	38	24	30	24	26	22	36	43	58	60	48	33	442	Kentucky.	
Louisiana.....	19	15	12	13	18	33	38	38	44	46	13	19	278	Louisiana.	
Maine.....	14	10	11	1	7	4	3	3	8	8	5	5	67	Maine.	
Massachusetts.....	10	5	6	3	3	2	6	12	13	14	18	13	7	101	Massachusetts.
Michigan.....	2	16	15	7	4	2	4	3	9	9	9	3	96	Michigan.	
Minnesota.....	4	2	2	2	4	1	1	2	10	9	9	3	155	Minnesota.	
Nebraska.....	4	4	2	4	4	6	3	9	13	14	11	8	100	Nebraska.	
New Jersey.....	9	4	4	2	2	1	3	6	5	2	5	6	4	41	New Jersey.
New Mexico.....	1	1	1	2	1	1	3	6	5	2	5	6	26	New Mexico.	
New York.....	17	12	13	29	14	17	43	48	60	52	24	31	360	New York.	
North Dakota.....	9	7	3	6	9	20	36	61	58	43	33	4	311	North Dakota.	
Oklahoma.....	13	19	1	3	1	1	3	3	3	2	5	2	26	Oklahoma.	
Oregon.....	3	1	1	1	10	19	37	52	81	57	42	21	361	Oregon.	
Pennsylvania.....	33	35	22	27	35	41	35	45	72	64	43	43	495	Pennsylvania.	
Porto Rico.....	6	4	9	11	18	12	8	15	15	8	11	11	128	Porto Rico.	
South Carolina.....	15	5	5	9	16	27	47	44	46	48	30	21	313	South Carolina.	
South Dakota.....	3	3	1	1	1	1	1	4	3	4	2	2	22	South Dakota.	
Texas.....	30	20	10	17	31	47	72	74	54	64	31	32	482	Texas.	
Virginia.....	18	14	6	11	15	12	27	36	50	35	27	17	268	Virginia.	
Washington.....	3	5	1	6	3	6	5	5	15	11	4	4	75	Washington.	
Wisconsin.....	7	4	1	7	9	1	4	3	6	8	3	3	59	Wisconsin.	
Wyoming.....	1	1	1	2	4	2	2	5	3	1	1	1	21	Wyoming.	

1862

Typhoid fever.—Median number of cases reported per annum and indicated morbidity rates, 1913-1919; cases reported, deaths registered, and indicated morbidity, mortality and fatality rates, 1920.

1863

August 5, 1921.

10,430,288	7	4,417	.44	2,684	.26	360	.03	13.4	New York.
New York.		3,172	1.25	1,826	.72	311	.12	16.8	North Carolina.
North Dakota.	2	139	.22	825	.33	26	.04	12.1	North Dakota.
Ohio.	3	3,004	.67	1,394	.52	361	.18	12.1	Ohio.
Alabama.	3	1,394	.86	Oklahoma.
Oregon.	Oregon.
Pennsylvania.	Pennsylvania.
Porto Rico.	Porto Rico.
Rhode Island.	5	157	.27	225	.17	128	.10	56.9	Rhode Island.
South Carolina.	7	860	.54	547	.37	313	.18	57.2	South Carolina.
South Dakota.	5	113	.18	77	.12	22	.03	28.6	South Dakota.
Texas.	3	1,256	.29	1,145	.24	482	.10	42.1	Texas.
Virginia.	7	3,924	1.77	1,894	.79	268	.12	14.5	Virginia.
Washington.	7	733	.57	469	.34	75	.05	16.0	Washington.
West Virginia.	3	1,610	1.03	1,052	.71	50	.02	18.8	West Virginia.
Wisconsin.	7	486	.19	313	.12	21	.11	23.6	Wisconsin.
Wyoming.	7	57	.32	38	.45	Wyoming.

Cases of typhus fever reported, 1920.

Deaths registered as due to *typhus fever*, 1920.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
California.....	1												2	California.
New Jersey.....			1										1	New Jersey.
Texas.....							1						1	Texas.

August 5, 1921,

1864

DEATHS DURING WEEK ENDED JULY 23, 1921.

Summary of information received by telegraph from industrial insurance companies for week ended July 23, 1921, and corresponding week, 1920. (From the "Weekly Health Index," July 26, 1921, issued by the Bureau of the Census, Department of Commerce.)

	Week ended July 23, 1921.	Corresponding week, 1920.
Policies in force.....	47,127,039	44,174,531
Number of death claims.....	7,423	7,529
Death claims per 1,060 policies in force.....	8.2	8.9

Deaths from all causes in certain large cities of the United States during the week ended July 23, 1921, infant mortality, annual death rate, and comparison with corresponding week of preceding years. (From the Weekly Health Index, July 26, 1921, issued by the Bureau of the Census, Department of Commerce.)

City.	Estimated population, July 1, 1921.	Week ended July 23, 1921.		Average annual death rate per 1,000. ²	Deaths under 1 year.		Infant mortality rate, week ended July 23, 1921. ³
		Total deaths.	Death rate. ¹		Week ended July 23, 1921.	Previous year or years. ⁴	
Akron, Ohio.....	229,195	31	7.1	(4) 8.8	2	(4)	6 19
Albany, N. Y.....	115,071	29	13.1	C 7.8	3	C 2	67
Atlanta, Ga.....	207,473	42	10.6	C 14.9	8	C 6	-----
Baltimore, Md.....	752,863	153	10.6	A 16.6	40	A 49	112
Birmingham, Ala.....	186,133	50	14.0	A 20.1	11	A 9	-----
Boston, Mass.....	757,634	166	11.4	A 13.5	28	A 29	76
Buffalo, N. Y.....	519,608	91	9.1	C 9.6	15	C 17	-58
Cambridge, Mass.....	110,444	16	7.6	A 10.2	5	A 2	39
Camden, N. J.....	119,672	18	7.8	-----	3	-----	45
Chicago, Ill.....	2,730,655	537	10.1	A 12.5	96	A 119	-----
Cincinnati, Ohio.....	403,418	117	15.1	C 11.4	15	C 8	99
Cleveland, Ohio.....	831,138	154	9.7	C 7.2	31	C 17	83
Columbus, Ohio.....	245,358	69	14.7	C 13.0	11	C 5	127
Dallas, Tex.....	165,282	41	12.9	A 13.0	4	A 4	-----
Dayton, Ohio.....	158,119	21	6.9	C 11.8	4	C 4	66
Denver, Colo.....	263,152	59	11.7	A 12.8	3	-----	-----
Detroit, Mich.....	1,070,450	166	8.1	C 9.0	34	C 41	64
Fall River, Mass.....	120,668	24	10.4	C 9.5	6	C 5	90
Grand Rapids, Mich.....	141,197	20	7.4	C 10.1	3	C 2	51
Houston, Tex.....	144,340	31	11.2	-----	4	-----	-----
Indianapolis, Ind.....	325,215	82	13.1	C 11.0	14	C 11	106
Jersey City, N. J.....	302,788	62	10.7	C 9.6	20	C 13	138
Kansas City, Kans.....	103,884	24	12.0	C 14.8	6	C 5	143
Kansas City, Mo.....	336,157	80	12.4	C 13.5	10	C 12	-----
Los Angeles, Calif.....	611,721	165	14.1	A 11.8	14	A 11	66
Louisville, Ky.....	236,083	67	14.8	C 10.6	10	C 2	115
Lowell, Mass.....	113,757	30	13.8	A 12.3	8	A 8	120
Memphis, Tenn.....	165,389	50	15.8	C 13.4	3	C 15	-----
Milwaukee, Wis.....	468,396	70	7.8	A 9.5	20	A 12	57
Minneapolis, Minn.....	352,815	59	7.8	C 8.8	5	C 7	28
Nashville, Tenn.....	122,086	36	15.4	C 16.2	4	C 7	-----
New Bedford, Mass.....	125,012	20	8.3	A 15.7	7	A 13	108
New Haven, Conn.....	167,007	37	11.6	C 12.7	2	C 11	24
New Orleans, La.....	304,657	86	11.4	A 18.7	9	A 17	-----
New York, N. Y.....	5,751,867	884	8.9	C 9.0	183	C 150	72
Newark, N. J.....	424,885	77	9.5	C 12.0	11	C 27	49
Norfolk, Va.....	121,260	29	12.5	-----	3	-----	53
Oakland, Calif.....	228,472	27	6.2	A 9.8	2	A 5	25
Omaha, Nebr.....	117,066	42	11.1	-----	4	-----	46
Paterson, N. J.....	137,463	30	11.4	-----	2	-----	34
Philadelphia, Pa.....	1,866,212	248	9.7	(4) 13.2	62	(4) 102	24
Pittsburgh, Pa.....	602,452	121	10.5	C 11.7	35	C 27	175
Portland, Oreg.....	264,859	51	10.0	C 6.8	4	C 3	63
Providence, R. I.....	239,645	54	11.8	C 13.8	20	C 8	163
Richmond, Va.....	173,686	49	14.5	C 13.8	15	C 12	180
Rochester, N. Y.....	305,229	54	9.2	C 8.7	12	C 8	93
St. Louis, Mo.....	786,164	179	11.9	C 10.5	11	C 19	-----

¹ Annual rate per 1,000 population.² "A" indicates data for the corresponding week of the years 1913 to 1917, inclusive. "C" indicates data for the corresponding week of the year 1920.³ Deaths under 1 year per 1,000 births—an annual rate based on deaths under 1 year for the week and estimated births for 1920. Cities left blank are not in the registration area for births.⁴ Data based on statistics of 1915, 1916, and 1917.

Deaths from all causes in certain large cities of the United States during the week ended July 23, etc.—Continued.

City.	Estimated population July 1, 1921.	Week ended July 23, 1921.		Average annual death rate per 1,000.	Deaths under 1 year.		Infant mortality rate, week ended July 23, 1921.
		Total deaths.	Death rate.		Week ended July 23, 1921	Previous year or years.	
St. Paul, Minn.....	237,781	50	11.0	C 10.4	7	C 6	70
Salt Lake City, Utah.....	131,586	41	17.6	A 8.9	6	93
San Francisco, Calif.....	520,548	124	12.4	C 11.3	4	C 8	23
Seattle, Wash.....	327,227	39	6.2	A 8.4	4	A 5	33
Spokane, Wash.....	104,442	21	10.5	C 11.0	1	C 4	22
Springfield, Mass.....	135,877	20	7.7	C 9.9	6	C 6	90
Syracuse, N. Y.....	177,265	32	9.4	C 11.4	6	C 4	72
Toledo, Ohio.....	253,686	44	9.0	A 14.0	3	A 10	30
Trenton, N. J.....	122,760	16	6.9	A 17.7	2	A 12	30
Washington, D. C.....	454,026	105	12.1	A 15.3	12	A 20	70
Worcester, Mass.....	181,972	32	9.0	C 10.6	7	C 6	75
Yonkers, N. Y.....	103,324	11	5.6	A 12.6	2	A 7	45
Youngstown, Ohio.....	129,493	24	9.0	C 9.3	7	C 6	89

PREVALENCE OF DISEASE.

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring.

UNITED STATES.

CURRENT STATE SUMMARIES.

Telegraphic Reports for Week Ended July 30, 1921.

These reports are preliminary, and the figures are subject to change when later returns are received by the State health officers.

ALABAMA.		COLORADO—continued.	
	Cases.		Cases.
Diphtheria.....	13	Scarlet fever.....	2
Hookworm.....	34	Smallpox.....	3
Malaria.....	15	Tuberculosis.....	2
Measles.....	5	Typhoid fever.....	3
Ophthalmia neonatorum.....	1	Whooping cough.....	1
Pellagra.....	24		
Scarlet fever.....	10		
Smallpox.....	18		
Typhoid fever.....	76		
Whooping cough.....	11		
ARKANSAS.		CONNECTICUT.	
Chicken pox.....	10	Chicken pox.....	5
Diphtheria.....	14	Conjunctivitis (infectious).....	1
Hookworm.....	1	Diphtheria:	
Malaria.....	152	Bridgeport.....	14
Measles.....	3	Scattering.....	20
Ophthalmia neonatorum.....	1	Dysentery (bacillary).....	2
Scarlet fever.....	4	Lethargic encephalitis.....	3
Smallpox.....	2	Measles.....	17
Trachoma.....	1	Mumps.....	14
Tuberculosis.....	13	Pneumonia (lobar).....	3
Typhoid fever.....	53	Poliomyelitis.....	5
Whooping cough.....	20	Scarlet fever.....	19
CALIFORNIA.		SEPT. 1.	
Influenza.....	4	Bronchitis.....	1
Lethargic encephalitis—Sacramento.....	1	Cholera infantum.....	2
Poliomyelitis:		Diphtheria.....	4
San Francisco.....	6	Malaria.....	4
Scattering.....	4	Measles.....	3
Smallpox:		Mumps.....	1
Los Angeles.....	11	Pneumonia.....	1
Scattering.....	19	Scarlet fever.....	1
Typhoid fever.....	32	Tuberculosis:	
		Wilmington.....	37
		Scattering.....	2
COLORADO.		Typhoid fever.....	8
(Exclusive of Denver.)		Whooping cough.....	11
Diphtheria.....	24		
Measles.....	6		
Mumps.....	1		

¹ Report for two weeks ended July 30, 1921.

1867

August 5, 1921.

DISTRICT OF COLUMBIA.		ILLINOIS—continued.	
	Cases.		Cases.
Chicken pox.....	2	Poliomyelitis—Continued.	
Diphtheria.....	4	Chicago.....	6
Measles.....	8	Coalton.....	1
Poliomyelitis.....	7	Dakell.....	1
Scarlet fever.....	1	Ford County—Peach Orchard Township...	1
Smallpox.....	1	Hettick.....	1
Tuberculosis.....	32	Jacksonville.....	3
Typhoid fever.....	9	Joliet.....	1
Whooping cough.....	22	La Salle.....	1
FLORIDA.		La Salle County—Waltham Township...	2
Diphtheria.....	13	Logan County—Corwin Township.....	1
Influenza.....	67	Maywood.....	1
Lethargic encephalitis.....	1	Menard County—Sugar Grove Precinct...	1
Malaria.....	32	Morrison.....	1
Measles.....	4	Odell.....	1
Pneumonia.....	37	Ottawa.....	3
Scarlet fever.....	4	Palmyra.....	1
Smallpox.....	11	Sangamon County—	
Typhoid fever.....	22	Island Grove Township.....	1
Whooping cough.....	9	Loami Township.....	1
GEORGIA.		Springfield.....	3
Chicken pox.....	5	Streator.....	1
Diphtheria.....	27	Wood River.....	3
Dysentery (bacillary).....	2	Woodson.....	1
Hookworm.....	12	Scarlet fever:	
Influenza.....	1	Chicago.....	30
Malaria.....	96	Scattering.....	21
Measles.....	6	Smallpox.....	16
Mumps.....	7	Typhoid fever.....	40
Pellagra.....	13	INDIANA.	
Pneumonia.....	2	Cerebrospinal meningitis—Dearborn County...	1
Scarlet fever.....	4	Diphtheria.....	26
Septic sore throat.....	3	Poliomyelitis:	
Smallpox.....	6	Clark County.....	1
Tetanus.....	1	Clinton County.....	1
Trichoma.....	1	Elkhart County.....	3
Tuberculosis (all forms).....	8	Kosciusko County.....	1
Typhoid fever.....	70	Rush County.....	1
Whooping cough.....	14	St. Joseph County.....	1
IDAHO.		Rabies in animals—Daviess County.....	1
Chicken pox.....	5	Scarlet fever.....	24
Measles.....	1	Smallpox.....	16
Scarlet fever.....	1	Typhoid fever.....	40
Smallpox.....	6	IOWA.	
Typhoid fever.....	1	Diphtheria.....	2
ILLINOIS.		Poliomyelitis—Muscatine.....	1
Cerebrospinal meningitis:		Scarlet fever.....	3
Lake County—Benton Township.....	1	Smallpox.....	2
Springfield.....	1	KANSAS.	
Diphtheria:		Chicken pox.....	7
Chicago.....	80	Diphtheria.....	44
Scattering.....	55	German measles.....	2
Influenza.....	1	Malaria.....	2
Lethargic encephalitis:		Measles.....	18
Chicago.....	3	Mumps.....	5
Oak Park.....	1	Pellagra.....	1
Pneumonia.....	63	Pneumonia.....	6
Poliomyelitis:		Poliomyelitis.....	1
Alton.....	1	Scarlet fever.....	42
Beardstown.....	1	Smallpox.....	27
Champaign County—Sidney Township....	1	Tuberculosis.....	53

LOUISIANA.	Cases.	MINNESOTA.	Cases.
Diphtheria.....	12	Cerebrospinal meningitis.....	15
Pellagra.....	7	Chicken pox.....	1
Poliomyelitis.....	2	Diphtheria.....	49
Scarlet fever.....	1	Measles.....	4
Smallpox.....	10	Pneumonia.....	3
Typhoid fever.....	13	Poliomyelitis:	
Whooping cough.....	18	Norman County.....	11
MAINE.			
Chicken pox.....	3	Ottertail County.....	14
Diphtheria.....	17	Stearns County.....	14
Measles.....	6	Wadena County.....	39
Mumps.....	1	Scattering.....	23
Poliomyelitis.....	1	Scarlet fever.....	39
Scarlet fever.....	7	Smallpox.....	19
Smallpox.....	3	Tuberculosis.....	82
Tuberculosis.....	10	Typhoid fever.....	28
Typhoid fever.....	5	Whooping cough.....	18
Whooping cough.....	12	MISSISSIPPI.	
MARYLAND.²			
Cerebrospinal meningitis.....	1	Diphtheria.....	36
Chicken pox.....	5	Scarlet fever.....	8
Cholera infantum.....	1	Smallpox.....	17
Diarrhea.....	2	Typhoid fever.....	41
Diphtheria.....	24	MISSOURI.	
Dysentery.....	15	Chicken pox.....	1
German measles.....	2	Diphtheria.....	12
Influenza.....	2	Epidemic sore throat.....	1
Lethargic encephalitis.....	1	Influenza.....	2
Malaria.....	8	Measles.....	4
Measles.....	15	Mumps.....	7
Mumps.....	4	Ophthalmia neonatorum.....	4
Pellagra.....	1	Poliomyelitis.....	4
Pneumonia (broncho).....	19	Scarlet fever.....	12
Poliomyelitis.....	7	Smallpox.....	3
Scarlet fever.....	15	Tuberculosis.....	10
Septic sore throat.....	1	Typhoid fever.....	35
Trachoma.....	1	Typhus fever.....	2
Tuberculosis.....	91	Whooping cough.....	21
Typhoid fever.....	75	MONTANA.	
Whooping cough.....	101	Cerebrospinal meningitis.....	1
MASSACHUSETTS.			
Cerebrospinal meningitis.....	3	Diphtheria.....	2
Chicken pox.....	32	Rocky Mountain spotted fever:	
Conjunctivitis (suppurative).....	7	Darby.....	1
Diphtheria.....	91	Hamilton.....	1
Dysentery.....	1	Scarlet fever.....	8
German measles.....	3	Smallpox.....	20
Lethargic encephalitis.....	3	Typhoid fever.....	16
Measles.....	106	NEBRASKA.	
Mumps.....	48	Cerebrospinal meningitis—Shelton.....	1
Ophthalmia neonatorum.....	15	Chicken pox.....	1
Pneumonia (lobar).....	15	Diphtheria.....	6
Poliomyelitis.....	10	Lethargic encephalitis—Omaha.....	1
Scarlet fever.....	32	Measles.....	2
Septic sore throat.....	2	Mumps.....	2
Tetanus.....	1	Poliomyelitis:	
Trachoma.....	1	Lincoln.....	1
Tuberculosis (all forms).....	164	Shelton.....	1
Typhoid fever.....	18	Scarlet fever.....	16
Whooping cough.....	101	Smallpox.....	3
		Tetanus.....	1
		Tuberculosis.....	1

² Week ended Friday.

1869

August 5, 1869.

NEBRASKA—continued.

	Cases.
Typhoid fever:	
Lincoln.....	9
Scattering.....	2
Whooping cough.....	15

NEW JERSEY.

Anthrax.....	1
Cerebrospinal meningitis.....	3
Chicken pox.....	17
Diphtheria.....	47
Malaria.....	5
Measles.....	59
Pneumonia.....	27
Poliomyelitis.....	6
Scarlet fever.....	37
Smallpox.....	1
Trachoma.....	1
Typhoid fever.....	22
Whooping cough.....	168

NEW MEXICO.

Chicken pox.....	1
Diphtheria.....	16
Dysentery.....	1
Measles.....	1
Paratyphoid fever.....	1
Pneumonia.....	1
Tuberculosis.....	53
Whooping cough.....	3

NEW YORK.

(Exclusive of New York City.)

Diphtheria.....	78
Influenza.....	3
Lethargic encephalitis.....	2
Measles.....	121
Pneumonia.....	23
Poliomyelitis:	
Bedford Town.....	2
Boonville.....	1
Hartford Town.....	1
Orangetown Town.....	1
Rya.....	1
Troy.....	1
Utica.....	7
Winfield Town.....	1
Scarlet fever.....	69
Smallpox.....	4
Typhoid fever.....	32
Whooping cough.....	239

NORTH CAROLINA.

Chicken pox.....	6
Diphtheria.....	70
Measles.....	25
Ophthalmia neonatorum.....	1
Scarlet fever.....	27
Septic sore throat.....	2
Smallpox.....	6
Typhoid fever.....	74
Whooping cough.....	167

OHIO.

Poliomyelitis:	
Auglaize County—	
Logan Township.....	1
Saint Marys Township.....	2
Wapakoneta.....	1

OHIO—continued.

	Cases.
Poliomyelitis—Continued:	
Dayton.....	2
Jackson County—Washington Township.....	4
Portsmouth.....	2
Scattering.....	15

Typhoid fever:

Dayton.....	13
Guernsey County.....	11
Perry County.....	15
Scattering.....	12
Typhus fe. er:	
Monroe County—Seneca Township.....	1

SOUTH DAKOTA.

Cerebrospinal meningitis.....	1
Diphtheria.....	3
Measles.....	41
Pneumonia.....	1
Scarlet fever.....	7
Smallpox.....	6
Tuberculosis.....	9
Typhoid fever.....	1

TEXAS.

Diphtheria.....	15
Measles.....	16
Fellagra.....	4
Poliomyelitis.....	3
Typhoid fever.....	5
Whooping cough.....	27

VERMONT.

Chicken pox.....	21
Diphtheria.....	12
Measles.....	26
Mumps.....	2
Poliomyelitis.....	3
Scarlet fever.....	19
Typhoid fever.....	2
Whooping cough.....	37

VIRGINIA.

Poliomyelitis:	
Henrico County.....	1
Rockingham County.....	1

WASHINGTON.

Chicken pox.....	9
Diphtheria.....	14
Measles.....	16
Mumps.....	7
Scarlet fever.....	8
Smallpox.....	33
Tuberculosis.....	3
Typhoid fever.....	11
Whooping cough.....	33

WEST VIRGINIA.

Cerébrospinal meningitis—Charleston.....	1
Diphtheria.....	10
Measles.....	4
Scarlet fever.....	8
Smallpox.....	3
Typhoid fever.....	10

WISCONSIN.		WISCONSIN—continued	
	Cases.		Cases.
Milwaukee:		Scattering—Continued.	
Cerebrospinal meningitis.....	1	German measles.....	1
Diphtheria.....	6	Influenza.....	4
Measles.....	4	Lethargic encephalitis:	
Poliomyelitis.....	2	Dane County—Cottage Grove.....	1
Scarlet fever.....	7	Measles.....	9
Tuberculosis.....	10	Pneumonia.....	1
Typhoid fever.....	1	Poliomyelitis.....	10
Whooping cough.....	31	Scarlet fever.....	35
Scattering:		Smallpox.....	27
Cerebrospinal meningitis.....	1	Tuberculosis.....	12
Chicken pox.....	3	Typhoid fever.....	7
Diphtheria.....	40	Whooping cough.....	115

Reports for Week Ended July 23, 1921.

CONNECTICUT.		KENTUCKY.	
	Cases.		Cases.
Cerebrospinal meningitis.....	2	Cerebrospinal meningitis—Harlan County.....	1
Chicken pox.....	8	Diphtheria:	
Diphtheria.....	44	Daviess County.....	8
Dysentery (bacillary).....	1	Scattering.....	13
German measles.....	1	Dysentery.....	26
Lethargic encephalitis.....	2	Malaria.....	1
Malaria.....	1	Measles:	
Measles:		Jefferson County.....	9
Hartford.....	12	Scattering.....	6
Scattering.....	17	Mumps.....	3
Mumps.....	18	Paratyphoid fever.....	4
Paratyphoid fever.....	1	Pneumonia.....	2
Pneumonia (lobar).....	3	Poliomyelitis—Boyd County.....	1
Poliomyelitis.....	4	Septic sore throat.....	1
Scarlet fever.....	19	Scarlet fever.....	4
Tetanus.....	2	Smallpox.....	5
Trachoma.....	1	Tonsillitis.....	8
Tuberculosis (all forms).....	32	Trachoma.....	13
Typhoid fever.....	15	Tuberculosis:	
Whooping cough.....	48	Jefferson County.....	14
DISTRICT OF COLUMBIA.		Scattering.....	6
Chicken pox.....	2	Typhoid fever:	
Diphtheria.....	4	Fayette County.....	20
Measles.....	21	Grayson County.....	20
Poliomyelitis.....	3	Jefferson County.....	13
Scarlet fever.....	4	Muhlenberg County.....	11
Tuberculosis.....	23	Ohio County.....	11
Typhoid fever.....	6	Scattering.....	75
Whooping cough.....	26	Whooping cough.....	24

SUMMARY OF CASES REPORTED MONTHLY BY STATES.

The following summary of monthly State reports is published weekly and covers only those States from which reports are received during the current week:

State.	Cerebrospinal meningitis.	Diphtheria.	Influenza.	Malaria.	Measles.	Pellagra.	Poliomyelitis.	Scarlet fever.	Syphilis.	Typhoid fever.
1921.										
Alabama (June)	28	29	30	160	48	44	301	148
Arizona (June)	2	39	174	181	19	10	15	2
Arkansas (March)	3	24	103	187	664	20	1	54	88	41
Arkansas (April)	2	17	25	236	412	27	41	46	17
Arkansas (May)	2	18	17	490	190	43	15	89	31
Arkansas (June)	2	160	7	4	232	20	51	56
Colorado (June)	3	165	37	150	2	276	365	40
Indiana (June)	2	68	51	3	136	253
Iowa (June)	2	113	276	3	1	132	263	69
Kansas (June)	60	86	10,392	213	2,239	2	34	151	309
Mississippi (June)	7	518	20	11	953	6	621	15	45
New Jersey (June)	3	60	582	6	88	143	330
North Carolina (June)	8	569	3	14	733	13	537	607	221
Ohio (June)	55	1	157	19	116	6
Oregon (June)	64	15	103	8	2	78	60
South Carolina (June)	15	119	120	412	908	23	17	74	70	218
Virginia (June)	1	79	318	69	210	29
Washington (June)	14	14	240	40	76	10

PLAQUE.¹

HUMAN CASES OF PLAGUE REPORTED.

Place.	Period covered.	Cases.	Deaths.	Remarks.
California: San Benito County	1921. Feb. 7. June 11.....	1	1	

¹ A summary of the reports received of the occurrence of plague and the finding of plague-infected rodents in the United States during 1920 was published in Public Health Reports, Jan. 7, 1921, p. 15.

PLAQUE-INFECTED RODENTS.

Place.	Period covered.	Rodents found plague infected.
California: San Benito County	1921. May 22 to June 4.....	18
Florida: Pensacola	Jan. 1 to Apr. 18..... Apr. 19 to July 30.....	5 0
Louisiana: New Orleans	Jan. 1 to May 26..... May 27 to July 30.....	38 0
Texas: Galveston	Jan. 1 to May 28..... May 29 to July 30.....	1 0

¹ Ground squirrels, *Citellus beecheyi*.

TYPHUS FEVER.

Nogales, Ariz., July 27, 1921.

One case of typhus fever was reported in Nogales, Ariz., July 27, 1921, the onset of the disease occurring July 20. The patient had been residing in Habana, Cuba, and left that place July 11.

August 5, 1921.

1872

CITY REPORTS FOR WEEK ENDED JULY 16, 1921.

ANTHRAX.

City.	Cases.	Deaths.
New Jersey: Jersey City	1	

CEREBROSPINAL MENINGITIS.

The column headed "Median for previous years" gives the median number of cases reported during the corresponding weeks of the years 1915 to 1920, inclusive. In instances in which data for the full six years are incomplete, the median is that for the number of years for which information is available.

City.	Median for pre- vious years.	Week ended July 16, 1921.		City.	Median for pre- vious years.	Week ended July 16, 1921.	
		Cases.	Deaths.			Cases.	Deaths.
California:				Missouri:			
Los Angeles.....	0	1	1	St. Louis.....	1	1
San Bernardino.....	0	1	New Jersey:	0	1
Connecticut:				Irvington.....			
New London.....	0	1	1	New York:			
Norwich.....		1	1	Buffalo.....	0		1
Stonington.....		1	New York.....	6	4	1
Georgia:				Schenectady.....	0	1	1
Atlanta.....	0	1	Ohio:			
Savannah.....	0	1	1	Cleveland.....	0	1
Illinois:				Dayton.....	0	1
Chicago.....	2	2	1	Oklahoma:			
Indiana:				Oklahoma City.....	0	1	1
South Bend.....	0	1	Pennsylvania:			
Massachusetts:				Philadelphia.....	1	1	1
Boston.....	1	2	1	Tennessee:			
New Bedford.....	0	1	Memphis.....	0		1
Michigan:				West Virginia:			
Hamtramck.....			1	Charleston.....	0		1
Highland Park.....	0		1	Wisconsin:			
Kalamazoo.....	0	1	1	Milwaukee.....	1	1
Minnesota:							
Duluth.....	0	1				
Minneapolis.....	0	1				

DIPHTHERIA.

See p. 1877; also Telegraphic weekly reports from States, p. 1866, and Monthly summaries by States, p. 1871.

INFLUENZA.

City.	Cases.	Deaths.	City.	Cases.	Deaths.
Arizona:			New York:		
Tucson.....		1	New York.....	4	1
California:			North Tonawanda.....	1
Los Angeles.....	2	Ohio:		
Georgia:			Cincinnati.....		2
Atlanta.....		1	Cleveland.....	1
Illinois:			Pennsylvania:		
Chicago.....	1	Philadelphia.....	1
Maryland:			Wisconsin:		
Baltimore.....	1	1	Oshkosh.....	1
Michigan:					
Detroit.....	1			

LEPROSY.

Louisiana: New Orleans.....	1			
--------------------------------	---	-------	--	--	--

August 5, 1921.

CITY REPORTS FOR WEEK ENDED JULY 16, 1921—Continued.

MALARIA.

City.	Cases.	Deaths.	City.	Cases.	Deaths.
Alabama:			Louisiana:		
Mobile.....		1	Baton Rouge.....	1	1
Arkansas:			New Orleans.....		
Little Rock.....	11		Boston.....	1	1
California:			Fall River.....	1	
Oakland.....	1		New York:		
Connecticut:			New York.....	6	
Greenwich.....	1		Tennessee:		
Georgia:			Memphis.....	3	2
Atlanta.....	2		Texas:		
Savannah.....	3	1	Dallas.....	5	1
Kansas:					
Kansas City.....	1				

MEASLES.

See p. 1877; also Telegraphic weekly reports from States, p. 1866, and Monthly summaries by States, p. 1871.

PELLAGRA.

City.	Cases.	Deaths.	City.	Cases.	Deaths.
California:			Texas:		
San Francisco.....	1		Dallas.....	1	1
Georgia:			Waco.....		
Atlanta.....		1	Virginia:		
South Carolina:			Norfolk.....		1
Charleston.....		1			

PNEUMONIA (ALL FORMS.)

Alabama:			Maryland:		
Birmingham.....		2	Baltimore.....	23	6
Arizona:			Massachusetts:		
Tucson.....		1	Beverly.....	1	
California:			Boston.....		6
Alameda.....		1	Cambridge.....		1
Long Beach.....		1	Chicopee.....		1
Los Angeles.....	21	7	Everett.....	1	
Oakland.....		2	Fall River.....		1
Pasadena.....	2	1	Lowell.....		1
San Francisco.....	7	6	Methuen.....		1
Colorado:			New Bedford.....		2
Denver.....		3	Quincy.....		1
Connecticut:			Salem.....		1
Bridgeport.....	3	1	Springfield.....		
Hartford.....	2	1	Michigan:		
New Haven.....			Detroit.....	13	11
New London.....		1	Grand Rapids.....	2	
Norwalk.....	1		Ha ntramok.....		2
Delaware:			Highland Park.....		1
Wilmington.....		1	Ironwood.....		1
District of Columbia:			Sault Ste. Marie.....		1
Washington.....			Minnesota:		
Florida:			Hibbing.....	1	
Miami.....		1	Minneapolis.....		4
Georgia:			St. Paul.....		2
Atlanta.....			Missouri:		
Illinois:			Independence.....		1
Alton.....		1	Kansas City.....		2
Chicago.....	52	11	St. Joseph.....		1
Cicero.....	1		Montana:		
East St. Louis.....		1	Great Falls.....		1
Jacksonville.....		2	Nebraska:		
Rockford.....		3	Lincoln.....		1
Springfield.....		3	Omaha.....		2
Indiana:			Nevada:		
Indianapolis.....		5	Reno.....		1
Terre Haute.....		1	New Hampshire:		
Kentucky:			Portsmouth.....	1	
Louisville.....	2	1	New Jersey:		
Louisiana:			East Orange.....	2	
New Orleans.....			Elizabeth.....		2

August 5, 1921.

1874

CITY REPORTS FOR WEEK ENDED JULY 16, 1921—Continued.

PNEUMONIA (ALL FORMS)—Continued.

City.	Cases.	Deaths.	City.	Cases.	Deaths.
New Jersey—Continued.			Ohio—Continued.		
Garfield.....	1		Cleveland.....	4	
Hoboken.....		1	Columbus.....		2
Irvington.....	1		Dayton.....	1	
Orange.....	2	1	Piqua.....	1	
Paterson.....	1		Tiffin.....		1
Phillipsburg.....		1	Toledo.....		1
Trenton.....	5		Oklahoma.....		
West New York.....		2	Oklahoma City.....		1
West Orange.....		1	Oregon.....		
New York:			Portland.....		3
Albany.....	1		Pennsylvania:		
Binghamton.....	4		Philadelphia.....	17	12
Buffalo.....		6	Tennessee:		
Cohoes.....	1		Memphis.....		1
Glens Falls.....		1	Texas:		
Ithaca.....	1		El Paso.....		2
Jamesstown.....	1		Galveston.....		1
Mount Vernon.....	3		Waco.....		1
New York.....	138	65	Utah:		
Niagara Falls.....		1	Salt Lake City.....		3
North Tonawanda.....	1		Virginia:		
Peekskill.....	1		Norfolk.....		1
Rochester.....	4	1	Portsmouth.....		1
Schenectady.....	1		Richmond.....		3
Syracuse.....	1		West Virginia:		
Troy.....		3	Charleston.....		1
North Carolina:			Wheeling.....		1
Greensboro.....		1	Wisconsin:		
Ohio:			Racine.....		1
Akron.....	1		Wyoming:		
Canton.....		2	Cheyenne.....		1
Cincinnati.....		6			

POLIOMYELITIS (INFANTILE PARALYSIS).

The column headed "Median for previous years" gives the median number of cases reported during the corresponding weeks of the years 1915 to 1920, inclusive. In instances in which data for the full six years are incomplete, the median is that for the number of years for which information is available.

City.	Median for pre- vious years.	Week ended July 16, 1921.		City.	Median for pre- vious years.	Week ended July 16, 1921.	
		Cases.	Deaths.			Cases.	Deaths.
California:				Michigan:			
San Francisco.....	0	2		Alpena.....		2	
Connecticut:				Detroit.....	1	1	
Hartford.....	0	1		Saginaw.....	0	4	
District of Columbia:				Minnesota:			
Washington.....	0	4		Duluth.....	0	1	
Illinois:				Minneapolis.....	0	2	
Chicago.....	2	2	1	St. Paul.....	0	1	
East St. Louis.....	0	1	1	Missouri:			
Evanston.....	0	1	1	St. Louis.....	0	7	2
Jacksonville.....	0			New Jersey:			
Kewanee.....	0	1	1	Paterson.....		1	
Oak Park.....	0	1		New York:			
Springfield.....	0	2		Buffalo.....	0	1	
Iowa:				New York.....	2	6	1
Mason City.....	0	2	1	Schenectady.....	0	1	1
Maine:				Ohio:			
Lewiston.....		1		Columbus.....	0	1	1
Maryland:				Cuyahoga Falls.....		1	
Baltimore.....	0	4	1	Dayton.....	0	1	
Massachusetts:				Pennsylvania:			
Boston.....	0	2		Altoona.....	0	2	
Everett.....	0	1		Butler.....	0	1	
Haverhill.....	0	1		Virginia:			
North Adams.....	0	2		Norfolk.....	0	1	
Quincy.....	0	1		Wisconsin:			
				Kenosha.....	0	2	
				Milwaukee.....	0	1	

CITY REPORTS FOR WEEK ENDED JULY 16, 1921—Continued.
RABIES IN ANIMALS.

City.	Cases.	City.	Cases.
California: Los Angeles.....	2	Missouri: Kansas City.....	1
Connecticut: Greenwich.....	1	North Carolina: Winston-Salem.....	1

SCARLET FEVER.

See p. 1877; also Telegraphic weekly reports from States, p. 1866, and Monthly summaries by States, p. 1871.

SMALLPOX.

The column headed "Median for previous years" gives the median number of cases reported during the corresponding weeks of the years 1915 to 1920, inclusive. In instances in which data for the full six years are incomplete, the median is that for the number of years for which information is available.

City.	Median for pre- vious years.	Week ended July 16, 1921.		City.	Median for pre- vious years.	Week ended July 16, 1921.	
		Cases.	Deaths.			Cases.	Deaths.
Alabama: Birmingham.....	1	5	Minnesota—Continued. Minneapolis.....	11	6
Mobile.....	0	5	St. Cloud.....	0	1
California: Bakersfield.....	0	2	St. Paul.....	1	5
Los Angeles.....	1	4	Missouri: Kansas City.....	2	1
Oakland.....	0	5	Montana: Great Falls.....	0	11
Pasadena.....	0	2	Nevada: Reno.....	0	1
Riverside.....	0	4	New Jersey: Trenton.....	0	1
Sacramento.....	0	1	New York: North Tonawanda.....	1
San Diego.....	0	8	Ohio: Canton.....	0	2
San Francisco.....	1	7	Cleveland.....	1	1
Colorado: Denver.....	10	12	Columbus.....	0	1
Florida: Miami.....	1	New Philadelphia.....	0	1
Georgia: Atlanta.....	4	2	Springfield.....	0	1
Idaho: Boise.....	1	1	Toledo.....	1	2
Illinois: Bloomington.....	0	1	Zanesville.....	0	2
Blue Island.....	1	Oklahoma: Oklahoma City.....	5	1
Indiana: Gary.....	0	3	Oregon: Portland.....	6	4
Logansport.....	2	1	Tennessee: Chattanooga.....	0	1
Marion.....	0	1	Memphis.....	0	1
Iowa: Clinton.....	0	2	Utah: Salt Lake City.....	7	7
Sioux City.....	1	2	Virginia: Lynchburg.....	0	1
Kansas: Kansas City.....	1	2	Washington: Aberdeen.....	0	3
Parsons.....	2	1	Spokane.....	7	5
Wichita.....	1	4	Tacoma.....	1	3
Louisiana: New Orleans.....	3	4	Vancouver.....	0	5
Maine: Portland.....	0	1	Yakima.....	2	3
Maryland: Baltimore.....	0	1	West Virginia: Bluefield.....	0	4
Michigan: Battle Creek.....	1	1	Fairmont.....	0	2
Detroit.....	5	5	Wisconsin: Madison.....	0	1
Kalamazoo.....	0	2	Milwaukee.....	1	3
Pontiac.....	1	5	Oshkosh.....	2	1
Minnesota: Duluth.....	1	4	Wausau.....	0	1
Hibbing.....	0	1				

August 5, 1921.

1876

CITY REPORTS FOR WEEK ENDED JULY 16, 1921—Continued.

TETANUS.

City.	Cases.	Deaths.	City.	Cases.	Deaths.
Connecticut:			New York:		
New Haven.....		1	New York.....	1
Indiana:			Ohio:		
Indianapolis.....		1	Columbus.....		1
Kansas:			Ironton.....	1	1
Wichita.....	1	Lima.....		1
Maine:			Zanesville.....	1	1
Bangor.....	1	Pennsylvania:		
Massachusetts:			Philadelphia.....	1	1
Lowell.....	1	Texas:		
Missouri:			Beaumont.....		1
St. Louis.....	1			

TUBERCULOSIS.

See p. 1877; also Telegraphic weekly reports from States, p. 1866.

TYPHOID FEVER.

The column headed "Median for previous years" gives the median number of cases reported during the corresponding weeks of the years 1915 to 1920, inclusive. In instances in which data for the full six years are incomplete, the median is that for the number of years for which information is available.

City.	Median for pre- vious years.	Week ended July 16, 1921.		City.	Median for pre- vious years.	Week ended July 16, 1921.	
		Cases.	Deaths.			Cases.	Deaths.
Alabama:				Kansas—Continued.			
Birmingham.....	22	2	Topeka.....	2	1
Montgomery.....	1	4	Wichita.....	2	2
Arkansas:				Kentucky:			
Fort Smith.....	3	2	Louisville.....	7	4
Little Rock.....	1	2	Louisiana:			
North Little Rock.....	1	1	New Orleans.....	5	5	1
California:				Maine:			
Los Angeles.....	4	3	Lewiston.....			
Oakland.....	2	2	1	Portland.....	1	1	1
Sacramento.....	0	2	1	Maryland:			
San Francisco.....	3	5	1	Baltimore.....	12	6
Santa Barbara.....	0	1	Cumberland.....	1	2
Colorado:				Massachusetts:			
Denver.....	1	1	1	Adams.....	0	1
Connecticut:				Haverhill.....	0	1
Hartford.....	0	9	1	New Bedford.....	0	2
New Haven.....	1	1	Michigan:			
New London.....	0	1	Detroit.....	9	3	1
Norwalk.....	0	1	Muskegon.....	0	1
Delaware:				Saginaw.....	0	2
Wilmington.....	0	Minnesota:				
District of Columbia:				Austin.....	1	
Washington.....	5	5	1	Minneapolis.....	0	1
Florida:				St. Cloud.....	0	2
Miami.....		1	St. Paul.....	1	2
Georgia:				Virginia.....	0	1
Atlanta.....	4	1	1	Missouri:			
Lograne.....		3	Kansas City.....	3	3	1
Savannah.....	1	3	1	St. Joseph.....	1	1	1
Illinois:				St. Louis.....	5	9	1
Chicago.....	7	2	3	Montana:			
Galesburg.....	6	1	Anaconda.....	0	1	1
Springfield.....	0	1	Great Falls.....	0	3
Indiana:				Nebraska:			
Fort Wayne.....	0	1	Lincoln.....	0	2
Indianapolis.....	2	3	1	Omaha.....	0	2	1
Muncie.....	0	1	1	New Jersey:			
Iowa:				Atlantic City.....	6	1
Burlington.....	0	1	1	Gloucester.....	1	1
Kansas:				Merediston.....	0	1	1
Arkansas City.....		2	Pawhuska.....	0	1
Atchison.....	0	2	Perth Amboy.....	0	1
Coffeyville.....	1	1	1	Rahway.....	0	1
Kansas City.....	0	1	New York:			
Parsons.....	0	1	Binghamton.....	0	1
Salina.....		1	Buffalo.....	2	1

CITY REPORTS FOR WEEK ENDED JULY 16, 1921—Continued.

TYPHOID FEVER—Continued.

City.	Median for pre- vious years.	Week ended July 16, 1921.		City.	Median for pre- vious years.	Week ended July 16, 1921.	
		Cases.	Deaths.			Cases.	Deaths.
New York—Continued.				Pennsylvania—Contd.			
Ithaca.....	0	1	Pittsburgh.....	3	4
Newburgh.....	0	2	Reading.....	1	3
New York.....	29	25	7	Sunbury.....	0	1
Port Chester.....	1	1	West Chester.....	0	1
Troy.....	0	1	1	Williamsport.....	0	1
North Carolina:				York.....	1	1
Charlotte.....	0	1	South Carolina:			
Durham.....	4	4	Charleston.....	6	4	1
Winston-Salem.....	4	3	Tennessee:			
Ohio:				Chattanooga.....	3	1
Akron.....	2	1	Memphis.....	6	4	1
Cincinnati.....	2	4	1	Nashville.....	9	14
Cleveland.....	4	4	Texas:			
Columbus.....	1	1	Beaumont.....	2	1
Ironon.....	0	1	Corpus Christi.....	1	1
Norwood.....	0	1	Dallas.....	9	5
Sandusky.....	0	1	Vermont:			
Steubenville.....	0	2	Burlington.....	0	1
Toledo.....	2	1	Virginia:			
Youngstown.....	0	2	Danville.....	1	2
Zanesville.....	0	1	Norfolk.....	4	3
Oklahoma:				Petersburg.....	1	4
Oklahoma City.....	1	4	1	Portsmouth.....	1	2	1
Pennsylvania:				Richmond.....	6	1	1
Braddock.....	0	1	Roanoke.....	1	4
Bristol.....		1	West Virginia:			
Canonsburg.....	2	2	Bluefield.....	0	2
Chambersburg.....	0	1	Huntington.....	0	2
Chester.....	0	1	Wisconsin:			
Harrisburg.....	1	1	Milwaukee.....	1	2
Philadelphia.....	14	12				

TYPHUS FEVER.

City.	Cases.	Deaths.	City.	Cases.	Deaths.
Iowa: Davenport.....	1	Ohio: Cleveland.....	1

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS.

City.	Population Jan. 1, 1920, subject to correction.	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Alabama:										
Birmingham.....	173,270	49	1	5	6	6	7
Mobile.....	60,151	17	1					1
Montgomery.....	43,464							2
Tuscaloosa.....	11,996	2					6
Arizona:										
Tucson.....	20,292	11							5
Arkansas:										
Fort Smith.....	23,811	1			1		
Hot Springs.....	11,695	5	2		1		
Little Rock.....	64,997	2					1
North Little Rock.....	14,048			5				
California:										
Alameda.....	23,806	8	2	1					3
Bakersfield.....	18,633	12							1
Long Beach.....	55,593	21	1						
Los Angeles.....	576,673	158	38	1	8	7	50	18		
Oakland.....	216,361	40	3	3	6	3	1		

CITY REPORTS FOR WEEK ENDED JULY 16, 1921—Continued.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

City.	Population Jan. 1, 1920, subject to correction.	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
California—Continued.										
Pasadena.....	45,354	13			2				7	2
Richmond.....	16,843	2	1							2
Riverside.....	18,341	12	1							
Sacramento.....	65,857	15	6						4	1
San Bernardino.....	18,721	8			2				3	2
San Diego.....	74,683	23	4		50				6	3
San Francisco.....	508,410	117	25	4	6			5	27	11
Santa Barbara.....	19,441	3								1
Vallejo.....	21,107	2								
Colorado:										
Colorado Springs.....	30,105	8	1					2	11	4
Denver.....	256,369	71	4	1	2			1		14
Greeley.....	10,883	4								1
Pueblo.....	42,906		6						1	1
Connecticut:										
Bridgeport.....	143,538	21	7		2			7	8	2
Bristol.....	20,620	3								
Derby.....	11,238	2								
Fairfield.....	11,473	0								
Greenwich.....	22,123									
Hartford.....	138,036	32	5		10			2	1	5
Manchester.....	18,370	3								3
Meriden.....	29,842									
Milford.....	10,193	6								
New Haven.....	162,519	36	4		1			1	1	1
New London.....	25,688	6								
Norwalk.....	27,700	7							1	1
Norwich.....	22,304	6			1				1	1
Stonington.....	10,236	2								
Delaware:										
Wilmington.....	110,168	23						3		1
District of Columbia:										
Washington.....	437,571	89			33				22	9
Florida:										
Miami.....	29,549	10	1		3					
Georgia:										
Atlanta.....	200,616	61	3	1						7
Brunswick.....	14,413	2								
Savannah.....	83,232	33	1					1	1	2
Valdosta.....	10,783	2						2		1
Idaho:										
Boise.....	21,393	5	1					4		
Illinois:										
Alton.....	24,682	5								
Bloomington.....	28,725	6								
Blue Island.....	11,424	4	1		1					
Centralia.....	12,491	3								
Chicago.....	2,701,705	561	80	12	66	3	16		253	44
Cicero.....	44,995	3	6					1		
Danville.....	33,750	13						1		
East St. Louis.....	66,740	10	1		1			1		
Eglin.....	27,454	5								
Evanston.....	37,215	5	1							
Freeport.....	19,669	5	3	1					1	
Galesburg.....	23,834	3								
Jacksonville.....	15,713	7								1
Kewanee.....	16,026	3								
La Salle.....	13,050	1								
Mattoon.....	13,552	1								
Oak Park.....	38,830	9					1			
Pekin.....	12,086						1			
Peoria.....	76,121	18	1	1						
Rockford.....	65,651	15	1							
Rock Island.....	36,177	8							2	
Springfield.....	59,183	19					2			
Indiana:										
Bloomington.....	11,595	4								
Elkhart.....	24,277	3	1							
Evansville.....	85,264	14		1						
Port Wayne.....	36,549	19			1					
Frankfort.....	11,585	3					1			
Gary.....	55,378	6	2							
Hammond.....	36,004	6	1	2						

CITY REPORTS FOR WEEK ENDED JULY 16, 1921—Continued.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

City.	Population Jan. 1, 1920, subject to correction.	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Indiana—Continued.										
Huntington.....	14,000	3								
Indianapolis.....	314,194	73	4					2		13
Kokomo.....	30,067	7								
La Fayette.....	22,486	4	1							
Logansport.....	21,626	4								
Marion.....	23,747	7	1							
Mishawaka.....	15,195	2	2							
Muncie.....	36,624	6	1							
Richmond.....	26,765	7	1					3		
South Bend.....	70,983	10								
Terre Haute.....	66,083	15						1		
Iowa:										
Burlington.....	24,057	4								
Cedar Rapids.....	45,586		1							
Council Bluffs.....	36,162	11						1		
Mason City.....	20,065	4						2		
Muscatine.....	16,068	2								
Kansas:										
Arkansas City.....	11,253	5								
Atchison.....	12,630		4							
Coffeyville.....	13,452	8						1		
Fort Scott.....	10,693	2								
Kansas City.....	101,177		2					2		
Lawrence.....	12,456	6						2		
Leavenworth.....	16,912		1					2		
Parsons.....	16,028	6	1							
Salina.....	15,085	4								
Topeka.....	50,022	7						3		
Wichita.....	72,128	26	2					5		
Kentucky:										
Covington.....	57,121									2
Louisville.....	234,891	64	3					3		8
Louisiana:										6
Baton Rouge.....	21,782	3	1							
Monroe.....	12,675	3								
New Orleans.....	387,219	105	8						23	16
Maine:										
Auburn.....	16,985	0	1					1		
Bangor.....	25,978							1		
Bath.....	14,731	7							3	
Biddeford.....	18,008	10								
Lewiston.....	31,791	9						1		
Portland.....	69,272	13	4							1
Sanford.....	10,691	0								
Waterville.....	13,351		1							
Maryland:										
Baltimore.....	733,826	174	5					4		17
Cumberland.....	29,837	9							1	15
Massachusetts:										
Adams.....	12,967	0								
Amesbury.....	10,036	3								
Arlington.....	18,665		5							
Attleboro.....	19,731	13								
Belmont.....	10,749	1	2							
Beverly.....	22,561	5								
Boston.....	749,060	155	32	1	60			13		60
Braintree.....	10,530	2						1		16
Brookline.....	37,748	4	1							
Cambridge.....	109,794	26	2	1	10			2		5
Chesterfield.....	43,184	11			1			2		4
Chicopee.....	36,214	7								
Clinton.....	12,979	4						1		
Danvers.....	11,108		1							
Dedham.....	10,792	3								
Everett.....	40,120	6	5					1		2
Fall River.....	120,485	30	1					2		1
Framingham.....	17,033	3								
Gardiner.....	16,971	2								
Greenfield.....	15,462	4								
Haverhill.....	53,884	13	1					2		1
Holyoke.....	60,203	11							2	
Lawrence.....	94,270	17	2					3		2

August 5, 1921.

1880

CITY REPORTS FOR WEEK ENDED JULY 16, 1921—Continued.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

August 5, 1921.

CITY REPORTS FOR WEEK ENDED JULY 16, 1921—Continued.
DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

City.	Population Jan. 1, 1920, subject to correction.	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
New Hampshire:										
Berlin	16,104	2								
Concord	22,157	3					1		3	
Dover	13,029	2								
Keene	11,210	2								
Manchester	78,384	14							4	1
Nashua	28,379	8							2	
Portsmouth	13,560				2					
New Jersey:										
Astbury Park	12,400	2							1	
Atlantic City	50,682	11	2		1				2	
Bayonne	76,754		1		2		2		3	
Bellville	15,080		2		2				3	
Bloomfield	22,019	1								
Clifton	26,470	4					4		1	2
East Orange	50,730	8			6		1		1	2
Elizabeth	95,682		4		5		4		3	4
Garfield	19,381	5								1
Gloucester City	12,182				1					
Hackensack	17,067	7							1	
Hoboken	68,166	17	1				2		2	
Hightstown	25,490				4					
Jersey City	207,864		10		9		2		5	
Kearny	26,724	5								
Montclair	28,810	0			1				1	
Morristown	12,588	10								
New Brunswick	32,779		3							
Orange	33,268	8					7			1
Passaic	63,384	11	2					2	1	2
Paterson	135,866		6		15		3		7	
Perth Amboy	41,707	3	2		1				2	
Phillipburg	16,923	5							1	
Plainfield	27,700	1			1		2		2	
Rahway	11,942	0	1							
Summit	10,174	3					1			
Trenton	119,289	33	1		9				3	2
West Hoboken	40,068		2							
West New York	29,926	8	2				2			1
West Orange	15,573	3	2		4					
New Mexico:										
Albuquerque	15,157	13							1	2
New York:										
Albany	113,344		10		5		10		5	
Auburn	36,192	7	5							
Binghamton	46,800	7	1		2				1	
Buffalo	506,775		119	8	2		12	1	11	9
Cohoes	22,287	3								
Geneva	14,048	5								
Glen Falls	16,638	6								
Ithaca	17,004	3								
Jamestown	35,917	9	1		34		1		3	
Lackawanna	17,918	2					1			
Lockport	21,308	2							1	
Middletown	18,420						1			
Mount Vernon	42,726	7			2				4	2
Newburgh	30,366		7	1				1	1	
New York	5,621,151		1,041	164	11	108	2	47	1	291
Niagara Falls	50,760		11	3		1		3		
North Tonawanda	15,452	3			3					
Olean	20,506	4								
Peebles	15,868	1			2					
Plattsburg	10,909	6								
Port Chester	16,573	1								
Poughkeepsie	35,080	7						3	2	
Rochester	295,790		65	40		2		5	1	7
Rome	26,341	9			2					
Saratoga Springs	12,181	5								
Schenectady	88,723	21	1		9		1		5	1
Syracuse	171,717		32	7	13			3	2	1
Troy	72,013	20	2				1		4	
Watertown	31,285				3					
Waterford	16,073	5								
White Plains	21,031	4	2				2			
Yonkers	100,226	9								3

¹Pulmonary tuberculosis only.

CITY REPORTS FOR WEEK ENDED JULY 16, 1921—Continued.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

City.	Population Jan. 1, 1920, subject to correction.	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
North Carolina:										
Charlotte.....	46,338	13								1
Durham.....	21,719	3								2
Greensboro.....	19,861	7								
Raleigh.....	24,418	6				3				
Rocky Mount.....	12,742	5								
Salisbury.....	13,584	2								
Winston-Salem.....	48,395	14								1
North Dakota:										
Fargo.....	21,961									
Grand Forks.....	14,010									
Ohio:										
Akron.....	208,435	27	5		2		2		4	
Barberton.....	18,811	1								
Bucyrus.....	10,425	2								
Canion.....	37,091	11	7		1		4		1	
Chillicothe.....	15,831	5								
Cincinnati.....	401,247	118	7						26	10
Cleveland.....	796,836		18		10		16			
Columbus.....	237,081	67	7	2			2		4	6
Cuyahoga Falls.....	10,200	1								
Dayton.....	152,559	26	3							
East Cleveland.....	27,292	2				1				
Fremont.....	12,468	2								
Hamilton.....	39,675	6								
Ironton.....	14,007	12	1						2	1
Lancaster.....	14,706	5								1
Lima.....	41,306	7				1				
Mansfield.....	27,824	4	1		2					
Marion.....	27,891						1			
Middletown.....	23,564	3							1	1
Newark.....	26,718	10	1	1						2
New Philadelphia.....	10,718		2							
Niles.....	13,080	3								
Norwood.....	24,966	1				1				
Piqua.....	15,044	1								
Salem.....	10,305	4								
Sandusky.....	22,897	4	1							
Springfield.....	60,840	8	5		1				1	1
Steubenville.....	28,508	8	1						6	1
Tiffin.....	14,375	4	1							
Toledo.....	243,109	63	9		1		1		8	7
Youngstown.....	132,358	29	1		2		2		1	1
Zanesville.....	29,509	9				1				
Oklahoma:										
Oklahoma City.....	91,258	26					3			1
Oregon:										
Portland.....	258,288	54	10		2		1		7	2
Pennsylvania:										
Allentown.....	73,502		3		1					
Altoona.....	60,331		4		4		1		3	
Bethlehem.....	50,358				1					
Bradford.....	15,597				1					
Butler.....	23,778				3		1			
Carbondale.....	18,640		1							
Chester.....	58,030		1							
Coatesville.....	14,515									
Connellsburg.....	13,804									
Duquesne.....	19,011		2				3			
Easton.....	23,813				2					
Erie.....	93,372		9		6		1		16	
Farrell.....	15,580							1		
Harrisburg.....	75,917		1		3					
Hazleton.....	32,277		1		1					
Johnstown.....	67,327		2		4					
Lancaster.....	53,150		9		1					
Lebanon.....	24,643									4
McKeesport.....	40,975		1							
Mahanoy City.....	15,599									
Monessen.....	18,179		1		1					
Nanticoke.....	22,614		1							
New Castle.....	44,848									
New Kensington.....	11,487		1							

1883

August 5, 1921.

CITY REPORTS FOR WEEK ENDED JULY 16, 1921—Continued.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

City.	Population Jan. 1, 1920, subject to correction.	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Pennsylvania—Continued.										
North Braddock	14,928				1				1	
Olyphant	10,236								1	
Philadelphia	1,822,158	361	34	2	12	13	21		65	28
Pittsburgh	588,193		12		14		14		20	
Plymouth	16,500		2							
Pottstown	17,431		1							
Pottsville	21,376		1							
Punxsutawney	10,311		1				1			
Reading	107,784		6		15					
Scranton	137,733		3							
Shamokin	21,204		1							
Sharon	21,747		1						1	
Shenandoah	24,726				1					
Sunbury	15,721						1			
Tamaqua	12,363				1					
Uniontown	15,692		1				6			
Warren	14,256						4		1	
West Chester	11,717						4			
Wilkes-Barre	73,833				2				1	
Wilkinsburg	24,403		1		3		1		1	
Williamsport	36,198		2				4			
York	47,512		2							
Rhode Island:										
Providence	29,407	3								
Newport	30,255	4					4			
Pawtucket	64,243	16	1							2
Providence	237,595	36	1		4		1			5
South Carolina:										
Charleston	67,957	27								2
South Dakota:										
Sioux Falls	25,176	6								
Tennessee:										
Chattanooga	57,895		1				1			
Knoxville	77,818		1		1				2	2
Memphis	162,351	67	1		5				20	8
Nashville	118,342	52			5		2		1	7
Texas:										
Beaumont	40,422	8								
Corpus Christi	10,522	2	1							
Dallas	158,976	38	1		6				5	1
El Paso	77,543	47		1						
Galveston	44,255	14					1			
Waco	38,500	12								
Utah:										
Salt Lake City	118,110	27	3		1		1			1
Vermont:										
Barre	10,008				2		1			
Burlington	22,779	8	3				1			
Rutland	14,954	3								
Virginia:										
Alexandria	18,060	6								
Danville	21,539	5	5							
Lynchburg	29,956	9			2				3	
Norfolk	115,777		1		3		1		5	1
Petersburg	31,002	12			4				5	
Portsmouth	54,387	20								2
Richmond	171,667	51			5		2		12	4
Roanoke	50,842	17	3						1	2
Washington:										
Everett	27,644				5					
Seattle	315,632		9	1			3		5	
Spokane	104,437		2		17					
Tacoma	96,965		1		7		3		7	
Yakima	18,539		1							
West Virginia:										
Bluefield	15,282						2			
Charleston	39,608	19								1
Fairmont	17,851		1							
Huntington	50,177	22			1					4
Martinsburg	12,515				3					
Morgantown	12,127						3			
Moundsville	10,669	6								
Parkersburg	20,050	6	2							
Wheeling	54,322	20			4				1	

August 5, 1921.

1884

CITY REPORTS FOR WEEK ENDED JULY 16, 1921—Continued.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

FOREIGN AND INSULAR.

CUBA.

Communicable Diseases—Habana.

Communicable diseases have been notified at Habana as follows:

Disease.	July 1-10, 1921.		Remaining under treatment July 10, 1921.	Disease.	July 1-10, 1921.		Remaining under treatment July 10, 1921.
	New cases.	Deaths.			New cases.	Deaths.	
Chicken pox.....	1	3	Paratyphoid fever.....	1	2
Diphtheria.....	2	1	Scarlet fever.....	4
Leprosy.....	11	Smallpox.....	2	13
Malaria.....	22	1	163	Typhoid fever.....	26	9	47
Measles.....	1	1				

¹ From the interior, 45.

² From the interior, 3.

³ From the interior, 23; from abroad 1.

JAMAICA.

Infectious Disease (Alastrim or Kaffir Pox).

During the week ended July 9, 1921, alastrim or Kaffir pox was reported still present in epidemic form in the island of Jamaica, with 142 new cases reported.

Typhoid Fever—Kingston and Vicinity.

During the week ended July 9, 1921, 12 new cases of typhoid fever were reported in Kingston and 18 cases were reported in the surrounding country.

SAMOA.

Measles.

Measles was reported prevalent at Apia, Samoa, during the period May 29 to June 25, 1921, with 123 reported cases. During the week ended July 2, 1921, 50 cases were reported, and the disease was stated to be spreading throughout the island of Samoa. (Population of Apia, officially estimated, 30,738.)

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER

Reports Received During Week Ended Aug. 5, 1921.¹

CHOLERA.

Place.	Date.	Cases.	Deaths.	Remarks.
India.....	Apr. 10-30, 1921: Deaths, 9,816.
Bombay.....	May 22-28.....	1	
Calcutta.....	May 29-June 4....	82	72	

¹ From medical officers of the Public Health Service, American consuls, and other sources.

August 5, 1921.

1886

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.**Reports Received During Week Ended Aug. 5, 1921—Continued.****PLAGUE.**

Place.	Date.	Cases.	Deaths.	Remarks.
Asia Minor:				
Smyrna.....	June 19-25.....	1.....		In a suburb.
Brazil:				
Bahia.....	May 22-28.....	1.....		
Ceylon:				
Colombo.....	June 5-11.....	1.....	1.....	
Egypt:				
Cities—				
Alexandria.....	June 24.....	1.....		
Port Said.....	June 27.....	1.....		
Suez.....	June 25-30.....	3.....	1.....	
Provinces—				
Gharbieh.....	June 25.....	4.....		
Hawaii:				
Paauhau.....	May 21.....	1.....		
India:				
Bombay.....	May 22-28.....	39.....	25.....	
Calcutta.....	May 29-June 4.....	1.....	1.....	
Karachi.....	June 12-18.....	1.....	1.....	
Madras Presidency.....	June 5-18.....	23.....	14.....	
Porto Rico.....				Total plague-infected rats found from beginning of outbreak, 90.
Martin Pena.....	July 3-9.....	1.....		Suburb coextensive with San-turce.
Russia:				
Siberia—				
Vladivostok.....	May 1-31.....	141.....	145.....	

SMALLPOX.

Brazil:				
Rio de Janeiro.....	June 5-18.....	9.....	1.....	
Canada:				
Ontario—				
North Bay.....	July 3-9.....	1.....		
Saskatchewan—				
Regina.....	July 10-16.....	3.....		
China:				
Amoy.....	June 5-11.....			
Antung.....	June 6-26.....	6.....	1.....	
Chungking.....	June 5-11.....			
Foochow.....	May 22-28.....			
Manchuria—				
Dairen.....	June 13-19.....	3.....		
Harbin.....	June 7-13.....	3.....		
Nanking.....	June 5-18.....			
Tientsin.....	June 5-11.....	2.....		
Tsingtao.....	June 6-12.....	1.....		
Colombia:				
Santa Marta.....	July 3-9.....			
Egypt:				
Cairo.....	Apr. 23-29.....	1.....	1.....	
Port Said.....	do.....	1.....		
France:				
Brest.....	May 22-June 4.....	18.....		
Great Britain:				
Southampton.....	June 26-July 2.....	1.....		
Japan:				
Kobe.....	June 20-26.....	2.....		
Nagasaki.....	do.....	1.....		
Java:				
West Java—				
Bandoeng.....	May 27-June 3.....	1.....		
Batavia.....	do.....	3.....	1.....	
Krawang.....	do.....	2.....		
Mexico:				
Mexico City.....	June 19-25.....	47.....		
Vera Cruz.....	July 11-17.....		1.....	
Portugal:				
Lisbon.....	June 5-18.....		10.....	
Oporto.....	June 19-25.....	1.....		
Portuguese East Africa:				
Lourango Marques.....	May 22-28.....	2.....		
Spain:				
Valencia.....	June 5-11.....	1.....		
Do.....	July 2-9.....	5.....		
Turkey:				
Constantinople.....	June 19-25.....	2.....		

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.
Reports Received During Week Ended Aug. 5, 1921—Continued.
TYPHUS FEVER.

Place.	Date.	Cases.	Deaths.	Remarks.
Algeria:				
Oran.....	June 21-30.....	6	5	
Brazil:				
Porto Alegre.....	June 19-25.....		3	
Egypt:				
Alexandria.....	June 17-23.....	5	2	
Cairo.....	Apr. 30-May 6.....	25	16	
Mexico:				
Mexico City.....	June 19-23.....	16	
Russia:				
Siberia—				
Vladivostok.....	May 1-31.....	1	1	

Reports Received from July 2 to 29, 1921.
CHOLERA.

Place.	Date.	Cases.	Deaths.	Remarks.
India.....				
Bombay.....	May 1-7.....	1	1	Mar. 6-Apr. 9, 1921: Deaths, 11,158.
Calcutta.....	May 8-28.....	273	235	
Madras.....	May 15-June 4.....	2	1	
Rangoon.....	Apr. 24-June 4.....	15	14	
Indo-China—				
City—				
Cholon.....	June 6-12.....	5	4	Jan. 1-31, 1921: Cases, 80; deaths, 15. May 29-June 12, 1921: Cases, 251; deaths, 202.
Saigon.....	May 9-June 12.....	65	44	
Provinces—				
Anam.....	Jan. 1-31.....	42	In January, 1920: No cases.
Cambodia.....	do.....	3	2	January, 1920: Cases, 27; deaths, 14.
Cochin-China.....	do.....	18	9	January, 1920: Cases, 13; deaths, 10.
Tonkin.....	do.....	12	4	January, 1920: No cases.
Philippine Islands:				
Manila.....	May 22-28.....	1	
Province—				
Pampanga.....	June 5-11.....	1	1	
Siam:				
Bangkok.....	Apr. 24-May 14.....	10	3	

PLAQUE.

Brazil:				
Bahia.....	May 15-21.....	1	1	
Maranhao.....	June 28.....	1	1	
British East Africa:				
Kenya Colony—				
Kisumu.....	Apr. 24-May 21.....			Present.
Ceylon:				
Colombo.....	May 8-14.....	1	1	
China:				
Amoy.....	May 15-21.....		2	
Foochow.....	do.....			Do.
Manchuria—				
Harbin.....	May 3-22.....	46	
Ecuador:				
Guayaquil.....	May 1-June 15.....	10	1	
Egypt:				
Cities—				
Alexandria.....	May 21-June 21.....	9	3	Jan. 1-June 23, 1921: Cases, 166 deaths, 77.
Port Said.....	June 16-22.....	3	2	
Suez.....	May 20-June 18.....	6	4	One case pneumonic.
Provinces—				
Assiout.....	May 24-June 16.....	9	7	One case septicæmic.
Gharibch.....	June 2-14.....	3	
Minieh.....	May 28-June 10....	2	1	

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.
Reports Received from July 2 to 29, 1921—Continued.
PLAQUE—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
India.....				
Bombay.....	May 1-21.....	196	141	May 1-21, 1921: Cases, 1,206; deaths, 959.
Calcutta.....	May 8-28.....	8	8	
Karachi.....	May 8-June 11.....	16	12	
Madras Presidency.....	May 22-June 4.....	64	43	
Rangoon.....	Apr. 21-June 4.....	71	66	
Indo-China.....				Jan. 1-31, 1921: Cases, 57; deaths, 51.
Saigon.....	May 23-June 12.....	4	1	May 8-15, 1921: 1 plague rat.
Madagascar:				
Tananarive.....	July 11.....			Present.
Mesopotamia:				
Bagdad.....	Apr. 1-30.....	5	2	
Mexico:				
Tampico.....	June 11-30.....	36		Infected rodents found, July 1-17, 1921: 40.
Do.....	July 1-17.....	11	2	Mar. 1-31, 1921: Cases, 76; deaths, 44. Apr. 1-30, 1921: Cases, 43; deaths, 20. June 1-15, 1921: Cases, 10; deaths, 9.
Peru.....				
Department—				
Arequipa.....	Mar. 1-31.....	2		At Mollendo.
Callao.....	do.....	7	1	At Callao.
Lambayeque.....	do.....	2	1	At Chiclayo.
Libertad.....	do.....	12	7	In 5 localities.
Lima.....	do.....	32	16	At Lima city, 20 cases, 13 deaths.
Piura.....	do.....	21	19	At Payta, Piura, and Sullana.
Ancachs.....	Apr. 1-30.....	4	1	At Huarmey.
Arequipa.....	do.....	3	3	At Mollendo.
Callao.....	do.....	8		At Callao.
Lambayeque.....	do.....	1	1	At Chiclayo.
Libertad.....	do.....	16	5	In 5 localities.
Lima.....	do.....	6	3	At Lima city, 3 cases, 1 death.
Piura.....	do.....	5	7	At Payta, Sullana, and Talara.
Libertad—				
Salaverry.....	June 1-15.....	1		
Trujillo.....	do.....	2	3	
Lima—				
Lima.....	do.....	2	3	
Piura—				
Piura.....	do.....	1		
Talara.....	do.....	4	3	
Senegal:				
Dakar.....	May 1-31.....	5	5	
Siam:				
Bangkok.....	Apr. 24-May 14.....	3	3	
Straits Settlements:				
Singapore.....	May 8-21.....	2	2	
Syria:				
Beirut.....	May 31-June 10.....	1		
On vessels:				
S. S. Kishenev.....	May 2.....	1		At Chefoo, China. Plague death en route. Vessel sent to quarantine, Kentucky Island, where to May 6 a total of 16 deaths was reported. (Public Health Reports, July 1, 1921, p. 1531.)
S. S. Oreland.....				At Genoa, Italy, June 12, 1921, from La Plata, Argentina. Two fatal cases plague in crew en route.
S. S. Ralph Moller.....	June 8.....	4	1	At Chefoo, China, from Vladivostok, Siberia. Three fatal cases en route. One case with fatal termination removed at Vladivostok.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.

Reports Received from July 2 to 29, 1921—Continued.

SMALLPOX.

Place.	Date.	Cases.	Deaths.	Remarks.
Algeria:				
Algiers.....	May 1-31.....	2	
Asia Minor:				
Smyrna.....	May 22-28.....	1	On the s. s. Nicholas.
Australia:				
Melbourne.....	Apr. 9-23.....	4	1	Mild epidemic.
Bolivia:				
La Paz.....	Apr. 1-30.....	5	4	
Brazil:				
Pernambuco.....	Mar. 28-May 22.....	28	4	
Rio de Janeiro.....	May 8-28.....	2	1	
British East Africa:				
Kenya Colony—				
Zanzibar.....	May 8-14.....	12	4	Origin India.
Bulgaria:				
Sofia.....	May 15-31.....	6	
Canada:				
Alberta—				
Calgary.....	May 26-June 18.....	3	
British Columbia—				
Vancouver.....	May 28-June 11.....	5	
Manitoba—				
Winnipeg.....	May 28-June 18.....	5	
New Brunswick—				
Restigouche County.....	June 19-25.....	1	
Westmoreland County.....	June 26-July 2.....	2	
Nova Scotia—				
Sydney.....	June 5-18.....	2	
Do.....	June 26-July 2.....	4	
Ontario—				
Hamilton.....	June 12-18.....	3	
Do.....	July 3-9.....	1	
Kingston.....	June 5-11.....	1	
London.....	June 5-25.....	2	
Montreal.....	June 12-18.....	1	
North Bay.....	June 11-25.....	3	
Do.....	June 26-July 2.....	1	
Ottawa.....	June 12-25.....	21	
Do.....	June 26-July 2.....	11	
Toronto.....	June 12-25.....	5	
Do.....	June 26-July 2.....	3	
Saskatchewan—				
Regina.....	June 5-25.....	3	
Saskatoon.....	June 7-27.....	3	
Chile:				
Antofagasta.....	May 16-June 19.....	228	106	
Arica.....	May 31.....	2	
Mejillones.....	May 30-June 5.....	Present. Also at interior nitrate plants.
China:				
Amoy.....	May 8-June 4.....	6	4	
Antung.....	May 16-25.....	6	1	
Canton.....	Apr. 1-30.....	Present.
Chungking.....	May 1-21.....	Do.
Foochow.....	May 8-June 11.....	Do.
Hankow.....	May 15-21.....	4	1	
Manchuria—				
Dairen.....	May 9-June 5.....	36	4	
Harbin.....	May 16-29.....	2	
Mukden.....	May 22-June 11.....	Do.
Nanking.....	May 8-June 4.....	Do.
Tientsin.....	do.....	24	Mission hospital.
Tsingtao.....	May 9-June 5.....	3	1	
Chosen (Korea):				
Chemulpo.....	May 1-31.....	7	2	
Fusan.....	do.....	11	3	
Gensan.....	do.....	5	2	
Seoul.....	do.....	1	
Colombia:				
Santa Marta.....	June 5-25.....	Present.
Do.....	June 26-July 2.....	Do.
Cuba:				
Antilla.....	do.....	7	
Do.....	June 26-July 9.....	14	1	
Cienfuegos.....	do.....	1	

August 5, 1921.

1890

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.
Reports Received from July 2 to 29, 1921—Continued.
SMALLPOX—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Cuba—Continued.				
Matanzas.....	June 12-18.....	1	1	
Do.....	July 3-9.....	1		
Nuevitas.....	July 4-10.....	6		
Santiago.....	June 1-20.....	10	1	
Ecuador:				
Guayaquil.....	May 1-June 15.....	30		
Egypt:				
Cairo.....	Mar. 19-25.....	1		
Port Said.....	Apr. 2-8.....	1		
Finland.....	May 1-15.....	1		
France:				
Rouen.....	May 1-29.....	2		
Germany.....				
Great Britain:				
Nottingham.....	May 29-June 4.....	1		
Greece:				
Saloniki.....	June 6-12.....		1	
Haiti:				
Cape Haitien.....	June 19-25.....	24	2	
India.....				
Bombay.....	May 1-7.....	32	20	
Calcutta.....	May 8-28.....	6	6	
Karachi.....	May 29-June 11.....	18	17	
Madras.....	May 8-June 4.....	29	9	
Rangoon.....	Apr. 21-June 4.....	20	3	
Indo-China—				
City—				
Saigon.....	May 9-15.....	2	1	
Provinces—				
Anam.....	Jan. 1-31.....	35		January, 1920: Cases, 16; deaths, 3.
Cambodia.....	do.....	21	3	January, 1920: Cases, 139; deaths, 54.
Cochin-China.....	do.....	19	12	January, 1920: Cases, 8; deaths, 1.
Tonkin.....	do.....	27		January, 1920: Cases, 224; deaths, 43.
Italy:				
Catania.....				
Genoa.....	Apr. 1-May 31.....	11		Province: June 6-20, 1921: Cases, 5.
Messina.....	May 23-June 5.....	1	1	
Palermo.....	May 18-June 14.....	6	1	
Japan:				
Kobe.....	May 24-30.....	1		
Nagasaki.....	May 23-June 12.....	5	1	
Java:				
West Java—				
Batavia.....	May 6-26.....	5	3	
Buitenzorg.....	Apr. 29-May 5.....	10		
Garoet.....	May 6-12.....	1		
Krawang.....	Apr. 29-May 19.....	26	2	
Lebak.....	Apr. 29-May 26.....	12	2	
Jugoslavia.....				May 7-13, 1921: Cases, 83; deaths, 20.
Mesopotamia:				
Bagdad.....	Apr. 1-30.....	3	1	
Mexico:				
Chihuahua.....	May 23-June 27.....		3	
Mexico City.....	May 15-June 18.....	199		
Vera Cruz.....	June 13-19.....		1	
Panama.....				
Canal Zone.....	Jan. 1-June 10.....	2		Jan. 1-June 10, 1921: Cases, 192; of which 32 were in nonresidents.
Colon.....	do.....	111		
Panama.....	do.....	47		
Poland.....				
District—				
Bialystok.....	Mar. 1-Apr. 30.....	3		Mar. 1-Apr. 30, 1921: Cases, 1,117; deaths, 142.
Cracovia.....	do.....	56	6	
Kielce.....	do.....	180	26	
Leopol.....	do.....	52	16	
Lodz.....	do.....	72	9	
Lublin.....	do.....	397	30	
Posen.....	do.....	26	2	
Silesia.....	do.....	10		
Stanislawow.....	do.....	30	5	In Teschen.
Tarnopol.....	do.....	156	31	
Warsaw.....	do.....	36	4	
Warsaw City.....	do.....	90	13	

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.
Reports Received from July 2 to 29, 1921—Continued.
SMALLPOX—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Portugal:				
Lisbon.....	May 15-June 4.....		22	
Portuguese East Africa:				
Lourenço Marques.....	May 8-21.....	6	
Rumania:				
Districts—				
Hotin.....	Apr. 1-30.....	40	9	
Orhei.....	Mar. 1-31.....	2	
Russia:				
Province—				
Estonia.....	Apr. 1-30.....	6	
Latvia—				
Riga.....	.do.....	26	
Senegal:				
Dakar.....	May 1-31.....	1	1	
Spain:				
Barcelona.....	May 12-June 22.....		13	
Malaga.....	May 1-31.....		34	
Tarragona.....	May 9-15.....		1	
Valencia.....	May 22-28.....	1	
Switzerland:				
Zurich.....	May 28-June 11.....	10	
Syria:				
Aleppo.....	Apr. 9-16.....			
Beirut.....	May 10-30.....	1	1	Present.
Tunis:				
Tunis.....	May 30-June 17.....	2	3	
Turkey:				
Constantinople.....	June 12-18.....	3	
Union of South Africa:				
Cape Province.....	Apr. 24-May 7.....			Outhbreaks.
Natal.....	.do.....			Do.
Orange Free State.....	.do.....			Do.
Transvaal.....	May 22-28.....			Do.

TYPHUS FEVER.

Algeria:				
Algiers.....	May 1-31.....	56	8	
Oran.....	May 22-June 20.....	29	23	
Asia Minor:				
Smyrna.....	June 12-18.....	1	In district.
Bolivia:				
La Paz.....	Apr. 1-30.....	32	39	
Chile:				
Concepcion.....	Apr. 12-June 20.....		8	
Valparaiso.....	Mar. 27-May 28.....		4	
China:				
Antung.....	May 30-June 5.....	1	
Hankow.....	May 22-June 11.....	3	
Manchuria—				
Harbin.....	May 23-29.....	1	
Chosen (Korea):				
Fusan.....	May 1-31.....	1	
Gensan.....	.do.....	2	
Seoul.....	.do.....	1	
Czechoslovakia:				
Prague.....	June 5-11.....	4	2	
Egypt:				
Alexandria.....	May 21-June 16.....	16	6	
Cairo.....	Mar. 19-Apr. 22.....	69	23	
Port Said.....	Apr. 2-15.....	8	1	
Finland.....	May 1-15.....	5	
Germany.....				Apr. 24-June 4, 1921: Cases, 7.
Hamburg.....	May 27-June 4.....	1	
Great Britain:				
Dublin.....	May 29-June 4.....	1	
Greece:				
Saloniki.....	May 29-June 12.....	20	3	
Japan:				
Nagasaki.....	May 23-June 5.....	7	2	
Jugoslavia:				
Belgrade.....	May 1-14.....	6	Jan. 30-Mar. 13, 1921: Cases, 109; deaths, 15.
Mexico:				
Mexico City.....	May 15-June 18.....	86	Including municipalities in Federal district.

August 5, 1921.

1892

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.
Reports Received from July 2 to 29, 1921—Continued.
TYPHUS FEVER—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Poland.....				Mar. 1-Apr. 30, 1921: Cases, 11,489; deaths, 1,131.
District—				
Bialystok.....	Mar. 1-Apr. 30.....	853	45	
Cracovia.....	do.....	603	90	
Kielce.....	do.....	848	62	
Leopol.....	do.....	2,508	277	
Lodz.....	do.....	521	53	
Lublin.....	do.....	1,446	83	
Posen.....	do.....	77	5	
Silesia.....	do.....	26		In Teschen.
Stanislawow.....	do.....	1,557	232	
Tarnopol.....	do.....	1,855	194	
Warsaw.....	do.....	972	61	
Warsaw city.....		223	29	
Rumania:.....				
Districts—				
Hotin.....	Apr. 1-30.....	107	10	
Orhei.....	Mar. 1-31.....	80		
Russia:.....				
Province—				
Estonia.....	Apr. 1-May 31.....	98		
Latvia.....	Apr. 1-30.....	209		
Siberia.....				
Vladivostok.....	Mar. 1-Apr. 30.....	4	1	
Spain:.....				
Madrid.....	May 1-31.....		1	
Syria:.....				
Beirut.....	May 20-June 10.....	1	1	
Tunis:.....				
Tunis.....	June 11-17.....		3	
Turkey:.....				
Constantinople.....	May 22-June 18.....	11		
Union of South Africa:.....				
Cape Province.....				Apr. 24-May 28, 1921: Outbreaks.
Cape Town.....	May 13-19.....	10	3	At native cantonment in vicinity.
East London.....	May 22-28.....		1	
Orange Free State.....				Apr. 24-May 28, 1921: Outbreaks.

YELLOW FEVER.

Mexico:.....				
Alamo.....	June 1-30.....	10		
Vera Cruz.....	June 13-27.....	7		State of Vera Cruz.
Peru:.....				Mar. 1-31, 1921: Cases, 86; deaths, 25. Apr. 1-30, 1921: Cases, 106; deaths, 32. In 13 localities.
Departments—				
Lambayeque—				
Chiclayo.....	Mar. 1-31.....	20	10	
Chongollape.....	do.....	2	2	
Ferrenafe.....	do.....		1	
Lambayeque.....	do.....	15	5	
Monsefu.....	do.....	18	4	
Motupe.....	do.....	1	1	
Pomalca.....	do.....	5	1	
Villa Eten.....	do.....	5	1	
Callao—				
Callao.....	Apr. 1-30.....	1		Atantine station. From Chiclayo.
Lambayeque—				
Chiclayo.....	do.....	23	5	
Chongollape.....	do.....	10	1	
Jayanca.....	do.....	5	2	
Lambayeque.....	do.....	5	2	
Monsefu.....	do.....	8	5	
Motupe.....	do.....	45	11	
Olmos.....	do.....	2	4	
Villa Eten.....	do.....	2		
Zana.....	do.....	1		
Libertad—				
Guadalupe.....	do.....	2		
Pueblo Nuevo.....	do.....	1	1	
Trujillo.....	do.....	1	1	Country.
Lambayeque—				
Chiclayo.....	June 1-15.....	4	3	
Monsefu.....	do.....	3		
Pacora.....	do.....	1		
Libertad—				
Casa Grande.....	do.....	1		Farm.
Pacanga.....	do.....	1	1	
Paijan.....	do.....	3	4	
Trujillo.....	do.....	1	1	