PUBLIC HEALTH REPORTS

VOL. 36

NOVEMBER 4, 1921

No. 44

PRINCIPAL CAUSES OF DEATH IN THE UNITED STATES REGISTRATION AREA. 1920.1

Census Bureau's Summary of Mortality Statistics.

The Department of Commerce announces that the Census Bureau's annual report on mortality statistics, which will be issued shortly, shows 1,142,558 deaths as having occurred in 1920 within the death registration area of continental United States, representing a death rate of 13.1 per 1,000 population as compared with 12.9 in 1919, which was the lowest rate recorded in any year since the registration area was established in 1900.

The death registration area (exclusive of the Territory of Hawaii) in 1920 comprised 34 States, the District of Columbia, and 16 registration cities in nonregistration States, with a total estimated population on July 1 of 87,486,713, or 82.2 per cent of the estimated population of the United States. The State of Nebraska was added to the registration area in 1920, so that at present the only States not in the area are Alabama, Arizona, Arkansas, Georgia, Idaho, Iowa, Nevada, New Mexico, North Dakota, Oklahoma, South Dakota, Texas, West Virginia, and Wyoming. The figures for the Territory of Hawaii will appear in the report, but they are not included in this summary.

The death rate from pneumonia increased from 123.5 per 100,000 in 1919 to 137.3 in 1920. For chronic diseases of the heart, the rate increased from 131 to 141.9; for cancer, from 80.5 to 83. Some of the other diseases for which the rate increased are whooping cough, measles, cerebral hemorrhage, congenital debility and malformations, puerperal fever, scarlet fever, and appendicitis. The fatalities caused by automobile accidents and injuries show an increase from 9.4 per 100,000 in 1919 to 10.4 in 1920.

71027°--21---1

¹ Similar summaries for the years 1917, 1918, and 1919 were published in Public Health Reports for July 4, 1919, pp. 1474-1478; Feb. 13, 1920, pp. 345-349; and Nov. 19, 1920, pp. 2783-2787, respectively.

A marked decrease is shown in the death rate from tuberculosis, which was 114.2 in 1920 as compared with 125.6 in 1919; also in the death rate from influenza, 71 in 1920 as against 98.8 the year before. The death rate from suicide declined from 11.4 in 1919 to 10.2 in 1920. There was a decline also in the rate for typhoid fever and in that for accidental drowning.

The total number of deaths and the death rate, by leading causes, together with the percentage which each cause contributed to the total, in the death registration area in continental United States: 1919 and 1920.

Cause of death.	Number	of deaths.		r 100,000 ation.		ent of tal.	
Cause of death.	1919	1920 1	1919	1920	1919	1920	
All causes 2	1,096,436	1, 142, 558	1,287.4	1,306.0	100.0	100.0	
Crganic diseases of the heart	111,579 105,213 106,985	124, 143 120, 108 99, 916	131.0 123.5 125.6	141.9 137.3 114.2	10.2 9.6 9.8	10.9 10.5 8.7	
Tuberculosis of the lungs*	94,772 5,175 7,038 75,006 68,551 65,951	88, 195 4, 895 6, 826 78, 192 72, 931 70, 780	111.3 6.1 8.3 88.1 80.5 77.4	7.8 89.4 83.4 80.9	8.6 .6 6.8 6.3 6.0	7.7 .4 .6 6.8 6,4 6.2	
excepted)	61, 268	62, 492	71.9	71.4	5.6	5.5	
Accidental falls. Automobile accidents and injuries Burns (confiagration excepted) Railroad accidents and injuries Accidental drowning Accidental absorption of deleterious	9, 629 7, 968 6, 409 6, 304 5, 854	10, 323 ·9, 103 6, 645 6, 426 4, 977	11.3 9.4 7.5 7.4 6.9	11.8 10.4 7.6 7.3 5.7	.9 .7 .6 .6	.9 .8 .6 .6	
gases (conflagration excepted)	2, 884 2, 350 2, 179 2, 082 1, 916	3, 012 2, 262 2, 171 2, 153 1, 746	3.4 2.8 2.6 2.4 2.2	8.4 2.6 2.5 2.5 2.0	.3 .2 .2 .2 .2	.8 .2 .2 .2	
biles Effects of heat, other than burns Other external causes. Influensa Congenital debility and malformations Diarrhea and enteritis (total).	1,970 536 11,187 84,113 56,714 47,044	1, 698 270 11, 706 62, 097 61, 080 47, 605	2.3 .6 13.1 98.8 66.6 55.2	1.9 .3 13.4 71.0 69.8 54.4	.2 (4) 1.0 7.7 5.2 4.3	.1 (4) 1.0 5.4 5.3 4.2	
Diarrhea and enteritis (under 2 years). Diarrhea and enteritis (over 2 years). Arterial diseases, atheroma, aneurism, etc. Diabetes. Diphtheria and croup. Appendicitis and typhlitis. Bronchitis. Puerperal affections, other than puerperal	37, 635 9, 409 18, 976 12, 683 12, 551 10, 029 10, 913	88, 514 9, 091 19, 977 14, 062 13, 395 11, 702 11, 609	44. 2 11. 0 22. 3 14. 9 14. 7 11. 8 12. 8	44.0 10.4 22.8 16.1 15.3 13.4 13.3	8.4 .9 1.7 1.2 1.1 .9	3.4 .8 1.7 1.2 1.2 1.0	
septicemia	9,538 4,714	10, 976 10, 968	11.2 5.5	12.5 12.5	.9	1.0 1.0	
Respiratory diseases, other than pneu- monia and bronchitis. Hernia and intestinal obstruction	8,865 8,853 9,732	10, 120 9, 314 8, 959	10. 4 10. 4 11. 4	11.6 10.6 10.2	.8 .8	.9 .8	
By firearms. By hanging or strangulation. By poison. By asphyxta. By cutting or piercing instruments.	3,302 1,726 1,546 1,275 695	3, 169 1, 416 1, 417 1, 124 640	3.9 2.0 1.8 1.5	3.6 1.8 1.6 1.8	.3 .2 .1 .1	.3	

¹ The State of Nebraska, with an estimated midyear population of 1,301,737, was admitted to the registration area in 1929.

Exclusive of still births.

Includes acute miliary tuberculosis.

Less than one-tenth of 1 per cent.

The total number of deaths and the death rate, by leading causes, together with the percentage which each cause contributed to the total, in the death registration area in continental United States: 1919 and 1920—Continued.

Cause of death.	Number o	of deaths.	Rate per popula	100,000 ation.		Per cent of total.	
outso of totals.	1919	1920	1919	1920	1919	1920	
Suicide—Continued. By drowning. By jumping from high places. By crushing. C ther suicides. Syphilis. Measles. Angina pectoris. Acute endocarditis. Typhoid fever. Cirrhosis of the liver. Homicide (total).	684 289 100 115 7,347 3,296 6,538 5,955 7,860 6,704 6,386	555 247 97 94 7,969 7,712 7,571 6,861 6,805 6,241 6,205	0.8 .3 .1 .1 8.6 3.9 7.7 7.9 9.2 7.9	0.1 .3 .1 9.1 8.8 8.6 7.8 7.1 7.1	0.6 (4) (4) (4) .7 .3 .6 .5 .7 .6	(4) (4) (5) (6) (7) .7 .7 .6 .6 .5 .5	
By firearms. By cutting or piercing instruments. By other means. Paralysis without specified cause. Puerperal septicemia. Meningitis. General paralysis of the insane. Anemia, chlorosis. Rheumatism Secriet fever. Dysentery. Maiaria. Erysipelas. Peliagra. Smallpox. All other defined causes. Unknown and ill-defined causes.	4,567 687 1,132 6,146 4,950 5,508 4,823 4,149 3,907 2,383 3,732 3,275 2,186 2,806 3,588 103,247 15,603	4, 477 645 1,063 5,828 5,820 5,281 5,330 4,787 4,287 4,001 3,574 3,136 2,721 2,322 508 109,985 15,505	5. 4 .8 1.3 7. 2 5. 8 6. 5 5. 7 4. 6 2. 8 3. 8 3. 8 3. 3 121. 2	5.1 .7 1.2 6.7 6.6 6.0 5.7 5.5 4.6 4.1 3.6 3.1 2.7 125.7	.4 .1 .6 .5 .5 .4 .4 .2 .3 .3 .3 .4 .4	.4 .1 .5 .5 .5 .4 .4 .4 .3 .3 .2 .2 .2 .4	

⁴ Less than one-tenth of 1 per cent.

FOOT DEFECTIVENESS IN SCHOOL CHILDREN.

A PRELIMINARY REPORT ON THE RESULTS OF THE EXAMINATION OF 356 SCHOOL CHILDREN IN NEW YORK CITY.

By MAURICE J. LEWI, M. D., President, The First Institute of Podiatry, of New York City.2

Through the cooperation of Dr. A. K. Aldinger, head of the division of physical training, New York City Department of Education, and Dr. Josephine A. Baker, chief of the division of hygiene, New York City Board of Health, arrangements were made for the examination of the feet of the pupils of one of the public schools in New York City.

The pupils examined ranged from the grammar school grade to the grade of teacher's training classes.

² The examinations were conducted by the clinic staff of The First Institute of Podiatry of New York City, under the direction of Otto F. Schuster, chief of the orthopedic department of the Foot Clinics of New York City. The following orthopedic surgeons served as consultants: Arthur H. Cilley; Herbert A. Dunham; Sigmund Epstein.

Each pupil was examined on the basis of the following queries, which appeared on the record cards:

Male Female Age Race School Grade Does subject complain of pain in feet? — Does subject complain of pain in legs or back? — Is subject disinclined to walk or to do gymnastics? — Mode of walking. Fit of shoe. Style of shoe. Socks. Excrescences and deformities. Toes in. Too short Pointed Too short Too long. Semi-pointed. Too long. Correct. Too wide. High heel. Correct. High heel. Examiner Examiner Examiner	No. — Date	Name -	Addre	ss ———	
Does subject complain of pain in legs or back? —— Is subject disinclined to walk or to do gymnastics? —— Mode of walking. Fit of shoe. Style of shoe. Socks. Excrescences and abnormal nails. Toes in		Age Rac	e —— School ——	Grade	
Is subject disinclined to walk or to do gymnastics? Mode of walking. Fit of shoe. Style of shoe. Socks. Excrescences and abnormal nails. Toes in Too short Pointed Too short Too long Semi-pointed Too long Orthopedic Correct High heel Correct Examiner General carriage. Recommendations.	Does subject com	plain of pain in	feet? ——	:	
Mode of walking. Fit of shoe. Style of shoe. Socks. Excrescences and deformities. Toes in. Too short Pointed Too short Too long Semi-pointed Too long Correct Too wide. High heel Fexaminer Examiner Examiner Examiner	Does subject com	plain of pain in	legs or back? ——		
Toes in	Is subject disincli	ined to walk or	to do gymnastics? —	······································	
Toes out. Too long. Sami-pointed. Too long. Correct. Too wide. High heel Examiner Examiner	Mode of walking.	Fit of shoe.	Style of shoe.	Socks.	Weaknesses and deformities.
General carriage. Recommendations.	Toes out	Too long Too narrow Too wide	Semi-pointed Orthopedic High heel	Too long	
			Examiner		 Examiner.
	General ca	rriage.			
	•••••				
	••••				
		•			

The following data were collected:

Foot defects in \$56 school children in New York City.

		Model	New York Train- ing School for			
	В	ıys.	Gi	ris.	Teache	chool for Fs.
	Number.	Per cent.	Number.	Per cent.	Number.	Per cent.
Total examined			125		159	
Toes in	15	21	2	2	100	1
Tees out		32 64	51 109	41 87	102 119	64 78
Faulty shoesFaulty socks		28	36	29	61	76
Excrescences.		29	32	26	116	38 78
Ingrowing nails		10	21	17	30	19
Weak foot	34	47	92	74	136	86
Flat foot	4	6	16	13	10	6
Deformed toes	5	7	8	6	5	, 3
Carriage: Excellent	0	. 0	١ ,	6		
Good		67	61		23	14
Pair		26	34	49 27	33	21
Poor		7	23	18	53	83
Special notes					4	8
Not observed					46	20

This is probably the first comprehensive and scientific collation of facts regarding foot defectiveness in a large group of pupils that has ever been made. Persons interested in this branch of medical practice have frequently hazarded a guess as to the percentage of

foot defectives among children of school age, but the figures and facts here presented as the result of this census show that they have undershot the mark by a wide margin. Most of the deviations from normal are of a character which will admit of correction and cure, if properly treated; whereas if neglected, they will tend to cripple and to impair the efficiency of those affected. Parents, school boards, and health boards should cooperate so that all growing children may be afforded opportunity to be similarly examined with a view to the discovery of any existing or threatening foot defects, in order that exercises and treatment may be prescribed that will tend to make them foot-sound.

AN OCCUPATIONAL DERMATOCONIOSIS AMONG ZINC OXIDE WORKERS.

By JOHN A. TURNER, Passed Assistant Surgeon (R), United States Public Health Service.

The rapid advancement in industrial medicine during the past few years has brought a decided increase to our knowledge of the various types of occupational skin affections. As to the prevalence of skin affections in trades, Knowles says that "Almost one-sixth of all skin cases are due to the occupations of the individual. Practically every occupation and every irritant can produce an eczema." 3

During a recent investigation, in a zinc oxide manufacturing plant, of the effects of inhaling zinc oxide dust, the writer's attention was directed to the frequent occurrence of a troublesome skin disease affecting the employees who are exposed to this dust. Available literature on this disease gives very meager information. Kober and Hanson 4 mention the existence of a dermatitis among oxide workers, but do not describe it.

The workers in the plant visited call the disease "oxide pox." No explanation was obtainable as to the origin of the name, but it is presumed that the similarity in appearance of the disease to the smallpox eruption might account for it.

OCCURRENCE.

Of the 17 men examined, who are exposed to the oxide dust, 14 gave a history of having, or having had, attacks of "oxide pox." Of the 7 men employed in the bagroom department, 5 gave a positive and 2 a negative history; and of the 10 men working in the packing department, 9 gave a positive and 1 a negative history. Of the entire group, 8 were suffering from the affection at the time of investigation.

R. Prosser White, citing Knowles, Brit. Jour. Derm., 1913, Vol. XXV, p. 275 (Abst.).
 Kober and Hanson, Diseases of Occupation and Vocational Hygiene (1916), p. 503.

The following table shows the departments and the number of men in each occupational group who have and have not been affected by the dermatosis:

Department.	Occupation.	Positive.	Negative.
Bagroom department	Shakers Truckers Packers Tailors General repairmen Truckers General repairmen General repairmen General repairmen General repairmen G	5 0 6 2 1	1
Total		14	3

As to the length of the time of employment of these men in the trade: 2 had worked less than 1 year; 3 from 1 to 4 years; and 12 had worked in the plant 10 years or over. It would seem, therefore, that the length of time of employment does not appear to play any part in the occurrence of the disease.

ETIOLOGY.

"Oxide pox" is primarily due to a clogging of the sebaceous glands with zinc oxide, and secondly to infection. The dermatosis is characterized by a papular-pustular eruption, which, in the cases observed, appeared in the pubic region, on the scrotum and inner surface of the thigh, and, occasionally, in the axilla and on the inner surfaces of the arms. The bodies and clothing of the men exposed are continuously covered with the oxide dust during the work period. Thus, wherever two surfaces of the body rub together, the oxide powder, the body débris, and bacteria normally present on the skin are rubbed into the glands. This action is greatly facilitated by free perspiration. The plugging of these skin glands produces an ideal incubator for the bacteria.

THE ERUPTION.

The eruption appears first as a small, red, projecting papule, 2 to 3 millimeters in diameter, with a white central plug. Upon palpation the papule has a hard, shotlike feeling, similar to that of the small-pox papule. There is an areola of inflammation surrounding the base of the papule. The skin between the papules may or may not be inflamed and swollen. On the second or third day of the disease, the central portion of the papule begins to soften and develops into a pustule. Usually the pustules are but slightly larger than the papules, but occasionally they become as large as a cherry. All the papules do not progress to the pustular stage; some dry up and disappear. Before the pustular stage occurs, the contents of the papules are very difficult to squeeze out. The contents are white in appearance and are composed chiefly of zinc oxide.

There is an intense itching, which in most instances causes the patient to scratch off the tops, or to squeeze out the contents. This action relieves the itching. In 10 of the cases the skin of the affected parts was dry, and in 4 cases it was moist, somewhat similar to weeping eczema. The damage resulting from the scratching aggravates the condition and prolongs the period of healing. The eruption usually persists for a week or 10 days, gradually subsiding and drying up. This condition is followed by a slow but marked exfoliation of the epidermis. In 13 of the cases the pubic region, scrotum, and inner surfaces of the thigh were affected. In 4 cases the axilla and inner surfaces of the arms were also involved.

The disease is most prevalent during the summer months and is augmented by free sweating. Six of the men examined claimed that they were affected regardless of the season, but that it was more troublesome during the summer months. No time from work was lost on account of the disease, although it caused considerable discomfort.

The symptoms that were observed were entirely of a local character; and this apparent absence of systemic disturbances was borne out by the histories obtained from the men themselves.

BACTERIOLOGY.

The bacteriological observations were made by Dr. H. P. Bachelor, chief surgeon of the Palmerton Hospital, and are as follows:

"The observations were made during the acute stage of the eruption. The smears show considerable numbers of pus cells, a few red blood cells, and mononuclear leucocytes. Only occasionally did we see cocci in the smears, but Staphylococcus aureus was demonstrated in over 90 per cent of the observations, the culture being made on blood agar slants. Every precaution was taken to avoid contamination of the overlying skin. The field was cleansed by the usual alcohol, ether, and tincture of iodine method. The pustules were opened with a sterilized knife. A platinum loop was inserted well into the base of the lesion.

"After the usual cleansing of the lesion and the surrounding area, the characteristic white appearance of the eruption was lost, leaving a small infected and infiltrated area. A microscopic section showed an area of central necrosis with infiltration of leucocytes about it. There was a slight infection of the neighboring vessels and an absence of giant cells."

PROCESS OF MANUFACTURE IN PLANT STUDIED.

Zinc oxide (ZnO) is made, in the plant investigated, by roasting in a furnace zinc ore or spelter mixed with fine anthracite coal. The fumes evolved are collected in a drum located above the furnace and thence conveyed by means of a pipe to the bag room. This pipe enters the bag room near the ceiling, where it branches into a number

of horizontal feed pipes. To these feed pipes are attached many long perpendicular muslin bags, spaced approximately 3 feet apart. These bags, approximately 30 to 40 feet long, extend to within 10 or 12 feet of the floor, and to the floor end of each is fastened a canvas collecting bag. Two occupational groups are employed in the bag room, namely, shakers and truckers. The shakers are required to go aloft several times daily to the various levels of the room in order to shake the muslin bags, and thus free the meshes of the muslin from the oxide, allowing the hot air and gases, if any be present, to escape. A considerable quantity of zinc oxide escapes through the meshes: therefore the atmosphere of the room constantly contains considerable quantities of the dust. The truckers remove the filled canvas bags and convey them by trucks to the packing department. The men work 9 hours per day in the bag room department. ordinary work clothing and take no precautions whatever to protect themselves from the dust.

In the packing department there are three occupational groups, namely, packers, tailors, and repairmen. The packers place the oxide in a large bolter, where it is screened and then packed into paper bags and made ready for storage or shipment; the tailors are employed to make new muslin and canvas bags and to repair the old ones; and the repairmen are employed to repair all machinery in the bag and packing departments. All these employees are exposed to large quantities of oxide dust for 9 hours per day, their clothes and bodies being covered with it.

PROPERTIES OF ZINC OXIDE.

The United States Dispensatory be described zinc oxide as "a very fine amorphous white or yellowish-white powder, free from gritty particles, without odor or taste. It gradually absorbs carbon dioxide from the air. It is insoluble in water or alcohol, but is soluble in dilute acids, ammonia water, and ammonia carbonate solution."

When freshly made, zinc oxide is very dry; samples taken from the collecting bags, upon analysis showed an average moisture content of 0.1426 per cent as compared with 0.3165 per cent in the samples taken from the packing and storage rooms. Thus the moisture content of oxide that has been exposed to the air is increased 122 per cent.

A chemical analysis of zinc oxide shows that the total amount of adulterating substance is very small, being but 0.801 per cent. The table following shows the kind and percentage of adulterants:

[•] The Dispensatory of the United States, edition of 1910, p. 1211.

Analysis made by the New Jersey Zinc Co., Palmerton, Pa.

Analysis of zinc oxide.7

	Ter cent.
Insoluble substances	0.026
Water (H _e O) at 110° C	244
Carbon Morvia (CC).	099
Total sulphur (S) as (SO ₂)	240
Lead oxide (PbO)	. 08
Cadmium oxide (CdC)	93
Bismuth trioxide (Bi ₂ O ₂).	Aheant
Copper oxide (CuO)	A beent
Iron (Fe ₂ O ₂)	. 017
Manganese oxide (MnO)	.006
Arsenic (As ₂ O ₃)	53
Antimony (Sb ₂ O ₂)	.022
Zine oxide (ZnO).	99, 199
	. 00. 188

According to the United States Dispensatory, "zinc oxide is used as an antispasmodic in chorea, epilepsy, and in whooping cough. It is probably of little value as a systemic remedy. It is sometimes employed for its astringent and its sedative properties in diarrhea. It is nontoxic, protective, mildly astringent, and probably antiseptic."

The most common present day medical use to which the oxide is put, is in the form of salves and pastes. Industrially it is used in the manufacture of paint.

CONCLUSIONS.

The following conclusions are drawn from this study:

- 1. Zinc oxide is considered a nontoxic substance, and from the chemical analysis it is evident that the adulterating substances are in insufficient amount to be harmful. It is a nonpoisonous material, but is capable of acting as a mechanical conveyor of bacteria.
- 2. The workers in the bag room and packing departments are exposed during the work period to considerable amounts of zinc oxide dust, which covers the body and clothing, and no precautions are taken by the workers to protect themselves.
- 3. The zinc oxide, body débris, and bacteria are forced into the sebaceous glands, distending them. This action is aided by free perspiration, and the rubbing together of two body surfaces. It is probable that the presence of the foreign substances, acting as a mechanical block to the outlet of the glands, and the increased tension due to the retained secretion, produce sufficient irritation of the gland walls to allow an invasion of the bacteria and a resulting infection.
- 4. The disease occurs most frequently during the summer months, and to a lesser degree during the winter months. The consensus of opinion among the workmen is that the occurrence of the disease depends entirely upon personal cleanliness, and that if they take daily baths no trouble is experienced.

Analysis made by the New Jersey Zinc Co., Palmerton, Pa.

RECOMMENDATIONS.

- 1. Special work clothes of a close weave of cloth, made to fit snugly at neck band, wristband, and ankles, should be worn in order to prevent the dust from coming in contact with the body.
 - 2. The work clothes should be frequently cleaned.
- 3. Old muslin and collecting bags that are to be repaired should first be thoroughly cleaned.
- 4. Suitable washing, bathing, and change-room facilities should be provided so that the workers can bathe at the close of the work day.
- 5. Lack of attention to personal hygiene is a prime factor in the causes of this disease, and the workmen should be instructed in this respect.
- 6. The workmen should be advised to report immediately the presence of the disease as soon as it is detected.

RESOLUTION OF BOARD OF HEALTH UPHELD.

The United States Circuit Court of Appeals, Fourth Circuit, has upheld be the action of a county board of health in North Carolina in prohibiting circuses and carnivals in a county during a certain period to prevent the spread of communicable diseases. The resolution of the board of health stated that the county was just recovering from a serious epidemic and that communicable diseases were prevalent elsewhere. The owner of a traveling show brought suit when a license was refused him, but the court sustained the action of the board of health. The following is quoted from the opinion:

Nothing is better settled than that in the consideration of ordinances and laws of the character in question here, every intendment is to be made in favor of the lawfulness of the exercise of municipal power, making regulations to promote the public health and safety. (Dobbins v. Los Angeles, 195 U. S. 223, 225, 25 Supp. Ct. 18, 49 L. Ed. 169.) It is not for the courts, in the administration of justice, to substitute their judgment for that of the legislative or municipal authority or to interfere with the lawful exercise of the power and authority granted in furtherance of the ends desired, unless those acting have plainly and manifestly exceeded their power and authority to the prejudice of those affected. This is strikingly true in considering rules and regulations coming clearly within the domain and discretion of public health authorities. * * *

DEATHS DURING WEEK ENDED OCT. 22, 1921.

Summary of information received by telegraph from industrial insurance companies for week ended Oct. 22, 1921, and corresponding week, 1920. (From the Weekly Health Index, Oct. 25, 1921, issued by the Bureau of the Census, Department of Commerce.)

	Week ended Oct. 22, 1921.	Corresponding week, 1920.
Policies in force	47, 682, 144	44, 825, 321
Number of death claims	8, 302	6, 677
Death claims per 1,000 policies in force	9. 1	7.8

⁸ Benson v. Walker et al., 274 Fed. 622.

Deaths from all causes in certain large cities of the United States during the week ended Oct. 22, 1921, infant mortality, annual death rate, and comparison with corresponding week of preceding years. (From the Weekly Health Index, Oct. 25, 1921, issued by the Bureau of the Census, Department of Commerce.)

		Week Oct. 2	ended 2, 1921.	Average		s under 1 ear.	Infant mor-
City.	Estimated population, July 1, 1921.	Total deaths.	Death rate.1	annual death rate per 1,000.2	Week ended Oct. 22, 1921.	Previous year or years.2	tality rate, week ended Oct. 22, 1921.*
Akron, Ohio. Albany, N. Y. Atlanta, Ga. Baltimore, Md. Birmingham, Ala Boston, Mass Boston, Mass Bridgeport, Conn. Buffalo, N. Y. Cambridge, Mass Camden, N. J. Chicago, Ill. Cincinnati, Ohio. Cleveland, Ohio. Columbus, Ohio Dallas, Tex. Dayton, Ohio Dallas, Tex. Dayton, Ohio Delver, Colo. Detroit, Mich. Fall River, Mass. Grand Rapids, Mich Houston, Tex. Indianapolis, Ind. Jersey City, N. J. Kansas City, Kans Kansas City, Kans Kansas City, Mo. Los Angeles, Calif. Louisville, Ky. Lowell, Mass. Memphis, Tenn. Milwaukee, Wis. Minneapolis, Minn. Mashville, Tenn. Mew Bedford, Mass. New Haven, Conn. New Orleans, La New York, N. J. Norfolk, Va. Oakland, Calif. Omaha, Nebr. Peterson, N. J. **niladelphia, Pa **Pittsburgh, Pa **Portland, Oreg. Providence, R. I. Richmond, Va. Rochester, N. Y. St. Louis, Mo. St. Paul, Minn. Salt Lake City, Utah San Francisco, Calif. Seattle, Wash Springfield, Mass Syracuse, N. Y. **Toledo, Ohio. Trenton, N. J. Washington, D. C. Wilmington, Del. Worrester, Mass. Youngstown, Ohio.	158, 119	31 32 61 210 517 105 24 24 24 24 24 29 190 37 34 39 190 37 37 37 37 37 31 37 31 31 31 31 31 31 31 31 31 31	9. 4 12. 9 14. 9 8. 0 11. 5 10. 0 12. 1 9. 5 14. 7 9. 7 10. 1	48.1 C 17.4 A 15.5 A 10.9 A 15.5 A 10.9 A 13.6 C 17.0 C 10.2 C 10.4 C 10.4 C 10.4 C 10.4 C 10.4 C 10.4 C 12.5 C 10.4 C 12.3 C 10.4 C 12.3 C 12.3 C 12.3 C 12.3 C 12.3 C 12.3 C 12.3 C 12.3 C 13.6 C 10.4 C 12.3 C 12.3 C 12.3 C 12.3 C 12.3 C 12.3 C 13.6 C 14.7 C 10.2 C 10.2 C 10.2 C 10.3 C 10	11 4 10 5 2 12 5 7	C 3 C 3 C 3 C 3 C 3 C 3 C 3 C 3	777 1112 98 577 506 618 755 666 755 127 666 195 195 195 197 133 24 17 133 24 16 67 89 97 114 184 185 109 1190 1190 1190 1190 1190 1190 1190

¹ Annual rate per 1,000 population.

* "A" indicates data for the corresponding week of the years 1913 to 1917, inclusive. "C" indicates data for the corresponding week of the year 1920.

Deaths under 1 year per 1,000 births—an annual rate based on deaths under 1 year for the week and estimated births for 1920. Cities left blank are not in the registration area for births.

Data based on statistics of 1915, 1916, and 1917.

PREVALENCE OF DISEASE.

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring.

UNITED STATES.

CURRENT STATE SUMMARIES.

Telegraphic Reports for Week Ended Oct. 29, 1921.

These reports are preliminary and the figures are subject to change when later returns are received by the State health officers.

ALABAMA.	ses.	CALIFORNIA—continued.	
			ses.
Chicken pox		Influenza	13
Diphtheria		Lethargic encephalitis:	_
Hookworm disease	1	Napa	1
Influenza	2	Sonoma County	
Malaria	23	Stockton	2
Measles	2	Poliomyelitis:	
Mumps	2	Albany	1
Pellagra	32	Contra Costa County	1
Pneumonia	1	Eldorado County	1
Scarlet fever	57	Los Angeles	2
Septic sore throat	1	Rio Vista	1
Smallpox	3	Sacramento County	1
Tuberculosis	9	San Francisco	2
Typhoid fever	38	San Joaquin County	2
Whooping cough	6	Santa Rosa	1
		Stockton	. 7
ARKANSAS.		Smallpox:	•
Chicken pox	3	Oakland	12
Diphtheria	34	Scattering	51
Influenza	19	Typhoid fever	26
Malaria	229	••	
Measles	1	COLORADO,	
Pellagra	5	(Exclusive of Denver.)	
Pneumonia	1	(Exclusive of Denvel.)	
Scarlet fever	20	Chicken pox	7
Tuberculosis	7	Diphtheria	31
Typhoid fever	17	Measles	3
Whooping cough	7	Mumps	1
		Pneumonia	1
CALIFORNIA.		Poliomyelitis	1
Cerebrospinal meningitis:		Scarlet fever	27
Mantera	1	Smallpox	13
Salinas	ī	Tuberculosis	85
Santa Rosa.	i	Typhoid fever	11
Dana maa	-	••	
•	(27	34)	•

CONNECTICUT.	ases.	IDAHo—continued.	
		Cas	es
Cerebrospinal meningitis		Diphtheria	
Shicken pox	. 20	Poliomyelitis	
•	. 13	Scarlet fever	
Bridgeport		Smallpox	•
New Britain		ILLINOIS.	
New Haven		Cerebrospinal meningitis:	
Scattering.	-	Decatur	,
Dysentery (bacillary)		Herrin	,
German measles.		Woodford County—Panola Township	
Influenza.		Diphtheria:	•
Lethargic encephalitis		Aurora	11
Measles		Blue Island.	3
Mumps		Chicago.	250
Pneumonia (lobar)		Cicero	
Poliomyelitis		Decatur	24
Scarlet fever.		East St. Louis	11
Septic sore throat		LaGrange Park	9
Tuberculosis (all forms)		Mattoon.	13
Typhoid fever:		Maywood	10
East Granby	11	Peoria.	17
Scattering	9	l	21
Whooping cough		Waukegan	8
DELAWARE.		Scattering	303
-	_	Influenza	11
Diphtheria	8	Lethargic encephalitis:	
Measles		Chicago	2
Mumps	3	Peoria	2
Ophthalmia neonatorum	1	Pneumonia 1	184
Scarlet fever—Wilmington	15	Poliomyelitis:	
Tuberculosis:	6	Aurora	1
Wilmington Scattering	8	Chicago	3
Typhoid fever	5	Clark County—Wabash Township	1
Whooping cough	3	Coles County—Charleston Township	1
w nooping cough	•	Cornell	1
FLORIDA.		Danville	1
Diphtheria	24	Flora	1
Influenza	5	Joliet	1
Malaria	20	Mulberry Grove Nauvoo	1
Pneumonia	2	Niantic.	1
Scarlet fever	3	Piatt County-Willow Branch Township	1
Smallpox	5	Sparland	i
Typhoid fever	5	Stephenson County—Rock Run Township.	î
GEORGIA.		Summit	ī
Chicken pox	5	Vermilion County—Butler Township	1
Dengue.	4	Whiteside County-Montgomery Town-	•
Diphtheria	87	The state of the s	1
Dysentery (bacillary)	3	Will County—Troy Township	1
German méasles.	2	Scarlet fever:	
Hookworm disease	55	Chicago 10	16
Influenza	21	Peoria 1	4
Malaria	72	Rockford 1	
Pellagra	1	Scattering	
Pneumonia	5		3
Searlet fever	51	Typhoid fever:	
Septic sore throat	1	•	1
Smallpox	2		8
Puberculosis (pulmonary)	9		8
Typhoid fever	30 /	INDIANA.	
Whooping cough	13	Diphtheria39	1
IDAHO.			1
•		Scarlet fever	6
Zerobrospinal meningitis	1	Smallpox	8
hicken pox	1	Typhoid fever	3

¹ Week ended Friday.

		•	
IOWA.	SPS.	MASSACHUSETTS.	ses.
Diphtheria		Cerebrospinal meningitis	303. 4
Poliomyelitis:		Chicken pox.	101
Dubuque	1	Conjunctivitis (suppurative)	
Iowa City	1	Diphtheria	243
Scarlet fever	123	Dysentery	1
Smallpox	11	German measies	2
Timore		Influenza	
Kansas.		Lethargic encephalitis	
Cerebrospinal meningitis	2	Measles	
Chicken pox	45	Mumps	
Diphtheria		Ophthalmia neonatorum	
German measles	1	Pneumonia (lobar)	59 7
Influenza	1 . 5	Scarlet fever.	
Mumps.	5	Septic sore throat.	1
Ophthalmia neonatorum	1	Smallpox	2
Pneumonia	15	Tuberculosis (all forms)	154
Poliomyelitis	4	Typhoid fever	14
Scarlet fever	274	Whooping cough	45
Smallpox	14	MINNESOTA.	
Tuberculosis	69		
	26	Chicken pox	8
Whooping cough	24	Minneapolis	93
LOUISIANA.		Scattering	91
·		Measles.	6
Diphtheria	30	Poliomyelitis	_
InfluenzaParatyphoid fever	17	Scarlet fever.	
••	1 21	Smallpox	24
Smallpox.	2	Tuberculosis	143
	13	Typhoid fever	14
	46	Whooping cough	9
		MISSISSIPPI.	
MAINE.		Diphtheria	99
	24		99 21
Chicken pox	24 29	Diphtheria	
Chicken pox	29 1	DiphtheriaScarlet fever	21
Chicken pox	29 1 1	Diphtheria	21 2
Chicken pox	29 1 1 1	Diphtheria Scarlet fever. Smallpox Typhoid fever. MISSOURI.	21 2
Chicken pox	29 1 1 1 2	Diphtheria. Scarlet fever. Smallpox. Typhoid fever.	21 2 44
Chicken pox Diphtheria German measles Measles Mumps Preumonia Scarlet fever	29 1 1 1 2 18	Diphtheria Scarlet fever. Smallpox. Typhoid fever. MISSOURI. Chicken pox.	21 2 44
Chicken pox Diphtheria German measles Measles Mumps Pneumonia Scarlet fever Tuberculosis	29 1 1 1 2 18 6	Diphtheria Scarlet fever. Smallpox Typhoid fever MISSOURI. Chicken pox Diphtheria Epidemic sore throat Influenza.	21 2 44 11 298
Chicken pox Diphtheria German measles Measles Mumps Pneumonia Scarlet fever Tuberculosis Typhoid fever	29 1 1 1 2 18	Diphtheria Scarlet fever. Smallpox. Typhoid fever. MISSOURI. Chicken pox. Diphtheria Epidemic sore throat. Influenza. Measles.	21 2 44 11 298 41 8 3
Chicken pox Diphtheria German measles Measles Mumps Pneumonia Scarlet fever Tuberculosis Typhoid fever Whooping cough	29 1 1 1 2 18 6 5	Diphtheria Scarlet fever. Smallpox Typhoid fever. MISSOURI. Chicken pox. Diphtheria Epidemic sore throat Influenza Measles. Mumps.	21 2 44 11 238 41 8 3 2
Chicken pox Diphtheria German measles Measles Mumps Pneumonia Scarlet fever Tuberculosis Typhoid fever Whooping cough	29 1 1 2 18 6 5 4	Diphtheria Scarlet fever. Smallpox. Typhoid fever. MISSOURI. Chicken pox. Diphtheria. Epidemic sore throat. Influenza. Measles. Mumps. Ophthalmia neonatorum	21 2 44 11 298 41 8 3 2
Chicken pox Diphtheria. German measles. Measles. Mumps. Pneumonia. Scarlet fever. Tuberculosis. Typhoid fever. Whooping cough MARYLAND.1 Chicken pox	29 1 1 1 2 18 6 5 4	Diphtheria Scarlet fever. Smallpox Typhoid fever. MISSOURI. Chicken pox Diphtheria Epidemic sore throat Influenza Measles. Mumps. Ophthalmia neonatorum Scarlet fever.	21 2 44 11 298 41 8 3 2 1
Chicken pox Diphtheria German measles Measles Mumps Pneumonia Scarlet fever Tuberculosis Typhoid fever Whooping cough MARYLAND.¹ Chicken pox Diphtheria	29 1 1 2 18 6 5 4 27 74	Diphtheria Scarlet fever. Smallpox Typhoid fever MISSOURI. Chicken pox Diphtheria Epidemic sore throat Influenza. Measles. Mumps. Ophthalmia neonatorum Scarlet fever. Smallpox	21 2 44 11 298 41 8 3 2 1 138 26
Chicken pox Diphtheria German measles Measles Mumps Pneumonia Scarlet fever Tuberculosis Typhoid fever Whooping cough MARYLAND.1 Chicken pox Diphtheria Dysentery	29 1 1 1 2 18 6 5 4 27 74 4	Diphtheria Scarlet fever. Smallpox. Typhoid fever. MISSOURI. Chicken pox. Diphtheria Epidemic sore throat Influenza. Measles. Mumps. Ophthalmia neonatorum Scarlet fever. Smallpox. Tuberculosis.	21 2 44 11 298 41 8 3 2 1 138 26 8
Chicken pox Diphtheria German measles Measles Mumps Pneumonia Scarlet fever Tuberculosis Typhoid fever Whooping cough MARYLAND.¹ Chicken pox Diphtheria Dysentery German measles	29 1 1 1 2 18 6 5 4 27 74 4 2	Diphtheria Scarlet fever Smallpox Typhoid fever MISSOURI Chicken pox Diphtheria Epidemic sore throat Influenza Measles Mumps Ophthalmia neonatorum Scarlet fever Smallpox Tuberculosis Typhoid fever	21 2 44 11 298 41 8 3 2 1 1138 26 8 23
Chicken pox Diphtheria German measles Measles Measles Mumps Pneumonia Scarlet fever Tuberculosis Typhoid fever Whooping cough MARYLAND.¹ Chicken pox Diphtheria Dysentery German measles Influenza	29 1 1 1 2 18 6 5 4 27 74 4	Diphtheria Scarlet fever. Smallpox. Typhoid fever. MISSOURI. Chicken pox. Diphtheria Epidemic sore throat Influenza. Measles. Mumps. Ophthalmia neonatorum Scarlet fever. Smallpox. Tuberculosis Typhoid fever. Whooping cough	21 2 44 11 298 41 8 3 2 1 138 26 8
Chicken pox. Diphtheria. German measles. Measles. Mumps. Pneumonia. Scarlet fever. Tuberculosis. Typhoid fever Whooping cough MARYLAND. Chicken pox Diphtheria Dysentery. German measles. Influenza. Lethargic encephalitis.	29 1 1 1 2 18 6 5 4 27 74 4 2 18	Diphtheria Scarlet fever Smallpox. Typhoid fever MISSOURI. Chicken pox. Diphtheria Epidemic sore throat Influenza. Measles. Mumps. Ophthalmia neonatorum Scarlet fever. Smallpox Tuberculosis Typhoid fever Whooping cough	21 2 44 11 298 41 8 3 2 1 138 26 8 23 10
Chicken pox. Diphtheria. German measles. Measles. Mumps. Pneumonia. Scarlet fever. Tuberculosis. Typhoid fever Whooping cough MARYLAND. Chicken pox. Diphtheria. Dysentery. German measles. Influenza. Lethargic encephalitis. Malaria.	29 1 1 1 2 18 6 5 4 27 74 4 2 18 1	Diphtheria Scarlet fever. Smallpox. Typhoid fever. MISSOURI. Chicken pox. Diphtheria Epidemic sore throat. Influenza Measles. Mumps. Ophthalmia neonatorum Scarlet fever. Smallpox. Tuberculosis Typhoid fever. Whooping cough MONTANA. Diphtheria	21 2 44 11 298 41 8 3 2 1 1138 26 8 23 10
Chicken pox Diphtheria German measles Measles Mumps Pneumonia Scarlet fever Tuberculosis Typhoid fever Whooping cough MARYLAND.¹ Chicken pox Diphtheria Dysentery German measles Influenza Lethargic encephalitis Malaria Measles Mumps	29 1 1 1 2 18 6 5 4 27 74 4 2 18 1 1 1 1 1 1 1 1 1 1 1 1 1	Diphtheria Scarlet fever. Smallpox. Typhoid fever. MISSOURI. Chicken pox. Diphtheria Epidemic sore throat Influenza Measles. Mumps. Ophthalmia neonatorum Scarlet fever. Smallpox. Tuberculosis. Typhoid fever. Whooping cough MONTANA. Diphtheria Poliomyelitis—Grass Range.	21 2 44 11 298 41 8 3 2 1 138 26 8 23 10
Chicken pox Diphtheria German measles Measles Mumps Pneumonia Scarlet fever Tuberculosis Typhoid fever Whooping cough MARYLAND.¹ Chicken pox Diphtheria Dysentery German measles Influenza Lethargic encephalitis Malaria Measles Mumps Ophthalmia neonatorum	29 1 1 1 2 18 6 5 4 27 74 4 2 18 1 19 13 13 14 15 16 16 17 18 18 18 18 18 18 18 18 18 18	Diphtheria Scarlet fever. Smallpox. Typhoid fever. MISSOURI. Chicken pox. Diphtheria Epidemic sore throat Influenza. Measles. Mumps. Ophthalmia neonatorum Scarlet fever. Smallpox. Tuberculosis. Typhoid fever. Whooping cough MONTANA. Diphtheria Poliomyelitis—Grass Range. Scarlet fever.	21 2 44 11 298 41 8 3 2 1 138 26 8 23 10
Chicken pox. Diphtheria. German measles. Measles. Mumps. Pneumonia. Scarlet fever. Tuberculosis. Typhoid fever. Whooping cough. MARYLAND.¹ Chicken pox. Diphtheria. Dysentery. German measles. Influenza. Lethargic encephalitis. Malaria. Measles. Mumps. Ophthalmia neonatorum Paratyphoid fever.	29 1 1 1 2 18 6 5 4 27 74 4 2 18 1 19 13 3 1	Diphtheria Scarlet fever Smallpox. Typhoid fever MISSOURI. Chicken pox. Diphtheria Epidemic sore throat Influenza. Measles. Mumps. Ophthalmia neonatorum Scarlet fever. Smallpox Tuberculosis. Typhoid fever Whooping cough MONTANA. Diphtheria Poliomyelitis—Grass Range. Scarlet fever. Smallpox	21 2 44 11 298 41 8 3 2 1 138 26 8 23 10
Chicken pox. Diphtheria. German measles. Measles. Mumps. Pneumonia. Scarlet fever. Tuberculosis. Typhoid fever. Whooping cough MARYLAND.¹ Chicken pox. Diphtheria. Dysentery. German measles. Influenza. Lethargic encephalitis. Malaria. Measles. Mumps. Ophthalmia neonatorum Paratyphoid fever. Pneumonia (all forms)	29 1 1 1 2 18 6 5 4 27 74 4 2 18 1 19 13 3 1 1 15 5 0	Diphtheria Scarlet fever. Smallpox Typhoid fever MISSOURI. Chicken pox Diphtheria Epidemic sore throat Influenza Measles. Mumps. Ophthalmia neonatorum Scarlet fever. Smallpox Tuberculosis Typhoid fever Whooping cough MONTANA Diphtheria Poliomyelitis—Grass Range Scarlet fever. Smallpox Typhoid fever.	21 2 44 11 298 41 8 3 2 1 138 26 8 23 10 14 1 14 21
Chicken pox Diphtheria German measles Measles Mumps Pneumonia Scarlet fever Tuberculosis Typhoid fever Whooping cough MARYLAND.¹ Chicken pox Diphtheria Dysentery German measles Influenza Lethargic encephalitis Measles Mumps Ophthalmia neonatorum Paratyphoid fever Pneumonia (all forms) Poliomyelitis	29 1 1 1 2 18 6 5 4 27 74 4 2 18 1 19 12 3 1 1 19 10 9 9 9	Diphtheria Scarlet fever Smallpox. Typhoid fever MISSOURI. Chicken pox. Diphtheria Epidemic sore throat Influenza. Measles. Mumps. Ophthalmia neonatorum Scarlet fever. Smallpox Tuberculosis. Typhoid fever Whooping cough MONTANA. Diphtheria Poliomyelitis—Grass Range. Scarlet fever. Smallpox Typhoid fever.	21 2 44 11 298 41 8 3 2 1 1138 26 8 23 10 14 1 11 21 2
Chicken pox Diphtheria German measles Measles Mumps Pneumonia Scarlet fever Tuberculosis Typhoid fever Whooping cough MARYLAND.¹ Chicken pox Diphtheria Dysentery German measles Influenza Lethargic encephalitis Malaria Measles Mumps Ophthalmia neonatorum Paratyphoid fever Pneumonia (all forms) Poliomyelitis Scarlet fever.	29 1 1 2 18 6 5 4 27 74 4 2 18 1 19 13 3 1 1 5 9 6 6 6	Diphtheria Scarlet fever Smallpox Typhoid fever MISSOURI. Chicken pox Diphtheria Epidemic sore throat Influenza Measles Mumps Ophthalmia neonatorum Scarlet fever Smallpox Tuberculosis Typhoid fever Whooping cough MONTANA Diphtheria Poliomyelitis—Grass Range Scarlet fever Smallpox Typhoid fever Smallpox Typhoid fever Smallpox Typhoid fever Constant fever Smallpox Typhoid fever Smallpox Typhoid fever Constant fever Smallpox Typhoid fever Smallpox Typhoid fever	21 2 44 11 298 41 8 3 2 1 138 26 8 23 10 14 1 14 21
Chicken pox Diphtheria German measles Measles Mumps Pneumonia Scarlet fever Tuberculosis Typhoid fever Whooping cough MARYLAND.¹ Chicken pox Diphtheria Dysentery German measles Influenza Lethargic encephalitis Malaria Measles Mumps Ophthalmia neonatorum Paratyphoid fever Pneumonia (all forms) Poliomyelitis Scarlet fever Septic sore throat	29 1 1 2 18 6 5 4 27 74 4 2 18 1 19 13 3 1 1 5 9 6 5 2 7 8 8 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9	Diphtheria Scarlet fever. Smallpox. Typhoid fever. MISSOURI. Chicken pox. Diphtheria Epidemic sore throat. Influenza. Measles. Mumps. Ophthalmia neonatorum Scarlet fever. Smallpox. Tuberculosis Typhoid fever. Whooping cough MONTANA. Diphtheria Poliomyelitis—Grass Range. Scarlet fever. Smallpox. Typhoid fever. Whooping cough MONTANA Diphtheria Poliomyelitis—Grass Range. Scarlet fever. Smallpox. Typhoid fever. NEBRASKA. Chicken pox. Diphtheria:	21 2 44 11 298 41 8 3 2 1 1138 26 8 23 10 14 1 14 21 2
Chicken pox Diphtheria German measles Measles Measles Mumps Pneumonia Scarlet fever Tuberculosis Typhoid fever Whooping cough MARYLAND.¹ Chicken pox Diphtheria Dysentery German measles Influenza Lethargic encephalitis Malaria Measles Mumps Ophthalmia neonatorum Paratyphoid fever Pneumonia (all forms) Poliomyelitis Scarlet fever Eeptic sore throat. Trachoma	29 1 1 2 18 6 5 4 27 74 4 2 18 19 13 3 1 1 5 9 6 5 2 1 1 1 1 1 1 1 1 1 1 1 1 1	Diphtheria Scarlet fever. Smallpox Typhoid fever MISSOURI. Chicken pox Diphtheria Epidemic sore throat Influenza Measles. Mumps. Ophthalmia neonatorum Scarlet fever. Smallpox Tuberculosis Typhoid fever Whooping cough MONTANA Diphtheria Poliomyelitis—Grass Range Scarlet fever. Smallpox Typhoid fever NEBRASKA Chicken pox Diphtheria: Omaha	21 2 44 11 298 41 8 3 2 1 138 26 8 23 10 14 1 14 21 2 2
Chicken pox. Diphtheria. German measles. Measles. Mumps. Pneumonia. Scarlet fever. Tuberculosis. Typhoid fever Whooping cough MARYLAND.¹ Chicken pox. Diphtheria. Dysentery. German measles. Influenza. Lethargic encephalitis. Malaria. Measles. Mumps. Ophthalmia neonatorum Paratyphoid fever. Pneumonia (all forms) Poliomyelitis. Scarlet fever. Septic sore throat. Trachoma. Tuberculosis.	29 1 1 2 18 6 5 4 27 74 4 2 18 1 19 13 3 1 1 5 9 6 5 2 7 8 8 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9	Diphtheria Scarlet fever. Smallpox. Typhoid fever. MISSOURI. Chicken pox. Diphtheria Epidemic sore throat. Influenza. Measles. Mumps. Ophthalmia neonatorum Scarlet fever. Smallpox. Tuberculosis Typhoid fever. Whooping cough MONTANA. Diphtheria Poliomyelitis—Grass Range. Scarlet fever. Smallpox. Typhoid fever. Whooping cough MONTANA Diphtheria Poliomyelitis—Grass Range. Scarlet fever. Smallpox. Typhoid fever. NEBRASKA. Chicken pox. Diphtheria:	21 2 44 11 298 41 8 3 2 1 1138 26 8 23 10 14 1 14 21 2
Chicken pox Diphtheria German measles Measles Mumps Pneumonia Scarlet fever Tuberculosis Typhoid fever Whooping cough MARYLAND.¹ Chicken pox Diphtheria Dysentery German measles Influenza Lethargic encephalitis Malaria Measles Mumps Ophthalmia neonatorum Paratyphoid fever Pneumonia (all forms) Poliomyelitis Scarlet fever Septic sore throat Trachoma Tuberculosis Typhoid fever.	29 1 1 2 18 6 5 4 27 74 4 2 18 1 19 13 3 1 1 5 0 6 5 1 1 1 1 1 1 1 1 1 1 1 1 1	Diphtheria Scarlet fever Smallpox. Typhoid fever MISSOURI. Chicken pox. Diphtheria Epidemic sore throat Influenza. Measles. Mumps. Ophthalmia neonatorum Scarlet fever. Smallpox Tuberculosis. Typhoid fever Whooping cough MONTANA. Diphtheria Poliomyelitis—Grass Range. Scarlet fever. Smallpox Typhoid fever. NEBRASKA. Chicken pox Diphtheria: Omaha. Scattering	21 2 44 11 298 41 8 3 2 1 1138 26 8 23 10 14 1 14 21 2 2 3 3 3 3 2 7 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1

NEBRASKA—continued.			oregon—continued.	
Poliomyelitis:	Cases	3.	Poliomyelitis: Ca	ases
Bloomfield	•	1	Jackson County	
Cass County	•••	1	Lane County	
Grand Island	•••	1	Pendleton	
Scotts Bluff County		1	Portland	. '
York	•••	1	Scarlet fever:	
Septic sore throat	**	4	Portland	
Scarlet fever:			Bcattering	. 1
Gage County	•••	8	Smallpox	. !
Scattering	4	19	Tuberculosis	. (
Smallpox		9	Typhoid fever	
Tuberculosis		3	Whooping cough	. !
Typhoid fever	,. 1	14	SOUTH DAKOTA.	
NEW JERSEY.		1		
NEW JERSEI.			Chicken pox	. !
Anthrax		1	Diphtheris	. 1
Cerebrospinal meningitis		2	Measles	
Chicken pox		0	Scarlet fever	
Diphtheria			Smallpox	. :
Influenza		7	Tuberculosis	,
Malaria		1	TEXAS.	
Measles		9	Diphtheria	. 44
Paratyphoid fever		1	Influenza	. `{
Pneumonia		5	Poliomyelitis	
Poliomyelitis		5	Scarlet fever	. 13
Scarlet fever			Typhoid fever	. (
Smallpox			•	
Trachoma		1	VERMONT.	47
Typhoid fever		8	Chicken pox Diphtheria	
Whooping cough	4	6	Mumps.	
NEW MEXICO.		ı	Poliomyelitis	
•		.	Scarlet fever	
Cerebrospinal meningitis		1	Typhoid fever	
Chicken pox		. ,	Whooping cough	
Diphtheria		i	<u> </u>	
Malaria		i	VIRGINIA.	
Pneumonia		2	Smallpox—Dinwiddie County	. 4
Poliomyelitis		3	WASHINGTON.	
Scarlet fever.		8	Chicken pox	83
Smallpox		i	Diphtheria:	00
Tuberculosis		_ 1	Walla Walla	10
Typhoid fever			Scattering.	
-, p	-		Measles.	
NORTH CAROLINA.		- 1	Mumps	
Cerebrospinal meningitis		2	Pneumonia	
Chicken pox			Poliomyelitis:	•
Diphtheria			Aberdeen	1
Measles			Arlington	1
Scarlet fever.			King County	1
Septic sore throat			Seattle	2
Smallpox		- 1	Skagit County	1
Typhoid fever			Spokane	1
Whooping cough			Scarlet fever:	
•		- 1	Spokane	16
OREGON.		I	Scattering	27
Chicken pox	. 14	1	Smallpox:	
Diphtheria:		-		18
Portland		5 🕴	Scattering	
Scattering		ı Į	Tuberculosis	25
Lethargic encephalitis-Oregon City (sus-	•		Typhoid fever:	_
pected)	. 1		Wenatchee	9
Measles	. 1		Scattering	
Mumps		3	Whooping cough	44

	-;		
WEST VIRGINIA.		1 WISCONSIN.	
Diphtheria:	Cases.	Milwaukee:	Cases.
Bluefield	9	Chicken pox	76
Charleston	11	Diphtheria	36
Clarksburg	17	Scarlet fever	22
Elkins		Smallpox	
Grafton		Tuberculosis	
Huntington		Whooping cough	7
Parkersburg.		Scattering:	
Wheeling.		Chicken pox	51
Scattering.		Diphtheria	
Scarlet fever:		Influenza	
Wheeling	13	Measles	
Scattering		Poliomyelitis	7
Smallpox		Scarlet fever	
Typhoid fever:		Smallpox Tuberculosis	
Bluefield	15	Typhoid fever	
Scattering		Whooping cough	
and the second s			••••
Reports fo	or Week E	nded Oct. 22, 1921.	
DISTRICT OF COLUMBIA.	Cases	KENTUCKY—continued.	Cases.

DISTRICT OF COLUMBIA.	Ses.	KENTUCKY—continued.	Cases.
Cerebrospinal meningitis	1	Diphtheria—Continued.	
Chicken pox		McLean County	. 8
Diphtheria	-	Todd County.	. 23
Influenza		Webster County	. 11
Lethargic encephalitis	2	Scattering	. 86
Measles	3	Dysentery	
Poliomyelitis.		Influenza	2
Scarlet fever		Malaria	
Tuberculosis		Measles	_
Typhoid fever		Pneumonia	
Whooping cough	7	Poliomyelitis—Jefferson County	
•			
KENTUCKY.		Scarlet fever	
Cerebrospinal meningitis:		Septic sore throat	. 6
Ballard County	1	Smallpox:	
Rowan County	1	Fulton County	
Scott County	1	Scattering	
Diphtheria:		Tonsillitis	. 15
Boyd County	12	Trachoma	. 44
Boyle County	8	Tuberculosis:	
Clark County	.8	Jefferson County	. 15
Daviess County	30	Scattering	. 6
Hardin County	11	Typhoid fever	. 45
Jefferson County	85	Whooping cough	. 32

SUMMARY OF CASES REPORTED MONTHLY BY STATES.

The following summary of monthly State reports is published weekly and covers only those States from which reports are received during the current week:

State.	Cerebrospinal meningitis.	Diphtheria.	Influenza.	Malaria.	Measles.	Pellagra.	Poliomyelitis.	Scarlet fever.	Smallpox.	Typhoid fever.
1921. Alabama (September). Hawaii (September). Illinois (September). Massas (September). Mississippi (September). New York (August). North Carolina (September). North Dakota (September). Oklahoma (September). Oregon (September). South Carolina (September). Vermont (August). Washington (September). Wyoming (September).	41	244 12 1,606 1,076 642- 1,078 1,160 52 176 121 578 30 109	2 8 61 12 80 43	164 128 6 20,769 5 1 56	1 2 81 21 74 545 36 6 8 2 64 19 10	2 577 3 12	213 222 3 253 4 14 2 22 1 14 124	70 1 851 424 135 466 350 67 47 35 29 49 136	28 21 23 111 36 51 40 3 24 41 17 52 12	172 19 404 150 301 438 260 31 88 24 12 68

CITY REPORTS FOR WEEK ENDED OCT. 15, 1921.

ANTHRAX.

	City.	Cases.	Deaths.
California: Los Angeles New York: New York.		1	. 1

CEREBROSPINAL MENINGITIS.

The column headed "Median for previous years" gives the median number of cases reported during the corresponding weeks of the years 1915 to 1920, inclusive. In instances in which data for the full six years are incomplete, the median is that for the number of years for which information is available.

City. for pr	Median for pre-				Median for pre-		Week ended Oct. 15, 1921.	
	vious years.	Cases.	Deaths.		vious years.	Cases.	Deaths.	
Connecticut: Bridgeport Illinois: Blue Island Chicago Indiana: East Chicago Maryland: Baltimore Cumberland Massachusetts: Framingham Michigan: Detroit.	0 2 0 1 0 0	1 1 1 1 1 1 3	2 1 1 1 1 1 2	Minnesota: Duluth Missouri: St. Joseph New York: Newburgh New York North Carolina: Raleigh Pennsylvania: Philadelphia	0 0 0 2 0 0	1 4	1 2 2 1	

DIPHTHERIA.

See p. 2745; also Telegraphic weekly reports from States, p. 2734, and Monthly summaries by States, p. 2738. INFLUENZA.

City.	Cases.	Deaths.	City.	Cases.	Deaths.
Alabama:			Massachusetts—Continued.		
Mobile		1	LynnQuincy	1	
California:		1	Quincy	2	
Los Angeles	3		Saugus	2	
San Francisco	9		Michigan: Detroit		1
District of Columbia:				1	
Washington	1		Missouri:		
florida:			Cape Girardeau	1	
Tampa	9		New Jersey:		
leorgia:	_		Newark	1	
Atlanta	8		New York:		1
llinois:		_	New York	21	
Chicago	11	1	Ohio:		İ
Cicero	1		Cleveland	1	
ndiana:		_	Cleveland Heights	2	
Indianapolis		1	Oklahoma:		
ouisiana:	_	اء	Oklahoma City		
New Orleans	1	2	Pennsylvania:	_	
faryland:			Philadelphia	2	
Baltimore	1		Texas:		
fassachusetts: Boston	3	l	Dallas	••••	
Boston	3		Wisconsin:		
Haverhill			Wausau	1	

California: Los Angeles	1		
		 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	

LETHARGIC ENCEPHALITIS.

City.	Cases.	Deaths.	City.	Cases.	Deaths.
Massachusetts: Salem	.1		Nebraska: Omaha		
		MAL	ARIA.		
Alabama: Anniston Birmingham Mobile Montgomery Arkansas: Fort Smith Little Rock Florida: Tampa Georgia: Atlanta Macon Valdosta Illinois: Chicago.	1 6 6 6 1	1 1 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Indiana: Marion Louisiana: New Orleans Maryland: Baltimore Northbridge Missouri: Kansas City New York: New York Tennessee: Memphis Nashville Texas: Beaumont Dallas.	1 3 2 1 2 10	

MEASLES.

See p. 2745; also Telegraphic weekly reports from States, p. 2734, and Monthly summaries by States, p. 2738.

PELLAGRA.

City.	Cases.	Deaths.	City.	Cases.	Deaths.
Alabama: Birmingham. Mobile. Arkansas: Little Rock. Georgia: Valdosta Illinois: Chicago. North Carolina: Winston-Salem.	1	1 1	Oklahoma: Oklahoma City, Tennessee: Memphis Nashville. Texas: Waco. Virginia: Petersburg.		1 1 1 1

PNEUMONIA (ALL FORMS).

	1	l l	II .	i .	
Alabama:			Connecticut—Continued.		
Birmingham		2	New Haven		2
Arizona:	İ		New London		
Tucson	1	1	Waterbury		4
California:			Delaware:		•
Alameda		1 1	Wilmington	1	1
Long Beach	2	i i	District of Columbia:	1	-
Long Deach			Washington		_
Los Angeles		1 3			7
Cakland		3	Georgia:		
Pasadena		1	Atlanta		4
San Bernardino		2	Macon		. 3
San Diego		1	Savannah	1	. 1
San Francisco	5		(i Tilimeia:	1 1	-
Santa Barbara	•	i	Alton	1	
Stockton		5	Blue Island	-	
Colorado:	J		Chicago		24
Colorado Springs		1	Cicero		. 1
Denver		6	Evanston		
Greeley	l	1	Freeport	l	1
Pueblo		2	Freeport	1	2
Connecticut:		- 1	Kewanee		. រ
Bridgeport		l	Peoria		ŝ
Manchester					2
Manchester	, 2		Springfield	[

PNEUMONIA (ALL FORMS)—Continued.

Cases. Deat	City.	Deaths.	Cases.	. City.
nued.	New Jersey—Continued.			Indiana:
	Hoboken	1		East Chicago
12 !	Newark	2		Indianapolis
4 !	Orange	1		South Bend
	Passaic Phillipsburg. Plainfield.	1		East Chicago
	Phillipsburg		i i	lowa:
1	Plainfield	1	2	_ Dubuque
5	Trenton			Cansas:
i i	New Mexico:		2	Atchison
	Albuquerque		1	Kansas City Leavenworth
1 1	New York:		1	Leavenworth
5	Albany. Auburn			TODEKB
	Auburn		1	Wichita
2	Binghamton	_		Centucky:
11	Buffalo	2		Covington
	Cohoes	2	6	Louisville
2	Elmira		1 1	ouisiana:
3	Jamestown	1		Monroe New Crleans
3	Lackawanna	9		New Crieans
1	Lockport	_	, l	aine:
	Middletown	1		Lewiston
166	New York	1		Portland
1	Niagara Falls	ابيا	ایما	aryland:
····· <u>1</u>	Peekskill Rochester	14	21	Baltimore
7	Rochester	!		las <u>s</u> achusetts:
2	Rome	16		Boston
3 1	Rome Saratoga Springs Schenectady Syracuse Syracuse	3		Bost on
4	Schenectady	1		Chelsea
	Syracuse	1		Chicopes
1 1	North Caronna:	1		Chicopee Everett Fall River
	Raleigh	1	3	Fall River
	Winston-Salem		3	Leominster
1 1	l Ohio:		3	Lowell
4	Akron Barberton	۱ ۱ ا		Malden
	Barberton	1		Methuen
1 1	Conton		. 2	Newton Pittsfield
	Cincinnati	1		Pittsfield
16	Cleveland	1	2	Quincy
	Columbus		· 1	Somerville
	East Cleveland	1		Springfield
	Toledo	1		Taunton
	Cincinnati. Cleveland. Columbus East Cleveland Toledo. Youngstown	5		Quincy Quincy Somerville Springfield Taunton Worcester
- F	Oklanoma.	ĺ.	_ 1	KINDERNI. I
	Oklahoma City		2	Ann Arbor Detroit
1 1	Oregon:	12	39	Detroit
	Portland	2	3	Flint
1 1	Pennsylvania:		4].	Grand Rapids
34	Philadelphia	2		Hamtramck
	Rhode Island:		3 .	Highland Park
	Pawtucket	2	5	Kalamazoo
	Providence		1 .	Kalamazoo Port Huron
) 1	South Carolina:	- 11		innesota 1
	Charleston		1].	Dubuth . I
1 1	Tonnoccoo	11		MinneapolisSt. Paul
	Memphis	2		St. Paul
1 1	Texas:	li li		iccontri. 1
	Dallas	10		Kansas City
	Galveston	3		St. Joseph
	Utah:	1		Springfield
	Salt Lake City	il.	1	ontana:
	Virginia:		1 .	Billings
	Danville	3		BillingsButte
	Norfolk		1 .	Missoula
	NorfolkPetersburgPortsmouth		- 1	braska:
	Portsmouth	4		Omaha
	Richmond	- 11	1	w. Hamnehire
	Roanoke.	1		Concord Nashua
	West Virginia:	ill		Nashua
I	Charleston	- 11		
	Charleston	11	1.	Bloomfield
	Wisconsin:	•••••	î .	East Orange
1 1	V 1000113111.	3	* -	Elizabeth
	Kenosha	3	i .	Garfield
• • • • • • • • • • • • • • • • • • • •	Racine	·····	i :	Hackensack
			1 /-	

POLIOMYELITIS (INFANTILE PARALYSIS).

The column headed "Median for previous years" gives the median number of cases reported during the corresponding weeks of the years 1915 to 1920, inclusive. In instances in which data for the full six years are incomplete, the median is that for the number of years for which information is available.

City.	Median for pre- vious		c ended 15, 1921.	City.	Median for pre- vious		ended 5, 1921.
	years.	Cases.	Deaths.	:	years.	Cases.	Deaths.
California: San Francisco. Stockton. Colorado: Pueblo. Trinidad. Connecticut: New Haven. Waterbury. District of Columbia: Washington. Illinois: Chicago. Decatur. Oak Park Peoria. Iowa: Sioux Falls Kansas: Kansas City Maryland: Baltimore. Cumberland.	000000000000000000000000000000000000000	1 1 1 1 1 1 1 1 2 1 1	3 1	Montana: Billings. Nebraska: Lincoln New Jersey: Bayonne. Clifton. Elizabeth Newark Rahway New York: Buffalo. Middletown. New York Syracuse North Carolina: Charlotte. Ohio: Akron Cincinnati. Cleveland Youngstown.	0 0 0 0 0 0 3 0 0	1 1 1 3 3 1 34 3 3 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 2
Massachusetts: Boston Everett Haverhill Michigan:	0 0 0	1 1	1	Portland. Pennsylvania: Philadelphia. Vermont: Rutland	0	1 1 1	1
Ann Arbor. Detroit. Kalamazoo. Minnesota: St. Paul. Missouri: Kansas City.	0 0 0	1 8 1 2 6	4	Virginia: Richmond. Washington: Seattle. Spokane Wisconsin: Milwaukee.	0	2 1 1	

RABIES IN ANIMALS.

City.	Cases.
Georgia: Angusta Missouri: Kansas City North Carolina:	
Winston-Salem	1

SCARLET FEVER.

See p. 2745; also Telegraphic weekly reports from States, p. 2734, and Monthly summaries by States, p. 2738.

SMALLPOX.

The column headed "Median for previous years" gives the median number of cases reported during the corresponding weeks of the years 1915 to 1920, inclusive. In instances in which data for the full six years are incomplete, the median is that for the number of years for which information is available.

City.	Median Oct.		k ended 15, 1921.	City.	Median for pre-	Week ended Oct. 15, 1921.		
	years.	Cases.	Deaths.		vious years.	Cases.	Deaths.	
Alabama: Mobile. California: Los Angeles. Oakland Richmond. Riverside. District of Columbia: Washington Iowa: Mason City. Muscatine. Kansas: Kansas City. Michigan: Alpena. Ann Arbor. Minnesota: Duluth. Hibbing Mineapolis. St. Paul.	0 0 0 0 0	3 5 6 1 1 2 1 4 1 2 1 6 1 1 1 5	1	Missouri: Kansas City Montana: Great Falls. Ohio: Fremont. Oregon: Portland. Utah: Salt Lake City. Washington: Aberdeen. Seattle Spokane. Tacoma. West Virginia: Bluefield. Parkersburg. Wisconsin: Manitowoc. Milwaukee. Racine.	0 0 0 3 1 0 3 5 0 0	13 7 2 3 3 3 2 16 4 3 2 1 1		

TETANUS.

City.	Cases.	Deaths.	City.	Cases.	Deaths.
Kentucky: Lexington. Louisville Maryland: Baltimore. Massachusetts: Fall Rivel Minnesota: St. Paul Missouri: St. Louis Nebraska: Omaha	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	New Jersey: Harrison Trenton New York: Auburn Jamestown Pennsylvania: Philadelphia Texas: Dallas Virginia: Roanoke	1 1	

TUBERCULOSIS.

See p. 2745; also Telegraphic weekly reports from States, p. 2734.

TYPHOID FEVER.

The column headed "Median for previous years" rives the median number of cases reported during the corresponding weeks of the years 1915 to 1920, inclusive. In instances in which data for the full six years are incomplete, the median is that for the number of years for which information is available.

City.	Median for pre- vious	Oct.	k ended 15, 1921.	City.	Median for pre- vious	Week Oct. 1	ended 5, 1921.
	years.	Cases.	Deaths.	1	years.	Cases.	Deaths.
Alabama:				Massachusetts:			
Birmingham	4	9	1	Arlington	0	1	
Mobile	ĺ	3		ll Boston	2	. 5	i
Arkansas:			1	Cambridge	1 0	1	
Little Rock North Little Rock	1	1 1		Fall River	3	1 3	•••••
California:	0	٠ .		Framingham	Ō		·····i
Long Reach	0	1		ll Greenfield	0	1	
Los Angeles Oakland	5	3		Lawrence	1	1	
Oakland	0	1	•••••	Lowell	1 0	1 3	
Sacramento San Diego	1 0	2		Newton. Southbridge	ŏ	1	·····i
San Francisco	3	i		Worcester	i	i	
Vallejo	ŏ	2		Michigan:		_	
Colorado:			1 .	Battle Creek	0 11	••••••	1
Colorado Springs	0		1 1	Detroit	i	8	·····i
Denver. Trinidad	3 0	1	·} -	Saginaw	2	i	i
Connecticut:	١	•		Minnesota:		_	•
Bridgeport	0	2	1	Minneapolis	4		1
DerbyGreenwich		1		St. Cloud	·····ö	1	
New Haven	0	1 1	•••••	Missouri:	١	4	2
District of Columbia:	3		•••••	Kansas City	6	2	1
Washington	8	7	1	St. Louis	11	2	ī
Florida:	1			Montana:	!	_	
Tampa		2		Billings	1	2	••••••
Georgia: Atlanta	1	1		Nebraska: Lincoln	0	2	
Augusta	- 1	i		Omaha	ž	3	····i
Macon	i	î	2	New Hampshire:	_		•
Macon Rome Savannah	0	2		Portsmouth	0	2	•••••
Savannah	0	1	2	New Jersey:	ol		
ValdostaIdaho:		1		Atlantic City East Orange	ől	1	••••••
Boise	0	2		Hackensack	ŏl	2	••••••
Illinois:	•	-		Newark	3	1	i
Bloomington	0	2		Trenton	1	6	ī
Centralia	7 8	1 9	3	New Mexico: Albuquerque	- 1	2	
Chicago Freeport	ő.	y	1 1	New York:		z i	••••••
Galesburg. Jacksonville	ĭ	4		Albany	0	1	
Jackson ville	0	1		Binghamton	0	· 1	••••••
Kewanee	0	2		Buffalo	8	4	•••••••••••••••••••••••••••••••••••••••
Murphysboro Peoria		1 1	i	ElmiraGlens Falls	8	5	1
Quincy	ŏ	2		Ithaca.	ŏ	2	•••••
Springfield	ĭ	ī		Lockport	0	ī	
Indiana:	اء			Mount Vernon Newburgh	0		1
Bloomington	0	i	1	New York	40	2	3
KokomoLa Fayette	ō	i	••••••	Niagara Falls	70	24 2	ð
Logansport	ŏ.	<u>-</u>	i	Peekskill	ŏ	3	
Marion Richmond	0	1		Rochester	0	1	••••••
Iowa:	0	1		Syracuse	0	6	· · · · · · · · · · · · · · · · · · ·
Ottumwa		1		Troy North Carolina:	1	1	• • • • • • •
Waterloo		î		Durham	1	2	
Kansas:				Wilmington	õ	2	
Atchison	9]	5		Ohio:	_ 1	_	
Kansas City	1 2	4 2	·····i	Akron	2	2	· · · · · · •
Kentucky:	-	2	1	Chillicothe Cleveland	0	1 3	• • • • • • •
Covington	0 .		1	Cleveland Heights		9	·····i
Louisville	2	2	····	Columbus	3	12	-
Louisiana:	1	i	.	Dayton East Cleveland	5	1	
Monroe New Orleans	••••	6	1	East Cleveland Fremont	0	1	· · · · · · · · ·
Maine:	-	٥		Lima	0	3	••••••
Portland	0	2		Marion.	2	2	
Maryland:				Marion New Philadelphia		1 .	
Baltimore	12	11	2	Niles	1	1 l	

TYPHOID FEVER-Continued.

City.	Median for pre-		ended 5, 1921.	City.	Median for pre-			
	years.	Cases.	Deaths.		vious years.	Cases.	Deaths.	
Ohio—Continued. Sandusky. Toledo. Oklahoma: Oklahoma City. Pennsylvania: Bethlehem. Bradford. Carnegie. Chester. Easton. Farrell. Lancaster. Monessen. New Kensington. North Braddock. Philadelphia. Pittsburgh. Reading. Beranton. Rhode Island: Providence. South Carolina: Charleston. Temnessee: Nashville.	0 0 1 0 0 1 0 1 0	1 21 1 3 1 1 1 1 1 2 5 5 1 1 1 8 7 3 3 1 1 4 7	3	Texas—Continued. Fort Worth. Galveston. Utah: Salt Lake City. Vermont: Burlington. Virginia: Danville. Lynchburg. Petersburg. Portsmouth. Richmond. Roanoke. Washington: Seattle. West Virginia: Bluefield. Fairmont. Huntington. Martinsburg. Wheeling. Wisconsin: Beloit. Eau Claire. Fond du Lac.	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 2 1 1 1 1 1 1 1 1 2 2 2 2 2 3	1	
Texas: Dallas	3	4		Oshkosh	O	1		

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS.

	Popula- tion Jan. 1.	Total deaths	Diph	theria.	Mea	sles.		rlet er.		ber- osis.
City.	1920, subject to correction.	from all causes.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Alabama: Anniston. Birmingham. Mobile. Montgomery. Tuscaloosa. Arizona: Tucson.	17,734 178,270 60,151 43,464 11,996 20,292	55 31 10	6 11 4 1	2	i		10		3	3 1 1
Arkansas: Fort Smith. Hot Springs. Little Rock. North Little Rock Califorma: Alameda.	28,811 11,695 64,997 14,048 28,806	6	3 2 2		1		2 7		9	
Alameoa Bakersfield Eureka Glendale Long Beach Los Angeles Oakland	25, 800 18, 638 12, 923 13, 536 55, 593 576, 673 216, 361	3 2 3 9 147 39	8 106 17	2 1	2 2		1 9 5		1 1 81 1	1 19 -5
PasadenaRichmondRiversido	45,354 16,843 19,341 65,857 18,721	14 3 6 16	1 1 1 8		1		1		1 2 3	1
San Diego. San Francisco. Santa Barbara. Santa Cruz. Stockton. Vallelo.	74,683 508,410 19,441 10,917 40,296 21,107	26 97 4 2 10 5	29 5 1	3			3	```	28 	3 1 2

	Popula- tion Jan. 1,	Total deaths	Diph	theria.	Mea	sles.	Sc. fe	arlet ver.	Tu	ıber- losis.
City.	1920, sub- ject to correction.	from all causes.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Colorado:							1			-
Colorado Springs Denver	30, 105 256, 369	10 64	3 12		3		4			3 10
Greeley	256, 369 10, 883 42, 908 10, 906	1	ļ _. .		ļ		····			
PuebloTrinidad	10,906		9 2				1			2
Connecticut:			1				l		1	
BridgeportBristol	143,538 20,620 11,238	21 2	12 2		• • • • • • • • • • • • • • • • • • • •		5		2	2
Derhy	11,238	5	1	i						
Fairfield	11 475	0 15	2 9 3 6 2 2		····i·		2		1	i
Hartford Manchester	138,036 18,370 29,842	4	3		l . .					1
Meriden	29, 842 10, 193		6				5		1	
Milford New Britain	59,316	3 10	2							•
New Haven New London	59,316 162,519	33	13	1			1		7	3
New London Norwalk	25,688 27,700	5 6	1	•••••			2	·····		····i
Norwich	27,700 29,685	4								
Waterbury	91,410	27	2	1	1		7		ı	
Delaware: Wilmington	110, 168	16	2				4	l	l	
District of Columbia:	407 571		01				١.		٠.,	
Washington Florida:	437,571	112	21		3		8		18	9
Tampa	51,252	13	2				1			8
Georgia: Albany	11,555		1						1	
Atlanta	200 616 1	50 16	9	1	1		9	• • • • • •		6
Brinswick	14, 413	2	0							
Augusta Brunswick La Grange	52, 548 14, 413 17, 038						2			
MaconRome	52 995 1	41	3 2				4 7			6
Savannah	13, 252 83, 252 10, 783	32	4				6			ï
Valdosta	10,783	5	3			•••••		• • • • • •		
Idaho: Boise	21,393	5	2				10			
Illinois:							3			
AltonAurora	24,682 36,397	4 5	3 23		····i		3			
BloomingtonBlue Island	36,397 28,725	8 7	16				2		1	i
Blue Island Centralia	11,424	3	2	1		•••••		••••;••	. 1	· · · · · •
Champaign	15,873						2			• • • • •
Champaign	15, 873 2, 701, 705 44, 995 43, 818	564	259	21	11	1	100	3	153	39
Decatur	43,818	10 13	10 11	1 1	:		3 1		4 7	•••••
Eloin	27.404 1	13 7	2							
EvanstonForest Park	37,215 10,768	5 2	10	····i			3 1		•••••	-
Freeport	19,669	11 1	6	<u>-</u> .			5			i
Galesburg	23,834	8 9	1				····i		2 2	;
Galesburg. Jacksonville. Kewanee.	15,713 16,026	4					i		2	
La Salle	13 050 1	1	2							•••••
Mattoon	13,552	3	10 2			•••••				•••••
MurphysboroOak Park	13,552 10,703 39,830	7	1							····i
Pekin	12.086		5 11			•••••	2 14			•••••
Peoria	76, 121 35, 978	26 8	- 11				1			i
Quincy	35,978 35,177	8					1!		2	i i i
SpringfieldIndiana:	59, 183	13	5		1	•••••	1	•••••		1
Anderson	29,767	2								· · · · •
Anderson	11,595	2	2			•••••				····i
Crawfordsville East Chicago	10, 139 35, 967	8	1	•••••					:::::	
Elkhart	35,967 24,277	·9	i				3			····į
T/man before	11, 585	4 1	- 1	1	- 1	- 1	2		- 1	1
FrankfortGary	55, 378	6	6				4			

	Popula- tion Jan. 1,	Total deaths	Diph	theria.	Mea	sles.		arlet ver.		ber- osis.
City.	1920, subject to correction.	from all causes.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Indiana—Continued.		ļ		Į					1	
Huntington	14,000	2	4	1			4			
Indianapolis	314, 194 30, 067	76 6	83	5	14		9		4	5
La Favette	22, 486	6	5							
Kokomo. La Fayette Logansport	21,626	6	1				1			
Marion	23, 747	10	11	2			1		····	† -
Richmond	15, 195 26, 765	2 6	i				1		3	•••••
South Bend.	70,983	13	4	i			i		8	
Terre Haute	66, 083	23	31	1			2			
Iowa:	İ	8	l		1		l	l	l	
Burlington	24, 057 45, 566		3							
Council Bluffs	36, 162	6	ĭ							
Davenport Des Moines	50,727				1		1]		
Des Moines	126,468	7	20 5	····i			18		····i·	
Dubuque	39, 141 20, 065	7		1	• • • • • • • • • • • • • • • • • • • •		3	•	i	·····i
Mason City Muscatine Ottumwa	16, 068	5					1			
Ottumwa	16, 068 23, 003		1				7			
Sioux City	71, 227 36, 230		7 3	····i			2 2			
Waterloo	30, 230	·····	•							
Atchison	12, 630	1	. 6	1	l		3	l	 	l
Coffeyville	13, 452	4	7				1			-
Fort Scott	10, 693 23, 298	1	12 10				3 4			• • • • • •
Hutchinson Kansas City	23, 298 101, 177		23				9		2	·····•
Lawrence Leavenworth Salina Topeka	12, 456	6	15	i			5		.	
Leavenworth	16, 912		9				4			
Salina	15, 085 50, 022	1 .1	1			• • • • • •				• • • • • •
Topeka	72, 128	11 19	70 59	·····2	• • • • • • •	• • • • • •	4 14		4	• • • • • •
Kentucky:	12, 120	1 10	""	-		•••••	14			•••••
Covington	57, 121		1	1			1			
Lexington	41, 534	16	3	;-					9	2 9
LouisvillePaducah	234, 891 24, 735	82	56 3	1	4		5		8	y
Louisiana:	21,.00		١	•••••				•••••		
Monroe	12,675	6								
New Orleans	387, 219	126	9	1			10	1	23	15
Auburn	16, 985	1	l				1			
Bath	16, 985 14, 731	0								
Biddeford	18.008	5	4			•••••		• • • • • •		
LewistonPortland	31, 791 69, 272 10, 691	9 19	1 7	····· ₂	• • • • • •	•••••	2	•••••		
Sanford.	10, 691	10			•••••					
Waterville	13, 351		1							-
Maryland: Baltimore.	772 000	100					-00		32	17
Cumberland	733, 826 29, 837	196 11	33 2	2 1	7		22 5	•••••	32	
Massachusetts:			_	- 1						
Adams	12, 967 10, 036	0				•••••	5			• • • • • •
AmesburyArlington	10, 036 18, 665	2	1	•••••			1	• • • • • •		•••••
Attlohomo	19, 731	4	····i	•••••						
Belmont	10,749	î								
Beverly	22, 561 j	9				••••••				•••••
BostonBraintree	748, 060 10, 580	183 0	31	1	11	•••••	20	• • • • • •	30 1	y
Brockton	66, 138	15	4				4		8	
Brookline	37.748 1	6							3	1
Cambridge	109, 694	22	4		1		3 4	1	3 1	3
Chicones	43, 184 36, 214	9	1 3	2		•••••	1		2	
Clinton	12, 979	1		-			2			••••••
Chelsea	11, 108						ĩ			•••••
Decinam	10, 792 11, 261 40, 120	4								••••••
Easthampton	11, 261	6	2 3			•••••	····i		-:	·····ż
EverettFall River	120, 485	25	6				1		2	2
Framingham	17, 033	25 5	ĭ		, , , ,		ī١			

	Popula- tion Jan. 1,	n. 1, deaths		deaths		tneria.	neria. Measles.		Scarlet fever.		Tuber- culosis.	
City.	1920, subject to correction.	from all causes.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.		
Massachusetts—Continued.												
Gardner	. 16, 971	2	1						. 2	ļ		
Greenfield	. 15, 462	2	1				1		· ····	· ····;		
Haverhill Holyoke Lawrence Leominster	. 53, 884	11 16	8		•	·	5		3	1		
Lawrence	60, 203 94, 270	24	l i				2		1	. i		
Leominster	1 10.744	1 1	Ī							1.		
Lowell	. 112, 479	17	2						. 2	i		
Lynn Malden	99, 148 49, 103	19	12	1					1	1		
Medford	39, 038	9	5 2		5				. 2			
Melrose	18, 204	5	I						i			
Methuen	. 15, 189 10, 907	l i							. 1			
Natick	. 10,907		<u>.</u> .				. 1		1 3			
New Bedford	. 121, 217	28	7				3	 	. 3	2		
Newburyport Newton.	15, 618 46, 054	6 11	4		i		1		2	i		
North Adams	22, 282	2			Ī		i		ĺí	I		
NOTEDAMBEON	21, 951	6	i	1			l î		l			
PeabodyPittsfieldPlymouth	19, 552	1 5	3	1			1					
Pittsfield	41, 751 13, 045	9	5				3		3			
Quincy	47, 876	6	5		····i		4		i			
Salem	42, 529	12	1		•		-		i			
Saugus	10,874	. 2	····i					l	l	i		
Somerville	. 93,091	20	5	i	i				5			
Southbridge Springfield	14, 245	3		ļ <u>.</u> .			2					
Taunton	129, 563	21	8	1	1		4		2	1		
Wakefield	37, 137 13, 025	12 2 8	• • • • • •				2			l. •		
Waltham	30, 915	1 8	····i				-			•••••		
Watertown	21 457	3	l									
Webster	13, 258	3 2							2			
West Springfield Westfield	. 13, 443	4 5 3	i									
Winthrop	18,604	5	1	1				• • • • • •				
Woburn	15, 455 16, 574	1 4						••••	1	·····i		
Worcester	16, 574 179, 754	55	2	2			8		6			
Michigan:	1,	-	1	_					i			
Alpena	11, 101		2				9		1			
Ann ArborBattle Creek	19, 516	12	3				1	•••••				
Benton Harbor	36, 164 12, 233	3	3	····i			····i	•••••				
Detroit	993, 739	184	100	7	5		49	2	30	19		
Flint	91, 599	21	25				18 7					
Grand Rapids	91, 599 137, 634	40	10				7	1	5			
Hamtramck.	18,015	14	15					•••••	4	 		
Highland Park Holland	46, 499	5 1	4		2	•••••	1 2		• • • • • •			
Ironwood	12, 166 15, 739	i		•••••	•••••		-					
Kalamazoo. Marquette.	.1 48.858	17	12				7		2 1	2		
Marquette	1 12 718	5					1		1			
Pontiac Port Huron	34, 273	8	6		•••••		4					
Saginaw.	34, 273 25, 944 61, 903	8 12	1	····i	1		2 3	••••••				
Sault Ste. Marie	12,096	2	9	- 1	•••••		1					
Minnesota:			•		•••••		•					
Austin	10, 118 98, 917	2					1					
Duluth	98, 917	10	15		1		- 4		1			
Hibbing.	15,089	83	1 84	····i	1 4			•••••	19	7		
Minneapolis Rochester	380, 582 13, 722 15, 873	13.	01	-	2	• • • • • • •	43		19	2		
St. Cloud	15.873	10,					8					
St. Cloud St. Paul Virginia	1 234.595	53	21		1		15]	28	2		
Virginia	14,002 19,143		1							• • • • • •		
Winona	19,143		1		•••••		1		•••••	•••••		
Cape Gira:deau	10, 252	2	2		1	1	2					
Independence	1 11 AQA 1	4	ا۔۔۔۔ا									
Joplin	29, 855		1				3					
Kansas City	324, 410	114	78	8	1	1	18		2	è		
St. Joseph St. Louis	29, 855 324, 410 77, 939 772, 897 39, 631	25 169	8 70	1	····i		12		22	9 1 9		
~*· L/VUID	1 (14) 00/	109	10	i i		••••••		••••••	مم			

	Popula- tion Jan. 1,	Total deaths	Dipl	theria.	Mea	asles.		arlet ver.	Tt cul	iber- losis.
City.	1920, sub- ject to cor- rection.	from all causes.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases	Deaths.
Montana:		1				l			1	
BillingsButte	15, 100 41, 611	3 13								· ·····
Great Falls	1 24, 121	8 3					1			
Missoula Nebraska:	12, 668	3	1							·
Lincoln	54, 934	11			2 3	ļ		ļ	2	1 2
Omaha Nevada:	191, 601	64	42	3	3	ļ	2	ļ		2
Reno	12, 016	4	 .			 			1	1
New Hampshire:	16 104	l		1			١.		İ	1
Berlin	16, 104 22, 167 13, 029 11, 210	15	i		•••••		1 2			i
Dover	13, 029	4								
Keene Nashua	11, 210 28, 379	2 11	····i				3			
New Jersey:	•	l	1 -		•••••				•••••	•••••
Asbury Park	12, 400 50, 682	5 9			;-		ļ			₂
Atlantic CityBayonne	76 754	9	••••2		1				1	2
Belleville	15.660				•••••				i	
Bloomfield	22, 019 26, 470 50, 710	i 2	4		9		1 1		1	-
Clifton East Orange	50, 710	10	4 3	····i	•••••		1		1	
Elizabeth	95,682		12	1 1	1		3		4	i
EnglewoodGarfield.	11, 627 19, 381	4 3	i		•••••		····i		2	-
Gloucester City	12, 162		4		•••••		l			
Hackensack	17,667	2			•••••		1		1	
Harrison	15,721 68,166	13	<u>.</u>	····i	•••••		1 2		····i	····i
Irvington	25, 480	19	í							
Irvington Jersey City	297,864		12		2		8		11	
Kearny. Montclair.	26,724 28,810	5 1	2 1		• • • • • •				•••••	•••••
Morristown	12,548	8					i			
Morristown New Brunswick	12,548 32,779	8	.1			•••••	.1			
Newark	414,216	86	13 2		6	•••••	18 1		11	11
Orange	33,268 63,824 135,866	4 17	8				6	2	i	1 2
Paterson	135,806	8	6		2	•••••	1		3	i
Perth Amboy	41,707 16,923	7	9	i	•••••	•••••	1		•••••	i
Phillipsburg Plainfield Rahway	16,923 27,700	9	18	i			2		···i	i
RahwaySummit	11,042	4 3	•••••		•••••	•••••			•••••	•••••
Trenton	10, 174 119, 289	40	5	····i					8	i
Union	20,651 40,668 29,926		5 2							
West Hoboken	49,068	3 4	1		•••••				•••••	1
West New York. West Orange.	15,573	ō	i		:::::					
(ew mexico:		-							_	_
Albuquerque	15,157	11	2	1	•••••	•••••	•••••		3	5
lew York: Altany	113,344		9					أأ	2	
Auburn	3 , 192	15	4	•••••			2		2	1
Auburn. Binghampton. Buffalo. Cohoes.	66,800 506,775 22,987	15 114	33	····ż	····i		8 25		13	iż
Cohoes	22,987	4								
	45,305	18			1				1	•••••
Geneva Glens Falls Hudson	14, (48 16, 638	4 7	····2							•••••
Hudson	16,638 11,745 17,004	7 2 7	4				i		i	
Itnaca	17,004 38,917	7 8	4 6	•••••	•••••		1 4		3	•••••
Jamestown Lackawanna Lockport	17.918	4	î			:::::	i	:::::	2	
Lockport	21,308	4		i					2 1	••••••
Middletown	21,308 18,420 42,726	5	2	•••••		•••••	•••••	•••••	····i·	1
Newburgh	39, 386 1	4	····i				2			
New York	5,621,151 50,760	1,019	113	ii	33		83	i	1 235	1 81
Niagara Falls	" " " " " " " " " " " " " " " " " " "	10					. 5			

¹ Pulmonary tuberculosis only.

	Popula- tion Jan. 1,	Total deaths	Diph	theria.	Mea	sles.		arlet ver.	Tu	ber- osis.
City.	1920, subject to correction.	from all causes.	Cases.	Deaths.	Cases.	Desths.	Cases.	Desths.	Cases.	Deaths.
New York—Continued. North Tonawanda										
North Tonawanda Ogdensburg	15, 482 14, 609	8 8 9	3	1						
Olean	20,506 15,868	9								i
Peekskill Poughkeepsie	1 25 MM	3 8	1						1	
	295, 750	• 67	10	i	1		4	1	10	
Rome. Saratoga Springs	295, 750 26, 341 13, 181 88, 723	7 7	2							
Schenectady	88,723	14	6				6		2	
Syracuse	1 1/1./1/	36 15	24	1	2		19	1	3 2	
White Plains	72,013 21,031	4	ļ <u>.</u> .	l	1		1			
Yonkers North Carolina:	100, 226	13	2	1		·····	8			·····
Charlotte	46,338 21,719 19,861	17	ļ <u>.</u> .	2			3		 -	2
Durham	19.861	3 6	6				1			
Raleigh	24,418	11	11				5		1	
Rocky Mount	12,742 33,372	8 12	2			•••	····i			
Winston-Salem	24,418 12,742 33,372 48,395	ii	2				4		4	
North Dakota: Fargo							7			l
Grand Forks	21,961 14,010		7				ļ			
Ohio: Akron	208, 435	28	27		1		14		4	1
Alliance	21,603	3	!							
BarbertonBucyrus	18,811 10,425	4	2			• • • • • •	<u>.</u>] 1
Canton	87.091	1 26	15	····i			10		1	
Chillicothe	15.831	4	5 40				1 2			····
Cincinnati	401,247 796,836	97	56	3	1 5	•••••	6 65		18	14
Cleveland Heights	15,236	1							1	
Columbus Dayton	237, 031 152, 559	74 40	80 10	2	•••••	•••••	36 6		5 1	1
East ClevelandFindlay	27, 292									1
Fremont	17,021 12,468	5 2 3				•••••	1	•••••	•••••	••••
Fremont Hamilton Ironton	39,675	9	6	1			4		1	
Kenmore	14,007 12,683	6	7	1	•••••	•••••	4 1		•••••]
LancasterLima	14,706	4	6				î			
Lima Lorain	41,306 37,295	11	11 5	1	•••••	•••••	10		•••••	1
Mansheld	27,824	8								i
Marion	27, 891 23, 504	<u>2</u>	17	8	•••••	•••••	7	····i	1	
Newark	23,594 26,718 10,718	. 5	15				7		1	
New Philadelphia	10,718 13,080	····· ₂ ·	11			•••••	i		•••••	·····i
Niles	24, 966	2					1			
Salem	10,305 22,897	4		• • • • • •			•••••			į
SanduskySpringfield	60, 840 28, 508	14	92				1 2			1 2
Stentenville	28,508	9	5				1			
Youngstown	243,109 132,358	62	47 4	3	1		6	···i	1	8
Zanesville.	29,569	6	10	1			1			
Oklahoma: Oklahoma City	91, 258	21	8				10		2	
Tulsa	72,075		8				2			•••••
Portland	258, 288	13	21	4	3		4		3	
Pennsylvania:		~		•	۱				٠,	•••••
Pennsylvania: Allentown Altoona	73,502 60,331		7 3	•••••		•••••	2		••••••	•••••
AmbridgeBerwick	12,730		2							
BerwickBethlehem.	12,181 50,358		2 8				2			· · · · · •
Braddock	20,879						:		···i	-
Bradford	15,525		11				1		اا	•••••

•	Popula- tion Jan. 1,	Total deaths	Diph	theria.	Mea	asles.		rlet ver.		ber- osis.
City.	1920, subject to correction.	from all causes.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Pennsylvania—Continued.						1				
Butler	23,778 10,632				ļ		1		 -	
Canonshiirg.	10,632		1				3			• • • • • •
Carnegie	11,516 10,504		2							
Checter	58,030						1			
Coatesville	14,515		1 7				1			
Coatesville	13,804 14,131		2							• • • • • •
Duquesne	19,011		1				19			
Easton	33,813		1		1	ļ	<u>-</u> -		<u>-</u>	
Erie Farrell.	93,372 15,583		10		····i		2 5		2	ļ .
Greensburg	15, 033		1				ı			
Hazleton	32, 277	l					1			l
Jeannette	10.627		2		<u>-</u> -		1			
Johnstown	67,327	•••••	6 10		5 1		2		•••••	
LancasterLebanon	53, 150 24, 643		10							
McKeesport	45, 975		î							
McKee's Rocks	45, 975 16, 713		5							
Mahanoy City	15, 599	• • • • • • • • • • • • • • • • • • • •	3							
Meadville Monessen	14, 568 18, 179						i			
Mount Carmel	17.469		i							
Nanticoke	22, 614		2				;;-			
New Castle	44, 938	•••••	2 2		2 1		11			• • • • •
New Kensington Norristown	11, 987 32, 319		2				i			
North Braddock	14, 928		3				2			
Oil City	21, 274 1, 823, 158				2 2		3 70		64	
PhiladelphiaPhoenixville	1, 823, 158	336	55 2	5	Z	•••••	10		04	35
Pittsburgh	10, 484 588, 193		31		3		21		5	
Pittston	18, 497		1 1							
Plymouth	16, 500		3	• • • • • •			3			
PottstownPottsville	17, 431 21, 876		i		i		3			•••••
Reading. Scranton	107, 784		7				3			
Scranton	107, 784 137, 783 21, 204		5				1			
ShamokinSharon	21, 204 21, 747	•••••	5 2 3 1				1		• • • • • •	-
Sharon. Shenandoah. Sunbury. Uniontown.	24, 726		1				l			• • • • • •
Sunbury	15, 721		1 2							
Uniontown	15, 692		2		•••••		1		• • • • • •	•••••
WarrenWilke-Barre	14, 256 73, 833	•••••	4 14			• • • • • •	2		• • • • • •	
Wilkinsburg	24, 403	•••••	2							
Wilkinsburg Williamsport	24, 403 36, 198		2 3				1			
Woodlawn	12, 495	• • • • • • • • • • • • • • • • • • • •	4				3			-
YorkRhode Island:	47, 512	•••••	1		•••••		1			
Cranston	29, 407	8	1				1			
Newport	30, 255 64, 248 237, 595	4					3			-
Pawtucket Providence	937 505	22 56	3 5			• • • • •	····i		• • • • • • • • • • • • • • • • • • • •	·····5
South Carolina:	201,000	- 50	J		•••••		-			
Charleston	67, 957	26	3				4		2	. 1
Columbia South Dakota:	37, 524		6		1		4	• • • • • •		•••••
Sioux Falls	25, 176	4					2			1
Tennessee:		*	•••••			•••••		•••••		_
Chattanooga	57, 895		12	ا ۔ یہ ۔ ا			1	•••••		••••••
Knoxville	77, 818 162, 351	45	22	1	• • • • • •	• • • • • •	5 7	• • • • • •	1 4	17
Nashville	118, 342	38	- 44				5		5	1 7 1
Texas:		1					i i			
Beaumont	40, 422	9	•••••	<u> ا</u>	•••••	•••••		•••••		1
Corpus Christi	10, 522	2 40	1 5		•••••	•••••	5			·····•
El Paso	77. 543	18	1				4			4
Fort Worth	158, 976 77, 543 106, 482		4				ĩ		1	
Galveston	44, 255	11	₂ .			•••••		•••••		i 1
Waco	38, 500	14	Z	'	•••••	•••••	• • • • • • • • • • • • • • • • • • • •		'	

	Popula- tion Jan. 1,	Total deaths	Diph	theria.	Mes	sies.		arlet ver.		ber- osis.
City.	1920, subject to correction.	from all causes.	Cases.	Deaths.	Casés.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Utah: Salt Lake City Vermont:	118, 110	25	3		3	ļ	6	ļ		1
BurlingtonRutland	22, 779 14, 954	5 9	2		1		4			
Virginia: Danville Lynchburg Norfolk Petersburg Portsmouth Richmend	21, 539 29, 956 115, 777 31, 002 54, 387 171, 667 50, 842	10 12 18 15 48	4 3 6 3 3 33 26	1			1 2 1 3 1 24		2 5 3 14 1	1 3 4 2 2
Washington: Bellingham Everett Seattle Spokane Tacoma Walla West Virginia:	25, 570 27, 644 315, 652 104, 437 96, 965 15, 503		1 1 6 2 6 5		1		1 4 8 3			
Bluefield. Charleston Fairmont Huntington Martinsburg. Morgantown Moundsville.	15, 282 39, 608 17, 851 50, 177 12, 515 12, 127 10, 669	22 19	7 11 1 15 1 6	2			6 3 4 1 2 1			3
Parkersburg	20, 050 54, 322	8 17	6 16	i	1		7			
Appleton Ashland Beloit Fond du Lac. Green Bay Janesville	19, 561 11, 334 21, 284 23, 427 31, 017 18, 293	2 4 6 6	1 1 3 9				2 1 3		1	i i
Kenosha La Crosse Madison Manitowoc Marinette	40, 472 30, 363 38, 378 17, 563 13, 610	10	10 4 1			•••••	3 1 3		1 1 1	
Milwaukee. Oshkosh Racine Sheboygan Superior	457, 147 33, 162 58, 593 30, 955 39, 624	7 10 8	38 4 10 13		2		14 1 25 2	1	23	
Wausau	18, 661 13, 829	3	z		i	•••••	1		3	•••••

FOREIGN AND INSULAR.

SMALLPOX ON VESSEL.

Steamship "Craster Hall"—Barbados, British West Indies.

The American steamship Craster Hall arrived at quarantine, Mobile. Ala., October 8, 1921, from Buenos Aires, Rio de Janeiro, and Barbados, with a history of one case of smallpox en route in a member of the crew. The patient was removed from the vessel at Barbados. September 28.

AUSTRALIA.

Plague-Infected Rodents-Sydney.

The American steamship Ventura arrived at San Francisco, Calif... October 25, 1921, from Sydney, Australia, with consular bill of health dated Sydney, October 8, stating that 10 or 12 dead plagueinfected rats had been found in Sydney-1 on a vessel from Brisbane and the remainder on the wharf at Sydney.

Communicable Diseases—Habana—Provinces.

Communicable diseases have been notified in Cuba as follows:

Habana.

	Oct. 1-10, 1921. Remaining under				Oct. 1-	Remain- ing under	
Disease.	New cases.	Deaths.	treat- ment Oct. 10, 1921.	Disease.	New cases.	Deaths.	treat- ment
Cerebrospinal meningitis. Chicken pox. Diphtheria. Ictero grave.	1 1		3 2 2 2 1	Leprosy. Malaria Parstyphoid fever. Smallpox Typhoid fever.	48	2	11 2 118 1 8 5 4 30

From the interior 1. From the interior 90.

Provinces.

	New cases reported, Oct. 1-10, 1921.								
Province.	Cerebro- spinal menin- gitis. Chicken pox.		Diph- thema.	Malaria.	Measles.	Small- pox.	Typhoid fever.		
Camaguey	i	1	1 4	29 48	3	78	2 15		
OrientePinar del Rio			i	105 4		50	3 2		
Santa Clara		• • • • • • • • • • • • • • • • • • • •	4	1	1	3	15		
Total	1	1	11	187	4	131	41		

From the interior 4.
From the interior 18: from abroad 2.

GERMANY.

Cholera-Königsberg, East Prussia.

Information dated October 10, 1921, reports the occurrence of 3 cases of cholera with 1 death at Königsberg, East Prussia, Germany.

ITALY.

Plague—Catania.

Information dated October 24, 1921, reports 1 death from plague occurring at Catania, Italy.

MEXICO.

Plague-Infected Rodents-Tampico.

During the two-week period ended October 22, 1921, 17 plague-infected rodents were reported found at Tampico, Mexico. During the period January 1 to October 22, 1921, 283 plague-infected rodents were reported at that place.

Yellow Fever-Tuxpam and Vincinity.

Under date of October 15, 1921, several cases of yellow fever were reported at Tuxpam, Mexico, and vicinity.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER. Reports Received During Week Ended Nov. 4, 1921.

CHOLERA.

Place.	Date.	Cases.	Deaths.	Remarks.
China: ShanghaiGermany:	Sept. 18-24	7	i	
East Prussia— Königsberg	Oct. 10	3	1	
India: Bombay Calcutta Karachi. Rangoon Siam: Bangkok.	Aug. 28–Sept. 3 Aug. 28–Sept. 10 Sept. 4–17 Sept. 4–10	19 40 3	2 19 32 3	
		GUE.	1	
			,	
Algeria: Oran Australia: Sydney	Sept. 20–30		1	Deed plague infected rate found
· ·				Dead plague-infected rats found on wharf.
Brazil				Epidemic plague reported at Pindobassu, 200 miles from the city of Bahia, Aug. 28— Sept. 3, 1921.
Egypt: Alexandria Port Said	Sept. 24–30do	5 1	2	

¹ From medical officers of the Public Health Service, American consuls, and other sources.

Reports Received During Week Ended Nov. 4, 1921—Continued.

PLAGUE-Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
India				Aug. 28-Sept. 3, 1921: Cases, 554
Bombay	Aug. 28-Sept. 3	7	5	deaths, 396. 44 cases and 41 deaths in sur rounding territory.
Karachi	Sept. 4-17 Sept. 11-17 Sept. 4-10	94 23	1 52 21	
Italy: Catania	Oct. 24	۵	1	
Mexico: Tampico				Oct. 9-22, 1921: Plague-infected
Peru				rats found, 17. Total, Jan. to Oct. 22, 1921, 283. Sept. 16-30, 1921: Cases, 24 deaths, 9.
CallaoLima	Sept. 16–30 Aug. 1–30	1	1 3	deaths, 9.
Siam: Bangkok	Aug. 14-27	7	4	
	SMAL	LPOX.		

		1	í	
Brazil: Rio de Janeiro Sao Paulo Canada:	Sept. 11-17 Aug. 29-Sept. 4	. 8	1	
Manitoba— Winnipeg New Brunswick—	Oct. 9-15		1	
Charlotte Madawaska	do	2		
Ontario— Montreal Saskarchewan—	Oct. 9-22	1 -		
Saskatchewan— Moose Jaw Saskatoon	Oct. 9-15 Sept. 26-Oct. 17	1 12		
Cuba: Antilla Dominican Republic:	Oct. 9-15			At Preston.
Santo Domingo City	Oct. 6-13	12		A few cases in surrounding terri- tory.
San Pedro de Macoris	Oct. 1-8	8	2	Estimated 500 cases in the District of Macoris, 50 of which are within city limits.
India: Bombay	Aug. 28-Sent. 3	1	1	
Calcutta	Sept. 4-10	1	1	
Madras	Sept. 11–17	8	6	
Mexico: Chihuahua San Luis Potosi	Oct. 10-16 Oct. 9-15		2	
Portuguese East Africa: Lourenco Marques	Aug. 28-Sept. 10	7		
			• • • • • • • • • • • • • • • • • • • •	
TunisStraits Settlements:	Sept. 21–30		1	
Singapore	Aug. 28-Sept. 3	7		
Union of South Africa: Cape Province	Aug. 21-27			Fresh outbreaks.
Johannesburg Natal	Sept. 4-10	1		Do.
Natal Orange Free State	Aug. 21-27			Present. Do.
Transvaal	do			Do.
Switzerland: Basel				•
Basel On vessel:	Sept. 25-Oct. 1	2	••••••	
Steamship Craster Hall				Arrived Mobile, Ala., Oct. 8, 1921, from Buenos Aires, Rio
				de Janeiro, and Barbados. One case in crew removed at Barbados, Sept. 28, 1921.

Reports Received During Week Ended Nov. 4, 1921—Continued. TYPHUS FEVER.

Place.	Date.	Cases.	Deaths.	Remarks.
Egypt:	Sept. 24-30	5	,	
Guatemala:	Sept. 21-30	,		
Guatemala City	Sept. 1-30		1	
Java: Surabaya Union of South Africa:	Aug. 21-27	1		
Cape Province Johannesburg	do			Fresh outbreaks. July 1-31 1921: Cases, 882; deaths, 123. Outbreaks being dealt with in
Natal Orange Free State	Aug. 21–27do			surrounding territory. Present. Do.
	YELLOW	FEVE	R.	
Mexico: Tuxpam	Oct. 15.			Several cases in Tuxpam and
_	ĺ			vicinity.
Peru: Libertad Department	July 16-31	1		At Monteseco.

Reports Received from July 2 to Oct. 28, 1921.

CHOLERA.

Reports Received from July 2 to Oct. 23, 1921—Continued.

CHOLERA—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Poland:				
Baranowicze	Aug. 18.		1	Present.
Bialystok	July 25.			Do.
Pinsk	do			Do.
Russia		• • • • • • • • •	1	
Districts—				Jan. 1-Aug. 10, 1921: Case 78,011. City of Moscow, case
Astrakhan	Tom 1 Aum 10	5, 132	i	289.
		0, 102		
Black Sea		3, 152		From Jan. 1 to July 13, 192
Kazan	Jan. 1-July 13	434		1,718 cases reported in Kubs
Kharkov	do	257		Territory.
Kursk	Jan. 1-Aug. 10	1, 227		·
Moscow	Jan. 1-July 13	296		City, 192 cases.
Orel		1,968		
Riasan	Jan. 1-July 13	129		•
Samara		5, 315		
Saratov		7, 201	•••••	
Circle and				
Simbirsk	do	1, 160		
Tambov	do	2, 561		•
Tzaritzyn	do	3, 028		
Ufa	do	5, 196		
Voronezh	ldo	3, 621		
Petrograd	July 6	6		
Republics-		-		
Basikir	Jan. 1-Aug. 10	1,038		
Kirghiz		5, 687		,
Tartar		1, 178	•••••	
Tchuvash		233	• • • • • • • • • • • • • • • • • • • •	
		747		Present on Orenburg-Tashker
Rostov-on-Don	June 1	121	• • • • • • • • • •	line and at Challabinah Daw
Territories-				line, and at Cheljabinsk, Perr Petropavlosk, Ufa, and
Azerbeidjan Don	Jan. 1-Aug. 10	614		Petropaviosk, Uia, and
	do	2,006		Smolensk and Vitebsk di
Turkestan	do	5, 583		tricts during period under r
	1 - 1			_port.
Ukraine	do			Very prevalent; reports incon
•	l _ l		1	plete.
Siberia	do	1, 264		Far Eastern Republic.
iam:	1 1	-		
Bangkok	Apr. 24-June 11	19	4	
Do	June 26-Aug. 6	4	ĭ	
traits Settlements:	Tunio 25 Mag. 0	-	- 1	
	June 12-18	1	1	· ·
Singapore	June 12-10		1	•

PLAGUE.

Algeria:	Aug. 1–31	,	,	
Aumale district	May 31-July 3	71	22	Native district about 140 kilo
Douar Megnine	May 31-Aug. 24	185	97	meters from Algiers.
Asia Minor:	may or nug. 12	1	1	
	June 19-25	1 1	i	In suburbs.
Smyrna	July 2-Sept. 3	1 1		
	July 3-Rept. 3			
Azores:	Cont 4 10	1	1	
Horta Fayal	Sept. 4-10			
St. Michael Island—				
Capelas	Aug. 6-12	1	1	10 miles from most of Donto
Ribeira Grande	Aug. 6-Sept. 24	33	10	10 miles from port of Ponta
		Ī	[Delgada.
Brazil:			i .	
Bahia	May 15-June 18		2 2	
Do	July 31-Aug. 27	2	2	
Maranhao	June 28	1	1	
Pindobassu	l			Locality 200 miles west of Bahia;
2 22 200 400 411111111111111111111111111	1			plague reported epidemic in
	i l			August, 1921, with 60 deaths.
British East Africa:				
Kenya Colony—				
Kisumu	Apr. 24-May 21		* 2	Present.
	June 26-Aug. 6		5	Do.
Do	Mar. 1-June 30	133	101	Reports of native chiefs show
Uganda	Man. 1-June 30	199	101	2.709 deaths during same period.
			ţ	2,109 deaths during same period.
Cape Verde Islands:		اما	3	,
St. Vincent	Aug. 12-18	6	. 3	
Ceylon:		_	اما	
Colombo	May 8-June 11	2	2	
Do	June 26-Aug. 27	5	5	7 cases rodent plague.

Reports Received from July 2 to Oct. 28, 1921—Continued.

PLAGUE-Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Chile:				
Iquique	Sept. 17	1		•]
China:	36am 15 Tumo 05	7	١ .	
Amoy	May 15-June 25 July 3-Sept. 10	1 '	. 42	
Poochow	May 15-21			Present.
Hongkong.	Apr. 24-June 25	81	59	May 1-7, 1921: Plague rats found
Do	June 26-Aug. 20	. 38	27	and a state and an induction
Manchuria—	1	1	1	
Harbin	May 3-22	46		
Ecuador:		٠	1 -	i
Guayaquil	May 1-June 15	10	1	
ро	July 16-Sept. 15	•	2	Plague rats found: Aug. 1-31,
Fornt			1	1921, 54. Jan. 1-Sept. 1, 1921: Cases, 266;
Egypt City—				deaths, 107.
Alexandria	May 21-June 24	10	3	4000005, 2011
Do	July 1-Sept. 23 June 16-27	42	j j	1
Port Said	June 16-27	4	2	1 .
Do	July 1-Sept. 23	17	7	1
Suez	May 20-June 30	9	5 3	l .
_ Do	July 1–18	5	3	
Province-	35 04 Tumo 16	۰		
Assiout	May 24-June 16 July 30	1	7	
Do Beni-Souef	July 10.	i		i e
Gharbieh	June 2-25.	7		
Do	July 9-Sent 1	ģ		!
Girgeh	July 9-Sept. 1 July 6-13	5	4	l
Minich	May 28-June 10	2	l î	
Do	July 13-Aug. 18	7	Ī	
reece:			l	·
Piræus	Sept. 23	3	l	
[awaii:				
Honokas.		·····i	i	Plague rat found, Sept. 8, 1921.
Kalopa Paauhau.	July 15-19 May 21	i	1	
ndia	may 21		ļ	May 1. Tune 25 1021 Cases 2 003
Bombay	May 1-June 25	287	204	May 1-June 25, 1921: Cases, 2,093; deaths, 1,624. June 26-Aug. 27, 1921: Cases, 3, 016; deaths, 2,176. Aug. 14-27, 1921: Surrounding
Do	June 26-Aug. 27	55	39	1921: Cases, 3, 016: deaths, 2,176,
Do			l	Aug. 14-27, 1921: Surrounding
Calcutta	May 8-June 18	11	11	territory. Cases, 101, acasas,
Do	July 24-Aug. 6	23	21	115.
Central Provinces	Aug. 14-20. May 8-June 25. June 26-Sept. 3	27	16	
Karachi	Tune of Cent 2	18	14	
Madras	Ang 20-29	i	3	
Madras Presidency	May 22-Inne 25	112	72	
_ Do	June 26-Sept 10	1,009	654	
Rangoon	Apr. 24-June 25	162	142	
Do	Aug. 20-27	423	364	
ndo-China				Jan. 1-31, 1921: Cases, 57; deaths,
	[1		51.
Saigon	May 23-June 12 July 10-Aug. 27	4	1	* 3.4.9
Do	July 10-Aug. 27	16	11	Isolated cases in vicinity of Sai-
				gon.
aly: Naples	Sept. 4.	1	· ·	Worker in mill. Plague-infected
Maples	popt. 2		• • • • • • • • • • • • • • • • • • • •	rat found on premises.
ava:	· i			180 lottice on promiseo.
East Java—	i			
Surabaya	July 10-16	4	2	
fadagascar:	· 1			
Tananarive	June 20-July 24	49	46	Pneumonic.
lauritius:	4	- 1		B
Port Louis	Aug. 24	•••••••		Present.
lesopotamia: Bagdad	Apr. 1-May 31	32	35	
Do	July 1-31	32	90	
lexico:	- u.j 1-01	- 1	- 1	•
Ciudad Victoria	June 7	1		In State of Tamaulipas: Case
		- 1		confirmed June 20, 1921.
D				Plague rat reported found Sept.
Progreso				10, 1921.
-		1		10, 1821.
Tampico	June 11-30	36		
Tampico	June 11–30 July 1–Aug. 21	36 21	8	Infected rodents found July 1- Oct. 8, 1921, 154.

Reports Received from July 2 to Oct. 28, 1921—Continued.

PLAGUE—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Morocco: Spanish Zone				Reported present in epidemic form Sept. 29, 1921. Mar. 1-Apr. 30, 1921: Cases, 119, deaths, 64. June 1-30, 1921: Cases, 14; deaths, 10. July 1-15, 1921: Cases, 9; deaths, 3.
,				Cases, 14; deaths, 10. July 1-15, 1921: Cases, 9; deaths, 3.
Department— Ancachs Arequipa Do	Mar. 1-Apr. 30 July 1-15	. 2	1 3	At Huarmey. At Mollendo. Do.
Callao Do Lambayeque Libertad L ma	July 1-31	16 5 3	1 2 2 15	At Callao. Do. At Chiclayo. In 5 localities.
L ma Do Piura Do		4	23 2 29	At Lima City: Cases, 28; deaths, 18. At Lima City. In 4 localities.
Poland	Sept. 1-15	19	15	Deaths occurred at Sechura. In border Province, Aug. 9, 1921: Cases, 8.
Porto Rico	. Aug. 7–20.	4	2	Total plague-infected rats found from beginning of outbreak to July 9, 1921: 90. Sept. 4-24, 1921, two plague- infected rats found.
FajardoManati	July 17-23	_i	1	Aug. 28-Sept. 3, 1921: One plague rat found.
Martin Pena San Juan	. July 3-9	1		Suburb coextensive with San- turce. Plague rat on steamship San- Luis, in San Juan harbor: Sept. 9, 1921.
Portugal: Lisbon Portuguese West Africa:	July 29-Sept. 3	7		Sept. 9, 1921.
Angola— Loanda Do Russia:	Apr. 24-June 18 July 17-23	16	1	
Siberia— Vladivostok Do	Apr. 1–June 30 July 1–31		252 4	First case occurred Apr. 10, 1921.
Senegal: Dakar Do Siam:	July 1-Aug. 31	54 117	47 93	
Bangkok	. Apr. 24–June 18 July 24–Aug. 13 May 8–June 18	7 7 5	6 7 5	
DoSyria: Alexandretta	June 26-Aug. 20	18	4	
Beirut Do Turkey:	May 31-June 30 July 1-Sept. 4	2 17		
ConstantinopleUnion of South Africa	July 10-Sept. 24	6	2	JanApr., 1921: Cases (white), 6; deaths, 4. Cases (native), 13; deaths, 6. Occurring in the Orange Free State.
On vessels: Steamship Kishenev	May 2	1		At Chefoo, China. Plague death en route. Vessel sent to quar- antine, Kentucky Island, where to May 6 a total of 16 deaths was reported. (Public Health Reports, July 1, 1921,
Steamship Oreland				p. 1534.) At Genoa, Italy, June 12, 1921; from La Plata, Argentina. Two fatal cases plague in crew en route.

Reports Received from July 2 to Oct. 28, 1921—Continued.

PLAGUE-Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
On vessels—Continued. Steamship Ralph Moller Steamship San Luis Steamship Tenyo Maru	June 8	4	1	At Chefoo, China, from Vladivos- tok, Siberia. Three fatal cases en route. One case with fatal termination removed at Vladi- vostok. In harbor, San Juan, Porto Rico, Sept. 9, 1921; 1 plague rat. En route between Nagasaki and Kobe, Japan, June 23, 1921, 1 fatal case.
	SMAL	LPOX.		

Algeria:				
Algiers M	ay 1-June 30	. 3	Ì	
Oran Se	pt. 1–10	l i		1
Asia Minor:	A			1
	ay 22-28	1	1	On the steamship Nicholas.
Do	ly 24-30	2		on the steaming Michigas.
Australia:	-, ······	_		i ··
Victoria—		ľ	ł	
	ay 5-16	2	i	Mild.
Do Ju	ly 12-29			
Melbourne A	pr. 9-23	1 4	i	Mild epidemic.
Do Ju	ly 17-23	l i	l i	Slight epidemic reported.
Bolivia:		-	-	miles obstante roberton
	pr. 1–30	5	4	
Brazil:		1	1 -	·
Pernambuco M	ar. 28-May 22	28	4	
Rio de Janeiro M	ay 8-June 18	l ii	Ž	•
	ne 26-Sept. 10	92	. 18	
	ay 23-June 26	7	2	
	ne 27-Aug. 7	12	2	
British East Africa:				
Kenya Colony—				
	sy 8–14	12	4	Origin, India.
Bulgaria:	•		_	
Sofia Ma	y 15-31	6		
lanada:	•	_		
Alberta-				*
	y 26-June 18	3		
British Columbia	•			
Vancouver Ma	y 28-June 25	- 8		
Manitoba—	•			
Winnipeg	do	6		
Do Ju	ne 26-Sept. 17	13		
New Brunswick—	- 1			
Charlotte County Ju	ly 10-Sept. 10	9		
	ig. 7-Oct. 8	2		
Restigouche County Ju	ne 19-25	1		
Westmoreland County. Ju	ne 26-July 2	2		
Nova Scotia—	· · ·			
	ne 5–18	2		
	ne 26-July 2	4		
Ontario-			i	
	ıg. 7–27	2		
_Arthur.	·		- 1	
	ne 12-18	3		
Do Jul	l y 3-9	1		
Kingston Jun	ne 5–11	1		At 2 localities in vicinity, 2 case
LondonJu	ne 5-25	2		
MontrealJu	ne 12-18	1		
Do Jul	y 17-23	1		
North Bay Ju	ne 11-25	3		
	ne 26-July 9	2		
OttawaJu	ne 12-25	21		
_ Do Jun	ne 26-Aug. 13	35		
	g. 28-Sept. 24	3 1		
TorontoAu Saskatchewan—	e, mo-pohe, mr1	۱ ۰		_

Reports Received from July 2 to Oct. 28, 1921—Continued.

SMALLPOX—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Chile:				
Antofagasta	May 16-June 19 May 31	228	106	*
Arica	May 31	. 2	l	
Mejillones	May 30-June 5			Present. Also at interior nitrate
Valparaiso	June 26-Sept. 10		25	plants.
hina:		1		
Amoy	May 8-June 4	·	. 4	June 5-25: Present.
Do	June 26-Sept. 3		. 2	
Antung	May 16-June 26	12	2	
Canton	Apr. 1-30 May 1-June 25			Present.
Chungking	May 1-June 25			Do.
Do	June 26-Aug. 20 May 8-June 25 June 26-Aug. 27 May 15-21			Do.
Foochow	May 8-June 25	•••••		Do.
Do	June 20-Aug. 27	••••••		Do.
Hankow	May 15-21	4	i	
_ Do	July 10–16 Apr. 24–June 25	1		
Hongkong	Apr. 24-June 25		84	
Do	July 24-Aug. 20	3	1	
Manchuria—	35 0 T 00	٠	i _	
Dairen	May 9-June 26	44	5	· · · · · · · · · · · · · · · · · · ·
Do	June 27-Aug. 14 May 16-June 13	8	3	
Harbin	May 16-June 13	5		
Do	June 27-July 10 May 22-June 11 July 3-Aug. 20 May 8-June 25	2		
Mukden	May 22-June 11	• • • • • • • • •		Do.
Do	July 3-Aug. 20	•••••		Do.
Nanking	May 8-June 25			<u>D</u> o.
Do	June 26-Aug. 27			Do.
ShanghaiDo	June 20-26	1		
D0	July 3-Sept. 17 May 8-June 25	5	1	201 1 2
Tientsin	May 8-June 25	31		Mission hospital.
Do	June 26-Aug. 20	9	1	
Tsingtau	May 9–June 12 July 25–31	4	1	
Ďo	July 25-31	1		
hosen (Korea):	35 1 7 00	ـــا		
Chemulpo	May 1-June 30	11	3	•
Fusan	do	12	3	
Gensan	do	5	2	•
Seoul	αο	3	•••••	
olombia: Santa Marta	Toma E OF	l	i i	Dunama
Do	June 5-25 June 26-Aug. 27			Present. Do.
uba:	June 20-Aug. 21			Du
Antilla	Tuna E 9E	7		•
Do	June 5-25	71	•••••	•
Cienfuegos	June 26-Oct. 1 June 26-Sept. 3	3		****
Matanzas.	June 12–18	ı	i	
Do	Tule 2 21	1 4	2	
Nuevitas.	July 3-31	15	_	6 of those reported found in
Preston	Oct. 2-8	2		vicinity.
Santiago	June 1-30	28	2	vicinty.
Do	July 1-Sept. 30	47	í	٠.
ominican Republic	July 1-Sept. 30	**	1	In eastern Provinces, Aug. 25
ommean republic	• • • • • • • • • • • • • • • • • • • •			1921, 2,000 cases, estimated.
La Ramona	Aug. 25			Cases numerous.
San Pedro de Macoris	Aug. 19-25		2	On sugar estates in same Prov-
Ban I euro de macoris	Aug. 15-20	40	2	ince, about 400 cases.
Santo Domingo	Cont 1_18	10		In surrounding country.
cuador:	Sept. 1-18	10		In surrounding country.
Eloy Alfaro	Ana 1-15	1		
Guayaquil	Aug. 1-15			
Do	May 1-June 30	31		
	July 1-Sept. 15	24	. 1	
gypt:	Mar 10 A 90	2	1	
Cairo	Mar. 19-Apr. 29		1 1	_
inland	Apr. 2-May 20	10		• •
mpand	May 1-15	1	• • • • • • • • • • • • • • • • • • • •	
		10	1 .	
rance:	Mar 00 Toma /	18		**1.5.4.5
rance: Brest	May 22-June 4			
rance: Brest	Aug. 1-31	1		Varioloid.
rance: Brest	Aug. 1-31	1 2.	·····i	varioloid.
rance: Brest Cherbourg Paris Rouen	Aug. 1-31	1	1	
rance: Brest	Aug. 1-31	1 2.	1	Apr. 24-May 28, 1921: Cases, 12, Additional, Apr. 17-May 7, 1921: Cases 7, 25-death 7

Reports Received from July 2 to Oct. 28, 1921—Continued.

SMALLPOX-Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Great Britain:		-		
Nottingham	May 29-June 4 July 3-Sept. 24	1 56		Stated Aug. 17 to be epidemic
QueenstownSouthampton	July 3-9. June 26-July 2	1		and to have begun about two months previous to date; 57 cases reported.
Greece: Saloniki Haiti:	June 6-12	ļ	1	
Cape Haitien Do Port au Prince	June 19-25 June 26-Oct. 1 Sept. 11-17	24 198	18	Present.
IndiaBombay	May 1-June 25	81	50	Mar. 20-May 21, 1921: Deaths 3,232. June 5-25, 1921: Deaths
DoCalcutta	June 28-Aug 27	60 8	41 8	958. July 3-9, 1921: Deaths,393 July 24-30, 1921, 118 deaths.
Do Karachi Do	June 26-Aug. 20 May 29-June 25 June 28-July 30	5 25 8	6 17 2	:
Madras Do	. May 8-June 25 June 26-Sept. 10	33 49	11 28	
Rangoon	Apr. 24-June 4 July 10-Aug. 13	20 4	3	
Indo-China City— Saigon	May 9-15.	2	1	Jan. 1-31, 1921: Cases, 102; deaths 15.
Province—	Aug. 21-27	1	î	
Anam Cambodia	Jan. 1-31do	35 21	3	January, 1920: Cases, 16; deaths, 3 January, 1920: Cases, 139; deaths
Cochin China Tonquin	do	19 27	12	54. January, 1920: Cases, 8; deaths, 1 January, 1920: Cases, 224; deaths
italy: Catania	,			43. Province: June 6-20, 1921
Do	July 18-Aug. 14 Apr. 1-May 31			Cases, 5. In Province: Cases, 7.
Gestioa	July 4-10. May 23-June 26 July 11-17	11 2 2	·····i	
Do	May 18-June 21	17	1	In Province, July 4-17, 1921 Cases, 9.
Milan	Apr. 1-30 June 29-July 19	3	••••••	
apan: Kobe Nagasaki	May 24-June 26 May 23-June 26 July 1-10	8	ı	
Talwan Island ava: East Java—	July 1-10	1	•••••	
Surabaya Do West Java—	June 19-25 July 10-Aug. 20	2 10	i	
Bandoeng	May 27-June 3 July 8-21	1 1		
Batavia	May 6-June 23 July 1-Sept. 1 Apr. 29-June 23	17 106	15 40	
Buitenzorg Do Garoct	I Tester 99_Asse 4	16 2 1	i	
Do Krawang	May 6-12	4 83	5	
Do Lebak	July 22-Aug. 4 Apr. 29-May 26	14 12	1 2	
Pandegiang Do ugoslavia	June 3-30 July 8-14	1	1	Mar. 14-May 13, 1921; Cases, 334;
				deaths, 83. June 27-July 10, 1921: Cases, 111; deaths, 72.
lesopotamia: Bagdad	Apr. 1-May 81	8	1	

Reports Received from July 2 to Oct. 28, 1921—Continued.

SMALLPOX-Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Mexico: Chihuahua	May 22_Inna 27		3	
Do	May 23-June 27 Oct. 3-9		2	#
Guadalajara	June 1-30	3		
Mexico City	June 1-30 July 1-Sept. 30 May 15-June 25	13 246	3	Including municipalities in Federal District.
DoSan Luis Potosi	June 26-Sept. 3 July 17-Aug. 6 July 11-20 Sept. 1-30	204	2	Do.
Tampico	July 11-20	1 2		
Vera Cruz	June 13–19 July 11–Sept. 11		1 3	
Newfoundland: Tilton	Aug. 20-26	3		
Panama				Jan. 1-Sept. 19, 1921: Cases, 205,
Canal Zone	Apr. 1-May 31	1,2		of which 33 were nonresidents
Colon	Jan. 1-May 31	111		From the interior.
Panama Do	Aug. 30 Feb. 1-June 30 July 1-Sept. 19	54 4		Sept. 4-19; 1 from interior.
Poland				Mar. 1-Apr. 30, 1921: Cases, 1,117;
District— Bialystok	Mar. 1-Apr. 30	3		deaths, 142.
Cracovia	do	56	6	
Wieles	do	180	26 16	•
LeopolLodz.	do	52 72	10	
Lublin	do	1 397	30	
Posen	do	26 10	2	In Teschen.
Stanieláwow	do	30	5	In reschen.
Tarnopol	do	156	31	
Warsaw	do	36 90	13	
Warsaw City	do	30	مد ا	•
Lishon	May 15-June 25		34	
Do	June 26-Sept. 17 June 19-25	33	. 3	
	June 19-25 Sept. 11-17	1	• • • • • • • • • • • • • • • • • • • •	
Do Portuguese East Africa:	Depe. 11-1	· ·		•
Lourenco Marques	May 8-28	8		
Do Rumania:	July 10-Aug. 13	7	4	
District—				
Hotin	Apr. 1-30	40	9	
Orthei	Mar. 1-31	2	• • • • • • • • • • • • • • • • • • • •	
Province-	·			
Fethonia	Apr. 1-June 30	9 55	•••••	Sec.
Do Latvia	Apr 1-May 31	41		
Do	July 1-Aug. 30 Apr. 1-May 31 July 1-31	12		
Siberia— Vladivostok	June 1-30	1		Mar. 24-May 21: Cases. 205:
SerbiaBelgrade	Aug. 7-20	2	1	Mar. 24-May 21; Cases, 205; deaths, 41.
laneral:	May 1-31	1	ī	
Spain:		-	1	
Barcelona	May 12-June 22		13 10	e contracte en
Do Huelvs	July 7-Sept. 28 July 1-31		2	
Madrid	June 1-30	2		
Do	Aug. 1-31 May 1-June 30	•••••	1 57	•
Tīo	July 1-Aug. 31 l		57	•
Tarragona	May 9-15 May 22-28		1	***
Valencia Do	May 22-28 July 2-Aug. 20	1 9	2	
W 14- 0-441 4-0	- my a wante		- 1	
Straits Settlements:				
Singapore	June 12–18 July 10–Aug. 27	7	3	
Singapore Do	July 10-Aug. 27	7	3	•
SingaporeDo	June 12-18 July 10-Aug. 27 Sept. 11-17 May 28-June 11	7 3 10	3	

Reports Received from July 2 to Oct. 28, 1921—Continued.

SMALLPOX Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Syria: Aleppo. Beirut. Do. Tunis: Tunis. Do. Turkey:	Apr. 9-16	1 1 2 14	1 1 3 10	Present.
Constantinople Do Union of South Africa	June 12–25 June 26–Sept. 24	9		January - April, 1921: Case
				(whife), 18; deaths, 1. Case (native), 192; deaths, 5. May 1-31, 1921; Cases, 65; deaths, 3 all natives. June 1-30, 1921; Cases, 64, of which 1 white July 1-31, 1921; Natives—Cases, 129; deaths, 2. White—I case. Aug. 23—Sept. 3, out breaks in Cape Province Orange Free State, and Trans vasil.
Cape Province	Apr. 24-June 25	118		Outbreaks.
Do Natal	July 1–31	118	•••••	Do.
Do	July 1-31	1		Do.
Durban	Aug. 7-27	3		Stated to have been imported.
Orange Free State Southern Rhodesia	May 29-June 25 July 14-Aug. 31	52	19	Outbreaks.
Transvaal	May 22-June 18		10	Do.
Do	July 1-31	11		
Johannesburg	do	2		District
Do On vessel:	Sept. 1-7	31	11	District.
Steamship Niagara	June 1	1	•••••	At Sydney, Australia, from Van couver via Fiji and New Zea land.

TYPHUS FEVER.

				,
Algeria:		1		
Algiers	May 1-June 30	109	25	
Do	July 1-Aug. 31	22	7	
Oran	May 22-June 30	35	28	
Do	July 1-Sept. 10	15	13	
Asia Minor:	,por			
Smyrna	June 12–18	1		In district.
Do	Aug. 28-Sept. 3	ī	ļ	astrict.
Bolivia:	mag. zo popi. o	_	l	-
La Paz	Apr. 1-June 30	50	51	
Do	July 1-31	19	3	
Brazil:	July 1-01	1	,	
Bahia	June 19-25	1	1 1	
Do	Aug. 7-13	1 1	i	
Porto Alegre	June 19-25		3	
Do	Aug. 7-13		1	
Canary Islands:	Aug. 1-10		•	
Tenerifie	Aug. 14-Sept. 10	1	2	ł.
Chile:	Aug. 11 Sept. 10		_	
	Apr. 12-June 20	t	8	T-1-05 A 00 1001 - T- hamital
Concepcion			14	July 25-Aug. 29, 1921: In hospital,
Do	July 12-Sept. 5		12	30 cases; in city, estimated, 100
T A l	T1 00 A 0	l	1	cases.
Los Angeles.	July 26-Aug. 8			Prevalent.
Valparaiso	Mar. 27-May 28			•
Do	June 26-Sept. 10		. 3	
China:	30	i .	1	
Antung	May 30-June 5	1		
Do	June 27-Sept. 11	10		
Hankow	May 22-June 11	3		
Manchuria—	35 00 00			
Harbin	May 23-29]		
Do	July 4–10	1	l	

Reports Received from July 2 to Oct. 28, 1921—Continued.

TYPHUS FEVER-Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Chosen (Korea):				
Chemulpo	June 1-30	2		
Fusan	May 1-31	1		1.
Gensan	May 1-June 30 May 1-31	1		
Cuba:	May 1-01	•		
Matanzas	Oct. 4-10	. 1		
Czechoslovakia: Prague	June 5-26	5	2	
Egypt:	1	1 .	1 -	
Alexandria	May 21-June 23 June 24-Sept. 23 Mar. 19-June 24 June 24-Aug. 5 Apr. 2-May 13	21 42	8 17	
Cairo	Mar. 19-June 24	235	102	l
Do	June 24-Aug. 5	58	32	
Port Said	Apr. 2-May 13	8	2	
Finland	May 1-15	5		
Jermany				Apr. 24-June 4, 1921: Cases, 7.
Hamburg	May 27-June 4	1		·
Dublin	May 29-June 4	1		
Saloniki	May 23-June 26 June 27-Aug. 14	21 1	6	
lustemals:	June 21-Aug. 14		2	14
Guatemala City	July 1-31		1	
Iungary			1 *	Jan. 1-July 13, 1921: Cases, 7
			1	occurring in 4 counties.
taly:		ŀ		_
Messina (Province)	Aug. 29-Sept. 4	2		In 2 localities.
apan:		Ì		
Nagasaki:ava:	May 23-June 5	7	2	*)
West Java—			1	
Batavia	Aug. 4-25	29	3	
ugoslavia		l		Jan. 30-May 14, 1921: Cases, 28
Belgrade	May 1-14	6		deaths, 40; June 27-July 1
Zagreb	June 19-25	3		Jan. 30-May 14, 1921: Cases, 28 deaths, 40; June 27-July 1 1921: Cases, 23; deaths, 7.
Do	July 10-Sept. 3	37	4	
lesopotamia:	36 1 01	١.	_	
Bagdad	May 1-31	1	3	
Mexico City	May 15_Tune 25	102		Including municipalities in Fe
Do	May 15-June 25 June 26-Sept. 3	148		eral District.
Saltillo	Oct. 2-8		i	
San Luis Potosi	July 31-Aug. 6		l	Present.
(orocco:				
Spanish Zone				Reported present in epidem form Sept. 29, 1921. Mar. 1-Apr. 30, 1921: Case
oland				Mar. 1-Apr. 30, 1921: Case
District—				11,489; deaths, 1,131.
Bialystok	Mar. 1-Apr. 30	,853	45	
Cracovia	do	603	90	
Cracovia Kielce. Leopol Lodz. Lublin Posen. Silesia. Stanislawow Tarnopol. Warsaw.	do	848	62	
Leopot	do	2,508 521	277	
Louz	do	1,446	53 83	
Posen	do	1,77	5	
Sileria	do	26.	۱	In Teschen.
Stanislawow	do	1,557	232	III 20000000
Tarnopol	do	1,855	194	
Warsaw Warsaw city	do	972	61	
Warsaw city	do	223	29	
ortugal:		_		
Oporto	July 12-Aug. 20	2		
umania:			ı	
District—	4 1 20	4.00	ا ا	
Hotin Kishinev	Apr. 1-30	107	10	
Do	Apr. 1-June 30	89 11		District.
Orhei	July 1-31	146		1/10vi 1000
ussia:	Mar. 1-May 30	140		
uague.				
Province— Esthonia	Apr. 1-June 20	113		
Esthonia	Apr. 1-June 30	113 56		•
	Apr. 1-June 30 July 1-Aug. 31 Apr. 1-June 30	113 56 599		•

Reports Received from July 2 to Oct. 28, 1921—Continued.

TYPHUS FEVER—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Russia—Continued. Province—Continued. Siberia— Vladivostok Do	Mar. 1-June 30 July 1-31	5 4	3 3	Mar. 24-May 21, 1921; Cases, 70
Spain: Madrid Do	May 1-June 30 July 1-31		. 3 2	deaths, 7.
Syria: Beirut Tunis:	May 20-June 10	1	. 1	
Tunis	June 11-17 July 30-Sept. 9	••••••	3 2	
Constantinople Do Union of South Africa	May 22-June 18 June 26-Sept. 24			January-April, 1921: Case
Cape Province		·		(white), 34: deaths, 2. Case (native), 3,376; deaths, 437 June 1-30, 1921: Cases, 478 deaths, 66: July 1-31, 1921 Natives—cases, 56; deaths, 12. Orange Free State and Natal Cases, 25; deaths, 10. Apr. 24-June 25, 1921: Outbreaks
•				May 1-31, 1921: Cases, 542 deaths, 51. July 1-31, 1921 Cases, 858; deaths, 113.
Capetown	May 13-19	10 1 1 7	3 1	At native cantonment in vicinity
Natal Orange Free State Do	July 10-23 July 10-Sept. 3			Outbreaks. Apr. 24–May 28, 1921: Outbreaks. Outbreaks.
Venezuela: Maracaibo On vessel:	June 21-27		1	
Steamship Norden	Aug. 18	. 1	•••••	At Marcus Hook Quarantine, Pa., from Tampico, Mexico, via Nuevitas, Cuba.

YELLOW FEVER.

British Honduras:				i
Belize	Aug. 22-Oct. 1	17	6	l '
lexico:		1	1 .	<u>.</u>
Alamo	June 1-30	10		State of Vera Cruz.
Do	July 19	4	1	•
Barra de Penn, Mexico	July 17-23	li	1	Do.
Casamaloapam	do	ā	l ī	Do.
El Dorado	Oct. 7			Present. Sept. 25-Oct. 1, 1921
	1	1		deaths, 40. Oct. 2, deaths, 5.
Manzanillo		1	1	June 1-Sept. 30, 1921: Cases, 19
mannantiv				deaths, 10.
Do	Oct. 7	I	1	Present.
Mazatlan				Do.
Playa Obispo	Aug. 23	Ī		Territory of Quintana Roo.
Tampico		3	2	
Tierra Blanca	Sept. 19	1		Case arrived at Vera Cruz or
	1	ŀ		steamship Monterey from Pro
				greso, Mexico.
Tiacotalpan	Sept. 25		l	Present.
Tuxpam	July 25	1.	1	State of Vera Cruz.
Do	Oct. 14	1		
Vera Cruz		7		Do.
Do	July 25-Sept. 25	6		Do.
Zapotal.	July 14.	1	1 1	Do.

Reports Received from July 2 to Oct. 28, 1921—Continued.

YELLOW FEVER-Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Peru				Mar. 1-Apr. 30, 1921: Cases, 172;
Denartment-		1		deaths, 57. June 1-30, 1921;
Callao	! .	i	i	deaths, 57. June 1-30, 1921: Cases, 25 deaths, 13. July 1-
	Ī	i	l	15, 1921: Cases, 2.
Callao	Apr. 1-30	1		At quarantine station. From Chiclayo.
Lambayeque-				4 7 4 2
Chiclayo	Mar. 1-June 15	47	18	
Chongollape	Mar. 1-Apr. 30	12	3	
Ferrenafe	Mar. 1-31		l i	As the control of the
Javanca	Apr. 1-30	5	Ž	·
Lambayeque	Mar. 1-Apr. 30		7	
Monseiu	Mar. 1-June 15		ġ	· ·
Motupe	Mar. 1-Apr. 33	46	12	
Olmos	Apr. 1-30	2	4	100
Pacora	June 1-15	ĩ	*	'1'
Pomalca.	Mar. 1-31	5	1	
Villa Eten	Mar. 1-Apr. 30	7	i	
		í	1	
Zana Libertad—	Apr. 1-30			
Casa Grande	T 1 15	1		On farm.
			• • • • • • • • • •	On isrui.
Guadalupe	Apr. 1-30	2		
Pacanga	June 1-39	2	2	
Pacasmayo	July 1-15	1	<u>-</u> -	
Paijan		13	7	
_ Do	July 1-15	1		
Pueblo Nuevo	Apr. 1-30	1	1	
Trujillo	Apr. 1-June 15	2	2	Country.
On vessels:	_			
Barge J. S. McGaughy	Oct. 6	1		At quarantine station, Pensacola, Fla., from Tampico, Mexico. Sept. 30.
Steamship Lurline	Aug. 13-27	2	1	At Mazatlan, Mexico, from Man- zanillo, Mexico (Public Health
Steamship Monterey	Sept. 18	1		Reports, Sept. 16, 1921, p. 2292). At Vera Cruz from Progreso, Mexico, Sept. 15, 1921. Patient
Steamship Washington	Aug. 29	1		went to Tierra Blanca. At Mazatlan, Mexico.