

PUBLIC HEALTH REPORTS

VOL. 36.

FEBRUARY 25, 1921

No. 8

SPECIAL MEASURES AGAINST THE INTRODUCTION OF TYPHUS.

In view of the increasing number of vessels arriving at ports of the United States during the last six months with typhus infection on board, the Secretary of the Treasury, on January 19, invited the attention of the State Department to the situation in Europe with respect to the prevalence of typhus and the action taken by the Public Health Service in the assignment of medical officers to the various American consulates for the purpose of supervising preventive measures applicable to ships and personnel departing for ports of the United States; and, in pursuance to a specific request of the Secretary of the Treasury, the various consular officials in Europe were instructed that bills of health should be withheld unless the requirements of the United States quarantine regulations covering measures to be undertaken for the prevention of the spread of typhus be observed, the latter to include appropriate disinfection of all travelers to the satisfaction of the medical officer attached to the consulate.

In support of this action quarantine officers at ports of the United States were directed, if any vessel carrying passengers arrived from European ports without American consular bill of health appropriately countersigned by a medical officer of the Public Health Service, where such officers were on duty, that the delousing of arriving passengers should be enforced at quarantine stations and the personnel held in detention for the completion of 12 days after delousing is completed.

The United States Quarantine Regulations contain the provision, automatically applicable, that any vessel arriving with a history of typhus en route, or detected at the time of examination, shall be held in detention for the completion of 12 days after arrival, and all passengers and their personal effects and baggage are to be treated for the destruction of vermin.

THE NOTIFIABLE DISEASES.

PREVALENCE DURING 1919 IN STATES.

ANTHRAX, CEREBROSPINAL MENINGITIS, CHOLERA (PHILIPPINE ISLANDS), DENGUE, DIPHTHERIA, INFLUENZA, MALARIA, MEASLES, PNEUMONIA, POLIOMYELITIS, RABIES, ROCKY MOUNTAIN SPOTTED OR TICK FEVER, SCARLET FEVER, SEPTIC SORE THROAT, SMALLPOX, TUBERCULOSIS (ALL FORMS AND PULMONARY), TYPHOID FEVER, AND TYPHUS FEVER.

The tables which appear on the following pages have been compiled from data furnished by the health officers of the several States in response to requests from the United States Public Health Service. The following table shows the States for which morbidity and mortality data were received:

Morbidity.	Mortality.	Morbidity.	Mortality.
Alabama.	Alabama.	Montana.	Missouri. ³
Arkansas.	Arizona.	Nebraska.	Montana.
California.	Arkansas.	New Jersey.	Nebraska.
Colorado.	California.	New Mexico. ³	New Jersey.
Connecticut.	Colorado.	New York.	New Mexico. ³
Delaware. ¹	Connecticut.	North Carolina.	New York.
District of Columbia.	Delaware.	North Dakota.	North Dakota.
Florida.	District of Columbia.	Ohio.	Ohio.
Georgia.	Florida.	Oklahoma. ⁴	Oklahoma.
Hawaii.	Georgia.	Oregon.	Oregon.
Illinois.	Hawaii.	Pennsylvania.	Porto Rico.
Indiana.	Illinois.	Porto Rico.	Rhode Island.
Iowa.	Indiana.	Rhode Island.	South Carolina.
Kansas.	Iowa.	South Carolina.	South Dakota.
Louisiana.	Kansas.	South Dakota.	Utah.
Maine.	Kentucky.	Utah.	Vermont.
Maryland.	Louisiana.	Vermont.	Virginia.
Massachusetts.	Maine.	Virginia.	Washington.
Michigan.	Maryland.	Washington.	West Virginia.
Minnesota.	Massachusetts.	West Virginia.	Wisconsin.
Mississippi.	Michigan.	Wisconsin.	Wyoming.
	Minnesota.		

¹ Nine months only.

² Data not given by months.

³ Three months only.

⁴ Eleven months only.

The populations given and used in computing case and death rates were estimated as of July 1, 1919, by using the returns of the United States census of April 15, 1910, and the preliminary reports of the census of January 1, 1920.

For most of the diseases four tables are given: (1) Averages, (2) morbidity, (3) mortality, and (4) rates. The averages were obtained by adding the cases reported for the years 1914 to 1918, inclusive, and dividing the sum by 5. Data for the full five years were not available for some of the States. The columns headed "Years included" and "Number of years" show the years for which data were used. In all instances the averages are for years from 1914 to 1918, inclusive.

In comparing the figures for 1919 with the averages for preceding years, it should be borne in mind that an increase in the number of cases reported may indicate that there were more cases of the par-

February 23, 1921.

ticular disease in the State during 1919, or it may indicate that the cases were better reported by the physicians.

A relatively large number of reported cases of a communicable disease, as indicated by a high case rate (and more especially when accompanied by a relatively small number of deaths, as indicated by a low fatality rate), usually means that the health department of that State is active and that the cases of the disease are being well reported by the practicing physicians. It does not necessarily mean that the disease is more prevalent in that State than in other States. A high fatality rate may mean that the disease was unusually virulent in a State, that the physicians did not treat the disease in that State with the success usual elsewhere, or that the practicing physicians did not report all of their cases. On the other hand, an unusually low fatality rate may be due to the fact that the disease in the State was unusually mild, that the physicians treated it with unusual success, that the practicing physicians reported their cases satisfactorily, or that the registration of deaths was incomplete, or the assignment of the causes of death inaccurate.

In some instances comparatively large numbers of cases of diseases reported in certain States may be due to the system of reporting rather than to unusual prevalence of the diseases. For instance, in Mississippi physicians report some diseases monthly to the State health officer, giving the number of cases occurring in their practice during the month. This method of reporting probably is responsible, in part, at least, for the comparatively large number of cases of certain diseases reported in Mississippi.

Summaries of reported cases and deaths from communicable diseases, similar to the summary here presented, have been issued by the United States Public Health Service for the years 1912 to 1918, inclusive (Reprints numbered 163, 208, 298, 345, 426, 505, and 551).

Cases reported and deaths registered in New York City during the calendar year 1919, from certain diseases, with indicated morbidity, mortality, and fatality rates.

	Cases.	Deaths.		Cases.	Deaths.			
Anthrax:								
January.....	1	1	Malaria—Continued.					
February.....	2	1	September.....	6	2			
March.....	3	2	October.....	8	1			
April.....	1	1	November.....	5	—			
May.....			December.....	5	—			
June.....			Total	50	9			
July.....		1	Rate per 1,000 population.	0.009	0.002			
August.....			Deaths per 100 cases, 18.0.					
September.....	2							
October.....	1	1	Measles:					
November.....	3	2	January.....	146	7			
December.....	1	1	February.....	170	7			
Total.....	14	9	March.....	264	12			
Rate per 1,000 population.	0.003	0.002	April.....	456	19			
Deaths per 100 cases, 61.3.			May.....	978	34			
Cerebrospinal meningitis:			June.....	604	17			
January.....	35	19	July.....	355	16			
February.....	25	13	August.....	175	9			
March.....	31	17	September.....	125	5			
April.....	43	16	October.....	371	6			
May.....	48	24	November.....	1,106	18			
June.....	24	16	December.....	3,444	63			
July.....	25	15	Total	8,194	218			
August.....	25	16	Rate per 1,000 population.	1.469	0.039			
September.....	12	10	Deaths per 100 cases, 2.7.					
October.....	13	10	Pneumonia (all forms):					
November.....	18	7	January.....	3,417	2,562			
December.....	18	10	February.....	2,111	2,055			
Total.....	317	173	March.....	1,718	1,813			
Rate per 1,000 population.	0.057	0.031	April.....	908	1,145			
Deaths per 100 cases, 54.6.			May.....	351	726			
Diphtheria:			June.....	98	351			
January.....	1,327	134	July.....	33	310			
February.....	1,359	161	August.....	4	273			
March.....	1,609	168	September.....	45	248			
April.....	1,412	142	October.....	170	351			
May.....	1,607	142	November.....	396	446			
June.....	1,294	93	December.....	1,176	693			
July.....	800	55	Total	10,325	10,978			
August.....	603	38	Rate per 1,000 population.		1.968			
September.....	582	42	Poliomyelitis:					
October.....	868	53	January.....	1	—			
November.....	1,062	81	February.....	1	1			
December.....	1,491	131	March.....	1	1			
Total.....	14,014	1,240	April.....	2	1			
Rate per 1,000 population.	2.513	0.222	May.....	3	2			
Deaths per 100 cases, 8.8.			June.....	4	2			
Influenza:			July.....	1	1			
January.....	13,324	1,967	August.....	5	3			
February.....	6,122	1,311	September.....	7	1			
March.....	3,797	875	October.....	9	—			
April.....	1,018	326	November.....	7	—			
May.....	198	148	December.....	3	—			
June.....	11	38	Total	42	11			
July.....	15	13	Rate per 1,000 population.	0.008	0.002			
August.....		10	Deaths per 100 cases, 26.2.					
September.....	44	24	Scarlet fever:					
October.....	155	48	January.....	510	17			
November.....	285	28	February.....	553	14			
December.....	249	42	March.....	676	26			
Total.....	25,218	4,830	April.....	579	19			
Rate per 1,000 population.	4.522	0.866	May.....	554	17			
Deaths per 100 cases, 19.2.			June.....	280	15			
Malaria:			July.....	146	8			
January.....	1	1	August.....	81	4			
February.....			September.....	144	5			
March.....	2		October.....	239	3			
April.....	1		November.....	295	3			
May.....	2	1	December.....	537	5			
June.....	3	1	Total	4,594	136			
July.....	13	1	Rate per 1,000 population.	0.824	0.024			
August.....	4	2	Deaths per 100 cases, 3.0.					

Cases reported and deaths registered in New York City during the calendar year 1919, from certain diseases, with indicated morbidity, mortality, and fatality rates—Continued.

	Cases.	Deaths.		Cases.	Deaths.
Smallpox:			Tuberculosis (all forms)—Con.		
January.....	1		August.....		623
February.....			September.....		559
March.....	3		October.....		554
April.....	8		November.....		509
May.....	1		December.....		557
June.....	1		Total.....		8,499
July.....			Rate per 1,000 population.....		1,524
August.....					
September.....	2		Typhoid fever:		
October.....	1		January.....	36	10
November.....			February.....	20	5
December.....	1		March.....	17	7
Total.....	18		April.....	28	6
Rate per 1,000 population.....	0.003		May.....	32	8
Tuberculosis (pulmonary):			June.....	39	6
January.....	1,270	821	July.....	77	11
February.....	1,294	754	August.....	115	12
March.....	1,500	833	September.....	199	16
April.....	1,374	715	October.....	144	17
May.....	1,311	680	November.....	106	11
June.....	1,260	608	December.....	41	12
July.....	869	564	Total.....	854	121
August.....	1,123	529	Rate per 1,000 population.....	0.153	0.022
September.....	775	474	Deaths per 100 cases, 14.2.		
October.....	1,573	474			
November.....	1,207	448			
December.....	1,014	496			
Total.....	14,570	7,396			
Rate per 1,000 population.....	2.612	1.326			
Number of cases reported for each death regis- tered, 2.0					
Tuberculosis (all forms):			Typhus fever:		
January.....			January.....		
February.....			February.....		
March.....			March.....	1	
April.....			April.....		
May.....			May.....	1	
June.....			June.....	1	
July.....			July.....	2	
			August.....	2	
			September.....	2	
			October.....	1	
			November.....	1	
			December.....		
			Total.....	11	
			Rate per 1,000 population.....	0.002	

Cases of anthrax reported, 1919.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.	
California.....	2	3	1	1	3	1	2	12 California.	
Colorado.....	1	1	2	2	1	1 Colorado.	
Connecticut.....	1 Connecticut.	
Georgia.....	1	1 Georgia.	
Illinois.....	1	1	1 Illinois.	
Kansas.....	1	1	1	1	1	2	1	1 Kansas.
Louisiana.....	1 Louisiana.	
Maine.....	1	1	1 Maine.	
Maryland.....	1	1 Maryland.	
Massachusetts.....	1	1	2	2	2	4	3	2	3	18 Massachusetts.	
Minnesota.....	1	1	1 Minnesota.	
Montana.....	1	1	1	1	1 Montana.	
New Jersey.....	3	1	1	1	1	1	2 New Jersey.	
New Mexico.....	2	3	3	2	2	2	4	1	1	1	1 New Mexico.	
New York.....	2	3	3	2	1	1	2	2	4	1	3	3	25 New York.	
Ohio.....	1	1	1 Ohio.	
Oklahoma.....	1	1	1 Oklahoma.	
Oregon.....	1	1	1 Oregon.	
Pennsylvania.....	1	1	1 Pennsylvania.	
West Virginia.....	1	1	1	6 West Virginia.	

Deaths registered as due to anthrax, 1919.

Anthrax—Cases reported 1916, 1917, and 1918; cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1919.

State.	Estimated population July 1, 1919.	1919				State.		
		Total cases reported, 1916.	Total cases reported, 1917.	Total cases reported, 1918.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.
California.....	3,372,511	12	23	19	12	0.004	1	3.3
Colorado.....	832,148	1	4	1	1	.001	0
Connecticut.....	1,366,894	1	1	1	1	0	0	0.001
Florida.....	2,615,291						
Georgia.....	2,878,976				5	.002	
Illinois.....	6,441,501		2		2		2
Iowa.....	2,384,418		4		1		2	0.001
Kansas.....	1,785,224		2		1		3	0.002
Louisiana.....	1,700,515	4	27	13	5	.003	3	0.002
Maine.....	706,683				1		1	0.001
Maryland.....	1,441,605		1	1	1	.001	0
Massachusetts.....	3,827,326	31	54	23	18	.005	1	5.6
Minnesota.....	2,370,371				1		1
Montana.....	538,738				2		
New Jersey.....	3,123,535	7	21	10	7	.004	
New York.....	10,318,709	15	32	20	25	.002	9	36.0
Ohio.....	5,728,265	1	3	2	1		2
Oregon.....	6,777,692				1		4
Pennsylvania.....	8,665,822	31	25	11	6	.001	
Puerto Rico.....					2		
Texas.....	4,821,654		3	3			
Vermont.....	332,603		2				1	.003
West Virginia.....	1,451,121						3	0.001
Wisconsin.....	2,616,492			2			

Cerebrospinal meningitis—monthly averages of cases reported during the years for which data are available, 1914-1918.

State.	Years included.	Number of years.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Average per year.	State.	
Alabama.....	1915-1918.....	4	16	12	8	8	5	5	2	4	3	4	8	8	Alabama.		
Arizona.....	1914-1918.....	1	2	3	0	0	0	0	0	0	1	1	1	1	8	Arizona.	
Arkansas.....	1917-1918.....	2	28	24	8	4	1	2	1	2	7	7	8	8	108	Arkansas.	
California.....	1914-1918.....	12	10	13	11	9	6	12	8	6	6	6	6	6	8	California.	
Colorado.....	1918.....	1	3	1	0	0	2	0	0	0	3	0	0	0	9	Colorado.	
Connecticut.....	1914-1918.....	5	9	11	17	24	15	12	6	5	5	4	4	3	3	Connecticut.	
District of Columbia.....	1914-1918.....	5	8	7	14	24	2	5	6	(1)	6	1	1	1	3	District of Columbia.	
Florida.....	1918.....	5	29	14	3	5	0	6	3	1	3	3	3	3	34	Florida.	
Hawaii.....	1914-1917.....	1	1	1	1	(1)	44	29	2	1	0	1	1	1	75	Hawaii.	
Illinois.....	1914-1917, 1918.....	3	20	30	40	45	35	23	21	18	15	19	19	19	345	Illinois.	
Indiana.....	1914-1918.....	5	8	6	16	13	10	6	3	3	4	5	2	5	81	Indiana.	
Iowa.....	1914-1918.....	4	2	5	5	4	1	1	2	1	2	4	2	3	32	Iowa.	
Kansas.....	1914-1918.....	5	10	16	18	11	10	5	4	4	4	4	4	4	101	Kansas.	
Louisiana.....	1914-1918.....	5	35	18	13	9	5	4	4	1	1	5	5	5	108	Louisiana.	
Maine.....	1917, 1918.....	2	0	1	2	0	0	1	0	0	1	0	1	7	16	Maine.	
Maryland.....	1915-1918.....	4	7	10	15	21	18	11	10	6	5	8	6	8	125	Maryland.	
Massachusetts.....	1916-1918.....	3	16	20	27	33	23	30	17	14	14	18	15	15	241	Massachusetts.	
Michigan.....	1916-1918.....	11	14	14	11	8	8	9	9	7	4	8	2	4	95	Michigan.	
Minnesota.....	1914-1918.....	5	4	10	22	25	17	9	5	4	2	3	2	3	106	Minnesota.	
Mississippi.....	1914-1918.....	6	13	10	6	10	5	3	3	1	4	4	4	4	64	Mississippi.	
Montana.....	1914, 1916-1918.....	1	1	1	1	1	1	2	0	1	1	0	0	1	12	Montana.	
Nebraska.....	1918.....	1	4	4	7	1	1	0	0	1	1	2	1	1	26	Nebraska.	
Nevada.....	1915, 1917.....	1	1	1	1	0	1	0	1	0	1	0	0	0	6	Nevada.	
New Jersey.....	1918.....	2	22	24	33	47	35	17	20	(1)	21	18	15	7	285	New Jersey.	
New York.....	1914-1918.....	5	20	34	51	58	63	48	33	28	26	21	24	28	433	New York.	
North Carolina.....	1914-1918.....	1	18	26	21	8	7	5	7	9	4	5	3	11	123	North Carolina.	
Ohio.....	1914-1918.....	5	20	42	56	36	24	19	12	16	14	16	14	16	302	Ohio.	
Oregon.....	1914, 1916-1918.....	4	(1)	28	(1)	1	1	0	1	1	1	1	1	1	6	Oregon.	
Pennsylvania.....	1916-1918.....	3	20	30	77	108	94	66	27	32	20	18	18	18	618	Pennsylvania.	
Porto Rico.....	1917.....	1	0	0	1	0	0	1	0	0	0	0	1	0	5	Porto Rico.	
Rhode Island.....	1916-1918.....	3	4	4	4	10	7	4	6	2	2	3	2	1	49	Rhode Island.	
South Carolina.....	1914-1918.....	5	23	19	19	23	12	3	1	1	1	1	1	1	109	South Carolina.	
South Dakota.....	1914, 1917, 1918.....	3	1	3	2	2	2	2	2	1	1	3	2	2	25	South Dakota.	
Texas.....	1915, 1917, 1918.....	3	20	17	8	6	4	3	3	1	1	2	1	2	7	Texas.	
Vermont.....	1916-1918.....	3	(1)	2	1	0	1	1	0	0	0	0	0	0	103	Vermont.	
Virginia.....	1915-1918.....	4	28	22	31	26	18	17	16	12	15	15	11	16	227	Virginia.	
Washington.....	1914-1918.....	5	2	3	3	3	3	3	5	2	2	1	1	3	32	Washington.	
West Virginia.....	1917, 1918.....	2	5	3	4	7	2	2	1	3	1	1	1	0	116	West Virginia.	
Wisconsin.....	1914-1918.....	5	10	9	15	14	12	8	8	7	5	5	6	6	8	Wyoming.	
Wyoming.....	1914, 1916-1918.....	4	(1)	2	1	1	1	1	1	1	1	1	1	1	(1)	8	Wyoming.

¹ Average less than 1.

Cases of cerebrospinal meningitis reported, 1919.

343

February 25, 1921.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	10	20	12	7	2	6	5	4	4	4	4	2	80	Alabama.
Arkansas.....	4	1	4	6	1	1	4	1	1	4	3	28	Arkansas.	
California.....	14	9	15	11	5	12	4	1	10	5	7	7	104	California.
Connecticut.....	3	3	7	5	10	2	3	2	1	1	5	3	44	Connecticut.
Delaware.....														District of Columbia.
District of Columbia.....														
Florida.....	3	2	4	6	1	1	1	1	1	5	3	1	13	Florida.
Georgia.....	7	7	8	4	9	6	3	2	3	2	5	2	58	Georgia.
Hawaii.....	1	1	1	1	1	1	1	1	1	1	1	2	8	Hawaii.
Illinois.....	10	15	14	12	18	12	14	11	10	22	22	9	175	Illinois.
Indiana.....	4	12	5	3	3	2	3	2	3	6	6	5	42	Indiana.
Iowa.....	1	1	5	3	1	2	4	4	4	2	5	2	32	Iowa.
Louisiana.....	15	16	14	11	3	1	2	4	2	4	2	4	5	Louisiana.
Maine.....	1	1	1	1	1	1	1	1	1	1	1	1	6	Maine.
Maryland.....	21	17	8	3	3	5	10	2	3	3	4	4	77	Maryland.
Massachusetts.....	24	23	20	31	25	23	15	19	14	16	16	18	253	Massachusetts.
Michigan.....	6	13	7	3	2	7	4	9	9	4	3	12	75	Michigan.
Minnesota.....	2	7	4	6	5	6	8	9	2	6	3	5	56	Minnesota.
Mississippi.....	5	3	15	4	7	2	2	2	2	4	4	3	51	Mississippi.
Montana.....	1	1	2	2	2	1	3	3	3	1	1	1	14	Montana.
Nebraska.....	4	1	2	8	1	2	2	1	3	1	5	2	26	Nebraska.
New Jersey.....	17	15	18	16	15	6	13	10	1	16	4	4	149	New Jersey.
New York.....	44	43	46	60	56	35	33	29	23	20	33	32	404	New York.
North Carolina.....	9	8	25	6	7	3	7	5	10	10	4	11	103	North Carolina.
Ohio.....	10	11	24	17	11	10	6	9	17	12	8	7	142	Ohio.
Oklahoma.....	6	3	1	2	1	1	6	2	4	1	1	1	1	Oklahoma.
Oregon.....	3	2	1	2	3	2	1	1	1	1	1	1	16	Oregon.
Pennsylvania.....	12	18	23	19	21	10	22	16	9	18	14	22	204	Pennsylvania.
Rhode Island.....													2	Rhode Island.
South Carolina.....	2	2	1	4	3	2	4	2	1	1	1	1	3	South Carolina.
South Dakota.....	1	8	4	3	3	2	2	1	1	1	1	1	1	South Dakota.
Utah.....													9	Utah.
Vermont.....													1	Vermont.
Virginia.....	11	12	9	18	11	5	10	2	14	4	3	11	110	Virginia.
Washington.....	1	1	5	4	1	2	3	5	2	3	1	1	28	Washington.
West Virginia.....	5	6	3	4	1	5	3	5	2	3	1	1	45	West Virginia.
Wyoming.....													4	Wyoming.

Deaths registered as due to cerebrospinal meningitis, 1919.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	8	14	8	1	1	8	3	4	5	5	4	2	52	Alabama.
Arkansas.....	7	7	6	3	4	7	9	1	3	2	1	21	82	Arkansas.
California.....	2	3	7	5	4	3	3	1	3	2	1	4	39	California.
Connecticut.....	3	2	4	6	7	7	5	6	4	3	3	3	46	Connecticut.
Delaware.....			1										2	Delaware.
District of Columbia.....	1		3	1									1	District of Columbia.
Florida.....	4	1	3	2	1	2							1	Florida.
Georgia.....	1	4	2	2	11	2							2	Georgia.
Hawaii.....		2	2										5	Hawaii.
Illinois.....	13	4	12	6	11	3	10						7	Illinois.
Indiana.....	1		1	1	2	2	3						94	Indiana.
Kansas.....	6	4	3	4	4	1	1	4	5	1	2	2	26	Kansas.
Louisiana.....	6	6	8	3									3	Louisiana.
Maine.....	1		1										2	Maine.
Maryland.....	5	8	17	18	5	4	2	1	3	4	4	4	42	Maryland.
Massachusetts.....	3	6	12	23	19	20	11	14	13	8	7	12	180	Massachusetts.
Minnesota.....			1	3	3	2	3		1	1	1	1	28	Minnesota.
Montana.....			3	5	5	3	1	1	2	3	2	1	7	Montana.
Nebraska.....	4	2											39	Nebraska.
New Jersey.....													1	New Jersey.
New York.....	22	15	20	27	18	17	10	7	11	3	3	14	207	New York.
Ohio.....	5	3	7	9	4	5	5	5	10	3	4	11	63	Ohio.
Oklahoma.....	6	3	3	2	2	1	1	2	2	1	1	2	21	Oklahoma.
Oregon.....	1	2	1	2	2	1	1	4	5	2	1	1	11	Oregon.
Rhode Island.....	1	2	2	2	2	2	1	4	2	1	2	1	21	Rhode Island.
South Carolina.....	2	6	8	6	6	6	1	4	5	2	1	1	40	South Carolina.
Utah.....			1	1									5	Utah.
Vermont.....													1	Vermont.
Washington.....	6	2		2	1	6	4	4	2	7	4	5	42	Washington.
Wyoming.....			3										8	Wyoming.

Cerebrospinal meningitis—Average number of cases reported per annum, and average indicated morbidity rates, 1914-1918; cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates 1919.

February 25, 1921.

346

Cases of Asiatic cholera reported in provinces of the Philippine Islands during the calendar year 1919, by quarters.

Provinces.	First quarter.		Second quarter.		Third quarter.		Fourth quarter.		1919.	
	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Albay.	10	2	104	67	722	118	526	785
Ambos Camarines.	3	3	457	335	134	97	601	70.82
Antique.	66	53	164	123	1,071	15	243	175	434	72.21
Batangas.	110	71	20	15	84	65	52	22	243	72.02
Bohol.	35	21	153	91	487	362	52	40	1,455	51.52
Bulacan.	28	14	113	11	128	98	1,120	76.96
Cagayan.	12	10	41	27	74	48	25	22	127	13.30
Cavite.	13	12	232	114	917	559	57	32	391	263
Cebu.	32	20	6	4	1,219	67.26
Davao.	33	34	1	0	574	410	304	265	873	71.80
Ilocos Norte.	171	108	2	1	1,305	868	77	61	1,433	70.22
Iloilo.	315	150	101	767	525	68.45
Isabela.	149	119	138	104	446	329	217	112	217	51.61
Laguna.	18	15	54	811	606	74.72
Leyte.	142	78	9	2	212	99	150	86	381	43.90
Mindoro.	22	15	173	169	52.23
Misamis.	141	71	66	45	96	55.49
Mountain.	6	6	103	76	531	371	122	207	453	56.04
Nueva Ecija.	28	13	17	10	178	174	103	296	519	70.45
Occidental Negros.	37	24	174	103	173	318	61.27
Oriental Negros.	74	40	466	361	543	442	9	5	1,092	60.19
Pampanga.	130	98	168	120	5,911	4,464	87	68	6,296	78.46
Pangasinan.	5	4	386	397	106	10	1,047	4,750	75.44
Rizal.	10	631	62.18
Romblon.	2	20.00	20.00
Sorsogon.	30	31	60	44	394	250	502	66.33

February 25, 1921.

Tarlac.....	68	61	304	237	460	335	75	44	535	379	70, 94
Tayabas.....			7	7	430	350	74	74	421	722	78, 38
Union.....					1,312	968	8		1,327	1,083	74, 08
Zambales.....	7	6		34	23				34	23	67, 65
Zamboanga.....									7	6	85, 72
Total.....	1,180	814	1,851	1,306	17,266	12,225	3,724	2,554	24,066	17,090	71,08

Dengue—Cases reported and deaths registered, 1919.

	Cases.	Deaths.		Cases.	Deaths.			Cases.	Deaths.	
Colorado:										
February.....	1	0	Georgia;							
Florida:			January.....							
January.....	1	0	February.....							
September.....	20	0	March.....							
October.....	3	1	November.....							
November.....	2		Hawaii:							
			January.....							

Tarlac.....	68	61	304	237	460	335	75	44	535	379	70, 94
Tayabas.....			7	7	430	350	74	74	421	722	78, 38
Union.....					1,312	968	8		1,327	1,083	74, 08
Zambales.....	7	6		34	23				34	23	67, 65
Zamboanga.....									7	6	85, 72
Total.....	1,180	814	1,851	1,306	17,266	12,225	3,724	2,554	24,066	17,090	71,08

Diphtheria—Monthly averages of cases reported during the years for which data are available, 1914-1918.

State.	Years included.	Number of years.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Average per year.	State.
Alabama.....	1915-1918.....	4	47	34	36	29	21	16	32	78	135	128	90	57	706	Alabama.
Arizona.....	1911-1916, 1918.....	3	5	3	3	3	3	2	4	3	1	4	7	1	38	Arizona.
Arkansas.....	1911-1918.....	2	23	14	12	5	27	5	13	26	33	22	51	230	Arkansas.	
California.....	1914-1918.....	5	312	280	275	227	158	159	155	296	319	328	328	3,022	California.	
Colorado.....	1914, 1916-1918.....	4	46	37	52	52	44	35	36	52	61	54	58	579	Colorado.	
Connecticut.....	1914-1918.....	5	268	190	169	149	148	132	95	158	272	265	246	2,382	Connecticut.	
District Columbia.....	1914-1918.....	5	67	41	58	50	38	22	19	31	112	121	100	675	District Columbia.	
Florida.....	1918.....	1	25	31	32	8	10	19	13	14	36	43	55	63	339	Florida.
Hawaii.....	1914-1917.....	4	14	18	57	18	9	9	6	11	12	12	9	12	133	Hawaii.
Illinois.....	1914, 1917, 1918.....	3	1,167	742	1,013	834	807	710	661	537	845	1,012	1,354	1,083	10,755	Illinois.
Indiana.....	1914-1918.....	5	348	256	212	176	149	112	126	164	294	541	511	3,290	Indiana.	
Iowa.....	1914, 1916-1918.....	4	68	64	61	47	51	48	43	54	52	112	93	85	763	Iowa.
Kansas.....	1914-1918.....	5	159	96	90	84	71	50	53	57	105	310	355	220	1,677	Kansas.
Louisiana.....	1914-1918.....	5	107	70	67	53	49	96	65	95	140	157	100	73	1,083	Louisiana.
Maine.....	1916-1918.....	3	28	18	28	18	15	13	18	24	22	42	52	32	324	Maine.
Maryland.....	1915-1918.....	4	218	163	145	90	95	65	68	81	147	250	270	225	1,820	Maryland.
Massachusetts.....	1916-1918.....	3	896	724	705	672	694	607	489	469	541	719	768	840	8,175	Massachusetts.
Michigan.....	1914-1918.....	5	533	411	440	371	345	335	312	396	697	734	924	5,580	Michigan.	
Minnesota.....	1914-1918.....	5	332	253	272	218	313	331	223	242	238	407	345	288	3,412	Minnesota.
Mississippi.....	1914-1918.....	5	77	54	97	30	26	37	41	95	115	192	159	119	1,073	Mississippi.
Montana.....	1914, 1916-1918.....	4	28	19	22	19	19	18	24	19	23	27	29	27	271	Montana.
Nebraska.....	1918.....	1	65	34	21	37	104	69	61	36	96	80	80	32	71	Nebraska.
Nevada.....	1915, 1917.....	2	1	0	0	0	(1)	1	1	0	3	2	1	10	10	Nevada.
New Jersey.....	1914-1918.....	5	594	514	500	452	473	431	377	276	382	592	703	2	5,938	New Jersey.
New York.....	1914-1918.....	5	1,902	1,793	1,853	1,694	1,895	1,836	1,390	956	1,056	1,651	1,772	1,844	19,632	New York.
North Carolina.....	1918.....	1	75	51	49	44	44	38	38	65	113	321	171	171	1,97	North Carolina.
North Dakota.....	1917, 1918.....	2	36	37	40	38	42	32	38	29	49	119	144	52	415	North Dakota.
Ohio.....	1914-1918.....	5	805	643	602	454	399	345	417	722	1,122	1,161	812	7,942	Ohio.	
Oklahoma.....	1915, 1917.....	2	124	73	60	55	36	25	19	50	199	342	275	256	1,514	Oklahoma.
Oregon.....	1914-1918.....	5	19	20	21	18	19	22	14	15	18	24	39	34	283	Oregon.
Pennsylvania.....	1916-1918.....	3	3,301	1,176	1,128	981	949	855	812	896	1,281	1,822	1,650	1,464	14,324	Pennsylvania.
Puerto Rico.....	1914, 1915, 1917, 1918.....	4	13	11	12	8	14	8	12	11	12	16	10	8	144	Puerto Rico.
Rhode Island.....	1914, 1916-1918.....	4	106	93	95	79	88	65	69	35	67	109	101	106	1,036	Rhode Island.
South Carolina.....	1914-1918.....	5	106	84	68	75	63	44	68	143	312	272	205	134	1,554	South Carolina.
South Dakota.....	1914, 1917, 1918.....	3	23	23	15	18	8	17	23	22	9	28	20	232	South Dakota.	
Texas.....	1915, 1917, 1918.....	3	146	106	85	82	56	45	62	60	116	251	318	198	1,525	Texas.
Utah.....	1914, 1915, 1917, 1918.....	4	40	29	33	31	19	32	25	28	35	60	54	43	420	Utah.
Vermont.....	1914-1918.....	2	37	24	23	30	25	24	24	22	26	60	58	48	46	Vermont.
Virginia.....	1914-1918.....	5	246	244	120	67	63	47	78	161	382	573	556	281	2,843	Virginia.
Washington.....	1917, 1918.....	6	52	63	35	31	36	33	28	44	54	52	49	53	636	Washington.
West Virginia.....	1917, 1918.....	2	62	42	31	25	21	25	43	113	77	105	53	53	53	West Virginia.
Wisconsin.....	1914-1918.....	5	265	162	168	167	123	116	146	144	225	230	217	217	2,148	Wisconsin.
Wyoming.....	1914-1918.....	5	27	7	8	5	5	5	5	5	2	3	8	9	9	Wyoming.

1. Average less than 1.

Cases of diphtheria reported, 1919.

349

February 25, 1921.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	50	34	29	28	17	19	49	248	270	283	125	104	1,256	Alabama.
Arkansas.....	10	22	19	11	6	4	23	60	227	211	144	144	738	Arkansas.
California.....	208	156	209	243	151	195	295	149	195	424	423	425	3,075	California.
Colorado.....	40	38	36	32	43	45	38	38	73	76	64	55	537	Colorado.
Connecticut.....	280	258	281	171	180	122	89	130	249	548	576	504	3,388	Connecticut.
Delaware.....	67	137	107	74	118	60	54	26	41	99	176	61	1,169	District of Columbia.
Florida.....	35	27	8	35	17	7	15	21	68	85	101	91	510	Florida.
Georgia.....	19	43	36	13	15	30	46	139	377	433	272	128	1,551	Georgia.
Hawaii.....	20	10	32	12	14	18	12	3	10	14	9	9	184	Hawaii.
Illinois.....	750	687	688	644	608	470	465	397	751	1,589	1,628	1,174	9,911	Illinois.
Indiana.....	207	230	223	136	91	94	181	298	194	205	390	304	2,003	Indiana.
Iowa.....	35	69	61	74	46	48	39	30	122	194	166	115	997	Iowa.
Kansas.....	107	86	98	103	92	98	48	59	128	471	463	332	2,077	Kansas.
Louisiana.....	38	39	33	34	41	29	44	56	63	73	69	108	629	Louisiana.
Maine.....	15	11	30	42	24	24	12	18	12	54	58	55	383	Maine.
Maryland.....	198	161	191	172	156	115	121	139	216	436	419	423	2,747	Maryland.
Massachusetts.....	739	684	659	592	561	483	427	524	529	982	983	1,018	7,928	Massachusetts.
Michigan.....	699	635	607	552	554	380	408	479	690	583	416	1,035	6,988	Michigan.
Minnesota.....	484	316	283	416	294	253	242	378	614	522	385	4,541	5,522	Minnesota.
Mississippi.....	44	63	37	70	46	37	37	153	282	320	302	226	1,676	Mississippi.
Montana.....	38	42	40	36	47	32	19	16	17	27	32	20	386	Montana.
Nebbraska.....	33	37	45	21	33	27	17	5	63	61	42	39	423	Nebbraska.
New Jersey.....	655	649	638	547	558	479	419	205	440	756	885	859	2,270	New Jersey.
New Mexico.....	2,224	2,111	2,437	2,081	2,282	2,069	1,403	1,198	1,439	2,313	2,588	2,33	25,077	New Mexico.
New York.....	82	72	70	91	71	53	65	232	660	1,012	707	394	3,519	New York.
North Carolina.....	21	19	8	5	20	10	11	10	41	121	68	60	394	North Carolina.
North Dakota.....	430	414	359	317	339	316	392	661	1,243	1,363	1,094	7,255	North Dakota.	
Ohio.....	34	35	28	9	10	35	26	38	257	169	169	69	308	Ohio.
Oklahoma.....	35	23	15	14	26	27	26	17	33	24	24	63	308	Oklahoma.
Oregon.....	1,069	1,176	1,160	1,052	1,093	930	807	1,032	1,668	2,367	2,730	2,434	17,717	Oregon.
Pennsylvania.....	4	10	9	9	5	5	15	8	6	14	12	5	98	Pennsylvania.
Rhode Island.....	118	123	65	64	53	41	55	43	63	113	129	162	1,029	Rhode Island.
South Carolina.....	30	26	56	33	52	26	55	26	281	419	571	377	2,120	South Carolina.
South Dakota.....	18	14	26	15	53	29	27	43	20	14	25	19	235	South Dakota.
Utah.....	49	46	26	28	36	32	28	29	26	25	36	35	434	Utah.
Vermont.....	24	18	18	10	12	28	26	28	26	24	24	15	232	Vermont.
Virginia.....	98	93	71	74	98	93	60	172	448	708	744	449	3,108	Virginia.
Washington.....	85	85	65	56	66	36	75	66	80	114	158	117	1,003	Washington.
West Virginia.....	44	57	40	51	47	51	51	157	270	645	455	2,244	2,244	West Virginia.
Wisconsin.....	130	106	135	113	147	121	138	117	210	346	304	309	2,185	Wisconsin.
Wyoming.....	16	11	6	5	7	16	5	12	7	10	12	4	124	Wyoming.

Deaths registered as due to diphtheria, 1919.

February 25, 1921.

Diphtheria—Average number of cases reported per annum and average indicated morbidity rates, 1914-1918; cases reported, deaths registered, and indicated mortality, morbidity, and fatality rates, 1919.

State.	Estimated population July 1, 1919.	Years included.	Average.			1919			State.
			Number of years.	Cases reported per annum.	Cases per 1,000 inhabitants.	Total cases reported.	Cases per 1,000 inhabitants.	Deaths per 1,000 inhabitants.	
Alabama.....	2,336,621	1915-1918	4	706	0.30	1,268	0.54	.183	Alabama.
Arizona.....	326,633	1914-1916, 1918	3	39	.15	738	.42	.21	Arizona.
Arkansas.....	1,741,903	1917-1918	2	230	.13	3,022	.91	.141	Arkansas.
California.....	3,372,511	1914-1918	5	1,03	.20	5,579	.91	.296	California.
Colorado.....	862,148	1914-1916-1918	4	557	.30	3,519	.60	.59	Colorado.
Connecticut.....	1,366,894	1914-1918	5	1,83	.14	3,983	2.48	.233	Connecticut.
Delaware.....	221,938	1914-1918	5	678	1.86	1,169	2.71	.40	Delaware.
District of Columbia.....	432,086	1918	1	329	.35	510	.53	.28	District of Columbia.
Florida.....	935,291	1918	1	53	.15	1,551	.54	.47	Florida.
Georgia.....	2,879,976	1914-1916	4	198	.90	1,154	.61	.245	Georgia.
Hawaii.....	222,616	1914-1917-1918	3	10,755	1.74	9,911	1.54	.26	Hawaii.
Illinois.....	6,441,501	1914-1917-1918	5	3,280	1.16	2,903	.59	1,020	Illinois.
Indiana.....	2,918,716	1914-1918	5	3,200	1.16	3,983	.39	.319	Indiana.
Iowa.....	2,384,418	1914-1916-1918	4	783	.34	997	.42	.167	Iowa.
Kansas.....	2,765,224	1914-1918	5	1,677	.92	2,077	1.18	.91	Kansas.
Kentucky.....	2,409,518	1911-1916	5	1,633	.39	629	.35	.347	Kentucky.
Louisiana.....	1,760,983	1910-1918	3	324	.12	383	.47	.150	Louisiana.
Maine.....	1,441,865	1915-1918	4	820	1.33	747	1.91	.224	Maine.
Massachusetts.....	3,827,329	1916-1918	3	8,175	2.17	7,928	2.07	.591	Massachusetts.
Michigan.....	6,623,082	1914-1919	5	5,850	1.83	6,968	1.93	.745	Michigan.
Minnesota.....	2,370,271	1914-1918	5	3,412	1.50	4,541	1.82	.301	Minnesota.
Mississippi.....	1,789,552	1914-1918	5	1,073	.65	1,676	.94	.13	Mississippi.
Montana.....	3,397,871	1914-1916-1918	4	271	.59	386	.88	.492	Montana.
Nebraska.....	1,290,182	1918	1	706	.54	423	.33	.51	Montana.
New Jersey.....	3,123,635	1914-1918	5	5,938	2.01	7,270	2.33	.63	New Jersey.
New York.....	10,319,701	1914-1918	5	16,632	1.91	26,077	2.43	.572	New York.
North Carolina.....	2,538,450	1918	1	327	.64	5,119	1.99	.263	North Carolina.
North Dakota.....	642,193	1917-1918	2	415	.63	3,944	.61	.32	North Dakota.
Ohio.....	5,708,265	1914-1918	5	7,942	1.54	7,235	1.27	.647	Ohio.
Oklahoma.....	2,008,487	1915-1917	2	1,514	.69	3,108	.40	.240	Oklahoma.
Oregon.....	777,692	1914-1918	5	263	.31	17,717	2.64	.52	Oregon.
Pennsylvania.....	8,668,822	1916-1918	3	14,324	1.65	1,029	1.71	.57	Pennsylvania.
Puerto Rico.....	601,215	1914-1916-1918	4	141	.12	1,036	1.68	.23	Puerto Rico.
Rhode Island.....	601,966	1914-1918	5	1,554	.96	2,129	1.27	.20	Rhode Island.
South Carolina.....	1,674,966	1914-1918	5	—	—	—	—	.06	South Carolina.

Diphtheria—Average number of cases reported per annum and average indicated morbidity rates, 1914-1918; cases reported, deaths registered, and indicated mortality, 1919—Continued.

State.	Estimated population July 1, 1919.	Average.			1919			State.
		Years included.	Number of years.	Cases reported per annum.	Total cases reported.	Cases per 1,000 inhabitants	Deaths per 1,000 inhabitants	
South Dakota.....	638,168	1914-1917 1914-1915 1914-1916 1914-1917, 1918	3	232	.33	265	.47	South Dakota.
Texas.....	445,827	1914-1915 1914-1916 1914-1917	4	429	.95	434	.97	Utah.
Vermont.....	352,955	1914-1916	5	405	1.12	382	1.14	Vermont.
Virginia.....	2,280,756	1914-1916	5	2,843	1.30	3,168	1.35	Virginia.
Washington.....	1,840,375	1914-1918	5	606	.33	1,063	.15	Washington.
West Virginia.....	1,451,121	1917-1918	2	639	.45	2,244	.34	West Virginia.
Wheeling.....	2,616,462	1914-1918	5	2,148	.36	2,185	.27	Wisconsin.
Wyoming.....	191,307	1914-1918	5	77	.43	124	.15	Wyoming.

Cases of influenza reported, 1919.

353

February 25, 1921.

State.	January.	Febru-	March.	April.	May.	June.	July.	August.	Septem-	October.	Novem-	Decem-	Total.	State.
		ary.							ber.		ber.			
Alabama.....	6,443	2,348	313	128	54	9	6	29	35	21	19	15	9,420	Alabama.
Arkansas.....	4,225	2,146	205	63	12	12	12	30	91	137	65	7,016	Arkansas.	
California.....	67,804	3,089	3,160	5,013	1,252	12	248	63	30	111	111	81,574	California.	
Colorado.....	2,707	1,712	938	215	1	1	1	1	1	1	1	4,603	Colorado.	
Connecticut.....	6,718	2,232	1,242	233	56	3	1	2	32	44	44	27	10,654	Connecticut.
Delaware.....														
District of Columbia.....	3,180	476	223	90	43	9	8	82	67	94	43	4,275	District of Columbia.	
Florida.....	1,322	202	20	118	30	13	7	13	83	93	78	25	2,010	Florida.
Georgia.....	3,754	1,844	718	718	88	8	28	41	116	165	113	18	7,147	Georgia.
Hawaii.....	2,719	4,631	3,942	622	96	12	20	22	3	25	76	34	12,282	Hawaii.
Illinois.....	14,938	5,997	4,792	606	166	20	27	109	188	311	238	27	37,654	Illinois.
Indiana.....	10,945	5,661	4,120	1,030	99	53	45	41	62	146	104	90	22,393	Indiana.
Kansas.....	15,732	3,127	1,956	364	40	16	6	121	110	70	65	41	47,799	Kansas.
Louisiana.....	37,088	2,613	372	72	10	28	12	20	68	224	35	75	40,365	Louisiana.
Maine.....	2,640	300	155	217	23	2	2	9	97	24	10	3,379	Maine.	
Maryland.....	18,034	5,681	1,880	434	123	25	17	36	683	178	160	27,618	Maryland.	
Massachusetts.....	28,725	6,435	2,928	1,069	408	70	31	56	225	199	125	147	40,416	Massachusetts.
Minnesota.....	7,272	1,758	2,825	742	145	8	17	24	24	44	39	12,945	Minnesota.	
Mississippi.....	41,073	12,732	3,026	1,046	411	232	27	625	1,166	47	47	1,355	12,945	Mississippi.
Montana.....	1,797	661	2,223	949	112	1	4	11	24	60	12	6	5,380	Montana.
Nebaska.....	12,418	2,922	6,184	1,052	1,025	17	3	8	30	19	5	23	6,683	Nebaska.
New Jersey.....	11,850	5,242	3,343	1,183	159	26	22	40	133	200	121	12	22,544	New Jersey.
New Mexico.....														
New York.....	40,091	14,276	8,441	3,336	1,181	96	44	44	188	321	43	11	418	New Mexico.
North Carolina.....	8,822	3,446	1,092	486	35	1	1	49	108	33	33	14	68,573	New York.
North Dakota.....	3,340	1,142	84	69	52	1	1	10	33	14	14	20	14,126	North Carolina.
Ohio.....	25,598	25,170	28,729	7,797	1,104	58	73	25	131	222	178	176	59,264	North Dakota.
Oklahoma.....		1,975	656	565	38	13	22	15	27	33	8	8		Oklahoma.
Oregon.....	8,960	591	283	385	418	2	3	12	8	34	34	7	10,780	Oregon.
Rhode Island.....	4,455	920	194	30	7	1	1	30	31	11	8	5	5,680	Rhode Island.
South Carolina.....	10,535	680	107	58	37	19	23	17	23	34	34	17	11,578	South Carolina.
South Dakota.....	6,328	886	873	598	40	11	4	36	38	83	42	4	8,991	South Dakota.
Utah.....	15,460	3,491	7,332	2,676	524	26	4	7	1	5	5	4	29,538	Utah.
Vermont.....	5,265	1,246	1,026	1,177	100	1	2	3	23	24	24	6	7,882	Vermont.
Virginia.....	40,747	17,711	5,332	1,010	284	170	180	161	673	660	840	802	69,151	Virginia.
Washington.....	6,488	1,214	683	1,228	96	32	13	5	14	20	8,711	Washington.		
West Virginia.....	1,364	1,863	1,611	104	13	30	18	168	139	14	14	5,079	West Virginia.	
Wisconsin.....	4,148	1,111	1,268	387	43	11	6	20	9	13	13	7,020	Wisconsin.	
Wyoming.....		380	848	1,709	171	1	1	1	1	6	7	16	3,119	Wyoming.

Deaths registered as due to influenza, 1919.

State.	Jan. uary.	Febru- ary.	March.	April.	May.	June.	July.	August.	Septem- ber.	Octo- ber.	Novem- ber.	Decem- ber.	Total.	State.
Alabama.....	1,223	567	227	109	38	21	18	16	11	25	69	10	2,352	Alabama.
Arizona.....	539	268	120	84	93	29	12	2	3	2	10	10	1,407	Arizona.
Arkansas.....	3,553	302	210	266	162	48	12	16	8	36	169	16	4,748	Arkansas.
California.....	298	176	293	97	12	4	11	24	26	25	17	17	4,788	California.
Colorado.....	755	310	237	121	46	19	11	3	7	4	3	3	1,569	Colorado.
Connecticut.....	170	58	26	8	3	9	3	3	1,276	Connecticut.
District of Columbia.....	286	46	26	13	5	2	1	2	1	2	2	2	1,388	District of Columbia.
Florida.....	396	257	91	112	23	15	8	8	9	24	24	24	1,360	Florida.
Georgia.....	340	374	190	113	101	17	15	22	15	15	29	31	1,360	Georgia.
Hawaii.....	80	190	154	35	12	8	2	2	1	2	2	3	1,457	Hawaii.
Illinois.....	2,229	1,140	1,283	404	162	46	30	26	40	43	68	61	5,955	Illinois.
Indiana.....	925	554	947	269	64	26	13	17	18	30	32	33	2,945	Indiana.
Iowa.....	913	306	320	131	53	29	16	8	8	11	16	11	1,830	Iowa.
Kansas.....	377	269	373	127	52	30	18	10	6	12	13	13	2,135	Kansas.
Kentucky.....	1,362	1,156	982	272	81	54	25	28	18	32	32	34	4,587	Kentucky.
Louisiana.....	1,586	375	536	56	29	22	13	10	8	17	17	17	2,220	Louisiana.
Maine.....	217	82	85	39	38	11	10	9	9	8	10	8	553	Maine.
Massachusetts.....	693	901	100	45	27	11	6	1	10	8	7	11	1,220	Massachusetts.
Michigan.....	1,736	616	379	143	66	19	8	5	13	23	16	21	3,046	Michigan.
Minnesota.....	1,337	900	451	239	115	33	16	18	11	22	21	19	2,877	Minnesota.
Montana.....	1,012	431	600	205	106	38	17	14	8	5	5	2	2,570	Montana.
Nebraska.....	234	107	183	102	42	8	5	3	2	6	5	2	690	Nebraska.
New Jersey.....	136	97	124	87	38	10	3	4	2	4	5	4	634	New Jersey.
New Mexico.....	1,116	647	436	128	47	20	15	8	12	21	18	15	2,483	New Mexico.
New York.....	3,425	1,949	1,359	570	307	83	33	27	39	74	51	2	4	New York.
North Dakota.....	1,248	222	29	56	19	14	9	9	9	26	29	29	6,031	North Dakota.
Ohio.....	1,622	1,225	1,617	216	66	55	10	10	13	19	34	34	5,486	Ohio.
Oklahoma.....	988	286	164	108	34	16	6	3	4	6	11	11	5,767	Oklahoma.
Oregon.....	773	83	39	37	27	19	6	3	4	5	8	3	1,038	Oregon.
Puerto Rico.....	1,220	416	132	76	20	21	27	26	21	27	18	4	2,032	Puerto Rico.
Rhode Island.....	321	113	96	36	10	9	3	1	3	4	5	5	5,500	Rhode Island.
South Carolina.....	428	233	88	37	21	9	9	4	6	11	10	10	8,882	South Carolina.
Utah.....	385	105	133	86	45	13	2	2	2	2	6	6	8,882	Utah.
Vermont.....	110	84	77	59	14	4	5	5	5	11	1	1	374	Vermont.
Virginia.....	2,485	974	536	233	95	35	32	15	12	23	32	32	4,510	Virginia.
Washington.....	950	251	145	128	90	32	13	5	4	14	14	14	1,661	Washington.
Wisconsin.....	504	381	410	222	131	36	36	32	22	19	17	17	1,911	Wisconsin.
Wyoming.....	61	66	414	26	14	4	1	1	1	1	1	1	1,165	Wyoming.

Influenza—Cases reported, deaths registered, indicated morbidity and mortality rates, and number of cases reported for each death registered.

State.	Estimated population July 1, 1910	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.	State.	Estimated population July 1, 1910	Total cases reported.	Cases per 1,000 inhabitants.	Deaths per 1,000 inhabitants registered.	Cases reported for each death registered.	
Alabama.....	2,336,521	0.420	4.03	2,332	1.00	4.0	Nebraska.....	1,290,132	23,083	18.36	534	0.41	44.4
Arizona.....	326,633	7.016	4.03	189	.58	5.0	New Jersey.....	3,123,335	22,644	7.22	2,483	.79	9.1
Arkansas.....	1,741,903	4.03	1.407	81	.81	17.2	New York.....	10,318,709	68,873	6.67	8,031	.78	8.6
California.....	3,372,511	81,574	24.19	4,746	1.41	5.8	North Carolina.....	2,558,450	14,126	5.56	—	—	—
Colorado.....	832,148	4,603	4.94	788	.85	5.8	North Dakota.....	642,183	730	1.17	486	.76	1.3
Connecticut.....	1,386,894	10,664	7.80	1,369	1.15	6.8	Ohio.....	5,708,265	89,264	15.64	5,767	1.01	15.5
Delaware.....	221,938	—	—	276	1.24	—	Oklahoma.....	2,008,487	—	—	1,555	.77	—
District of Columbia.....	432,086	4,275	9.80	388	.90	11.0	Oregon.....	10,780	13,86	1.03	1,29	1.29	10.7
Florida.....	935,291	2,010	2.10	920	.96	2.2	Puerto Rico.....	2,032	2,032	—	—	—	—
Georgia.....	2,879,976	7,447	2.48	1,360	.47	5.3	Rhode Island.....	601,215	5,080	9.46	596	.99	9.5
Hawaii.....	282,616	12,282	48.66	487	1.93	25.2	South Carolina.....	1,674,986	11,578	6.91	832	.33	13.1
Illinois.....	6,441,501	27,654	4.29	5,862	.86	5.0	South Dakota.....	633,163	8,991	14.20	810	1.82	31.5
Indiana.....	2,918,716	22,396	7.67	2,926	1.00	7.6	Utah.....	445,527	20,536	96.20	374	1.06	21.1
Iowa.....	2,394,418	41,799	23.68	1,820	.70	—	Vermont.....	355,933	7,892	22.35	4,519	1.97	15.3
Kansas.....	1,765,224	—	—	1,315	.74	31.8	Virginia.....	2,283,756	69,161	30.15	—	—	—
Kentucky.....	2,408,518	—	—	—	—	—	Washington.....	1,345,278	8,711	6.48	1,661	1.23	5.2
Louisiana.....	1,790,515	40,565	22.65	2,320	1.30	17.5	West Virginia.....	1,451,121	5,079	3.50	73	.73	3.7
Maine.....	1,768,993	3,379	4.41	558	.73	6.1	Wisconsin.....	2,616,492	7,020	2.68	1,911	.86	18.9
Maryland.....	1,441,865	21,918	19.16	1,220	.53	22.6	Wyoming.....	191,907	3,119	16.25	105	—	—
Massachusetts.....	3,827,129	40,416	10.56	3,045	.90	13.3							
Michigan.....	3,623,082	12,945	5.46	2,877	.79	—							
Minnesota.....	2,370,371	12,945	5.46	2,670	1.00	5.0							
Mississippi.....	1,758,562	64,738	36.17	3,531	1.04	—							
Missouri.....	3,387,871	5,860	10.88	699	1.30	8.4							
Montana.....	638,758	—	—	—	—	—							

Cases of malaria reported, 1919.

State.	January	Febru-	March.	April.	May.	June.	July.	August.	Septem-	Octo-	Novem-	Decem-	Total.	State.
	ary.	ary.							ber.	ber.	ber.	ber.		
Alabama.....	15	33	71	59	106	228	217	407	903	274	124	90	2,517	Alabama.
Arkansas.....	108	82	154	238	411	554	775	546	963	663	663	314	4,015	Arkansas.
California.....	4	10	2	18	25	50	170	133	258	258	111	17	1,056	California.
Connecticut.....									2				8	Connecticut.
Delaware.....												2		Delaware.
Florida.....	39	7	20	67	38	67	182	205	149	370	500	222	1,865	Florida.
Georgia.....	31	64	89	166	349	266	356	335	304	708	402	175	3,345	Georgia.
Louisiana.....	141	40	42	66	93	134	354	422	297	374	197	251	2,411	Louisiana.
Maine.....												1		Maine.
Maryland.....	10	1	3	5	12	5	13	18	23	32	10	10	3	Maryland.
Massachusetts.....													4	Massachusetts.
Minnesota.....													4	Minnesota.
Mississippi.....	2,832	3,326	4,358	6,008	7,740	9,955	14,118	17,001	17,808	14,616	8,719	2	57,763	Mississippi.
Montana.....													1	Montana.
New Jersey.....	2	7	5	3	12	16	18	28	10	12	9	9	2	New Jersey.
New Mexico.....													1	New Mexico.
New York.....	1												1	New York.
Ohio.....													5	Ohio.
Oregon.....													5	Oregon.
Pennsylvania.....													1	Pennsylvania.
Puerto Rico.....	119	151	189	120	60	88	3	1	2	1	1	1	394	Puerto Rico.
South Carolina.....	13	15	16	13	75	107	104	94	86	109	82	23	737	South Carolina.
Virginia.....	88	137	138	298	367	513	437	641	723	597	325	176	4,440	Virginia.

Deaths registered as due to malaria, 1919.

State.	Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	August.	Sep- tem- ber.	Octo- ber.	Novem- ber.	Decem- ber.	Total.	State.
Alabama.....	4	5	11	15	8	16	27	33	42	48	34	14	257	Alabama.
Arkansas.....	7	9	6	14	13	25	34	52	31	53	44	79	307	Arkansas.
California.....	1	2	1	1	2	1	2	2	3	1	4	3	28	California.
Colorado.....	4	Colorado.
Connecticut.....	1	Connecticut.
Delaware.....	1	11	18	27	28	46	65	107	71	44	3	Delaware.
Florida.....	4	12	2	3	9	7	27	27	49	90	88	30	440	Florida.
Georgia.....	1	3	9	6	4	7	14	11	14	18	7	5	394	Georgia.
Illinois.....	4	3	1	1	1	2	1	3	6	5	1	2	102	Illinois.
Indiana.....	3	1	27	27	Indiana.
Iowa.....	1	2	1	1	4	7	3	12	10	1	2	Iowa.
Kansas.....	2	2	5	3	5	0	66	66	82	66	20	Kansas.
Kentucky.....	1	2	13	27	22	33	41	1	73	Kentucky.
Louisiana.....	12	13	1	3	1	471	Louisiana.
Maryland.....	1	7	Maryland.
Massachusetts.....	2	1	1	1	1	1	1	1	1	4	Massachusetts.
Minnesota.....	1	1	1	1	1	1	1	1	2	Minnesota.
Nebraska.....	1	1	1	1	1	1	1	1	Nebraska.
New Jersey.....	1	1	1	1	1	2	3	2	1	1	1	1	2	New Jersey.
New York.....	1	1	1	1	1	1	1	1	1	1	1	1	15	New York.
Ohio.....	2	3	2	1	4	1	1	1	1	1	10	Ohio.
Oklahoma.....	1	2	2	2	6	14	17	13	16	11	6	91	Oklahoma.	
Oregon.....	2	2	1	1	1	1	1	1	1	1	2	Oregon.
Porto Rico.....	148	115	126	117	122	49	256	150	107	135	129	136	1,593	Porto Rico.
Rhode Island.....	1	1	1	1	1	1	1	1	Rhode Island.
South Carolina.....	1	2	3	9	11	15	32	35	50	84	35	22	269	South Carolina.
Vermont.....	1	4	2	2	5	9	9	9	7	9	7	4	6	Vermont.
Virginia.....	3	4	2	2	1	1	1	1	65	Virginia.
Wisconsin.....	1	1	1	Wisconsin.

Malaria—Cases reported, deaths registered, indicated morbidity and mortality rates, and number of cases reported for each death registered, 1919.

State.	Estimated population July 1, 1919.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Cases reported for each death registered.	State.	Estimated population July 1, 1919.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.
Alabama.....	2,336,521	2,517	1.077	257	.010	Montana.....	538,758	1	0.002	...	1	0.001
Arkansas.....	1,741,903	5,015	2.879	367	.211	Nebraska.....	1,280,182	2	.004
California.....	3,372,511	1,056	.313	28	.068	New Jersey.....	3,122,535	124040	15	.005
Colorado.....	932,148	4	.004	New York.....	10,318,760	30	10	.001
Connecticut.....	1,386,894	8	.006	1	.001	Ohio.....	5,708,265	53	53	.002
Delaware.....	221,038	3	.014	Oklahoma.....	2,098,487	91	.045
Florida.....	965,291	1,866	1.864	440	.401	Oregon.....	777,692	1	2	...
Georgia.....	2,870,976	3,345	1.161	384	.133	Pennsylvania.....	8,663,892	9004
Illinois.....	6,441,501	102	.016	Porto Rico.....	...	1,987	1,593	...
Indiana.....	2,918,716	27	.009	Rhode Island.....	...	245	1	.002
Iowa.....	2,394,418	2	.001	South Carolina.....	1,674,986	737440	299	2.5
Kansas.....	1,765,224	20	.011	Vermont.....	352,803	1	...
Kentucky.....	2,409,518	73	.030	Virginia.....	2,398,736	4,440	65	...
Louisiana.....	1,780,515	2,411	1.347	471	.263	Wisconsin.....	2,016,482	1	.004
Maine.....	786,693	1	.001
Maryland.....	1,441,665	135	.604	7	.005
Massachusetts.....	3,827,329	72	.019	4	.001
Minnesota.....	2,370,371	5	.002	2	.001
Mississippi.....	1,798,782	112,554	62.887	155	.046
Missouri.....	3,397,871

1. See discussion, p. 337.

February 25, 1921.

Measles—Monthly averages of cases reported during the years for which data are available, 1914-1918.

State.	Years included.	Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	August.	Sep- tember.	Oc- tober.	Novem- ber.	Decem- ber.	Aver- age per year.	State.	
Alabama.....	1915-1918.....	1,351	1,820	1,261	627	192	74	63	77	67	120	296	6,741	Alabama.		
Arizona.....	1918.....	1,5	73	27	6	0	2	2	2	1	0	0	0	6,162	Arizona.	
Arkansas.....	1917, 1918.....	2	1,066	1,715	3,378	825	413	108	33	55	40	273	6,580	Arkansas.		
California.....	1914, 1916-1918.....	2	2,272	2,331	2,696	2,389	1,265	1,106	464	283	309	423	339	6,276	California.	
Colorado.....	1914, 1916-1918.....	4	411	888	1,265	1,147	923	327	72	36	35	32	36	1,775	Colorado.	
Connecticut.....	1914-1918.....	5	654	688	883	900	1,110	807	388	80	47	120	216	3,336	Connecticut.	
District Columbia.....	1914-1918.....	5	193	365	772	548	359	163	35	14	16	56	74	3,267	District Columbia.	
Florida.....	1918.....	1	368	560	207	172	151	76	62	111	60	33	64	1,187	Florida.	
Hawaii.....	1914, 1917.....	1	63	73	40	62	55	12	9	14	101	101	102	753	Hawaii.	
Illinois.....	1914, 1917, 1918.....	3	2,709	2,641	4,740	4,755	4,480	2,089	724	183	111	113	240	396	2,461	Illinois.
Indiana.....	1914-1918.....	1	1,349	2,088	2,990	3,455	2,715	1,612	316	45	131	346	551	15,886	Indiana.	
Iowa.....	1918.....	1	449	248	250	1118	683	30	15	5	6	2	4	1,198	Iowa.	
Kansas.....	1914-1918.....	5	765	1,454	2,528	2,916	3,144	179	49	33	82	182	295	11,523	Kansas.	
Louisiana.....	1914-1918.....	5	1,036	580	374	188	144	79	62	53	27	117	485	6,532	Louisiana.	
Maine.....	1916-1918.....	3	282	183	169	122	104	157	172	40	33	56	211	3,957	Maine.	
Maryland.....	1915-1918.....	4	724	943	1,713	2,111	2,102	1,336	480	151	96	110	325	3,076	Maryland.	
Massachusetts.....	1916-1918.....	3	2,234	2,534	3,423	4,183	5,002	3,894	1,983	487	298	387	712	1,017	26,184	Massachusetts.
Michigan.....	1914-1918.....	5	664	829	1,386	1,633	1,694	1,004	320	106	235	257	289	8,405	Michigan.	
Minnesota.....	1914-1918.....	5	347	604	1,022	1,025	1,071	725	240	40	22	47	100	1,515	Minnesota.	
Mississippi.....	1914-1918.....	5	929	4,285	4,466	5,037	1,808	827	337	178	184	311	1,980	2,815	Mississippi.	
Montana.....	1914-1916-1918.....	4	466	365	575	481	473	214	52	22	15	43	27	49	2,824	Montana.
Nebraska.....	1918.....	1	286	293	214	460	165	43	20	11	69	16	16	17	1,917	Nebraska.
Nevada.....	1917.....	1	129	345	683	214	43	45	43	1	0	7	27	48	4,417	Nevada.
New Jersey.....	1918.....	1	2,457	3,925	5,432	6,505	6,660	2,796	1,121	279	103	84	202	2,917	New Jersey.	
New York.....	1914-1918.....	5	1,923	9,903	10,842	11,849	8,119	4,155	1,150	483	797	1,617	2,964	6,622	New York.	
North Carolina.....	1918.....	1	1,449	1,700	1,827	2,269	9,945	364	111	77	160	127	314	5,956	North Carolina.	
North Dakota.....	1917-1918.....	2	80	113	3,302	4,836	5,265	4,634	881	27	3	11	9	5	8,875	North Dakota.
Ohio.....	1915, 1917.....	2	322	1,611	2,067	1,656	626	487	144	29	28	6	298	8,955	Ohio.	
Oklahoma.....	1914-1918.....	3	326	505	726	550	336	1,149	47	32	28	42	48	3,556	Oklahoma.	
Oregon.....	1916-1918.....	3	5,832	7,544	11,620	12,008	10,136	6,231	2,611	781	414	953	1,056	7,066	Oregon.	
Pennsylvania.....	1914-1918.....	2	211	419	1,436	11,449	538	535	232	175	275	431	354	4,374	Pennsylvania.	
Porto Rico.....	1917, 1918.....	2	105	215	475	516	475	419	274	132	6	38	31	1,839	Porto Rico.	
Rhode Island.....	1914, 1916-1918.....	5	489	672	627	356	139	37	26	2	9	27	149	2,805	Rhode Island.	
South Carolina.....	1914-1918.....	3	103	2,042	1,219	1,112	379	147	97	33	4	45	34	1,938	South Carolina.	
Texas.....	1917, 1918.....	2	1,522	1,125	1,125	1,125	650	648	224	37	32	43	479	4,551	Texas.	
Utah.....	1914, 1915, 1917, 1918.....	5	954	361	594	429	517	356	221	60	55	51	57	1,159	Utah.	
Vermont.....	1914-1918.....	4	1,812	2,685	3,465	3,722	3,077	1,316	468	205	120	177	423	704	1,848	Vermont.
Virginia.....	1915-1918.....	4	1,119	1,350	1,287	1,387	1,281	838	310	112	66	445	422	613	9,012	Virginia.
Washington.....	1914-1918.....	5	636	604	403	480	257	833	225	7	16	29	20	16,280	Washington.	
West Virginia.....	1917-1918.....	2	1,316	1,905	1,666	1,870	1,027	463	105	66	272	274	437	10,335	West Virginia.	
Wisconsin.....	1911-1918.....	5	55	95	164	88	141	53	18	4	5	20	75	727	Wyoming.	
Wyoming.....	1914-1918.....	5	55	95	164	88	141	53	18	4	5	20	75	727	Wyoming.	

Cases of measles reported, 1919.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	148	179	312	225	112	46	24	6	13	10	15	16	1,106	Alabama.
Arkansas.....	40	128	123	188	69	8	27	5	9	11	6	21	616	Arkansas.
California.....	79	66	71	99	94	85	92	71	169	572	828	1,743	3,969	California.
Colorado.....	10	2	27	16	16	4	9	9	6	5	5	44	146	Colorado.
Connecticut.....	362	671	869	939	878	383	157	58	84	327	473	682	5,894	Connecticut.
Delaware.....												107	107	Delaware.
District of Columbia.....	11	6	18	17	17	9	14	5	3	5	15	11	167	District of Columbia.
Florida.....	237	168	142	106	48	42	20	10	6	4	4	14	775	Florida.
Georgia.....	82	210	274	177	197	68	16	7	6	2	2	77	1,256	Georgia.
Hawaii.....	23	21	14	8	14	90	37	20	10	30	32	3	135	Hawaii.
Illinois.....	338	692	1,898	4,717	5,204	3,142	820	20	3	8	3	3	18,844	Illinois.
Indiana.....	230	381	713	782	1,238	584	234	31	30	110	291	542	5,055	Indiana.
Iowa.....	4	4	233	189	92	73	48	6	17	16	29	60	144	Iowa.
Kansas.....	59	110	27	63	64	58	33	13	11	34	45	100	988	Kansas.
Louisiana.....	44	32	4	1	2	2	7	2	4	1	5	30	418	Louisiana.
Maine.....	3	18	528	779	546	531	204	37	24	54	74	75	6	Maine.
Maryland.....	246	335	528	775	1,045	1,308	890	468	371	131	179	562	3,700	Maryland.
Massachusetts.....	509	452	778	1,447	839	806	291	104	69	69	725	873	2,116	Massachusetts.
Michigan.....	98	197	413	636	636	1,010	961	332	52	46	225	247	7,086	Michigan.
Minnesota.....	40	122	525	525	308	241	158	413	57	40	30	41	4,499	Minnesota.
Mississippi.....	390	432	140	150	170	91	55	54	6	12	7	25	3,215	Mississippi.
Montana.....	17	30	30	122	38	232	81	43	4	2	9	4	15	Montana.
Nebraska.....	39	30	38	486	763	763	347	90	65	227	227	344	1,040	Nebraska.
New Jersey.....	151	173	382	1,447	2,065	3,077	2,269	1,240	432	220	633	14	4,774	New Jersey.
New Mexico.....														New Mexico.
New York.....	706	933	1,316	1,080	505	212	115	149	85	85	1,584	2,920	19,382	New York.
North Carolina.....	228	529	1,335	1,940	2,638	2,654	1,050	67	25	22	84	152	578	North Carolina.
North Dakota.....	2	1	124	108	21	35	35	271	168	168	1,543	552	552	North Dakota.
Ohio.....	583	734	1,335	1,940	2,638	2,654	1,050	47	11	12	12	3,224	3,224	Ohio.
Oklahoma.....												19	19	Oklahoma.
Oregon.....	21	15	56	46	37	43	25	19	12	20	59	48	407	Oregon.
Pennsylvania.....	1,438	4,270	6,167	7,282	7,730	4,823	1,871	833	718	1,760	2,920	5,908	45,710	Pennsylvania.
Porto Rico.....														Porto Rico.
Rhode Island.....	12	18	45	16	40	32	22	31	5	4	6	19	23	Rhode Island.
South Carolina.....	62	1	7	12	31	31	37	2	4	1	41	82	359	South Carolina.
South Dakota.....	3	12	19	29	26	11	20	7	4	7	10	6	167	South Dakota.
Utah.....												25	25	Utah.
Vermont.....	68	115	329	311	213	93	39	13	34	72	130	311	1,728	Vermont.
Virginia.....	316	792	1,024	986	802	458	124	52	65	50	91	67	4,822	Virginia.
Washington.....	57	144	247	279	346	207	132	20	7	15	152	198	1,904	Washington.
West Virginia.....	50	68	277	482	417	261	155	89	8	19	16	26	1,898	West Virginia.
Wisconsin.....	168	574	121	449	682	137	45	60	173	35	394	492	4,346	Wisconsin.
Wyoming.....		15	61	48	68	33	4	2	50	50	63	177	646	Wyoming.

Deaths registered as due to measles, 1919.

State	January	February	March	April	May	June	July	August	September	October	November	December	Total	State
Alabama.....	9	7	19	4	5	9	3	3	2	7	2	1	54	Alabama.
Arkansas.....	6	7	10	4	1	1	1	1	2	2	2	6	31	Arkansas.
California.....	10	11	10	16	14	7	1	7	3	2	3	8	38	California.
Colorado.....	9	11	10	16	14	7	7	3	1	2	3	9	90	Colorado.
Connecticut.....	1	1	1	1	1	1	1	1	1	1	1	1	1	Connecticut.
Delaware.....	1	1	1	1	1	1	1	1	1	1	1	1	1	Delaware.
District Columbia.....	1	1	1	1	1	1	1	1	1	1	1	1	1	District Columbia.
Florida.....	10	13	8	3	5	3	1	1	1	1	1	1	43	Florida.
Georgia.....	10	10	10	5	7	1	1	1	1	1	1	1	34	Georgia.
Hawaii.....	12	27	28	51	66	42	23	11	3	5	5	8	228	Hawaii.
Illinois.....	5	8	14	11	15	11	5	5	1	1	1	1	55	Illinois.
Indiana.....	1	1	8	2	2	2	2	2	1	2	2	3	24	Indiana.
Iowa.....	1	1	4	3	3	2	1	1	1	1	1	1	12	Iowa.
Kansas.....	19	32	66	38	16	11	5	5	1	1	1	1	8	Kansas.
Kentucky.....	1	3	6	6	3	3	2	2	1	1	1	1	30	Kentucky.
Louisiana.....	1	1	1	1	1	1	1	1	1	1	1	1	4	Louisiana.
Maine.....	4	3	7	11	4	2	9	6	1	1	1	1	5	Maine.
Maryland.....	10	6	21	19	24	31	7	6	3	8	14	34	44	Maryland.
Massachusetts.....	8	8	9	12	15	26	16	14	5	7	19	32	183	Massachusetts.
Michigan.....	3	2	16	17	27	9	8	4	1	1	3	11	170	Michigan.
Minnesota.....	1	1	3	4	1	1	1	1	1	1	1	1	10	Minnesota..
Montana.....	1	1	1	1	1	1	1	1	1	1	1	1	3	Montana.
Nebraska.....	1	1	1	1	1	1	1	1	1	1	1	1	3	Nebraska.
New Jersey.....	3	4	9	3	13	8	3	1	1	1	1	1	10	New Jersey.
New Mexico.....	17	26	48	63	32	22	11	7	9	24	78	335	New Mexico.	
New York.....	18	17	2	1	1	1	1	1	1	1	1	1	10	New York.
North Dakota.....	1	1	22	26	32	23	19	6	1	13	27	197	North Dakota.	
Ohio.....	12	16	5	8	7	2	2	1	1	1	1	1	1	Ohio.
Oklahoma.....	9	3	3	1	1	1	1	1	1	1	1	1	3	Oklahoma.
Oregon.....	1	1	2	1	1	1	1	1	1	1	1	1	20	Oregon.
Puerto Rico.....	1	1	1	1	1	1	1	1	1	1	1	1	2	Puerto Rico.
Rhode Island.....	2	2	3	2	2	3	1	1	1	1	1	1	16	Rhode Island.
South Carolina.....	2	2	1	1	1	1	1	1	1	1	1	1	8	South Carolina.
Utah.....	1	1	2	1	1	1	1	1	1	1	1	1	2	Utah.
Vermont.....	1	1	2	7	2	1	1	1	1	1	1	1	1	Vermont.
Virginia.....	3	6	22	16	10	5	2	6	1	1	1	1	13	Virginia.
Washington.....	2	2	3	3	4	1	1	1	1	1	1	1	4	Washington.
Wisconsin.....	3	9	11	8	6	6	2	2	1	1	1	1	5	Wisconsin.
Wyoming.....													1	Wyoming.

Measles—Average number of cases reported per annum and average indicated morbidity rates, 1914-1918; cases reported, deaths registered, and indicated mortality, mortality, and fatality rates, 1919.

State.	Estimated population July 1, 1919.	Average.			1919			State.
		Years included.	Number of years.	Cases reported per annum.	Cases per 1,000 inhabitants.	Total cases reported.	Cases per 1,000 inhabitants registered.	
Alabama.....	2,336,521	1915-1918.	4	6,741	2.87	1,106	0.47	Alabama.
Arizona.....	326,633	1918.....	1	162	.60	615	.5	Arizona.
Arkansas.....	1,741,903	1917-1918.	2	6,560	3.70	615	.35	Arkansas.
California.....	3,372,511	1914-1918.	5	14,276	4.86	3,960	1.18	California.
Colorado.....	992,148	1914-1916-1918.....	4	15,259	5.43	1,446	.16	Colorado.
Connecticut.....	1,366,894	1914-1918.	5	6,386	5.09	5,884	4.30	Connecticut.
District of Columbia.....	432,086	1914-1918.	5	3,267	8.98	187	.43	District of Columbia.
Delaware.....	221,938	1918.....	1	2,187	2.33	1,755	.81	Delaware.
Florida.....	985,291	1918.....	1	2,357	2.37	1,256	.44	Florida.
Georgia.....	2,879,705	1914-1917.	4	763	3.57	1,335	.53	Georgia.
Hawaii.....	252,618	1914-1917.	3	23,461	3.50	18,944	2.93	Hawaii.
Illinois.....	6,441,501	1914-1917-1918.	5	15,986	5.37	5,055	1.73	Illinois.
Indiana.....	2,918,710	1914-1918.	1	1,988	1.64	1,444	.06	Indiana.
Iowa.....	2,384,418	1918.....	1	1,023	6.35	998	.57	Iowa.
Kansas.....	1,785,224	1914-1918.	5	11,623	6.35	1,000	.12	Kansas.
Kentucky.....	2,409,518	1914-1918.	5	3,198	2.08	418	.23	Kentucky.
Louisiana.....	1,750,515	1914-1918.	5	3,198	2.08	418	.23	Louisiana.
Maine.....	706,683	1916-1918.	3	1,937	2.49	655	.07	Maine.
Maryland.....	1,441,663	1915-1918.	4	10,709	7.83	3,709	2.57	Maryland.
Massachusetts.....	3,827,229	1916-1918.	3	26,184	6.93	9,984	2.61	Massachusetts.
Michigan.....	3,623,082	1914-1918.	5	8,405	2.75	7,066	1.96	Michigan.
Minnesota.....	2,370,371	1914-1918.	5	5,436	2.38	4,669	1.69	Minnesota.
Mississippi.....	1,729,782	1914-1918.	5	22,815	11.69	3,215	1.80	Mississippi.
Missouri.....	3,397,871	1914-1918.	4	2,924	6.10	807	1.50	Missouri.
Montana.....	638,738	1914-1916-1918.	1	1,584	1.22	655	.51	Montana.
Nebraska.....	1,290,182	1918.....	1	26,437	9.23	4,774	1.53	Nebraska.
New Jersey.....	3,123,335	1918.....	1	62,562	6.69	19,882	1.83	New Jersey.
New York.....	10,318,709	1914-1918.	5	8,069	3.27	5,768	2.27	New York.
North Carolina.....	2,325,450	1915-1918.	2	875	1.12	562	.96	North Carolina.
North Dakota.....	612,183	1917-1918.	5	26,316	5.11	16,788	2.94	North Dakota.
Ohio.....	5,208,265	1914-1918.	2	6,101	2.77	107	.37	Ohio.
Oklahoma.....	2,008,487	1915-1917.	2	2,917	3.49	763	.52	Oklahoma.
Oregon.....	777,092	1914-1918.	5	60,982	45,710	5,27	3	Oregon.
Pennsylvania.....	8,665,822	1916-1918.	3	4,914	3.33	133	.04	Pennsylvania.
Puerto Rico.....	179,150	1917-1918.	2	1,829	2.90	218	.36	Puerto Rico.
Rhode Island.....	601,215	1914, 1916-1918.....	4				.027	Rhode Island.

February 25, 1921.

South Carolina.....	1,674,996	1914-1918	5	2,805	1,73	359	.21	.005	2.2
South Dakota.....	635,163	1914,1915,1916	3	5,963	1,37	1,57	.25	.004	South Carolina.
Utah.....	445,527	1914,1915,1917,1918	4	5,625	12,96	1,83	.41	.004	South Dakota.
Vermont.....	312,603	1914-1918	5	2,971	8,17	1,728	4,90	.045	Utah.
Virginia.....	2,283,756	1915-1918	4	18,448	8,35	4,823	2,10	.16	Vermont.
Washington.....	1,345,278	1914-1918	5	9,012	5,87	1,864	1,41	.73	Virginia.
West Virginia.....	1,451,121	1917,1918	2	2,680	1,88	1,31	1,41	.032	Washington.
Wisconsin.....	2,616,492	1914-1918	5	10,355	4,14	4,342	1,96	.015	West Virginia.
Wyoming.....	191,907	1914-1918	5	727	4,05	646	3,37	.015	Wisconsin.
							.54	.021	Wyoming.
							1	.005	

Cases of pneumonia (all forms) reported, 1919.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	911	448	282	174	163	66	53	53	33	26	34	27	2,700	Alabama.
California.....	700	87	116	166	71	76	54	50	114	137	143	207	1,987	California.
Connecticut.....	258	84	52	27	19	7	6	5	4	9	28	46	545	Connecticut.
Delaware.....	3	6	1	3	6	6	12	12	Delaware.
Florida.....	80	32	14	102	58	33	23	16	20	38	39	64	510	Florida.
Georgia.....	184	293	160	145	122	40	23	21	27	20	65	108	1,218	Georgia.
Illinois.....	1,838	1,389	1,445	890	562	355	216	165	208	376	508	1,043	8,985	Illinois.
Indiana.....	661	474	610	266	87	73	39	57	69	11	12	112	2,261	Indiana.
Louisiana.....	251	95	131	112	111	62	63	35	44	56	64	173	1,187	Louisiana.
Maine.....	33	4	7	2	1	1	9	9	67	Maine.
Maryland.....	840	566	487	336	244	110	78	74	110	180	182	426	3,645	Maryland.
Massachusetts.....	1,086	663	658	463	352	144	109	72	142	240	275	441	4,585	Massachusetts.
Michigan.....	403	268	401	186	135	30	22	20	68	71	72	1,965	Michigan.	
Minnesota.....	164	142	212	190	111	68	34	48	46	98	120	203	1,425	Minnesota.
Mississippi.....	4,996	2,810	1,630	1,128	690	315	205	331	405	463	918	1,670	15,261	Mississippi.
New Jersey.....	1,883	1,359	1,088	669	351	170	124	84	135	224	314	606	7,017	New Jersey.
New Mexico.....	101	144	4	4	19	New Mexico.
New York.....	4,764	3,134	2,692	1,577	780	269	119	22	19	425	746	1,832	16,483	New York.
North Carolina.....	416	385	272	192	95	30	22	20	53	68	68	216	1,783	North Carolina.
Ohio.....	1,273	1,082	1,142	644	230	77	40	63	72	111	203	324	5,254	Ohio.
Oklahoma.....	333	91	46	20	15	7	19	63	34	34	Oklahoma.
Pennsylvania.....	424	29	20	11	29	7	12	4	29	323	599	Pennsylvania.
South Carolina.....	179	29	16	16	7	24	31	339	South Carolina.
South Dakota.....	393	140	170	74	18	8	4	3	8	12	30	14	874	South Dakota.
Utah.....	219	70	148	82	30	22	13	17	19	39	61	95	816	Utah.
Vermont.....	67	9	16	3	1	1	9	17	10	32	177	Vermont.
Washington ¹	429	113	109	65	132	17	16	17	16	5	30	64	1,040	Washington.

¹ Includes lobar pneumonia cases only.² City of Seattle not included.

Deaths registered as due to pneumonia (all forms), 1919.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	893	521	272	218	154	78	68	60	83	59	121	104	2,721	Alabama.
Arizona.....	176	112	81	69	63	35	33	36	18	27	26	41	307	Arizona.
Arkansas.....	986	258	291	273	185	140	113	120	29	44	87	962	2,973	Arkansas.
California.....	362	283	303	174	141	37	41	46	77	84	114	114	1,726	California.
Colorado.....	226	286	175	148	96	36	41	58	71	105	132	132	1,631	Colorado.
Connecticut.....	234	116	69	41	56	18	11	6	11	16	31	31	635	Connecticut.
Delaware.....	116	66	40	28	23	24	20	24	28	35	35	30	718	Delaware.
District Columbia.....	125	96	112	40	30	21	19	34	37	65	65	65	635	District of Columbia.
Florida.....	173	84	67	55	38	19	10	16	17	47	77	77	1,484	Florida.
Georgia.....	110	147	119	115	124	119	50	70	94	93	147	147	1,484	Georgia.
Illinois.....	1,101	936	1,137	692	423	276	181	146	169	266	452	744	6,563	Illinois.
Indiana.....	634	472	832	423	320	173	96	68	121	121	174	174	3,340	Indiana.
Iowa.....	399	231	367	228	134	56	41	54	67	133	130	217	2,077	Iowa.
Kansas.....	539	344	636	239	90	28	22	20	28	55	99	99	2,299	Kansas.
Kentucky.....	506	481	504	237	142	91	59	54	78	93	173	173	2,682	Kentucky.
Louisiana.....	539	259	187	146	103	67	73	64	64	62	99	99	1,831	Louisiana.
Maine.....	132	160	135	135	51	34	13	40	40	54	62	62	1,237	Maine.
Maryland.....	610	410	271	175	153	48	56	54	70	80	99	99	2,226	Maryland.
Massachusetts.....	643	355	354	287	181	89	48	51	62	106	126	126	3,503	Massachusetts.
Michigan.....	745	556	651	418	320	121	90	83	102	172	226	226	3,869	Michigan.
Minnesota.....	164	142	212	190	111	58	34	46	43	96	116	116	2,416	Minnesota.
Montana.....	88	61	119	92	38	16	7	14	14	39	42	42	1,547	Montana.
Nebraska.....	332	221	403	258	126	72	38	23	36	59	63	63	1,704	Nebraska.
New Jersey.....	970	769	767	511	257	132	108	96	135	184	241	241	4,645	New Jersey.
New Mexico.....	3,764	2,862	2,828	1,922	1,196	568	419	446	446	616	1,163	1,163	17,081	New Mexico.
New York.....	3,932	2,180	1,751	1,177	1,196	55	30	45	30	43	36	36	1,054	New York.
North Dakota.....	1,157	1,060	1,172	978	468	187	136	132	174	233	384	384	7,042	North Dakota.
Ohio.....	364	108	176	120	55	26	16	31	31	64	64	64	1,240	Ohio.
Oklahoma.....	58	50	63	55	51	27	16	12	24	41	37	56	490	Oklahoma.
Oregon.....	184	121	143	98	63	27	14	22	47	47	81	81	865	Oregon.
Rhode Island.....	1,140	595	266	196	144	66	47	57	41	59	112	112	2,933	Rhode Island.
South Carolina.....	1,665	36	48	50	38	17	9	14	7	32	32	32	45	South Carolina.
Utah.....	48	53	55	42	27	16	12	6	11	24	29	29	383	Utah.
Vermont.....	265	234	254	186	62	67	60	52	69	79	121	121	1,670	Vermont.
Virginia.....	146	97	106	98	76	56	46	51	38	72	101	101	1,025	Virginia.
Washington.....	402	267	530	407	235	158	87	71	90	200	248	248	2,864	Washington.
Wisconsin.....	80	26	58	49	12	12	1	9	7	11	13	13	288	Wisconsin.
Wyoming.....														Wyoming.

1 Includes lobar pneumonia deaths only.

Pneumonia (all forms)—Cases reported, deaths registered, indicated morbidity and mortality rates, and number of cases reported for each death registered, 1919.

State.	Estimated population July 1, 1919.	Total cases reported.	Cases per 1,000 inhabitants.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.	State.	Estimated population July 1, 1919.	Total cases reported.	Cases per 1,000 inhabitants.	Deaths per 1,000 inhabitants.	Deaths per 1,000 inhabitants registered.	Cases reported for each death registered.
Alabama.....	2,339,321	2,270	2,721	1.16	—	Minnesota.....	2,370,371	1,425	0.60	1,416	0.60	1.0
Arizona.....	2,326,333	—	1,010	3.09	—	Mississippi.....	1,765,732	15,281	8.53	4,271	—	—
Arkansas.....	1,741,903	—	—	.65	—	Missouri.....	3,397,871	—	—	667	1.05	1.26
California.....	3,372,511	1,987	2,973	.98	—	Montana.....	538,758	—	—	1,104	1.32	—
Colorado.....	932,148	—	1,738	1.86	—	Nebraska.....	1,200,182	—	—	—	—	—
Connecticut.....	1,306,894	645	1,631	1.19	—	New Jersey.....	3,123,535	7,017	2.25	4,945	1.46	1.5
Delaware.....	221,938	—	337	1.61	—	New York.....	10,318,709	16,438	—	17,081	1.06	—
District of Columbia.....	432,086	—	635	1.47	—	North Carolina.....	2,538,450	1,788	.70	—	—	—
Florida.....	955,201	519	718	.75	—	North Dakota.....	642,183	—	—	1,054	1.64	—
Georgia.....	2,879,976	1,218	1,484	.32	—	Ohio.....	5,703,285	5,251	—	7,042	1.23	—
Illinois.....	6,441,901	8,995	1.40	6,503	1.01	Oklahoma.....	2,008,487	—	—	1,240	.62	—
Indiana.....	5,915,216	2,261	3,340	1.14	—	Oregon.....	2,777,892	—	—	490	.63	—
Iowa.....	2,894,918	—	2,077	.87	—	Rhode Island.....	601,215	—	—	805	1.44	—
Kansas.....	1,765,224	1,081	2,239	1.30	—	South Carolina.....	1,674,946	369	—	2,933	1.75	—
Kentucky.....	2,408,518	—	2,685	1.11	—	South Dakota.....	633,163	874	—	—	—	—
Louisiana.....	1,780,515	1,187	1,831	1.02	—	Utah.....	445,527	816	1.83	—	—	—
Maine.....	768,883	67	1,257	1.84	—	Vermont.....	352,603	177	—	390	.88	2.1
Maryland.....	1,441,965	843	2,63	2,226	1.54	Virginia.....	2,293,756	—	—	363	1.03	—
Massachusetts.....	3,827,329	1,458	1,20	1,2	563	Washington.....	1,345,278	1,040	—	1,070	.73	—
Michigan.....	3,622,982	1,905	3,809	1.07	—	Wisconsin.....	2,616,452	—	—	1,925	.76	—
						Wyoming.....	181,907	—	—	2,964	1.09	—
										285	1.50	—

¹ Includes lobar pneumonia only.
² City of Seattle not included.

Poliomyelitis (infantile paralysis)—Monthly averages¹ of cases reported during the years for which data are available, 1913-1915, 1917, 1918.

State.	Years included.	Number of years.	Febr.- uary.	March.	April.	May.	June.	July.	August.	September.	October.	November.	Decem- ber.	Average per year.	State.
Alabama.....	1913-1915, 1917, 1918.	4	1	1	2	2	2	2	3	2	1	2	1	21	Alabama.
Arizona.....	1914	1	0	0	0	0	0	0	0	0	1	0	0	1	Arizona.
Arkansas.....	1917-1918.....	1	1	(1)	3	4	3	1	1	0	0	0	0	0	Arkansas.
California.....	1913-1915, 1917, 1918.	5	7	(1)	0	0	3	5	8	9	6	1	0	7	California.
Colorado.....	1917-1918.....	2	1	(1)	0	0	0	0	0	0	1	2	1	5	Colorado.
Connecticut.....	1913-1915, 1917, 1918.	5	1	1	1	0	0	0	0	0	0	0	0	1	Connecticut.
District Columbia.....	1913-1915, 1917, 1918.	5	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	(2)	1	District Columbia.

Cases of poliomyelitis (infantile paralysis) reported, 1919.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.	
Alabama.....	2					1	12	8	6	4	2	2	35	Alabama.	
Arkansas.....						1	3	5	1	1	1	1	12	Arkansas.	
California.....	1	1	2	1		1	5	4	4	3	2	1	27	California.	
Connecticut.....							1	1	1	2	1	1	1	13	Connecticut.
District Columbia.....	1					1	4	5	1				1	11	District Columbia.
Florida.....						1	1	3	1				1	1	Florida.
Georgia.....													6	6	Georgia.
Illinois.....	10	4	8	4	13	12	48	75	56	17	15	11	23	Illinois.	
Indiana.....	2				1	1	1	4	6	13	2	2	32	Indiana.	
Iowa.....	1	1	4	3	11	15	3	1	1	5	1	1	1	1	Iowa.
Louisiana.....	2												31	Louisiana.	
Maine.....													4	4	Maine.
Maryland.....	1	1	5	3	11	15	27	22	9	5	3	1	111	Maryland.	
Massachusetts.....	4	2	4	2	12	22	24	30	17	9	3	2	98	Massachusetts.	
Michigan.....	1	3	2	2	1	1	22	24	17	9	3	1	165	Michigan.	
Minnesota.....	2	1	1	3	1	1	1	10	10	9	8	9	9	9	Minnesota.
Mississippi.....	17	7	1	1	1	1	1	3	1	1	1	1	76	Mississippi.	
Montana.....													9	9	Montana.
Nebraska.....													2	2	Nebraska.
New Jersey.....	3	1	2	2	4	2	4	5	5	7	4	1	14	New Jersey.	
New Mexico.....													4	4	New Mexico.
New York.....	4	6	7	9	4	3	3	3	3	2	2	3	44	New York.	
North Carolina.....	2	3	2	3	3	3	6	11	8	9	7	7	146	North Carolina.	
Oahu.....	4	8	5	7	2	3	10	8	17	20	14	11	3	3	Oahu.
Oregon.....													1	1	Oregon.
Pennsylvania.....													2	2	Pennsylvania.
Rhode Island.....													1	1	Rhode Island.
South Carolina.....	1	4	1	1	1	1							2	2	South Carolina.
South Dakota.....													1	1	South Dakota.
Tahiti.....													1	1	Tahiti.
Vermont.....													1	1	Vermont.
Virginia.....	1	6	10	2	20	18	21	22	10	15	7	7	143	Virginia.	
Washington.....	2		4	1	1	1	1	1	1	2	1	1	16	Washington.	
West Virginia.....		1	1	1	1	1	11	6	8	9	10	9	161	West Virginia.	
Wisconsin.....	3	2	1	3	2	3	2	80	71	37	15	7	3	220	Wisconsin.
Wyoming.....													2	2	Wyoming.

Deaths registered as due to poliomyelitis (infantile paralysis), 1919.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	3	1	1	2		2	1	1	5	3	1	2	22	Alabama.
Arkansas.....				1			1	1	1	2	2	2	11	Arkansas.
California.....	1		4			1				2	2	2	9	California.
Colorado.....	5	3	2		6	2	3	5	1	4	9	5	46	Colorado.
Connecticut.....	1			1		3			1	2	2	2	10	Connecticut.
Delaware.....					1				1				2	Delaware.
Florida.....			1		1					2	1	1	7	Florida.
Georgia.....		1	1		3		1		2			1	10	Georgia.
Illinois.....	11	3	11	5	14	3	6		21	15	15	7	123	Illinois.
Iowa.....	5			1		1		3	1		4		10	Iowa.
Indiana.....				2	1		1	2	3	3	7	2	26	Indiana.
Kansas.....	1		1		1		1	3	1	3	2	2	1	Kansas.
Kentucky.....	1			1		1	2	1	2	2	2	1	12	Kentucky.
Louisiana.....	1		1			2		1	2	1	1		9	Louisiana.
Maine.....									1		1		2	Maine.
Maryland.....						1	2	2	10	11	5	3	34	Maryland.
Massachusetts.....	3		1	2	2	1	2	2	2	2	2	2	17	Massachusetts.
Minnesota.....	1		1	1	1	1	2	4	1	1	1	2	16	Minnesota.
Montana.....													2	Montana.
Nebraska.....													3	Nebraska.
New Jersey.....			2		3	1	5	4	1	1	5	1	12	New Jersey.
New York.....	2					1	5	4	1	6	6	3	31	New York.
North Dakota.....	1	2	3	4	1	3	1		5	3	3	4	36	North Dakota.
Ohio.....										3	7	1	1	Ohio.
Oklahoma.....										4	3	1	2	Oklahoma.
Rhode Island.....	1				1	2	1						1	Rhode Island.
South Carolina.....	2									2	2	3	2	South Carolina.
Utah.....									1	1	1		3	Utah.
Virginia.....										5	3	2	17	Virginia.
Washington.....										1	1	1	7	Washington.
Wisconsin.....	2								12	14	10	2	46	Wisconsin.
Wyoming.....											1		1	Wyoming.

Poliomyelitis (infantile paralysis)—Average number of cases reported per annum and average indicated morbidity rates, 1918-1916,¹ 1917, 1918, cases reported, deaths registered, and indicated mortality, and fatality rates, 1919.

State.	Estimated population July 1, 1919.	Average.			1919			State.
		Years included.	Number of years.	Cases reported per annum.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	
Alabama.....	2,336,521	1913-1915, 1917, 1918	4	21	0.009	.35	0.015	Alabama.
Arkansas.....	1,741,903	1911-1913	2	7	.014	.12	.22	62.9
California.....	3,372,511	1913-1915, 1917, 1918	5	70	.024	.27	.008	Arkansas.
Colorado.....	932,148	1917, 1918	2	7	.007	.007	.006	Arkansas.
Connecticut.....	1,366,904	1913-1915, 1917, 1918	5	31	.025	.12	.006	California.
Delaware.....	221,538	1913-1915, 1917, 1918	5	3	0.014	.005	2	Colorado.
District of Columbia.....	432,066	1913-1915, 1917, 1918	5	6	0.006	.006	0.007	Connecticut.
Florida.....	853,291	1918.....	1	6	0.014	.014	0.000	Delaware.
Georgia.....	2,879,976	1913-1915, 1917, 1918	3	190	0.031	.23	.008	District of Columbia.
Illinois.....	6,441,501	1913-1914, 1918	5	65	0.023	.32	.011	Florida.
Indiana.....	2,918,716	1913-1915, 1917, 1918	5	4	0.015	.13	.002	Georgia.
Iowa.....	2,394,418	1913-1915, 1917, 1918	5	33	0.029	.029	.000	Illinois.
Kansas.....	1,769,224	1913-1915, 1917, 1918	5	8	0.009	.009	.000	Indiana.
Kentucky.....	2,409,618	1913-1915, 1917, 1918	4	16	0.010	.004	.000	Iowa.
Louisiana.....	1,790,683	1917, 1918	2	81	0.059	.005	.000	Kansas.
Maine.....	1,441,865	1915, 1917, 1918	3	3	0.057	.057	.017	Kentucky.
Maryland.....	1,865,820	1913-1915, 1917, 1918	3	212	0.025	.105	.029	Louisiana.
Massachusetts.....	3,827,320	1913-1915, 1917, 1918	5	70	0.057	.066	.017	Maine.
Michigan.....	3,926,825	1913-1915, 1917, 1918	5	5	0.025	.025	.004	Maryland.
Minnesota.....	3,570,571	1913-1915, 1917, 1918	5	73	0.033	.033	.008	Massachusetts.
Mississippi.....	1,789,752	1914, 1915, 1917, 1918	5	78	0.040	.076	.017	Michigan.
Montana.....	3,398,758	1913, 1914, 1917, 1918	4	14	0.031	.009	.000	Minnesota.
Nebraska.....	1,290,182	1918	1	10	0.006	.006	.000	Mississippi.
New Jersey.....	3,125,555	1913-1915, 1917, 1918	5	65	0.019	.044	.014	Montana.
New York.....	10,318,709	1913-1915, 1917, 1918	5	286	0.029	.146	.004	Nebraska.
North Carolina.....	2,838,450	1918.....	1	22	0.029	.43	.017	New Jersey.
North Dakota.....	642,183	1917, 1918	2	31	0.040	.040	.002	North Carolina.
Ohio.....	5,708,265	1914, 1915, 1917, 1918	4	259	0.050	.098	.011	North Dakota.
Oklahoma.....	2,008,487	1917, 1918	1	20	0.009	.017	.036	Ohio.
Oregon.....	877,922	1913, 1915, 1917, 1918	4	7	0.008	.008	.000	Oklahoma.
Pennsylvania.....	8,665,922	1917, 1918	2	428	0.049	.108	.002	Oregon.
Rhode Island.....	215	1917, 1918	2	10	0.016	.003	1	Pennsylvania.
South Carolina.....	1,674,906	1914, 1915, 1917, 1918	4	11	0.007	.007	.007	Rhode Island.
South Dakota.....	633,163	1913, 1917, 1918	3	22	0.031	.014	.022	South Carolina.
Utah.....	445,527	1918.....	1	1	0.002	.002	.007	South Dakota.

Vermont ²	352, 603	1914-1918	5	117	.322	15	.043	0	
Virginia.....	2, 268, 736	1913-1915, 1918	3	190	.087	143	.062	.007	11.9
Washington.....	1, 545, 278	1913-1915, 1918	4	18	.012	16	.012	.003	33.8
West Virginia.....	1, 451, 121	1913-1915, 1917, 1918	1	30	.021	61	.042	.012	7
Wisconsin.....	2, 616, 492	1913-1915, 1917, 1918	5	89	.036	226	.086	.018	20.4
Wyoming.....	191, 907	1917, 1918,	2	2	.011	2	.006	.005	30.0

¹ In computing the average number of cases reported during previous years, the year 1916 was not included, as during that year an epidemic of poliomyelitis occurred in many States.
² 1916 included, as the number of cases for that year was less than 1914 or 1917.

Cases of rabies in animals reported, 1919.

State.	Cases reported.	State.	Cases reported.	State.	Cases reported.	State.	Cases reported.
Arkansas.....	63	Maryland.....	43	Oregon.....	43	Rhode Island.....	5
District of Columbia.....	16	Massachusetts.....	37	Wisconsin.....	35	Utah.....	5
Georgia.....	12	Minnesota.....	35	Virginia.....	33	Washington.....	30
Indiana.....	62	Mississippi.....	74				

Rabies in man—Deaths registered, 1919.

State.	Deaths registered.	State.	Deaths registered.	State.	Deaths registered.	State.	Deaths registered.
Colorado.....	1	Louisiana.....	2	Oklahoma.....	2	South Carolina.....	1
Delaware.....	1	Maryland.....	1	Utah.....	1	Virginia.....	5
Florida.....	2	Massachusetts.....	1	Washington.....	1		
Georgia.....	2	Missouri.....	2				
Illinois.....	4	New Jersey.....	1				
Indiana.....	1	New York.....	1				
Kansas.....	2	Ohio.....	6				

Cases of Rocky Mountain spotted or tick fever reported, 1919.

Deaths registered as due to Rocky Mountain spotted or tick fever, 1919.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Colorado													1	Colorado.
Montana													1	Montana.
Oregon													1	Oregon.
Utah													1	Utah.
Wyoming													1	Wyoming.

Rocky Mountain spotted or tick fever—Cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1919.

Scarlet fever—Monthly averages of cases reported during the years for which data are available, 1914-1918.

State,	Years included.	Number of years.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Average per year.		
															State.		
Alabama.....	1915-1918.	4	55	51	36	7	5	23	28	92	99	116	97	69	733	Alabama.	
Arizona.....	1914-1918.	3	15	6	9	11	35	2	15	21	14	1	1	1	38	Arizona.	
Arkansas.....	1914-1918.	2	33	39	38	293	365	4	144	132	25	45	18	321	Arkansas.		
California.....	1914-1918.	5	446	403	163	141	140	81	143	30	30	30	314	333	347	California.	
Colorado.....	1914-1918.	4	142	163	206	171	183	13	112	57	40	61	30	107	175	Colorado.	
Connecticut.....	1914-1918.	5	186	171	183	88	87	78	35	36	16	11	23	137	138	153	Connecticut.
District Columbia.....	1914-1918.	5	93	9	35	10	3	3	8	4	1	1	1	6	620	District Columbia.	
Florida.....	1914-1918.	1	10	1	1	1	1	1	1	1	1	1	1	1	138	Florida.	
Hawaii.....	1914-1917.	3	427	1,388	1,724	2,011	1,132	615	374	239	357	351	351	351	351	351	Hawaii.
Illinois.....	1914-1918.	5	588	523	426	247	278	216	212	216	199	199	199	199	199	199	Illinois.
Indiana.....	1914-1918.	5	207	271	335	291	225	92	92	92	80	43	31	31	31	31	Indiana.
Iowa.....	1914-1918.	5	251	271	247	257	235	201	201	201	201	201	201	201	201	201	Iowa.
Kansas.....	1914-1918.	5	19	12	12	12	14	12	12	12	12	12	12	12	12	12	Kansas.
Louisiana.....	1914-1918.	5	19	15	16	16	17	16	18	20	20	20	20	20	20	20	Louisiana.
Maine.....	1916-1918.	3	262	219	213	217	194	150	96	67	67	67	67	67	67	67	Maine.
Maryland.....	1915-1918.	4	695	695	695	695	695	586	377	377	377	377	377	377	377	377	Maryland.
Massachusetts.....	1916-1918.	3	733	801	730	730	730	826	577	360	220	19	19	19	19	19	Massachusetts.
Michigan.....	1914-1918.	5	492	365	722	635	453	304	132	120	120	120	120	120	120	120	Michigan.
Minnesota.....	1914-1918.	5	51	42	42	42	41	31	23	20	20	20	20	20	20	20	Minnesota.
Mississippi.....	1914-1918.	5	171	171	171	171	171	171	171	171	171	171	171	171	171	171	Mississippi.
Montana.....	1914-1918.	5	171	171	171	171	171	171	171	171	171	171	171	171	171	171	Montana.
Nebraska.....	1918.	1	171	171	171	171	171	171	171	171	171	171	171	171	171	171	Nebraska.
Nevada.....	1915-1917.	2	25	25	11	11	8	8	4	4	4	4	4	4	4	4	Nevada.
New Jersey.....	1914-1918.	5	1,549	528	663	614	504	392	196	107	122	122	122	122	122	122	New Jersey.
New York.....	1914-1918.	5	1,771	1,633	2,027	2,027	1,730	1,117	1,117	1,117	1,117	1,117	1,117	1,117	1,117	1,117	New York.
North Carolina.....	1918.	1	85	85	22	21	23	32	32	32	32	32	32	32	32	32	North Carolina.
North Dakota.....	1917-1918.	2	85	118	111	111	111	111	111	111	111	111	111	111	111	111	North Dakota.
Ohio.....	1914-1918.	5	1,063	1,015	1,007	915	725	434	238	238	238	238	238	238	238	238	Ohio.
Oklahoma.....	1915-1917.	2	295	305	31	62	63	74	40	36	36	36	36	36	36	36	Oklahoma.
Oregon.....	1914-1918.	5	38	31	31	31	31	31	33	33	33	33	33	33	33	33	Oregon.
Pennsylvania.....	1916-1918.	3	939	915	1,013	894	894	769	492	308	345	345	345	345	345	345	Pennsylvania.
Porto Rico.....	1914-1917.	2	1	1	0	0	0	0	(1)	0	0	0	0	0	0	0	Porto Rico.
Rhode Island.....	1914-1918.	4	85	73	103	89	93	32	32	32	32	32	32	32	32	32	Rhode Island.
South Carolina.....	1914-1918.	5	11	11	11	11	11	11	11	11	11	11	11	11	11	11	South Carolina.
South Dakota.....	1914-1917.	3	82	82	112	98	92	74	43	26	19	23	23	23	23	23	South Dakota.
Texas.....	1915-1917.	3	132	139	131	106	106	45	45	45	45	45	45	45	45	45	Texas.
Utah.....	1914-1915, 1917, 1918.	4	214	207	195	137	149	93	46	29	29	29	29	29	29	29	Utah.
Vermont.....	1914-1918.	5	56	73	50	50	50	36	32	23	23	23	23	23	23	23	Vermont.
Virginia.....	1914-1918.	5	209	164	108	83	59	48	29	29	29	29	29	29	29	29	Virginia.
Washington.....	1914-1918.	5	113	138	138	138	138	126	126	126	126	126	126	126	126	126	Washington.
West Virginia.....	1917-1918.	2	55	61	30	30	24	16	16	16	16	16	16	16	16	16	West Virginia.
Wisconsin.....	1914-1918.	5	392	491	638	512	441	242	174	110	117	117	117	117	117	117	Wisconsin.
Wyoming.....	1914-1918.	5	29	125	39	28	34	15	9	9	9	9	9	9	9	9	Wyoming.

¹ Average less than 1.

Cases of scarlet fever reported, 1919.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	26	35	36	25	36	19	60	107	69	120	43	69	647	Alabama.
Arkansas.....	10	9	15	12	8	13	4	67	155	100	132	628	Arkansas.	
California.....	219	189	220	238	144	178	148	118	135	313	497	501	2,870	California.
Colorado.....	76	109	165	118	87	97	12	23	60	130	82	945	2,063	Colorado.
Connecticut.....	198	242	230	234	191	127	65	67	120	320	368	483	2,603	Connecticut.
Delaware.....													28	District of Columbia.
District of Columbia.....														
Florida.....	10	16	11	13	4	9	0	0	30	37	65	69	665	Florida.
Georgia.....	27	52	62	31	47	30	39	46	83	88	97	107	1,460	Georgia.
Hawaii.....		1	3	2		1	3	2	2	2	3	4	7,334	Hawaii.
Illinois.....	394	490	n12	528	486	259	157	141	305	1,082	1,307	1,540	7,340	Illinois.
Indiana.....	270	411	460	474	316	160	100	100	257	420	506	682	4,104	Indiana.
Iowa.....	116	130	200	150	177	24	67	24	30	118	213	271	1,661	Iowa.
Kansas.....	108	204	208	224	215	107	43	68	148	358	482	528	2,791	Kansas.
Louisiana.....	17	12	15	24	21	23	8	8	3	21	36	29	257	Louisiana.
Maine.....	35	84	87	81	68	39	51	47	51	131	165	100	879	Maine.
Maryland.....	265	769	919	1,125	910	364	127	131	138	301	286	286	1,000	Maryland.
Massachusetts.....	563	762	719	715	810	492	268	248	407	789	1,054	1,342	5,507	Massachusetts.
Michigan.....	407	498	642	607	480	316	208	242	383	982	1,322	1,397	5,305	Michigan.
Minnesota.....	205	396	408	322	294	180	64	66	122	222	222	222	2,657	Minnesota.
Mississippi.....	43	76	67	93	58	39	89	143	143	236	163	163	1,256	Mississippi.
Montana.....	152	254	307	262	218	128	74	35	52	94	132	148	1,901	Montana.
Nebraska.....	68	84	84	83	73	48	10	6	32	74	84	173	757	Nebraska.
New Jersey.....	314	374	439	477	516	272	138	121	193	302	471	633	4,240	New Jersey.
New Mexico.....														
New York.....	1,096	1,295	1,557	1,297	1,214	731	445	445	386	907	1,122	1,359	12,075	New York.
North Carolina.....	67	46	57	45	37	33	25	44	223	242	345	272	1,312	North Carolina.
North Dakota.....	20	140	141	111	57	34	25	20	55	42	42	42	900	North Dakota.
Ohio.....	490	(43)	725	694	690	390	230	262	417	939	1,184	1,363	8,017	Ohio.
Oklahoma.....														
Oregon.....	41	35	88	90	100	168	8	25	9	35	77	118	30	Oklahoma.
Pennsylvania.....	566	861	963	1,020	1,117	602	380	39	38	64	121	142	1,034	Pennsylvania.
Rhode Island.....	57	43	89	82	77	43	26	26	17	38	53	1,713	11,336	Rhode Island.
South Carolina.....	14	19	10	11	1	2	3	8	14	29	28	11	151	Rhode Island.
South Dakota.....	79	104	124	103	74	72	19	13	60	115	151	151	1,063	South Dakota.
Utah.....	33	44	57	60	65	85	72	40	32	28	34	34	58	Utan.
Vermont.....	34	84	57	57	47	30	20	16	18	31	31	39	44	Vermont.
Virginia.....	69	73	70	113	139	62	50	121	231	197	310	322	1,878	Virginia.
Washington.....	168	217	194	219	319	141	141	141	141	191	212	212	2,483	Washington.
West Virginia.....	77	32	90	152	127	127	127	127	127	106	327	327	2,422	West Virginia.
Wisconsin.....	23	32	497	331	345	196	157	117	213	473	390	485	3,776	Wisconsin.
Wyoming.....	12	19	27	30	7	16	4	9	13	33	33	33	22	Wyoming.

Deaths registered as due to scarlet fever, 1919.

February 25, 1921.

State.	January.	Febru-	March.	April.	May.	June.	July.	August.	Septem-	October.	Novem-	Decem-	Total.	State.		
														ay.	ber.	
Alabama.....	2	1							1	3	1	3	4	16	Alabama.	
Arizona.....	1										1	1	2	2	Arizona.	
Arkansas.....	4	6	5	2	1	3	1	1	1	4	9	4	8	8	Arkansas.	
California.....	1	3	6	5	2	3	1	1	1	1	1	1	1	1	California.	
Colorado.....	4	7	3	3	2	3	1	1	1	1	1	1	1	1	Colorado.	
Connecticut.....	4	1													Connecticut.	
District of Columbia.....	1														District of Columbia.	
Delaware.....	1														Delaware.	
Florida.....	1		1	1											Florida.	
Georgia.....	1														Georgia.	
Illinois.....	19	25	26	20	19	12	3	7	5	18	27	3	1	34	Illinois.	
Indiana.....	7	14	8	16	11	7	1	2	1	3	6	7	4	9	Indiana.	
Iowa.....	10	15	15	7	11	4	1	1	1	4	4	3	1	11	Iowa.	
Kansas.....	3	4	8	10	1	1	1	1	1	3	6	7	5	11	Kansas.	
Kentucky.....	1	4	7	5	5	4	2	1	1	2	3	5	9	11	Kentucky.	
Louisiana.....	1														Louisiana.	
Maine.....	1														Maine.	
Maryland.....	8	5	11	11	7	5	1	1	1	1	1	1	1	6	Maryland.	
Massachusetts.....	11	8	19	16	8	6	1	1	1	1	1	1	1	2	Massachusetts.	
Michigan.....	10	11	20	15	20	8	6	7	7	14	9	8	13	28	Michigan.	
Minnesota.....	10	12	16	13	13	4	2	2	2	5	5	5	6	12	Minnesota.	
Montana.....	4	6	6	13	9	1	3	2	2	1	1	1	1	5	Montana.	
Nebraska.....	3	1	2	5	2	2	1	1	1	1	1	1	1	2	Nebraska.	
New Jersey.....	5	7	9	14	3	5	6	2	1	1	1	1	1	7	New Jersey.	
New Mexico.....	38	25	46	27	19	17	5	18	18	13	13	13	13	92	New Mexico.	
New York.....	6	4	5	3	1	1	1	1	1	4	4	1	1	1	New York.	
North Dakota.....	12	9	16	14	7	3	1	3	3	12	10	10	10	22	North Dakota.	
Ohio.....	13	2	1	1	1	1	1	1	1	4	4	4	4	13	Ohio.	
Oklahoma.....	4	2	1	1	1	1	1	1	2	2	2	2	2	4	Oklahoma.	
Oregon.....	3														Oregon.	
Puerto Rico.....	1														Puerto Rico.	
Rhode Island.....	1	1	3	1	1	2	1	1	1	1	2	2	2	1	Rhode Island.	
South Carolina.....	1														South Carolina.	
Tennessee.....	2	2	2	2	1	1	1	1	1	3	3	3	3	1	Tennessee.	
Vermont.....	2	3	2	1	2	1	1	1	1	2	2	2	2	1	Vermont.	
Virginia.....	1	3	2	1	2	3	1	1	1	2	6	3	3	9	Virginia.	
Washington.....	3	2	1	6	5	1	2	2	2	7	5	5	4	28	Washington.	
Wisconsin.....	14	8	16	12	19	10	5	6	11	15	14	14	14	14	Wisconsin.	
Wyoming.....			2											4	Wyoming.	

Scarlet fever—Average number of cases reported per annum and average indicated morbidity rates, 1914-1918; cases reported, deaths registered, and indicated mortality, morbidity, and fatality rates, 1919.

State.	Estimated population July 1, 1919.	Average.				1919				State.
		Years included.	Number of years.	Cases reported per annum.	Cases per 1,000 inhabitants.	Total cases reported.	Cases per 1,000 inhabitants, registered.	Total deaths registered.	Deaths per 1,000 inhabitants.	
Alabama.	2,386,321	1915-1918	4	763	.30	647	0.28	16	0.007	2.5
Arizona.	326,633	1914-1916-1918	3	.58	.23	628	2	2	.000	—
Arkansas.	1,741,903	1917-1918	2	321	.18	36	8	.005	1.3	Alabama.
California.	3,372,511	1914-1918	5	3,447	1.17	2,970	.85	55	.006	Arkansas.
Colorado.	832,148	1914-1918	4	1,125	1.16	996	1.07	31	.033	California.
Connecticut.	1,366,884	1914-1918	5	1,580	1.27	2,683	1.95	46	.034	Colorado.
Dakota.	221,938	1914-1918	5	620	1.70	965	1.34	4	.018	Connecticut.
District of Columbia.	432,086	1914-1918	5	138	.15	146	1.15	3	.007	Dakota.
Florida.	955,201	1918-	1	146	.25	104	4	4	.001	District of Columbia.
Georgia.	2,876,976	1914-1918	4	795	.78	795	.75	18	.006	Florida.
Hawaii.	252,016	1914-1917	4	8	.04	21	.06	—	—	Georgia.
Illinois.	6,441,501	1914-1917, 1918	3	10,590	1.71	7,334	1.14	218	.034	Hawaii.
Indiana.	918,716	1914-1918	5	4,147	1.47	4,105	1.41	79	.032	Illinois.
Iowa.	2,394,418	1914-1916-1918	4	1,743	.78	1,661	.69	76	.032	Indiana.
Kansas.	1,765,224	1914-1918	5	2,241	1.22	2,791	1.38	49	.028	Iowa.
Kentucky.	2,466,518	1914-1918	5	185	.10	257	.14	47	.020	Kansas.
Louisiana.	1,760,315	1914-1918	3	244	.31	879	1.15	2	.001	Kentucky.
Maine.	700,693	1916-1918	3	1,750	1.29	5,507	3.82	11	.014	Louisiana.
Maryland.	1,441,065	1915-1918	4	5,370	1.48	8,019	2.10	130	.036	Maine.
Massachusetts.	827,329	1914-1918	3	6,059	1.98	5,398	1.49	167	.034	Maryland.
Michigan.	3,625,082	1914-1918	5	3,288	1.90	2,657	1.12	96	.016	Massachusetts.
Minnesota.	2,370,371	1914-1918	5	3,01	.26	1,236	.70	—	—	Michigan.
Mississippi.	1,789,782	1914-1918	5	—	—	—	—	—	—	Minnesota.
Missouri.	3,397,871	1914-1918	4	1,034	2.23	1,901	3.53	87	.006	Mississippi.
Nebraska.	538,758	1914, 1916-1918	1	1,420	1.10	757	.50	21	.033	Missouri.
Nevada.	1,90,182	1914-1918	5	5,572	1.55	4,240	1.99	70	.016	Nebraska.
New Jersey.	3,123,335	1914-1918	5	14,191	1.38	12,055	1.17	268	.026	Nevada.
New York.	10,318,769	1914-1918	5	804	.33	1,512	.60	28	.004	New Jersey.
Noth Carolina.	2,538,450	1914-1918	5	609	.78	807	1.25	135	.014	New York.
North Dakota.	612,193	1917-1918	2	8,692	1.67	8,017	1.40	135	.024	North Carolina.
Ohio.	5,708,265	1914-1918	5	2,813	.92	—	—	16	.008	North Dakota.
Oklahoma.	2,008,187	1915-1917	2	1,017	1.08	1,901	1.33	12	.013	Ohio.
Oregon.	772,692	1914-1918	5	772	.71	1,634	1.31	—	—	Oklahoma.
Pennsylvania.	8,665,322	1914-1918	3	5,360	.92	11,356	1.31	—	—	Oregon.
Rhode Island.	1,907,410	1914-1918	2	7,943	2	—	—	—	—	Pennsylvania.
Rhode Island.	674,215	1914, 1916-1918	4	748	1.29	792	1.32	13	.022	Rhode Island.
South Carolina.	633,103	1914-1918	5	2,530	.46	1,075	.43	1	.001	South Carolina.
South Dakota.	1,911,191	1918	5	706	1.00	1,068	1.48	—	—	South Dakota.

Utah.....	445,327	1914-1915, 1917, 1918.	4	1,418	3,27	588	1,32	16	.029	2.2
Vermont.....	322,935	1914-1918.....	5	1,326	1,45	438	1,24	6	.035	2.1
Virginia.....	2,285,756	1914-1918.....	5	1,022	.65	1,872	.82	28	.012	1.5
Washington.....	1,335,278	1914-1918.....	5	1,302	.78	2,383	1,86	40	.030	1.6
West Virginia.....	1,451,121	1917-1918.....	2	479	.34	2,223	1,53	West Virginia.
Wisconsin.....	2,616,492	1914-1918.....	5	4,121	1,65	3,776	1,44	144	.055	3.8
Wyoming.....	191,902	1914-1918.....	5	341	1,90	322	1,21	4	.021	1.7

Cases of septic sore throat reported, 1919.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Connecticut.....	13	1	4	5	5	26	22	15	20	47	2	49	2	Connecticut.
Georgia.....	3	26	33	16	11	6	4	2	3	3	17	30	59	Georgia.
Illinois.....	5	8	16	11	6	1	38	130	Illinois.
Maine.....	2	6	1	3	4	1	3	8	21	21	21	4	Maine.
Maryland.....	19	22	19	17	36	5	9	16	18	22	12	2	21	Maryland.
Massachusetts.....	1	1	1	1	1	1	Massachusetts.
Montana.....	1	1	1	Montana.
Nebraska.....	30	23	38	27	22	9	35	27	16	32	30	2	41	Nebraska.
New Mexico.....	30	12	14	18	13	7	12	33	61	107	37	2	27	New Mexico.
New York.....	310	New York.
North Carolina.....	30	12	14	18	13	7	12	33	2	107	37	2	47	North Carolina.
Ohio.....	53	Ohio.
Oregon.....	1	Oregon.
Rhode Island.....	2	9	3	6	5	3	2	28	21	34	8	3	6	Rhode Island.
South Carolina.....	12	2	8	7	3	South Carolina.

February 25, 1921.

Smallpox.—Monthly averages of cases reported during the years for which data are available, 1914-1918.

State.	Years included.	Number of years.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Average per year.	State.	
Alabama.	1915-1918.....	4	190	311	240	135	96	53	32	26	17	20	126	1,304	Alabama.		
Arizona.	1918.....	1	12	55	34	58	17	4	1	1	0	0	1	200	Arizona.		
Arkansas.	1917, 1918.....	2	459	485	391	354	223	76	65	15	9	20	53	144	Arkansas.		
California.	1914-1918.....	5	39	82	66	61	55	38	30	23	22	33	32	28	California.		
Colorado.	1914, 1916-1918.....	4	61	60	86	73	51	39	18	17	9	21	63	60	Colorado.		
Connecticut.	1914-1918.....	5	23	19	26	13	18	13	0	2	1	7	8	18	162	Connecticut.	
District Columbia.	1914-1918.....	5	7	4	6	2	9	5	4	1	1	1	1	2	2	District Columbia.	
Florida.	1918.....	1	6	11	10	3	8	6	6	3	2	1	1	1	59	Florida.	
Illinois.	1914, 1917, 1918.....	3	598	690	658	516	372	264	178	82	80	175	166	285	4,265	Illinois.	
Indiana.	1914, 1916-1918.....	5	392	522	432	400	319	299	166	91	82	61	127	322	3765	Indiana.	
Iowa.	1914, 1916-1918.....	4	412	348	400	444	383	249	195	72	146	31	72	206	1,162	Iowa.	
Kansas.	1914-1918.....	5	101	479	616	444	371	240	24	14	5	30	87	193	247	Kansas.	
Louisiana.	1914-1918.....	5	46	51	62	17	73	51	14	4	4	30	19	34	88	Louisiana.	
Maine.	1917, 1918.....	2	11	9	1	17	17	17	17	14	14	30	118	110	593	Maine.	
Maryland.	1915-1918.....	3	2	1	4	4	4	3	3	3	3	2	2	15	120	Maryland.	
Massachusetts.	1916-1918.....	3	361	286	284	221	200	159	91	42	43	119	175	251	441	Massachusetts.	
Michigan.	1914-1918.....	5	229	230	251	223	189	165	92	48	40	86	146	260	1,959	Michigan.	
Minnesota.	1914-1918.....	5	269	316	294	334	214	106	53	41	51	60	97	176	2,033	Minnesota.	
Mississippi.	1914-1918.....	5	173	123	113	102	101	96	55	32	34	46	97	100	1,082	Mississippi.	
Montana.	1914, 1916-1918.....	4	451	507	606	940	645	323	139	40	269	132	78	96	3,968	Montana.	
Nebraska.	1918.....	1	4	4	1	1	1	1	1	1	1	1	1	1	32	Nebraska.	
Nevada.	1915, 1917.....	2	2	7	1	2	2	2	2	2	2	1	0	0	3	Nevada.	
New Jersey.	1914-1918.....	5	102	75	26	29	38	16	11	6	3	23	14	26	51	New Jersey.	
New York.	1914-1918.....	5	45	139	147	105	80	48	68	40	34	41	98	260	390	New York.	
North Carolina.	1918.....	1	42	42	67	69	37	61	16	4	19	17	22	52	890	North Carolina.	
North Dakota.	1917, 1918.....	2	570	630	686	585	550	355	239	111	86	227	392	426	5,080	North Dakota.	
Oklahoma.	1915, 1917.....	2	539	424	578	357	317	243	140	79	83	124	160	538	5,860	Oklahoma.	
Oregon.	1914-1918.....	5	50	47	41	41	38	27	23	17	14	10	21	26	335	Oregon.	
Pennsylvania.	1916-1918.....	3	36	43	43	33	53	32	29	9	7	8	24	24	388	Pennsylvania.	
Porto Rico.	1917, 1918.....	2	6	6	9	22	5	2	2	1	1	1	1	1	36	Porto Rico.	
Rhode Island.	1918.....	1	0	0	0	1	0	0	1	0	0	0	0	0	0	Rhode Island.	
South Carolina.	1914-1918.....	5	58	40	42	33	19	17	12	4	4	25	16	19	290	South Carolina.	
Texas.	1914, 1917, 1918.....	3	136	168	173	143	133	113	57	20	19	39	97	136	1,156	Texas.	
Utah.	1915, 1917, 1918.....	3	253	408	551	300	161	68	33	57	34	106	208	2,575	Utah.		
Vermont.	1914-1915, 1917, 1918	4	171	148	109	113	121	108	69	10	1	3	92	1,150	1,102	Vermont.	
Virginia.	1914-1918.....	5	13	10	10	10	10	17	1	1	1	1	3	3	15	Virginia.	
Washington.	1914-1918.....	5	241	214	299	236	161	95	63	23	39	34	62	1,401	1,741	Washington.	
West Virginia.	1917, 1918.....	2	52	52	50	59	52	51	51	52	52	52	52	52	52	52	West Virginia.
Wisconsin.	1914-1918.....	5	338	247	288	230	174	125	99	99	99	118	117	183	1,166	Wisconsin.	
Wyoming.	1914-1918.....	6	6	17	18	9	19	8	5	5	5	11	11	11	118	Wyoming.	

1. Average less than 1.

Cases of smallpox reported, 1919.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.	
Alabama.....	211	140	143	98	89	34	25	22	17	23	43	90	935	Alabama.	
Arkansas.....	33	81	111	82	86	31	10	10	6	15	58	65	588	Arkansas.	
California.....	109	160	196	164	123	153	146	131	120	149	200	200	2,092	California.	
Colorado.....	110	47	128	170	122	135	104	75	29	190	272	313	1,713	Colorado.	
Connecticut.....			1									5	6	Connecticut.	
Delaware.....												229	173	District of Columbia.	
Florida.....												1	15	Florida.	
Georgia.....	101	213	353	272	361	192	57	40	17	40	13	71	710	Georgia.	
Illinois.....	229	214	401	401	554	442	101	63	10	134	232	423	3,394	Illinois.	
Indiana.....	255	230	690	400	277	131	77	88	139	441	518	518	3,853	Indiana.	
Iowa.....	130	93	218	254	294	162	39	19	33	74	222	256	1,794	Iowa.	
Kansas.....	115	202	339	338	246	351	89	49	42	71	81	312	2,437	Kansas.	
Louisiana.....	131	233	212	193	158	98	30	11	47	20	20	13	15	Louisiana.	
Maine.....	22	56	86	16	14	30	41	25	31	21	57	41	435	Maine.	
Maryland.....	35	41	53	43	17	11	5	6	6	7	6	1	4	Maryland.	
Massachusetts.....	101	145	207	311	387	413	136	82	96	151	139	2	2	Massachusetts.	
Michigan.....	154	285	269	211	283	287	135	72	51	112	237	273	4,660	Michigan.	
Minnesota.....	107	220	314	380	287	238	139	122	84	112	120	402	2,448	Minnesota.	
Mississippi.....	59	77	135	125	124	134	41	8	14	94	107	171	2,502	Mississippi.	
Montana.....	162	178	359	284	473	382	61	45	57	74	215	524	970	Montana.	
New Jersey.....	7	2	18	40	22	10			1				109	844	New Jersey.
New Mexico.....													3	106	New Jersey.
New York.....	16	9	12	27	28	11	38	3	6	16	49	57	191	New York.	
North Carolina.....	132	201	353	403	343	205	117	63	71	116	114	31	2,321	North Carolina.	
North Dakota.....	11	19	38	68	13	7	1	1	3	3	31	31	211	North Dakota.	
Ohio.....	445	370	635	445	578	410	168	115	122	96	288	383	4,107	Ohio.	
Oklahoma.....													69	69	Oklahoma.
Oregon.....	51	506	358	413	282	208	134	33	5	31	100	406	523	2,620	Oregon.
Pennsylvania.....	25	139	48	193	248	335	276	158	114	116	6	6	6	228	Pennsylvania.
Porto Rico.....	4		4	32	31	22	10	10	8	8	1		10	10	Porto Rico.
Rhode Island.....	25	5			1		1						2	2	Rhode Island.
South Carolina.....	177	72	141	119	103	79	55	36	39	34	17	31	35	304	South Carolina.
South Dakota.....	52	80	92	91	53	71	42	51	28	42	42	42	38	920	South Dakota.
Utah.....														1,238	Utah.
Vermont.....														5	Vermont.
Virginia.....	131	113	256	270	286	138	87	62	123	239	239	120	1,972	Virginia.	
Washington.....	149	240	396	490	403	308	163	163	30	233	606	795	4,390	Washington.	
West Virginia.....	145	130	355	388	327	276	84	51	30	206	206	206	2,217	West Virginia.	
Wisconsin.....	137	131	365	346	310	143	109	48	143	82	205	710	3,288	Wisconsin.	
Wyoming.....	49	70	39	69	48	109	19	19	4	1	4	41	462	462	Wyoming.

Deaths registered as due to smallpox, 1919.

Smallpox.—Average number of cases reported per annum and average indicated morbidity rates, 1914-1918; cases reported, deaths registered, and indicated mortality, morbidity, and fatality rates, 1919.

State.	Estimated population July 1, 1919.	Average.			1919			State.		
		Years included.	Number of years.	Cases reported per annum.	Cases per 1,000 inhabitants.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.
Alabama.....	2,336,321	1915-1918.....	4	1,304	0.56	935	0.40	5	0.002	0.5
Arizona.....	326,633	1918.....	1	200	.74	200	0	0	0	0
Arkansas.....	1,741,963	1917, 1918.....	2	303	1.29	386	.34	5	.003	.0
California.....	3,372,511	1914-1918, 1918.....	5	320	.18	2,002	.002	5	.002	.0
Colorado.....	932,148	1914, 1916-1918.....	4	637	.66	1,715	1.94	4	.004	.2
Connecticut.....	1,366,864	1914-1918.....	5	162	.13	6	0	0	0	0
District of Columbia.....	432,086	1914-1918.....	5	46	.13	173	.40	0	0	0
Florida.....	956,291	1918.....	1	50	.06	45	.05	4	.001	.2
Georgia.....	2,873,976	1914, 1917, 1918.....	3	4,265	.69	3,833	1.31	5	.001	.1
Illinois.....	6,441,301	1914, 1917, 1918.....	5	2,517	1.34	7,744	1.75	12	.001	.3
Indiana.....	2,918,716	1914-1918, 1918.....	4	3,765	1.13	3,765	.98	7	.003	.4
Iowa.....	2,984,418	1914, 1916-1918.....	5	3,263	1.78	2,437	1.38	1	.001	.04
Kansas.....	1,765,224	1914-1918.....	5	708	.39	1,226	.59	16	.007	Kansas.
Kentucky.....	2,408,516	1914-1918.....	5	563	.76	443	.68	2	.002	Kentucky.
Louisiana.....	1,780,515	1914-1918.....	2	120	.09	220	.16	12	.006	Louisiana.
Maine.....	766,688	1917, 1918, 1918.....	4	41	.01	40	.01	0	0	Maine.
Maryland.....	1,431,665	1915-1918.....	5	2,111	.72	2,490	1.03	2	.003	Maryland.
Massachusetts.....	3,827,329	1910-1918.....	5	1,959	.56	2,448	.68	8	.002	Massachusetts.
Michigan.....	3,623,082	1914-1918.....	5	2,211	.72	2,402	1.40	9	.004	Michigan.
Minnesota.....	2,370,371	1914-1918.....	5	1,959	.36	2,448	1.03	15	.004	Minnesota.
Mississippi.....	2,786,732	1914-1918.....	5	2,033	1.04	2,402	1.40	6	.001	Mississippi.
Missouri.....	3,397,871	1914-1916-1918.....	4	1,082	.23	970	.19	6	.001	Missouri.
Montana.....	538,738	1914, 1916-1918.....	5	3,006	3.01	2,844	2.20	1	.001	Montana.
Nebraska.....	1,290,182	1918.....	1	51	.02	169	.03	0	0	0
New Jersey.....	3,123,535	1914-1918.....	5	399	.04	101	.02	0	0	New Jersey.
New York.....	10,318,718	1914-1918.....	5	899	.30	2,321	.91	0	0	0
North Carolina.....	2,538,430	1915-1918.....	1	435	.38	33	.33	0	0	0
North Dakota.....	612,133	1917, 1918.....	2	5,080	.99	4,107	.72	10	.002	North Dakota.
Ohio.....	5,708,265	1914-1918.....	5	3,650	1.66	3,355	1.42	13	.006	Ohio.
Oklahoma.....	2,008,487	1915, 1917.....	2	363	.04	2,229	.38	2	.003	Oklahoma.
Oregon.....	777,692	1914-1918.....	3	363	.05	363	.05	1	0	Oregon.
Pennsylvania.....	8,665,822	1916-1918.....	3	363	.05	363	.05	1	0	Pennsylvania.
Puerto Rico.....	197,198.....			56	2	10	.5	1	0	Puerto Rico.
Rhode Island.....	601,215	1918.....	1	2	0	0	0	0	0	Rhode Island.
South Carolina.....	1,674,966	1914-1918.....	5	390	.18	304	.18	2	.001	South Carolina.
South Dakota.....	633,168	1914, 1917, 1918.....	3	1,195	1.70	1,220	1.45	4	.009	South Dakota.
Utah.....	415,527	1915, 1915, 1917, 1918.....	4	1,238	2.74	2,78	2.78	4	.009	Utah.

Vermont.....	352	603	1914-1918	5	102	.28	1,972	.01	0	Vermont.
Virginia.....	2,295	736	1914-1918	5	1,401	.64	4,390	.26	.004	Virginia.
Washington.....	1,345	278	1914-1918	5	741	.48	2,217	1.53	.005	Washington.
West Virginia.....	1,451	121	1917-1918	2	839	.79	3,288	1.26	.002	West Virginia.
Wisconsin.....	2,616	492	1914-1918	5	1,985	.79	2,462	2.41	.005	Wisconsin.
Wyoming.....	191	907	1914-1918	5	118	.66	Wyoming.
28610°	21	4									

Cases of tuberculosis (pulmonary) reported, 1919.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Alabama.....	149	170	218	184	189	179	158	165	121	129	82	102	1,847	Alabama.
California.....	656	481	465	1,723	2,071	572	587	502	543	638	495	598	9,351	California.
Delaware.....	116	113	32	117	25	18	13	18	10	121	Delaware.
District of Columbia.....	74	117	129	88	108	108	108	108	64	98	81	116	1,136	District of Columbia.
Georgia.....	38	64	76	55	95	72	63	63	57	70	69	78	1,186	Georgia.
Maryland.....	243	234	326	268	261	289	236	387	201	226	198	187	3,036	Maryland.
Massachusetts.....	599	556	676	650	681	676	545	517	572	564	438	503	6,991	Massachusetts.
Nebraska.....	6	12	18	14	35	19	1	16	25	36	20	30	232	Nebraska.
New York.....	1,942	1,896	2,232	2,128	2,155	1,977	1,989	1,760	2,511	1,911	1,939	24,652	24,652	New York.
North Dakota.....	11	21	9	21	21	22	18	23	14	14	12	265	265	North Dakota.
Oklahoma.....	102	91	74	72	83	68	19	32	33	17	17	17	Oklahoma.
Puerto Rico.....	83	81	129	98	92	96	100	103	113	115	137	115	1,137	Puerto Rico.
Rhode Island.....	66	66	82	90	76	63	38	55	55	59	52	59	532	Rhode Island.
South Dakota.....	11	13	16	14	11	12	9	3	13	13	128	128	128	South Dakota.
Vermont.....	16	7	20	11	6	13	6	11	57	10	19	186	186	Vermont.
Washington.....	70	98	96	96	90	84	57	57	102	84	1,059	1,059	1,059	Washington.

Deaths registered as due to tuberculosis (pulmonary), 1919.

State.	Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.	Total.	State.
Alabama.....	157	177	177	161	165	142	146	138	122	109	118	136	1,748	Alabama.
Arizona.....	77	80	93	75	87	85	76	57	65	67	82	102	Arizona.
Arkansas.....	388	431	512	458	444	406	377	321	290	260	99	176	1,045	Arkansas.
California.....	135	167	177	168	167	122	126	136	124	141	143	435	4,975	California.
Colorado.....	121	179	127	131	118	132	102	84	105	96	97	128	1,734	Colorado.
Connecticut.....	37	33	28	32	25	24	31	22	24	23	18	21	1,318	Connecticut.
Delaware.....	36	53	54	48	58	40	51	50	31	41	37	41	563	Delaware.
District of Columbia.....	111	79	80	75	90	55	81	65	74	72	68	72	922	District of Columbia.
Florida.....	34	47	72	101	133	146	133	147	142	161	168	147	1,431	Florida.
Illinois.....	636	676	665	610	522	488	457	440	387	440	390	442	6,370	Illinois.
Indiana.....	280	280	276	278	211	216	177	177	177	183	173	212	2,769	Indiana.
Iowa.....	100	90	130	96	110	97	79	67	77	68	64	78	1,036	Iowa.
Kansas.....	83	65	64	76	75	78	55	57	41	53	62	61	750	Kansas.
Kentucky.....	380	365	305	389	312	280	204	173	245	204	204	224	3,415	Kentucky.
Louisiana.....	242	214	243	206	187	220	208	175	138	147	137	169	2,356	Louisiana.
Maine.....	57	66	52	64	78	53	41	52	36	30	44	45	638	Maine.
Maryland.....	223	223	213	182	138	137	141	161	164	144	145	167	2,084	Maryland.
Massachusetts.....	489	385	440	409	387	321	331	300	271	266	266	290	4,182	Massachusetts.
Michigan.....	241	217	236	258	257	181	185	167	163	167	167	210	2,513	Michigan.
Nebraska.....	31	35	39	34	33	35	39	33	24	34	33	26	386	Nebraska.
New Mexico.....	1,371	1,223	1,380	1,233	1,196	1,071	979	907	817	810	794	866	12,066	New Mexico.
New York.....	22	26	26	20	17	18	28	22	12	13	18	20	222	New York.
North Dakota.....	502	630	571	530	465	437	396	347	317	330	376	406	5,021	North Dakota.
Ohio.....	80	81	96	80	68	65	68	57	54	52	62	67	866	Ohio.
Oklahoma.....	48	41	66	64	42	45	41	34	37	40	30	20	537	Oklahoma.
Oregon.....	210	206	226	208	171	90	279	184	133	170	183	188	2,269	Oregon.
Puerto Rico.....	52	79	76	69	67	56	56	50	39	40	39	39	735	Puerto Rico.
Rhode Island.....	113	123	144	135	147	136	130	138	135	123	123	146	1,616	Rhode Island.
South Carolina.....	19	17	15	13	15	12	11	12	13	14	14	10	13	Utah.
Vermont.....	22	28	26	28	21	21	24	14	24	24	24	24	18	Vermont.
Virginia.....	268	300	276	250	220	233	192	173	203	203	203	220	2,941	Virginia.
Washington.....	100	89	108	97	101	80	72	67	70	91	91	96	83	Washington.
Wisconsin.....	162	165	200	180	141	174	178	147	110	144	144	123	1,833	Wisconsin.

Tuberculosis (pulmonary)—(cases reported, deaths registered, indicated morbidity and mortality rates, and number of cases reported for each death registered, 1919).

State.	Estimated population, July 1, 1919.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.	State.	Estimated population, July 1, 1919.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.
Alabama.....	2,336,321	1,847	0.79	1,748	0.75	1.1	Massachusetts.....	3,827,320	6,901	1.83	4,182	1.09	1.7
Arizona.....	326,633	1,030	3.15	Michigan.....	3,623,082	2,513	.69
Arkansas.....	1,741,903	1,045	.60	Missouri.....	3,397,871	3,207	.94
California.....	3,372,511	9,351	2.77	4,975	1.48	1.9	Nebraska.....	1,290,182	232	396	.31
Colorado.....	932,148	1,734	1.86	New York.....	10,318,709	24,652	2.39	12,666	1.23	1.9
Connecticut.....	1,366,894	1,484	1.00	North Dakota.....	632,193	205	5,222	.35
Delaware.....	221,938	318	1.43	Ohio.....	5,708,265	5,621	.08
District of Columbia.....	432,086	1,186	2.74	363	1.30	2.1	Oklahoma.....	2,018,485	846	.42
Florida.....	953,291	922	.97	Oregon.....	777,092	357	.09
Georgia.....	2,579,976	786	1,431	.50	Porto Rico.....	1,137	2,289
Illinois.....	6,441,501	6,379	.99	Rhode Island.....	601,215	852	1.42	733	1.22	1.2
Indiana.....	2,918,716	2,789	.95	South Carolina.....	1,674,996	1,616	.96
Iowa.....	2,391,418	1,056	.44	South Dakota.....	633,163	128	20
Kansas.....	1,756,224	790	.45	Utah.....	445,527	166	.37
Kentucky.....	2,403,518	3,415	1.42	Vermont.....	352,603	186	201	.74
Louisiana.....	1,700,515	2,326	1.30	Virginia.....	2,283,735	2,941	1.28
Maine.....	768,693	3,036	2.12	638	.83	Washington.....	1,345,278	1,059	.79	1,024	.76	1.0
Maryland.....	1,441,665	2,080	1.44	1.5	Wisconsin.....	2,616,492	1,853	.71

Cases of tuberculosis (all forms) reported, 1919.

State.	Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	August.	Septem- ber.	Octo- ber.	Novem- ber.	Decem- ber.	Total.	State.	
Arkansas.....	34	25	69	42	35	38	59	42	100	87	124	85	760	Arkansas.	
Connecticut.....	182	175	169	175	172	175	164	162	162	214	139	119	2,960	Connecticut.	
District of Columbia.....	74	123	113	134	85	109	90	64	109	101	123	123	1,209	District of Columbia.	
Florida.....	74	48	35	122	117	80	78	90	81	112	78	85	1,009	Florida.	
Georgia.....	41	67	80	64	105	60	81	73	72	58	72	72	846	Georgia.	
Hawaii.....	87	54	73	81	86	72	50	72	100	95	117	93	904	Hawaii.	
Illinois.....	1,301	1,410	1,418	1,880	1,586	1,723	1,779	1,220	1,374	1,565	1,516	1,407	18,048	Illinois.	
Indiana.....	160	182	160	209	246	138	207	110	163	109	127	97	1,722	Indiana.	
Kansas.....	106	100	139	110	174	134	135	120	125	132	105	108	1,332	Kansas.	
Louisiana.....	135	123	169	117	129	70	56	91	120	135	133	94	1,579	Louisiana.	
Maine.....	34	20	79	81	70	51	56	51	43	54	51	51	310	Maine.	
Massachusetts.....	643	623	739	719	767	746	614	567	646	629	513	571	7,774	Massachusetts.	
Michigan.....	335	243	340	314	487	322	347	362	406	132	561	382	4,231	Michigan.	
Minnesota.....	432	406	456	453	488	467	430	407	389	411	373	417	5,131	Minnesota.	
Mississippi.....	396	406	422	447	415	387	414	478	431	394	310	373	4,803	Mississippi.	
Montana.....	62	62	22	43	56	58	41	40	58	50	48	46	606	Montana.	
New Jersey.....	635	530	730	669	618	684	744	637	555	638	531	490	7,460	New Jersey.	
New Mexico.....	153	153	New Mexico.
North Carolina.....	164	178	223	254	249	235	273	214	194	220	213	135	2,384	North Carolina.	
Ohio.....	501	483	545	382	614	604	630	543	543	403	403	403	6,404	Ohio.	
Oregon.....	36	61	60	43	66	43	70	61	101	50	38	62	681	Oregon.	
Pennsylvania.....	Pennsylvania.	
Rhode Island.....	73	73	128	90	101	95	116	74	66	62	62	70	1,020	Rhode Island.	
South Carolina.....	14	17	11	4	35	32	33	36	18	30	31	21	302	South Carolina.	
South Dakota.....	11	8	13	16	14	11	12	13	11	3	13	8	133	South Dakota.	
Virginia.....	165	265	233	319	296	244	235	199	220	262	217	199	2,830	Virginia.	
West Virginia.....	20	27	23	45	41	26	34	25	34	34	26	24	346	West Virginia.	
Wisconsin.....	110	128	134	109	106	147	183	121	130	108	114	131	1,040	Wisconsin.	

Deaths registered as due to tuberculosis (all forms), 1919.

State,	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.	
	172	184	187	166	180	167	163	154	139	114	134	149	1,899	Alabama.	
Arizona.....	84	96	79	73	83	67	63	76	71	74	88	111	1,113	Arizona.	
Arkansas.....	637	633	523	512	408	81	74	69	69	69	104	193	5,678	Arkansas.	
California.....	175	187	182	181	135	140	148	131	131	149	125	110	1,744	California.	
Colorado.....	224	203	140	152	141	143	132	26	27	28	19	25	355	Colorado.	
Connecticut.....	40	357	31	36	28	44	58	53	39	46	48	48	625	Connecticut.	
District of Columbia.....	61	56	54	63	61	61	62	68	77	77	77	77	993	District of Columbia.	
Delaware.....	116	87	89	82	94	111	113	138	157	170	177	160	1,517	Delaware.	
Florida.....	34	51	73	29	28	36	31	36	42	34	54	54	462	Florida.	
Georgia.....	46	34	45	39	29	62	588	564	461	494	463	519	5,358	Georgia.	
Hawaii.....	710	765	763	698	622	526	520	513	510	508	221	206	2,247	Hawaii.	
Illinois.....	346	319	323	315	329	276	271	276	271	271	95	95	2,511	Illinois.	
Indiana.....	112	111	118	117	136	112	93	87	92	81	82	82	1,266	Indiana.	
Iowa.....	85	80	86	83	82	66	64	68	60	60	72	72	804	Iowa.	
Kansas.....	422	415	393	368	356	322	341	277	215	235	266	218	3,839	Kansas.	
Louisiana.....	256	220	266	225	202	203	229	190	176	160	169	185	2,518	Louisiana.	
Maine.....	168	177	58	84	98	67	46	64	49	66	53	59	786	Maine.	
Maryland.....	255	261	249	257	209	158	169	172	172	172	165	185	2,424	Maryland.	
Massachusetts.....	553	445	508	494	481	368	396	346	318	312	321	321	4,874	Massachusetts.	
Michigan.....	272	255	301	310	295	217	251	230	206	206	210	214	2,987	Michigan.	
Minnesota.....	214	202	220	230	229	162	162	158	158	166	120	183	2,214	Minnesota.	
Montana.....	36	38	26	38	30	30	32	47	47	41	28	31	347	Montana.	
Nebraska.....	35	44	48	41	37	43	43	47	47	31	40	42	33	482	Nebraska.
New Jersey.....	407	394	398	371	250	250	299	306	306	241	267	271	3,820	New Jersey.	
New Mexico.....	1,522	1,345	1,575	1,409	1,371	1,223	1,154	1,054	932	943	900	52	5,88	New Mexico.	
North Dakota.....	24	28	29	20	17	24	34	27	18	18	33	22	14,464	North Dakota.	
Ohio.....	622	613	736	650	633	550	527	445	411	404	412	488	6,532	Ohio.	
Oregon.....	60	80	59	49	69	55	61	46	52	52	38	40	161	Oregon.	
Puerto Rico.....	223	221	243	219	187	81	285	190	168	192	194	195	2,383	Puerto Rico.	
Rhode Island.....	94	92	95	116	73	70	63	65	55	49	52	52	887	Rhode Island.	
South Carolina.....	120	132	145	150	138	164	170	134	147	121	133	133	1,750	South Carolina.	
Utah.....	22	19	19	15	18	14	14	12	12	16	13	17	193	Utah.	
Vermont.....	27	57	32	23	27	23	24	31	31	19	27	21	324	Vermont.	
Virginia.....	355	335	335	294	280	262	249	207	207	186	221	223	3,230	Virginia.	
Washington.....	121	116	125	128	128	102	102	98	98	104	110	111	1,325	Washington.	
Wisconsin.....	191	157	225	208	162	187	187	166	166	139	141	141	2,108	Wisconsin.	
Wyoming.....	7	6	4	11	7	8	7	5	5	5	5	3	66	Wyoming.	

Tuberculosis (all forms)—(cases reported, deaths registered, indicated morbidity and mortality rates, and number of cases reported for each death registered, 1919.

Typhoid fever—Monthly averages of cases reported during the years for which data are available, 1914-1918.

State.	Years included.	Number of years.	Jan-	Febru-	March	April	May	June	July	August	Sep-	Octo-	Novem-	Decem-	Aver-
			uary.	ary.	ary.	ary.	ary.	ary.	ber.	ber.	ber.	ber.	ber.	ber.	age per-
Alabama.....	1915-1918.....	4	75	65	47	69	124	337	663	505	230	254	146	85	2,840
Arizona.....	1916, 1918.....	2	3	22	20	2	9	15	106	6	7	3	34	61	610
Arkansas.....	1917, 1918.....	2	16	38	46	13	103	99	56	38	84	133	134	624	1,322
California.....	1914-1918.....	5	100	76	75	9	11	11	136	173	111	95	45	18	511
Colorado.....	1914, 1916-1918.....	5	100	77	93	21	20	54	47	126	148	82	69	20	641
Connecticut.....	1914-1918.....	5	16	15	16	12	12	15	33	62	43	26	12	312	District Columbia.....
Connecticut.....	1914-1918.....	5	17	14	17	23	23	15	38	69	56	31	21	14	485
Florida.....	1918.....	1	12	12	12	12	12	12	116	116	116	116	116	116	Hawaii.....
Hawaii.....	1914-1917.....	4	11	15	16	14	15	15	13	9	9	39	31	10	235
Hawaii.....	1911, 1917, 1918.....	3	165	129	103	12	94	111	247	372	507	256	229	152	2,417
Illinois.....	1914-1918.....	5	107	91	114	87	78	93	156	425	407	284	171	108	2,121
Indiana.....	1914-1918.....	5	107	91	114	87	78	93	156	425	407	284	171	108	2,121
Kansas.....	1914-1918.....	5	107	91	114	87	78	93	156	425	407	284	171	108	2,121
Louisiana.....	1914-1918.....	5	107	91	114	87	78	93	156	425	407	284	171	108	2,121
Louisiana.....	1914-1918.....	5	107	91	114	87	78	93	156	425	407	284	171	108	2,121
Maine.....	1916-1918.....	3	16	9	16	8	8	10	9	16	22	32	16	23	199
Maryland.....	1915-1918.....	4	89	61	73	77	77	78	110	116	116	116	116	116	2,477
Massachusetts.....	1916-1918.....	3	67	41	41	35	35	72	71	80	233	298	191	73	1,573
Michigan.....	1914-1918.....	5	113	111	111	95	76	105	133	231	270	226	125	82	1,676
Minnesota.....	1914-1918.....	5	107	91	114	87	78	93	156	425	407	284	171	108	2,121
Mississippi.....	1914-1918.....	5	107	91	114	87	78	93	156	425	407	284	171	108	2,121
Montana.....	1914-1918.....	4	46	38	34	33	33	33	51	51	51	51	51	51	516
Nebraska.....	1918.....	1	4	3	3	3	3	3	6	11	11	11	11	11	11
Nevada.....	1915, 1917.....	2	5	3	3	4	5	6	11	11	11	11	11	11	11
New Jersey.....	1914-1918.....	5	235	235	235	235	235	235	235	235	235	235	235	235	235
New York.....	1914-1918.....	5	235	235	235	235	235	235	235	235	235	235	235	235	235
North Carolina.....	1918.....	1	29	29	29	29	29	29	29	29	29	29	29	29	29
North Dakota.....	1917, 1918.....	2	15	15	15	15	15	15	15	15	15	15	15	15	15
Ohio.....	1914-1918.....	5	107	91	114	87	78	93	156	425	407	284	171	108	2,121
Oklahoma.....	1915, 1917.....	2	222	222	222	222	222	222	222	222	222	222	222	222	222
Oregon.....	1914-1918.....	3	125	125	125	125	125	125	125	125	125	125	125	125	125
Pennsylvania.....	1916-1918.....	3	301	311	220	294	271	322	449	334	1,319	1,072	1,072	1,072	1,072
Porto Rico.....	1914, 1915, 1917, 1918.....	4	235	235	235	235	235	235	235	235	235	235	235	235	235
Rhode Island.....	1914, 1916-1918.....	4	235	235	235	235	235	235	235	235	235	235	235	235	235
South Carolina.....	1914-1918.....	5	107	91	114	87	78	93	156	425	407	284	171	108	2,121
Texas.....	1915, 1917, 1918.....	3	220	220	220	220	220	220	220	220	220	220	220	220	220
Utah.....	1914, 1915, 1917, 1918.....	4	13	13	13	13	13	13	13	13	13	13	13	13	13
Vermont.....	1914, 1915, 1917, 1918.....	4	125	125	125	125	125	125	125	125	125	125	125	125	125
Virginia.....	1914-1918.....	5	125	125	125	125	125	125	125	125	125	125	125	125	125
Washington.....	1917, 1918.....	2	60	60	60	60	60	60	60	60	60	60	60	60	60
West Virginia.....	1914-1918.....	2	38	38	38	38	38	38	38	38	38	38	38	38	38
Wisconsin.....	1914-1918.....	2	5	5	5	5	5	5	5	5	5	5	5	5	5
Wyoming.....	1914-1918.....	2	5	5	5	5	5	5	5	5	5	5	5	5	5

¹ Average less than 1.

Cases of typhoid fever reported, 1919.

State.	Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	August.	Septem- ber.	Octo- ber.	Novem- ber.	Decem- ber.	Total.	State.		
Alabama.....	20	17	30	51	56	114	267	160	150	94	68	25	1,073	Alabama.		
Arkansas.....	16	13	55	52	20	71	162	96	139	74	74	74	677	Arkansas.		
California.....	33	33	41	57	6	5	5	38	94	118	139	72	904	California.		
Colorado.....	6	4	5	17	19	20	23	48	8	14	32	24	25	216	Colorado.	
Connecticut.....	6	6	5	5	5	5	5	17	38	35	22	22	16	415	Connecticut.	
District of Columbia.....	3	5	34	98	49	48	210	238	236	27	41	41	8	153	District of Columbia.	
Delaware.....	20	20	24	24	94	94	210	238	236	261	171	94	68	336	Delaware.	
Florida.....	11	22	3	3	8	12	10	11	14	26	20	20	20	1,448	Florida.	
Georgia.....	17	6	3	3	8	32	64	138	162	163	207	170	113	173	Georgia.	
Hawaii.....	17	6	3	3	8	12	10	11	14	26	20	20	20	173	Hawaii.	
Illinois.....	34	27	40	50	32	64	138	162	163	207	170	113	1,200	Illinois.		
Indiana.....	30	21	53	53	44	42	113	134	147	145	118	74	74	974	Indiana.	
Kansas.....	14	12	11	17	26	56	170	156	156	147	118	76	39	536	Kansas.	
Louisiana.....	33	21	68	90	94	94	219	171	152	126	100	77	90	1,253	Louisiana.	
Maine.....	3	8	16	15	14	14	26	26	18	49	49	49	11	251	Maine.	
Maryland.....	33	32	39	47	66	88	190	311	333	27	207	134	86	1,616	Maryland.	
Massachusetts.....	45	70	46	44	42	45	60	134	146	135	81	81	83	940	Massachusetts.	
Michigan.....	33	17	23	95	44	73	130	126	126	151	46	65	95	940	Michigan.	
Minnesota.....	24	23	32	43	36	36	96	42	42	75	59	77	68	641	Minnesota.	
Mississippi.....	90	91	132	134	186	377	683	685	512	395	263	159	159	3,911	Mississippi.	
Montana.....	5	1	10	10	14	7	35	68	68	61	37	13	13	274	Montana.	
Nebraska.....	15	6	8	1	1	3	7	8	11	19	19	18	13	110	Nebraska.	
New Jersey.....	24	16	17	22	20	45	47	92	111	95	65	65	54	617	New Jersey.	
New Mexico.....	124	38	77	81	101	136	301	301	301	498	498	498	41	15	New Mexico.	
New York.....	156	39	21	40	110	428	741	503	503	277	144	144	125	2,356	New York.	
North Carolina.....	56	39	21	2	9	2	0	0	21	29	17	17	13	139	North Carolina.	
North Dakota.....	5	5	1	3	128	66	128	473	468	484	309	309	144	144	North Dakota.	
Ohio.....	120	100	68	64	66	66	26	74	223	221	125	209	84	28	278	Ohio.
Oklahoma.....	60	60	59	66	2	10	11	14	27	13	9	10	10	10	10	Oklahoma.
Oregon.....	1	4	3	2	2	174	201	343	616	635	532	370	271	3,902	Oregon.	
Pennsylvania.....	218	150	140	132	174	201	343	343	343	301	277	277	277	1,341	Pennsylvania.	
Puerto Rico.....	2	2	5	8	44	44	30	30	30	9	8	8	3	3	189	Puerto Rico.
Rhode Island.....	5	1	3	1	1	2	11	11	11	10	17	12	14	2	99	Rhode Island.
South Carolina.....	10	6	2	2	7	5	58	186	140	103	47	39	39	13	633	South Carolina.
South Dakota.....	3	4	4	3	6	5	5	14	14	25	21	11	17	1	113	South Dakota.
Utah.....	2	2	3	3	6	6	23	15	26	56	56	56	44	44	320	Utah.
Vermont.....	3	2	2	3	2	2	10	13	9	17	14	9	11	102	Vermont.	
Virginia.....	52	33	48	63	63	73	203	537	538	538	538	211	175	94	2,456	Virginia.
Washington.....	12	19	15	11	20	27	121	182	182	182	182	161	22	22	370	Washington.
West Virginia.....	30	27	13	17	13	12	37	34	34	271	271	21	25	84	1,610	West Virginia.
Wisconsin.....	7	13	17	13	1	1	3	2	2	20	38	21	21	21	215	Wisconsin.
Wyoming.....	1	1	1	1	1	1	1	1	1	1	1	16	4	4	49	Wyoming.

Deaths registered as due to typhoid fever; 1919.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.	
Alabama.....	16	14	15	10	12	26	36	54	6	31	25	30	332	Alabama.	
Alaska.....	12	5	1	3	8	7	15	19	10	10	16	27	45	Arizona.	
Arkansas.....	13	8	7	9	8	15	24	23	22	20	16	11	173	Arkansas.	
California.....	6	4	1	3	7	7	7	14	16	14	16	6	185	California.	
Colorado.....	1	2	4	2	5	3	1	6	4	15	4	6	4	Colorado.	
Connecticut.....	1	2	5	2	1	1	2	2	4	4	5	6	36	Connecticut.	
Delaware.....	2	1	1	1	2	1	1	1	1	1	1	2	6	Delaware.	
District of Columbia.....	10	10	12	12	24	18	21	17	17	19	14	11	16	District of Columbia.	
Florida.....	6	6	7	7	20	47	38	91	92	90	33	47	47	Florida.	
Georgia.....	3	17	19	1	3	1	3	3	3	6	6	8	43	Georgia.	
Hawaii.....	12	20	21	16	22	11	16	32	35	38	46	43	377	Hawaii.	
Illinois.....	9	3	7	2	10	21	20	42	42	42	50	14	337	Illinois.	
Indiana.....	5	3	3	5	7	7	8	12	12	15	15	12	112	Indiana.	
Iowa.....	20	27	20	27	27	28	23	26	26	25	25	13	134	Iowa.	
Kansas.....	5	3	3	5	5	5	8	23	20	20	20	13	65	Kansas.	
Kentucky.....	20	27	20	27	27	28	48	91	91	91	91	61	622	Kentucky.	
Louisiana.....	22	14	21	27	26	45	46	46	46	46	46	41	24	Louisiana.	
Maine.....	3	3	2	3	2	2	5	5	5	5	5	3	4	Maine.	
Maryland.....	11	11	8	3	13	7	13	20	20	18	21	10	102	Maryland.	
Massachusetts.....	11	9	6	3	5	6	3	15	12	16	10	6	284	Massachusetts.	
Michigan.....	16	7	18	19	12	25	2	22	22	39	31	33	18	Michigan.	
Minnesota.....	4	4	3	3	5	6	4	4	13	10	11	5	78	Minnesota.	
Nebraska.....	3	2	5	3	3	3	1	3	3	5	5	8	42	Nebraska.	
New Jersey.....	7	1	6	7	4	5	3	4	4	7	8	4	5	New Jersey.	
New Mexico.....	22	21	16	26	14	34	41	41	41	41	48	31	372	New Mexico.	
New York.....	26	21	1	15	21	20	35	68	68	68	68	2	20	New York.	
North Dakota.....	31	19	8	17	15	11	37	43	43	43	43	31	46	North Dakota.	
Oklahoma.....	17	4	8	7	5	5	5	7	11	10	10	11	92	Oklahoma.	
Oregon.....	1	3	3	7	8	8	4	11	9	9	9	3	3	Oregon.	
Puerto Rico.....	3	5	1	1	1	2	2	5	5	5	5	2	2	Puerto Rico.	
Rhode Island.....	4	3	7	8	17	60	69	58	58	58	58	1	21	Rhode Island.	
South Carolina.....	1	1	2	1	2	1	2	1	2	1	2	1	3	3	South Carolina.
Utah.....	4	4	1	1	1	1	1	1	1	1	1	1	1	12	Utah.
Vermont.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Vermont.
Virginia.....	13	9	6	9	9	9	9	28	31	31	31	31	33	33	Virginia.
Washington.....	9	3	3	2	1	1	1	1	1	1	1	1	1	1	Washington.
Wisconsin.....	7	4	18	18	8	1	1	1	1	1	1	1	1	49	Wisconsin.
Wyoming.....	1	1	1	1	1	1	1	1	1	1	1	1	1	2	Wyoming.

Typhoid fever—Average number of cases reported per annum and average indicated morbidity rates, 1914-1918; cases reported, deaths registered, and indicated mortality, morbidity, and fatality rates, 1919.

State.	Estimated population July 1, 1919.	Average.				1919				State.
		Years included.	Number of years.	Cases reported per annum.	Cases per 1,000 inhabitants.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	
Alabama.....	2,326,521	1915-1918.....	4	2,840	1.21	1,073	0.46	322	0.11	Alabama.
Arizona.....	326,633	1916-1918.....	2	61	.23	677	.39	44	.13	Arizona.
Arkansas.....	1,741,193	1917-1918.....	2	624	.35	677	.39	178	.10	Arkansas.
California.....	3,372,511	1914-1918.....	5	1,222	.45	964	.185	29	.05	California.
Colorado.....	932,148	1914-1916-1918.....	4	501	.32	216	.23	79	.08	Colorado.
Connecticut.....	1,346,594	1914-1918.....	5	641	.32	415	.20	36	.04	Connecticut.
Delaware.....	221,938	1914-1918.....	5	312	.86	133	.35	39	.18	Delaware.
District of Columbia.....	432,080	1914-1918.....	1	485	.52	536	.56	16	.04	District of Columbia.
Florida.....	955,291	1918.....	1	—	—	1,448	.176	176	.18	Florida.
Georgia.....	2,879,976	1914-1917.....	4	213	1.00	173	.50	47	.17	Georgia.
Hawaii.....	252,616	1914-1917.....	4	—	—	173	.68	43	.17	Hawaii.
Illinois.....	6,441,501	1914-1917, 1918.....	3	2,547	.41	1,200	.19	277	.12	Illinois.
Indiana.....	2,918,716	1914-1917, 1918.....	5	2,121	.73	974	.33	337	.12	Indiana.
Iowa.....	2,384,418	1914-1918.....	5	—	—	—	—	112	.05	Iowa.
Kansas.....	1,705,224	1914-1918.....	5	1,892	1.03	836	.47	134	.08	Kansas.
Kentucky.....	2,409,518	1914-1918.....	5	—	—	—	—	622	.22	Kentucky.
Louisiana.....	1,790,515	1914-1918.....	5	1,192	.65	1,233	.70	400	.31	Louisiana.
Maine.....	1,766,683	1916-1918.....	3	196	.26	251	.33	170	.41	Maine.
Maryland.....	1,441,665	1915-1918.....	4	2,477	1.84	1,616	1.12	170	.12	Maryland.
Massachusetts.....	3,827,529	1916-1918.....	3	1,375	.36	940	.25	102	.03	Massachusetts.
Michigan.....	3,623,082	1914-1918.....	5	1,676	.55	940	.26	264	.07	Michigan.
Minnesota.....	2,370,371	1914-1918.....	5	1,013	.44	641	.27	78	.03	Minnesota.
Mississippi.....	1,789,732	1914-1918.....	5	5,768	.96	3,611	2.02	—	—	Mississippi.
Missouri.....	3,397,871	1914-1918.....	4	—	—	—	—	375	.11	Missouri.
Montana.....	3,388,758	1914-1916-1918.....	4	414	.49	274	.51	42	.08	Montana.
Nebraska.....	1,260,382	1918.....	1	136	.12	110	.06	45	.03	Nebraska.
New Jersey.....	3,123,535	1914-1918.....	5	1,250	.43	617	.29	92	.03	New Jersey.
New York.....	10,318,718	1914-1918.....	5	4,601	.45	2,551	.25	372	.01	New York.
North Carolina.....	2,538,450	1918.....	1	3,388	1.37	2,256	1.16	—	—	North Carolina.
North Dakota.....	642,183	1917-1918.....	2	—	—	1,329	.22	20	—	North Dakota.
Ohio.....	5,708,265	1914-1918.....	5	1,785	.76	2,708	.47	460	.08	Ohio.
Oklahoma.....	2,008,487	1915-1917.....	2	1,487	.68	—	—	121	.16	Oklahoma.
Oregon.....	2,078,692	1914-1918.....	5	228	.47	131	.17	36	.05	Oregon.
Pennsylvania.....	8,665,822	1916-1918.....	4	6106	.71	3,802	.44	52	.05	Pennsylvania.
Porto Rico.....	—	1914-1915, 1917-1918	4	328	.27	188	—	—	—	Porto Rico.
Rhode Island.....	1,601,215	1914-1916-1918.....	4	216	.35	31	.03	—	—	Rhode Island.
South Carolina.....	1,474,996	1914-1918.....	5	530	.38	633	.15	21	.01	South Carolina.
South Dakota.....	(633,163)	1914-1917, 1918.....	3	112	.16	—	—	—	—	South Dakota.

February 25, 1921.

Utah.....	445,327	1914-1915, 1917-1918.	4	436	1,061	320	.72	42	.06	13.1	Utah.
Vermont.....	332,603	1914-1915, 1917, 1918.	5	194	.53	102	.20	12	.03	15.2	Vermont.
Virginia.....	2,268,756	1914-1918.....	5	3,226	1,65	2,156	1.07	333	.15	13.6	Virginia.
Washington.....	1,345,778	1914-1918.....	5	760	.70	1,379	.28	49	.04	12.8	Washington.
West Virginia.....	1,451,121	1917-1918.....	2	1,328	.88	1,310	1.04	West Virginia.
Wisconsin.....	2,010,192	1914-1918.....	5	361	.22	215	.08	85	.03	39.3	Wisconsin.
Wyoming.....	191,907	1911-1918.....	5	66	.37	49	.20	21	.11	42.9	Wyoming.

Cases of typhus fever reported, 1919.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
California.....	1	1	California.
Colorado.....	1	1	1	Colorado.
Florida.....	1	1	1	Florida.
Maryland.....	1	1	1	2	2	1	Maryland.
New York.....	1	1	1	1	1	2	1	1	1	1	New York.

Deaths registered as due to typhus fever, 1919.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
California.....	1	1	1	1	California.
Colorado.....	1	1	1	1	Colorado.
Maryland.....	1	1	1	1	Maryland.
New York.....	1	1	1	1	2	1	1	1	1	New York.

Typhus fever—Cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1919.

State.	Estimated population July 1, 1919.	Total cases reported.	Cases per 1,000 inhabitants.	Total deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.	State.	Estimated population July 1, 1919.	Total cases reported.	Cases per 1,000 inhabitants.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.	State.	
California.....	3,372,511	2	0.001	1	0.001	Maryland.....	50,0	1,441,865	1	0.001	1	0.001	California.
Colorado.....	932,148	1	0.001	1	0.001	New York.....	10,318,709	11	0.001	1	0.001	Colorado.	
Florida.....	935,291	1	0.001	1	0.001	Oklahoma.....	2,008,487	Florida.	

SMALLPOX IN THE UNITED STATES, 1920.

The accompanying table shows the reported prevalence of smallpox in the United States during the calendar year 1920 as compared with the preceding seven years.

Annual case rates per thousand population are shown, the first nine months being given by quarters and the last three months being given separately.

The median rate for the quarter (or month) was obtained by using the median number of cases reported for each State for each quarter (or month) during the last seven years, and the median-year rate was obtained by using the number of cases reported for the median year during the years 1913 to 1919, inclusive. When data were not available for the full seven years, as many years as possible were included, but no data earlier than 1913 were used.

The table as a whole shows a decided increase during 1920 in the number of cases of smallpox reported. During December, 1920, the rate for the 38 States combined was more than three times the median rate for that month, and the rate for the year 1920 was twice that for the median year.

The northeastern States show comparatively few cases of smallpox, while many of the western States show a decided increase in the number of cases reported.

Smallpox—Annual case rates per 1,000 population; comparison of 1920 with the median of the period 1913-1919.

February 25, 1921.

Smallpox—Annual case rates per 1,000 population; comparison of 1920 with the median of the period 1913-1919—Continued.

State.	1920							Median, 1913-1919.						
	Jan., Feb., Mar.	Apr., May, June	July, Aug., Sept.	Oct.	Nov.	Dec.	Year.	Jan., Feb., Mar.	Apr., May, June	July, Aug., Sept.	Oct.	Nov.	Dec.	Median year.
South Carolina.....	1.0	0.7	0.2	3.1	0.4	1.4	0.6	0.1	0.2	0.0	0.1	.1	0.2	0.2
South Dakota.....	2.4	2.9	.5	.4	1.8	2.8	1.9	2.2	1.9	.6	.5	.5	1.3	1.7
Vermont.....	.0	.0	.0	1.0	.9	1.5	.3	.2	.4	.1	.0	.0	.1	.2
Virginia.....	2.9	1.7	.7	.4	.4	.6	1.4	.8	.7	.2	.3	.2	.5	.7
Washington.....	8.1	4.6	1.7	1.6	3.2	4.7	4.4	.9	1.0	.4	.2	.4	.5	.6
West Virginia.....	2.7	2.1	1.0	.7	.9	2.1	1.8	1.3	1.2	.2	.3	.8	.8	.9
Wisconsin.....	2.9	2.2	1.1	1.3	2.6	3.2	2.1	.9	.9	.3	.5	.7	1.2	.8
Wyoming.....	8.0	6.3	2.4	1.8	1.0	2.6	4.6	1.0	.5	.5	.3	.4	.3	.5
All above States	1.4	1.2	.4	.5	1.0	1.6	1.0	.7	.7	.2	.2	.4	.5	.5

PRINCIPAL CAUSES OF DEATH, 1920.

DEATH RATES FROM PRINCIPAL CAUSES DURING NOVEMBER AND DECEMBER AND THE LAST QUARTER OF 1920, AND COMPARISON OF RATES FOR 1920 WITH THOSE FOR PREVIOUS YEARS.

The accompanying tables are reprinted from the Statistical Bulletin of the Metropolitan Life Insurance Co. for January, 1920. The rates in these tables for the different periods of 1920 are based on a strength of approximately 13,000,000 insured persons.

Death rates (annual basis) per 100,000 lives exposed for principal causes, November and December, 1920, and year 1919.

[Industrial Department, Metropolitan Life Insurance Co.]

Cause of death.	Death rate per 100,000 lives exposed.		
	December, 1920.	November, 1920.	Year 1919.
Total, all causes.....	940.1	813.7	1,063.0
Typhoid fever.....	5.0	9.0	7.3
Measles.....	3.4	2.1	3.5
Scarlet fever.....	8.7	6.8	3.9
Whooping cough.....	4.3	2.6	3.1
Diphtheria.....	34.8	30.4	20.9
Influenza.....	8.5	5.5	96.0
Tuberculosis (all forms).....	124.1	109.7	156.5
Cancer.....	76.1	67.7	67.0
Meningitis (all forms).....	4.5	4.0	6.4
Cerebral hemorrhage.....	65.4	54.8	59.8
Organic diseases of heart.....	121.0	101.6	113.9
Pneumonia (all forms).....	85.9	51.9	117.2
Other respiratory diseases.....	17.1	14.6	17.0
Diarrhea and enteritis.....	9.6	14.3	16.9
Bright's disease.....	74.6	63.0	73.5
Puerperal state.....	17.0	14.9	20.0
Suicides.....	5.6	5.8	6.8
Homicides.....	6.8	5.1	6.9
Other external causes (excluding suicides and homicides).....	57.5	58.9	80.4
Traumatism by automobile.....	10.2	14.5	10.7
War deaths.....		4	16.6
All other causes.....	209.5	191.0	184.9

Death rates (annual basis) per 100,000 lives exposed—Last quarters of 1918, 1919, and 1920, compared, by color, for principal causes of death.

[Industrial Department, Metropolitan Life Insurance Co.]

Cause of death.	Death rate per 100,000 lives exposed.					
	White.		Colored.		Oct.-Dec. 1920.	Oct.-Dec. 1919.
	Oct.-Dec. 1919.	Oct.-Dec. 1918.	Oct.-Dec. 1920.	Oct.-Dec. 1919.		
All causes of death.....	756.4	781.3	2,824.0	1,280.2	1,305.3	2,861.0
Typhoid fever.....	7.3	6.9	13.0	14.3	18.2	29.4
Measles.....	2.6	2.8	3.2	2.2	3.5	1.6
Scarlet fever.....	7.0	4.8	3.1	1.2	1.2	1.2
Whooping cough.....	3.7	2.5	11.2	6.2	2.9	14.3
Diphtheria and croup.....	31.5	33.2	28.0	9.1	10.7	6.3
Influenza.....	5.4	9.8	1,058.8	13.8	18.2	724.2
Tuberculosis (all forms).....	95.3	106.2	166.7	255.2	281.2	343.4
Tuberculosis of the lungs.....	85.4	95.8	152.9	231.0	239.3	316.3
Tuberculous meningitis.....	4.7	5.1	5.9	6.7	6.7	7.4
Other forms of tuberculosis.....	5.2	5.4	7.9	17.5	15.2	19.7
Meningitis (total).....	3.9	5.3	6.8	3.2	4.3	5.7
Cerebrospinal meningitis.....	3.2	4.4	5.5	3.0	2.9	4.3
Cerebral hemorrhage; apoplexy.....	52.4	53.3	61.3	90.5	90.5	94.5
Organic diseases of heart.....	95.6	95.5	157.8	149.4	154.6	221.8
Total respiratory diseases.....	65.4	70.5	705.9	113.2	118.3	690.5
Bronchitis.....	5.5	6.6	11.4	10.1	10.1	13.7
Broncho-pneumonia.....	20.1	21.7	122.1	25.4	25.6	103.6
Pneumonia-Jobar and undefined.....	32.3	34.8	558.3	66.1	71.8	560.0
Other diseases of respiratory system.....	7.5	7.5	10.7	11.6	10.7	13.1
Diarrhea and enteritis.....	15.5	15.9	22.3	16.8	17.9	20.8
Under 2 years.....	7.2	7.2	11.5	4.2	4.5	6.6
2 years and over.....	8.3	8.7	10.9	12.6	13.4	14.3
Nephritis and Bright's disease.....	62.7	67.4	81.9	121.3	124.4	159.0
Total puerperal state.....	15.4	14.9	55.8	27.4	26.7	43.1
Puerperal septicemia.....	6.0	4.6	6.5	14.5	13.1	10.3
Puerperal albuminuria and convulsions.....	3.9	4.5	5.1	5.2	6.4	6.9
Other diseases of puerperal state.....	5.5	5.8	44.3	7.6	7.2	26.0
Total external causes ¹	66.2	67.4	197.2	96.2	90.5	141.6
Suicides.....	6.5	4.9	8.3	3.0	5.6	5.1
Homicides.....	3.1	3.1	3.3	28.8	27.0	31.1
Accidental and unspecified violence ²	56.3	56.8	73.3	64.4	56.6	81.1
Accidental drowning.....	3.6	3.8	6.3	4.9	3.5	6.3
Automobile accidents.....	14.3	12.8	13.7	6.1	10.4	9.7
War deaths.....	.3	2.6	112.3	1.3	24.3
All other and ill-defined causes of death.....	226.4	225.0	251.0	362.2	345.3	365.9

¹ Includes "war deaths."² Excludes "war deaths."*Death claims paid per 1,000 policies in force (annual basis) during specified months of 1918, 1919, and 1920.*

Month.	Year.			Month.	Year.		
	1918	1919	1920		1918	1919	1920
January.....	13.3	19.1	10.5	July.....	10.1	9.2	8.4
February.....	12.6	17.7	16.0	August.....	10.1	8.3	8.4
March.....	14.3	15.7	15.8	September.....	9.6	8.4	7.9
April.....	11.4	13.2	11.1	October.....	18.2	8.2	8.3
May.....	12.9	11.2	9.5	November.....	38.9	8.6	8.5
June.....	10.5	9.8	9.8	December.....	22.4	9.1	9.8

Death rates per 100,000 lives exposed, for principal causes, 1911 to 1920.

(Industrial Department, Metropolitan Life Insurance Co.)

Cause of death.	Death rate per 100,000 lives exposed.									
	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911
	All causes of death	968.4	1,063.0	1,559.2	1,161.1	1,168.1	1,130.9	1,152.8	1,199.4	1,201.2
Typhoid fever	6.5	7.3	11.5	12.1	13.0	12.9	16.1	18.4	19.1	22.8
Communicable diseases of children	42.3	31.5	41.6	46.8	40.8	36.4	48.2	58.1	46.2	58.9
Measles	8.3	3.5	8.6	11.1	9.9	5.7	6.9	12.3	7.6	11.4
Scarlet fever	5.9	3.9	3.6	6.0	4.1	4.6	9.8	12.7	9.0	13.1
Whooping cough	6.5	3.2	10.1	5.1	5.8	4.7	5.8	5.9	5.1	7.1
Diphtheria	21.6	20.9	19.3	24.6	21.0	21.4	25.7	27.2	24.5	27.3
Influenza and pneumonia	156.2	214.1	542.2	135.4	138.1	119.5	111.6	118.4	116.2	131.2
Influenza	52.3	96.9	272.4	14.4	23.8	13.0	11.3	12.3	12.3	15.9
Pneumonia (all forms)	103.9	117.2	269.8	121.0	114.3	106.5	100.3	106.1	103.9	115.3
Tuberculosis (all forms)	135.0	156.5	189.0	188.9	190.2	197.8	204.5	206.7	212.9	224.6
Tuberculosis of the lungs	121.5	141.6	171.1	172.3	172.8	180.0	185.2	186.6	191.5	203.0
Cancer (all forms)	68.3	67.0	67.2	70.9	70.3	70.9	69.8	70.5	70.3	68.0
Meningitis (total)	5.1	6.4	8.8	8.1	5.4	5.7	6.4	8.3	9.8	12.2
Cerebrospinal fever	1.0	1.3	2.8	3.5	1.5	1.3	1.5	1.7	3.0	(1)
Cerebral hemorrhage, apoplexy	60.1	59.8	64.0	66.8	68.7	65.5	69.2	67.2	70.3	64.2
Organic diseases of the heart	114.6	113.9	141.7	142.0	140.2	136.7	138.1	140.6	143.8	141.8
Diarrhea and enteritis	15.5	16.9	23.4	25.5	26.2	24.4	24.7	27.7	27.6	28.0
Under 2 years	6.9	7.5	11.6	11.9	12.5	11.3	11.9	13.2	12.8	13.0
2 years and over	8.6	9.5	11.3	13.6	13.7	13.1	12.8	14.5	14.8	15.0
Bright's disease	69.4	73.5	86.8	95.7	99.0	95.7	95.4	96.0	99.4	95.0
Puerperal state	22.5	20.0	27.4	18.2	17.6	18.0	19.8	20.0	18.4	19.8
Puerperal septicemia	8.4	6.7	7.3	7.5	7.2	7.2	8.4	9.1	8.0	8.8
Puerperal albuminuria and convulsions	4.9	4.8	4.9	5.1	5.0	4.8	5.1	5.3	4.8	4.7
Accidents of pregnancy	3.0	3.0	6.9	1.6	1.4	1.8	1.7	1.7	1.5	1.7
Total external causes	69.7	94.2	128.9	106.7	99.5	88.2	89.2	98.3	92.9	97.9
Suicides	6.0	6.8	7.6	9.3	9.8	12.2	12.3	13.5	12.4	13.3
Homicides	5.7	6.9	6.2	7.4	6.9	6.9	7.0	7.2	6.7	7.2
Accidents (total)	57.6	63.8	75.5	76.5	73.2	67.3	69.9	77.6	73.8	77.4
Burns	7.9	8.1	9.0	8.9	8.8	8.6	8.4	9.0	9.1	N.S.
Accidental drowning	6.6	8.6	9.4	8.7	9.7	11.9	10.0	12.1	10.2	10.2
Traumatism by fall	7.1	8.0	10.4	11.9	13.1	11.9	12.6	13.7	12.7	13.2
Traumatism by machines	1.6	1.6	2.4	2.0	1.7	1.4	1.5	2.0	1.7	1.8
Railroad accidents	5.1	5.7	7.8	8.5	7.9	7.4	7.5	9.0	9.2	9.5
Automobile accidents	10.9	10.7	10.3	9.7	7.4	5.4	4.8	4.1	3.0	2.3
Other accidents	18.3	21.2	26.1	26.8	21.6	20.7	23.1	27.7	27.0	31.6
War deaths	.5	16.6	39.7	13.5	9.6	1.8				
Other diseases and conditions	203.1	201.8	226.7	243.9	259.1	256.2	259.8	269.2	274.3	288.6

¹ Not available.

The rates presented here indicate that the year of 1920 was the best from the standpoint of mortality conditions in the history of the company and probably the best in the sanitary history of the United States. As stated above, the mortality rates of this more or less selected group are very good indices of comparative mortality conditions of the general population. The death rate in this selected group is usually from 82 to 87 per cent of the death rate in the registration area.

Among the persons insured in the industrial department of the company, the death rate for 1920 was only 9.7 per 1,000. This is 9 per cent less than the death rate for 1919, and 23 per cent lower than that for 1911. Using figures representing deaths instead of rates, this low mortality record for 1920 means that 13,000 fewer deaths occurred among the policyholders during 1920 than would have occurred had the rate for 1919 prevailed, and 38,000 fewer deaths than would have occurred if the 1911 rate had obtained.

Marked declines in the mortality from tuberculosis and influenza and pneumonia were a large factor in the improvement noted in the total mortality. Tuberculosis, which caused 13.9 per cent of the deaths in 1920, showed a death rate 14 per cent less than that for 1919, and 40 per cent less than that for 1911. Mortality from influenza-pneumonia was 27 per cent lower in 1920 than in 1919, despite the sharp return of the disease in the early months of the year.

Mortality from Bright's disease declined 27 per cent from the figures registered in 1911, and 5.6 per cent from those for 1919. According to the records of the company, the most pronounced declines in the mortality from this disease have occurred since 1917.

DEATHS DURING WEEK ENDED FEB. 12, 1921.

Summary of information received by telegraph from industrial insurance companies for week ended Feb. 12, 1921. (From the "Weekly Health Index," Feb. 15, 1921, issued by the Bureau of the Census, Department of Commerce.)

Policies in force.....	45,626,780
Number of death claims.....	8,364
Death claims per 1,000 policies in force, annual rate.....	9.6

Deaths from all causes in certain large cities of the United States during the week ended Feb. 12, 1921, infant mortality, annual death rate, and comparison with corresponding week of preceding years. (From the "Weekly Health Index," Feb. 15, 1921, issued by the Bureau of the Census, Department of Commerce.)

City.	Estimated population, July 1, 1921	Week ended Feb. 12, 1921.		Average annual death rate per 1,000. ¹	Deaths under 1 year.		Infant mortality rate. ²	
		Total deaths.	Death rate. ³		Week ended Feb. 12, 1921.	Previous year or years. ⁴		
Akron, Ohio.....	229,195	24	5.5	511.1	7	54	67	106
Albany, N. Y.....	115,071	46	20.8	C 17.8	2	C 3	45	81
Atlanta, Ga.....	207,473	66	16.6	C 21.0	13	C 9
Baltimore, Md.....	751,557	261	18.1	A 19.1	38	A 32	107	98
Birmingham, Ala.....	186,133	47	13.2	A 18.5	6	A 6
Boston, Mass.....	757,634	201	13.8	A 18.1	23	A 40	62	97
Bridgeport, Conn.....	149,967	31	10.8	A 17.2	1	A 7	13	88
Buffalo, N. Y.....	519,608	130	13.0	C 19.7	21	C 39	81	110
Cambridge, Mass.....	110,414	22	10.4	A 17.5	2	A 5	36	70
Camden, N. J.....	119,672	41	17.9	7
Chicago, Ill.....	2,780,655	710	13.3	A 16.0	131	A 145
Cincinnati, Ohio.....	403,418	112	11.5	C 20.5	14	C 18	92	88
Cleveland, Ohio.....	831,338	294	12.8	C 13.8	32	C 32	86	95
Columbus, Ohio.....	245,338	73	15.5	C 14.8	7	C 6	81	91
Dallas, Tex.....	165,282	38	12.0	A 15.2	6	A 4
Dayton, Ohio.....	158,119	28	9.2	C 19.0	3	C 4	49	89
Denver, Colo.....	263,132	70	13.9	A 13.1	9
Detroit, Mich.....	1,070,450	210	10.2	45	85	97
Fall River, Mass.....	120,668	39	16.9	C 15.2	11	C 7	165	119
Grand Rapids, Mich.....	141,197	33	12.2	C 15.6	2	C 8	34	85
Houston, Tex.....	144,340	33	11.9	2

¹ Annual rates per 1,000 population.

² "A" indicates data for the corresponding week of the years 1913 to 1917, inclusive. "C" indicates data for the corresponding week of the year 1918.

³ Cities left blank are not in the registration area for births.

⁴ Deaths under 1 year per 1,000 births—an annual rate based on deaths under 1 year for the week and estimated births for 1920.

⁵ Data are based on statistics of 1915, 1916, and 1917.

February 25, 1921.

Deaths from all causes in certain large cities of the United States during the week ended Feb. 12, 1921, infant mortality, annual death rate, and comparison with corresponding week of preceding years—Continued.

City.	Estimated population July 1, 1921.	Week ended Feb. 12, 1921.		Average annual death rate per 1,000.	Death under 1 year.		Infant mortality rate.	
		Total deaths.	Death rate.		Week ended Feb. 12, 1921.	Previous year or years.	Week ended Feb. 12, 1921.	Corresponding week, 1921.
Indianapolis, Ind.	325,215	64	10.3	C 16.3	13	C 14	101	80
Jersey City, N. J.	302,788	91	15.7	C 14.0	14	C 11	215	108
Kansas City, Kans.	103,908	26	13.0	9
Kansas City, Mo.	336,157	98	15.2	C 20.3	20	C 11
Los Angeles, Calif.	611,636	181	15.4	A 15.5	14	A 13	66	67
Louisville, Ky.	236,083	55	12.1	C 27.0	5	C 12	58	96
Lowell, Mass.	113,757	28	12.8	A 16.7	5	A 7	80	124
Milwaukee, Wis.	468,386	105	11.7	A 13.8	22	A 27	107	101
Minneapolis, Minn.	392,815	93	13.0	C 11.2	16	C 13	91	65
Nashville, Tenn.	119,536	38	16.6	C 21.4	5	C 3
New Bedford, Mass.	125,012	48	20.0	A 16.6	12	A 9	184	122
New Haven, Conn.	167,007	38	11.9	C 18.2	6	C 13	71	73
New Orleans, La.	394,657	152	20.1	A 22.1	22	A 20
New York, N. Y.	5,751,867	1,487	13.3	C 16.8	209	C 272	82	81
Newark, N. J.	424,885	95	11.7	C 16.4	12	C 15
Norfolk, Va.	121,260	32	13.8	4	71	108
Oakland, Calif.	226,472	51	11.7	A 13.2	5	A 4	63	61
Omaha, Nebr.	197,066	43	12.7	6
Paterson, N. J.	137,463	28	10.6	3
Philadelphia, Pa.	1,866,212	467	13.0	82	99	91
Pittsburgh, Pa.	596,413	190	16.6	C 20.9	30	C 40	106	114
Portland, Oreg.	264,859	56	11.0	C 11.4	11	C 10	110	69
Providence, R. I.	239,645	68	14.8	C 19.0	9	C 15
Richmond, Va.	175,686	51	15.1	C 18.4	7	C 13	85	106
Rochester, N. Y.	365,229	93	15.9	C 14.9	20	C 9	155	74
St. Louis, Mo.	786,164	216	14.3	C 17.0	26	C 30
St. Paul, Minn.	237,781	52	11.4	C 11.9	4	C 11	40	68
Salt Lake City, Utah.	121,595	33	14.2	A 13.8	3	46	77
San Francisco, Calif.	520,546	131	13.1	C 14.1	7	C 10	41	62
Seattle, Wash.	327,227	53	8.4	A 9.3	7	A 6	58	55
Spokane, Wash.	104,442	36	18.0	C 14.0	3	C 3	66	55
Springfield, Mass.	135,877	35	13.4	2	30	84
Syracuse, N. Y.	177,265	58	17.1	C 15.7	8	C 10	96	91
Toledo, Ohio.	253,696	67	13.8	A 14.0	7	A 10	71	90
Trenton, N. J.	122,760	31	13.2	A 22.5	4	A 10
Washington, D. C.	454,026	102	11.7	A 18.3	10	A 13	58	85
Wilmington, Del.	113,408	47	21.6	C 21.8	8
Worcester, Mass.	184,972	52	14.7	C 17.0	8	C 5	86	92
Yonkers, N. Y.	103,324	23	14.1	A 12.1	5	A 4	113	80
Youngstown, Ohio.	139,432	26	9.7	6	76	99

* Data are based on statistics of 1915, 1916, and 1917.

28610°—21—5

PREVALENCE OF DISEASE.

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring.

UNITED STATES.

CURRENT STATE SUMMARIES.

Telegraphic Reports for Week Ended Feb. 19, 1921.

These reports are preliminary, and the figures are subject to change when later returns are received by the State health officers.

ALABAMA.	Cases.	CONNECTICUT--continued.	Cases.
Chicken pox.....	98	Lethargic encephalitis.....	5
Diphtheria.....	16	Measles:	
Hookworm.....	298	Bristol.....	8
Influenza.....	11	Greenwich.....	42
Malaria.....	1	Manchester.....	9
Mumps.....	31	Middletown (C).....	26
Ophthalmia neonatorum.....	1	New Britain.....	52
Pellagra.....	2	Pomfret.....	13
Pneumonia.....	26	Scattering.....	57
Scarlet fever.....	6	Mumps.....	69
Smallpox:		Ophthalmia neonatorum.....	1
Jefferson County.....	59	Pneumonia (lobar).....	44
Scattering.....	61	Scarlet fever:	
Tuberculosis.....	13	Bridgeport.....	14
Typhoid fever.....	17	Hartford.....	10
Whooping cough.....	9	Meniden (C).....	14
ARKANSAS.			
Chicken pox.....	45	New Haven.....	51
Diphtheria.....	4	Orange.....	3
Influenza.....	19	Torrington (T).....	8
Malaria.....	11	Torrington (B).....	37
Measles.....	221	Waterbury.....	11
Pellagra.....	4	Scattering.....	59
Scarlet fever.....	6	Septic sore throat.....	6
Smallpox.....	19	Tetanus.....	1
Tuberculosis.....	6	Tuberculosis (pulmonary).....	31
Typhoid fever.....	6	Typhoid fever.....	4
Whooping cough.....	12	Whooping cough.....	86
CONNECTICUT.			
Cerebrospinal meningitis.....	3	DELAWARE.	
Chicken pox.....	81	Cerebrospinal meningitis—Laurel.....	1
Conjunctivitis (infectious).....	12	Chicken pox.....	6
Diphtheria:		Diphtheria.....	3
Bridgeport.....	11	Influenza.....	19
Hartford.....	19	Measles.....	1
New Britain.....	8	Mumps.....	4
New Haven.....	11	Pneumonia.....	3
Scattering.....	49	Scarlet fever.....	16
German measles.....	2	Tuberculosis:	
Influenza.....	12	Wilmington.....	8
		Scattering.....	2
		Whooping cough.....	16

February 25, 1921.

FLORIDA.	Cases.	ILLINOIS—continued.	Cases.
Cerebrospinal meningitis.....	1	Smallpox—Continued.	
Diphtheria.....	19	Pontiac.....	8
Influenza.....	4	Rockford.....	24
Lethargic encephalitis.....	1	Scattering.....	99
Malaria.....	5	Typhoid fever.....	17
Pneumonia.....	2		
Scarlet fever.....	8	INDIANA.	
Smallpox.....	35	Diphtheria.....	69
Typhoid fever.....	10	Poliomyelitis—Lake County.....	1
		Rabies in animals—Allen County.....	1
		Scarlet fever.....	294
		Smallpox.....	191
		Typhoid fever.....	6
GEORGIA.		IOWA.	
Cerebrospinal meningitis.....	1	Diphtheria.....	32
Chicken pox.....	42	Lethargic encephalitis:	
Diphtheria.....	12	Dyersville.....	1
Hookworm.....	14	Panora.....	1
Influenza.....	35	Sumner.....	2
Malaria.....	14	Scarlet fever.....	106
Measles.....	184	Smallpox:	
Mumps.....	9	Davenport.....	10
Paratyphoid fever.....	1	Hiteman.....	19
Pneumonia.....	27	Ottumwa.....	15
Scarlet fever.....	12	Scattering.....	160
Septic sore throat.....	2		
Smallpox.....	91	KANSAS.	
Tuberculosis (pulmonary).....	8	Actinomycosis.....	1
Typhoid fever.....	2	Cerebrospinal meningitis.....	2
Whooping cough.....	18	Chicken pox.....	69
		Diphtheria.....	72
ILLINOIS.		Influenza.....	9
Cerebrospinal meningitis:		Malaria.....	1
Chicago.....	3	Measles.....	351
DeWitt County—Santa Anna Township.....	2	Mumps.....	26
Standard.....	1	Pneumonia.....	28
Diphtheria:		Poliomyelitis.....	1
Chicago.....	187	Scarlet fever.....	155
Scattering.....	79	Smallpox.....	175
Influenza.....	34	Tuberculosis.....	31
Lethargic encephalitis:		Typhoid fever.....	3
Chicago.....	14	Whooping cough.....	69
Chillicothe.....	1		
Clifton.....	1	LOUISIANA.	
Galesburg.....	1	Cerebrospinal meningitis.....	3
Hamilton County—Twigg Township.....	2	Diphtheria.....	6
Highland Park.....	1	Influenza.....	22
St. Charles.....	1	Scarlet fever.....	6
St. Clair County—Lebanon Township.....	1	Smallpox.....	50
Pneumonia.....	294		
Poliomyelitis:		MAINE.	
Cicero.....	1	Anthrax.....	1
Du Page County—Wayne Township.....	1	Chicken pox.....	31
Scarlet fever:		Diphtheria.....	20
Canton.....	14	German measles.....	1
Chicago.....	180	Influenza.....	2
Normal.....	9	Lethargic encephalitis.....	3
Oak Park.....	10	Measles.....	169
Rockford.....	20	Mumps.....	4
Springfield.....	34	Pneumonia.....	13
Scattering.....	149	Scarlet fever.....	19
Smallpox:		Septic sore throat.....	1
Chester.....	10	Smallpox.....	1
Chicago.....	17	Tuberculosis.....	8
East St. Louis.....	28	Typhoid fever.....	6
Freeport.....	11	Whooping cough.....	66
Hamilton County—Beaver Creek Township.....	9		
Moline.....	11		

MARYLAND. ¹	Cases.	MISSOURI—continued.	Cases.
Anthrax.....	1	Mumps.....	81
Chicken pox.....	142	Ophthalmia neonatorum.....	2
Diphtheria.....	60	Scarlet fever.....	161
German measles.....	2	Smallpox.....	238
Influenza.....	143	Tetanus.....	2
Lethargic encephalitis.....	4	Trachoma.....	1
Malaria.....	2	Tuberculosis.....	42
Measles.....	332	Typhoid fever.....	16
Mumps.....	48	Whooping cough.....	114
Ophthalmia neonatorum.....	1		
Pneumonia (all forms).....	179		
Scarlet fever.....	83		
Septic sore throat.....	9		
Smallpox.....	8		
Trachoma.....	1		
Tuberculosis.....	52		
Typhoid fever.....	10		
Whooping cough.....	134		
MASSACHUSETTS.		MONTANA.	
Cerebrospinal meningitis.....	2	Diphtheria.....	4
Chicken pox.....	344	Scarlet fever.....	14
Conjunctivitis (suppurative).....	6	Smallpox.....	26
Diphtheria.....	210	Typhoid fever.....	1
German measles.....	24		
Influenza.....	32		
Measles.....	591		
Mumps.....	116		
Ophthalmia neonatorum.....	29		
Pneumonia (lobar).....	125		
Poliomyelitis.....	4		
Scarlet fever.....	286		
Septic sore throat.....	6		
Trachoma.....	1		
Tuberculosis (all forms).....	187		
Typhoid fever.....	13		
Whooping cough.....	175		
MINNESOTA.		NEBRASKA.	
Chicken pox.....	29	Chicken pox.....	57
Diphtheria.....	59	Diphtheria.....	17
Measles.....	60	Lethargic encephalitis:	
Pneumonia.....	2	Auburn.....	1
Scarlet fever.....	185	Omaha.....	1
Smallpox:		Measles:	
Minneapolis.....	163	Nebraska City.....	57
Scattering.....	314	Scattering.....	19
Tuberculosis.....	127	Mumps.....	13
Typhoid fever.....	6	Scarlet fever:	
Whooping cough.....	15	Lincoln.....	31
		Omaha.....	8
		Scattering.....	21
		Smallpox:	
		Bennett.....	8
		Omaha.....	15
		Scattering.....	72
		Tuberculosis.....	1
		Typhoid fever.....	1
		NEW JERSEY.	
Diphtheria.....	13	Cerebrospinal meningitis.....	3
Scarlet fever.....	4	Chicken pox.....	360
Smallpox.....	33	Diphtheria.....	252
Typhoid fever.....	5	Influenza.....	94
		Malaria.....	2
		Measles.....	362
		Pneumonia.....	27
		Scarlet fever.....	388
		Smallpox.....	3
		Trachoma.....	1
		Typhoid fever.....	7
		Whooping cough.....	380
MISSISSIPPI.		NEW MEXICO.	
Diphtheria.....	13	Chicken pox.....	13
Scarlet fever.....	4	Conjunctivitis.....	1
Smallpox.....	33	Diphtheria.....	28
Typhoid fever.....	5	Malaria.....	1
		Measles.....	98
		Mumps.....	25
		Paratyphoid fever.....	1
		Pneumonia.....	5
		Scarlet fever.....	4
		Smallpox.....	3
		Tuberculosis.....	40
		Whooping cough.....	36
MISSOURI.			
Anthrax.....	1		
Cerebrospinal meningitis.....	2		
Chicken pox.....	145		
Diphtheria.....	172		
Epidemic sore throat.....	39		
Influenza.....	30		
Measles.....	152		

¹ Week ended Friday.

February 25, 1921.

NEW YORK.	Cases.	VERMONT.	Cases.
(Exclusive of New York City.)			
Cerebrospinal meningitis.....	4	Chicken pox.....	74
Diphtheria.....	310	Diphtheria.....	8
Influenza.....	63	Measles.....	116
Lethargic encephalitis.....	20	Mumps.....	40
Measles.....	1,725	Pneumonia.....	4
Pneumonia.....	375	Smallpox.....	11
Poliomyelitis:		Scarlet fever.....	25
Whitehall.....	1	Typhoid fever.....	5
Yonkers.....	1	Whooping cough.....	37
Scarlet fever.....	394	WEST VIRGINIA.	
Smallpox:		Diphtheria.....	16
Tonawanda.....	8	Measles:	
Scattering.....	9	Bluefield.....	8
Typhoid fever.....	32	Charleston.....	73
Typhus fever:		Montgomery.....	25
Cortland.....	2	Wheeling.....	10
Whooping cough.....	616	Scattering.....	13
NORTH CAROLINA.			
Cerebrospinal meningitis.....	1	Scarlet fever.....	18
Chicken pox.....	131	Smallpox:	
Diphtheria.....	31	Clarksburg.....	9
German measles.....	3	Scattering.....	15
Measles.....	758	Typhoid fever.....	6
Scarlet fever.....	22	WISCONSIN.	
Septic sore throat.....	6	Milwaukee:	
Smallpox.....	96	Cerebrospinal meningitis.....	2
Typhoid fever.....	8	Chicken pox.....	38
Whooping cough.....	343	Diphtheria.....	37
SOUTH DAKOTA.			
Chicken pox.....	16	German measles.....	3
Diphtheria.....	22	Measles.....	18
Measles.....	55	Scarlet fever.....	46
Pneumonia.....	18	Smallpox.....	18
Scarlet fever.....	48	Tuberculosis.....	16
Smallpox.....	105	Whooping cough.....	9
Tuberculosis.....	1	Scattering:	
Whooping cough.....	4	Cerebrospinal meningitis.....	1
TEXAS.			
Cerebrospinal meningitis.....	1	Chicken pox.....	114
Chicken pox.....	40	Diphtheria.....	98
Diphtheria.....	25	German measles.....	3
Influenza.....	8	Influenza.....	22
Measles.....	71	Lethargic encephalitis—Eau Claire.....	3
Mumps.....	5	Measles.....	155
Scarlet fever.....	15	Scarlet fever.....	223
Smallpox.....	22	Smallpox.....	199

District of Columbia and Kentucky Reports for Week Ended February 12, 1921.

DISTRICT OF COLUMBIA.	Cases.	KENTUCKY—continued.	Cases.
Chicken pox.....	46	Influenza.....	21
Diphtheria.....	36	Lethargic encephalitis:	
Influenza.....	1	Jefferson County.....	10
Measles.....	88	Ohio County.....	1
Scarlet fever.....	24	Measles:	
Smallpox.....	1	Boyd County.....	64
Tuberculosis.....	24	Harlan County.....	10
Typhoid fever.....	1	Jefferson County.....	16
Whooping cough.....	43	Muhlenberg County.....	10
KENTUCKY.			
Chicken pox.....	39	Scattering.....	23
Diphtheria:		Mumps.....	11
Jefferson County.....	15	Pneumonia.....	44
Scattering.....	22	Scabies.....	1

February 25, 1921.

404

KENTUCKY—continued.	Cases.	KENTUCKY—continued.	Cases.
Scarlet fever:		Smallpox—Continued.	
Campbell County.....	10	Ohio County.....	8
Jefferson County.....	19	Pike County.....	16
Scattering.....	28	Whitley County.....	12
Septic sore throat.....	11	Scattering.....	35
Smallpox:		Trachoma.....	17
Graves County.....	15	Tuberculosis.....	14
Hart County.....	11	Typhoid fever.....	18
Livingston County.....	23	Whooping cough.....	18
Muhlenberg County.....	16		

SUMMARY OF CASES REPORTED MONTHLY BY STATES.

The following summary of monthly State reports is published weekly and covers only those States from which reports are received during the current week:

State.	Cerebrospinal meningitis.	Diphtheria.	Influenza.	Malaria.	Measles.	Pellagra.	Poliomyelitis.	Scarlet fever.	Smallpox.	Typhoid fever.
January, 1921.										
Louisiana.....	7	67	71	164	730	23	1	45	410	49
Maryland.....	1	322	368	326	2	348	17	31
South Dakota.....	1	23	10	176	133	158	3
West Virginia.....	5	263	111	1,815	1	285	512	66
Wisconsin.....	9	672	245	655	3	1,101	1,141	38

PLAQUE.¹**HUMAN CASES OF PLAGUE REPORTED.**

Place.	Period covered.	Cases.	Deaths.	Remarks.
California: San Benito County.....	Feb. 7.....	1	
Florida: Pensacola.....	Jan. 1 to Feb. 19.....	0	0	
Louisiana: New Orleans.....	do.....	0	0	
Texas: Beaumont.....	do.....	0	0	
	do.....	0	0	

PLAQUE-INFECTED RODENTS.

Place.	Period covered.	Rodents found plague infected.
Florida: Pensacola.....	1921. Feb. 1 to Jan. 12..... Feb. 13 to 19.....	3
Louisiana: New Orleans.....	Jan. 1 to Feb. 16..... Feb. 17 to 19.....	30
Texas: Beaumont.....	Jan. 1 to Feb. 19.....	0
	do.....	0

¹ A summary of the reports received of the occurrence of plague and the finding of plague-infected rodents in the United States during 1920 was published in Public Health Reports, Jan. 7, 1921, p. 15.

February 25, 1921.

CITY REPORTS FOR WEEK ENDED FEB. 5, 1921.

ANTHRAX.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Delaware: Wilmington.....		1	Pennsylvania: Philadelphia.....	2	
Illinois: Chicago.....	1				

CEREBROSPINAL MENINGITIS.

The column headed "Median for previous years" gives the median number of cases reported during the corresponding weeks of the years 1915 to 1920, inclusive. In instances in which data for the full six years are incomplete, the median is that for the number of years for which information is available.

Place.	Median for pre- vious years.	Week ended Feb. 5, 1921.		Place.	Median for pre- vious years.	Week ended Feb. 5, 1921.	
		Cases.	Deaths.			Cases.	Deaths.
Alabama: Birmingham.....	0		1	New Hampshire: Keene.....	0		1
California: Los Angeles.....	0	1		New Jersey: Newark.....	0	2	1
Connecticut: New Britain.....	0		1	New York: Buffalo.....	1	1	2
District of Columbia: Washington.....	0	1		New York: New York.....	7	6	4
Illinois: Chicago.....	2	1	1	Rochester.....	0	1	
Kansas: Wichita.....	0	1	1	North Carolina: Greensboro.....	0		1
Kentucky: Louisville.....	0	1		Ohio: Cleveland.....	0	1	
Massachusetts: Chicopee.....	0	1		Newark.....			1
Malden.....	0	1	1	Pennsylvania: Johnstown.....	0	1	
Springfield.....	0		1	Lancaster.....	0	1	
Michigan: Detroit.....	0		2	Reading.....	0	1	
Grand Rapids.....	0	1		Scranton.....	0	1	
Ironwood.....	0		1	Rhode Island: East Providence.....		1	
				Utah: Salt Lake City.....	0	1	1
				Wisconsin: Milwaukee.....	1	1	

DIPHTHERIA.

See p. 411; also Telegraphic weekly reports from States, p. 400, and Monthly summaries by States, p. 404.

INFLUENZA.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Alabama: Birmingham.....		1	Louisiana: New Orleans.....	1	
Mobile.....		3	Maryland: Baltimore.....	56	1
California: Los Angeles.....	1		Cumberland.....	1	
Sacramento.....	1		Massachusetts: Boston.....	8	1
San Diego.....	1		Haverhill.....	1	
San Francisco.....	10	2	Lynn.....		1
Colorado: Denver.....		1	North Adams.....	1	
Connecticut: Hartford.....	1		Worcester.....	3	
District of Columbia: Washington.....	1		Michigan: Detroit.....	3	1
Georgia: Atlanta.....	7		Grand Rapids.....	1	
Rome.....	4		Minnesota: Minneapolis.....	1	2
Savannah.....	4		Missouri: Independence.....	1	
Illinois: Chicago.....	24	4	Kansas City.....	3	1
Danville.....	1		St. Louis.....	4	
East St. Louis.....	1	1	Nebraska: Lincoln.....		1

CITY REPORTS FOR WEEK ENDED FEB. 5, 1921—Continued.

INFLUENZA—Continued.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
New Jersey:			Ohio—Continued.		
Atlantic City.....	1		Cleveland.....	1	1
Hackensack.....		1	Columbus.....	1	1
Jersey City.....	2		Hamilton.....		1
Kearny.....	1	1	Pennsylvania:		
Montclair.....	1		Philadelphia.....	12	3
Newark.....	1		Rhode Island:		
Phillipsburg.....	1	1	Providence.....		1
Trenton.....	3		South Carolina:		
New York:			Columbia.....	2	
Albany.....	5		South Dakota:		
Buffalo.....	1	1	Sioux Falls.....	1	
Hudson.....	2		Texas:		
Jamesstown.....	3	2	Dallas.....	4	
New York.....	59	10	Virginia:		
Saratoga Springs.....	5		Richmond.....	1	1
Syracuse.....		1	Roanoke.....	9	1
Yonkers.....	1	1	Wisconsin:		
Ohio:			Wausau.....	2	
Akron.....	2				
Cincinnati.....	2				

LEPROSY.

California:					
Alameda.....	1				
San Diego.....	1				

LETHARGIC ENCEPHALITIS.

California:			New York:		
San Francisco.....	1		Ithaca.....	2	
Illinois:			Ohio:		
Jacksonville.....	2		Lancaster.....	1	
Oak Park.....	2	1	Oregon:		
			Portland.....	1	1

MALARIA.

Arkansas:			Louisiana:		
Little Rock.....	1		Alexandria.....	17	
North Little Rock.....		1	New Orleans.....		1
California:			New York:		
Los Angeles.....	1	1	New York.....	1	
Georgia:			Texas:		
Atlanta.....		1	Dallas.....	1	
Rome.....	1				

MEASLES.

See p. 411; also Telegraphic weekly reports from States, p. 400, and Monthly summaries by States, p. 404.

PELLAGRA.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Alabama:			Georgia:		
Birmingham.....	2	1	Atlanta.....		1
Mobile.....		1	North Carolina:		
			Greensboro.....		1

February 25, 1921.

CITY REPORTS FOR WEEK ENDED FEB. 5, 1921—Continued.
PNEUMONIA (ALL FORMS).

Place.	Cases.	Deaths.	Place.	Cases	Deaths.
Alabama:			Kentucky:		
Birmingham.....	8		Covington.....	2	1
Mobile.....	2		Lexington.....	1
Montgomery.....	4		Louisville.....	6	2
Arizona:			Louisiana:		
Tucson.....	2		Lake Charles.....	1
Arkansas:			New Orleans.....	12
Little Rock.....	2	1	Maine:		
North Little Rock.....	1	Auburn.....	1
California:			Biddeford.....	4
Eureka.....	1		Portland.....	3	2
Long Beach.....	1		Sanford.....	
Los Angeles.....	40	15	Maryland:		
Oakland.....	9		Baltimore.....	82	25
Pasadena.....	2		Cumberland.....	1
Sacramento.....	2		Massachusetts:		
San Bernardino.....	1		Attleboro.....	1
San Diego.....	4	3	Boston.....	25	21
San Francisco.....	18	5	Brookline.....	7	4
Stockton.....	2	Cambridge.....	5	1
Vallejo.....	2		Chester.....	1
Colorado:			Chicopee.....	1	
Colorado Springs.....	2	1	Clinton.....	3	1
Denver.....	15	Everett.....	1	
Pueblo.....	3	Fall River.....	6	5
Connecticut:			Greenfield.....	1	
Bridgeport.....	5	Haverhill.....	5
Bristol.....	1		Holyoke.....	1
Greenwich.....	2		Lawrence.....	2	1
Hartford.....	7	1	Leominster.....	1
New Britain.....	3	2	Lowell.....	6
New Haven.....	2	Lynn.....	2
New London.....	4		Malden.....	2	1
Norwalk.....	1	Medford.....	3
Waterbury.....	5	Methuen.....	1
Delaware:			New Bedford.....	6
Wilmington.....	7	Newton.....	2	
District of Columbia:			North Adams.....	1
Washington.....	9	Pittsfield.....	1
Georgia:			Plymouth.....	2
Atlanta.....	7	Quincy.....	2
Rome.....	1		Somerville.....	1
Savannah.....	4	Southbridge.....	2	
Illinois:			Springfield.....	1	
Aurora.....	2	Waltham.....	1
Bloomington.....	3	Watertown.....	1	
Chicago.....	296	88	Winthrop.....	1	
Danville.....	2		Worcester.....	10	4
East St. Louis.....	4	Michigan:		
Elgin.....	3	Ann Arbor.....	2	
Freeport.....	1	Battle Creek.....	1	
Jacksonville.....	1	Detroit.....	48	27
Kewanee.....	2	Flint.....	1
La Salle.....	1		Grand Rapids.....	6	1
Mattoon.....	1		Ironwood.....	4	2
Oak Park.....	2		Kalamazoo.....	4	1
Peoria.....	4	Marquette.....	1	
Rockford.....	5	Port Huron.....	2
Rock Island.....	4	3	Minnesota:		
Springfield.....	5	Duluth.....	3	1
Indiana:			Minneapolis.....	8	
East Chicago.....	3	Missouri:		
Elkhart.....	1	Independence.....	3	2
Gary.....	8	Kansas City.....	16	13
Hammond.....	4	St. Joseph.....	1
Indianapolis.....	21	Springfield.....	1	
Le Fayette.....	1		Montana:		
Marion.....	1	Butte.....	4
South Bend.....	3	Great Falls.....	10	1
Terre Haute.....	4	Nebraska:		
Iowa:			Lincoln.....	1
Council Bluffs.....	2	New Hampshire:		
Mason City.....	1	Manchester.....	2
Kansas:			Nashua.....	2
Atchison.....	2		New Jersey:		
Kansas City.....	2		Atlantic City.....	5	4
Lawrence.....	1	Bayonne.....	1	
Topeka.....	2	East Orange.....	2	
Wichita.....	1	Elizabeth.....	1	

CITY REPORTS FOR WEEK ENDED FEB. 5, 1921—Continued.

PNEUMONIA (ALL FORMS)—Continued.

Place.	Cases.	- Deaths.	Place.	Cases.	Deaths.
New Jersey—Continued.			Ohio—Continued.		
Englewood.....	1		Cincinnati.....	1	18
Gloucester City.....	2		Cleveland.....	46	30
Hackensack.....	3	2	Columbus.....		12
Harrison.....	2		Dayton.....	1	
Hoboken.....		4	Findlay.....		1
Jersey City.....	9		Fremont.....	1	
Kearny.....		1	Hamilton.....		2
Montclair.....	3		Lima.....		4
Morristown.....		1	Lorain.....	1	
Newark.....	66	12	Mansfield.....	1	
Orange.....	4		Newark.....		3
Passaic.....	3	1	Piqua.....	2	
Paterson.....	2		Sandusky.....	1	
Perth Amboy.....		1	Springfield.....		2
Phillipsburg.....		1	Toledo.....		5
Plainfield.....		3	Zanesville.....		2
Trenton.....		4	Oklahoma:		
West Hoboken.....		2	Oklahoma City.....		6
West Orange.....	1		Oregon:		
New York:			Portland.....		4
Albany.....	12		Salem.....		2
Buffalo.....	55	12	Pennsylvania:		
Cohoes.....	3		Philadelphia.....	153	111
Geneva.....		1	Rhode Island:		
Hudson.....	3		Providence.....		13
Ithaca.....	2	1	South Carolina:		
Jamestown.....	11	1	Charleston.....		1
Lockport.....	8	1	Tennessee:		
Middletown.....	6	2	Nashville.....		10
Mount Vernon.....		2	Texas:		
Newburgh.....		3	Dallas.....	6	4
New York.....	342	189	El Paso.....		7
Niagara Falls.....		2	Galveston.....		1
Olean.....		2	Waco.....		1
Port Chester.....	5	1	Utah:		
Poughkeepsie.....		1	Salt Lake City.....		4
Rochester.....	23	5	Virginia:		
Rome.....	8		Alexandria.....		3
Saratoga Springs.....	1		Lynchburg.....		1
Schenectady.....	5	2	Petersburg.....		1
Syracuse.....	8	5	Richmond.....		4
Troy.....	6	4	Roanoke.....	7	2
White Plains.....	2	4	West Virginia:		
Yonkers.....		2	Charleston.....		4
North Carolina:			Huntington.....		2
Charlotte.....		2	Wheeling.....		8
Durham.....		2	Wisconsin:		
Greensboro.....		3	Beloit.....		2
Rocky Mount.....		1	Green Bay.....	2	
Wilmington.....		1	Janesville.....		1
Winston-Salem.....		1	Kenosha.....		2
Ohio:			Oshkosh.....		2
Akron.....	5		Superior.....		1
Alliance.....		1	Wausau.....	3	
Canton.....		2			

POLIOMYELITIS (INFANTILE PARALYSIS).

The column headed "Median for previous years" gives the median number of cases reported during the corresponding weeks of the years 1915 to 1920, inclusive. In instances in which data for the full six years are incomplete, the median is that for the number of years for which information is available.

Place.	Median for pre- vious years.	Week ended Feb. 5, 1921.		Place.	Median for pre- vious years.	Week ended Feb. 5, 1921.	
		Cases.	Deaths.			Cases.	Deaths.
Connecticut:				Massachusetts:			
Bristol.....		1		Boston.....	0	1	
Illinois:				I Lemminster.....		1	1
Rock Island.....	0	1		New York:			
Maryland:				New York.....	0	1	
Baltimore.....	0	1	1				

February 25, 1921.

CITY REPORTS FOR WEEK ENDED FEB. 5, 1921—Continued.

RABIES IN ANIMALS.

Place.	Cases.
Massachusetts: Fall River.....	1

SCARLET FEVER.

See p. 411; also Telegraphic weekly reports from States, p. 400, and Monthly summaries by States, p. 404.

SMALLPOX.

The column headed "Median for previous years" gives the median number of cases reported during the corresponding weeks of the years 1915 to 1920, inclusive. In instances in which data for the full six years are incomplete, the median is that for the number of years for which information is available.

Place.	Median for pre- vious years.	Week ended Feb. 5, 1921.		Place.	Median for pre- vious years.	Week ended Feb. 5, 1921.	
		Cases.	Deaths.			Cases.	Deaths.
Alabama:				Iowa:			
Anniston.....	0	1	Burlington.....	0	1
Birmingham.....	0	14	Cedar Rapids.....	4	9
Mobile.....	0	6	Clinton.....	0	6
Montgomery.....	0	22	Council Bluffs.....	10	4
Arkansas:				Davenport.....	3	8
Fort Smith.....	2	1	Des Moines.....	1	7
Little Rock.....	0	2	Dubuque.....	0	28
North Little Rock.....	0	1	Mason City.....	2	3
California:				Muscatine.....	0	2
Alameda.....	0	1	Sioux City.....	2	41
Long Beach.....	0	1	Kansas:			
Los Angeles.....	4	9	Fort Scott.....	0	4
Oakland.....	0	21	Hutchinson.....	0	2
Riverside.....	1	2	Kansas City.....	2	3
Sacramento.....	0	9	Wichita.....	3	2
San Diego.....	0	2	Kentucky:			
San Francisco.....	0	93	Lexington.....	0	2
Santa Barbara.....	3	1	Louisville.....	0	1
Santa Cruz.....	0	1	Louisiana:			
Colorado:				New Orleans.....	5	22	3
Denver.....	14	23	Maine:			
Greely.....	0	1	Waterville.....	4
Pueblo.....	1	3	Massachusetts:			
District of Columbia:				Methuen.....	2
Washington.....	2	1	Michigan:			
Georgia:				Battle Creek.....	0	11
Atlanta.....	0	67	Detroit.....	8	43
Illinois:				Flint.....	3	2
Alton.....	0	4	Marquette.....	0	1
Bloomington.....	0	3	Sault Ste. Marie.....	0	5
Chicago.....	2	64	Minnesota:			
East St. Louis.....	0	16	Duluth.....	1	18
Freeport.....	0	1	Hibbing.....	0	1
Galesburg.....	0	1	Mankato.....	1	5
Oak Park.....	0	1	Minneapolis.....	19	156	2
Rockford.....	0	35	St. Cloud.....	1	1
Rock Island.....	3	2	Winona.....	0	8
Springfield.....	3	1	Missouri:			
Indiana:				Kansas City.....	4	34
Elkhart.....	0	4	St. Joseph.....	5	2
Evansville.....	2	1	St. Louis.....	3	27
Frankfort.....	7		Montana:			
Gary.....	2	2	Great Falls.....	2	2
Hammond.....	2	2	Missoula.....	0	1
Indianapolis.....	6	19	Nebraska:			
La Fayette.....	0	3	Lincoln.....	5	5
Logansport.....	2	1	Omaha.....	16	17
Muncie.....	1	13	Nevada:			
South Bend.....	4	3	Reno.....	0	1
Terre Haute.....	0	4	North Carolina:			
				Durham.....	0	1
				Winston-Salem.....	1	7

CITY REPORTS FOR WEEK ENDED FEB. 5, 1921—Continued.

SMALLPOX—Continued.

Place.	Median for pre- vious years.	Week ended Feb. 5, 1921.		Place.	Median for pre- vious years.	Week ended Feb. 5, 1921.	
		Cases.	Deaths.			Cases.	Deaths.
North Dakota:				Texas:			
Fargo.....	0	13	Beaumont.....	1	2
Grand Forks.....	0	6	Dallas.....	25	7
Ohio:				El Paso.....	1	2
Akron.....	2	13	Galveston.....	0	5
Barberton.....	0	1	Utah:			
Canton.....	0	6	Salt Lake City.....	0	26
Cincinnati.....	0	2	Virginia:			
Cleveland.....	6	6	Roanoke.....	0	3
Columbus.....	2	8	Washington:			
Hamilton.....	2		Aberdeen.....	0	2
Lancaster.....	0	1	Bellingham.....	0	1
Lima.....	0	9	Everett.....	0	2
Lorain.....	0	4	Seattle.....	2	30
Marion.....	1	1	Spokane.....	0	25
Middletown.....	1	5	Tacoma.....	0	2
Norwood.....	0	1	Walla Walla.....	0	1
Springfield.....	1	4	Yakima.....	0	4
Toledo.....	1	9	West Virginia:			
Oklahoma:				Charleston.....	0	4
Oklahoma City.....	5	2	Parkersburg.....	0	4
Oregon:				Wisconsin:			
Portland.....	3	32	Appleton.....	1	3
Salem.....	2	2	Eau Claire.....	0	1
Pennsylvania:				La Crosse.....	0	10
Pittsburgh.....	0	1	Madison.....	2	13
South Carolina:				Manitowoc.....	0	2
Charleston.....	0	6	Milwaukee.....	3	29
South Dakota:				Racine.....	0	1
Sioux Falls.....	1	3	Sheboygan.....	0	25
Tennessee:				Superior.....	1	4
Nashville.....	0	2				

TETANUS.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Illinois:			North Carolina:		
Oak Park.....	1	Winston-Salem.....	1
New York:			West Virginia:		
New York.....	1	2	Parkersburg.....	1	1
Rochester.....	1			

TUBERCULOSIS.

See p. 411; also Telegraphic weekly reports from States, p. 400.

TYPHOID FEVER.

The column headed "Median for previous years" gives the median number of cases reported during the corresponding weeks of the years 1915 to 1920, inclusive. In instances in which data for the full six years are incomplete, the median is that for the number of years for which information is available.

Place.	Median for pre- vious years.	Week ended Feb. 5, 1921.		Place.	Median for pre- vious years.	Week ended Feb. 5, 1921.	
		Cases.	Deaths.			Cases.	Deaths.
Alabama:				Idaho:			
Birmingham.....	2	1	1	Boise.....	0	2	2
California:				Illinois:			
Los Angeles.....	2	1	Chicago.....	2	4
San Francisco.....	1	1	Springfield.....	0	6
Connecticut:				Indiana:			
Bridgeport.....	0	1	Elkhart.....	0	1	1
New Britain.....	0	1	Evansville.....	0	2
District of Columbia:				Hammond.....	2	1
Washington.....	1	4	1	Kansas:			
				Wichita.....	0	1

February 25, 1921.

CITY REPORTS FOR WEEK ENDED FEB. 5, 1921—Continued.

TYPHOID FEVER—Continued.

Place.	Median for pre- vious years.	Week ended Feb. 5, 1921.		Place.	Median for pre- vious years.	Week ended Feb. 5, 1921.	
		Cases.	Deaths.			Cases.	Deaths.
Kentucky:				Ohio:			
Louisville.....	0	2	Alliance.....	0	3
Maine:				Canton.....	0	2
Sanford.....	0	1	Cleveland.....	2	1	1
Maryland:				Lima.....	0	1	1
Baltimore.....	2	3	Newark.....	1	1
Massachusetts:				Oregon:			
Boston.....	2	1	Portland.....	0	1
Fall River.....	0	1	Pennsylvania:			
Lynn.....	0	2	Beaver Falls.....	0	1
New Bedford.....	0	1	Chester.....	0	1
Pittsfield.....	0	1	1	New Castle.....	0	1
Michigan:				New Kensington.....	2		
Flint.....	0	1	Oil City.....	0	1
Minnesota:				Philadelphia.....	6	8	2
Duluth.....	1	1	Pittsburgh.....	2	1
Minneapolis.....	3	2	Reading.....	1	1
Missouri:				Scranton.....	0	1
Independence.....	5	1	York.....	0	1
Kansas City.....	1	1	1	South Carolina:			
St. Louis.....	3	1	Charleston.....	0	1	1
Montana:				Columbia.....	0	1
Great Falls.....	0	1	Texas:			
Nebraska:				Dallas.....	1	3	1
Lincoln.....	0	2	El Paso.....	0	2
New Hampshire:				Virginia:			
Dover.....	0	1	Richmond.....	0	2
New York:				Washington:			
Buffalo.....	2	3	Yakima.....	0	1
New York.....	14	12	1	West Virginia:			
Peebles.....	0	1	Charleston.....	0	1
Rochester.....	1	2	Wheeling.....	0	1
Schenectady.....	0	1	Wisconsin:			
Syracuse.....	0	1	Fond du Lac.....	0	1
				Milwaukee.....	2	2
				Sheboygan.....	7		

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS.

Place.	Population Jan. 1, 1921, sub- ject to cor- rection.	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber- culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Alabama:										
Birmingham.....	178,270	76	3	5	5	7	4
Mobile.....	60,151	27	3						1
Montgomery.....	43,464	16	2						
Arizona:										
Tucson.....	20,292	20								9
Arkansas:										
Fort Smith.....	26,811				26					1
Little Rock.....	64,997				51	3			16	
North Little Rock.....	14,048	4			2	1				
California:										
Anaheim.....	28,886	6	2	1		1	1		
Eureka.....	12,923	4					2		1	1
Long Beach.....	59,585	15			12					
Los Angeles.....	576,673	185	65	1	217		13		64	23
Oakland.....	216,361	51	3			3		4	2
Pasadena.....	45,354	13	2	1	13		2		4	1
Riverside.....	19,341	5	1	95		1			
Sacramento.....	65,857	26	4			2		4	4
San Bernardino.....	18,721	9								6
San Diego.....	74,683	32	1	2				3	2
San Francisco.....	509,410	130	22	3	24	1	18	1	22	13
Santa Barbara.....	19,441	6	1	1				6	
Santa Cruz.....	16,917	3								
Stockton.....	40,296	13			1		1			1
Vallejo.....	21,107	6			1					

CITY REPORTS FOR WEEK ENDED FEB. 5, 1921—Continued.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

Place.	Population Jan. 1, 1920, subject to correction.	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber-culosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Colorado:										
Colorado Springs.....	30,105	10	2	1	60	—	5	—	5	3
Denver.....	256,369	69	23	—	119	—	11	—	—	11
Greeley.....	10,883	6	—	—	—	—	1	—	—	—
Pueblo.....	42,908	10	11	1	4	—	1	—	2	—
Trinidad.....	10,906	—	1	—	6	—	4	—	—	—
Connecticut:										
Bridgeport (town) ¹	143,538	41	10	1	2	—	21	2	4	2
Bristol (town) ¹	20,620	5	—	—	1	—	2	—	—	1
Greenwich (town).....	22,123	—	1	—	3	—	1	—	1	—
Hartford (town) ¹	138,036	37	16	—	5	—	3	—	6	1
Manchester (town).....	18,370	2	—	—	5	—	1	—	—	—
New Britain (town) ¹	50,316	11	13	—	36	—	1	—	—	—
New Haven (town) ¹	162,519	42	14	—	3	—	47	—	19	1
New London (town) ¹	25,688	13	2	—	—	—	5	—	2	2
Norwalk (town) ¹	27,700	6	2	—	—	—	—	—	—	—
Norwich (town).....	29,685	7	—	—	—	—	—	—	—	—
Waterbury (town) ¹	91,410	16	2	—	4	—	4	—	5	1
Delaware:										
Wilmington.....	110,168	34	2	—	—	—	3	—	—	3
District of Columbia:										
Washington.....	437,571	129	34	2	99	—	44	1	32	—
Georgia:										
Atlanta.....	200,616	69	2	1	15	—	5	—	7	6
Brunswick.....	14,413	3	—	—	—	—	—	—	1	—
Rome.....	13,252	—	1	—	—	—	—	—	1	—
Savannah.....	83,252	40	3	—	—	—	—	—	1	3
Idaho:										
Boise.....	21,393	8	1	—	—	—	—	—	—	—
Illinois:										
Alton.....	24,682	6	2	—	—	—	1	—	—	—
Aurora.....	36,397	7	—	—	—	—	1	—	—	—
Bloomington.....	28,725	13	2	—	—	—	9	—	2	2
Centralia.....	12,491	6	2	—	—	—	1	—	—	—
Chicago.....	2,701,705	702	212	17	220	—	165	—	238	34
Danville.....	33,750	6	—	—	—	—	2	—	—	—
Decatur.....	43,818	14	10	1	—	—	2	—	—	1
East St. Louis.....	66,740	17	1	—	—	—	6	—	—	—
Elgin.....	27,454	13	2	—	3	—	3	—	—	—
Evanston.....	37,215	7	5	—	2	—	2	—	—	—
Freeport.....	19,669	7	—	—	—	—	—	—	—	—
Galesburg.....	23,834	3	1	—	17	—	4	—	—	—
Jacksonville.....	15,713	11	1	—	36	—	13	—	—	1
Kewanee.....	16,026	6	3	—	50	—	10	—	—	—
La Salle.....	13,050	2	—	—	—	—	—	—	—	—
Mattoon.....	13,552	—	—	—	—	—	—	—	1	—
Oak Park.....	39,830	14	5	—	49	—	4	—	1	2
Pekin.....	12,066	—	3	—	2	—	3	—	—	—
Peoria.....	76,121	20	1	1	2	—	14	—	—	1
Rockford.....	65,651	16	1	—	13	—	13	—	—	1
Rock Island.....	35,177	9	3	—	—	—	2	—	—	—
Springfield.....	59,183	29	1	—	7	—	55	1	—	1
Indians:										
East Chicago.....	35,967	7	—	1	—	—	—	—	—	—
Elkhart.....	24,277	4	1	—	—	—	4	—	2	—
Elwood.....	10,790	6	—	—	—	—	—	—	—	—
Evansville.....	85,264	13	7	1	1	—	3	—	—	—
Frankfort.....	11,585	0	—	—	1	—	1	—	—	—
Gary.....	55,378	18	1	—	1	—	4	—	—	—
Hammond.....	36,004	10	3	—	—	—	1	—	1	—
Huntington.....	14,000	5	—	—	—	—	7	—	—	—
Indianapolis.....	314,194	92	3	—	3	—	74	—	8	7
Kokomo.....	30,067	5	—	—	—	—	—	—	1	—
La Fayette.....	22,486	12	1	—	—	—	2	—	—	1
Logansport.....	21,026	2	—	—	—	—	1	—	—	—
Marion.....	23,747	8	1	—	1	—	3	—	—	—
Mishawaka.....	15,195	0	—	—	—	—	1	—	—	—
Muncie.....	36,624	12	1	—	1	—	13	—	—	1
Richmond.....	26,765	4	—	—	—	—	6	—	—	—
South Bend.....	70,983	13	2	—	—	—	2	—	15	—
Terre Haute.....	66,063	20	1	—	3	—	7	—	1	—
Iowa:										
Burlington.....	24,057	5	—	—	—	—	—	—	—	—
Cedar Rapids.....	45,566	—	6	—	—	—	3	—	—	—

¹ Coextensive with city of same name.

February 25, 1921.

CITY REPORTS FOR WEEK ENDED FEB. 5, 1921—Continued.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

Place.	Population Jan. 1, 1920, subject to correction.	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Iowa—Continued.										
Clinton.	24,151	12		1			7			
Council Bluffs.	26,462						6			
Davenport.	56,727						12			
Des Moines.	126,468	4		2			2			
Dubuque.	30,141	1								
Keokuk.	14,423	5	3		20					
Marshalltown.	15,731				5		3			
Mason City.	20,065	6					8			
Muscatine.	16,068	3			8					
Sioux City.	71,227	2					1			
Kansas:										
Atchison.	12,630	4								
Cadillacville.	13,452	3								
Fort Scott.	10,603	2	18	1						
Hutchinson.	23,293		1		12		3			
Kansas City.	101,177				5		1			5
Lawrence.	12,456	5	1							
Leavenworth.	16,912	8	3				3			
Salina.	15,065	3			15					
Topeka.	50,022	21			21		8	1		2
Wichita.	72,128	21	9		3		12			1
Kentucky:										
Covington.	57,121	19					3			2
Lexington.	41,534	12					6			1
Louisville.	284,891	58	14				18	1	14	2
Paducah.	24,735						1			
Louisiana:										
Alexandria.	17,510		1							2
Lake Charles.	13,088	3								
New Orleans.	367,219	146	10		95	5	8		19	14
Maine:										
Auburn.	16,985	3			48					1
Bangor.	25,978						2			1
Biddeford.	18,008		1		3		1			1
Lewiston.	31,791	13	3		4					2
Portland.	69,272	18			13		3			1
Sanford.	10,691	0								
Waterville.	13,351				2		1			
Maryland:										
Baltimore.	733,826	217	33	1	45	2	31	1	21	27
Cumberland.	29,837	14	1				3		3	1
Massachusetts:										
Adams.	12,967	2	1	1						
Amesbury.	10,036	5		1						
Arlington.	18,665	6			4		3			
Attleboro.	19,731	4								
Beverly.	22,561	2								
Boston.	748,060	231	71	6	54		78	1	59	16
Brookline.	37,748	15			1		1		1	
Cambridge.	109,694	44	3	2	23		2		7	4
Chelsea.	43,184	16	2		8		1		2	2
Chicopee.	36,214	8			1		2			3
Clinton.	12,979	4								1
Danvers.	11,108		6		1		1		4	
Dedham.	10,792	4								
Easthampton.	11,261	3	6				2			1
Everett.	40,120	11	1		1		1		1	1
Fall River.	120,485	48	6		13		1		4	3
Gardiner.	16,971	6			1		2		1	1
Greenfield.	15,462	4			1		8		1	
Haverhill.	53,884	13	15				5	1	1	
Holyoke.	60,203	8	4		1					
Lawrence.	94,270	16			2		6		5	
Leominster.	19,744	9	1		18	1	2			
Lowell.	112,479	34	6	1	64	1	1		9	3
Lynn.	95,148	28	10		1		8		2	1
Madden.	49,103	8					5		2	1
Medford.	39,038	8	2		1				11	
Melrose.	18,204	4								
Methuen.	15,189	6	4				1			1
New Bedford.	121,217	25	10	1	1		14		14	4
Newburyport.	15,618	2					3		1	
Newton.	46,054	9			1		1		2	
North Adams.	22,282	6			5		1			
Northampton.	21,951	10			3		3		2	1
Pittsfield.	41,751	11	5		19		3	1		1

CITY REPORTS FOR WEEK ENDED FEB. 5, 1921—Continued.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

Place.	Popula-tion Jan. 1, 1920, sub-ject to cor-rectio-n.	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber-cu-lo-sis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Massachusetts—Continued.										
Plymouth.....	13,045	7								
Quincy.....	47,876	8	1				3		3	
Salem.....	42,529	11	1		3		1			1
Somerville.....	93,091	24	10		3		13		3	
Southbridge.....	14,245	3								1
Springfield.....	129,563	32	5		6		13		5	3
Taunton.....	37,137	13	3		2		5		1	2
Wakefield.....	13,025	2					2			
Waltham.....	30,915	8	1				2		2	
Watertown.....	21,457	6	2				4			
Westfield.....	18,604	2								
Winthrop.....	15,455	1								
Woburn.....	16,574	1								
Worcester.....	179,754	44	6		51		12	1	3	5
Michigan:										
Ann Arbor.....	19,516	10	7				9			
Battle Creek.....	36,164		6	1	1		1			
Benton Harbor.....	12,223	9								
Detroit.....	986,739	215	123	3	31	3	114	8	33	23
Flint.....	91,599	27	6		2		9			1
Grand Rapids.....	137,634	29	10		2		15		4	
Ironwood.....	15,739	6			8	1				1
Kalamazoo.....	48,858	28					19	1	2	1
Marquette.....	12,718	1			3					
Port Huron.....	25,944	12	1				1		1	
Sault Ste. Marie.....	12,086	4			1			3		
Minnesota:										
Duluth.....	98,917	17	4				4		1	2
Hibbing.....	15,089	1	1							
Mankato.....	12,469	7								
Minneapolis.....	380,582	87	22	3	6		54	1	13	7
St. Cloud.....	15,873		3							
Virginia.....	14,022		1							
Winona.....	19,143						3			
Missouri:										
Cape Girardeau.....	10,232	6	3							1
Independence.....	11,688	7	9	1			3	1	1	1
Joplin.....	29,855						1			
Kansas City.....	324,410	87	17	1	78		4		6	8
St. Joseph.....	77,933	18	3		2		5			
St. Louis.....	772,897	200	128	5	10		72		23	15
Springfield.....	33,631	3						2		
Montana:										
Anaconda.....	11,668	2								
Billings.....	15,100	6			11					
Butte.....	41,611	23			11					1
Great Falls.....	24,121	6	4		49					1
Missoula.....	12,668	4			6					
Nebraska:										
Lincoln.....	54,034	7	1		5		8			
Omaha.....	191,001		2		5		12			
Nevada:										
Reno.....	12,016	6								1
New Hampshire:										
Berlin.....	16,104	3					2			
Concord.....	22,167	10			5		1			
Dover.....	13,029	2			10					
Keene.....	11,210	2								
Manchester.....	78,384	12	8	1			4	1	8	
Nashua.....	28,379	15	1				1		5	2
New Jersey:										
Ashbury Park.....	12,400	5								
Atlantic City.....	50,682	15	8		4		7		1	
Bayonne.....	76,734		8				11		1	
Belleville.....	15,660		2		1		2			
Bloomfield.....	22,019	1	4		3		4		2	
East Orange.....	50,710				14		11		3	
Elizabeth.....	95,682		4		4		4		4	1
Englewood.....	11,627	2								
Garfield.....	19,381		1		3		1			
Gloucester City.....	12,162		2				1		1	
Hackensack.....	17,887	6	11				8		2	
Harrison.....	15,721		4				1		3	
Hoboken.....	68,166	37	5		8		5		5	4
Irvington.....	25,430				1		8			

February 25, 1921.

CITY REPORTS FOR WEEK ENDED FEB. 5, 1921—Continued.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

Place.	Population Jan. 1, 1920, subject to correction.	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuber-culosi.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
New Jersey—Continued.										
Jersey City.....	297,864	37	9	22	14
Kearny.....	26,724	9	5	8	3	1
Montclair.....	28,810	5	5	2
Morristown.....	12,548	6	1	3
New Brunswick.....	32,779	1	1
Newark.....	414,216	115	42	2	22	70	1	11	2
Orange.....	33,268	8	3	1	1	4	3
Passaic.....	63,824	17	2	1	18	4	1	3	1
Paterson.....	135,866	9	1	8	9
Perth Amboy.....	41,707	11	2	6	6	3
Phillipsburg.....	16,923	5	1
Plainfield.....	27,700	12	1
Rahway.....	11,042	5	1
Trenton.....	119,289	48	9	1	2	11	1	8	5
West Hoboken.....	40,068	6	2	3	1
West New York.....	29,926	4	1	2	1
West Orange.....	15,573	2
New York:										
Albany.....	113,344	2	33	5	6
Buffalo.....	506,775	161	45	3	46	2	30	3	29	9
Cohoes.....	22,987	9	1	3	1	1
Geneva.....	14,648	5
Glens Falls.....	16,638	4	1	11	1
Hudson.....	11,745	3
Ithaca.....	17,004	9	20	1
Jamestown.....	38,917	15	2	3	2
Lockport.....	21,308	7	1	5	3	1	1	1
Middletown.....	18,420	4	1	1	29	3	1	1
Mount Vernon.....	42,726	16	2	3	2	3
Newburgh.....	30,366	13	4	5	1	1	1
New York.....	5,621,151	1,434	465	34	187	6	516	15	1,200	196
Niagara Falls.....	50,780	19	14	2	8	1	23	1	1
Ogdensburg.....	14,609	8	1
Olean.....	20,506	7
Peekskill.....	15,868	3	7
Port Chester.....	16,573	5	2
Poughkeepsie.....	35,000	10	3	5	2	1	1
Rochester.....	295,750	76	125	2	2	30	1	3	3
Rome.....	26,431	1	23
Saratoga Springs.....	13,181	5	25
Schenectady.....	88,723	17	9	1	7	1	1	2
Syracuse.....	171,717	43	20	3	43	24	5	2
Troy.....	72,013	35	84	2	2	2
White Plains.....	21,031	4	1	1
Yonkers.....	100,226	25	2	21	7	3
North Carolina:										
Charlotte.....	46,338	11	108	1
Durham.....	21,719	5	1
Greensboro.....	19,861	15	1
Rocky Mount.....	12,742	6	1
Wilmington.....	23,372	10	54	1	1
Winston-Salem.....	48,395	12	121	1
North Dakota:										
Fargo.....	21,961	4	1	3
Grand Forks.....	14,010	1	5	3
Ohio:										
Akron.....	208,435	32	12	6	10	2
Alliance.....	21,603	8	2	1	1
Barberton.....	18,611	4	3	1
Canton.....	87,091	15	3	1	9	7
Chillicothe.....	15,831	2	3	2	1
Cincinnati.....	401,247	115	32	3	20	21	13
Cleveland.....	796,836	25	1	17	1	74	4	44	12
Columbus.....	237,031	66	12	1	2	15	1	4	5
Coshocton.....	20,847	2	1
Dayton.....	152,559	36	2	1	1
East Cleveland.....	27,292	1	1	1	1
Findlay.....	17,021	6	1	1	1	1
Fremont.....	12,468	3	1
Hamilton.....	39,675	13	1	7	1
Lancaster.....	14,206	4	2	1
Lima.....	41,306	12	1

¹ Pulmonary tuberculosis only.

CITY REPORTS FOR WEEK ENDED FEB. 5, 1921—Continued.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

Place.	Population Jan. 1, 1920, subject to correction.	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Ohio—Continued.										
Lorain.	37,295	1	1	1	3		3		2	
Mansfield.	27,824								2	
Marion.	27,891		1		1					
Middletown.	23,594	3	1		1		1		1	1
Newark.	26,718	15	2		1		1			
Norwood.	24,966	1	1				1			
Piqua.	15,044									
Sandusky.	22,897	12							1	
Springfield.	60,840	18	3		5		5		2	
Steubenville.	28,508	12	2		1		1		1	
Toledo.	243,109	69	35	2	2		20			5
Zanesville.	29,569	11	3							
Oklahoma:										
Oklahoma City.	91,258	15	3				1			
Oregon:										
Portland.	258,288	73	13		66	1	11		7	5
Salem.	17,679	7								
Pennsylvania:										
Allentown.	73,502		16		33		21		4	
Ambridge.	12,730				3		1		1	
Beaver Falls.	12,802		1		4		2			
Berwick.	12,181						5			
Bethlehem.	50,358		8		18		47			
Braddock.	20,879		1		2				1	
Bradford.	15,523				24		1			
Bristol.	10,273						2		1	
Butler.	23,778		1		7		1			
Canonsburg.	10,632		1							
Carbondale.	18,640						1			
Chambersburg.	13,171				1					
Chester.	58,030		5						4	
Coatesville.	14,515		1				40			
Columbia.	10,836						1			
Connellsville.	13,804		3				5			
Dickson City.	11,449		1							
Dubois.	13,681		1		3		1			
Easton.	33,813				26		8		1	
Erie.	93,372		11		9		3		1	
Farrell.	15,586		1		2		1			
Harrisburg.	75,917		9		13		7			
Hazleton.	32,277		1		2		2			
Homestead.	20,452		1							
Johnstown.	67,327		5		1		1			
Lancaster.	53,150		22				3		3	
Lebanon.	24,643		2				3		2	
McKeesport.	45,975		7		1		3		1	
McKees Rocks.	16,713				6					
Mahanoy City.	15,599		1		1		2			
Meadville.	14,568				3		1			
Monessen.	18,179		2		6					
Mount Carmel.	17,469		3		12				2	
Nanticoke.	22,614		4		1					
New Castle.	44,938		6				6		1	
Norristown.	32,319		4				6			
Oil City.	21,274		8		8				2	
Old Forge.	12,237									
Philadelphia.	1,822,158	612	110	14	32		271	3	86	53
Phoenixville.	10,484		1		1		1			
Pittsburgh.	588,183		59		32		88			26
Pittston.	18,497				6		3			
Pottstown.	17,431		1				1			
Pottsville.	21,876		2		1		3			
Punxsutawney.	10,311				25					
Reading.	107,784		11		8		10		4	
Scranton.	137,783		5		7		16		1	
Sharon.	21,747						1			
Steeltown.	13,428		1							
Sunbury.	15,721		1							
Swissvale.	10,908		1				1			
Tamaqua.	12,363		1							
Uniontown.	15,692						5			
Warren.	14,256				2					
Washington.	21,480								3	
West Chester.	11,717						1			
Wilkes-Barre.	73,833		4		15		2		1	

CITY REPORTS FOR WEEK ENDED FEB. 5, 1921—Continued.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

FOREIGN AND INSULAR.

SMALLPOX ON VESSEL.

U. S. S. "Mississippi"—Canal Zone.

Under date of February 18, 1921, 12 cases of smallpox were reported on the United States battleship *Mississippi*, in the Canal Zone. To February 20, 1921, a total of 22 cases was reported.

CHINA.

Plague—Harbin and Surrounding Country.

On February 2, 1921, 15 fatal cases of pneumonic plague were reported in Harbin, Manchuria Province, China. On February 7, 1921, 400 fatal cases were reported in the country west of Harbin, and on February 14, 1,200 fatal cases were reported.

Plague Rats—Shanghai.

Information dated January 14, 1921, shows the reappearance of plague-infected rats at Shanghai, China. Two plague rats were found December 20 and 31, 1920, respectively, in the shipping district. One rat was found in close proximity to the South Manchurian Railway Co.'s wharf. The settlement was stated to have been entirely free from plague-infected rats during the past four years.

CUBA.

Communicable Diseases—Habana.

Communicable diseases have been notified in Habana as follows:

Disease.	Jan. 21-31, 1921.		Remaining under treatment Jan. 31, 1921.	Jan. 21-31, 1921.		Remaining under treatment Jan. 31, 1921.
	New cases.	Deaths.		Disease.	New cases.	
Cerebrospinal meningitis.....	1	1	9	Measles.....	14	1
Chicken pox.....	6	9	Paratyphoid fever.....	2	2
Diphtheria.....	1	3	Scarlet fever.....	2	5
Leprosy.....	13	Smallpox.....	2	11
Malaria.....	76	3	132	Typhoid fever.....	18	1

¹ From the interior, 81; from abroad, 2.

² From the interior, 4.

³ From the interior, 36; from abroad, 4.

Guantanamo—Quarantine Against Ports in Cuba, Haiti, and Jamaica.

According to information dated January 25, 1921, the United States naval commander at Guantanamo, Cuba, has declared quarantine against ports in Cuba, Haiti, and Jamaica on account of smallpox.

February 25, 1921.

JAMAICA.**Infectious Disease (Alastrim or Kaffir Pox).**

During the week ended January 29, 1921, 266 new cases of alastrim or Kaffir pox were reported in the island of Jamaica.

MADAGASCAR.**Influenza.**

During the month of December, 1920, epidemic influenza was declared present in the island of Madagascar as follows: Comoro Province (Comoro Islands); Majunga Province, in town and district of Majunga and town and district of Marovoay.

PERU.**Further Relative to Yellow Fever—Lambayeque.¹**

Information dated February 1, 1921, shows that the outbreak of yellow fever in Lambayeque Department, Peru, reported January 22, 1921, occurred early in the month of January at Ferrenafe. One case was reported at Lambayeque City.

On February 16, 1921, yellow fever was reported present at Eten, a port in Lambayeque Department.

PORTO RICO.**Plague—Plague Rats—San Juan.**

Information was received, February 19, 1921, of an outbreak of plague at San Juan, Porto Rico, with three reported cases occurring in the same house. One case was reported confirmed February 18, 1921. To February 22, 1921, a total of four cases of plague with one fatality was reported. The finding of 13 plague-infected rats out of 261 rats examined was reported as follows: Six rats found in Tetuan Street, where the three cases of human plague first reported developed, three rats at the Army crematory, one at the old custom store house, one at the Marina, one in Santurce, and one in Puerta de Tierra.

Measures Ordered for Outgoing Vessels.

The United States Public Health Service representative at San Juan was instructed to institute fumigation, rat guarding, and fending off of vessels proceeding from San Juan to ports in the United States and to note on bills of health the action taken.

Quarantine of Vessels Arriving from San Juan.

Vessels arriving at ports in the United States from San Juan, if bills of health indicate noncompliance with service requirements at that port, will be held in detention and fumigated throughout if empty. If loaded, superstructure only will be fumigated, provisional pratique issued, and vessel again fumigated throughout on discharge of cargo.

¹ Public Health Reports, Jan. 28, 1921, p. 152.

TRINIDAD.

Epidemic Influenza—Port of Spain.

Influenza in epidemic form was reported present, January 26, 1921, in Port of Spain, Trinidad, with a large number of cases, and to be spreading to the country districts. The type of the disease was stated to be mild.

UNION OF SOUTH AFRICA.

Plague—Orange Free State.

The occurrence of a case of plague in the Hoopstad district, Orange Free State, Union of South Africa, was reported during the week ended December 4, 1920. The case occurred in a European employed on the Vryheid farm, 60 miles from the Angra Pequena farm, on which 8 cases of plague with 3 deaths occurred in April, 1920. It is suspected that the infection is being perpetuated and spread by wild rodents. To December 18, 1920, two additional cases, one fatal, occurring in natives, were reported.

An outbreak of plague was reported in the Hoopstad district, Orange Free State, in April, 1920. (Public Health Reports, June 25, 1920, p. 1566.)

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER
Reports Received During Week Ended Feb. 25, 1921.¹

CHOLERA.

Place.	Date.	Cases.	Deaths.	Remarks.
India.....				
Calcutta.....	Dec. 19-25.....	32.....	27.....	
Do.....	Dec. 23-Jan. 1.....	36.....	36.....	
Rangoon.....	do.....	2.....	2.....	
Japan.....				
Taiwan Island (Formosa).....	Dec. 22-31.....	2.....		
Do.....	Jan. 1-15.....	1.....		

PLAQUE.

Brazil:				
Ceara.....	Oct. 17-Dec. 26.....		5.....	
Pernambuco.....	Nov. 15-Dec. 5.....	2.....	2.....	
Porto Alegre.....	Dec. 26-Jan. 1.....		1.....	
China:				
Kwantung Province.....	Dec. 29.....			Reported present in Tappu district.
Manchuria Province—				
Harbin.....	Feb. 2.....		15.....	West of Harbin, Feb. 7, 1921, 400 fatal cases reported. Feb. 14, 1921, fatal cases, 1,200.
Shanghai.....				Two plague rats found, Dec. 20 and Dec. 31, 1920.
Ecuador:				
Guayaquil.....	Dec. 1-31.....	93.....	20.....	
Do.....	Jan. 1-15.....	49.....	17.....	
India:				
Bombay.....	Dec. 18-25.....	1.....	1.....	Dec. 19-25, 1920: Cases, 1,337; deaths, 1,048.
Rangoon.....	Dec. 26-Jan. 1.....	2.....	3.....	
Peru:				
Trujillo-Selaverry.....	Jan. 3-9.....	1.....		
Porto Rico:				
San Juan.....	Feb. 18-22.....	4.....	1.....	Thirteen plague rats found.
Union of South Africa:				
Orange Free State—				
Hoopstad district.....	Nov. 28-Dec. 18.....	3.....	1.....	One European, 2 natives. On Vryheid Farm. (Public Health Reports, June 25, 1920, p. 1566.)

¹ From medical officers of the Public Health Service, American consuls, and other sources.

February 25, 1921.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.

Reports Received During Week Ended Feb. 25, 1921—Continued.

SMALLPOX.

Place.	Date.	Cases.	Deaths.	Remarks.
Brazil: Pernambuco.....	Nov. 15-Dec. 19...	25	1	
Canada: Alberta— Calgary.....	Jan. 30-Feb. 5....	6	
British Columbia— Vancouver.....	Dec. 26-Feb. 5....	14	
Victoria.....	Jan. 30-Feb. 5....	2	
New Brunswick: Gloucester County.....	Jan. 23-29.....	1	From lumber camp on Canadian Government Railway, Feb. 5, 1921, 5 cases.
Ontario— Hamilton.....	Feb. 6-12.....	4	
London.....	Jan. 30-Feb. 5.....	5	
Peterborough.....	Dec. 26-Jan. 1.....	1	
Quebec— Quebec.....	Jan. 23-29.....	1	
Saskatchewan— Moose Jaw.....	Jan. 30-Feb. 5.....	6	
Regina.....	Jan. 23-Feb. 5.....	3	
Saskatoon.....	Jan. 16-Feb. 5.....	13	
Ceylon: Colombo.....	Dec. 19-25.....	4	
Do.....	Dec. 26-Jan. 1.....	1	
Colombia: Santa Marta.....	Jan. 23-29.....	Present.	
Cuba: Nuevitas.....	Jan. 31-Feb. 6.....	4	
Dominican Republic: Santo Domingo.....	Jan. 23-29.....	8	
Egypt: Alexandria.....	Jan. 8-14.....	1	
Cairo.....	Nov. 26-Dec. 2.....	1	
Great Britain: Glasgow.....	Jan. 16-22.....	4	2	
India.....	Dec. 19-25.....	5	1	Nov. 14-20, 1920: Deaths, 108.
Bombay.....	Dec. 19-25.....	5	1	
Italy: Messina.....	Jan. 10-16.....	In Province, 10 cases.
Panama: Colon.....	Jan. 26-Feb. 1.....	24	
Spain: Valencia.....	Jan. 23-29.....	5	
Tunis: Tunis.....	Jan. 16-23.....	8	8	
On vessel: U. S. S. Mississippi.....	Feb. 18-20.....	22	Canal Zone.

TYPHUS FEVER.

Brazil: Ceara.....	Oct. 17-Dec. 26.....	3	
China: Manchuria Province— Harbin.....	Jan. 3-9.....	1	
Egypt: Alexandria.....	Jan. 8-14.....	2	1	
Cairo.....	Nov. 26-Dec. 2.....	2	4	
Great Britain: Belfast.....	Jan. 16-22.....	1	
Dublin.....	do.....	4	2	
Malta.....	Dec. 1-31.....	1	

YELLOW FEVER.

Brazil: Pernambuco.....	Nov. 14-21.....	1	1	
Mexico: Vera Cruz.....	Feb. 7-13.....	1	
Peru: Lambayeque Department— Eten.....	Feb. 16.....	Present.	
Ferrenafe.....	Outbreak early in January, 1921.	
Lambayeque City.....	Jan. 22.....	1	

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.
Reports Received from Jan. 1 to Feb. 18, 1921.
CHOLERA.

Place.	Date.	Cases.	Deaths.	Remarks.
China:				
Canton.....	Nov. 1-30.....	7	6	Present.
Changsha.....	Nov. 29.....			Do.
Chungking.....	do.....			
Chosen (Korea).....				
India.....				
Bombay.....	Dec. 5-11.....	1	1	
Calcutta.....	Oct. 31-Dec. 18.....	289	256	
Madras.....	Dec. 12-18.....	3	1	
Do.....	Dec. 26-Jan. 1.....	1	1	
Rangoon.....	Nov. 28-Dec. 25.....	9	8	
Indo-China.....				
Japan:				
Taiwan Island (Formosa).....	Nov. 11-Dec. 20.....	217	93	July 1-31, 1920: Cases, 133; deaths, 98.
Java:				
West Java.....	Oct. 29-Nov. 11.....	2	1	Oct. 29-Nov. 11, 1920: Cases, 2; deaths, 1.
Bandoeng.....				
Philippine Islands:				
Manila.....	Nov. 7-Dec. 25.....	9		Jan. 10-Oct. 30, 1920: Cases, 80; deaths, 51.
Provinces.....				
Cagayan.....	Oct. 3-Nov. 20.....	11	9	
Samar.....	Aug. 1-7.....	1	1	
Poland:				
Eastern frontier—				
Bialystok.....	Dec. 16.....			Present.
Grodno.....	do.....			Do.
Olszta.....	do.....			Do.
Posen.....	do.....			Present in Russian prison camp.
Stralkowo.....	do.....			
Strelno.....	do.....	1	1	Present.
Warsaw.....	do.....	5		
Russia:				
Riga.....	Jan. 22.....			Do.
Siam:				
Bangkok.....	Oct. 9-Nov. 27.....	7	1	

PLAQUE.

Algeria:				
Algiers.....	Nov. 1-Dec. 31.....	2	2	Jan. 1, 1921: One fatal case.
Azores:				
St. Michaels.....				Total, Oct. 1-Dec. 10, 1920: Cases, 149; deaths, 49. In vicinity of Ponta Delgada.
Brazil:				
Bahia.....	Oct. 31-Dec. 18.....	6	4	
Do.....	Dec. 26-Jan. 15.....	8	6	
Pernambuco.....	Oct. 18-Nov. 14.....	9	1	
Porto Alegre.....	Nov. 14-Dec. 11.....		3	
British East Africa				
Kenya Colony—				Outbreak Nov. 8, 1920: Cases, 1,067.
Kisuma.....	Oct. 31-Nov. 27.....			Present.
Mombassa.....	do.....	1	1	
Nairobi.....	Oct. 31-Dec. 4.....	8	4	
Uganda.....	May 1-June 30.....	111	163	Entire protectorate.
Do.....	July 1-Nov. 5.....	259	63	Do.
Ceylon:				
Colombo.....	Nov. 7-Dec. 18.....	81	60	
Chile:				
Antofagasta.....	Nov. 24-Dec. 5.....	6	2	
Do.....	Dec. 27-Jan. 2.....	2		
China:				
Hongkong.....	Nov. 7-Dec. 11.....	5	5	On Chinese Eastern Railway, Feb. 2, 1921.
Manchuria—				
Harbin.....	Feb. 2.....	3		
Manchuria station.....	do.....		203	
Tsitsihar.....	do.....			
Ecuador:				
Guayaquil.....	Nov. 16-Dec. 15.....	64	24	
Egypt:				
Cities—				Jan. 1-Dec. 9, 1920: Cases, 461; deaths, 268.
Port Said.....	Oct. 22-28.....	1	1	
Suez.....	Nov. 18-27.....	10	3	
Provinces—				
Assiout.....	Nov. 24.....	3	2	

February 25, 1921.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.
Reports Received from Jan. 1 to Feb. 18, 1921—Continued.
PLAQUE—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
France:				
Marseille.....	June-Aug. 31.....	58	20	
Paris.....	June-Oct. 15.....	50	11	In suburbs, June-Nov. 2, 1920; Cases, 38; deaths, 19.
Great Britain:				
Dublin.....				1 case reported Dec. 15, 1920; date of occurrence, Oct. 18, 1920; Plague-infected rat found, period Nov. 28-Dec. 11, 1920.
Liverpool.....				
Greece:				
Kavala.....	Oct. 25-Nov. 7.....	2		
India.....				Oct. 24-Dec. 4, 1920: Cases, 15,187; deaths, 10,394.
Bombay.....	Nov. 28-Dec. 11.....	4	4	
Calcutta.....	Nov. 14-20.....	46	44	
Karachi.....	Dec. 25-31.....	2	2	
Madras.....	Dec. 5-25.....	7	4	
Madras Presidency.....	Nov. 14-Dec. 25.....	4,349	2,981	
Do.....	Dec. 26-Jan. 1.....	492	339	
Rangoon.....	Oct. 31-Dec. 25.....	36	23	
Indo-China.....				July 1-31, 1920: Cases, 98; deaths, 74.
Mesopotamia:				
Bagdad.....	Oct. 1-31.....	25	7	
Mexico:				
Carbonera.....	Dec. 5-20.....	3	1	State of San Luis Potosi.
Do.....	Dec. 26-Jan. 1.....	2		
Cerritos.....	Dec. 5-20.....	7	8	Do.
Do.....	Dec. 26-Jan. 1.....	1		
Peru:				
Callao-Lima.....	Oct. 1-Nov. 30.....	6		
Trujillo-Salaverry.....	Dec. 27-Jan. 2.....	1		
Russia:				
Batum.....	Nov. 24-Dec. 3.....	38		Epidemic outbreak.
Straits Settlements:				
Singapore.....	Oct. 31-Nov. 6.....	1	1	
Tunis:				
Zarzis.....	Jan. 15.....	10		In military territory, South Tunis.
Turkey:				
Constantinople.....	Nov. 21-27.....	1	2	
On vessel:				
S. S. Kromprincessam Victoria.....	Jan. 15.....			At Stockholm, Sweden. Rat plague found. Vessel left Buenos Aires, Argentina, Nov. 17, 1920. Stopped at Gothenburg and Malmö, Sweden. Left Malmö, Jan. 11, 1921. Rats found dead, Jan. 13, 1921, at Stockholm.

SMALLPOX.

Austria.....				Aug. 29-Nov. 6, 1920: Cases, 62.
Asores:				
Ponta Delgada.....	Dec. 18-24.....	7		
Bolivia:				
La Paz.....	Oct. 1-Nov. 30.....	11	3	
Brazil:				
Bahia.....	Oct. 31-Dec. 25.....	6		
Do.....	Jan. 8-15.....	4		
Pernambuco.....	Oct. 18-Nov. 14.....	77	1	
Rio de Janeiro.....	Oct. 24-Dec. 25.....	108	24	
Do.....	Dec. 26-Jan. 1.....	3	1	
British East Africa:				
Uganda.....				May 1-June 30, 1920: Cases, 272.
Bulgaria:				
Sofia.....	Nov. 7-13.....	2		
Canada:				
Alberta—				
Calgary.....	Dec. 12-18.....	2		
Do.....	Jan. 2-29.....	6		
British Columbia—				
Vancouver.....	Dec. 5-11.....	1		
Manitoba—				
Winnipeg.....	Jan. 16-29.....	7		

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.
Reports Received from Jan. 1 to Feb. 18, 1921—Continued.
SMALLPOX—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Canada—Continued.				
New Brunswick—				
Campbellton.....	Jan. 9-15.....			
Restigouche County.....	Dec. 12-18.....	1		
Nova Scotia				
Yarmouth.....	Jan. 9-29.....	2		
Ontario—				
Hamilton.....	Dec. 19-31.....	9		
Do.....	Jan. 2-Feb. 5.....	28		
Kingston.....	Dec. 26-Jan. 8.....	8		
London.....	Jan. 2-29.....	10		
Montreal.....	Jan. 2-22.....	4		
Niagara Falls.....	Dec. 12-18.....	1		
North Bay.....	Dec. 12-25.....	4		
Do.....	Jan. 2-29.....	12		
Ottawa.....	Dec. 12-25.....	75	1	
Do.....	Dec. 26-Feb. 5.....	341	1	
Sault Ste. Marie.....	Jan. 9-15.....	8		
Toronto.....	Dec. 12-25.....	7		
Do.....	Dec. 26-Feb. 5.....	33		
Saskatchewan—				
Moose Jaw.....	Dec. 19-25.....	1		
Do.....	Jan. 2-22.....	3		
Regina.....	Dec. 12-25.....	11		
Do.....	Jan. 2-29.....	8		
Saskatoon.....	Dec. 16-22.....	20		
Do.....	Jan. 9-15.....	3		
Ceylon:				
Colombo.....	Nov. 21-Dec. 18.....	14	7	
China:				
Ainoy.....	Nov. 7-Dec. 25.....		7	
Antung.....	Dec. 20-26.....	1		
Canton.....	Dec. 1-31.....			Present.
Chungking.....	Nov. 7-Dec. 25.....			Do.
Foochow.....	do.....			Do.
Hankow.....	Jan. 2-8.....	1	1	
Manchuria Province—				
Dairen.....	Nov. 16-Dec. 20.....	12	3	Jan. 18, 1921: Present.
Do.....	Dec. 28-Jan. 10.....	24	4	
Mukden.....	Dec. 12-18.....			Prevalent.
Nanking.....	Nov. 14-Dec. 18.....			Present.
Do.....	Dec. 26-Jan. 4.....			Do.
Tientsin.....	Nov. 14-Dec. 4.....	2		Dec. 12-25, 1920: Cases, 160; at camp for famine refugees.
Do.....	Dec. 26-Jan. 1.....	241		In camp for famine refugees.
Tsianfu.....	Oct. 31-Nov. 12.....	20		Statistics of Shantung Christian Hospital.
Chosen (Korea):				
Fusan.....	Nov. 1-30.....	1		
Colombia:				
Santa Marta.....	Dec. 5-25.....			Present.
Do.....	Dec. 26-Jan. 22.....			Do.
Cuba:				
Antilla.....	Dec. 7-27.....	10		For port of Preston.
Do.....	Jan. 2-29.....	30		Do.
Cienfuegos.....	Dec. 26-Jan. 8.....			Stated to be present in virulent form in Camaguey Province.
Habana.....	Dec. 31-Jan. 12.....	7		1 from Jatibonico, Cuba; 1 from Jamaica.
Nuevoitas.....	Dec. 6-19.....	2		From Lugareno, a small station on railway, 16 miles distant, 1 case, week ended Dec. 12, 1920.
Do.....	Jan. 3-30.....	8		July 11-Aug. 14, 1920: Cases, 141; deaths, 29.
Santiago.....	Nov. 20-Dec. 10.....	28		Nov. 15-Dec. 7, 1920: Cases, 8; occurring in 4 localities.
Czechoslovakia:				
Danzig.....	Dec. 5-18.....	2		
Dominican Republic:				
Santo Domingo.....	Dec. 19-25.....	1		
Ecuador:				
Guayaquil.....	Jan. 9-15.....	3		
Do.....	Nov. 16-Dec. 15.....	21	2	Dec. 1-31, 1920: Cases, 26; deaths, 1.
Egypt:				
Alexandria.....	Dec. 17-31.....	3	1	
Cairo.....	Oct. 1-7.....	1		
Port Said.....	Nov. 19-25.....	1		
France:				
Paris.....	Nov. 1-30.....	2	1	
Rouen.....	Nov. 21-Dec. 31.....	7	2	
St. Etienne.....	Dec. 3-15.....	2	1	

February 25, 1921.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.

Reports Received from Jan. 1 to Feb. 18, 1921—Continued.

SMALLPOX—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Germany.....				Aug. 29-Nov. 6, 1920: Cases, 40.
Great Britain:				
Glasgow.....	Dec. 25.....	11	2	
Do.....	Jan. 2-15.....	5	3	
London.....	Dec. 26-Jan. 1.....	1		
Greece:				
Saloniki.....	Nov. 15-Dec. 26.....	39	14	In surrounding country, in other localities: Cases, 21; deaths, 2.
Do.....	Dec. 27-Jan. 2.....	13	9	Sept. 22, 1920-Jan. 8, 1921: Cases, 2,262; deaths, 64.
Haiti.....				
Port au Prince.....	Sept. 22-Dec. 2.....	486	2	In 8 interior towns, 20 cases. In 1 locality, 18 cases. In country district, vicinity of Port au Prince, cases numerous.
India.....				Sept. 26-Oct. 9, 1920: Deaths, 250. Oct. 31-Nov. 6, 1920: Deaths, 165.
Bombay.....	Nov. 7-Dec. 18.....	6	2	
Calcutta.....	Dec. 5-11.....	2	2	
Madras.....	Nov. 14-Dec. 18.....	7	5	
Do.....	Dec. 26-Jan. 1.....	2		
Rangoon.....	Nov. 21-Dec. 25.....	5	1	
Indo-China.....				July 1-21, 1920: Cases, 107 deaths, 24.
Italy:				
Catania.....	Nov. 29-Dec. 5.....	1		In province, Nov. 29-Dec. 5, 1920: Cases, 32. Jan. 3-16, 1921: Cases, 32.
Do.....	Dec. 27-Jan. 2.....			In vicinity, 2 cases.
Messina Province.....	Jan. 3-9.....	9		Dec. 5, 1920-Jan. 2, 1921: Cases, 15.
Palermo.....	Oct. 30-Dec. 10.....	306	97	
Java:				
West Java.....				Nov. 12-Dec. 15, 1920: Cases, 56; deaths, 6.
Batavia.....	Nov. 12-Dec. 15.....	7	1	
Jugoslavia.....	July 23-Aug. 28.....	128	42	Feb. 7-13, 1920: Cases, 122; deaths, 27.
Madeira:				
Funchal.....	Dec. 5-18.....		2	
Do.....	Dec. 26-Jan. 15.....		3	
Mesopotamia:				
Bagdad.....	Nov. 1-30.....	1		
Mexico:				
Chihuahua.....	Dec. 6-26.....	11	3	
Do.....	Dec. 27-Jan. 23.....		7	
Guadalupe.....	Dec. 1-31.....	1		
Mexico City.....	Nov. 14-Dec. 25.....	17		Including municipalities in the Federal district.
Tecate.....	Jan. 17.....	3		
Morocco:				
Tangier.....	Dec. 26-Jan. 15.....			Prevalent in mild form among Moorish population. Two fatalities among Europeans.
Newfoundland:				
St. Johns.....	Jan. 22-26.....	1		
Panama:				
Colon.....	Jan. 5-25.....	31		Jan. 1-29, 1921: Cases, 45. Mild.
Portugal:				
Lisbon.....	Nov. 28-Dec. 18.....		5	
Do.....	Dec. 26-Jan. 8.....		7	
Portuguese East Africa:				
Lourenco Marques.....	Oct. 24-Dec. 11.....	10		Reported present in interior of Chai-Chai district.
Quelimane.....	do.....	3		
Russia:				
Reval.....	Oct. 1-31.....	3		
Riga.....	Nov. 1-7.....	5		
Siberia—				
Vladivostok.....	Oct. 1-Nov. 30.....	2	1	
Spain:				
Barcelona.....	Nov. 18-Dec. 29.....		13	
Corunna.....	Dec. 12-18.....		1	
Madrid.....	Nov. 1-30.....		1	Sept. 1-30, 1920: Deaths, 2. Year ended Dec. 31, 1920: Deaths, 4.
Malaga.....	Oct. 1-Nov. 30.....		60	
Valencia.....	Dec. 5-25.....	3		
Do.....	Dec. 26-Jan. 8.....	4	1	
Syria:				
Aleppo.....	Nov. 14-Dec. 4.....			Dec. 12-25, 1920: Present.
Tunis:				
Tunis.....	Nov. 30-Dec. 28.....	10	15	
Do.....	Jan. 8-14.....	3	2	

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.
Reports Received from Jan. 1 to Feb. 18, 1921—Continued.
SMALLPOX—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Turkey:				
Constantinople.....	Nov. 21-Dec. 11.....	4	
Do.....	Jan. 2-8.....	1	
Union of South Africa:				
Johannesburg.....	Oct. 1-31.....	1	
On vessels:				
S. S. Alfonso XIII.....	Dec. 27.....	1	At Habana, Cuba, from ports in northern Spain.
S. S. Cadiz.....	Jan. 5.....	1	At Habana, Cuba, from Mediterranean ports.
S. S. Ohioan.....	Jan. 4.....	1	At San Pedro, Calif., from New York, via Balboa, Canal Zone.

TYPHUS FEVER.

Belgium:				
Ghent.....	Dec. 12-18.....	5	
Chile:				
Concepcion.....	Nov. 1-Dec. 27.....	23	
Do.....	Dec. 28-Jan. 10.....	6	
Coquimbo.....	Dec. 1-7.....	1	
Valparaiso.....	Oct. 25-Nov. 27.....	13	
China:				
Manchuria (Province)—				
Harbin.....	Nov. 22-23.....	1	On Chinese Eastern Railway.
Manchuria Station.....	do.....	2	Do.
Czechoslovakia.....				July 11-Aug. 28, 1920: Cases, 138; deaths, 18.
Danzig.....	Dec. 20.....	1	In emigrant from Brest Litovsk; with 2 weeks' stay at Warsaw.
Egypt:				
Alexandria.....	Nov. 19-Dec. 31.....	13	6	
Cairo.....	Oct. 1-Dec. 28.....	32	18	
Germany.....				Sept. 12-Nov. 13, 1920: Cases, 69.
Great Britain:				
Belfast.....	Dec. 5-25.....	13	
Do.....	Jan. 9-15.....	2	
Dublin.....	Nov. 28-Dec. 18.....	4	3	
Do.....	Jan. 9-15.....	2	
Greece:				
Drama.....	Nov. 22-28.....	1	
Patras.....	Nov. 29-Dec. 5.....	1	
Saloniki.....	Oct. 25-Dec. 26.....	34	9	
Serres.....	Nov. 8-14.....	1	
Hungary.....				Aug. 3-Oct. 3, 1920: Cases, 9.
Japan:				
Nagasaki.....	Nov. 15-Dec. 26.....	10	1	
Do.....	Dec. 27-Jan. 9.....	5	2	
Jugoslavia.....	July 25-Aug. 28.....	27	5	Feb. 7-13, 1920: Cases, 84; deaths, 2. Dec. 12-25, 1920: Cases, 112.
Zagreb.....	Dec. 12-25.....	27	
Do.....	Dec. 26-Jan. 8.....	24	3	City and county.
Mesopotamia:				
Bagdad.....	Nov. 1-30.....	1	1	
Mexico:				
Guadalajara.....	Dec. 1-31.....	11	
Mexico City.....	Nov. 14-Dec. 25.....	67	Including municipalities in the Federal district.
San Luis Potosi.....	Dec. 5-31.....		Present.
Do.....	Jan. 16-22.....		Do.
Poland:				
Warsaw.....	Dec. 16.....	8	
Portugal:				
Oporto.....	Nov. 28-Dec. 4.....	1	
Do.....	Dec. 26-Jan. 1.....	3	1	
Russia:				
Reval.....	Sept. 1-Oct. 31.....	186	
Riga.....	Nov. 1-7.....	17	
Turkey:				
Constantinople.....	Nov. 21-Dec. 25.....	25	1	
Do.....	Jan. 2-8.....	12	
Union of South Africa:				
Cape Town.....	Dec. 20-26.....	16	5	

February 25, 1921.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.

Reports Received from Jan. 1 to Feb. 18, 1921—Continued.

TYPHUS FEVER—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
On vessels:				
S. S. Presidente Wilson.....	Feb. 1-6.....	15		At New York. From Trieste, Italy, Jan. 15; Naples, Jan. 18, and Algiers, Jan. 22, 1921.
S. S. San Giusto.....	Feb. 10.....	20		At New York. From Trieste, Jan. 23, and Naples, Jan. 26, 1921.

YELLOW FEVER.

Mexico:				
Orizaba.....	Dec. 5-18.....	2	1	
Papantla.....	do.....	8	2	
Tampico.....	Dec. 12-18.....	1	1	
Tuxpan.....	Dec. 5-18.....	9	4	
Do.....	Dec. 26-Jan. 1.....	5	1	
Vera Cruz.....	Dec. 5-26.....	8	3	
Do.....	Dec. 26-Jan. 30.....	3	1	
Zamora.....	Dec. 12-18.....	1	1	Also called Gutierrez. State of Vera Cruz.
Peru:				
Department—Lambayeque.....	Jan. 22.....	..		Outbreak.
On vessel:				
S. S. Savoia.....	Jan. 11-15.....	4		At Habana, Cuba, from Vera Cruz, Mexico. Vessel arrived Habana Jan. 10, 1920, with three cases sickness on board. Two cases confirmed. Two cases developed later on board; confirmed Jan. 15. Savoia left Vera Cruz Jan. 6, 1921.