

PUBLIC HEALTH REPORTS

VOL. 39

NOVEMBER 21, 1924

No. 47

PLAQUE SITUATION IN LOS ANGELES, CALIF.

Measures for the control of plague in Los Angeles are being carried out jointly by the State and city health authorities, under the direct supervision of the State health officer.

Medical and nursing inspections are being made twice daily in the vicinity of the infected district. Cases and suspects are immediately isolated. Strict quarantine of infected areas is being maintained, and extensive rodent surveys are being made.

Up to and including November 20, there had occurred 39 cases of plague with 33 deaths, 5 of the cases being bubonic in type, all the others being pneumonic in character. Three plague-infected rats had been reported to November 19.

DEATH RATES IN A GROUP OF INSURED PERSONS.

COMPARISON OF PRINCIPAL CAUSES OF DEATH, AUGUST AND SEPTEMBER, 1924, AND RATES FOR WHITE AND COLORED FOR THE FIRST NINE MONTHS OF 1922, 1923, AND 1924.

The accompanying tables are taken from the Statistical Bulletin for October, 1924, published by the Metropolitan Life Insurance Co. They present the mortality experience of the company for August and September, 1924, and give a comparison of the death rates for the principal causes of death for white and colored policyholders for the first nine months of 1922, 1923, and 1924. The rates for 1924 are based on a strength of approximately 15,000,000 insured persons.

It should be borne in mind that these death rates apply to a more or less selected group of persons. For the years 1920 to 1923, inclusive, the gross death rate for this insured group has been between 73 and 75 per cent of the death rate for the registration area.

The death rate for this group of persons for September, 1924, was 8.3 per 1,000 as compared with 7.3 for August and 7.8 for September, 1923. This increase has not been due to epidemic conditions, but to higher rates for many of the important causes of death. Higher rates for September, 1924, as compared with rates for August, 1924,

and September, 1923, are shown for typhoid fever, whooping cough, diabetes, cerebral hemorrhage, organic heart disease, pneumonia, diarrheal complaints, Bright's disease, puerperal conditions, suicides, and automobile accidents.

Death rates (annual basis) for principal causes per 100,000 lives exposed, August and September, 1924, and September and year, 1923.

[Industrial Department, Metropolitan Life Insurance Co.]

Cause of death.	Death rate per 100,000 lives exposed. ¹			
	Septem- ber, 1924.	August, 1924.	Septem- ber, 1923.	Year 1923.
Total, all causes	834.5	730.2	786.2	928.2
Typhoid fever	8.1	6.0	7.8	5.1
Measles6	1.7	2.4	9.5
Scarlet fever	1.2	1.8	2.1	4.4
Whooping cough	8.5	6.1	7.6	7.4
Diphtheria	7.3	5.7	9.9	15.5
Influenza	3.6	4.0	3.3	30.3
Tuberculosis (all forms)	88.9	90.9	97.2	110.1
Tuberculosis of respiratory system	78.2	78.9	87.2	99.7
Cancer	72.8	61.3	73.5	71.8
Diabetes mellitus	14.2	11.4	12.3	16.0
Cerebral hemorrhage	52.0	46.9	47.9	61.2
Organic diseases of heart	108.9	95.3	91.9	127.3
Pneumonia (all forms)	37.6	32.3	31.6	83.9
Other respiratory diseases	9.7	7.6	10.1	13.9
Diarrhea and enteritis	71.8	49.8	64.9	28.2
Bright's disease (chronic nephritis)	59.4	49.2	57.2	68.8
Puerperal state	14.8	11.9	14.4	17.7
Suicides	8.0	5.0	7.6	7.3
Homicides	7.1	7.1	6.9	7.3
Other external causes (excluding suicides and homicides)	63.2	66.6	61.9	62.9
Traumatism by automobile	18.8	14.8	17.4	15.3
All other causes	196.8	169.7	175.6	179.4

¹ All figures include infants insured under 1 year of age.

FIRST NINE MONTHS OF 1922, 1923, AND 1924.

The Bulletin states:

"Judged by the health record of the first nine months of 1924, it is highly probable that the death rate for the year 1924 will be considerably lower than for any prior year."

Among the white policyholders the death rate for all causes for the first nine months of 1924 was 8.2 per 1,000, as compared with 8.8 for the corresponding period of 1923, 8.4 in 1922, and 8.2 in 1921. Although numerically the same, the rate for 1924 reflects better health conditions than the rate for 1921, since no insurance on infant lives was written in 1921.

The death rate for the colored policyholders does not show such improvement, being 15 per 1,000 for the first nine months of 1924, as compared with the same figure for the corresponding period of 1923, 14 per 1,000 in 1922, and 13.5 in 1921.

Declines in the death rates for both white and colored policyholders are shown for typhoid fever, diphtheria, influenza, and tuberculosis. For the past few years the rates for cancer, organic diseases of the

heart, cerebral hemorrhage, and chronic nephritis have been showing a downward tendency among the white persons in this group, in direct contrast to an upward trend or stationary tendency among the colored persons.

An outstanding favorable item in the first nine months' record for 1924 is the continued decline among white women in the death rate for puerperal conditions; but here again the rate for the colored policyholders shows an increase over the rate for the corresponding period last year. A decline in mortality from lobar pneumonia is shown this year, but it is accompanied by a higher rate for bronchopneumonia among both white and colored, the increase being due, it is stated, to the increased number of infants insured in 1924. The increase shown in the mortality rate for diarrhea and enteritis is also said to be due to the same factor.

Death rates (annual basis) for principal causes per 100,000 lives exposed compared by white and colored policyholders for the first nine months of 1922, 1923, and 1924.

[Industrial Department, Metropolitan Life Insurance Co.]

Cause of death.	Death rates per 100,000 persons exposed.					
	White.			Colored.		
	Jan.- Sept. 1924.	Jan.- Sept. 1923.	Jan.- Sept. 1922.	Jan.- Sept. 1924.	Jan.- Sept. 1923.	Jan.- Sept. 1922.
All causes of death.....	823.1	880.0	842.8	1,493.2	1,495.2	1,397.9
Typhoid fever.....	3.2	4.2	4.4	9.2	10.2	10.2
Measles.....	9.4	11.6	5.1	6.0	10.3	2.0
Scarlet fever.....	5.2	5.1	5.5	.8	1.3	.7
Whooping cough.....	7.3	7.3	2.6	13.5	11.9	3.6
Diphtheria and croup.....	13.7	15.5	16.7	4.5	5.0	7.4
Influenza.....	13.9	32.9	22.5	38.7	69.6	47.4
Meningococcus meningitis.....	.7	.8	.7	.8	.5	.4
Tuberculosis, all forms.....	87.9	97.7	101.0	241.4	251.4	254.4
Tuberculosis of respiratory system.....	77.7	88.4	91.3	216.5	229.0	234.5
Tuberculosis of the meninges, etc.....	5.3	4.6	4.4	7.7	6.4	5.4
Other forms of tuberculosis.....	4.8	4.6	5.3	17.2	15.9	14.5
Cancer.....	68.6	71.4	72.9	70.6	67.8	68.8
Diabetes.....	14.4	17.2	(1)	15.7	14.7	(1)
Cerebral hemorrhage; apoplexy.....	53.7	57.0	59.8	95.8	96.2	95.2
Organic diseases of the heart.....	110.1	120.9	122.9	207.0	205.5	193.4
Total respiratory diseases.....	92.5	92.5	86.0	193.7	177.9	145.2
Bronchitis.....	4.9	5.6	5.6	9.4	10.1	11.4
Bronchopneumonia.....	36.5	30.6	27.1	62.5	45.4	35.8
Pneumonia, lobar and undefined.....	43.4	48.4	45.7	109.7	110.5	86.7
Other diseases of respiratory system.....	7.7	7.9	7.6	12.1	12.0	11.3
Diarrhea and enteritis.....	30.9	26.0	10.8	32.0	25.6	13.8
Under 2 years.....	26.0	20.5	5.1	22.6	17.1	3.8
2 years and over.....	4.9	5.4	5.7	9.4	8.5	10.0
Acute nephritis.....	4.7	4.8	5.3	16.1	14.7	17.2
Chronic nephritis.....	57.6	64.6	64.6	114.5	113.7	118.5
Total puerperal state.....	15.8	17.6	18.7	26.4	23.4	27.0
Puerperal septicemia.....	5.8	6.6	7.0	10.3	9.6	12.1
Puerperal albuminuria and convulsions.....	4.1	4.1	4.6	6.9	5.7	6.0
Other diseases of puerperal state.....	5.8	6.9	7.0	9.1	8.2	8.9
Total external causes.....	69.9	72.6	69.2	112.0	111.2	94.1
Suicides.....	7.1	8.0	8.3	4.9	5.2	5.0
Homicides.....	2.8	3.4	3.6	35.8	31.9	26.0
Accidental and unspecified violence.....	59.9	61.2	57.2	71.3	74.1	63.1
Accidental drowning.....	8.1	8.0	8.5	9.5	7.1	10.1
Automobile accidents.....	14.5	14.3	13.2	13.5	12.0	7.8
All other and ill-defined causes of death.....	163.8	160.2	174.1	297.6	284.4	298.5

¹ Not available.

DEATHS DURING WEEK ENDED NOVEMBER 8, 1924.

Summary of information received by telegraph from industrial insurance companies for week ended November 8, 1924, and corresponding week of 1923. (From the Weekly Health Index, November 11, 1924, issued by the Bureau of the Census, Department of Commerce.)

	Week ended November 8, 1924.	Corresponding week, 1923.
Policies in force.....	57,622,969	53,922,350
Number of death claims.....	8,720	8,581
Death claims per 1,000 policies in force, annual rate.....	7.9	8.3

Deaths from all causes in certain large cities of the United States during the week ended November 8, 1924, infant mortality, annual death rate, and comparison with corresponding week of 1923. (From the Weekly Health Index, November 11, 1924, issued by the Bureau of the Census, Department of Commerce.)

City.	Week ended Nov. 8, 1924.		Annual death rate per 1,000 corre- sponding week, 1923.	Deaths under 1 year.		Infant mortal- ity rate, week ended Nov. 8, 1924.*
	Total deaths.	Death rate. ¹		Week ended Nov. 8, 1924.	Corre- sponding week, 1923.	
Total (64 cities)	6,209	12.0	12.3	700	722	
Akron.....	34			5	7	53
Albany ⁴	45	19.8	16.0	0	4	0
Atlanta.....	70	16.0	16.1	6	11	
Baltimore.....	212	14.1	12.9	30	16	89
Birmingham.....	62	16.1	17.3	18	6	
Boston.....	217	14.6	11.7	24	18	71
Bridgeport.....	26			3	7	48
Buffalo.....	127	12.1	12.4	10	16	42
Cambridge.....	24	11.2	16.4	3	6	52
Camden.....	40	16.5	12.2	8	5	131
Chicago ⁴	579	10.3	11.1	65	81	61
Cincinnati.....	124	15.9	14.2	7	8	44
Cleveland.....	176	10.1	9.3	16	26	41
Columbus.....	61	11.9	14.0	5	5	47
Dallas.....	43	11.9	13.2	7	6	
Dayton.....	33	10.2	12.9	5	4	84
Denver.....	71			11	7	
Des Moines.....	28	10.1	12.2	1	2	
Detroit.....	225			42	42	78
Duluth.....	15	7.2	8.3	1	2	22
Erie.....	24			3	1	62
Fall River ⁴	30	12.9	13.8	10	10	141
Flint.....	17			4	4	69
Fort Worth.....	17	6.0	8.7	2	2	
Grand Rapids.....	31	10.9	11.1	4	3	63
Houston.....	42			4	3	
Indianapolis.....	83	12.4	13.7	6	15	44
Jacksonville, Fla.....	35	17.8	19.3	4	2	
Jersey City.....	79	13.2	11.8	12	9	85
Kansas City, Kans.....	24	10.6	15.8	3	1	58
Kansas City, Mo.....	78	11.3	13.9	5	13	
Los Angeles.....	212			20	23	62
Louisville.....	81	16.3	15.0	8	9	75
Lowell.....	30	13.5	13.1	4	5	71
Lynn.....	25	12.6	8.1	3	2	76
Memphis.....	43	13.0	17.2	6	5	
Milwaukee.....	95	10.1	8.8	20	5	95
Minneapolis.....	74	9.2	11.5	6	8	32
Nashville ⁴	44	18.6	11.5	8	4	
New Bedford.....	13	10.2	10.0	4	3	62
New Haven.....	35	10.4	14.2	2	6	26
New Orleans.....	126	16.0	17.3	14	24	

¹ Annual rate per 1,000 population.² Deaths under 1 year per 1,000 births—an annual rate based on deaths under 1 year for the week and estimated births for 1923. Cities left blank are not in the registration area for births.³ Data for 62 cities.⁴ Deaths for week ended Friday, November 7, 1924.

Deaths from all causes in certain large cities of the United States during the week ended November 8, 1924, infant mortality, annual death rate, and comparison with corresponding week of 1923. (From the Weekly Health Index, November 11, 1924, issued by the Bureau of the Census, Department of Commerce.)—Contd.

City.	Week ended Nov. 8, 1924.		Annual death rate per 1,000 corresponding week, 1923.	Deaths under 1 year.		Infant mortality rate, week ended Nov. 8, 1924.
	Total deaths.	Death rate.		Week ended Nov. 8, 1924.	Corresponding week, 1923.	
New York	1,347	11.7	10.7	138	139	56
Bronx Borough	136	8.1	8.3	8	11	28
Brooklyn Borough	440	10.4	9.8	50	47	53
Manhattan Borough	608	14.0	12.9	67	70	68
Queens Borough	124	11.7	9.8	11	11	55
Richmond Borough	39	15.6	8.2	2	0	37
Newark, N. J.	94	11.0	10.5	14	18	66
Norfolk	35	11.1	12.8	1	4	18
Oakland	59	12.5	12.2	3	5	38
Oklahoma City	31	15.5	7			
Omaha	52	13.0	13.5	0	4	0
Paterson	35	13.0	13.1	6	4	102
Philadelphia	425	11.4	13.7	53	66	68
Pittsburgh	200	16.7	16.4	32	35	108
Portland, Oreg.	59	11.1	12.4	2	5	21
Providence	53	11.3	13.8	6	9	49
Richmond	46	13.1	13.8	6	8	73
Rochester	51	8.2	2			16
St. Louis	197	12.6	13.8	19	10	
St. Paul	52	11.1	13.1	2	2	17
Salt Lake City ^a	26	10.5	13.2	4	5	80
San Antonio	42	11.4	11.0	8	3	
San Francisco	134	12.7	15.7	9	14	54
Schenectady	19	9.9	9.5	1	1	30
Seattle	66			5	6	49
Somerville	22	11.4	6.9	2	0	54
Spokane	18			1	4	22
Springfield, Mass.	27	9.5	13.0	1	7	17
Syracuse	38	10.5	10.2	4	1	50
Tacoma	9	4.6	8.2	3	3	72
Toledo	68	12.8	13.2	3	7	28
Trenton	43	17.3	13.9	8	2	133
Utica	19	9.4	14.6	3	5	65
Washington	148	15.8	14.6	20	14	116
Waterbury	17			0	1	0
Wilmington, Del.	22	9.6	13.7	3	2	67
Yonkers	17	8.1	11.2	3	2	65
Youngstown	27	9.1	12.8	10	5	138

^a Deaths for week ended Friday, November 7, 1924.

THE NOTIFIABLE DISEASES.

PREVALENCE DURING 1923 IN STATES.

The tables which appear on the following pages have been compiled from data furnished by the health officers of the several States, the District of Columbia, and insular possessions. The data for syphilis and gonorrhea were furnished by the Division of Venereal Diseases of the Public Health Service.

The following is a list of the diseases included:

Anthrax.	Poliomyelitis.
Cerebrospinal meningitis.	Rabies in animals.
Chicken pox.	Rabies in man.
Dengue.	Rocky Mountain spotted fever.
Diphtheria.	Scarlet fever.
Gonorrhea.	Septic sore throat.
Influenza.	Smallpox.
Malaria.	Syphilis.
Measles.	Tuberculosis (all forms and pulmonary).
Mumps.	Typhoid fever.
Pellagra.	Typhus fever.
Pneumonia (all forms).	Whooping cough.

The following table shows the States (including the District of Columbia and insular possessions) for which morbidity and mortality data were received:

Morbidity.	Mortality.	Morbidity.	Mortality.
Alabama	Alabama.	Nebraska	Nebraska.
Alaska ¹		Nevada	Nevada.
Arizona	Arizona.	New Hampshire	
Arkansas	Arkansas.	New Jersey	New Jersey.
California	California.	New Mexico	New Mexico.
Colorado	Colorado.	New York	New York.
Connecticut	Connecticut.	North Carolina	North Carolina.
Delaware	Delaware.	North Dakota	North Dakota.
District of Columbia	District of Columbia.	Ohio	Ohio.
Florida	Florida.	Oklahoma	Oklahoma.
Georgia	Georgia.	Oregon	Oregon.
Hawaii	Hawaii.	Pennsylvania	Pennsylvania.
Idaho	Idaho.	Philippine Islands	Philippine Islands.
Illinois	Illinois.	Porto Rico	Porto Rico.
Indiana	Indiana.	Rhode Island	
Iowa	Iowa.	South Carolina	South Carolina.
Kansas	Kansas.	South Dakota	South Dakota.
Kentucky ¹	Kentucky.	Tennessee	Tennessee.
Louisiana	Louisiana.	Texas	Texas.
Maine	Maine.	Utah	Utah.
Maryland	Maryland.	Vermont	Vermont.
Massachusetts	Massachusetts.	Virginia	Virginia.
Michigan	Michigan.	Washington	Washington.
Minnesota	Minnesota.	West Virginia	West Virginia.
Mississippi	Mississippi ¹	Wisconsin	Wisconsin.
Missouri	Missouri.	Wyoming	Wyoming.
Montana	Montana.		

¹ Data not given by months.

For the purpose of comparison with States, the data for New York City are given in a separate table.

The populations given in the tables and used in computing case and death rates were estimated as of July 1, 1923, unless otherwise indicated.

For most of the diseases four tables are given: (1) Estimated expectancy, (2) morbidity, (3) mortality, (4) rates.

The estimated expectancy, given in the tables for some of the diseases, is the result of an attempt to ascertain from the experience of recent years how many cases of the disease under consideration might be expected in 1923. In most instances the estimated expectancy is the median number of cases reported by the State for the years 1914 to 1922, inclusive. When several epidemics have occurred during these years, or when for other reasons the median is not satisfactory, epidemic years are excluded, and the estimated expectancy is the mean of the number of cases reported for the non-epidemic years. The aim has been to ascertain how many cases of each disease may reasonably be expected in the absence of epidemics.

The column headed "Number of years" shows the number of years for which data are available for each State.

In comparing the figures for 1923 with the estimated expectancy or with reports for preceding years, it should be borne in mind that there has been a gradual improvement in the reporting of commu-

nicable diseases during the last few years. An increase in the number of cases reported may be due to better reporting of the particular disease rather than to an increase in the number of cases existing.

A relatively large number of reported cases of a communicable disease, as indicated by a high case rate (and more especially when accompanied by a relatively small number of deaths, as indicated by a low fatality rate), usually means that the health department of that State is active and that the cases of the disease are being well reported by the practicing physicians. It does not necessarily mean that the disease is more prevalent in that State than in other States. A high fatality rate may mean that the disease was unusually virulent in a State, that the physicians did not treat the disease in that State with the success usual elsewhere, or that the practicing physicians did not report all of their cases. On the other hand, an unusually low fatality rate may be due to the fact that the disease in the State was unusually mild, that the physicians treated it with unusual success, that the practicing physicians reported their cases satisfactorily, or that the registration of deaths was incomplete, or the assignment of the causes of death inaccurate.

In some instances comparatively large numbers of cases of diseases reported in certain States may be due to the system of reporting rather than to unusual prevalence of the diseases. For instance, in Mississippi, physicians report some diseases monthly to the State health officer, giving the number of cases occurring in their practice during the month. This method of reporting probably is responsible, in part, at least, for the comparatively large number of cases of certain diseases reported in Mississippi.

Tabulations of reported cases and deaths from communicable diseases, similar to the tables here presented, have been issued by the United States Public Health Service for the years 1912 to 1922, inclusive (reprints numbered 163, 208, 298, 345, 426, 505, 551, 643, 681, 791, and 879).

Summary.

CHICKEN POX.

46 States, District of Columbia, Hawaii, and Porto Rico:

Cases reported, 1923 (population, 108,784,717) -----	153, 195
Cases reported, 1922 (population, 107,385,228) -----	131, 018
Cases per 1,000 inhabitants, 1923 -----	1. 41
Cases per 1,000 inhabitants, 1922 -----	1. 22

45 States, District of Columbia, Hawaii, and Porto Rico:

Deaths registered, 1923 (population, 108,187,265) -----	94
Deaths per 1,000 inhabitants, 1923 -----	0. 00
Cases reported for each death registered, 1923 -----	1, 666. 87

DIPHTHERIA.

48 States, District of Columbia, Hawaii, and Porto Rico:	
Cases reported, 1923 (population, 112,274,663)	147,599
Estimated expectancy, based on years 1914-1922	137,085
Cases per 1,000 inhabitants, 1923	1.31
Cases per 1,000 inhabitants, estimated expectancy	1.30
46 States, District of Columbia, Hawaii, and Porto Rico:	
Deaths registered, 1923 (population, 111,200,399)	12,705
Deaths per 1,000 inhabitants, 1923	0.11
Deaths per 100 cases, 1923	8.68

INFLUENZA.

36 States, Alaska, District of Columbia, Hawaii, and Porto Rico:	
Cases reported, 1923 (population, 86,748,049)	403,934
Cases per 1,000 inhabitants, 1923	4.66
34 States, District of Columbia, Hawaii, and Porto Rico:	
Deaths registered, 1923 (population, 85,618,749)	34,375
Deaths per 1,000 inhabitants, 1923	0.40
Cases reported for each death registered, 1923	11.74

MEASLES.

31 States, District of Columbia, Hawaii, and Porto Rico:	
Cases reported, 1923 (population, 87,604,689)	676,718
Estimated expectancy, based on years 1914-1922	252,507
Cases per 1,000 inhabitants, 1923	7.72
Cases per 1,000 inhabitants, estimated expectancy	3.08
46 States, District of Columbia, Hawaii, and Porto Rico:	
Deaths registered, 1923 (population, 111,200,399)	10,399
Deaths per 1,000 inhabitants, 1923	0.09
Deaths per 100 cases, 1923	1.38

MUMPS.

38 States and Porto Rico:	
Cases reported, 1923 (population, 91,833,231)	52,267
Cases reported, 1922 (population, 90,651,351)	46,346
Cases per 1,000 inhabitants, 1923	0.57
Cases per 1,000 inhabitants, 1922	0.51
36 States and Porto Rico:	
Deaths registered, 1923 (population, 89,728,428)	44
Deaths per 1,000 inhabitants, 1923	0.00
Cases reported for each death registered, 1923	1,173.82

PELLAGRA.

12 States and Porto Rico:	
Cases reported, 1923 (population, 36,825,835)	7,317
Cases per 1,000 inhabitants, 1923	0.20
30 States:	
Deaths registered, 1923 (population, 72,054,218)	3,044
Deaths per 1,000 inhabitants, 1923	0.04

PNEUMONIA.

46 States, District of Columbia, Hawaii, and Porto Rico:	
Deaths registered, 1923 (population, 111,200,399)	121,572
Deaths per 1,000 inhabitants, 1923	1.09

POLIOMYELITIS.

39 States and District of Columbia:

Cases reported, 1923 (population, 93,682,130)-----	3,245
Estimated expectancy, based on years 1914-1922-----	2,097
Cases per 1,000 inhabitants, 1923-----	0.035
Cases per 1,000 inhabitants, estimated expectancy-----	0.024

44 States and District of Columbia:

Deaths registered, 1923 (population, 109,004,418)-----	878
Deaths per 1,000 inhabitants, 1923-----	0.008

SCARLET FEVER.

48 States, District of Columbia, Hawaii, and Porto Rico:

Cases reported, 1923 (population, 112,274,663)-----	175,540
Estimated expectancy, based on years 1914-1922-----	120,075
Cases per 1,000 inhabitants, 1923-----	1.56
Cases per 1,000 inhabitants, estimated expectancy-----	1.14

45 States, District of Columbia, Hawaii, and Porto Rico:

Deaths registered, 1923 (population 106,260,769)-----	3,449
Deaths per 1,000 inhabitants, 1923-----	0.03
Deaths per 100 cases, 1923-----	1.99

SMALLPOX.

48 States and District of Columbia:

Cases reported, 1923 (population 110,630,300)-----	30,907
Cases per 1,000 inhabitants, 1923-----	0.28

39 States and District of Columbia:

Cases reported, 1923 (population, 86,564,729)-----	24,508
Estimated expectancy, based on years 1914-1922-----	23,884
Cases per 1,000 inhabitants, 1923-----	0.28
Cases per 1,000 inhabitants, estimated expectancy-----	0.30

46 States and District of Columbia:

Deaths registered, 1923 (population, 109,556,066)-----	170
Deaths per 1,000 inhabitants, 1923-----	0.00
Deaths per 100 cases, 1923-----	0.55

TYPHOID FEVER.

46 States, District of Columbia, Hawaii, and Porto Rico:

Cases reported, 1923 (population, 107,412,943)-----	34,617
Estimated expectancy, based on years 1914-1922-----	41,109
Cases per 1,000 inhabitants, 1923-----	0.32
Cases per 1,000 inhabitants, estimated expectancy-----	0.41

45 States, District of Columbia, Hawaii, and Porto Rico:

Deaths registered, 1923 (population, 108,731,756)-----	7,961
Deaths per 1,000 inhabitants, 1923-----	0.07
Deaths per 100 cases, 1923-----	22.41

WHOOPING COUGH.

42 States, District of Columbia, and Hawaii:

Cases reported, 1923 (population, 100,009,245)-----	160,971
Cases reported, 1922 (population, 98,724,067)-----	108,552
Cases per 1,000 inhabitants, 1923-----	1.61
Cases per 1,000 inhabitants, 1922-----	1.08

44 States, District of Columbia, Hawaii, and Porto Rico:

Deaths registered, 1923 (population, 105,788,824)-----	8,999
Deaths per 1,000 inhabitants, 1923-----	0.09
Cases reported for each death registered, 1923-----	18.26

Cases of anthrax reported, 1923.

Deaths registered as due to anthrax, 1923.

Cerebrospinal meningitis—Monthly estimated expectancy based on data which are available for the years 1914 to 1922, inclusive.

State.	Number of years included.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	State.
Iowa.....	5	5	5	6	7	5	6	5	2	2	3	4	5	65	Alabama.
Maryland.....	1	1	1	1	2	2	2	1	3	7	8	2	2	3	Arizona.
Massachusetts.....	2	2	1	1	10	10	10	12	10	1	1	1	1	15	Arkansas.
New Jersey.....	2	1	1	1	1	1	1	1	1	1	1	1	1	119	California.
New York.....	1	1	1	1	1	1	1	1	1	1	1	1	1	11	Colorado.
Porto Rico.....	1	1	1	1	1	1	1	1	1	1	1	1	1	4	Connecticut.
Vermont.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	Delaware.
Wisconsin.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	District of Columbia.
Alabama.....	5	5	5	6	7	5	6	5	2	2	3	4	5	5	Florida.
Arizona.....	3	1	1	2	3	2	2	2	1	1	1	1	1	1	Georgia.
Arkansas.....	3	10	10	11	10	10	10	12	10	3	7	8	2	8	Hawaii.
California.....	8	10	10	11	10	10	10	12	10	1	1	1	1	1	Hawaiian Islands.
Colorado.....	3	1	1	1	1	1	1	1	1	1	1	1	1	1	Indiana.
Connecticut.....	9	4	7	9	8	6	7	6	4	4	4	5	3	3	Iowa.
Delaware.....	2	1	1	1	1	1	1	1	1	1	1	1	1	1	Kansas.
District of Columbia.....	9	1	1	1	1	1	1	1	1	1	1	1	1	1	Kentucky.
Florida.....	5	3	2	3	1	1	1	1	1	1	1	1	1	1	Louisiana.
Georgia.....	3	7	3	6	4	6	5	3	1	3	2	4	2	46	Maine.
Hawaii.....	7	1	1	1	1	1	1	1	1	1	1	1	1	1	Massachusetts.
Illinois.....	7	19	22	24	18	15	14	15	12	16	17	18	14	143	Michigan.
Indiana.....	7	8	7	7	5	5	3	3	4	3	4	1	5	35	Minnesota.
Iowa.....	3	1	1	4	3	2	2	1	1	5	2	4	1	31	Mississippi.
Kansas.....	7	5	5	6	3	3	3	4	4	5	4	4	1	44	Montana.
Kentucky.....	1	1	2	2	8	1	1	5	6	8	4	7	16	61	Nebraska.
Louisiana.....	9	7	5	8	4	3	1	2	2	1	2	4	4	4	New Hampshire.
Maine.....	4	1	1	3	1	1	1	1	1	1	1	1	1	14	New Jersey.
Maryland.....	8	4	6	4	4	3	3	5	3	3	3	3	3	49	New Mexico.
Massachusetts.....	9	14	16	15	17	19	19	14	12	8	11	15	13	173	New York.
Minnesota.....	8	4	7	5	6	5	4	3	3	5	3	3	4	53	Puerto Rico.
Mississippi.....	9	3	3	2	1	1	1	2	1	2	1	1	1	37	Wisconsin.
Montana.....	7	2	2	2	1	1	1	2	1	1	1	1	1	15	Wisconsin.
Nebraska.....	3	2	3	2	3	4	3	1	3	3	3	2	2	28	Wisconsin.
New Hampshire.....	3	2	2	3	1	1	1	1	1	1	1	1	1	4	Wisconsin.

(N)neurospinal meningitis—Monthly estimated expectancy based on data which are available for the years 1914 to 1922, inclusive—Continued.

State.	Number of Years included.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	State.
New Jersey	5	15	14	10	12	7	12	8	8	13	8	7	129	New Jersey.	
New Mexico	3	1	1	1	1	1	1	1	1	1	1	1	6	6	New Mexico.
New York	9	32	46	38	44	35	29	29	26	20	25	25	389	New York.	
North Carolina	4	13	8	20	9	7	4	5	5	6	3	3	92	North Carolina.	
North Dakota	1	1	1	1	1	1	1	1	1	2	1	1	5	North Dakota.	
Ohio	9	11	16	20	18	12	14	11	10	12	9	9	157	Ohio.	
Pennsylvania	9	15	17	19	18	15	11	1	1	1	1	1	9	Pennsylvania.	
Rhode Island	7	3	1	2	3	2	3	2	1	1	1	1	165	Rhode Island.	
South Carolina	5	3	2	3	1	1	2	1	1	2	2	2	15	South Carolina.	
South Dakota	7	1	2	2	3	2	2	1	2	3	1	1	2	22	South Dakota.
Tennessee	2	3	3	1	2	2	2	2	3	3	1	1	4	29	Tennessee.
Texas	3	1	3	3	4	2	4	2	1	3	1	4	4	31	Texas.
Utah	3	1	2	1	1	1	1	1	1	2	1	1	1	10	Utah.
Vermont	5	1	1	1	1	1	1	1	1	1	1	1	4	4	Vermont.
Virginia	5	8	12	16	16	11	10	10	11	14	6	13	129	Virginia.	
Washington	7	1	2	2	2	3	1	1	1	1	1	1	18	Washington.	
West Virginia	6	6	5	5	6	3	2	4	4	2	3	3	44	West Virginia.	
Wisconsin	8	11	10	15	10	13	10	8	8	5	6	6	109	Wisconsin.	
Wyoming	1	1	1	1	1	1	1	1	1	1	1	2	2	2	Wyoming.

Cases of cerebrospinal meningitis reported, 1923.

State.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	State.
Alabama.	2	3	12	6	6	5	4	7	5		4		3	57
Arizona.		1	1	2	5	1	3	3					1	1
Arkansas.	12	8	11	15	7	11	13	10	5		8		3	20
California.		9	9	6	10	5	9	3	4		8		3	118
Connecticut.		5											4	83
District of Columbia.	2		2										2	8
Georgia.	1	3	3	2	3	2	2	3	1				1	18
Hawaii.	1		3	25	16	9	6	11	11		4		1	13
Illinois.	15	8	25	6	8	13	4	4	3		11		4	130
Indiana.	3										4		6	51
Kansas.	2	2	3	2	5	1	6	6	1		4		2	26
Louisiana.	2	5	9	7	3	6	5	5	3		16		9	74
Maine.		2	2	3	4	1	5	2	1		3		1	17
Maryland.	7	3	2	5	4	4	5	10	10		6		1	3
Massachusetts.	11	12	11	11	11	5	11	10	10		13		1	48
Minnesota.		2	2	2	4	4	3	4	2		4		1	35
Missouri.	2	2	9	1	5	6	4	4	4		6		1	86
Montana.	7	9	1	1	1	1	1	3	2		3		1	20
Nebraska.		2	1					1			1		1	4
New Hampshire.											6		3	3
New Jersey.	10	6	21	14	14	9	6	10	6		5		8	118
New York.	10	21	35	23	27	14	14	16	25		18		9	231
North Carolina.	4	4	7	3	4	7	4	3	2		2		3	46
Ohio.	9	4	10	6	4	6	6	1	2		5		8	45
Oregon.		1				3					2		1	7
Pennsylvania.	3	14	11	9	11	7	11	14	7		14		7	10
Rhode Island.	2	1	2	1	3	1	1	1	1		2		1	118
South Carolina.	3	3	5	1	1	1	1	1					1	13
South Dakota.	1	7	4	6	3		1	1	1		2		2	27
Tennessee.	4	1	12	1	3	11	1	2					8	43
Texas.	1	1	2	2	2	2					1		2	12
Utah.	1		2								1		1	6
Virginia.	12	10	10	14	14	17	9	13	10		6		9	135
Washington.	3	2	6	2	2	2	1	1	2		2		2	22
West Virginia.	1	2	1	2	2	1	0	1	1		1		1	32
Wisconsin.	9	6	6	6	2	8	4	5	6		12		6	75
Wyoming.		1									1		4	2

Deaths registered as due to cerebrospinal meningitis, 1923.

State.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	State.
Alabama.....					1	1	3	1				1	7	Alabama.
Arizona.....		1											1	Arizona.
Arkansas.....													1	
California.....	4	2	5	5	1	6	7	2	3	2	1	7	1	California.
Colorado.....	4	8	9	5	7	4	6	8	6	1	4	9	70	Colorado.
Connecticut.....	7	4	5	4	6	1	7	3	1	3	2	2	45	Connecticut.
Delaware.....	2		2	2			4						13	Delaware.
District of Columbia.....	1												6	District of Columbia.
Florida.....	2	7	4	6	2	3	5	1	3	4	1	7	44	Florida.
Hawaii.....	2	3	1							1			8	Hawaii.
Idaho.....	1				2	2		2					1	Idaho.
Illinois.....	6	4	11	10	5	4	3	6		6		2	6	Illinois.
Indiana.....	2	1			1	2		2	1				13	Indiana.
Iowa.....	3	3	2	3	5	3		4	3				32	Iowa.
Kansas.....	3	2	2				2		2		2	2	17	Kansas.
Louisiana.....	1	4	2		1	1	1	1					17	Louisiana.
Maine.....			1	1	3					1			5	Maine.
Maryland.....	3	1			2	2							1	Maryland.
Massachusetts.....	2	2	5	8	7	3	5	2	7	5	2	2	50	Massachusetts.
Minnesota.....	1	1	1		2	3	3		2	4	2	1	20	Minnesota.
Missouri.....					2	3	3	1	1	5	3	2	27	Missouri.
Montana.....	3	7	1	1		1				1	1	1	21	Montana.
Nebraska.....	6	3	10	14	11					5	4	7	3	Nebraska.
New Jersey.....	6	1	3	2	4	2			2	2	1	2	27	New Jersey.
New Mexico.....													27	New Mexico.
New York.....	8	10	12	11	16	6	8	8	7	8	2	10	106	New York.
North Carolina.....													2	North Carolina.
North Dakota.....	6	1	9	5	2	2				2			30	North Dakota.
Ohio.....	6	4	6	7	8	8	5	2		5	3	4	3	Ohio.
Oregon.....					1	1				1			3	Oregon.
Tennessee.....	3	4		3	3	2	4	3	4	3	3	1	35	Tennessee.
Utah.....	1									1	1	1	3	Utah.
Vermont.....	2	1	1	1	2					2	1	1	1	Vermont.
Virginia.....	3	2	2	1	1					1	1	2	16	Virginia.
Washington.....										1			16	Washington.

Cerebrospinal meningitis—Cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1923; estimated expectancy and indicated annual rates based on the years 1914–1922.

State.	Estimated expectancy.			1923.			State.
	Estimated population July 1, 1923.	Number of years.	Cases.	Cases per 1,000 inhabitants.	Cases reported.	Deaths registered.	
Alabama.....	2,422,912	5	55	0.02	57	0.02	7
Alaska.....	1,55,036				4	.07	
Arizona.....	380,960	3	3	.01			1
Arkansas.....	810,287	3	15	.01	20	.01	1
California.....	3,805,153	8	110	.04	118	.03	47
Colorado.....	990,320	3	8	.01			70
Connecticut.....	1,476,483	9	72	.06	83	.06	.07
Delaware.....	230,460	2	6	.03			45
District of Columbia.....	1,437,571	9	8	.03	8	.02	13
Florida.....	1,046,287	5	20	.02			6
Georgia.....	2,998,186	3	46	.02	18	.01	32
Hawaii.....	278,384	7	10	.04	13	.05	8
Idaho.....	470,179						13
Illinois.....	6,790,524	7	203	.03	130	.02	63
Indiana.....	3,013,134	7	55	.02	51	.02	13
Iowa.....	2,468,643	3	31	.01			32
Kansas.....	1,737,480	7	44	.03	20	.01	17
Kentucky.....	2,462,317	1	61	.02	47	.02	.01
Louisiana.....	1,849,746	9	43	.02	74	.04	17
Maine.....	777,259	4	14	.02	17	.02	5
Maryland.....	1,505,205	8	49	.03	48	.03	16
Massachusetts.....	4,027,545	9	173	.05	121	.03	50
Minnesota.....	2,488,316	8	53	.02	35	.01	20
Mississippi.....	1,1790,618	9	37	.02			6
Missouri.....	3,443,971				86	.02	27
Montana.....	611,199	7	15	.03	30	.05	21
Nebraska.....	1,333,922	3	28	.02	17	.01	2
New Hampshire.....	447,592	3	4	.01	1	.00	
New Jersey.....	3,378,963	5	129	.04	118	.03	74
New Mexico.....	3972,265	8	6	.02			27

1 Population Jan. 1, 1920.

Cerebrospinal meningitis—Cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1923; estimated expectancy and indicated annual rates based on the years 1914-1922—Continued.

State.	Estimated population July 1, 1923.	Estimated expectancy.			1923.			State.
		Number of years.	Cases.	Cases per 1,000 inhabitants.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	
New York.....	10,843,861	9	389	.04	231	.02	106	45.9
North Carolina.....	2,086,325	4	92	.04	46	.02	2	4.3
North Dakota.....	672,041	1	5	.01			30	0.04
Ohio.....	6,117,122	9	157	.03	65	.01	61	0.01
Oregon.....	823,270	7	9	.01	7	.01	3	8.8
Pennsylvania.....	9,100,326	9	165	.02	118			42.9
Rhode Island.....	626,672	7	23	.04	13	.02		
South Carolina.....	1,744,408	5	15	.01	15	.01		
Tennessee.....	655,532	7	22	.03	27	.04	0	
Texas.....	2,393,077	2	29	.01	43	.02	36	81.4
Utah.....	4,839,630	3	31	.01	12	.00		
Vermont.....	476,812	3	10	.02	6	.01	3	50.0
Virginia.....	1,352,428	5	4	.01			1	0.00
Washington.....	2,398,441	6	139	.06	135	.06	16	11.9
West Virginia.....	1,433,988	7	18	.01	22	.02	16	72.7
Wisconsin.....	1,551,156	6	44	.03	32	.02		
Wyoming.....	2,736,574	9	109	.04	75	.03		
	211,864	1	2	.01	2	.00	0	

¹ Population Jan. 1, 1920.

Cases of chicken pox reported, 1923.

State.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	State.
Alabama.....	141	89	238	124	195	19	25	27	26	37	142	164	1,227	Alabama.
Arizona.....	38	12	21	65	15	1	1	2	7	6	30	30	30	Arizona.
Arkansas.....	231	94	61	107	111	30	43	50	43	47	44	61	922	Arkansas.
California.....	808	931	957	1,200	1,345	618	311	145	126	289	550	648	7,928	California.
Colorado.....	315	249	215	161	113	90	51	18	30	80	248	250	1,810	Colorado.

Connecticut	202	11	115	466	2,602
Delaware	11	12	15	32	1,151
District of Columbia	150	161	47	23	1,266
Florida	43	47	9	3	337
Georgia	52	75	15	1	26
Hawaii	9	20	4	6	81
Idaho	44	33	2	26	515
Illinois	1,839	978	327	1,802	1,114
Iowa	102	50	113	132	436
Kansas	336	257	113	186	943
Louisiana	31	47	12	111	1,154
Maine	106	135	12	1,984	1,983
Maryland	710	446	49	1,166	3,601
Massachusetts	563	564	388	282	3,601
Michigan	1,149	967	365	1,201	1,200
Louisiana	19	47	12	171	260
Maine	106	83	12	1,282	1,077
Maryland	710	427	49	1,201	1,200
Massachusetts	563	564	388	1,362	1,362
Michigan	1,149	967	365	1,362	1,362
Minnesota	814	449	291	1,201	1,200
Mississippi	369	352	210	1,282	1,282
Missouri	320	326	204	1,201	1,200
Montana	114	116	89	1,282	1,282
Nebraska	126	70	53	1,201	1,200
Nevada	24	6	1	1,282	1,282
New Hampshire	11	8	5	1,201	1,200
New Jersey	1,077	617	464	1,282	1,282
New Mexico	81	92	46	1,201	1,200
New York	2,716	1,795	1,446	1,282	1,282
North Carolina	425	518	550	1,201	1,200
North Dakota	44	46	35	1,282	1,282
Ohio	1,635	915	716	1,201	1,200
Oklahoma	52	70	10	1,282	1,282
Oregon	148	70	82	1,201	1,200
Pennsylvania	3,004	1,081	1,365	1,201	1,200
Porto Rico	5	8	11	1,282	1,282
Rhode Island	49	15	13	1,201	1,200
South Carolina	29	14	100	1,282	1,282
South Dakota	105	72	57	1,201	1,200
Tennessee	173	92	171	1,282	1,282
Texas	56	183	326	1,201	1,200
Utah	660	574	382	1,282	1,282
Vermont	284	195	90	1,201	1,200
Virginia	953	832	832	1,282	1,282
Washington	414	391	309	1,201	1,200
West Virginia	223	173	192	1,282	1,282
Wisconsin	936	450	385	1,201	1,200
Wyoming	53	75	15	1,282	1,282
	14468°	24†	2	7	444

Deaths registered as due to chicken pox, 1923.

State.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	State.
Alabama	1								1				2	Alabama.
California					1	1			1				4	California.
Connecticut	1	4			1	2	1		1				2	Connecticut.
Illinois					1						4		15	Illinois.
Kansas			1							1	1		4	Kansas.
Louisiana												1		Louisiana.
Maine												1		Maine.
Maryland	2			1	3								6	Maryland.
Massachusetts	1		2					1					8	Massachusetts.
Minnesota										1		1	2	Minnesota.
Missouri				2									3	Missouri.
Nebraska			1									1		Nebraska.
New Jersey	1	2	1							1		2	8	New Jersey.
New York	1				1	1	4	1	1				3	New York.
North Carolina					2		1					1		North Carolina.
North Dakota	1		2										2	North Dakota.
Ohio				1	2							2	8	Ohio.
Oklahoma					1		1					1	1	Oklahoma.
Oregon													1	Oregon.
Utah													1	Utah.
Washington										1			3	Washington.
Wisconsin										1		1	1	Wisconsin.

Chicken pox—Cases reported, 1922; cases registered, indicated mortality and mortality rates, and number of cases reported for each death registered, 1923.

State.	Estimated population, July 1, 1923.	Cases reported, 1922.	1923.			State.	
			Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.		
Alabama.....	2,423,912	977	1,227	0.51	2	0.00	Alabama.
Alaska.....	1,155,036	74	1,34	1.34	0	0.00	Alaska.
Arizona.....	360,860	65	220	.55	0	0.00	Arizona.
Arkansas.....	1,810,267	734	922	.51	0	0.00	Arkansas.
California.....	3,805,153	5,386	7,928	2.08	4	.00	California.
Colorado.....	990,320	1,306	1,810	1.83	0	0.00	Colorado.
Connecticut.....	1,476,483	2,221	2,602	1.76	2	.00	Connecticut.
Delaware.....	230,460	364	151	.68	0	0.00	Delaware.
District of Columbia.....	1,431,514	1,186	1,206	2.89	0	0.00	District of Columbia.
Florida.....	1,040,287	221	337	.32	0	0.00	Florida.
Georgia.....	2,998,196	619	515	.17	0	0.00	Georgia.
Hawaii.....	278,964	128	114	.41	0	0.00	Hawaii.
Idaho.....	470,779	312	436	.93	0	0.00	Idaho.
Illinois.....	6,780,524	13,442	11,514	1.70	15	.00	Illinois.
Iowa.....	2,468,643	440	843	.34	0	0.00	Iowa.
Kansas.....	1,797,489	2,881	2,932	1.63	4	.00	Kansas.
Kentucky.....	2,462,317	517	659	.26	0	0.00	Kentucky.
Louisiana.....	1,946,746	66	673	.38	5	.00	Louisiana.
Maine.....	777,269	655	1,077	1.39	5	.00	Maine.
Maryland.....	1,505,205	2,980	3,661	2.43	6	.00	Maryland.
Massachusetts.....	4,027,545	5,177	7,983	1.98	8	.00	Massachusetts.
Michigan.....	3,977,821	5,454	7,258	1.82	2	.00	Michigan.
Minnesota.....	2,498,396	2,988	4,327	1.73	2	.00	Minnesota.
Mississippi.....	1,790,618	4,185	4,084	2.25	0	0.00	Mississippi.
Missouri.....	3,443,971	1,624	2,333	.74	3	.00	Missouri.
Montana.....	611,190	676	1,032	1.69	0	0.00	Montana.
Nebraska.....	1,332,922	1,058	635	.48	1	.00	Nebraska.
Nevada.....	1,77,407	63	112	1.45	0	0.00	Nevada.
New Hampshire.....	447,692	149	89	.20	0	0.00	New Hampshire.
New Jersey.....	3,378,963	5,354	7,127	2.11	8	.00	New Jersey.

¹Population, Jan. 1, 1920.

Chicken pox—Cases reported, 1922; cases registered, indicated mortality and mortality rates, and number of cases reported for each death registered, 1923—Continued.

State.	Estimated population, July 1, 1923.	Cases reported, 1922.	1923.		State.	
			Cases reported.	Cases per 1,000 inhabitants.		
New Mexico.	372,265	436	414	1.11	0	New Mexico.
New York.	10,843,661	15,481	20,076	1.86	.00	New York.
North Carolina.	2,886,326	4,673	3,974	1.38	.00	North Carolina.
North Dakota.	672,041	191	390	.59	.00	North Dakota.
Ohio.	6,117,122	8,980	11,023	1.80	.00	Ohio.
Oklahoma.	2,162,079	342	432	.20	1	Oklahoma.
Oregon.	823,270	667	902	1.10	1	Oregon.
Pennsylvania.	9,100,326	19,112	19,709	2.17	0	Pennsylvania.
Porto Rico.	1,385,349	69	97	.07	0	Porto Rico.
Rhode Island.	636,672	142	258	.41	0	Rhode Island.
South Carolina.	1,744,408	315	302	.17	0	South Carolina.
South Dakota.	665,532	347	686	1.05	0	South Dakota.
Tennessee.	2,393,077	1,358	1,184	.49	0	Tennessee.
Texas.	4,939,630	1,858	1,567	.32	0	Texas.
Utah.	476,812	...	3,838	8.05	2	Utah.
Vermont.	1,352,428	1,470	1,251	3.55	0	Vermont.
Virginia.	2,388,441	4,816	6,006	2.50	0	Virginia.
Washington.	1,433,998	2,794	2,932	2.06	3	Washington.
West Virginia.	1,561,156	1,245	1,662	1.07	0	West Virginia.
Wisconsin.	2,739,574	5,442	5,861	2.14	1	Wisconsin.
Wyoming.	211,864	204	444	2.10	0	Wyoming.

¹ Population Jan. 1, 1920.

Cases of dengue reported, 1923.

State.	January.	February.	March.	April.	May.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.	Total.	State.
Alabama.....	70	28	7	14	13	9	12	19	6	4	1	2	188	Alabama.
Arkansas.....	18	2	3	1	4	3	2	5	1	3	7	1	12	Arkansas.
Florida.....	11	8	3	11	1	1	3	1	1	4	1	1	48	Florida.
Georgia.....	991	17	7	15	1	2	10	59	91	161	14	8	1,376	Georgia.
Hawaii.....	124	35	20	22	16	8	14	8	8	17	23	8	306	Hawaii.
Louisiana.....	176	73	85	17	8	18	9	22	89	359	130	43	990	Louisiana.
Mississippi.....														Porto Rico.
Puerto Rico.....														Texas.
Texas.....														Wisconsin.

Deaths registered as due to dengue, 1923.

State.	January.	February.	March.	April.	May.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.	Total.	State.
Alabama.....	2	1	1	1	1	2	1	1	1	1	1	1	8	Alabama.
Arkansas.....	6	1	1	1	1	2	1	1	1	1	1	1	6	Arkansas.
Florida.....	14	1	2	3	2	2	1	1	1	1	1	1	20	Florida.
Georgia.....	20	5	44	1	1	1	1	4	1	1	3	2	44	Georgia.
Louisiana.....														Louisiana.
Wisconsin.....														Wisconsin.

Dengue—Cases reported, deaths registered, indicated morbidity and mortality rates, and number of cases reported for each death registered, 1923.

State.	Estimated population, July 1, 1923.	Cases reported, 1923.	Cases per 1,000 inhabitants.	Deaths registered, 1923.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.	State.		
Alabama.....		2,423,912	188	0.08	8	0.00	Alabama.		
Arkansas.....		1,816,287	12	.01	0	...	Arkansas.		
Florida.....		1,046,287	48	.05	6	.01	Florida.		
Georgia.....		2,899,196	44	.01	20	.01	Georgia.		
Hawaii.....		278,984	1	.00	0	...	Hawaii.		
Louisiana.....		1,849,746	1,376	.74	44	.02	Louisiana.		
Mississippi.....		1,790,618	309	.17	Mississippi.		
Puerto Rico.....		1,365,349	7	.01	0	...	Puerto Rico.		
Texas.....		4,936,650	980	.20	0	...	Texas.		
Wisconsin.....		2,739,574	...	1	0	...	Wisconsin.		

¹ Population January 1, 1920.

Diphtheria—Monthly estimated expectancy based on data which are available for the years 1914 to 1922, inclusive.

State.	Number of years included.	Jan. uary.	Febru. ary.	March.	April.	May.	June.	July.	August.	Septem. ber.	Octo. ber.	Novem. ber.	Decem. ber.	Total.	State.
Alabama.....	8	53	38	27	21	20	42	105	147	167	107	74	830	Alabama.	
Arizona.....	6	9	7	5	4	3	3	2	4	6	9	7	64	Arizona.	
Arkansas.....	6	38	21	15	18	8	7	30	60	142	147	79	588	Arkansas.	
California.....	9	364	316	281	332	248	222	188	195	381	371	344	3,610	California.	
Colorado.....	8	47	40	50	61	42	50	43	81	77	85	80	716	Colorado.	
Connecticut.....	9	298	211	210	189	159	154	134	104	183	354	338	284	Connecticut.	
Delaware.....	3	11	17	17	11	8	8	9	8	40	15	10	179	Delaware.	
District of Columbia.....	9	67	61	49	39	40	22	19	17	40	75	119	88	District of Columbia.	
Florida.....	6	71	31	32	28	17	21	17	20	68	85	104	86	Florida.	
Georgia.....	4	63	46	42	31	29	36	61	162	305	405	270	128	Georgia.	
Hawaii.....	8	16	14	18	12	13	17	11	11	10	11	10	1154	Hawaii.	
Idaho.....	3	15	18	4	6	6	9	6	13	30	26	22	193	Idaho.	
Illinois.....	7	1,188	938	1,058	778	793	666	600	527	880	1,659	2,046	1,394	Illinois.	
Indiana.....	9	300	257	223	150	137	106	119	165	269	645	436	3,261	Indiana.	
Iowa.....	8	90	71	62	50	68	65	61	45	87	105	158	122	1,024	Iowa.
Kansas.....	9	195	126	103	103	87	67	65	65	140	386	418	362	2,110	Kansas.
Kentucky.....	1	284	162	103	74	74	72	47	47	354	479	439	286	2,553	Kentucky.
Louisiana.....	9	84	73	61	45	39	30	47	56	76	114	109	80	804	Louisiana.
Maine.....	7	35	22	20	24	24	24	33	30	29	46	59	59	425	Maine.
Maryland.....	8	254	181	168	108	107	79	83	96	159	302	347	311	2,195	Maryland.
Massachusetts.....	9	873	711	713	698	577	555	427	427	525	922	982	948	8,276	Massachusetts.
Michigan.....	9	645	533	561	457	494	401	408	345	455	707	813	722	6,531	Michigan.
Minnesota.....	9	324	288	253	247	262	188	221	226	271	442	490	370	5,551	Minnesota.
Mississippi.....	9	77	63	43	35	37	37	66	163	173	231	231	172	1,289	Mississippi.
Missouri.....	1	589	435	263	233	122	120	118	147	310	599	441	484	3,920	Missouri.
Montana.....	8	31	26	29	21	28	19	22	13	20	26	33	29	297	Montana.
Nebraska.....	5	61	56	49	47	33	35	32	36	104	194	155	110	902	Nebraska.
Nevada.....	4	2	1	1	1	1	1	2	2	2	2	2	1	112	Nevada.
New Hampshire.....	3	35	33	39	27	15	13	12	29	67	96	64	64	487	New Hampshire.
New Jersey.....	9	698	571	505	490	483	427	349	291	409	798	783	6461	New Jersey.	
New Mexico.....	3	84	73	61	67	105	61	77	57	79	116	122	136	1,085	New Mexico.
New York.....	9	2,165	1,867	1,916	1,668	2,076	1,992	1,306	1,010	1,103	1,887	2,053	2,044	21,166	New York.
North Carolina.....	5	202	106	102	88	71	53	65	232	680	876	707	323	3,485	North Carolina.
North Dakota.....	6	38	37	42	29	22	38	31	43	60	73	512	512	512	North Dakota.
Ohio.....	9	751	619	581	463	421	347	347	347	746	1,330	1,387	1,387	8,319	Ohio.

Cases of diphtheria reported, 1923.

State.	January	February	March	April	May	June	July	August	September	October	November	December	Total.	State.	
Alabama.....	108	71	76	55	67	54	153	259	322	282	135	1,560	Alabama.		
Arizona.....	13	8	11	20	17	9	14	14	19	19	26	173	Arizona.		
Arkansas.....	68	24	11	14	9	8	18	21	39	105	71	495	Arkansas.		
California.....	916	654	626	730	579	517	633	633	1,066	1,233	216	9,519	California.		
Colorado.....	347	269	166	203	216	169	159	145	193	256	248	2,560	Colorado.		
Connecticut.....	269	191	259	173	225	136	127	124	115	203	284	305	2,426	Connecticut.	
Delaware.....	21	14	10	6	19	16	5	8	10	11	34	20	183	Delaware.	
District of Columbia.....	120	42	47	45	27	19	11	14	26	74	77	62	564	District of Columbia.	
Florida.....	66	44	34	23	26	19	26	50	54	83	111	81	611	Florida.	
Georgia.....	68	92	45	63	15	63	46	63	101	301	158	83	1,086	Georgia.	
Hawaii.....	19	18	14	16	11	13	24	8	11	20	15	17	196	Hawaii.	
Idaho.....	15	12	4	14	15	15	2	7	38	32	33	38	212	Idaho.	
Illinois.....	1,068	1,060	1,028	727	671	532	382	411	607	1,114	1,318	1,118	10,677	Illinois.	
Indiana.....	571	326	270	186	162	129	64	111	269	456	750	794	4,988	Indiana.	
Iowa.....	218	142	116	100	72	61	58	74	170	230	239	173	1,653	Iowa.	
Kansas.....	391	175	128	135	105	88	92	105	187	424	450	341	2,251	Kansas.	
Louisiana.....	150	131	104	51	54	44	60	102	89	162	166	148	1,451	Louisiana.	
Maine.....	46	30	32	13	19	32	23	33	33	63	62	81	454	Maine.	
Maryland.....	386	240	200	177	140	110	87	111	127	278	267	220	354	Maryland.	
Massachusetts.....	890	655	698	669	594	613	462	559	605	1,060	1,151	1,102	9,018	Massachusetts.	
Michigan.....	912	568	560	496	360	462	371	419	600	1,002	1,021	945	7,725	Michigan.	
Minnesota.....	461	286	218	163	247	214	204	240	465	759	521	4,430	Minnesota.		
Mississippi.....	99	81	80	30	60	187	346	417	290	1,138	1,766	1,388	4,766	Mississippi.	
Missouri.....	459	386	317	250	193	124	124	208	438	635	502	4,183	5,355	Missouri.	
Montana.....	62	39	53	43	25	12	11	32	35	49	56	39	456	Montana.	

Cases of diphtheria reported, 1923—Continued.

State.	January.	Febru-	March.	April.	May.	June.	July.	August.	Septem-	Octo-	Novem-	Decem-	Total.	State.	
		ary.							ber.	ber.	ber.	ber.			
Nebraska.....	131	94	78	54	34	41	28	33	66	149	133	989	989	Nebraska.	
Nevada.....	1	1		1			3	7				12		Nevada.	
New Hampshire.....	37	52	28	27	15	25	18		27	25	49	47	350		
New Jersey.....	902	594	610	450	397	349	283		361	569	607	684	6,001	New Jersey.	
New Mexico.....	210	174	115	111	79	83	84	81	67	68	64	36	1,101	New Mexico.	
New York.....	1,084	1,208	1,212	1,131	1,224	1,099	959	660	788	1,475	1,876	1,774	15,090	New York.	
North Carolina.....	1,261	1,155	150	132	78	144	311	817	1,320	851	971	370	4,871	North Carolina.	
North Dakota.....	57	66	90	20	22	26	10	51	40	55	146	132	716	North Dakota.	
Ohio.....	1,284	772	734	488	499	413	383	529	827	1,462	1,397	1,246	10,044	Ohio.	
Oklahoma.....	28	45	93	60	34	16	22	28	33	104	84	59	606	Oklahoma.	
Oregon.....	104	49	41	33	70	59	27	38	53	138	153	348	1,108	Oregon.	
Pennsylvania.....	1,355	1,327	1,064	939	835	707	786	1,132	1,907	2,164	2,016	15,883			
Porto Rico.....	11	20	15	7	10	25	12	15	27	10	49	262		Porto Rico.	
Rhode Island.....	79	81	66	56	56	45	42	48	46	94	91	104	816	Rhode Island.	
South Carolina.....	268	160	63	135	74	75	100	193	231	439	381	164	2,223	South Carolina.	
South Dakota.....	78	56	57	91	44	33	32	24	58	117	88	45	723	South Dakota.	
Tennessee.....	62	60	45	27	30	10	21	87	145	243	102	118	960	Tennessee.	
Texas.....	102	122	109	72	95	71	58	65	71	138	223	238	1,364	Texas.	
Utah.....	84	66	44	37	47	36	40	42	43	60	33	57	576	Utah.	
Vermont.....	23	20	23	9	21	16	17	9	27	43	30	27	265	Vermont.	
Virginia.....	505	310	227	162	151	93	113	201	565	930	796	533	4,646	Virginia.	
Washington.....	116	76	72	95	91	88	77	77	84	109	130	164	1,179	Washington.	
West Virginia.....	231	154	113	75	79	80	55	76	233	356	276	222	1,790	West Virginia.	
Wisconsin.....	490	289	266	211	169	286	211	288	719	707	588	4,400		Wisconsin.	
Wyoming.....	3	5	3	6	1	1	1	1	6	27	11	70	70		Wyoming.

Deaths registered as due to diphtheria, 1923.

State.	January.	Febru-	March.	April.	May.	June.	July.	August.	Septem-	Octo-	Novem-	Decem-	Total.	State.
		ary.							ber.	ber.	ber.	ber.		
Alabama.....	18	12	10	8	4	4	8		18	30	38	34	22	Alabama.
Arizona.....	3	3	3	2	4	4	1	1	4	7	2	5	5	Arizona.
Arkansas.....	19	7	7	4	4	6	4	4	4	12	21	21	23	Arkansas.
California.....	62	51	35	49	53	40	35	43	63	48	70	91	640	California.
Colorado.....	30	24	23	21	16	13	8	8	13	17	18	20	236	Colorado.

Connecticut.....	187	187
Delaware.....	5	5
District of Columbia.....	2	2
Florida.....	42	42
Georgia.....	36	36
Hawaii.....	2	2
Idaho.....	10	10
Illinois.....	7	7
Indiana.....	13	13
Iowa.....	10	10
Kansas.....	7	7
Kentucky.....	2	2
Louisiana.....	11	11
Maine.....	14	14
Maryland.....	148	148
Massachusetts.....	102	102
Michigan.....	94	94
Minnesota.....	89	89
Missouri.....	46	46
Montana.....	32	32
Nebraska.....	32	32
Nevada.....	38	38
New Jersey.....	12	12
New Mexico.....	12	12
New York.....	147	147
North Carolina.....	10	10
North Dakota.....	18	18
Ohio.....	15	15
Oklahoma.....	18	18
Oregon.....	11	11
Pennsylvania.....	143	143
Porto Rico.....	76	76
South Carolina.....	11	11
South Dakota.....	39	39
Tennessee.....	30	30
Texas.....	11	11
Utah.....	62	62
Vermont.....	4	4
Virginia.....	33	33
Washington.....	21	21
West Virginia.....	32	32
Wisconsin.....	37	37
Wyoming.....	10	10

Diphtheria—Cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1923; estimated expectancy and indicated annual rates based on the years 1914-1922.

	State.	Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	August.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.	Total.	State.
New Jersey---	3,378,963	9	6,461	2,111	6,081	2,97	1,161	3,12	261	.70	22,5	7.8	New Jersey.		
New Mexico	372,205	3	1,085	2,08	1,166	2,08	1,39	1,006	.09	67	New Mexico.				
New York	10,843,661	9	21,166	1,050	1,135	4,671	1,72	331	.12	6,7	New York.				
North Carolina	2,585,325	5	3,485	512	.79	716	1,07	57	.08	7.1	North Carolina.				
North Dakota	672,041	6								8.0	North Dakota.				
Ohio	6,117,122	9	8,519	1,52	10,044	1,64	683	.11	6.8	Ohio.					
Oklahoma	2,162,079	4	964	.48	606	.28	192	.09	31.7	Oklahoma.					
Oregon	823,270	9	345	.45	1,168	1,35	80	.10	7.2	Oregon.					
Pennsylvania	1,100,326	9	16,138	1,89	16,882	1,75	1,424	.16	9.0	Pennsylvania.					
Porto Rico	1,365,349	8	118	.09	202	.19	76	.06	28.6	Porto Rico.					
Rhode Island	626,672	8	1,016	1,71	816	1,30					Rhode Island.				
South Carolina	1,744,408	9	1,931	1,16	2,223	1,27					South Carolina.				
South Dakota	655,532	7	305	1,48	723	1,10	39	.06	5.4	South Dakota.					
Tennessee	2,363,077	2	2,192	.92	960	.40	240	.10	25.0	Tennessee.					
Texas	4,939,630	6	1,679	.36	1,364	.28	189	.04	13.9	Texas.					
Utah	476,812	7	396	.90	576	1,21	52	.11	9.0	Utah.					
Vermont	1,362,428	9	324	.92	265	.75	38	.11	14.3	Vermont.					
Virginia	2,388,441	9	3,359	1,48	4,646	1,94	314	.13	6.8	Virginia.					
Washington	1,423,988	9	739	.56	1,179	.82	96	.07	8.1	Washington.					
West Virginia	1,551,166	6	1,967	1,83	1,790	1,16	237	.15	13.2	West Virginia.					
Wisconsin	2,739,574	9	2,527	.98	4,400	1,61	347	.13	7.9	Wisconsin.					
Wyoming	211,864	9	67	.36	70	.33	10	.05	14.3	Wyoming.					
	1,004	1,213													

Cases of gonorrhea reported, 1923.

1 Population Jan. 1, 1920.

Cases of gonorrhoea reported, 1923—Continued.

State.	January.	Febru-	March.	April.	May.	June.	July.	August.	Septem-	October.	Novem-	Decem-	Total.	State.	
		ary.							ber.	ber.	ber.	ber.	.		
Louisiana.....	232	196	231	234	259	271	268	354	272	241	233	261	3,042	Louisiana.	
Maine.....	64	50	45	37	67	68	86	78	81	52	52	52	52	Maine.	
Maryland.....	285	292	284	197	168	234	214	282	232	249	157	146	740	Maryland.	
Massachusetts.....	639	532	604	538	610	644	638	770	672	657	686	592	7,582	Massachusetts.	
Michigan.....	821	598	639	733	546	1,001	794	920	1,072	760	846	766	9,565	Michigan.	
Minnesota.....	654	378	513	464	514	484	860	966	1,042	1,017	673	523	484	6,765	Minnesota.
Mississippi.....	907	768	973	862	894	886	930	402	1,459	1,219	946	939	11,410	Mississippi.	
Missouri.....	481	278	336	361	417	390	402	370	1,427	237	336	4,494	Missouri.		
Montana.....	36	20	36	26	13	33	26	26	42	38	38	14	346	Montana.	
Nebraska.....	298	168	172	203	184	218	255	217	262	240	222	192	2,661	Nebraska.	
New Hampshire.....	26	11	12	26	28	21	16	26	44	13	19	23	265	New Hampshire.	
New Jersey.....	167	192	135	171	168	187	211	228	203	286	193	219	2,360	New Jersey.	
New Mexico.....	12	27	21	45	23	8	24	27	27	17	11	13	246	New Mexico.	
New York.....	1,368	908	810	746	896	941	1,540	1,206	953	886	948	766	11,567	New York.	
North Carolina.....	280	225	229	201	263	230	276	294	266	266	188	219	3,008	North Carolina.	
North Dakota.....	57	46	62	50	36	57	70	80	78	72	63	39	710	North Dakota.	
Ohio.....	300	364	395	397	350	409	346	433	413	283	307	4,093	Ohio.		
Oklahoma.....	146	129	89	75	33	72	302	363	185	192	214	228	2,660	Oklahoma.	
Oregon.....	137	144	164	143	171	121	226	183	166	178	143	180	1,966	Oregon.	
Pennsylvania.....	250	192	204	170	162	151	206	224	186	221	154	180	2,323	Pennsylvania.	
Rhode Island.....	45	31	57	43	39	29	48	50	74	83	48	55	602	Rhode Island.	
South Carolina.....	247	107	195	142	169	151	173	170	185	137	144	123	1,943	South Carolina.	
South Dakota.....	30	39	22	30	57	36	69	63	50	54	54	29	568	South Dakota.	
Tennessee.....	174	237	202	150	184	224	207	221	222	206	216	127	2,430	Tennessee.	
Texas.....	751	1,064	1,093	1,115	836	828	635	945	940	497	1,190	735	10,620	Texas.	
Utah.....	50	30	11	11	18	18	37	36	44	44	44	1,80	26	Utah.	
Vermont.....	16	20	121	125	160	104	139	118	120	135	128	128	297	Vermont.	
Virginia.....	160	265	69	66	52	61	65	58	85	59	59	59	1,025	Virginia.	
Washington.....	105	59	217	190	168	156	217	184	160	97	236	185	2,885	Washington.	
West Virginia.....	270	217	190	168	156	138	184	160	160	165	185	185	2,323	West Virginia.	
Wisconsin.....	192	158	138	184	159	185	241	224	249	241	227	162	2,360	Wisconsin.	
Wyoming.....	3	8	4	6	3	2	1	1	1	1	1	6	1,33	Wyoming.	

1 Data not available for the full year.

Gonorrhea—Cases reported and indicated morbidity rates, 1923.

State.	Estimated population, July 1, 1923.	Total cases reported.	Cases per 1,000 inhabitants.	State.	Estimated population, July 1, 1923.	Total cases reported.	Cases per 1,000 inhabitants.	State.	Estimated population, July 1, 1923.	Total cases reported.	Cases per 1,000 inhabitants.
Alabama.....	2,423,912	5,203	2.15	Louisiana.....	1,849,746	3,042	1.64	North Dakota.....	672,041	710	1.06
Arkansas.....	330,960	175	.46	Maine.....	777,259	781	1.00	Ohio.....	6,117,122	4,038	.67
California.....	1,816,287	1,897	1.04	Maryland.....	1,505,205	2,740	1.82	Oklahoma.....	2,162,079	2,050	.94
Colorado.....	3,805,153	8,187	2.15	Massachusetts.....	4,027,545	7,582	1.88	Oregon.....	326,270	1,966	2.39
Connecticut.....	990,220	1,462	1.48	Michigan.....	3,977,521	9,565	2.40	Pennsylvania.....	8,100,326	2,323	.26
Delaware.....	1,476,483	679	.46	Minnesota.....	2,499,396	6,765	2.71	Rhode Island.....	626,672	602	.96
Florida.....	230,460	365	.18	Mississippi.....	1,790,618	11,410	6.37	South Carolina.....	1,744,408	1,943	1.11
Georgia.....	1,046,287	1,378	1.32	Missouri.....	3,443,971	4,484	1.30	South Dakota.....	1,655,532	598	.87
Idaho.....	2,989,198	4,257	1.42	Montana.....	611,190	346	.57	Tennessee.....	2,385,077	2,450	1.01
Illinois.....	470,179	258	.55	Nebraska.....	1,335,922	2,661	1.99	Texas.....	4,989,680	10,629	2.15
Indiana.....	6,790,524	16,043	.236	New Hampshire.....	447,592	285	.59	Vermont.....	1,352,428	297	.84
Iowa.....	3,013,134	2,292	.76	New Jersey.....	3,378,963	2,360	.70	Virginia.....	2,388,441	1,625	.68
Kansas.....	2,488,643	2,324	.94	New Mexico.....	372,265	246	.66	Washington.....	1,433,986	885	.62
Kentucky.....	1,707,489	2,468	.82	New York.....	10,845,661	11,587	1.07	West Virginia.....	1,551,156	2,323	1.50
North Carolina.....	2,462,317	10,106	4.10	North Carolina.....	2,885,326	3,006	1.12	Wisconsin.....	2,739,574	2,860	.86

¹ Population Jan. 1, 1920.

Cases of influenza reported, 1923.

State.	January	February	March	April	May	June	July	August	September	October	November	December	Total	State.	
Alabama.....	5,608	2,155	1,790	1,238	347	113	52	34	43	88	296	328	12,112	Alabama.	
Arkansas.....	9,747	3,169	1,220	607	221	24	17	31	52	142	355	350	15,825	Arkansas.	
California.....	696	4,085	1,070	512	599	75	40	17	45	79	102	161	8,081	California.	
Connecticut.....	284	1,365	765	49	16	2	1	5	4	11	22	19	2,543	Connecticut.	
Delaware.....	210	91	29	2	4	4	3	3	3	3	2	2	341	Delaware.	
District of Columbia.....	229	80	55	18	6	2	1	4	5	1	3	7	410	District of Columbia.	
Florida.....	513	232	116	37	5	11	6	6	20	28	9	1,011	Florida.		
Georgia.....	3,426	1,703	1,373	339	102	24	19	5	13	25	31	50	7,140	Georgia.	
Hawaii.....	32	77	27	51	938	400	154	205	134	113	121	113	2,455	Hawaii.	
Illinois.....	1,032	3,371	1,735	566	110	14	28	11	43	104	130	100	7,386	Illinois.	
Indiana.....	132	888	731	65	19	2	8	18	30	18	22	121	2,054	Indiana.	
Kansas.....	1,236	3,385	385	20	5	1	9	1	1	7	7	24	5,088	Kansas.	
Louisiana.....	972	3,062	1,742	427	72	68	21	13	30	78	72	146	6,707	Louisiana.	
Maine.....	54	1,095	2,494	64	64	1	1	1	1	1	3	7	3,719	Maine.	
Maryland.....	4,020	10,900	2,684	412	78	30	7	20	11	48	122	112	18,453	Maryland.	
Massachusetts.....	61	1,162	486	70	22	11	3	11	13	15	23	30	2,966	Massachusetts.	
Minnesota.....	54	181	429	118	28	19	10	13	11	10	9	22	904	Minnesota.	
Mississippi.....	48,240	16,411	8,133	4,904	951	208	89	108	175	565	1,266	82,313	Mississippi.		
Missouri.....	3,184	3,294	2,904	1,156	163	13	4	4	21	19	37	40	10,329	Missouri.	
Montana.....	20	237	23	35	30	30	4	4	4	5	3	3	361	Montana.	
Nebraska.....	193	532	505	28	32	1	7	1	7	1	1	1	1,301	Nebraska.	
Nevada.....	4	14	231	6	5	1	1	1	1	1	1	1	3	Nevada.	
New Hampshire.....	480	1,926	677	158	55	3	7	15	28	42	55	73	3,519	New Hampshire.	
New Jersey.....	90	206	69	101	3	1	1	1	1	1	5	12	3,490	New Jersey.	
New Mexico.....	2,601	16,363	6,343	765	188	65	27	37	63	87	174	283	27,136	New Mexico.	
New York.....	2,707	2,946	546	98	30	5	4	6	7	8	49	48	6,454	New York.	
Ohio.....	1,473	1,877	181	2,682	154	30	13	2	37	40	40	44	6,454	Ohio.	
Oklahoma.....	39	181	106	17	2	2	1	1	1	1	1	3	3,349	Oklahoma.	
Oregon.....	1	2,408	7,821	183	7	1	1	1	1	12	46	3	10,486	Oregon.	
Puerto Rico.....	8	14	3	3	3	1	1	1	1	1	7	7	37	Puerto Rico.	
Rhode Island.....	4,044	473	586	31	2	1	1	1	55	21	187	206	45	Rhode Island.	
South Carolina.....	440	2,740	8,771	1,189	476	56	27	1	1	2	15	18	45	5,284	South Carolina.
Texas.....	212	613	3,815	404	120	17	1	1	2	15	17	17	5,325	Texas.	
Utah.....	21	12	1	1	1	1	1	1	1	1	1	1	1	Utah.	
Virginia.....	52,328	27,991	11,320	3,875	732	423	210	381	521	697	1,083	1,971	10,482	Virginia.	
West Virginia.....	6,410	3,261	942	255	75	17	18	13	23	32	39	123	10,208	West Virginia.	
Wisconsin.....	568	4,558	4,367	684	195	37	26	16	20	47	73	100	10,880	Wisconsin.	
Wyoming.....	109	55	25	1	1	1	1	1	1	1	8	14	216	Wyoming.	

Deaths registered as due to influenza, 1923.

State.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	State.
Alabama.....	631	200	163	123	47	16	11	11	12	18	44	45	1,211	Alabama.
Arizona.....	27	38	19	12	4	2	3	22	3	5	2	4	141	Arizona.
Arkansas.....	276	299	294	172	76	95	12	21	9	16	21	60	1,351	Arkansas.
California.....	72	217	226	128	40	22	20	11	11	21	26	65	859	California.
Colorado.....	43	112	155	69	33	10	7	3	8	6	8	24	473	Colorado.
Connecticut.....	77	156	170	57	24	4	6	6	4	9	28	21	561	Connecticut.
Delaware.....	33	19	15	42	6	5	1	1	2	1	1	2	81	Delaware.
District of Columbia.....	46	50	56	16	8	4	1	1	2	3	4	8	13	District of Columbia.
Florida.....	39	56	56	204	10	3	5	2	3	16	29	55	67	Florida.
Georgia.....	646	214	220	188	27	20	14	16	16	29	55	67	1,497	Georgia.
Hawaii.....	6	6	5	7	11	13	12	9	8	6	6	9	98	Hawaii.
Idaho.....	4	5	6	20	7	8	8	1	2	1	2	1	64	Idaho.
Illinois.....	313	823	666	324	117	37	21	28	24	34	63	106	556	Illinois.
Indiana.....	203	537	448	183	93	27	26	28	16	33	48	64	1,700	Indiana.
Iowa.....	107	328	473	188	68	49	26	18	10	28	27	23	1,946	Iowa.
Kansas.....	106	401	450	133	38	10	10	3	7	6	16	34	1,214	Kansas.
Kentucky.....	697	518	370	160	68	13	20	9	16	23	42	65	1,981	Kentucky.
Louisiana.....	63	237	211	116	19	12	9	4	5	21	37	28	782	Louisiana.
Maine.....	81	148	149	41	24	9	5	7	5	5	6	5	446	Maine.
Maryland.....	136	239	207	74	29	11	3	7	8	7	14	10	507	Maryland.
Massachusetts.....	153	311	155	73	28	15	18	15	15	13	32	35	766	Massachusetts.
Michigan.....	592	124	228	106	20	19	8	9	6	9	19	19	1,300	Michigan.
Minnesota.....	273	901	796	335	149	61	38	33	43	50	69	71	969	Minnesota.
Missouri.....	18	29	39	11	7	3	1	4	6	6	6	2	120	Missouri.
Montana.....	59	207	150	90	19	12	3	3	6	8	5	9	541	Montana.
Nebraska.....	105	254	212	69	24	13	7	9	17	14	32	32	756	Nebraska.
New Jersey.....	102	252	219	105	8	2	1	2	3	2	3	1	129	New Jersey.
New Mexico.....	264	934	757	224	110	42	20	14	31	37	70	74	2,577	New Mexico.
New York.....	834	312	255	130	63	30	10	4	9	20	34	57	1,748	New York.
North Carolina.....	8	10	34	14	1	3	1	4	9	20	1	3	3	North Carolina.
North Dakota.....	405	865	631	286	102	45	23	16	18	24	37	60	75	North Dakota.
Ohio.....	18	468	384	153	38	19	15	8	6	6	19	33	2,550	Ohio.
Oklahoma.....	18	468	384	153	38	19	15	8	6	6	19	33	1,078	Oklahoma.
Oregon.....	40	40	40	40	40	40	40	40	40	40	40	40	241	Oregon.

Deaths registered as due to influenza, 1923—Continued.

State.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	State.
Pennsylvania.....	695	1,446	1,164	518	222	102	59	41	69	88	101	149	4,657	Pennsylvania.
Porto Rico.....	11	8	109	336	127	25	11	2	4	6	3	7	649	Porto Rico.
South Carolina.....	116	49	50	32	23	5	6	4	2	5	8	15	315	South Carolina.
South Dakota.....	10	20	74	50	21	10	4	2	5	4	2	32	248	South Dakota.
Tennessee.....	954	547	375	274	91	54	29	19	17	40	69	87	2,556	Tennessee.
Texas.....	161	275	376	140	42	—	10	48	3	12	16	26	1,100	Texas.
Utah.....	17	18	32	11	6	—	1	2	2	2	6	7	122	Utah.
Vermont.....	31	78	95	34	12	12	5	4	6	3	9	8	297	Vermont.
Virginia.....	773	496	382	177	57	21	9	12	16	23	35	55	2,056	Virginia.
Washington.....	17	39	76	59	20	4	6	3	4	14	14	14	279	Washington.
West Virginia.....	121	151	112	53	16	11	7	3	3	4	10	21	505	West Virginia.
Wisconsin.....	72	327	329	136	76	23	14	11	10	13	24	29	1,064	Wisconsin.
Wyoming.....	3	6	7	6	3	1	—	—	1	1	1	1	23	Wyoming.

Influenza—Cases reported, deaths registered, indicated morbidity and mortality rates, and number of cases reported for each death registered, 1923.

State.	Estimated population, July 1, 1923.	Cases reported, 1923.	Cases per 1,000 inhabitants.	Deaths registered, 1923.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.	State.
Alabama.....	2,423,912	12,112	5.00	1,211	0.50	10.0	Alabama.
Alaska.....	1,531,036	344	6.25	—	—	—	Alaska.
Arizona.....	380,960	—	—	141	.37	—	Arizona.
Arkansas.....	1,816,287	15,825	8.71	1,351	.74	11.7	Arkansas.
California.....	3,905,133	8,081	2.12	859	.23	9.4	California.
Colorado.....	990,320	—	—	478	.48	—	Colorado.
Connecticut.....	1,476,483	2,543	1.72	561	.38	4.5	Connecticut.
Delaware.....	230,460	341	1.48	81	.35	4.2	Delaware.
District of Columbia.....	1,437,571	410	.94	159	.36	2.6	District of Columbia.
Florida.....	1,046,287	1,011	.97	235	.22	4.3	Florida.
Georgia.....	2,998,196	7,140	2.38	1,497	.50	4.8	Georgia.
Hawaii.....	278,984	2,455	8.80	98	.35	25.1	Hawaii.
Idaho.....	476,170	—	—	64	.14	—	Idaho.
Illinois.....	6,780,534	7,386	1.08	2,556	.38	2.9	Illinois.
Indiana.....	3,013,134	2,054	.68	1,700	1.2	—	Indiana.

Iowa.....	0.55	1,346	1,214	.68	4.2
Kansas.....			1,981	.50	4.8
Kentucky.....			732	.42	8.6
Louisiana.....			446	.57	8.3
Maine.....					
Maryland.....			507	.34	36.4
Massachusetts.....			766	.19	3.2
Michigan.....			1,309	.33	
Minnesota.....			609	.24	1.5
Mississippi.....			1,350	.73	50.2
Missouri.....			2,523	.73	4.3
Montana.....			120	.20	3.0
Nebraska.....			541	.41	2.4
Nevada.....			8	.10	31.2
New Hampshire.....					
New Jersey.....			756	.22	4.7
New Mexico.....			129	.35	3.9
New York.....			2,577	.24	10.5
North Carolina.....			2,50	.65	North Carolina.
North Dakota.....			1,748	.11	North Dakota.
Ohio.....			75		
Oklahoma.....					
Oregon.....			2,550	.42	2.5
Pennsylvania.....			1,079	.42	6.0
Puerto Rico.....			241	.29	Oklahoma.
Rhode Island.....			4,657	.51	Oregon.
South Carolina.....			649	.48	Pennsylvania.
South Dakota.....					Porto Rico.
Tennessee.....					
Texas.....					Rhode Island.
Utah.....					South Carolina.
Vermont.....					South Dakota.
Virginia.....					Tennessee.
Washington.....					
West Virginia.....			315	.18	
Wisconsin.....			243	.37	
Wyoming.....			2,556	1.07	
			315	.19	
			505	.33	
			1,064	.39	
			216	.13	
					West Virginia.
					Wisconsin.
					Wyoming.

Cases of malaria reported, 1923.

State.	January	Febru-	March.	April.	May.	June.	July.	August.	Septem-	October.	Novem-	Decem-	Total.	State.
		ary.							ber.		ber.	ber.		
Alabama.....	66	61	191	242	486	611	1,642	1,440	1,104	392	129	6,850		
Arkansas.....	127	60	119	331	367	1,033	1,324	1,050	841	362	161	5,980		
California.....	8	6	14	17	9	21	26	28	37	11	12	106		
Connecticut.....				2	10	12	9	8	5	1		47		
Delaware.....		1		4	5	5	4	7	4	6	2	38		
Florida.....	39	33	31	38	62	80	93	150	170	187	98	44		
Georgia.....	25	20	30	83	81	97	211	285	244	78	29	1,476		
Illinois.....	3	3	26	6	4	5	11	14	10	2	4	91		
Kansas.....	1	1	4	2	1	1	1	15	2	1	1	29		
Louisiana.....	39	34	29	52	62	131	161	130	164	184	60	1,145		
Maryland.....	3	1	1	9	21	14	46	32	29	28	3	190		
Massachusetts.....		1	1	5	2	2	3	3	2	2	1	1	23	
Michigan.....				1	1				4			9	2	
Minnesota.....												2	222	
Mississippi.....	2,065	3,344	3,280	5,073	6,104	8,530	13,287	17,141	16,338	10,516	5,539	8,327		
Nebraska.....												1	1	
New Jersey.....	1		2			5	17	19	9	4	2		64	
New Mexico.....												1		
New York.....	3	5	1	10	17	12	26	45	7	6	1	187		
Ohio.....									27	17	18	3		
Oklahoma.....		94	282	2	1	12	10	10	5	3	1	1	22	
Oregon.....									16	8	61	1	475	
Pennsylvania.....									1	2			1	
Rhode Island.....									1	4	3	1	17	
South Carolina.....												2	163	
Texas.....	954	925	918	1,585	1,800	2,12	17	32	44	30	6	22,193		
Virginia.....	118	83	141	231	333	2,285	3,381	3,028	3,478	2,666	2,230	1,500	1,033	
									610	524	402	186	3,610	

Deaths registered as due to malaria, 1923.

State.	January.	Febr.-ary.	March.	April.	May.	June.	July.	August.	Septem-ber.	October.	Novem-ber.	Decem-ber.	Total.	State.
Alabama.....	3	3	6	5	7	11	39	38	68	48	24	16	257	Alabama.
Arizona.....	19	13	22	23	30	67	50	122	116	113	78	103	1	Arizona.
California.....	2			4	1	4	4	3	6	4	3	5	76	California.
Connecticut.....									1			1	32	Connecticut.
Florida.....	6	4	16	11	13	15	27	42	46	69	30	16	233	Florida.
Georgia.....	14	10	23	22	38	64	73	75	85	46	22	4	485	Georgia.
Illinois.....	11	4	5	8	4	12	8	10	4	4	1	1	79	Illinois.
Indiana.....	1		2	3	2	1	3	3	3	2	1	1	19	Indiana.
Iowa.....									1	1		2	2	Iowa.
Kansas.....									1	3			4	Kansas.
Kentucky.....	2		2	4	2	6	8	.7	6	6	3		48	Kentucky.
Louisiana.....	19	13	15	14	21	48	50	40	41	26	9	9	308	Louisiana.
Maryland.....	1			1	3	1			2				4	Maryland.
Massachusetts.....													5	Massachusetts.
Michigan.....										1			2	Michigan.
Minnesota.....									1				1	Minnesota.
Missouri.....	2	2	8	6	6	21	18	24	20	22	10	6	148	Missouri.
Nebraska.....										1			1	Nebraska.
New Jersey.....									1				1	New Jersey.
New York.....	1	1	1	7	8	13	19	1	1	16	18	2	7	New York.
North Carolina.....	2	7	5	7	7	1	1	29	24				153	North Carolina.
Ohio.....					3	7	7	12	13	15	7	6	4	Ohio.
Oklahoma.....	4	1		1			1		2	3	1		90	Oklahoma.
Pennsylvania.....	1												9	Pennsylvania.
Porto Rico.....	90	74	72	83	51	60	71	73	92	81	66	94	897	Porto Rico.
South Carolina.....			2		5	7	19	21	20	11	10	8	103	South Carolina.
South Dakota.....									1				1	South Dakota.
Tennessee.....	1	6	8	12	13	11	24	32	45	36	21	8	237	Tennessee.
Texas.....	6	2	2	8	10	20	32	38	12	18	7	6	160	Texas.
Vermont.....		1	1	2	2	4	8	10	6	1		1	47	Vermont.
Virginia.....									1	1			2	Virginia.
Washington.....													2	Washington.
West Virginia.....													2	West Virginia.
Wisconsin.....													1	Wisconsin.

Malaria—Cases reported, deaths registered, indicated morbidity and mortality rates, and number of cases reported for each death registered, 1923.

State.	Estimated population, July 1, 1923.	Cases reported, 1923.	Cases per 1,000 inhabitants.	Deaths registered, 1923.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.	State.
Alabama.....	2,423,912	6,850	2.83	237	.11	26.7	Alabama.
Arizona.....	380,960	5,980	3.20	756	.00	7.9	Arizona.
Kansas.....	1,816,287	5,980	3.20	32	.42	7.9	Arkansas.
California.....	3,805,153	1,98	.05	32	.01	6.1	California.
Connecticut.....	1,476,483	47	.03	0	.00	23.5	Connecticut.
Delaware.....	230,460	38	.16	0	—	—	Delaware.
Florida.....	1,046,287	1,043	1.00	283	.28	3.6	Florida.
Georgia.....	2,986,186	1,476	.49	485	.16	3.0	Georgia.
Illinois.....	6,790,524	91	.01	70	.01	1.2	Illinois.
Indiana.....	3,013,134	—	—	19	.01	—	Indiana.
Iowa.....	2,468,043	—	—	2	—	—	Iowa.
Kansas.....	1,797,389	29	.02	4	.00	7.2	Kansas.
Kentucky.....	2,442,317	—	—	48	.02	—	Kentucky.
Louisiana.....	1,849,746	1,145	.62	308	.17	3.7	Louisiana.
Maryland.....	1,505,295	190	.13	4	.00	47.5	Maryland.
Massachusetts.....	4,027,546	23	.01	5	.00	4.6	Massachusetts.
Michigan.....	3,977,821	9	.00	2	.00	4.5	Michigan.
Minnesota.....	2,459,396	2	.00	1	.00	2.0	Minnesota.
Mississippi.....	1,790,518	95,222	.53	581	.32	163.9	Mississippi.
Missouri.....	3,443,971	—	—	148	.04	—	Missouri.
Nebraska.....	1,332,922	—	—	1	.00	—	Nebraska.
New Jersey.....	3,378,963	64	.02	2	.00	32.0	New Jersey.
New Mexico.....	372,265	15	.04	—	—	—	New Mexico.
New York.....	10,843,661	187	.02	7	.00	26.7	New York.
North Carolina.....	2,686,325	—	—	153	.06	—	North Carolina.
Ohio.....	6,117,122	22	.00	4	.00	5.5	Ohio.
Oklahoma.....	2,162,079	475	.22	90	.04	5.3	Oklahoma.
Oregon.....	823,270	1	.00	0	—	—	Oregon.
Pennsylvania.....	9,100,328	17	.00	9	.00	1.9	Pennsylvania.
Porto Rico.....	1,366,349	—	—	897	.66	—	Porto Rico.
Rhode Island.....	626,672	2	.00	—	—	—	Rhode Island.
South Carolina.....	1,744,408	163	.09	103	.06	1.6	South Carolina.
Tennessee.....	655,532	—	—	1	.00	—	Tennessee.
Texas.....	2,395,077	—	—	237	.10	—	Texas.
Vermont.....	4,980,830	22,1C3	4.49	160	.03	138.7	Texas.
Virginia.....	1,362,428	—	—	2	.01	—	Vermont.
West Virginia.....	2,398,441	3,610	1.51	47	.02	76.8	West Virginia.
Wisconsin.....	1,432,988	—	—	2	.00	—	Wisconsin.
	2,739,574	—	—	1	.00	—	Wisconsin.

Measles—Monthly estimated expectancy based on data which are available for the years 1914 to 1922, inclusive.

State.	Number of years included.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	State.			
															8			
Alabama.....	6	20	81	166	154	113	56	30	7	15	635	11	494	307	635	Alabama.		
California.....	9	1,006	2,394	2,263	1,390	1,572	1,003	266	106	198	773	6	303	390	333	California.		
Connecticut.....	9	571	671	830	930	932	724	296	89	50	330	6	330	294	330	Connecticut.		
Florida.....	5	34	90	117	106	88	35	10	6	3	14	10	17	10	17	Florida.		
Hawaii.....	5	23	37	46	25	21	23	21	13	10	11	10	17	10	17	Hawaii.		
Illinois.....	7	2,016	1,400	2,167	4,717	4,854	2,744	820	181	110	389	598	20	166	20	166	Illinois.	
Indiana.....	5	349	635	703	829	673	491	176	50	41	194	451	4	827	451	451	Indiana.	
Kansas.....	9	325	588	960	1,770	1,472	1,07	26	26	26	62	120	5	908	120	120	Kansas.	
Kentucky.....	1	533	497	331	335	229	246	221	61	169	35	321	3	707	321	321	Kentucky.	
Maryland.....	8	678	698	1,160	1,627	1,715	1,046	362	79	65	78	205	8	637	444	444	Maryland.	
Massachusetts.....	9	1,866	2,061	2,836	3,603	4,234	3,663	1,347	338	201	400	891	1	148	22	388	Massachusetts.	
Michigan.....	9	554	728	1,542	1,467	1,792	862	291	90	60	109	174	1	320	6	305	Michigan.	
Minnesota.....	9	180	235	475	686	686	696	707	233	46	25	189	3	494	189	189	Minnesota.	
Mississippi.....	9	390	560	527	527	476	234	137	67	74	67	166	1	622	142	142	Mississippi.	
Missouri.....	1	23	25	22	66	125	230	74	35	6	9	11	12	12	638	638	Missouri.	
Nebraska.....	5	74	233	285	290	282	87	25	9	13	16	11	1	382	17	382	Nebraska.	
New Hampshire.....	3	227	287	307	346	408	354	178	21	6	8	48	1	211	25	211	New Hampshire.	
New York.....	9	4,306	5,835	7,902	10,361	11,702	7,639	3,612	446	653	1,057	1,832	56	478	56	478	New York.	
North Carolina.....	5	346	529	1,269	1,269	945	605	210	77	75	85	81	1	690	162	690	North Carolina.	
North Dakota.....	6	80	55	123	123	75	101	46	27	13	6	10	12	28	675	675	North Dakota.	
Ohio.....	9	1,172	1,754	2,268	3,265	3,610	2,654	765	234	122	261	543	571	17	252	571	571	Ohio.
Oklahoma.....	4	103	139	139	198	74	36	14	2	1	7	14	17	17	584	584	Oklahoma.	
Oregon.....	9	61	67	108	327	284	147	35	19	18	28	41	1	171	41	171	Oregon.	
Pennsylvania.....	9	3,050	4,432	5,670	5,800	6,212	5,103	2,614	833	576	1,195	1,671	2	857	39	813	Pennsylvania.	
Porto Rico.....	5	112	181	103	95	70	62	9	14	13	82	36	139	139	916	916	Porto Rico.	
Rhode Island.....	8	51	67	129	268	251	118	69	14	6	15	23	34	1,045	34	1,045	Rhode Island.	
South Carolina.....	9	177	156	121	56	90	23	139	88	17	13	6	10	15	726	726	South Carolina.	
South Dakota.....	7	80	92	96	160	129	121	234	213	208	114	34	31	16	725	725	South Dakota.	
Vermont.....	9	69	115	115	234	487	2,032	1,633	858	335	118	94	99	208	320	12	085	Vermont.
Virginia.....	8	1,557	2,344	4,387	2,487	2,487	2,487	2,487	2,487	2,487	2,487	2,487	2,487	2,487	2,487	2,487	2,487	Virginia.
Washington.....	9	334	465	601	426	345	359	145	37	19	19	32	103	2,885	37	2,885	Washington.	
West Virginia.....	6	126	255	344	558	285	148	59	40	14	26	159	1	941	159	159	West Virginia.	
Wisconsin.....	9	521	701	712	684	1,086	454	338	94	60	176	326	5	400	326	326	Wisconsin.	
Wyoming.....	9	57	84	103	63	96	69	63	11	3	6	11	7	502	3	502	Wyoming.	

Cases of measles reported, 1923.

State.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	State.	
Alabama.....	71	261	2,705	3,605	6,811	2,405	624	565	272	292	690	1,392	19,673	Alabama.	
Arizona.....		19	7	157	163	56	8	10	14	43	72	559	559	Arizona.	
Arkansas.....	120	254	561	791	1,479	637	328	118	76	208	360	1,913	4,913	Arkansas.	
California.....	737	1,779	2,866	4,331	6,165	3,712	1,617	923	1,217	1,187	1,497	2,881	6,860	6,860	Colorado.
Colorado.....	30	200	1,236	2,362	1,060	1,261	124	59	268	506	686	1,184	7,836	Georgia.	
Connecticut.....	2,068	1,575	1,327	1,002	1,035	536	288	114	28	241	572	886	9,660	Connecticut.	
Delaware.....	405	218	160	116	114	71	9	6	5	25	38	7	1,172	Delaware.	
District of Columbia.....	160	358	1,398	3,182	1,825	450	75	11	7	9	24	31	7,110	District of Columbia.	
Florida.....	15	30	1,183	246	625	403	111	47	88	165	320	622	2,904	Florida.	
Georgia.....	175	541	1,966	1,023	1,085	894	307	120	111	214	657	1,184	7,836	Georgia.	
Hawaii.....	362	265	288	98	43	27	11	9	13	9	12	31	1,163	Hawaii.	
Idaho.....		2	30	13	3	22	10	23	6	282	1,031	1,226	1,226	Idaho.	
Illinois.....	2,154	4,011	6,604	10,345	12,055	6,316	1,420	306	125	353	1,053	1,953	46,706	Illinois.	
Indiana.....	890	105	1,543	4,416	5,421	3,895	498	146	96	91	516	1,565	19,060	Indiana.	
Iowa.....	76	119	325	517	738	407	60	10	6	27	120	238	2,857	Iowa.	
Kansas.....	149	425	824	2,126	3,374	1,727	424	122	113	336	520	690	10,770	Kansas.	
Louisiana.....	177	60	50	49	349	631	150	32	22	214	840	645	3,055	Louisiana.	
Maine.....	223	433	620	833	900	302	148	128	94	117	204	4,289	4,289	Maine.	
Maryland.....	736	1,240	1,962	3,660	4,407	2,071	708	190	85	163	270	15,631	15,631	Maryland.	
Massachusetts.....	3,623	3,873	3,609	3,863	4,360	2,986	1,037	271	167	680	1,096	1,320	24,354	Massachusetts.	
Michigan.....	619	558	1,045	2,732	8,237	10,219	2,027	357	222	736	1,307	1,901	30,041	Michigan.	
Minnesota.....	687	1,591	2,117	3,263	3,951	1,308	2,049	80	349	826	951	7,785	15,759	Minnesota.	
Mississippi.....	2,303	3,614	4,983	5,654	5,996	1,659	904	407	250	285	641	1,880	25,276	Mississippi.	
Missouri.....	244	947	4,243	7,212	4,767	2,062	374	138	122	229	758	1,600	22,717	Missouri.	
Montana.....	38	20	22	78	117	101	49	24	153	305	672	936	2,836	Montana.	
Nebraska.....	38	45	94	172	126	61	35	14	35	77	310	873	1,970	Nebraska.	
Nevada.....	1	4	2	24	5	6	2	7	18	49	220	140	140	Nevada.	
New Hampshire.....	13	15	130	123	308	429	241	2	345	505	348	530	2,990	New Hampshire.	
New Jersey.....	5,731	4,646	3,862	3,901	4,488	2,453	653	118	97	434	638	789	27,789	New Jersey.	
New Mexico.....	6	31	215	168	141	154	45	28	22	66	146	52	1,056	New Mexico.	
North Carolina.....	3,701	4,383	6,280	7,823	13,668	12,251	4,965	1,164	633	1,701	3,332	4,894	64,625	New York.	
North Dakota.....	1,678	4,333	8,592	10,787	10,701	5,457	1,754	699	510	1,907	4,797	5,086	5,086	North Dakota.	
Oklahoma.....	4,41	5,275	7,801	10,142	236	161	144	97	67	262	465	632	47,723	Oklahoma.	
Oklahoma.....	6,456	5,275	7,801	10,884	11,026	4,424	982	294	100	300	469	903	2,605	Oklahoma.	
Oklahoma.....	5,677	1,23	1,077	1,395	1,291	215	45	52	5	48	20	95	3,966	Oklahoma.	

Oregon.....	24	31	9	17,667	14,038	11,819	13	28	14	47	415	1,617	3,125	5,355
Pennsylvania.....	20,620	20,943	33	1,315 ⁴	675 ²	509 ¹	28	6,261	1,015	400	1,057	1,832	2,600	96,281
Porto Rico.....	822	939	40	169	92	386	13	177	63	40	9	20	77	57
Rhode Island.....	80	40	145	97	87	406	145	145	62	40	33	33	166	4,692
South Carolina.....	62	73	233	884	2,594	1,842	509	459	160	70	45	258	332	833
South Dakota.....	197	233	457	884	408	273	386	386	103	45	21	90	368	1,088
Tennessee.....	145	52	134	97	63	116	130	130	107	64	27	26	66	4,207
Texas.....	128	52	291	291	1,257	981	526	526	160	214	395	626	777	786
Utah.....	1,589	3,161	1,18	6,928	12,565	10,834	5,643	2,198	895	527	841	1,974	5,588	47,943
Virginia.....	544	1,054	5,715	1,383	2,489	2,765	2,089	352	117	61	52	388	1,721	6,344
Washington.....	544	1,054	2	4,115	4,861	6,449	4,096	1,380	283	140	71	41	45	10,888
West Virginia.....	5,000	6	53	90	95	47	97	41	23	163	206	183	34,121	1,388
Wisconsin.....	5,715	2	6	53	53	53	53	53	53	53	53	53	1,296	453
Wyoming.....														

Deaths registered as due to measles, 1923.

State.	Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	August.	Septem- ber.	Octo- ber.	Novem- ber.	Decem- ber.	Total.	State.	
Alabama.....	3	9	14	40	59	68	42	12	10	9	8	28	302	Alabama.	
Arizona.....	2	6	10	20	25	53	2	11	5	2	6	28	18	Arizona.	
Arkansas.....	6	14	27	47	42	52	15	21	7	10	10	16	189	Arkansas.	
California.....	2	6	6	30	17	2	2	7	4	4	4	15	300	California.	
Colorado.....	25	20	34	28	18	6	2	4	4	4	10	8	159	Colorado.	
Connecticut.....	11	15	11	11	4	6	1	1	1	1	1	1	53	Connecticut.	
District of Columbia.....	1	12	10	4	11	4	3	4	6	6	15	17	34	District of Columbia.	
Florida.....	1	4	4	18	57	73	50	25	15	17	18	53	74	Florida.	
Georgia.....	6	10	18	57	57	73	50	25	15	17	18	53	346	Georgia.	
Hawaii.....	8	15	18	6	4	6	5	5	12	8	10	3	12	62	Hawaii.
Illinois.....	19	25	73	117	154	92	32	10	4	2	1	7	557	Illinois.	
Indiana.....	8	18	24	46	76	53	10	4	2	1	1	9	248	Indiana.	
Iowa.....	3	11	16	12	19	10	2	1	1	1	10	32	119	Iowa.	
Kansas.....	6	6	6	16	21	8	10	1	1	2	2	2	72	Kansas.	
Kentucky.....	46	48	46	59	46	30	34	17	9	6	12	13	366	Kentucky.	
Louisiana.....	1	2	3	5	6	19	36	14	3	7	9	15	117	Louisiana.	
Maine.....	3	1	8	8	7	6	5	5	2	2	2	5	59	Maine.	
Maryland.....	5	11	17	26	44	19	10	6	3	1	1	1	143	Maryland.	
Massachusetts.....	68	74	54	40	31	18	17	6	2	1	4	6	320	Massachusetts.	

Deaths registered as due to measles, 1923—Continued.

State.	Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	August.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.	Total.	State.
Michigan.	6	12	0	21	54	68	31	5	9	16	11	16	253	Michigan.
Minnesota.	6	15	20	43	78	52	19	8	7	0	14	14	282	Minnesota.
Missouri.	9	20	76	74	40	22	5	6	12	8	8	26	307	Missouri.
Montana.	2	1	3	3	3	1	1	1	1	1	1	8	18	Montana.
Nebraska.	1	3	4	11	4	5	1	1	4	3	4	4	40	Nebraska.
Nevada.	1	55	39	51	23	16	2	6	6	11	14	1	1	Nevada.
New Jersey.	57	75	55	8	6	9	4	2	6	6	1	1	356	New Jersey.
New Mexico.	37	39	54	89	135	104	66	27	7	9	34	1	1	New Mexico.
New York.	12	34	86	93	111	89	31	10	4	4	11	27	659	New York.
North Carolina.	2	74	76	105	143	73	40	13	6	6	7	2	587	North Carolina.
North Dakota.	43	5	7	16	16	15	15	2	1	1	3	6	86	North Dakota.
Ohio.	1	281	292	206	177	90	42	9	8	13	23	19	20	Oklahoma.
Oklahoma.	1	1	3	7	10	5	2	1	1	1	6	6	19	Oklahoma.
Oregon.	10	35	73	95	106	45	47	16	16	11	27	19	500	Oregon.
Pennsylvania.	383	1	1	3	2	1	2	1	2	2	1	1	35	Pennsylvania.
Porto Rico.	1	1	1	3	7	10	5	2	5	1	1	1	17	Porto Rico.
South Carolina.	1	1	6	3	1	3	2	1	1	2	1	1	6	South Carolina.
South Dakota.	10	3	3	1	1	3	2	1	1	1	1	1	9	South Dakota.
Tennessee.	3	3	15	9	6	6	1	1	1	1	1	1	19	Tennessee.
Texas.	3	3	1	2	10	2	1	1	1	1	1	1	4	Texas.
Utah.	15	31	75	110	99	74	44	30	9	12	15	16	48	Utah.
Vermont.	2	1	1	2	10	2	1	1	1	1	1	1	4	Vermont.
Virginia.	9	37	48	1	1	3	2	1	1	1	3	12	33	Virginia.
Washington.	23	30	34	70	61	55	30	14	19	10	8	9	370	Washington.
West Virginia.	1	1	2	27	28	27	13	3	3	5	5	13	268	West Virginia.
Wisconsin.												1	19	Wyoming.

Measles—Cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1923; estimated expectancy and indicated annual rates based on the years 1914-1922.

State.	Estimated population July 1, 1923	Estimated expectancy.			1923			State.
		Number of years.	Cases.	Cases per 1,000 inhabitants.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	
Alabama.....	2,423,912	6	685	0.28	19,673	8.12	302	0.12
Alaska.....	1,55,036				.2	.04		
Arizona.....	380,960				559	1.47	18	.05
Arkansas.....	1,816,287				4,913	2.70	189	.10
California.....	3,805,153	9	11,773	3.61	26,881	7.08	300	.08
Colorado.....	990,320							
Connecticut.....	1,476,483	9	6,939	4.43	9,660	6.54	80	.08
District of Columbia.....	230,460				1,172	5.09	159	.11
Florida.....	1,437,571				7,510	17.16	53	.23
Georgia.....	1,046,287	5	524	.53	2,904	2.78	34	.08
Hawaii.....	2,069,196							
Idaho.....	278,984	5	257	1.04	7,836	2.01	346	.12
Illinois.....	470,170				1,163	4.17	62	.22
Indiana.....	6,790,524	7	20,165	3.13	1,426	3.03		
Iowa.....	3,013,134	5	4,827	1.67	46,705	6.88		
Kansas.....	2,418,643				19,080	6.33	557	.05
Kentucky.....	1,797,489	9	5,998	3.41			298	.06
Louisiana.....	2,462,317	1	3,707	1.51	10,779	6.00	119	.05
Maine.....	1,848,746				5,701	2.34	72	.04
Maryland.....	777,250				3,063	1.66	366	.15
Massachusetts.....	1,505,295	8	8,087	5.57	15,531	10.32	143	.10
Michigan.....	4,027,545	9	22,588	5.98	26,854	6.67	320	.08
Minnesota.....	3,977,321	9	8,005	2.26	30,041	7.55	258	.06
Mississippi.....	2,490,391	9	3,494	1.49	15,759	6.31	232	.11
Missouri.....	1,780,618	9	3,422	1.91	25,276	14.12	233	.13
Montana.....	3,443,971	1	638	.19	22,717	6.60	307	.09
Nevada.....	611,199				2,535	4.15	18	.03
New Hampshire.....	1,333,922	5	1,332	1.06	1,870	1.40	40	.03
New Mexico.....	1,777,407				140	1.81	1	.01
North Dakota.....	447,592	3	2,117	4.76	2,990	6.68		
Ohio.....								
Oklahoma.....								
Oregon.....								
Pennsylvania.....								
Rhode Island.....								
Tennessee.....								
Vermont.....								
Virginia.....								
Washington.....								
West Virginia.....								
Wisconsin.....								
Wyoming.....								

Measles—Cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1923; estimated expectancy and indicated annual rates based on the years 1914-1922—Continued.

State.	Estimated population July 1, 1923.	Estimated expectancy.			1923.			State.
		Number of years.	Cases.	Cases per 1,000 inhabitants.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	
New Jersey.	3,378,963	3,372,265	9	56,776	17.789	8.22	355	0.11
New Mexico.	10,943,661	10,943,661	5	5,54	1,056	2.84	38	3.6
New York.	2,686,325	6,712,041	6	6,380	64,623	5.98	656	.06
North Carolina.	6,117,122	9	575	2.17	52,008	19.38	512	1.0
North Dakota.	2,162,079	4	554	.88	2,605	3.88	18	.03
Ohio.	823,270	9	1,171	1.53	47,723	7.80	587	.7
Oklahoma.	9,100,326	9	39,813	4.65	5,355	1.85	86	1.2
Oregon.	1,365,349	5	916	.71	99,201	6.50	29	2.2
Pennsylvania.	626,672	8	1,045	1.76	4,602	7.49	10	1.5
Porto Rico.	1,434,448	9	1,736	1.74	1,935	1.11	50	2.0
Rhode Island.	685,532	7	725	1.15	2,941	4.49	29	1.0
South Carolina.	2,393,077	4	4	8,911	3.72	500	.21	6.6
South Dakota.	4,939,630	6	1,281	3.13	4,257	.86	1,1	Tennessee.
Tennessee.	4,776,812	6	12,085	5.26	7,766	1.61	48	Utah.
Texas.	1,352,426	8	2,386,441	5.26	5,375	15.25	33	Vermont.
Utah.	1,433,998	9	2,885	2.18	8,344	5.82	539	Virginia.
Vermont.	1,551,156	6	1,941	1.31	10,839	6.99	23	Washington.
Virginia.	2,739,574	9	5,400	2.09	34,121	12.45	.24	West Virginia.
Wisconsin.	211,864	9	502	2.69	1,266	5.98	.08	Wisconsin.
Wyoming.							.06	Wyoming.

¹ Population Jan. 1, 1920.

Cases of mumps reported, 1923.

State.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	State.	
Alabama.....	21	29	31	35	31	12	14	3	42	7	33	261	201	Alabama.	
Arizona.....	1	10	59	81	18	5	2	1	8	3	7	175	133	Arizona.	
Arkansas.....	9	17	25	50	37	19	9	111	3	3	5	313	213	Arkansas.	
California.....	83	79	127	132	85	38	29	24	71	5	16	1,014	954	California.	
Colorado.....	100	78	100	159	140	64	48	11	48	122	75	1,213	268	Colorado.	
Connecticut.....	94	270	170	175	82	80	31	19	20	50	108	228	1,327	122	Connecticut.
Delaware.....	3	20	4	1	1	1	1	1	1	1	1	12	39	40	Delaware.
Florida.....	3	3	4	4	24	33	15	1	1	7	7	12	39	40	Florida.
Georgia.....	10	10	11	45	4	3	3	1	1	1	1	12	39	40	Georgia.
Iowa.....	3	3	4	4	3	3	1	1	1	1	1	15	220	220	Iowa.
Illinois.....	733	656	809	847	925	681	247	110	128	281	617	800	6,834	6,834	Illinois.
Kansas.....	108	140	230	98	53	10	3	3	3	7	39	99	2,440	2,440	Kansas.
Louisiana.....	182	277	245	373	304	127	38	26	26	122	362	358	2,440	2,440	Louisiana.
Maine.....	2	3	4	4	17	8	1	2	2	1	1	6	48	48	Maine.
Maryland.....	8	2	6	6	5	2	1	0	4	0	1	6	197	197	Maryland.
Massachusetts.....	234	254	265	282	318	118	39	18	14	24	15	32	1,643	1,643	Massachusetts.
Michigan.....	840	751	1,188	1,032	1,052	729	269	101	108	253	687	797	7,707	7,707	Michigan.
Minnesota.....	121	166	200	228	383	268	72	22	24	102	102	168	310	310	Minnesota.
Mississippi.....	129	126	139	191	143	61	88	39	70	40	43	69	1,147	1,147	Mississippi.
Missouri.....	64	89	112	115	122	72	23	22	20	9	52	126	831	831	Missouri.
Montana.....	2	2	88	127	125	3	7	7	3	3	10	3	24	24	Montana.
Nebraska.....	56	87	2	1	1	1	1	1	1	1	16	21	642	642	Nebraska.
Nevada.....	1	2	11	12	12	4	7	2	1	1	14	14	4	4	Nevada.
New Hampshire.....	58	5	9	34	24	12	8	2	1	3	12	16	136	136	New Hampshire.
New Mexico.....	5	1	1	1	1	1	1	1	1	1	16	33	120	120	New Mexico.
New York.....	1,635	1,424	1,551	1,544	1,636	1,191	473	184	165	332	639	1,987	11,891	11,891	New York.
Ohio.....	164	128	136	147	186	97	49	26	28	101	263	400	1,705	1,705	Ohio.
Oklahoma.....	3	50	50	2	23	18	1	1	1	1	1	1	106	106	Oklahoma.
Oregon.....	13	5	8	18	14	11	5	4	5	104	282	564	120	120	Oregon.
Pennsylvania.....	666	625	765	796	701	404	133	102	104	282	564	988	6,130	6,130	Pennsylvania.
Rhode Island.....	14	6	3	13	10	7	9	2	1	4	4	4	77	77	Rhode Island.
South Carolina.....	9	6	3	3	9	3	3	12	10	13	15	66	152	152	South Carolina.
South Dakota.....	9	5	7	10	10	10	1	1	1	1	18	94	145	145	South Dakota.
Texas.....	61	114	116	163	78	37	35	25	22	12	14	26	68	68	Texas.
Utah.....	46	104	78	82	70	404	133	102	104	282	564	988	755	755	Utah.
Vermont.....	37	55	76	111	119	104	35	39	27	13	16	41	673	673	Vermont.
Washington.....	80	109	113	110	123	80	34	14	12	24	109	98	906	906	Washington.
West Virginia.....	62	47	5	13	13	5	2	2	2	12	12	2	34	34	West Virginia.
Wisconsin.....	3	4	5	5	5	5	5	5	5	5	5	5	2	2	Wisconsin.
Wyoming.....	3	4	5	5	5	5	5	5	5	5	5	5	2	2	Wyoming.

Deaths registered as due to mumps, 1923.

Mumps—Cases reported, 1922; cases reported, deaths registered, indicated morbidity and mortality rates, and number of cases reported for each death registered, 1922.

State.	Estimated Population July 1, 1923.	Cases reported 1922.	1923.				State.
			Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	
Alabama.....	2,423,912	137	261	.11	2	.00	Alabama.
Alaska.....	1,55,036	---	4	.07	---	---	Alaska.
Arizona.....	380,900	16	175	.46	1	.00	Arizona.
Arkansas.....	1,816,237	13	313	.17	0	---	Arkansas.
California.....	3,805,153	2,506	1,014	.27	5	.00	California.

Colorado.....	990,320	708	1,213	1.22	0	.00	1,327.0
Connecticut.....	1,476,483	803	1,327	.90	1	.00	Connecticut.
Delaware.....	250,460	11	12	.06	0	.00	Delaware.
Florida.....	1,046,287	21	40	.04	1	.00	Florida.
Georgia.....	2,998,196	142	220	.07	0	.00	Georgia.
Idaho.....	470,179	9	15	.03	0	.00	Idaho.
Illinois.....	6,780,524	4,874	6,894	1.01	6	.00	Illinois.
Iowa.....	2,408,643	150	700	.32	0	.00	Iowa.
Kansas.....	1,797,380	721	2,440	.36	0	.00	Kansas.
Kentucky.....	2,462,317	63	120	.05	0	.00	Kentucky.
Louisiana.....	1,849,746	24	48	.03	2	.00	Louisiana.
Maine.....	777,259	68	107	.25	0	.00	Maine.
Maryland.....	1,505,295	3,503	1,643	1.09	1	.00	Maryland.
Massachusetts.....	4,027,545	4,338	7,707	1.91	10	.00	Massachusetts.
Michigan.....	3,977,821	2,106	2,107	.53	1	.00	Michigan.
Minnesota.....	2,499,366	-	-	-	2	.00	Minnesota.
Mississippi.....	1,780,618	692	1,147	.64	-	-	Mississippi.
Missouri.....	3,445,971	303	831	.24	-	-	Missouri.
Montana.....	611,199	427	24	.04	0	.00	Montana.
Nebraska.....	1,335,922	799	642	.48	0	.00	Nebraska.
Nevada.....	1,777,407	39	4	.05	0	.00	Nevada.
New Hampshire.....	447,592	69	136	.30	-	-	New Hampshire.
New Mexico.....	372,265	147	159	.43	-	-	New Mexico.
New York.....	10,843,661	11,005	11,891	1.10	4	.00	New York.
North Carolina.....	2,686,325	-	-	-	2	.00	North Carolina.
Ohio.....	6,117,122	1,829	1,705	.28	3	.00	Ohio.
Oklahoma.....	2,162,079	4	106	.05	3	.00	Oklahoma.
Oregon.....	823,270	231	129	.16	1	.00	Oregon.
Pennsylvania.....	9,100,326	7,235	6,130	.67	0	.00	Pennsylvania.
Porto Rico.....	1,365,349	2	2	.00	0	.00	Porto Rico.
Rhode Island.....	626,672	121	77	.12	-	-	Rhode Island.
South Carolina.....	1,744,408	30	152	.03	-	-	South Carolina.
South Dakota.....	655,332	-	-	-	-	-	South Dakota.
Texas.....	4,939,630	461	729	.15	0	.00	Texas.
Utah.....	476,812	-	755	1.58	2	.00	Utah.
Vermont.....	1,352,428	450	673	1.91	0	.00	Vermont.
Washington.....	1,433,998	1,735	906	.63	1	.00	Washington.
Wisconsin.....	2,739,574	316	314	.11	1	.00	Wisconsin.
Wyoming.....	211,864	79	34	.16	0	.00	Wyoming.

1 Population Jan. 1, 1920.

Cases of pellagra reported, 1923.

State.	January.	Febr. ary.	March.	April.	May.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.	Total.	State.
Alabama.....	28	18	35	46	102	136	65	51	47	24	16	18	586	Alabama.
Arkansas.....	18	7	14	17	42	76	64	78	49	26	13	13	644	Arkansas.
California.....	4	3	6	4	1	4	3	23	2	4	4	4	42	California.
Louisiana.....	6	11	4	11	41	39	48	19	22	15	15	11	240	Louisiana.
Maryland.....	1	1	1	2	4	Maryland.
Massachusetts.....	1	1	1	5	2	1	1	1	3	2	16	Massachusetts.
Michigan.....	121	163	209	366	674	1,026	880	608	416	265	184	146	2,048	Michigan.
Mississippi.....	1	1	1	1	1	1	1	1	4	Mississippi.
New Mexico.....	1	1	1	1	1	1	1	1	New Mexico.
Pennsylvania.....	1	1	1	1	1	1	1	1	Pennsylvania.
Porto Rico.....	22	33	45	56	54	59	63	60	66	34	25	20	63	Porto Rico.
Tennessee.....	9	9	28	30	26	21	32	17	36	19	17	9	23	Tennessee.
Virginia.....	1	Virginia.

Deaths registered as due to pellagra, 1923.

State.	January.	Febr. ary.	March.	April.	May.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.	Total.	State.
Alabama.....	26	16	24	23	30	31	49	38	33	33	32	22	377	Alabama.
Arizona.....	1	3	11	8	16	25	21	33	1	1	1	4	4	Arizona.
Arkansas.....	6	1	3	1	5	3	1	1	6	3	17	24	216	Arkansas.
California.....	5	1	2	2	30	California.
Connecticut.....	2	Connecticut.
Florida.....	6	7	9	9	13	8	5	7	8	4	8	7	91	Florida.
Georgia.....	35	16	32	30	42	40	63	57	41	49	23	25	443	Georgia.
Illinois.....	1	1	1	1	1	1	1	8	Illinois.
Indiana.....	1	1	1	1	1	4	Indiana.
Iowa.....	2	1	1	1	1	4	Iowa.
Kansas.....	1	1	1	1	1	1	4	Kansas.
Kentucky.....	1	2	4	3	7	8	6	11	4	7	9	2	63	Kentucky.
Louisiana.....	3	7	7	12	10	18	23	14	16	14	9	9	148	Louisiana.
Maine.....	1	2	1	1	1	1	1	1	5	Maine.
Maryland.....	1	1	1	1	1	Maryland.

Pellagra—Cases reported, deaths registered, indicated morbidity and mortality rates, and number of cases reported for each death registered, 1923.

State.	Estimated population, July 1, 1923.	Cases reported, 1923.	Cases per 1,000 inhabitants.	Deaths registered, 1923.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.	State.
Massachusetts	1	1	1	1	1	1	Massachusetts
Minnesota	2	1	1	2	2	1	Minnesota.
Missouri	1	1	1	1	1	1	Missouri.
Nebraska	2	1	1	1	1	1	Nebraska.
New Jersey	1	1	1	1	1	1	New Jersey.
North Carolina	9	12	13	18	20	34	North Carolina.
Oklahoma	6	7	3	7	3	8	Oklahoma.
South Carolina	14	14	16	17	28	28	South Carolina.
Tennessee	18	20	18	27	34	36	Tennessee.
Texas	24	20	21	23	31	32	Texas.
Vermont	6	5	5	6	1	5	Vermont.
Virginia	5	5	6	2	10	6	Virginia.
West Virginia	2	1	1	1	1	1	West Virginia.
Wisconsin	1	2	1	1	1	1	Wisconsin.
Alabama	2,423	912	586	.24	377	.16	Alabama.
Arizona	350	960	277	.30	4	.01	Arizona.
Arkansas	1,816	257	544	.30	26	.12	Arkansas.
California	3,805	153	42	.01	30	.01	California.
Connecticut	1,476	483	42	2	2	.00	Connecticut.
Florida	1,046	287	91	.16	0	0	Florida.
Georgia	2,980	196	443	.15	0	0	Georgia.
Arkansas	6,780	524	55	.00	0	0	Illinois.
Illinois	3,013	134	1	.00	0	0	Indiana.
Indiana	2,488	643	4	.00	0	0	Iowa.
Iowa	0	0	0	0	0	0	Kansas.
Kansas	1,797	480	4	.00	0	0	Kansas.
Kentucky	2,462	317	63	.03	0	0	Kentucky.
Louisiana	1,849	746	249	.13	148	.08	Louisiana.
Maine	777	259	5	.00	1	.01	Maine.
Maryland	1,605	295	4	.00	1	.00	Maryland.
Massachusetts	4,027	545	16	.00	11	.00	Massachusetts.
Michigan	3,977	821	2	.00	3	.00	Michigan.
Minnesota	2,450	396	5,048	2,82	413	.23	Minnesota.
Mississippi	1,790	618	0	0	0	0	Mississippi.
Missouri	3,443	971	0	0	0	0	Missouri.

Pellagra—Cases reported, deaths registered, indicated morbidity and mortality rates, and number of cases reported for each death registered, 1923—Continued.

Cases.	Estimated population, July 1, 1923.	Cases reported, 1923.	Cases per 1,000 inhabitants.	Deaths registered, 1923.	Deaths per 1,000 inhabitants.	Cases reported for each death registered	State.
Nebraska.....	1,333,922	1	.00	Nebraska.
New Jersey.....	3,375,963	372,265	4	.01	2	.00	New Jersey.
New Mexico.....	2,686,325	224	.08	New Mexico.
North Carolina.....	2,162,079	64	.03	North Carolina.
Oklahoma.....	9,100,326	5	.00	Oklahoma.
Pennsylvania.....	1,365,340	1	.00	Pennsylvania.
Porto Rico.....	1,744,408	2,393,077	261	.17	Porto Rico.
South Carolina.....	2,393,077	563	.24	286	.12	South Carolina.
Tennessee.....	4,939,630	255	.05	Tennessee.
Texas.....	1,852,428	Texas.
Vermont.....	2,398,441	253	.11	2	.01	Vermont.
Virginia.....	1,651,186	79	.03	Virginia.
West Virginia.....	2,739,574	6	.00	West Virginia.
Wisconsin.....	4	.00	Wisconsin.

1 Population Jan. 1, 1920.

Cases of pneumonia (all forms) reported, 1923.

State.	January.	Febru- ary.	March.	April.	May.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.	Total.	State.
Alabama.....	585	475	630	668	269	100	71	51	44	73	307	451	3,583	Alabama.
California ¹	701	818	494	305	362	245	185	102	221	234	386	422	4,223	California.
Connecticut.....	236	265	277	147	93	58	32	23	24	41	96	1,373	1,373	Connecticut.
Delaware.....	72	44	25	26	20	11	4	3	10	12	26	62	305	Delaware.
Florida.....	167	118	94	67	51	36	27	26	35	61	111	27	810	Florida.
Illinois.....	2,677	3,490	3,196	2,439	1,497	718	388	330	471	814	1,012	1,239	18,290	Illinois.
Kansas.....	2,392	3,665	2,268	1,162	91	10	19	14	41	114	149	149	1,974	Kansas.
Louisiana.....	249	315	355	231	181	113	117	120	122	245	288	308	2,690	Louisiana.
Maryland.....	1,080	1,494	1,063	646	460	186	96	86	107	168	283	343	6,051	Maryland.
Massachusetts ¹	901	674	790	463	341	165	92	80	110	197	269	377	4,759	Massachusetts.

State.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	State.
Alabama.....	365	240	284	251	128	85	84	80	71	114	218	287	2,227	Alabama.
Arizona.....	79	77	54	63	14	35	23	33	27	27	18	50	500	Arizona.
Arkansas.....	263	259	210	97	98	36	43	43	43	43	75	213	1,661	Arkansas.
California.....	463	387	463	310	273	217	176	156	191	214	271	475	3,700	California.
Colorado.....	231	220	208	114	76	50	35	30	34	72	87	125	1,291	Colorado.
Connecticut.....	328	346	306	222	131	76	46	58	53	68	97	148	1,879	Connecticut.
District of Columbia.....	72	44	25	15	12	3	2	8	8	16	39	57	246	District of Columbia.
Delaware.....	192	150	103	72	49	31	39	45	45	59	59	57	1,015	Delaware.
Florida.....	133	90	77	59	30	31	34	34	34	89	118	796	2,331	Florida.
Georgia.....	558	280	291	233	109	65	81	67	75	93	214	256	5,333	Georgia.
Hawaii.....	72	63	62	91	75	64	56	49	54	53	57	753	753	Hawaii.
Idaho.....	76	38	27	70	40	38	31	11	6	21	16	23	397	Idaho.
Illinois.....	1,025	1,417	1,136	899	590	386	211	179	220	309	434	611	5,370	Illinois.
Indiana.....	592	710	517	384	251	117	94	96	170	288	241	333	3,533	Indiana.
Iowa.....	392	447	437	282	168	130	62	74	86	94	181	155	2,448	Iowa.
Kansas.....	275	386	143	77	50	20	28	40	69	113	135	1,634	1,634	Kansas.
Kentucky.....	584	468	396	280	101	70	74	90	182	245	243	2,924	2,924	Kentucky.
Louisiana.....	232	238	266	172	108	67	73	74	71	102	185	199	1,787	Louisiana.
Maine.....	130	225	190	108	65	78	23	33	33	53	89	1,106	1,106	Maine.
Maryland.....	383	615	414	240	176	106	54	66	88	164	171	2,432	2,432	Maryland.

¹ Lobar pneumonia only.

Deaths registered as due to pneumonia (all forms), 1923.

Deaths registered as due to pneumonia (all forms), 1923—Continued.

State.	January	February	March	April	May	June	July	August	September	October	November	December	Total	State.
Massachusetts ¹	447	509	354	249	140	86	44	36	45	104	123	174	2,311	Massachusetts.
Michigan	709	948	575	650	468	288	139	127	164	219	251	321	4,719	Michigan.
Minnesota	231	328	328	212	148	77	45	56	59	101	168	166	1,920	Minnesota.
Missouri	873	896	732	446	254	126	124	127	143	227	363	388	4,679	Missouri.
Nebraska	284	173	83	64	46	46	30	35	32	88	96	1,152	1,152	Nebraska.
Nevada	7	18	12	13	7	2	8	3	1	5	9	8	93	Nevada.
New Jersey	644	868	653	437	295	166	106	118	122	190	261	326	4,185	New Jersey.
New Mexico	63	69	75	56	27	16	17	14	19	20	19	25	420	New Mexico.
New York	1,785	2,828	2,305	1,409	1,028	681	441	449	448	705	885	1,090	14,054	New York.
North Carolina	398	315	300	271	190	94	77	79	98	116	226	327	2,591	North Carolina.
North Dakota	55	71	72	57	40	19	9	9	19	21	23	36	431	North Dakota.
Ohio	1,002	1,510	1,075	784	490	286	184	176	233	339	473	716	7,247	Ohio.
Oklahoma	478	559	281	129	69	30	31	43	5	76	105	87	1,883	Oklahoma.
Oregon	71	74	93	62	47	24	18	20	23	35	63	44	574	Oregon.
Pennsylvania	2,443	2,936	2,267	1,671	1,151	610	402	387	477	781	954	1,122	16,231	Pennsylvania.
Porto Rico	102	88	125	233	142	56	68	62	22	67	87	105	1,157	Porto Rico.
South Carolina	378	246	183	140	99	65	68	57	80	138	228	1,833	1,833	South Carolina.
South Dakota	51	72	92	84	27	21	10	8	14	11	74	74	484	South Dakota.
Tennessee	493	285	373	305	155	86	77	79	79	140	226	239	2,556	Tennessee.
Texas	605	643	573	359	159	95	79	68	61	104	172	195	3,103	Texas.
Utah	66	53	72	33	23	19	14	21	8	30	24	53	421	Utah.
Vermont	50	74	73	20	30	15	14	10	7	21	26	27	386	Vermont.
Virginia	385	345	293	238	143	79	55	59	66	81	167	226	2,147	Virginia.
Washington	93	117	141	84	69	47	40	36	27	78	94	105	933	Washington.
West Virginia	360	385	676	169	108	77	51	36	73	92	123	173	2,323	West Virginia.
Wisconsin	422	477	301	20	189	234	104	112	104	148	246	246	2,917	Wisconsin.
Wyoming	39	49	45	25	20	8	4	11	4	12	14	23	254	Wyoming.

¹ Lobar pneumonia only.¹ Lobar pneumonia only.² Population Jan. 1, 1920.

Pneumonia (all forms)—Cases reported, deaths registered, indicated morbidity and mortality rates, and number of cases reported for each death registered, 1923.

State.	Estimated population July 1, 1923.	Cases reported, 1923.	Cases per 1,000 inhabitants.	Deaths registered, 1923.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.	State.
Alabama.....	2,423,912	3,583	1.48	2,227	0.92	1.6	
Arizona.....	2,389,960			1,061	1.31		
Arkansas.....	1,816,287			3,790	.91		
California.....	3,805,153	14,223	11.11		1.00		
Colorado.....	930,320			1,261	1.30		
Connecticut.....							
District of Columbia.....							
Delaware.....							
Florida.....							
Georgia.....							
Hawaii.....							
Idaho.....							
Illinois.....							
Indiana.....							
Iowa.....							
Kansas.....							
Kentucky.....							
Louisiana.....							
Maine.....							
Maryland.....							
Massachusetts.....							
Michigan.....							
Minnesota.....							
Mississippi.....							
Missouri.....							
Montana.....							
Nebraska.....							
Nevada.....							
New Hampshire.....							
New Jersey.....							
New Mexico.....							
New York.....							
North Carolina.....							
North Dakota.....							
Ohio.....							
	6,117,122						

Pneumonia (all forms)—Cases reported, deaths registered, indicated morbidity and mortality rates, and number of cases reported for each death registered, 1923—Continued.

State.	Estimated population, July 1, 1923.	Cases reported, 1923.	Cases per 1,000 inhabitants.	Deaths registered, 1923.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.	State.
Oklahoma.....	2,162,079	6,223	2.42	1,893	0.88	2.8	Oklahoma.
Oregon.....	823,270	574	0.70	Oregon.
Pennsylvania.....	9,100,326	16,176	1.68	15,231	1.67	Pennsylvania.
Porto Rico.....	4,365,349	1,157	Porto Rico.
Rhode Island.....	626,672	84	.13	Rhode Island.
South Carolina.....	1,744,408	1,933	1.11	South Carolina.
South Dakota.....	665,532	484	.74	South Dakota.
Tennessee.....	4,930,630	556	1.07	Tennessee.
Texas.....	4,930,630	1,012	2.12	421	.83	2.4	Texas.
Utah.....	476,812	163	1.07	Utah.
Vermont.....	Vermont.
Virginia.....	2,352,428	366	1.04	Virginia.
Washington.....	2,386,441	2,147	.90	Washington.
West Virginia.....	1,453,998	933	.65	West Virginia.
Wisconsin.....	1,551,156	2,352	1.59	Wisconsin.
Wyoming.....	2,739,574	917	1.06	Wyoming.
	211,864	254	1.20	

¹ Lobar pneumonia only.
² Population Jan. 1, 1920.

Poliomyelitis (infantile paralysis)—Monthly estimated expectancy based on data which are available for the years 1914 to 1922, inclusive.

State.	Number of years included.	Jan.-February.	Febru.-March.	March.	April.	May.	June.	July.	August.	Septem-ber.	Octo-ber.	Novem-ber.	Decem-ber.	Total.	State.	
Alabama.....	6	2	1	1	1	2	3	5	2	3	2	2	1	25	Alabama.	
Arizona.....	3	1	1	1	1	1	1	1	1	1	1	1	2	2	Arizona.	
Arkansas.....	2	1	1	1	1	1	1	2	9	3	3	3	2	10	Arkansas.	
California.....	9	4	2	3	2	3	6	6	10	8	9	8	8	68	California.	
Colorado.....	5	1	1	1	1	1	1	2	3	2	1	1	10	Colorado.	
Connecticut.....	9	1	1	1	1	1	1	1	1	1	1	1	1	2	38	Connecticut.
Delaware.....	3	1	1	1	1	1	1	1	1	1	1	1	1	2	2	Delaware.
District of Columbia.....	9	1	1	1	1	1	1	1	1	1	1	1	1	2	6	District of Columbia.
Florida.....	6	1	1	1	1	1	1	1	1	1	1	1	1	2	6	Florida.
Georgia.....	4	1	1	1	1	1	1	1	1	1	1	1	1	1	18	Georgia.

Cases of poliomyelitis (infantile paralysis) reported, 1923.

State.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	State.
Alabama.....	3	2			1	1	3	10	2	2			24	Alabama.
Arizona.....	1	2			2	2	4	4	3	1	1		3	Arizona.
Arkansas.....	3	1	2	7	6	8	23	40	5	1	1		18	Arkansas.
California.....	250												250	California.
Colorado.....													8	Colorado.
Connecticut.....	1	1	1		1	1	9	18	24	17	9	7	88	Connecticut.
District of Columbia.....	1	2	1		1	2							1	District of Columbia.
Florida.....													19	Florida.
Georgia.....													4	Georgia.
Illinois.....	5	6	7	8	6	4	1	8	37	34	63	15	6	Illinois.
Indiana.....	1	4	2	2	1	3	1	1	5	4	4	3	27	Indiana.
Kansas.....	3	2	1	2	1	2	4	3	20	9	2	1	148	Kansas.
Louisiana.....	1	1	2	2	2	2	2	2	2	2	1	1	14	Louisiana.
Maine.....	2	4	2		8	2		2	1	2	1		1	Maine.
Maryland.....	10	9	6	6	4	4	8	26	38	48	40	26	1	Maryland.
Massachusetts.....	1	1	4	3	1	3	7	7	7	7	4		223	Massachusetts.
Michigan.....	1	4	2	5	3	6	5	10	20	17	14	5	1	Michigan.
Minnesota.....	1	4	2	5	4	5	4	5	1	3	7	3	1	Minnesota.
Mississippi.....	1	1	1	1	4	4	3	3	10	9	12	6	8	Mississippi.
Missouri.....	1	1	1	1	4	4	3	3	3	3	3	1	1	Missouri.
Montana.....	1	1	1	1	1	1	1	1	1	1	1		1	Montana.
Nebraska.....	2												107	Nebraska.
New Hampshire.....	3	1	3	2	3	2	3	4	3	2	4	1	1	New Hampshire.
New Jersey.....													6	New Jersey.
New Mexico.....													2	New Mexico.
New York.....	18	7	9	2	17	24	127	231	195	197	75	41	943	New York.
North Carolina.....	1		1	1		2	2	2	2	2	2	2	15	North Carolina.
North Dakota.....													2	North Dakota.
Ohio.....	4	2	2	3	3	1	9	10	18	6	3	4	22	Ohio.
Oregon.....	3	2									1	1	4	Oregon.
Pennsylvania.....	3	2	5	5	3	3	5	23	49	45	31	1	175	Pennsylvania.
Rhode Island.....	1												7	Rhode Island.
South Dakota.....													25	South Dakota.
Utah.....													2	Utah.
Vermont.....													43	Vermont.
Virginia.....	8	3	2	4	4	8	62	21	12	12	7	5	147	Virginia.
Washington.....	1	2	1		1	1	1	1	1	1	1	1	6	Washington.
West Virginia.....	2	1	2	1	1	1	1	1	2	2	1	1	24	West Virginia.
Wisconsin.....													64	Wisconsin.
Wyoming.....													4	Wyoming.

Deaths registered as due to poliomyelitis (infantile paralysis), 1923.

State.	January	Febru-	March	April	May	June	July	August	Septem-	October	Novem-	Decem-	Total.	State.
Alabama.....						2	3	1	3		1		3	Alabama.
Arkansas.....			3	1	1	1	1	4					2	Arkansas.
California.....	2	3	1	2	2	5	1	1	7		8		2	California.
Colorado.....	2	1				1	1						1	Colorado.
Connecticut.....	2					1	1	2	2	1			10	Connecticut.
Delaware.....						1			1				1	Delaware.
District of Columbia.....													1	District of Columbia.
Florida.....	2				1		1	1		1			6	Florida.
Hawaii.....	1	1				1							1	Hawaii.
Idaho.....	1												3	Idaho.
Illinois.....	3	1	2	3	2	2	7	5	7	9	1		3	Illinois.
Indiana.....	3	1	1	3	1	2	1	5	3	3			3	Indiana.
Iowa.....	1			3	10	4	3	7	1	10	10		11	Iowa.
Kansas.....	2		2	2	1	1	1	13	7	6	4		15	Kansas.
Kentucky.....	1	1	1	1		2	1			4	2		1	Kentucky.
Louisiana.....	1	2	1	1	1	1	1	1	1	1			1	Louisiana.
Maine.....	2	1		1	2				1	2			6	Maine.
Maryland.....	2	2	1		2		1						6	Maryland.
Massachusetts.....	3	2	2	3	2	1	4	4	4	6	6		2	Massachusetts.
Michigan.....	2	4	2	3	1	1	3	1	2				18	Michigan.
Minnesota.....	3	4	2	1	2	1	2	1	2	4	4		16	Minnesota.
Missouri.....	3	1		1		3	1	4	1	2	3		3	Missouri.
Montana.....									1				4	Montana.
Nebraska.....	3	1				1				1			1	Nebraska.
New Jersey.....	1				1			9	9	4			1	New Jersey.
New York.....	3	4	4	3	4	6	8	26	13	18	12		4	New York.
North Carolina.....	2				1	1	2		1				6	North Carolina.
North Dakota.....													2	North Dakota.
Ohio.....	2	1	2	2	3	2	6	3	1				1	Ohio.
Oklahoma.....	1				1		1	1	3	2	2		10	Oklahoma.
Oregon.....	1	2											5	Oregon.
Pennsylvania.....	2	2	5	3	3	2	5	11	8	7	6		3	Pennsylvania.
South Carolina.....	2	3			2			1	2				12	South Carolina.
South Dakota.....	1					1							6	South Dakota.
Tennessee.....	2	3			2	2			3	2			2	Tennessee.
Texas.....	11	5	15	17	9	15	6	7	7	5	14		13	Texas.
Vermont.....								4		1			2	Vermont.
Virginia.....	3	1			2			1	8	1	2		4	Virginia.
Washington.....		1				1		1	2	5	3		9	Washington.
Wisconsin.....	3				1			1	2	3	3		14	Wisconsin.

Poliomyelitis (infantile paralysis)—Cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1923; estimated expectancy and indicated annual rates based on the years 1914-1998.

State.	Estimated population July 1, 1923.	Estimated expectancy.				1923.				State.
		Number of years.	Cases.	Cases per 1,000 inhabitants.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.	
Alabama.....	2,423,912	6	25	0.01	24	0.01	13	0.01	54.2	Alabama.
Arizona.....	350,960	3	2	.01	3	.01	13	.01	72.2	Arizona.
Arkansas.....	1,816,387	2	19	.01	18	.01	13	.01	13.2	Arkansas.
California.....	3,806,153	9	68	.01	250	.07	33	.01	37.5	California.
Colorado.....	900,320	5	10	.01	8	.01	3	.00	37.5	Colorado.
Connecticut.....	1,476,483	9	38	.03	88	.06	10	.01	11.4	Connecticut.
District of Columbia.....	230,480	3	2	.01	10	.04	1	.01	5.3	District of Columbia.
Delaware.....	1,437,571	9	6	.01	14	.01	6	.00	42.8	Delaware.
Florida.....	1,046,287	5	6	.01	6	.00	1	.00	25.0	Florida.
Georgia.....	2,969,196	4	18	.01	4	.01	3	.01	26.7	Georgia.
Hawaii.....	275,984	4	2	.01	217	.04	45	.01	92.6	Hawaii.
Idaho.....	470,179	2	7	.02	27	.01	3	.01	26.7	Idaho.
Illinois.....	6,790,594	7	220	.04	217	.04	25	.01	92.6	Illinois.
Indiana.....	3,013,134	8	51	.02	27	.01	62	.03	Indiana.
Iowa.....	2,488,643	8	63	.03	62	.03	Iowa.
Kansas.....	1,797,489	7	43	.02	148	.08	38	.02	26.7	Kansas.
Kentucky.....	2,462,317	7	21	.01	30	.02	15	.01	71.4	Kentucky.
Louisiana.....	1,849,746	8	21	.01	14	.02	9	.00	36.0	Louisiana.
Maine.....	777,259	7	13	.02	6	.01	42.9	.01	32.6	Maine.
Maryland.....	1,305,285	8	89	.06	27	.02	6	.00	22.2	Maryland.
Massachusetts.....	4,027,545	9	137	.04	223	.06	36	.01	16.1	Massachusetts.
Michigan.....	3,977,821	9	71	.02	39	.01	18	.00	46.2	Michigan.
Minnesota.....	2,498,396	9	77	.03	81	.03	16	.01	10.8	Minnesota.
Mississippi.....	1,780,018	9	53	.03	43	.02	14	.01	32.6	Mississippi.
Missouri.....	3,443,971	1	18	.01	53	.02	27	.01	50.9	Missouri.
Montana.....	611,169	8	18	.03	16	.03	4	.01	26.0	Montana.
Nebraska.....	1,332,922	5	24	.02	107	.08	1	.00	9	Nebraska.
New Hampshire.....	1,447,592	3	9	.02	6	.01	1	.00	16.2	New Hampshire.
New Jersey.....	3,376,958	9	51	.02	211	.06	32	.01	16.2	New Jersey.
New Mexico.....	372,265	3	4	.01	2	.01	New Mexico.

10,843	691	9	269	.03	943	.06	105	.01	11.1
2,686	325	5	23	.01	915	.01	6	.00	New York.
2,672	941	5	21	.03	23	.03	6	.00	North Carolina.
6,117	122	9	148	.03	82	.01	2	.00	North Dakota.
6		1	20	.11			32	.01	Ohio.
2,162	679						10	.00	Oklahoma.
Oregon									
Pennsylvania									
Rhode Island									
South Carolina									
South Dakota									
Tennessee									
Texas									
Utah									
Vermont									
Virginia									
Washington									
West Virginia									
Wisconsin									
Wyoming									

1 Population Jan. 1, 1920.

Cases of rabies in animals reported, 1923.

State.	Cases reported.	State.	Cases reported.	State.	Cases reported.	State.	Cases reported.
Alabama		Idaho		Oregon		Oregon	
California		Indiana		Rhode Island		Rhode Island	
Connecticut		Maryland		South Carolina		South Carolina	
District of Columbia		Mississippi					
Florida		New Mexico					

Rabies in man—Deaths registered, 1923.

State.	Deaths registered.	State.	Deaths registered.	State.	Deaths registered.
Alabama		Louisiana		Oklahoma	
California		Massachusetts		Oregon	
Colorado		Mississippi		South Carolina	
Florida		Missouri		Tennessee	
Idaho				Virginia	
Indiana				West Virginia	
Iowa					
Kansas					

Cases of Rocky Mountain spotted, or tick, fever reported, 1929.

Deaths registered as due to *Rocky Mountain spotted, or tick, fever*, 1928.

Scarlet fever—Monthly estimated expectancy based on data which are available for the years 1914 to 1922, inclusive.

State.	Number of years included.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	State.	
Alabama.....	8	43	37	35	21	25	35	61	79	117	73	61	612	612	Alabama.	
Arizona.....	6	13	14	13	8	5	4	5	5	7	11	12	105	105	Arizona.	
Arkansas.....	6	54	30	24	27	17	12	10	19	30	48	64	50	385	Arkansas.	
California.....	9	113	382	322	316	187	148	133	188	347	375	448	387	386	California.	
Colorado.....	8	150	125	117	115	105	83	41	27	35	63	102	128	1,091	Colorado.	
Connecticut.....	9	219	222	223	206	171	135	106	94	112	137	169	197	1,991	Connecticut.	
Delaware.....	2	52	46	40	45	40	32	31	27	27	42	46	49	477	Delaware.	
District of Columbia.....	9	70	75	81	79	53	28	14	9	19	30	50	60	586	District of Columbia.	
Florida.....	5	15	17	11	8	3	9	4	7	8	13	16	14	125	Florida.	
Georgia.....	4	57	57	57	34	43	24	27	47	81	112	98	75	712	Georgia.	
Hawaii.....	8	1	1	1	2	1	1	1	1	1	1	1	2	15	Hawaii.	
Iaho.....	3	43	47	37	29	25	19	13	22	23	33	43	380	380	Iaho.	
Illinois.....	7	1,744	1,606	1,380	946	727	465	274	292	497	901	1,083	1,250	11,137	Illinois.	
Indiana.....	9	602	548	544	498	315	160	112	94	212	410	508	520	4,991	Indiana.	
Iowa.....	8	205	231	269	193	184	90	47	43	98	163	227	229	1,979	Iowa.	
Kansas.....	9	292	326	346	285	188	107	63	68	92	222	341	417	2,767	Kansas.	
Kentucky.....	1	110	69	65	90	71	30	32	34	71	112	140	91	876	Kentucky.	
Louisiana.....	9	27	17	21	15	9	6	6	13	16	31	39	39	254	Louisiana.	
Maine.....	7	71	69	60	55	55	51	44	43	50	63	68	67	696	Maine.	
Maryland.....	8	354	323	291	227	176	113	48	56	94	174	213	240	2,300	Maryland.	
Massachusetts.....	9	948	891	879	730	755	402	261	213	281	477	620	739	7,242	Massachusetts.	
Michigan.....	9	913	741	822	629	562	336	260	222	314	430	625	689	6,783	Michigan.	
Minnesota.....	0	440	546	634	494	401	278	140	115	149	236	414	414	4,121	Minnesota.	
Mississippi.....	0	43	42	26	20	24	36	28	50	55	63	78	70	587	Mississippi.	
Missouri.....	1	434	347	247	246	122	71	60	55	184	361	362	502	2,991	Missouri.	
Montana.....	8	123	86	82	88	64	49	23	37	37	70	82	74	806	Montana.	
Nebraska.....	5	238	260	198	192	100	66	32	26	58	124	162	235	1,681	Nebraska.	
Nevada.....	4	10	5	3	6	3	6	3	4	10	10	10	21	90	Nevada.	
New Hampshire.....	3	71	50	46	55	28	38	10	19	15	41	64	66	483	New Hampshire.	
New Jersey.....	9	560	550	626	563	526	413	194	116	155	320	446	498	4,907	New Jersey.	
New Mexico.....	3	52	45	51	43	29	13	9	8	15	31	40	41	377	New Mexico.	
New York.....	9	1,629	1,376	2,237	1,986	1,745	1,079	575	346	486	899	1,194	1,462	16,026	New York.	
North Carolina.....	5	130	70	61	118	90	61	32	24	242	345	272	222	1,718	North Carolina.	
North Dakota.....	6	126	140	140	117	876	690	421	263	263	38	50	93	819	North Dakota.	
Ohio.....	9	1,220	1,167	1,167	1,167	1,167	1,167	1,167	1,167	1,167	1,167	1,167	1,167	1,267	9,874	Ohio.

Scarlet fever—Monthly estimated expectancy based on data which are available for the years 1914 to 1922, inclusive—Continued.

State.	Number of years included.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	State.
Oklahoma.....	4	86	91	64	40	45	25	18	32	57	127	78	73	739	Oklahoma.
Oregon.....	9	68	52	62	44	42	32	28	45	58	158	531	531	581	Oregon.
Pennsylvania.....	9	1,363	1,082	1,119	1,020	1,117	602	410	417	776	1,246	1,442	1,399	11,963	Pennsylvania.
Porto Rico.....	5	1	1	1	1	1	1	1	1	1	1	1	1	3	Porto Rico.
Rhode Island.....	8	86	79	98	80	76	49	32	17	34	46	63	69	728	Rhode Island.
South Carolina.....	9	16	10	8	5	4	11	0	20	43	43	17	203	203	South Carolina.
South Dakota.....	7	107	142	127	163	77	50	28	29	38	96	116	151	1,064	South Dakota.
Tennessee.....	2	90	97	63	103	68	28	32	67	128	277	143	138	1,174	Tennessee.
Texas.....	6	92	103	66	69	36	52	48	34	47	68	130	108	943	Texas.
Utah.....	4	100	112	81	58	61	40	28	20	27	38	61	60	686	Utah.
Vermont.....	9	56	65	67	60	35	38	35	21	28	47	74	62	588	Vermont.
Virginia.....	9	216	167	82	98	73	62	40	76	172	204	317	252	1,803	Virginia.
Washington.....	9	168	137	123	91	68	60	41	37	64	119	123	123	1,146	Washington.
West Virginia.....	6	123	90	86	109	81	51	61	75	139	233	220	209	1,507	West Virginia.
Wisconsin.....	9	574	522	513	462	371	241	186	128	190	354	445	445	4,471	Wisconsin.
Wyoming.....	9	12	19	25	19	22	8	5	7	12	17	15	11	172	Wyoming.

Cases of scarlet fever reported, 1923.

State.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	State.
Alabama.....	101	61	34	41	24	30	56	78	145	131	55	72	797	Alabama.
Arizona.....	17	20	28	65	64	12	9	10	25	25	48	56	439	Arizona.
Arkansas.....	15	19	14	9	15	7	7	10	27	630	883	23	270	Arkansas.
California.....	755	701	801	875	517	325	254	253	288	119	218	1,066	7,884	California.
Colorado.....	269	231	236	224	172	77	62	44	62	201	343	219	1,963	Colorado.
Connecticut.....	459	362	372	290	348	230	115	87	17	71	94	474	3,372	Connecticut.
Delaware.....	61	39	33	25	40	33	20	23	35	68	101	116	547	Delaware.
District of Columbia.....	131	89	125	120	137	50	4	4	5	6	112	11	968	District of Columbia.
Florida.....	12	11	7	10	6	22	19	8	37	58	59	28	91	Florida.
Georgia.....	41	22	29	40	31								394	Georgia.

Hawaii.....	43	23	30	16	11	4	6	12	17	49	117	258
Idaho.....	1,545	1,071	1,006	816	739	475	241	227	444	768	1,008	1,123
Illinois.....	417	412	344	346	271	199	75	76	166	236	392	532
Indiana.....	503	509	500	499	387	166	61	78	125	220	328	338
Iowa.....	601	395	321	211	171	127	100	178	272	446	443	374
Kansas.....	22	22	29	20	12	5	2	15	10	27	43	53
Louisiana.....	134	77	116	134	143	98	42	74	63	68	67	138
Maine.....	307	326	379	382	329	112	130	130	112	302	322	352
Maryland.....	1,215	1,300	1,566	1,419	1,470	1,054	437	282	312	677	1,018	1,550
Massachusetts.....	1,614	1,463	1,525	1,356	1,130	998	453	363	539	969	1,155	1,273
Michigan.....	1,311	880	795	672	722	448	376	410	750	1,081	1,204	1,243
Minnesota.....	33	33	13	16	23	7	14	24	25	73	88	137
Mississippi.....	441	450	410	306	213	161	75	113	299	501	633	715
Missouri.....	100	65	61	49	69	60	37	28	31	59	154	137
Montana.....	277	170	152	139	108	35	33	39	111	171	162	201
Nebraska.....	5	2	2	2	2	4	4	2	11	8	1	10
Nevada.....	35	22	34	47	34	23	4	2	25	14	26	65
New Hampshire.....	949	902	948	706	632	345	114	86	110	243	366	502
New Jersey.....	73	78	23	32	25	22	1	7	7	17	37	43
New Mexico.....	2,482	2,405	2,874	2,445	2,308	1,540	686	424	527	903	1,830	2,225
New York.....	207	116	117	87	78	60	61	135	288	539	445	235
North Carolina.....	200	108	152	63	52	59	52	62	66	183	213	298
Ohio.....	2,119	1,713	1,722	1,519	1,531	914	444	472	755	1,883	2,037	1,995
Oklahoma.....	50	41	28	42	37	34	21	20	45	94	163	176
Oregon.....	71	68	75	60	65	52	39	48	60	73	102	102
Pennsylvania.....	1,813	1,491	1,674	1,312	1,163	799	424	416	722	1,389	1,914	1,950
Porto Rico.....	55	37	39	55	96	96	7	37	23	14	59	134
Rhode Island.....	26	8	35	7	7	8	3	13	15	22	26	26
South Carolina.....	225	200	207	189	156	78	50	66	123	147	185	256
South Dakota.....	69	55	32	24	12	3	8	34	80	112	147	147
Tennessee.....	32	77	68	69	75	42	34	47	40	50	55	55
Texas.....	69	66	67	30	15	15	10	18	8	23	32	171
Utah.....	80	73	69	71	59	38	35	25	39	33	61	73
Vermont.....	527	292	214	185	101	59	79	168	234	365	428	384
Virginia.....	249	227	215	170	127	112	75	95	136	178	217	254
West Virginia.....	184	145	144	112	91	67	89	113	205	340	315	307
Wisconsin.....	1,338	1,425	1,592	2,040	1,522	873	448	234	285	736	924	1,196
Wyoming.....	35	41	24	21	34	8	7	7	10	20	36	33

Deaths registered as due to scarlet fever, 1923.

State.	Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	August.	Septem- ber.	Octo- ber.	Novem- ber.	Decem- ber.	Total.	State.		
Alabama.....	2	1		2	1				1		5	5	2	19	Alabama.	
Arizona.....	2	3		1		2		3	1	1		1	1	12	Arizona.	
Arkansas.....	12	12	15	14	11	9	5	8	4	6	6	6	1	9	Arkansas.	
California.....	6	4	6	3	6	3		1	1	2	5	5	2	15	California.	
Colorado.....														38	Colorado.	
Connecticut.....	6	6	8	5	3	4			3	4			7	7	53	Connecticut.
District of Columbia.....	3	3	2	1	3				2	1	1	1	2	3	19	District of Columbia.
Florida.....														5	Florida.	
Georgia.....	5	1		5		2		1		2	1	1	1	2	20	Georgia.
Hawaii.....														1	1	Hawaii.
Idaho.....														8	Idaho.	
Illinois.....	43	23	43	18	21	13	6	8	11	11	9	9	1	28	Illinois.	
Indiana.....	11	13	11	9	2	7	3	2	5	3	12	8	1	24	Indiana.	
Iowa.....	18	26	18	11	9	9	2	3	6	4	14	17	1	36	Iowa.	
Kansas.....	10	11	11	4	5		1	2	4	7	4	4	6	66	Kansas.	
Kentucky.....	6	3	2	5	3		2		2	2	4	11	4	42	Kentucky.	
Louisiana.....	1		1											3	3	Louisiana.
Maine.....	1	2	8	10	3	4	2		1	3	4	3	3	15	Maine.	
Maryland.....	2													47	Maryland.	
Massachusetts.....	14	23	27	28	11	10	9	3	1	8	5	5	14	153	Massachusetts.	
Michigan.....	39	34	39	33	34	19	21	9	11	20	22	22	1	304	Michigan.	
Minnesota.....	44	21	17	35	16	11	8	10	13	15	19	19	1	234	Minnesota.	
Missouri.....	17	9	10	9	4	3	1	5	1	11	22	16	1	108	Missouri.	
Montana.....	5	1	3			2		2			1	1	4	18	Montana.	
Nebraska.....	7	9	4	5	3	3	1	1	2	3	7	7	7	51	Nebraska.	
New Jersey.....	12	16	18	11	10	6	1	1	1	6	4	10	1	94	New Jersey.	
New Mexico.....	2	1									1	1		6	New Mexico.	
New York.....	26	37	29	47	33	23	14	8	4	13	14	14	1	26	New York.	
North Carolina.....	2	2	2	4	2		2	1		4	1	1	5	25	North Carolina.	
North Dakota.....	4	1	3											22	North Dakota.	
Ohio.....	43	36	39	39	20	17	1	1	1	1	1	1	4	6	Ohio.	
Oklahoma.....	5	1	2	1	2	2		2	2	2	2	2	5	23	Oklahoma.	
Oregon.....	1	3	1	37	37	31		1					2	2	10	Oregon.
Pennsylvania.....	40	37	46	37	29	31		23		17	40	40	26	38	376	Pennsylvania.

South Carolina.....	4	4	5	5	1	1	1	1	1	1	1	2	2	2	2
South Dakota.....	5	3	2	1	1	1	1	1	2	4	3	1	1	4	1
Tennessee.....	2	1	1	2	1	1	1	1	1	1	5	7	5	35	South Dakota.
Utah.....	5	3	2	1	1	4	1	1	1	1	1	1	1	19	Tennessee.
Vermont.....	5	3	2	1	1	4	1	1	1	1	1	1	1	1	Utah.
Virginia.....	10	6	3	2	3	2	1	1	3	1	7	6	4	45	Vermont.
Washington.....	5	3	2	2	3	2	1	1	4	1	2	2	3	27	Virginia.
West Virginia.....	9	4	2	2	4	3	1	1	2	1	8	11	23	26	Washington.
Wisconsin.....	22	37	41	36	18	14	6	9	6	6	16	19	19	19	West Virginia.
Wyoming.....	2	2	2	2	2	2	2	2	2	2	2	2	2	4	Wisconsin.
															Wyoming.

Scarlet fever—Cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1923; estimated expectancy and indicated annual rates based on the years 1914-1922.

State.	Estimated population July 1, 1923.	Estimated expectancy.			1923.			Deaths per 1,000 inhabitants.	Fatalities per 100 cases.	State.
		Cases..	Number of years.	Cases per 1,000 inhabitants.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.			
Alabama.....	2,423,912	8	612	.26	797	.33	19	.01	.01	Alabama.
Arizona.....	350,960	6	105	.33	439	1.15	12	.03	.03	Arizona.
Arkansas.....	1,816,287	6	385	.22	270	.16	9	.00	.00	Arkansas.
California.....	3,806,168	9	3,807	1.17	7,884	2.06	117	.03	.03	California.
Colorado.....	990,320	8	1,091	1.19	1,953	1.97	39	.04	.04	Colorado.
Connecticut.....	1,476,483	9	1,991	1.49	3,372	2.28	53	.04	.04	Connecticut.
Delaware.....	230,460	2	477	2.11	547	2.37	10	.08	.08	Delaware.
District of Columbia.....	1,437,571	9	586	1.39	998	2.28	11	.03	.03	District of Columbia.
Florida.....	1,046,287	5	126	.13	91	.09	5	.00	.00	Florida.
Georgia.....	2,989,196	4	712	.24	394	.13	20	.01	.01	Georgia.
Hawaii.....	278,984	8	15	.06	13	.05	1	.00	.00	Hawaii.
Idaho.....	470,179	3	380	.59	599	1.26	8	.02	.02	Idaho.
Illinois.....	6,790,594	7	11,137	1.73	9,463	1.39	234	.03	.03	Illinois.
Indiana.....	3,013,154	9	4,491	1.65	3,486	1.16	86	.03	.03	Indiana.
Iowa.....	2,468,643	8	1,979	.83	3,708	1.60	137	.06	.06	Iowa.
Kansas.....	1,797,488	9	2,757	1.57	3,639	2.02	65	.04	.04	Kansas.
Kentucky.....	2,482,317	1	675	.36	690	.28	42	.02	.02	Kentucky.
Louisiana.....	1,845,746	9	254	.14	266	.14	5	.00	.00	Louisiana.
Maine.....	777,259	7	696	.91	1,144	1.47	15	.02	.02	Maine.
Maryland.....	1,505,295	8	2,309	1.60	3,822	2.54	47	.03	.03	Maryland.

¹ Population Jan. 1, 1920.

Scarlet fever—Cases reported, deaths registered, and fatality rates, 1923; estimated expectancy and indicated annual rates based on the years 1914-1922—Continued.

State.	Estimated population July 1, 1923.	Estimated expectancy.			1923.			State.
		Number of years.	Cases reported.	Cases per 1,000 inhabitants.	Cases registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.	
Massachusetts.....	4,027,545	9	7,242	1.92	12,300	3.05	.04	1.2 Massachusetts.
Michigan.....	3,977,821	9	6,763	1.91	12,868	3.23	.06	2.4 Michigan.
Minnesota.....	2,490,386	9	4,121	1.76	9,892	3.96	.06	2.4 Minnesota.
Mississippi.....	1,790,618	9	587	.33	428	.24	.00	1.9 Mississippi.
Missouri.....	3,443,971	1	2,991	.87	4,307	1.25	.03	2.5 Missouri.
Montana.....	611,198	8	806	1.54	850	1.30	.03	2.1 Montana.
Nebraska.....	1,333,122	5	1,681	1.29	1,598	1.20	.04	3.2 Nebraska.
Nevada.....	1,77,407	4	90	1.15	62	.80	0	Nevada.
New Hampshire.....	447,592	3	483	1.09	331	.74	-----	New Hampshire.
New Jersey.....	3,378,963	9	4,997	1.60	5,903	1.75	.03	1.6 New Jersey.
New Mexico.....	372,265	3	377	1.03	394	1.06	.02	1.5 New Mexico.
New York.....	10,843,861	9	15,025	1.47	20,539	1.89	.03	1.3 New York.
North Carolina.....	2,689,325	5	1,718	.67	2,418	.90	.01	1.0 North Carolina.
North Dakota.....	672,041	6	819	1.26	1,471	2.19	.03	1.9 North Dakota.
Ohio.....	6,117,122	9	9,874	1.76	16,604	2.71	.05	1.9 Ohio.
Oklahoma.....	2,162,079	4	739	.37	651	.30	.01	4.0 Oklahoma.
Oregon.....	822,270	9	681	.76	815	.96	.01	1.2 Oregon.
Pennsylvania.....	9,100,326	9	11,993	1.40	15,087	1.65	.01	2.5 Pennsylvania.
Porto Rico.....	1,365,349	5	3	.00	1	0	-----	Porto Rico.
Rhode Island.....	626,672	8	728	1.22	826	1.32	-----	Rhode Island.
South Carolina.....	1,744,408	9	203	.12	186	.11	.00	1.1 South Carolina.
South Dakota.....	655,532	7	1,064	1.69	1,982	2.87	.35	1.9 South Dakota.
Tennessee.....	2,393,077	2	1,174	.49	631	.26	.01	5.4 Tennessee.
Texas.....	4,939,690	6	943	.20	907	.16	-----	Texas.
Utah.....	1,476,812	4	686	1.57	468	.85	.02	2.0 Utah.
Vermont.....	1,352,428	9	588	1.67	636	1.86	.05	2.9 Vermont.
Virginia.....	2,388,441	9	1,809	.80	3,046	1.27	.02	1.5 Virginia.
Washington.....	1,433,998	9	1,146	.87	2,095	1.46	.02	1.3 Washington.
West Virginia.....	1,551,166	6	1,507	1.02	2,126	1.37	.04	3.2 West Virginia.
Wisconsin.....	2,738,574	9	4,471	1.73	12,633	4.61	.08	1.8 Wisconsin.
Wyoming.....	211,864	9	172	.92	276	1.80	.02	1.4 Wyoming.

Cases of septic sore throat reported, 1923.

State.	Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.	Total	State.
Colorado.....	2	2	1	1	1				1				7	Colorado.
Connecticut.....	1								5				14	Connecticut.
Georgia.....	11	10	2	7	17	7	7	1	5	2	13	6	35	Georgia.
Maine.....				2		5				4	2	6	3	Maine.
Maryland.....	16	8	9	7	4	7	3		3	3	8	2	5	Maryland.
Massachusetts.....	14	9	12	6	81	14	6	9	4	17	15	10	197	Massachusetts.
Michigan.....	40	23	16	9	10	7	9	4	5	9	21	27	180	Michigan.
Missouri.....	37	93	106	34	8	4	7	3	18	4	11	9	334	Missouri.
Montana.....	3	3		2	1	1	4		1		4	1	20	Montana.
Nebraska.....	7	3			1	3			1	6	1	5	1	Nebraska.
New Hampshire.....		2					2		2				4	New Hampshire.
New Mexico.....	2			3		1			2				13	New Mexico.
New York.....	36	31	14	6	15	7	18	11	7	16	63	25	249	New York.
North Carolina.....	21	19	8	2	8	13	10	3	23	20	16	8	151	North Carolina.
Ohio.....	73	67	60	57	52	44	27	24	40	58	55	83	640	Ohio.
Oregon.....	1	7	1	1	1	1	1		2		1	1	13	Oregon.
Rhode Island.....	11	1				3	2		1	2		2	2	Rhode Island.
South Carolina.....	15							3	17		6		47	South Carolina.
South Dakota.....		3										1	3	South Dakota.
Utah.....					1								2	Utah.
Wyoming.....								1					1	Wyoming.

14468°—24†—5

Deaths registered as due to septic sore throat, 1923.

State.	Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.	Total.	State.
Connecticut.	2	1	1	1	1	1	3	2	2	13	12	12	14	Connecticut.
Illinois.	13	15	11	22	17	16	15	13	8	8	4	4	167	Illinois.
Iowa.	1	7	9	6	6	4	3	8	6	2	2	2	61	Iowa.
Kansas.	4	8	5	3	3	3	1	3	2	4	2	4	45	Kansas.
Louisiana.	2	1	2	1	5	3	4	4	4	2	2	6	30	Louisiana.
Maine.	1									2			3	Maine.
Maryland.	1	4	3	2	2	3	2	1	1	4	3	1	8	Maryland.
Massachusetts.	2	6	9	4	4	6	6	2	12	6	11	6	26	Massachusetts.
Missouri.	6												76	Missouri.
Montana.	1	2	6	7	8	10	6	3	2	1	4	4	6	Montana.
New York.	8	6	1	1	1	1	6	3	4	4	1	1	5	New York.
North Carolina.	1									1			6	North Carolina.
North Dakota.										1			1	North Dakota.
Oregon.	2									1			5	Oregon.
Texas.	6	6	6	1	1	3	1	1	1	5	4	1	43	Texas.
Utah.													2	Utah.
Vermont.													6	Vermont.

Sepic sore throat—Cases reported, deaths registered, indicated morbidity and mortality rates, and number of cases reported for each death registered, 1923.

State.	Estimated population, July 1, 1923.	Cases reported, 1923.	Cases per 1,000 inhabitants.	Deaths registered, 1923.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.	State.
Colorado.....	890,320	14	.01	14	.01	2.5	Colorado.
Connecticut.....	1,476,483	35	.02	167	.02	2.5	Connecticut.
Georgia.....	2,969,190	78	.03	61	.02	2.5	Georgia.
Illinois.....	6,780,924	—	—	—	—	—	Illinois.
Iowa.....	2,488,643	—	—	—	—	—	Iowa.
Kansas.....	1,797,480	—	—	45	.03	2.5	Kansas.
Louisiana.....	1,849,746	15	.02	30	.02	2.5	Louisiana.
Maine.....	777,250	73	.09	3	.00	5.0	Maine.
Maryland.....	1,505,285	73	.05	8	.01	9.1	Maryland.
Massachusetts.....	4,027,545	197	—	26	.01	7.0	Massachusetts.
Michigan.....	3,977,821	180	.05	—	—	—	Michigan.
Missouri.....	3,443,971	334	.10	76	.02	4.4	Missouri.
Montana.....	611,189	20	.03	6	.01	3.3	Montana.
Nebraska.....	1,333,922	28	.02	—	—	—	Nebraska.
New Hampshire.....	447,562	4	.01	—	—	—	New Hampshire.
New Mexico.....	372,265	13	.03	—	—	—	—
New York.....	10,945,661	240	.02	71	.01	3.5	New Mexico.
North Carolina.....	2,086,325	151	.06	6	.00	25.2	New York.
North Dakota.....	672,041	—	—	1	.00	—	North Carolina.
Ohio.....	0,117,122	640	.10	—	—	—	North Dakota.
Oregon.....	823,270	13	.02	5	.01	2.6	Ohio.
Rhode Island.....	926,672	28	.04	—	—	—	Oregon.
South Carolina.....	1,744,408	47	.03	—	—	—	Rhode Island.
South Dakota.....	685,532	3	.00	—	—	—	South Carolina.
Texas.....	4,929,690	—	—	43	.01	2.6	South Dakota.
Utah.....	476,812	—	—	2	.00	—	Texas.
Vermont.....	1,302,428	—	—	6	.02	—	Utah.
Wyoming.....	211,894	1	.00	—	—	—	Vermont.
						—	Wyoming.

¹ Population Jan. 1, 1920.

Smallpox—Monthly estimated expectancy based on data which are available for the years 1914 to 1922, inclusive.

State.	Number of years included.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	State.
Alabama.....	5	104	111	103	74	42	20	17	12	9	21	22	62	626	Alabama.
Arizona.....	4	82	17	24	34	47	16	5	4	1	1	2	5	179	Arizona.
Arkansas.....	6	80	76	89	73	68	54	29	13	6	14	19	19	540	Arkansas.
California.....	9	109	113	111	139	123	97	33	13	6	39	23	66	1,000	California.
Colorado.....	3	21	21	25	25	23	20	19	17	15	14	17	19	238	Colorado.
Connecticut.....	9	2	1	1	2	2	3	1	1	1	1	1	1	2	17 Connecticut.
Delaware.....	1	4	4	5	7	5	7	5	5	1	1	1	1	4	4 Delaware.
District of Columbia.....	9	3	6	5	7	10	15	3	2	1	1	2	1	41	District of Columbia.
Florida.....	6	13	18	21	20	16	10	6	3	2	8	11	10	137	Florida.
Georgia.....	1	95	110	127	119	72	53	36	19	10	9	28	78	758	Georgia.
Idaho.....	1	27	27	26	25	21	17	16	14	11	13	21	23	241	Idaho.
Kentucky.....	6	63	68	73	59	43	35	21	14	12	14	24	44	460	Kentucky.
Louisiana.....	9	115	130	161	142	103	35	34	16	5	18	24	343	Louisiana.	
Maine.....	2	15	8	9	8	7	2	5	3	2	2	2	1	69	Maine.
Maryland.....	4	8	8	8	7	7	6	4	2	3	4	6	6	66	Maryland.
Massachusetts.....	9	2	-	2	2	2	1	1	1	1	1	2	2	20	Massachusetts.
Michigan.....	9	161	165	159	201	253	213	119	51	46	16	111	190	1,836	Michigan.
Minnesota.....	7	250	244	248	223	211	171	100	63	41	68	164	270	2,333	Minnesota.
Missouri.....	7	193	121	96	55	44	20	29	9	9	3	20	59	657	Missouri.
Montana.....	8	150	117	116	112	112	89	48	22	22	50	84	97	1,018	Montana.
Nevada.....	1	69	76	78	60	42	25	17	10	8	13	33	63	484	Nevada.
New Hampshire.....	3	8	3	3	3	2	2	2	2	2	1	1	1	3	19 New Hampshire.
New Jersey.....	1	1	1	2	1	1	1	2	1	1	1	2	2	2	22 New Jersey.
New Mexico.....	3	13	11	12	13	11	9	6	3	2	2	4	6	92	New Mexico.
North Carolina.....	9	32	21	12	21	20	25	15	4	6	6	34	6	12189	North Carolina.
North Dakota.....	5	147	201	353	275	246	143	68	57	49	82	35	41	1,778	North Dakota.
Ohio.....	6	554	49	47	48	31	21	20	21	21	66	116	238	470	Ohio.
Oregon.....	6	445	635	585	616	407	108	103	23	17	14	10	21	269	880 Oregon.
Pennsylvania.....	9	18	25	24	30	29	22	19	10	3	2	6	12	200	Pennsylvania.
South Carolina.....	9	65	44	44	41	28	20	14	6	3	17	20	313	South Carolina.	
Tennessee.....	7	177	141	139	119	103	102	86	18	21	28	39	67	990 Tennessee.	
Vermont.....	1	61	75	83	66	49	44	26	20	19	20	43	61	567 Vermont.	
Virginia.....	3	64	71	81	69	55	39	32	20	1	1	1	3	49 Virginia.	
Washington.....	9	149	92	198	172	109	112	62	43	24	23	70	121	1,178 Washington.	
West Virginia.....	2	41	36	37	34	36	28	28	32	35	42	42	432 West Virginia.		
Wisconsin.....	4	237	159	147	134	134	83	77	56	21	124	124	1,420 Wisconsin.		
Wyoming.....	4	237	7	6	5	5	5	5	5	5	5	5	4	65 Wyoming.	

Cases of smallpox reported, 1923.

State.	Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.	Total.	State.		
Alabama.....	17	28	62	65	45	29	3	10	6	8	12	49	323	Alabama.		
Arizona.....	14	37	22	11	6	4	3	1	1	1	2	2	100	Arizona.		
Arkansas.....	32	10	30	17	53	37	31	5	17	10	29	44	315	Arkansas.		
California.....	97	74	84	112	166	93	135	119	38	190	374	543	2,025	California.		
Colorado.....	47	12	12	4	2	1	2	1	5	5	4	1	90	Colorado.		
Connecticut.....	4	10	6	11	1	3	1	12	2	2	2	1	52	Connecticut.		
Delaware.....	1	1	1	1	1	1	1	2	19	4	25	14	2	Delaware.		
District of Columbia.....	38	52	20	19	5	5	1	1	1	1	8	25	69	District of Columbia.		
Florida.....	42	29	52	34	57	68	62	31	7	30	67	194	227	Florida.		
Georgia.....	52	29	52	34	57	68	62	31	7	30	67	194	673	Georgia.		
Idaho.....	40	30	11	14	3	4	10	8	9	3	6	17	165	Idaho.		
Illinois.....	369	121	64	50	69	128	139	24	9	28	15	21	937	Illinois.		
Indiana.....	254	149	149	204	243	97	42	59	61	138	278	910	910	Indiana.		
Iowa.....	51	37	69	115	153	103	22	14	13	18	49	30	668	Iowa.		
Kansas.....	30	38	36	60	53	33	21	12	27	34	65	52	481	Kansas.		
Louisiana.....	86	100	128	132	80	20	13	7	26	11	27	62	638	Louisiana.		
Maine.....	6	2	2	22	22	10	10	3	3	11	1	2	118	Maine.		
Maryland.....													5	25	Maryland.	
Massachusetts.....													6	6	Massachusetts.	
Michigan.....	443	136	116	91	106	118	51	78	184	184	417	417	422	2,311	Michigan.	
Minnesota.....	460	291	211	137	123	93	81	46	34	133	121	220	1,950	Minnesota.		
Mississippi.....	41	41	6	13	9	13	13	10	7	8	40	82	292	292	Mississippi.	
Missouri.....	124	60	59	43	77	44	33	6	47	17	87	70	667	667	Missouri.	
Montana.....	47	37	42	53	24	12	21	11	33	62	167	181	732	732	Montana.	
Nebraska.....	20	7	11	4	12	9	2	5	3	10	10	4	97	97	Nebraska.	
Nevada.....										1	5	1	1	12	12	Nevada.
New Hampshire.....	1	1	2	5	2	13	6	1	1	1	1	3	3	30	New Hampshire.	
New Jersey.....														30	New Jersey.	
New Mexico.....	18	7	11	41	16	1	1	1	1	1	1	1	56	56	New Mexico.	
New York.....	13	43	54	27	21	16	16	16	26	7	7	22	390	390	New York.	
North Carolina.....	351	446	540	386	385	239	118	88	52	94	228	413	3,352	3,352	North Carolina.	
North Dakota.....	48	73	98	36	20	33	12	22	6	12	34	50	444	444	North Dakota.	
Ohio.....	220	203	286	427	314	197	124	40	40	65	185	292	2,415	2,415	Ohio.	
Oklahoma.....	97	175	183	264	251	90	30	10	6	78	35	45	1,837	1,837	Oklahoma.	
Oregon.....	83	63	90	122	113	93	55	37	20	36	39	59	66	66	Oregon.	

Cases of smallpox reported, 1923—Continued.

State.	January	February	March	April	May	June	July	August	September	October	November	December	Total	State.
Pennsylvania.....	4	12	20	33	38	26	22	6	7	27	7	19	188	Pennsylvania.
South Carolina.....	31	51	27	23	17	2	3	8	3	39	35	84	586	South Carolina.
North Dakota.....	59	26	14	17	46	99	30	11	11	24	7	14	349	North Dakota.
Tennessee.....	33	84	123	220	296	46	30	11	5	45	83	83	1,087	Tennessee.
Texas.....	14	88	129	105	68	92	55	41	12	8	8	49	666	Texas.
Idaho.....	40	29	5	4	7	3	3	4	4	19	48	188	245	Utah.
Vermont.....	14	7	4	8	1	9	23	14	7	39	77	82	205	Vermont.
Virginia.....	37	32	59	166	110	38	25	8	15	13	19	26	642	Virginia.
Washington.....	188	171	196	141	170	113	67	63	20	50	167	272	1,622	Washington.
West Virginia.....	35	15	44	67	19	38	8	4	2	2	9	12	235	West Virginia.
Wisconsin.....	286	161	110	136	179	102	67	31	31	111	65	110	1,383	Wisconsin.
Wyoming.....	6	4	4	1	1	1	1	1	1	1	3	3	20	Wyoming.

Deaths registered as due to smallpox, 1923.

State.	January	Feb- ruary	March	April	May	June	July	August	Septem- ber	October	November	Decem- ber	Total	State.
Alabama.....	11	7	5			1							1	Alabama.
Arizona.....													26	Arizona.
California.....	8	6	2			1							1	California.
Colorado.....													16	Colorado.
Connecticut.....			1										1	Connecticut.
Dakota.....													1	Dakota.
Delaware.....													1	Delaware.
Georgia.....													2	Georgia.
Idaho.....	1	1											2	Idaho.
Illinois.....						1							1	Illinois.
Indiana.....						1							1	Indiana.
Iowa.....	2	2	1										6	Iowa.
Kentucky.....													1	Kentucky.
Louisiana.....													4	Louisiana.
Maine.....													2	Maine.
Michigan.....	5	1	1	2	2								13	Michigan.
Pennsylvania.....													2	Pennsylvania.
Rhode Island.....													1	Rhode Island.
Tennessee.....													1	Tennessee.
Vermont.....													2	Vermont.
Virginia.....													1	Virginia.
Washington.....													1	Washington.
West Virginia.....													1	West Virginia.
Wisconsin.....													1	Wisconsin.
Wyoming.....													1	Wyoming.

Smallpox—Cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1923; estimated expectancy and indicated annual rates based on the years 1914-1922.

State.	Estimated Population, July 1, 1923.	Estimated expectancy.			1922.			State.
		Number of years.	Cases.	Cases per 1,000 inhabitants.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	
Alabama.....	2,428,912	5	626	0.27	323	0.13	26	Alabama.
Arizona.....	380,960	4	179	.53	100	.26	0	0.3
Arkansas.....	1,816,287	6	540	.31	315	.17	0	Arizona.
California.....	3,905,153	9	1,080	.31	2,025	.31	.08	Arkansas.
Colorado.....	960,320	3	238	.27	90	.06	.02	California.
Connecticut.....	1,476,483	9	17	.01	52	.04	1	Colorado.
Delaware.....	220,460	1	37	.12	2	.01	0	Connecticut.
District of Columbia.....	1,437,571	9	41	.10	68	.10	0	Delaware.
Florida.....	1,046,287	5	137	.14	227	.22	0	District of Columbia.
Georgia.....	2,986,196	1	758	.25	673	.22	2	Florida.
Idaho.....	470,179	1	241	.52	155	.33	4	Georgia.
Illinois.....	6,790,194	1	14	.02	14	.01	2	Idaho.
Indiana.....	3,013,134	1	14	.03	14	.01	2	Illinois.
Iowa.....	2,468,043	1	14	.03	14	.01	2	Indiana.
Kansas.....	1,797,189	1	14	.00	14	.00	0	Iowa.

Smallpox—Cases reported, deaths registered, and indicated mortality, mortality, and fatality rates, 1923; estimated expectancy and indicated annual rates based on the years 1914-1922—Continued.

State.	Estimated population July 1, 1923.	Estimated expectancy.			1923.			State.
		Number of years.	Cases.	Cases per 1,000 inhabitants.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	
Kentucky.....	2,462,317	1	460	0.19	286	0.10	1	Kentucky.
Louisiana.....	1,949,746	9	943	.47	668	.37	4	Louisiana.
Maine.....	777,259	2	69	.00	118	.15	2	Maine.
Maryland.....	1,505,205	4	66	.05	25	.02	0	Maryland.
Massachusetts.....	4,027,545	9	20	.01	6	.00	0	Massachusetts.
Michigan.....	8,977,821	9	1,985	.43	2,811	.38	13	Michigan.
Minnesota.....	2,480,896	7	2,053	.88	1,950	.78	2	Minnesota.
Mississippi.....	1,750,618				282	.10	4	Mississippi.
Missouri.....	3,443,971	1	607	.19	657	.19	3	Missouri.
Montana.....	611,190	8	1,018	1.90	732	.20	.4	Montana.
Nebraska.....	1,383,922	13	484	.37	97	.07	2	Nebraska.
Nevada.....	1,777,407	13	26	.35	10	.13	0	Nevada.
New Hampshire.....	447,659	1	19	.04	39	.01		New Hampshire.
New Jersey.....	3,878,963	9	22	.01	30	.01	0	New Jersey.
New Mexico.....	372,265	3	92	.25	97	.26	10	New Mexico.
New York.....	10,943,661	9	189	.02	390	.04	1	New York.
North Carolina.....	2,686,325	5	1,776	.69	3,352	.25	13	North Carolina.
North Dakota.....	672,041	6	470	.72	444	.66	0	North Dakota.
Ohio.....	6,117,122	9	8,640	.68	2,416	.39	6	Ohio.
Oklahoma.....	2,162,079				1,274	.59	8	Oklahoma.
Oregon.....	823,270	5	265	.45	827	1.01	0	Oregon.
Pennsylvania.....	9,100,825	9	200	.02	153	.02	0	Pennsylvania.
South Carolina.....	1,724,408	9	313	.19	686	.31	2	South Carolina.
South Dakota.....	605,632	7	980	1.58	249	.28	0	South Dakota.
Tennessee.....	2,383,077	1	687	.24	1,037	.43	3	Tennessee.
Texas.....	4,989,630				669	.14	0	Texas.
Utah.....	476,812				168	.35	13	Utah.
Vermont.....	1,382,428	9	28	.06	255	.72	12	Vermont.
Virginia.....	2,398,441	3	543	.24	542	.23	1	Virginia.
Washington.....	1,482,998	9	1,178	.89	1,623	1.13	10	Washington.
West Virginia.....	1,651,156	2	432	.20	455	.16	0	West Virginia.
Wisconsin.....	2,726,574	4	1,420	.55	1,335	.49	1	Wisconsin.
Wyoming.....	211,864	4	65	.37	20	.01	0	Wyoming.
							2	10.0

Cases of syphilis reported, 1923.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.	
Alabama.....	407	488	779	637	1,016	720	695	642	653	587	423	7,471		Alabama.	
Arizona.....	27	111	114	232	178	286	230	112	115	117	117	175		Arizona.	
Arkansas.....	257	232	434	383	536	544	482	270	225	165	174	207	2,569	Arkansas.	
California.....	539	53	80	76	78	70	77	55	54	54	54	60	1,361	California.	
Colorado.....	78	40	96	37	66	65	62	69	75	677	Colorado.	
Connecticut.....	40	36	43	40	40	3	210	211	210	218	243	134	103	Connecticut.	
Delaware.....	67	68	7	8	7	8	211	115	115	115	115	115	57	Delaware.	
Florida.....	150	114	148	115	137	223	110	219	196	191	181	215	2,064	Florida.	
Georgia.....	368	356	413	678	420	481	449	367	437	423	488	347	6,297	Georgia.	
Idaho.....	19	9	2	6	10	3	9	8	4	4	5	4	78	Idaho.	
Illinois.....	910	644	758	993	994	817	748	854	576	1,038	943	762	9,987	Illinois.	
Indiana.....	176	192	180	188	187	157	186	191	191	192	181	149	1,490	Indiana.	
Iowa.....	77	47	137	223	110	102	99	77	102	97	104	108	96	Iowa.	
Kansas.....	110	85	80	99	99	77	99	77	98	102	102	118	1,474	Kansas.	
Kentucky.....	1,791	2,950	2,988	2,987	2,986	2,986	1,919	1,923	1,946	1,946	1,954	2,110	23,787	Kentucky.	
Louisiana.....	247	291	349	318	342	380	314	361	385	313	306	966	3,912	Louisiana.	
Maine.....	87	15	27	29	25	80	12	40	40	15	13	39	19	Maine.	
Maryland.....	186	193	202	221	248	180	186	185	170	190	190	149	185	Maryland.	
Massachusetts.....	410	402	450	413	438	399	423	436	430	442	480	467	5,216	Massachusetts.	
Michigan.....	700	579	707	1,038	578	1,043	936	943	1,047	951	986	1,024	10,512	Michigan.	
Minnesota.....	437	317	461	399	395	370	390	650	650	593	593	424	480	5,077	Minnesota.
Mississippi.....	543	622	686	613	615	570	681	694	694	767	767	632	7,330	Mississippi.	
Missouri.....	420	325	372	306	334	346	311	317	263	350	477	229	4,083	Missouri.	
Montana.....	14	7	8	14	13	7	18	6	2	28	28	14	143	Montana.	
Nebraska.....	100	70	72	89	70	70	85	77	77	101	102	70	1,043	Nebraska.	
New Hampshire.....	4	11	6	11	7	7	7	7	7	11	11	13	12	110	New Hampshire.
New Jersey.....	261	249	241	267	272	254	253	270	287	276	256	379	8,228	New Jersey.	
New Mexico.....	20	17	8	8	16	16	9	4	4	14	16	2	6	124	New Mexico.
New York.....	2,576	1,958	2,271	2,595	2,893	1,916	1,681	2,736	2,226	2,436	2,161	2,026	27,474	New York.	
North Carolina.....	382	369	364	401	299	281	291	246	246	246	246	290	3,556	North Carolina.	
North Dakota.....	13	12	21	14	25	15	14	16	16	21	21	21	30	215	North Dakota.
Ohio.....	407	886	650	472	470	883	886	886	886	476	476	465	5,006	Ohio.	
Oklahoma.....	213	68	97	63	74	262	370	312	312	324	324	324	3,638	Oklahoma.	
Oregon.....	51	43	110	63	56	63	74	48	48	61	82	40	55	736	Oregon.
Pennsylvania.....	328	220	263	277	235	240	240	241	241	207	234	184	2,877	Pennsylvania.	
Rhode Island.....	25	22	14	41	30	30	34	37	37	31	31	35	40	400	Rhode Island.
South Carolina.....	160	167	226	162	164	166	124	124	124	140	188	160	189	1,927	South Carolina.
South Dakota.....	13	12	18	10	16	12	12	21	21	13	13	8	8	154	South Dakota.
Tennessee.....	288	312	317	264	264	264	264	265	265	265	265	265	265	3,433	Tennessee.

Cases of syphilis reported, 1923—Continued.

State.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Total.	State.
Texas.....	1,147	1,247	1,352	1,503	894	1,727	1,089	1,486	1,587	947	1,676	1,038	15,680	Texas.
Utah.....	20	12	28	22	33	21	24	21	32	47	15	1,41	294	Utah.
Vermont.....	11	19	212	209	208	162	168	190	166	140	140	2,188	294	Vermont.
Virginia.....	190	170	50	57	60	38	50	32	42	45	42	660	2,188	Virginia.
Washington.....	82	50	276	108	224	196	217	198	216	54	54	242	660	Washington.
West Virginia.....	327	54	41	43	69	40	53	54	56	74	66	647	2,902	West Virginia.
Wisconsin.....	72	54	10	5	7	5	1	1	1	6	5	1,40	2,902	Wisconsin.
Wyoming.....	1	1												Wyoming.

¹ Data not available for the full year.

Syphilis—Cases reported and indicated morbidity rates, 1923.

State.	Estimated population, July 1, 1923.	Total cases reported.	Cases per 1,000 inhabitants.	State.	Estimated population, July 1, 1923.	Total cases reported.	Cases per 1,000 inhabitants.	State.	Estimated population, July 1, 1923.	Total cases reported.	Cases per 1,000 inhabitants.	State.
Alabama.....	2,423,912	7,471	3.08	Louisiana.....	1,849,746	3,912	2.11	North Dakota.....	672,041	215	322	Texas.
Arizona.....	380,960	178	.47	Maine.....	777,250	311	.40	Oklahoma.....	6,117,122	5,005	822	Utah.
Arkansas.....	1,816,287	2,359	1.41	Maryland.....	1,505,205	2,216	1.47	Oklahoma.....	2,162,079	2,079	937	Vermont.
California.....	3,805,153	12,792	3.38	Massachusetts.....	4,027,545	5,210	1.20	Oregon.....	823,270	736	890	Virginia.
Colorado.....	980,320	988	.91	Michigan.....	3,977,821	10,612	2.64	Pennsylvania.....	9,100,326	8,877	932	Wisconsin.
Connecticut.....	1,478,483	677	.46	Minnesota.....	2,499,386	5,077	2.03	Rhode Island.....	626,672	400	64	Wyoming.
Delaware.....	230,460	245	1.06	Mississippi.....	1,790,618	7,330	4.09	South Carolina.....	1,744,408	1,927	1,110	West Virginia.
Florida.....	1,046,287	2,054	1.96	Missouri.....	3,443,971	4,083	1.19	South Dakota.....	635,532	154	23	Wisconsin.
Georgia.....	2,988,196	5,207	1.74	Montana.....	611,190	143	.23	Tennessee.....	2,383,977	3,433	1,43	Wyoming.
Idaho.....	470,179	78	.17	Nebraska.....	1,383,922	1,068	.75	Texas.....	4,839,630	15,630	3.16	West Virginia.
Illinois.....	6,790,324	9,907	1.47	New Hampshire.....	447,592	110	.25	Vermont.....	1,332,428	294	.83	West Virginia.
Indiana.....	3,013,134	2,078	.69	New Jersey.....	3,223	3,223	.95	Virginia.....	2,386,441	2,188	.91	West Virginia.
Iowa.....	2,488,043	1,474	.60	New Mexico.....	372	245	.64	Washington.....	1,453,996	660	660	West Virginia.
Kansas.....	1,797,489	1,218	.68	New York.....	10,845,661	27,474	2.53	West Virginia.....	1,453,166	2,902	1,57	West Virginia.
Kentucky.....	2,462,317	2,737	.923	North Carolina.....	2,885,326	3,586	1.32	Wisconsin.....	2,739,574	2,647	1.57	West Virginia.

¹ Population Jan. 1, 1920.

Cases of tuberculosis (all forms) reported, 1923.

State.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	State.
Arizona.....	108	11	53	38	686	205	66	96	114	174	123	122	1,855	Arizona.
California.....	811	646	665	752	743	615	573	826	650	866	712	626	8,485	California.
Colorado.....	27	34	492	131	83	410	412	361	232	295	386	277	3,192	Colorado.
Connecticut.....	129	109	158	154	179	149	142	147	133	137	133	120	1,690	Connecticut.
Delaware.....	23	14	24	16	18	16	24	26	33	27	33	31	290	Delaware.
Florida.....	90	114	108	100	118	98	88	86	81	124	117	75	1,198	Florida.
Hawaii.....	68	92	81	94	98	84	87	58	83	93	80	62	989	Hawaii.
Illinois.....	1,775	1,161	2,489	1,403	1,610	1,351	1,151	1,122	1,096	1,385	1,083	886	16,512	Illinois.
Kansas.....	149	120	232	223	234	226	193	194	154	179	153	150	2,160	Kansas.
Maryland.....	166	180	193	192	194	244	207	228	216	228	250	214	2,066	Maryland.
Massachusetts.....	454	487	490	556	684	660	637	468	600	564	435	448	6,163	Massachusetts.
Michigan.....	397	453	302	523	524	755	411	474	353	432	344	5,471	Michigan.	
Minnesota.....	261	314	393	425	361	381	426	345	337	388	391	332	4,332	Minnesota.
Mississippi.....	220	266	284	262	261	286	246	246	219	217	216	216	2,830	Mississippi.
Missouri.....	172	284	236	245	269	403	227	283	264	203	216	280	2,922	Missouri.
Montana.....	81	106	112	40	60	60	20	31	33	99	47	16	604	Montana.
New Hampshire.....	5	18	15	27	5	16	10	10	16	15	14	2	143	New Hampshire.
New Jersey.....	449	397	531	558	523	501	495	404	423	468	437	428	5,613	New Jersey.
New Mexico.....	88	66	49	68	63	38	39	51	72	88	70	66	763	New Mexico.
New York.....	1,677	1,697	2,105	1,851	1,941	1,705	2,098	1,845	1,533	1,770	1,564	1,218	21,020	New York.
Ohio.....	491	616	654	612	679	611	602	468	487	444	646	646	6,858	Ohio.
Rhode Island.....	47	35	46	69	61	57	59	39	48	45	44	39	889	Rhode Island.
Utah.....	18	9	25	19	14	14	18	11	10	12	14	12	177	Utah.
Vermont.....	21	11	19	14	34	54	16	34	25	29	44	51	352	Vermont.
Washington.....	74	74	97	178	286	137	171	111	166	166	147	147	1,885	Washington.
Wisconsin.....	215	140	179	230	180	205	235	136	138	160	166	166	2,212	Wisconsin.

Deaths registered as due to tuberculosis (all forms), 1923.

State.	Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	August.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.	Total.	State.
Alabama.....	224	191	235	230	173	204	205	194	188	190	176	185	2,405	Alabama.
Arizona.....	115	140	128	106	95	88	113	71	83	96	89	128	1,217	Arkansas.
Arkansas.....	106	118	136	126	152	156	115	121	92	147	464	182	1,489	California.
California.....	542	479	553	549	488	465	425	414	447	417	491	120	5,724	Colorado.
Colorado.....	144	131	174	146	137	118	121	125	127	115	137	120	1,604	Connecticut.
Connecticut.....	112	113	122	122	132	107	98	110	96	140	100	112	1,314	Delaware.
Delaware.....	21	25	30	18	22	18	27	19	18	14	18	26	256	District of Columbia.
District of Columbia.....	49	41	64	47	55	38	55	52	39	49	44	45	578	Florida.
Florida.....	97	92	103	83	99	87	86	86	77	100	92	77	1,079	Georgia.
Georgia.....	247	211	222	236	244	216	219	211	215	180	211	183	2,837	Hawaii.
Hawaii.....	35	48	38	36	44	33	36	20	33	30	34	30	417	Idaho.
Idaho.....	17	8	9	18	14	12	12	10	10	12	6	138	Illinois.	
Illinois.....	448	496	538	527	516	491	437	426	397	467	396	410	5,649	Indiana.
Indiana.....	208	239	310	222	270	247	237	197	208	210	188	183	2,779	Iowa.
Iowa.....	87	102	100	117	91	108	88	89	69	65	69	70	1,055	Kentucky.
Kentucky.....	344	321	320	272	298	292	298	265	186	190	226	180	3,120	Louisiana.
Louisiana.....	66	64	83	70	72	65	66	42	67	60	60	4	724	Maine.
Maine.....	191	203	187	195	200	170	141	164	145	137	120	161	2,064	Maryland.
Maryland.....	187	164	164	44	70	49	47	44	40	32	44	50	614	Massachusetts.
Massachusetts.....	289	307	357	366	379	295	302	271	227	267	237	290	3,657	Michigan.
Michigan.....	258	248	278	263	297	231	248	230	188	188	188	212	2,887	Minnesota.
Minnesota.....	141	165	189	187	197	174	168	140	123	118	129	125	1,846	Missouri.
Missouri.....	275	258	306	303	261	220	224	201	192	184	185	230	2,857	Montana.
Montana.....	27	33	46	34	30	23	33	22	22	25	25	30	30	Montana.
Nebraska.....	28	35	58	39	48	45	36	27	31	23	23	30	438	New Jersey.
New Jersey.....	268	267	312	292	287	284	248	223	206	238	207	224	3,046	New Mexico.
New Mexico.....	66	71	87	60	68	54	49	42	48	55	52	52	4,230	New York.
New York.....	865	977	1,049	1,052	1,011	906	874	769	722	788	690	805	10,500	Oklahoma.
North Carolina.....	267	210	229	244	221	206	218	175	148	191	196	196	2,644	Oregon.
North Dakota.....	17	19	26	21	25	15	16	19	10	12	8	12	200	Pennsylvania.
Ohio.....	450	474	510	529	481	428	432	411	388	388	366	366	4,230	Port Rico.
Oklahoma.....	107	163	125	117	106	114	105	90	80	82	69	69	1,233	South Carolina.
Oregon.....	60	59	73	56	54	67	58	43	44	34	38	40	626	South Dakota.
Pennsylvania.....	635	712	774	775	774	688	576	592	540	551	538	619	7,774	Tennessee.
Port Rico.....	222	280	216	233	220	152	272	240	220	257	304	287	2,803	South Dakota.
South Carolina.....	108	109	121	102	137	114	126	121	109	103	97	144	1,451	South Dakota.
South Dakota.....	20	21	36	28	29	12	17	20	17	20	17	20	139	Tennessee.
Tennessee.....	335	338	331	322	310	322	322	310	322	322	322	324	3,667	Tennessee.

Tuberculosis (all forms)—Cases reported, deaths registered, indicated morbidity and mortality rates, and number of cases reported for each death registered, 1923.

State.	Estimated population July 1, 1923.	Cases reported, 1923.	Case per 1,000 inhabitants.	Deaths registered, 1923.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.	State.				
Texas	343	265	383	305	348	292	Texas.				
Utah	18	9	26	19	13	10	14	12	202	8,235	
Vermont	23	22	27	33	30	28	21	12	173	U. S.	
Virginia	283	294	306	297	263	288	246	27	14	22	Vermon.
Washington	91	86	106	105	110	85	97	63	212	187	Virginia.
West Virginia	107	102	131	118	113	102	97	97	91	80	West Virgin.
Wisconsin	136	134	132	174	166	158	160	150	114	89	Wisconsin.
Wyoming	8	3	4	4	10	9	8	6	8	6	Wyoming.
Alabama		2,423,912	27	0.49	2,405	0.99					
Alaska		1,155,086	1,835	4.87							
Arizona		380,960			1,217	3.19					
Arkansas		1,816,287			1,469	.82					
California		3,805,153	8,485	2.23	5,724	1.60					
Colorado		990,290	3,182	3.22	1,004	1.62					
Connecticut		1,475,833	1,680	1.14	1,214	.93					
Delaware		280,460	290	1.06	266	1.11					
District of Columbia		1,437,671	1,801	1.97	1,322	.82					
Florida		1,046,287	1,196	1.16	1,070	1.03					
Georgia		2,998,196			2,837	.88					
Hawaii		275,984	960	3.55	417	1.49					
Idaho		470,170			138						
Illinois		6,790,324	16,612	2.43	5,549	.82					
Indiana		3,013,134			2,779	.92					
Iowa		2,468,643			1,065	.43					
Kansas		1,797,459	2,160	1.20	2,724						
Kentucky		2,402,217			2,120						
Louisiana		1,849,746			2,064						
Maine		777,260			614						
Maryland		1,505,295			777						
Massachusetts		4,027,345	2,666	1.77	1,859	1.23					
Michigan		3,977,521	6,188	1.58	6,067	.99					
Minnesota		2,499,396	5,471	1.38	2,887	.71					
Mississippi		1,499,618	4,832	1.73	2,946	.74					
			2,930	1.64	1,980	1.05					

¹ Population Jan. 1, 1920

Tuberculosis (all forms)—Cases reported, deaths registered, indicated morbidity and mortality rates, and number of cases reported for each death registered, 1923—Continued.

State.	Estimated population, July 1, 1923.	Cases reported, 1923.	Cases per 1,000 inhabitants.	Deaths registered, 1923.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.	State.
Missouri	3,443,971	2,922	0.85	2,857	0.83	1.0	Missouri.
Montana	611,198	604	0.99	357	.58	1.7	Montana.
Nebraska	333,922	—	—	488	.38	—	Nebraska.
New Hampshire	447,692	143	0.32	—	—	—	New Hampshire.
New Jersey	3,378,963	5,613	1.66	3,046	.90	1.8	New Jersey.
New Mexico	372,265	763	2.06	719	1.93	1.1	New Mexico.
New York	10,845,861	21,020	1.94	10,500	.97	2.0	New York.
North Carolina	2,986,326	—	—	2,944	.66	—	North Carolina.
North Dakota	672,041	—	—	300	.30	—	North Dakota.
Ohio	6,117,122	6,808	1.12	5,250	.86	1.3	Ohio.
Oklahoma	2,162,070	—	—	1,283	.57	—	Oklahoma.
Oregon	523,270	—	—	526	.76	—	Oregon.
Pennsylvania	9,100,326	—	—	7,774	.86	—	Pennsylvania.
Porto Rico	1,385,349	—	—	2,908	2.05	—	Porto Rico.
Rhode Island	626,672	580	.94	—	—	—	Rhode Island.
South Carolina	1,774,406	—	—	1,451	.83	—	South Carolina.
South Dakota	605,532	—	—	3,373	.07	—	South Dakota.
Tennessee	2,353,077	—	—	3,667	1.49	—	Tennessee.
Texas	4,929,630	—	—	3,225	.65	—	Texas.
Utah	476,812	177	.37	173	.36	1.0	Utah.
Vermont	352,428	352	1.00	295	.84	1.2	Vermont.
Virginia	2,398,441	—	—	2,915	1.22	—	Virginia.
Washington	1,483,968	1,835	1.28	1,083	.76	1.7	Washington.
West Virginia	1,551,156	—	—	1,226	.79	—	West Virginia.
Wisconsin	2,720,574	2,212	.81	1,710	.62	1.3	Wisconsin.
Wyoming	211,864	—	—	76	.36	—	Wyoming.

¹ Population Jan. 1, 1920.

Cases of tuberculosis (pulmonary) reported, 1923.

State.	January.	Febr.- uary.	March.	April.	May.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.	Total.	State.
California.....	788	696	649	739	718	599	554	806	640	648	700	616	8,238	California.
Connecticut.....	119	101	144	141	164	137	133	120	129	119	114	1,354	Connecticut.	
Delaware.....	19	11	20	13	16	16	23	19	27	27	26	237	Delaware.	
Florida.....	89	112	104	100	115	96	87	82	76	70	75	1,169	Florida.	
Hawaii.....	56	75	65	84	63	69	68	51	70	77	67	49	814	Hawaii.
Illinois.....	1,765	1,140	2,466	1,388	1,603	1,142	1,116	1,071	1,968	1,076	873	16,330	Illinois.	
Louisiana.....	233	221	190	242	221	236	220	206	193	206	176	242	2,696	Louisiana.
Maryland.....	181	173	186	248	191	237	256	226	220	229	239	201	2,652	Maryland.
Massachusetts.....	406	432	425	472	563	490	463	395	442	489	383	301	5,346	Massachusetts.
Nevada.....	7	8	9	9	6	4	10	6	3	5	6	3	76	Nevada.
New York.....	1,496	1,698	1,986	1,747	1,948	1,704	1,999	1,751	1,461	1,679	1,611	1,186	19,936	New York.
Rhode Island.....	42	31	43	55	52	52	50	37	39	39	39	33	333	Rhode Island.
Utah.....	15	8	10	16	16	16	8	8	7	7	14	10	13	Utah.
Virginia.....	280	275	319	374	297	337	240	197	257	259	260	276	3,314	Virginia.

Deaths registered as due to tuberculosis (pulmonary), 1923.

State.	January.	Febr.- uary.	March.	April.	May.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.	Total.	State.
Alabama.....	202	176	220	216	187	192	196	195	177	188	167	171	2,207	Alabama.
Arkansas.....	104	111	130	125	146	160	109	86	94	84	87	70	1,426	Arkansas.
California.....	496	429	489	483	404	360	361	387	415	415	435	5,041	California.	
Colorado.....	137	128	168	188	130	111	113	115	108	122	132	5,117	Colorado.	
Connecticut.....	101	100	107	110	107	103	86	90	77	83	91	99	1,163	Connecticut.
Delaware.....	19	22	26	17	20	15	23	15	17	13	16	21	224	Delaware.
District of Columbia.....	46	36	49	43	51	33	47	48	34	39	41	40	506	District of Columbia.
Florida.....	93	85	93	81	62	82	80	71	85	87	70	1,012	Florida.	
Georgia.....	228	192	212	238	201	208	224	204	167	195	168	2,460	Georgia.	
Hawaii.....	31	40	28	34	40	25	32	18	28	35	31	23	260	Hawaii.
Idaho.....	11	7	7	17	9	12	9	7	9	12	5	114	Idaho.	
Illinois.....	395	440	493	461	460	444	374	349	416	337	369	4,897	Illinois.	
Indiana.....	187	250	257	205	224	207	203	169	177	162	165	2,369	Indiana.	
Iowa.....	69	90	88	108	71	89	66	57	56	61	61	896	Iowa.	
Kansas.....	62	55	75	59	64	57	51	62	62	54	40	676	Kansas.	

Deaths registered as due to tuberculosis (pulmonary) 1923—Continued.

State.	January	Febr-	March	April	May	June	July	August	Septem-	October	Novem-	Decem-	Total	State.
		-ary.							-ber.		-ber.			
Kentucky.....	314	300	255	270	298	229	216	166	163	203	158	2,822	Kentucky.	
Louisiana.....	174	194	183	194	165	177	194	148	130	110	162	1,945	Louisiana.	
Maine.....	30	51	67	37	49	40	38	26	25	37	38	502	Maine.	
Maryland.....	176	183	147	173	126	125	138	138	102	140	114	1,694	Maryland.	
Massachusetts.....	251	245	298	288	327	245	264	207	225	213	251	3,078	Massachusetts.	
Michigan.....	211	216	236	220	257	206	208	162	160	158	174	2,410	Michigan.	
Minnesota.....	113	148	150	160	104	143	118	110	99	95	104	1,513	Minnesota.	
Missouri.....	244	233	284	263	221	203	190	184	164	157	170	2,629	Missouri.	
Nebraska.....	24	33	48	36	40	31	26	19	23	19	25	34	358	Nebraska.
Nevada.....	7	3	6	9	5	4	6	5	3	5	6	3	62	Nevada.
New Jersey.....	256	224	288	264	288	261	220	208	184	217	188	2,776	New Jersey.	
New Mexico.....	61	68	86	76	55	48	43	41	44	44	55	48	683	New Mexico.
New York.....	773	867	907	927	876	776	752	636	631	696	600	727	New York.	
North Carolina.....	245	200	210	231	220	197	186	198	161	133	181	1,345	North Carolina.	
North Dakota.....	13	17	21	17	17	9	12	15	15	7	6	7	147	North Dakota.
Ohio.....	389	410	454	458	402	354	373	349	314	309	311	364	4,482	Ohio.
Oklahoma.....	100	103	117	110	98	96	88	73	71	69	68	1,123	Oklahoma.	
Oregon.....	48	47	59	46	48	51	35	32	31	30	35	508	Oregon.	
Pennsylvania.....	554	649	677	690	669	597	562	512	490	471	487	523	Pennsylvania.	
Puerto Rico.....	217	219	205	218	210	151	260	227	213	243	216	204	2,582	Puerto Rico.
South Carolina.....	101	102	117	154	124	108	111	106	99	98	98	132	1,240	South Carolina.
South Dakota.....	16	21	31	26	26	11	15	14	18	19	125	332	South Dakota.	
Tennessee.....	308	315	301	285	286	297	294	249	203	248	248	221	3,225	Tennessee.
Texas.....	330	243	359	288	321	288	286	248	187	179	189	196	3,060	Texas.
Utah.....	15	8	19	16	6	16	8	8	7	14	10	10	137	Utah.
Vermont.....	20	17	22	24	25	18	25	15	21	23	10	18	238	Vermont.
Virginia.....	257	234	279	228	240	212	218	196	189	193	172	214	2,684	Virginia.
Washington.....	73	66	81	95	97	69	76	51	63	73	77	73	890	Washington.
West Virginia.....	87	93	108	100	86	81	82	77	72	72	73	1,044	West Virgin. a.	
Wisconsin.....	115	111	146	143	138	120	104	98	133	101	102	1,455	Wisconsin.	

Tuberculosis (pulmonary)—Cases reported, deaths registered, indicated morbidity and mortality rates, and number of cases reported for each death registered, 1923.

State.	Estimated Population, July 1, 1923.	Cases reported, 1923.	Cases per 1,000 inhabitants.	Deaths registered, 1923.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.	State.
Alabama.....	2,423,912	2,207	0.91	1,426	.79	...	Alabama.
Arkansas.....	1,816,287	1,283	0.70	6,041	1.32	...	Arkansas.
California.....	3,866,153	8,283	2.18	1,517	1.53	...	California.
Colorado.....	980,320	1,634	1.65	1,163	.79	...	Colorado.
Connecticut.....	1,476,483	1,634	1.05	1.3	Connecticut.
Delaware.....	230,460	237	1.03	224	.97	...	Delaware.
District of Columbia.....	1,437,571	1,210	2.77	506	1.16	2.4	District of Columbia.
Florida.....	1,046,287	1,169	1.12	1,012	.97	1.2	Florida.
Georgia.....	2,999,196	2,92	0.82	2,166	0.82	...	Georgia.
Hawaii.....	275,984	814	2.92	360	1.29	2.3	Hawaii.
Idaho.....	470,179	114	.24	...	Idaho.
Illinois.....	6,799,524	16,330	2.40	4,897	.72	3.3	Illinois.
Indiana.....	3,013,134	2,369	.79	3.3	Indiana.
Iowa.....	2,488,643	895	.36	...	Iowa.
Kansas.....	1,797,489	676	.38	...	Kansas.
Kentucky.....	2,462,317	2,822	1.15	...	Kentucky.
Louisiana.....	1,849,746	2,596	1.40	1,945	1.05	1.3	Louisiana.
Maine.....	777,259	502	.65	...	Maine.
Maryland.....	1,505,295	2,562	1.70	1,984	1.13	1.5	Maryland.
Massachusetts.....	4,027,545	6,356	1.33	3,078	.76	1.7	Massachusetts.
Michigan.....	3,977,821	2,410	.61	...	Michigan.
Minnesota.....	2,498,396	1,513	.61	...	Minnesota.
Mississippi.....	1,790,618	1,628	.91	...	Mississippi.
Missouri.....	3,443,971	2,529	.73	...	Missouri.
Nebraska.....	1,333,922	358	.27	...	Nebraska.
Nevada.....	1,77,407	76	.98	62	.80	1.2	Nevada.
New Jersey.....	3,376,963	2,776	.82	...	New Jersey.
New Mexico.....	372,265	683	1.83	...	New Mexico.
New York.....	10,843,661	19,936	1.84	9,178	.85	2.2	New York.
North Carolina.....	2,686,325	2,345	.87	...	North Carolina.

Tuberculosis (pulmonary)—Cases reported, deaths registered, indicated morbidity and mortality rates, and number of cases reported for each death registered, 1923—Continued.

State.	Estimated population, July 1, 1923.	Cases reported, 1923.	Cases per 1,000 inhabitants.	Deaths registered, 1923.	Deaths per 1,000 inhabitants.	Cases reported for each death registered.	State.
North Dakota.....	672,941				147	0.22	North Dakota.
Ohio.....	6,117,122				4,482	.73	Ohio.
Oklahoma.....	2,162,079				1,128	.52	Oklahoma.
Oregon.....	823,270				508	.62	Oregon.
Pennsylvania.....	9,100,326				6,791	.75	Pennsylvania.
Porto Rico.....	1,365,349				2,582	1.89	Porto Rico.
Rhode Island.....	626,672				1,340	.77	Rhode Island.
South Carolina.....	1,744,408				1,382	.51	South Carolina.
South Dakota.....	685,532						South Dakota.
Tennessee.....	2,383,077				3,225	1.35	Tennessee.
Utah.....	4,889,630				3,060	.62	Utah.
Vermont.....	476,812				.30	.29	Vermont.
Virginia.....	1,352,428				238	.88	Virginia.
Washington.....	2,388,441				2,634	1.10	Washington.
West Virginia.....	1,433,938				2,890	.62	West Virginia.
Wisconsin.....	1,551,158				1,044	.67	Wisconsin.
	2,739,574				1,455	.83	

¹ Population Jan. 1, 1920.

Typhoid fever—Monthly estimated expectancy based on data which are available for the years 1914 to 1922, inclusive.

State.	Number of years included.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	State
Alabama.....	4	42	38	39	36	68	141	200	222	162	88	71	42	1,147	Alabama.
Arizona.....	5	1	1	2	1	6	6	11	8	12	4	6	39	147	Arizona.
Arkansas.....	6	23	27	18	17	20	44	103	122	110	84	74	34	676	Arkansas.
California.....	9	57	53	61	53	70	105	136	156	131	112	80	73	1,087	California.
Colorado.....	8	15	5	10	16	10	19	45	45	85	98	77	35	426	Colorado.

Connecticut.....	1	194	Connecticut.
Delaware.....	3	12	Delaware.
District of Columbia.....	4	10	District of Columbia.
Florida.....	5	36	Florida.
Georgia.....	4	26	Georgia.
Hawaii.....	8	15	Hawaii.
Idaho.....	2	14	Idaho.
Illinois.....	7	80	Illinois.
Indiana.....	5	34	Indiana.
Kansas.....	4	32	Kansas.
Kentucky.....	1	39	Kentucky.
Louisiana.....	9	41	Louisiana.
Maine.....	7	14	Maine.
Maryland.....	5	42	Maryland.
Massachusetts.....	5	48	Massachusetts.
Michigan.....	9	69	Michigan.
Minnesota.....	9	44	Minnesota.
Mississippi.....	3	100	Mississippi.
Missouri.....	1	22	Missouri.
Montana.....	8	10	Montana.
Nebraska.....	5	9	Nebraska.
Nevada.....	4	5	Nevada.
New Hampshire.....	3	1	New Hampshire.
New Jersey.....	4	36	New Jersey.
New Mexico.....	3	13	New Mexico.
New York.....	5	134	New York.
North Carolina.....	3	35	North Carolina.
North Dakota.....	6	9	North Dakota.
Ohio.....	5	123	Ohio.
Oklahoma.....	2	9	Oklahoma.
Oregon.....	9	10	Oregon.
Pennsylvania.....	6	192	Pennsylvania.
Porto Rico.....	8	20	Porto Rico.
Rhode Island.....	8	3	Rhode Island.
South Carolina.....	9	10	South Carolina.
South Dakota.....	7	3	South Dakota.
Texas.....	6	26	Texas.
Utah.....	7	10	Utah.
Vermont.....	9	14	Vermont.
Virginia.....	5	61	Virginia.
Washington.....	9	35	Washington.
West Virginia.....	6	69	West Virginia.
Wisconsin.....	9	32	Wisconsin.
Wyoming.....	9	1	Wyoming.

Cases of typhoid fever reported, 1925.

State.	Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	August.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.	Total.	State.	
Alabama.....	40	30	96	54	119	206	351	485	295	165	73	55	1,929	Alabama.	
Arizona.....	3	3	2	2	8	12	6	10	16	1	7	7	75	Arizona.	
Arkansas.....	39	16	5	7	38	30	173	162	138	121	70	41	840	Arkansas.	
California.....	56	28	27	37	66	75	71	148	93	119	102	66	888	California.	
Colorado.....	12	4	5	10	12	21	40	67	101	69	48	22	411	Colorado.	
Connecticut.....	7	5	9	7	12	9	28	51	58	60	22	29	257	Connecticut.	
Delaware.....	3	1	1	1	1	4	4	24	17	18	12	10	90	Delaware.	
District of Columbia.....	2	4	3	1	7	13	12	20	26	14	12	4	118	District of Columbia.	
Florida.....	47	37	68	82	70	56	60	134	78	32	28	40	559	Florida.	
Georgia.....	18	14	15	12	23	90	106	134	78	48	30	23	461	Georgia.	
Hawaii.....	13	17	19	13	12	12	17	22	15	15	6	12	175	Hawaii.	
Idaho.....	1	1	1	3	1	1	1	29	23	7	3	4	72	Idaho.	
Illinois.....	65	31	89	52	64	68	99	233	320	259	315	277	1,862	Illinois.	
Indiana.....	10	13	13	14	33	33	35	60	137	83	55	157	1,633	Indiana.	
Kansas.....	17	2	5	16	20	36	36	258	169	84	51	11	909	Kansas.	
Louisiana.....	73	32	38	51	70	125	121	141	107	81	55	28	922	Louisiana.	
Maine.....	7	23	7	9	7	32	15	22	27	16	32	17	24	Maine.	
Maryland.....	24	24	29	28	34	54	117	277	223	199	134	73	2,216	Maryland.	
Massachusetts.....	38	20	41	41	51	44	58	64	97	80	47	32	622	Massachusetts.	
Michigan.....	57	70	53	41	35	49	77	106	160	156	126	52	932	Michigan.	
Minnesota.....	15	16	16	26	21	32	34	70	73	69	38	36	440	Minnesota.	
Mississippi.....	47	40	58	84	125	173	227	320	241	148	81	46	1,690	Mississippi.	
Missouri.....	23	11	10	31	23	49	87	117	173	106	67	40	736	Missouri.	
Montana.....	8	4	3	5	11	2	2	21	16	15	32	8	159	Montana.	
Nebraska.....	7	4	3	4	1	3	2	24	6	4	5	1	65	Nebraska.	
Nevada.....	1	1	3	11	1	2	1	1	7	5	4	4	38	Nevada.	
New Hampshire.....	2	2	17	19	3	1	1	1	1	9	6	4	5	33	New Hampshire.
New Jersey.....	22	22	17	19	23	68	61	102	108	90	47	41	620	New Jersey.	
New Mexico.....	27	2	4	6	2	8	31	60	75	85	33	26	350	New Mexico.	
New York.....	140	70	92	112	121	127	182	281	408	281	167	94	2,201	New York.	
North Carolina.....	30	80	40	26	64	148	461	342	136	61	42	1,577	North Carolina.		
North Dakota.....	5	32	44	1	4	3	1	3	19	32	16	15	129	North Dakota.	
Ohio.....	67	52	45	33	56	59	80	195	320	349	302	60	1,672	Ohio.	
Oklahoma.....	5	45	23	19	11	55	121	164	48	224	196	21	832	Oklahoma.	
Oregon.....	5	7	1	4	2	13	6	23	34	40	15	15	169	Oregon.	

Pennsylvania.....	153	103	73	101	96	144	180	221	321	448	392	230	152	2,365
Porto Rico.....	30	28	46	29	29	74	83	194	66	116	870	108	108	870
Rhode Island.....	6	1	2	2	3	2	7	11	3	10	3	51	3	51
South Carolina.....	9	6	6	8	26	101	48	68	27	48	10	7	364	7
South Dakota.....	8	6	2	2	13	5	8	16	10	12	1	5	88	5
Tennessee.....	18	15	10	17	22	79	217	272	188	94	40	21	993	21
Texas.....	24	16	4	11	29	133	144	204	42	56	68	68	933	68
Utah.....	11	4	3	4	13	19	33	288	42	37	16	4	473	4
Vermont.....	6	6	5	5	76	4	2	3	6	3	5	2	45	2
Virginia.....	32	25	37	76	204	388	447	291	217	125	71	1,989	71	1,989
Washington.....	36	14	20	31	18	26	34	112	96	75	58	27	547	27
West Virginia.....	25	29	54	40	33	97	140	221	272	285	93	44	1,333	44
Wisconsin.....	23	12	26	23	22	10	27	34	36	53	19	4	331	19
Wyoming.....				1	3	1	9	9	14	19	4	1	61	1

Deaths registered as due to typhoid fever, 1923.

State.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	State.
Alabama.....	17	5	16	12	13	33	53	70	65	36	23	18	361	Alabama.
Arizona.....	15	1	4	2	1	5	2	2	4	6	3	3	31	Arizona.
Arkansas.....	6	8	6	12	16	29	37	45	30	27	34	274	Arkansas.	
California.....	7	6	2	8	13	15	15	26	10	16	18	16	152	California.
Colorado.....	8	5	4	2	5	11	18	19	15	12	5	5	104	Colorado.
Connecticut.....			2	4	2	1	5	4	6	9	4	1	38	Connecticut.
Delaware.....	1	2			2	2	6	10	3	1	1	1	27	Delaware.
District of Columbia.....	1				3	1	5	6	3	6	6	6	2	District of Columbia.
Florida.....	7	6	18	18	21	14	19	24	19	10	12	9	9	Florida.
Georgia.....	22	19	13	23	33	59	108	118	74	62	37	31	599	Georgia.
Hawaii.....	3	6	2	5	3	1	3	3	1	1	1	1	32	Hawaii.
Idaho.....	1	1	1	1	1	4	3	1	1	6	2	20	20	Idaho.
Illinois.....	18	13	12	11	13	8	26	45	52	42	30	60	320	Illinois.
Indiana.....	13	6	10	5	7	5	15	28	46	25	20	27	207	Indiana.
Iowa.....	5	1	4	3	1	2	4	13	13	11	6	13	76	Iowa.
Kansas.....	1	3	2	3	1	3	11	21	29	18	11	8	111	Kansas.
Kentucky.....	22	24	23	25	24	29	42	83	70	60	32	26	460	Kentucky.
Louisiana.....	23	6	11	21	20	27	28	30	37	29	18	7	257	Louisiana.
Maine.....	3	3	6	3	3	1	4	4	4	4	11	4	51	Maine.
Maryland.....		4	4	4	4	1	4	14	15	15	11	8	92	Maryland.

Deaths registered as due to typhoid fever, 1923—Continued.

State.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	State.
Massachusetts.....	6	2	7	9	7	4	4	6	5	8	9	3	70	Massachusetts.
Michigan.....	12	9	12	15	13	14	20	20	18	28	28	15	202	Michigan.
Minnesota.....	1	3	1	1	5	6	2	7	7	14	7	6	60	Minnesota.
Missouri.....	5	17	8	13	20	10	30	43	63	39	29	18	246	Missouri.
Montana.....	3	2	3	8	1	2	1	1	2	2	2	1	17	Montana.
Nebraska.....	3	3	1	1	2	2	4	6	5	9	1	4	40	Nebraska.
Nevada.....	1	1	3	4	3	8	16	15	12	8	13	1	6	Nevada.
New Jersey.....	6	3	4	4	2	3	4	8	6	10	11	1	14	New Jersey.
New Mexico.....	2	2	1	2	1	2	1	1	1	1	1	1	51	New Mexico.
New York.....	25	16	28	13	17	16	27	38	40	38	24	27	309	New York.
North Carolina.....	9	6	5	4	14	20	48	58	35	28	10	22	288	North Carolina.
North Dakota.....	1	1	12	12	18	21	1	5	6	3	4	1	24	North Dakota.
Ohio.....	12	10	16	12	18	31	42	41	66	81	17	17	300	Ohio.
Oklahoma.....	14	16	3	2	7	21	57	69	49	44	45	15	342	Oklahoma.
Oregon.....	3	1	4	4	2	1	1	6	5	10	2	4	39	Oregon.
Pennsylvania.....	35	21	20	29	22	32	35	42	65	68	34	35	438	Pennsylvania.
Puerto Rico.....	4	5	8	7	21	7	27	30	18	22	28	48	225	Puerto Rico.
South Carolina.....	9	2	3	6	9	30	49	48	22	22	26	15	267	South Carolina.
South Dakota.....	3	3	3	1	3	1	4	2	2	2	1	3	23	South Dakota.
Tennessee.....	27	9	10	16	15	31	74	122	79	67	35	20	29	Tennessee.
Texas.....	21	14	7	10	27	41	47	59	34	20	20	18	327	Texas.
Utah.....	1	1	1	1	2	1	1	3	13	5	5	9	39	Utah.
Vermont.....	2	2	1	1	1	1	1	1	1	1	1	1	11	Vermont.
Virginia.....	9	6	7	15	16	19	31	45	45	35	14	10	252	Virginia.
Washington.....	3	4	3	8	7	3	8	7	9	16	8	3	78	Washington.
West Virginia.....	20	16	19	15	7	23	23	25	81	36	25	11	250	West Virginia.
Wisconsin.....	5	6	4	4	1	1	1	1	5	6	6	7	55	Wisconsin.
Wyoming.....	1	1	1	1	1	1	1	1	1	1	1	1	14	Wyoming.

Typhoid fever—Cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1923; estimated expectancy and indicated annual rates based on the years 1914-1922.

State.	Estimated population, July 1, 1923.	Estimated expectancy.			1923.			State.
		Number of years.	Cases.	Cases per 1,000 inhabitants.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	
Alabama	2,423,912	4	1,147	0.48	1,039	0.80	361	0.15
Arizona	330,960	5	.59	.18	.75	.31	.08	18.6 Alabama.
Arkansas	1,816,287	6	675	.38	840	.46	.274	41.3 Arkansas.
California	3,805,153	9	1,067	.33	888	.23	.152	32.6 California.
Colorado	990,320	8	426	.46	411	.42	.104	25.3 Colorado.
Connecticut								12.8 Connecticut.
District of Columbia	1,476,483	9	494	.37	297	.20	.38	12.8 District of Columbia.
Delaware	1,230,480	3	130	.57	96	.42	.27	12.8 Delaware.
Florida	1,437,571	9	216	.51	118	.27	.27	22.9 Florida.
Georgia	1,046,287	6	513	.62	589	.57	.177	28.5 Georgia.
Hawaii	2,999,196	4	1,267	.43	651	.22	.699	.20 Hawaii.
Idaho	278,984	8	175	.71	175	.63	.32	27.8 Idaho.
Illinois	470,179	3	104	.28	72	.15	.20	17.2 Illinois.
Indiana	6,790,554	7	1,798	.28	1,862	.27	.320	.05 Indiana.
Iowa	3,013,134	6	906	.31	643	.21	.207	.07 Iowa.
Kansas	2,408,633						.76	.03 Iowa.
Kentucky	1,797,489	4	916	.51	809	.45	.111	13.7 Kansas.
Louisiana	2,462,317	1	1,310	.53	982	.40	.460	46.8 Louisiana.
Maine	1,849,746	9	1,041	.69	922	.60	.257	14.4 Maine.
Maryland	777,259	7	218	.28	214	.28	.61	27.9 Maryland.
Massachusetts	1,905,295	5	1,433	.98	1,216	.81	.92	7.6 Massachusetts.
Michigan	4,027,545	5	914	.24	622	.15	.70	10.3 Michigan.
Minnesota	3,977,821	9	1,371	.39	982	.25	.203	20.6 Minnesota.
Mississippi	2,493,386	9	1,728	.31	446	.18	.60	13.5 Mississippi.
Missouri	1,730,618	3	2,012	.46	1,690	.94	0	10.1 Missouri.
Montana	3,443,971	1	732	.21	736	.21	.295	40.1 Missouri.
Nevada								
New Hampshire								
New Jersey								
New Mexico	611,198	8	244	.47	159	.26	.17	10.7 New Mexico.
Nebraska	1,335,922	5	135	.10	65	.06	.40	61.7 Nebraska.
Nevada	1,377,407	4	65	.83	38	.49	0	15.8 Nevada.
New Hampshire	447,592	3	63	.12	33	.07		New Hampshire.
New Jersey	3,378,943	4	716	.22	620	.18	.105	16.9 New Jersey.

Typhoid fever—Cases reported, deaths registered, and indicated morbidity, mortality, and fatality rates, 1923; estimated expectancy and indicated annual rates based on the years 1914-1922—Continued.

State.	Estimated expectancy.			1923.			State.			
	Estimated population July 1, 1923.	Number of years.	Cases*	Cases per 1,000 inhabitants.	Cases reported.	Cases per 1,000 inhabitants.		Deaths registered.	Deaths per 1,000 inhabitants.	Fatalities per 100 cases.
New Mexico.....	372,255	3	331	0.91	350	0.96	51	0.14	14.2	New Mexico.
New York.....	10,843,661	5	2,774	.27	2,201	.20	300	.03	14.0	New York.
North Carolina.....	2,686,325	3	1,969	.75	1,577	.59	298	.10	17.7	North Carolina.
North Dakota.....	672,041	6	134	.21	129	.19	24	.04	18.6	North Dakota.
Ohio.....	6,117,122	5	2,785	.48	1,672	.27	300	.05	17.9	Ohio.
Oklahoma.....	2,162,079	2	532	.25	832	.38	342	.16	41.1	Oklahoma.
Oregon.....	823,270	9	183	.24	169	.21	39	.06	22.1	Oregon.
Pennsylvania.....	9,100,326	8	3,980	.45	2,383	.28	438	.05	18.3	Pennsylvania.
Porto Rico.....	1,365,348	8	2,066	.21	870	.64	225	.16	25.9	Porto Rico.
Rhode Island.....	696,672	8	163	.17	51	.08	—	—	—	Rhode Island.
South Carolina.....	1,744,408	9	681	.41	364	.21	267	.15	73.4	South Carolina.
South Dakota.....	685,533	7	98	.16	88	.13	23	.04	26.1	South Dakota.
Tennessee.....	2,383,077	—	—	—	993	.41	514	.21	51.8	Tennessee.
Texas.....	4,939,630	6	880	.18	933	.19	327	.07	35.0	Texas.
Utah.....	476,812	7	351	.80	473	.90	39	.08	8.2	Utah.
Vermont.....	1,332,428	9	144	.41	45	.13	11	.03	24.4	Vermont.
Virginia.....	2,388,441	5	2,207	.95	1,989	.83	232	.11	12.7	Virginia.
Washington.....	1,433,988	9	580	.44	547	.38	78	.05	14.3	Washington.
West Virginia.....	1,551,156	6	1,310	.89	1,333	.96	250	.16	18.8	West Virginia.
Wisconsin.....	2,739,574	9	414	.16	331	.12	55	.02	18.6	Wisconsin.
Wyoming.....	211,864	9	59	.32	61	.29	14	.07	23.0	Wyoming.

¹ Population Jan. 1, 1920.

Cases of typhus fever reported, 1923.

State.	January	Febru-	March	April	May	June	July	August	Septem-	October	Novem-	Decem-	Total	State.
Alabama	2	1							2	1	3	5	4	Alabama.
California									2	1	1	7	16	California.
Connecticut									1				2	Connecticut.
District of Columbia	1								1				1	District of Columbia.
Georgia									2				3	Georgia.
Maryland									1				1	Maryland.
Massachusetts									1				1	Massachusetts.
New York									1				3	New York.
Ohio									1				1	Ohio.
Texas									1				2	Texas.

Deaths registered as due to typhus fever, 1923.

State.	January.	Februa-	March.	April.	May.	June.	July.	August.	Septem-	October.	Novem-	Decem-	Total.	State.
		ry.							ber.		ber.	ber.		
Arizona		2											2	Arizona
California													1	California
Maryland		2											4	Maryland

Cases of whooping cough reported, 1923.

State.	Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	August.	Sep- tember.	Octo- ber.	Novem- ber.	Decem- ber.	Total.	State.	
Alabama.....	91	154	406	28	453	314	218	166	132	96	104	131	2,483	Alabama.	
Arizona.....	2	34	32	6	9	12	2	2	2	3	3	100	100	Arizona.	
Arkansas.....	56	37	55	133	141	285	139	145	85	136	121	1,388	1,388	Arkansas.	
California.....	520	459	724	943	1,088	463	341	313	166	137	139	94	5,387	California.	
Colorado.....	166	130	159	277	233	162	110	93	39	51	45	40	1,305	Colorado.	
Connecticut.....	350	303	253	276	224	262	289	220	170	100	166	116	2,758	Connecticut.	
District of Columbia.....	18	9	6	1	17	22	5	8	1	13	23	16	130	Delaware.	
Florida.....	189	185	237	208	179	82	96	34	32	53	37	59	1,381	District of Columbia.	
Georgia.....	17	3	30	49	106	80	28	22	26	11	24	15	411	Florida.	
Hawaii.....	11	34	67	64	52	83	99	37	25	66	70	98	706	Georgia.	
Idaho.....	74	31	77	242	82	29	14	4	7	0	8	17	594	Hawaii.	
Illinois.....	6	1	23	63	37	7	10	23	8	19	6	2	205	Idaho.	
Indiana.....	1,103	973	1,214	1,095	947	892	953	604	490	488	494	501	9,944	Illinois.	
Iowa.....	13	13	26	56	69	82	70	14	9	37	58	56	503	Iowa.	
Kansas.....	146	289	668	510	283	470	426	228	178	257	404	368	4,227	Kansas.	
Louisiana.....	72	33	133	82	123	473	51	29	43	29	42	1,216	1,216	Louisiana.	
Maine.....	357	232	349	218	108	75	94	56	162	167	235	201	2,254	Maine.	
Maryland.....	588	461	493	508	597	527	382	273	190	195	205	185	4,623	Maryland.	
Massachusetts.....	1,533	1,404	1,883	1,483	1,241	708	472	375	341	335	426	411	10,612	Massachusetts.	
Michigan.....	762	739	865	967	817	867	821	574	280	331	283	331	7,617	Michigan.	
Minnesota.....	86	121	198	221	182	157	125	120	88	109	77	442	1,836	Minnesota.	
Mississippi.....	702	1,065	1,207	1,677	1,300	1,481	1,070	736	585	729	758	12,046	12,046	Mississippi.	
Missouri.....	97	86	251	232	440	796	820	694	370	305	337	367	4,895	Missouri.	
Montana.....	12	5	6	22	10	21	12	18	25	23	48	26	228	Montana.	
Nebraska.....	36	72	136	144	164	96	42	44	47	24	27	12	844	Nebraska.	
Nevada.....	31	22	13	1	6	1	3	1	1	19	18	9	78	New Hampshire.	
New Hampshire.....	41	64	57	19	19	37	7	7	7	169	186	34	314	New Hampshire.	
New Jersey.....	717	559	631	492	452	428	386	276	12	16	10	15	4,919	New Jersey.	
New Mexico.....	6	15	23	34	34	13	6	12	16	10	9	9	183	New Mexico.	
New York.....	1,573	1,705	1,723	1,516	1,239	1,226	1,130	974	1,053	1,350	1,698	1,698	17,083	New York.	
North Carolina.....	969	1,260	1,636	1,853	2,052	1,673	1,419	867	921	874	1,189	1,422	16,075	North Carolina.	
North Dakota.....	33	22	41	26	29	41	12	29	30	25	43	39	39	North Dakota.	
Ohio.....	834	817	897	831	925	1,025	1,123	795	493	469	482	482	9,208	Ohio.	
Oklahoma.....													1	237	Oklahoma.

Oregon.....	25	16	16	1,628	1,721	1,723	1,252	147	31	32	15	17	7	13
Pennsylvania.....	1,395	1,321	25	21	27	23	39	2	26	25	16	9	883	1,074
Porto Rico.....	1	1	43	43	83	53	69	28	63	35	16	5	23	3
Rhode Island.....	26	25	14	33	20	17	20	15	10	23	6	18	13	245
South Carolina.....	14	33	14	33	186	636	100	261	132	187	19	90	97	608
South Dakota.....	21	21	21	20	17	20	15	10	15	23	19	90	97	379
Tennessee.....	157	264	127	201	237	317	458	217	158	179	55	41	237	2613
Texas.....	45	127	127	267	446	508	833	310	183	184	123	133	32	2018
Utah.....	127	310	165	100	119	165	157	116	157	205	301	384	140	274
Vermont.....	283	165	165	119	165	165	165	165	165	165	301	384	312	244
Virginia.....	167	231	349	520	510	372	233	192	59	682	1,002	1,515	38	906
Washington.....	64	77	131	98	128	187	250	172	59	126	156	183	183	1,821
West Virginia.....	600	435	506	424	420	301	654	517	393	470	745	770	6,408	6,408
Wisconsin.....	4	27	4	4	2	7	4	4	13	52	41	99	99	270

Deaths registered as due to whooping cough, 1923.

State.	Janu- ary.	Febru- ary.	March.	April.	May.	June.	July.	August.	Septem- ber.	October.	Novem- ber.	Decem- ber.	Total.	State.
Alabama.....	10	18	27	27	38	33	43	33	16	19	26	16	326	Alabama.
Arizona.....	5	2	2	9	3	12	15	2	1	1	2	2	55	Arizona.
Arkansas.....	4	4	14	10	10	28	14	18	13	22	8	20	165	Arkansas.
California.....	20	22	47	30	62	40	37	20	17	10	13	6	324	California.
Colorado.....	12	8	8	13	20	10	7	9	6	3	3	4	103	Colorado.
Connecticut.....	11	19	21	17	15	10	5	11	14	4	3	2	132	Connecticut.
Delaware.....	5	5	3	3	3	2	2	1	1	2	2	2	27	Delaware.
District of Columbia.....	2	4	4	4	2	2	2	2	2	2	1	1	4	District of Columbia.
Florida.....	3	2	5	4	4	7	6	7	3	5	14	15	71	Iowa.
Georgia.....	12	10	13	14	25	34	40	28	20	15	23	20	254	Georgia.
Hawaii.....	11	12	19	14	18	12	4	1	2	1	1	1	3	Hawaii.
Idaho.....	38	78	59	44	43	44	41	40	35	33	21	9	515	Idaho.
Illinois.....	15	23	33	23	23	20	22	27	14	9	28	24	261	Illinois.
Indiana.....	9	9	16	21	15	16	16	17	4	8	13	9	151	Indiana.
Iowa.....	9	9	16	21	15	16	16	17	4	8	13	9	151	Iowa.
Kansas.....	4	15	16	16	7	11	13	20	5	3	9	13	132	Kansas.
Kentucky.....	24	33	29	30	24	49	36	37	18	32	16	13	352	Kentucky.
Louisiana.....	10	16	23	35	29	30	28	29	16	20	14	13	272	Louisiana.
Maine.....	12	13	21	14	14	5	3	6	9	11	8	8	124	Maine.
Maryland.....	21	24	29	18	18	31	23	25	13	11	62	11	305	Maryland.

Deaths registered as due to whooping cough, 1923—Continued.

State.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	State.
Massachusetts.....	68	87	80	62	45	36	31	20	18	18	9	17	491	Massachusetts.
Michigan.....	34	35	48	31	32	40	33	23	14	13	12	8	323	Michigan.
Minnesota.....	8	16	23	27	17	14	11	10	8	6	5	8	153	Minnesota.
Missouri.....	11	12	27	23	36	40	44	32	25	34	30	30	352	Missouri.
Montana.....	2	3	1	2	2	1	1	1	3	3	1	1	15	Montana.
Nebraska.....	9	7	14	10	10	2	4	8	6	1	4	1	76	Nebraska.
Nevada.....	1	1	27	16	22	16	13	16	9	6	12	13	221	Nevada.
New Jersey.....	20	42	1	3	3	12	3	2	2	2	2	34	323	New Jersey.
New Mexico.....	3	5	1	51	34	48	46	39	40	22	33	34	34	New Mexico.
New York.....	32	61	68	51	34	48	46	39	40	22	33	34	508	New York.
North Carolina.....	25	22	30	63	61	77	68	32	23	28	38	33	500	North Carolina.
North Dakota.....	2	2	87	45	42	36	38	36	23	30	21	29	2	North Dakota.
Ohio.....	43	70	14	22	9	9	17	25	28	8	7	2	500	Ohio.
Oklahoma.....	7	14	2	3	7	4	5	7	2	1	4	38	155	Oklahoma.
Oregon.....	3	2	13	28	17	19	28	37	25	24	18	17	267	Oregon.
Pennsylvania.....	87	123	122	101	76	68	66	71	68	61	44	43	920	Pennsylvania.
Puerto Rico.....	6	6	8	5	10	19	12	12	3	6	8	3	90	Puerto Rico.
South Carolina.....	2	3	4	5	2	3	6	4	4	4	3	7	37	South Carolina.
South Dakota.....	19	13	28	17	19	28	37	25	22	24	18	17	267	South Dakota.
Tennessee.....	4	5	12	18	24	21	19	11	1	4	2	4	125	Tennessee.
Texas.....	4	4	4	2	1	2	3	1	4	2	2	2	27	Texas.
Utah.....	2	4	2	5	4	2	1	4	4	2	3	3	33	Utah.
Vermont.....	35	22	43	31	23	51	45	42	29	31	33	23	408	Vermont.
Virginia.....	1	5	11	9	12	16	7	5	3	2	2	4	77	Virginia.
Washington.....	15	9	14	13	10	9	12	16	23	13	12	20	166	Washington.
West Virginia.....	8	15	30	23	12	15	12	8	7	7	8	8	153	West Virginia.
Wisconsin.....	2	1	2	1	1	1	1	1	2	2	1	1	14	Wyoming.

Whooping cough—Cases reported, 1922; cases reported, deaths registered, indicated morbidity and mortality rates, and cases reported for each death registered, 1923.

State.	Estimated population July 1, 1923.	1922.		1923.		Cases reported for each death registered.	State.
		Cases reported, 1922.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.		
Alabama.....	2,423,912	281	2,483	1.02	326	0.13	Alabama.
Alaska.....	1,65,836	-	442	8.03	-	-	Alaska.
Arizona.....	380,960	-	100	.26	65	.14	Arizona.
Arkansas.....	1,816,287	371	1,388	.76	165	.09	Arkansas.
California.....	3,805,153	3,298	5,387	1.42	324	.09	California.
Colorado.....	990,320	803	1,505	1.62	103	.10	Colorado.
Connecticut.....	1,478,483	2,109	2,758	1.87	132	.09	Connecticut.
Delaware.....	230,460	55	139	.60	27	.12	Delaware.
District of Columbia.....	1,437,671	545	1,391	1.18	34	.08	District of Columbia.
Florida.....	1,287	95	411	.39	71	.07	Florida.
Georgia.....	2,989,196	626	796	.24	254	.08	Georgia.
Hawaii.....	278,984	340	694	2.13	98	.35	Hawaii.
Idaho.....	470,179	44	205	.44	9	.02	Idaho.
Illinois.....	6,790,324	8,756	9,844	1.45	516	.08	Illinois.
Indiana.....	3,013,134	-	-	-	261	.09	Indiana.
Iowa.....	2,488,643	-	503	.20	151	.06	Iowa.
Kansas.....	1,797,489	1,280	4,227	2.35	132	.07	Kansas.
Kentucky.....	2,462,317	522	1,083	.44	352	.14	Kentucky.
Louisiana.....	1,849,746	528	2,216	.66	272	.15	Louisiana.
Maine.....	1,777,259	784	2,254	2.90	124	.16	Maine.
Maryland.....	1,505,295	1,824	4,623	3.07	305	.20	Maryland.
Massachusetts.....	4,027,645	6,823	10,612	2.03	491	.12	Massachusetts.
Michigan.....	3,977,821	5,642	7,617	1.91	323	.08	Michigan.
Minnesota.....	2,489,386	1,103	1,526	.61	153	.06	Minnesota.
Mississippi.....	1,1790,618	9,294	12,046	6.73	252	.14	Mississippi.
Missouri.....	3,443,971	672	4,685	1.36	352	.10	Missouri.
Montana.....	611,199	241	228	.37	15	.02	Montana.
Nebraska.....	1,333,922	169	844	.63	76	.06	Nebraska.
Nevada.....	1,777,407	22	78	1.01	2	.03	Nevada.
New Hampshire.....	447,582	120	-	-	314	.70	New Hampshire.

Whooping cough—Cases reported, 1922; cases registered, deaths registered, indicated morbidity and mortality rates, and cases reported for each death registered, 1923—Continued.

State.	Estimated population July 1, 1923.	1923.				State.
		Cases reported, 1922.	Cases reported.	Cases per 1,000 inhabitants.	Deaths registered.	
New Jersey.....	3,378,963	5,888	4,919	1.46	221	0.07
New Mexico.....	3,372,255	1,137	1,183	1.52	34	.09
New York.....	10,845,861	14,650	17,083	1.58	508	.06
North Carolina.....	2,686,325	6,905	16,075	5.98	800	.19
North Dakota.....	672,041	69	370	.55	2	.00
Ohio.....	6,117,122	8,430	9,203	1.50	500	.08
Oklahoma.....	2,162,079	237	.11	155	.07
Oregon.....	823,270	176	372	.45	38	.06
Pennsylvania.....	9,100,326	10,757	14,890	1.64	920	.10
Porto Rico.....	1,365,349	92	.07	19	.01
Rhode Island.....	626,672	443	245	.39
South Carolina.....	1,744,408	226	688	.38	90	.06
South Dakota.....	655,632	115	379	.68	37	.06
Tennessee.....	2,393,077	1,085	2,613	1.09	287	.11
Texas.....	4,939,630	877	2,018	.41	125	.03
Utah.....	476,812	2,974	.62	27	.06
Vermont.....	1,352,428	1,329	2,464	6.99	33	.00
Virginia.....	2,398,441	408	.17
Washington.....	1,433,988	1,476	2,806	1.96	77	.05
West Virginia.....	1,551,156	577	1,821	1.17	166	.11
Wisconsin.....	2,736,574	6,767	6,408	2.34	153	.06
Wyoming.....	211,894	85	270	1.27	14	.07

¹ Population Jan. 1, 1920.

Cases reported and deaths registered in New York City¹ during the calendar year 1923, from certain communicable diseases, with indicated morbidity, mortality, and fatality rates.

ANTHRAX.

	January.	Febru-	March.	April.	May.	June.	July.	August.	Septem-	October.	Novem-	Decem-	Total.	Rate per	Fatalities	Cases
		ary.							ber.		ber.	ber.		1,000 in-	per 100	reported
														habitants.	cases,	for each
Cases.....	9	11	24	14	17	7	5	10	13	8	6	8	138	.02	57.9	-----
Deaths.....	6	8	11	7	11	4	5	5	5	4	2	9	77	.01	16.7	-----
	•	2	1	1	1	1	1	1	1	1	1	1	6	0.00	16.7	-----
													1	.000		

CEREBROSPINAL MENINGITIS.

	CHICKEN POX.
Cases.....	1,289
Deaths.....	997

	DIPHTHERIA.
Cases.....	924
Deaths.....	73

	INFLUENZA.
Cases.....	10,983
Deaths.....	466

¹ Estimated population July 1, 1923, 5,927,625.

Cases reported and deaths registered in New York City during the calendar year 1923, from certain communicable diseases, with indicated morbidity, mortality, and fatality rates—Continued.

MALARIA.

	January	February	March	April	May	June	July	August	September	October	November	Decem-ber.	Total	Rate per 1,000 in-habitants	Rate per 100 cases	Cases reported for each death registered
Cases	3	4	1	6	6	6	9	7	1	5	1	3	52	.01	17.3	
Deaths	3	.00	

MEASLES.

	Cases	1,080	1,040	1,397	1,781	3,187	3,65	2,425	483	634	217	127	295	701	1,115	13,899	2.36	.04	1.8
Cases	16	16	9	18	33	65	65	43	13	13	6	4	2	12	24	245	.04	1.8	
Deaths	

MUMPS.

	Cases	287	290	382	559	628	1	543	208	79	63	95	203	471	3,817	.64	.00	954.2
Cases	1	1	4	.00	954.2	
Deaths	

PELLAGRA.

	Deaths	2	1	3	1	1	7	.00
Deaths	2	1	3	1	1	7	.00

PNEUMONIA (ALL FORMS).

	Cases	1,805	3,942	2,683	1,388	1,123	644	428	374	458	656	1,086	1,385	15,932	2.69	1.39	1.9	
Cases	1	5	4	3	2	1	2	12	2	109	164	15	129	4	30	20	1.39	1.9
Deaths	6	15	9	1	4	5	4	.01	1.39

POLIOMYELITIS.

	Cases	5	4	3	2	1	2	12	2	109	164	15	129	4	30	20	1.39	.01	1.39
Cases	1	5	4	3	2	1	2	12	2	109	164	15	129	4	30	20	1.39	.01	1.39
Deaths	6	15	9	1	4	5	4	.01	1.39	

RABIES IN MAN.

	Cases	5	4	3	2	1	2	12	2	109	164	15	129	4	30	20	1.39	.01	1.39
Cases	1	5	4	3	2	1	2	12	2	109	164	15	129	4	30	20	1.39	.01	1.39
Deaths	6	15	9	1	4	5	4	.01	1.39	

* Data not given by months.

SCARLET FEVER.

Cases.....	1,105	1,165	1,327	1,104	1,172	636	293	93	114	183	387	748	8,237	1.39
Deaths.....	16	19	14	22	16	5	2						.02	1.3

SEPTIC SORE THROAT.

Cases.....	5	5	4	6	6	2	3	2	4	2	3	4	46	.01
Deaths.....														

SMALLPOX.

Cases.....	2	1	1				10				1	1	17	
Deaths.....													0	

TUBERCULOSIS (ALL FORMS).

Cases.....	950	1,003	1,209	1,036	1,249	979	921	977	771	949	892	697	11,750	1.98
Deaths.....	491	540	583	549	543	469	463	416	373	409	383	454	6,673	.98

TUBERCULOSIS (PULMONARY).

Cases.....	917	971	1,173	1,000	1,208	979	921	977	744	923	852	671	11,336	1.91
Deaths.....	444	483	505	481	468	393	398	354	321	354	338	412	4,951	.84

TYPHOID FEVER.

Cases.....	64	22	20	42	37	55	55	180	205	95	57	49	890	.15
Deaths.....	11	4	10	6	9	9	11	18	26	14	8	14	140	.02

TYPHUS FEVER.

Cases.....	1					1			2	3	1		8	
Deaths.....														

WHOOPING COUGH.

Cases.....	394	418	502	518	467	420	362	346	288	233	243	284	4,484	.76
Deaths.....	10	25	25	20	19	21	21	14	15	7	14	11	202	.03

Cases reported and deaths registered in the Philippine Islands¹ during the calendar year 1923, from certain diseases, with indicated morbidity, mortality, and fatality rates.

ANTHRAX.

	January.	Febru-	March.	April.	May.	June.	July.	August.	Septem-	October.	Novem-	Decem-	Total.	Rate per	Fatalities	Cases
		ary.							ber.		ber.	ber.		1,000 in-	per 100	reported
Deaths....	18	21	19	20	26	20	23	28	18	21	17	13	244	inhabitants.	cases.	for each
CEREBROSPINAL MENINGITIS.																

CHICKEN POX.

	Cases....	159	150	206	204	106	45	46	37	55	81	45	94	1,294	.12	
Deaths....																
DIPHTHERIA.																

DIPHTHERIA.

	Cases....	5	16	13	21	19	10	34	12	15	11	13	9	173	.02		
Deaths....																	
INFLUENZA.																	

INFLUENZA.

	Cases....	517	723	552	415	532	1,008	2,043	1,785	1,508	1,208	824	12,824	.16		
Deaths....		211	104	205	181	208	289	445	498	411	427	338	338	3,745	.34	
MALARIA.																

Cases....	4,971	4,903	5,027	4,343	4,463	4,906	4,674	5,346	4,405	6,076	5,865	5,731	60,390	5.45	
Deaths....	2,061	1,881	2,104	1,905	2,085	1,896	2,276	2,416	1,983	2,125	1,781	1,888	24,311	2.20	2.5

¹ Estimated population July 1, 1923, 11,075,674.

PELLAGRA.

Deaths.....	12	1	2	3	2	2	4	1	1	28	.00
-------------	----	-------	---	---	---	-------	---	-------	---	-------	---	---	---	----	-----	-------

PNEUMONIA (ALL FORMS).

Deaths.....	592	530	637	622	682	680	840	864	717	723	648	640	8,187	.74
-------------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-------	-----	-------

POLYESTERS.

Deaths..... 7 4 3 6 1 7 2 6 4 4 1 1 1 .46 .00

BABIES IN MAN

Deaths.....	11	11	13	7	13	8	8	17	9	9	11	15	132	
-------------	----	----	----	---	----	---	---	----	---	---	----	----	-----	--

卷之三

Deaths..... 1 1 1 2 1 2

卷之三

Bonthe	2	4	4	3	2	2	2	0	6	0	7	58	0
--------	---	---	---	---	---	---	---	---	---	---	---	----	---

卷之三

Cases reported and deaths registered in the Philippine Islands during the calendar year 1923, from certain diseases, with indicated morbidity, mortality, and fatality rates—Continued.

TUBERCULOSIS (ALL FORMS)

	January.	Febru-	March.	April.	May.	June.	July.	August.	Septem-	October.	Novem-	Decem-	Total.	Rate per	Fatalities	Cases
		ary.							ber.		ber.	ber.		1,000 in-	Per 100	reported
														habitants	cases.	for each
Cases.....	2,848	2,985	3,022	2,468	2,823	2,571	2,830	3,336	2,696	3,259	2,794	34,130	3.08	
Deaths.....	2,372	2,170	2,426	2,083	2,254	2,160	2,641	2,840	2,276	2,768	2,414	2,465	28,779	2.80	1.2

TUBERCULOSIS (PULMONARY).

	January.	Febru-	March.	April.	May.	June.	July.	August.	Septem-	October.	Novem-	Decem-	Total.	Rate per	Fatalities	Cases
		ary.							ber.		ber.	ber.		1,000 in-	Per 100	reported
														habitants	cases.	for each
Cases.....	2,701	2,523	2,836	2,335	2,661	2,424	2,692	3,173	2,580	3,124	2,668	2,631	32,338	2.92
Deaths.....	2,230	2,022	2,244	1,975	2,118	2,012	2,391	2,602	2,168	2,633	2,313	2,049	2,44	1.2

TYPHOID FEVER.

	January.	Febru-	March.	April.	May.	June.	July.	August.	Septem-	October.	Novem-	Decem-	Total.	Rate per	Fatalities	Cases
		ary.							ber.		ber.	ber.		1,000 in-	Per 100	reported
														habitants	cases.	for each
Cases.....	312	320	339	276	267	225	273	285	177	269	171	216	228	3,205	.28
Deaths.....	175	162	217	173	174	139	189	181	181	141	123	141	2,022	2,022	.18	.01

WHOOPING COUGH.

	January.	Febru-	March.	April.	May.	June.	July.	August.	Septem-	October.	Novem-	Decem-	Total.	Rate per	Fatalities	Cases
		ary.							ber.		ber.	ber.		1,000 in-	Per 100	reported
														habitants	cases.	for each
Cases.....	167	215	214	234	254	197	245	173	333	516	218	159	2,925	2.95
Deaths.....	89	87	82	70	92	98	100	90	77	84	63	62	2,022	.00	2.9

PREVALENCE OF DISEASE.

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring

UNITED STATES.

CURRENT WEEKLY STATE REPORTS.

These reports are preliminary, and the figures are subject to change when later returns are received by the State health officers.

Reports for Week Ended November 15, 1924.

ALABAMA.	Cases.	ARKANSAS—continued.	Cases.
Cerebrospinal meningitis.....	1	Smallpox.....	30
Chicken pox.....	39	Trachoma.....	4
Dengue.....	1	Tuberculosis.....	9
Diphtheria.....	52	Typhoid fever.....	31
Dysentery.....	18	Whooping cough.....	
Influenza.....	122		
Malaria.....	63		
Measles.....	14		
Mumps.....	7		
Pellagra.....	1		
Pneumonia.....	101		
Scarlet fever.....	29		
Smallpox.....	33		
Tetanus.....	2		
Tuberculosis.....	22		
Typhoid fever.....	18		
Whooping cough.....	19		
ARIZONA.			
Cerebrospinal meningitis.....	1	Cerebrospinal meningitis—Los Angeles.....	1
Chicken pox.....	6	Diphtheria.....	170
Diphtheria.....	12	Influenza.....	13
Measles.....	2	Measles.....	24
Scarlet fever.....	11	Plague—Los Angeles.....	2
Typhoid fever.....	1	Poliomyelitis:	
		Alameda.....	1
		La Mesa.....	1
		Long Beach.....	1
		Los Angeles.....	1
		Los Angeles County.....	1
		Oakland.....	2
		Santa Clara County.....	1
		Visalia.....	1
		Scarlet fever.....	101
		Smallpox:	
		Los Angeles.....	29
		Los Angeles County.....	25
		Sacramento.....	10
		Scattering.....	35
		Typhoid fever.....	9
		Typhus fever—Los Angeles.....	2
ARKANSAS.			
Cerebrospinal meningitis.....	1		
Chicken pox.....	11		
Diphtheria.....	14		
Hookworm disease.....	1		
Influenza.....	48		
Malaria.....	52		
Measles.....	1		
Mumps.....	8		
Ophthalmia neonatorum.....	1		
Pellagra.....	8		
Scarlet fever.....	7		
COLORADO.			
		(Exclusive of Denver.)	
		Chicken pox.....	67
		Diphtheria.....	17
		Measles.....	1
		Mumps.....	1
		Paratyphoid fever.....	1

COLORADO—continued.

	Cases.
Pneumonia	1
Scarlet fever	21
Septic sore throat	1
Smallpox	7
Tuberculosis	54
Typhoid fever	2
Whooping cough	3

CONNECTICUT.

Cerebrospinal meningitis	1
Chicken pox	67
Conjunctivitis (infectious)	1
Diphtheria	56
German measles	4
Influenza	4
Measles	11
Mumps	15
Ophthalmia neonatorum	1
Paratyphoid fever	1
Pneumonia (lobar)	33
Poliomyelitis	1
Scarlet fever	89
Septic sore throat	3
Tuberculosis (all forms)	41
Typhoid fever	3
Whooping cough	87

DELAWARE.

Diphtheria	
Mumps	1
Pneumonia	1
Scarlet fever	4
Tuberculosis	2
Typhoid fever	2
Whooping cough	3

FLORIDA.

Diphtheria	25
Influenza	1
Malaria	16
Pneumonia	3
Scarlet fever	5
Smallpox	1
Trachoma	1
Typhoid fever	12

GEORGIA.

Chicken pox	22
Diphtheria	81
Hookworm disease	10
Influenza	5
Malaria	9
Measles	3
Mumps	21
Pneumonia	34
Scarlet fever	8
Septic sore throat	3
Smallpox	2
Tuberculosis	20
Typhoid fever	7
Whooping cough	10

ILLINOIS.

Diphtheria:	
Cook County	93
Williamson County	8
Scattering	56
Influenza	10
Lethargic encephalitis—Cook County	2

ILLINOIS—continued.

	Cases.
Measles	64
Pneumonia	183
Poliomyelitis:	
Cook County	4
Douglas County	2
Knox County	1
McHenry County	1
Scarlet fever:	
Cook County	130
Kane County	11
La Salle County	8
Scattering	118
Smallpox	14
Tuberculosis	257
Typhoid fever	27
Whooping cough	212

INDIANA.

Cerebrospinal meningitis	2
Chicken pox	213
Diphtheria:	
Allen County	12
Clay County	8
Marion County	17
Scattering	59
Influenza	54
Measles	16
Mumps	4
Pneumonia	16
Poliomyelitis	5
Scarlet fever:	
Lake County	9
Marion County	11
St. Joseph County	9
Scattering	62
Smallpox	26
Tuberculosis	39
Typhoid fever	11
Whooping cough	14

IOWA.

Diphtheria	14
Poliomyelitis	2
Scarlet fever	23
Smallpox	13

KANSAS.

Cerebrospinal meningitis	2
Chicken pox	96
Diphtheria	78
Influenza	2
Measles	1
Mumps	99
Pneumonia	20
Scarlet fever	120
Tetanus	2
Tuberculosis	68
Typhoid fever	17
Whooping cough	45

LOUISIANA.

Diphtheria	29
Influenza	19
Malaria	18
Pneumonia	22
Scarlet fever	7
Smallpox	6
Tuberculosis	34
Typhoid fever	35

November 21, 1924

MAINE.

	Cases.
Chicken pox.....	64
Diphtheria.....	22
German measles.....	1
Influenza.....	2
Measles.....	3
Mumps.....	71
Pneumonia.....	7
Poliomyelitis.....	1
Scarlet fever.....	38
Septic sore throat.....	1
Tuberculosis.....	4
Typhoid fever.....	13
Vincent's angina.....	5
Whooping cough.....	1

MARYLAND.¹

Cerebrospinal meningitis.....	1
Chicken pox.....	57
Diphtheria.....	67
Dysentery.....	6
German measles.....	1
Influenza.....	22
Lethargic encephalitis.....	1
Malaria.....	2
Measles.....	12
Mumps.....	4
Pneumonia (all forms).....	52
Scarlet fever.....	34
Tetanus.....	1
Tuberculosis.....	45
Typhoid fever.....	7
Whooping cough.....	79

MASSACHUSETTS.

Anthrax.....	1
Cerebrospinal meningitis.....	2
Chicken pox.....	222
Conjunctivitis (suppurative).....	16
Diphtheria.....	158
Dysentery.....	1
German measles.....	8
Influenza.....	10
Lethargic encephalitis.....	1
Measles.....	80
Mumps.....	92
Ophthalmia neonatorum.....	35
Pellagra.....	1
Pneumonia (lobar).....	92
Poliomyelitis.....	7
Scarlet fever.....	241
Septic sore throat.....	1
Tetanus.....	1
Trachoma.....	2
Tuberculosis (all forms).....	109
Typhoid fever.....	9
Whooping cough.....	82

MICHIGAN.

Diphtheria.....	143
Measles.....	119
Pneumonia.....	66
Scarlet fever.....	244
Smallpox.....	15
Tuberculosis.....	58
Typhoid fever.....	19
Whooping cough.....	74

MINNESOTA.

	Cases.
Chicken pox.....	163
Diphtheria.....	97
Lethargic encephalitis.....	1
Measles.....	9
Poliomyelitis.....	9
Scarlet fever.....	154
Smallpox.....	118
Tuberculosis.....	29
Typhoid fever.....	4
Whooping cough.....	32

MISSISSIPPI.

Cerebrospinal meningitis.....	1
Diphtheria.....	29
Scarlet fever.....	11
Smallpox.....	37
Typhoid fever.....	7

MISSOURI.

(Exclusive of Springfield.)

Cerebrospinal meningitis.....	1
Chicken pox.....	42
Diphtheria.....	81
Influenza.....	8
Measles.....	7
Mumps.....	13
Pneumonia.....	18
Scarlet fever.....	192
Septic sore throat.....	1
Smallpox.....	11
Trachoma.....	5
Tuberculosis.....	35
Typhoid fever.....	7
Whooping cough.....	16

MONTANA.

Diphtheria.....	10
Poliomyelitis—Helena.....	3
Scarlet fever.....	36
Smallpox.....	20
Typhoid fever.....	4

NEBRASKA.

Chicken pox.....	24
Diphtheria.....	18
German measles.....	1
Influenza.....	1
Mumps.....	2
Pneumonia.....	1
Scarlet fever.....	21
Smallpox.....	7
Tuberculosis.....	1
Whooping cough.....	8

NEW JERSEY.

Cerebrospinal meningitis.....	3
Chicken pox.....	175
Diphtheria.....	71
Influenza.....	16
Malaria.....	1
Measles.....	36
Pneumonia.....	129
Poliomyelitis.....	3
Scarlet fever.....	117
Smallpox.....	2
Trachoma.....	1
Typhoid fever.....	20
Whooping cough.....	174

¹ Week ended Friday.

NEW MEXICO.

	Cases.
Chicken pox.....	21
Diphtheria.....	9
Dysentery.....	1
Measles.....	47
Pneumonia.....	8
Scarlet fever.....	6
Septic sore throat.....	1
Tuberculosis.....	37
Typhoid fever.....	23
Whooping cough.....	4

NEW YORK.

(Exclusive of New York City.)

Diphtheria.....	183
Influenza.....	16
Lethargic encephalitis.....	3
Measles.....	123
Pneumonia.....	186
Poliomyelitis.....	8
Scarlet fever.....	243
Smallpox.....	57
Typhoid fever.....	35
Whooping cough.....	172

NORTH CAROLINA.

Chicken pox.....	152
Diphtheria.....	132
Measles.....	53
Scarlet fever.....	68
Septic sore throat.....	9
Smallpox.....	23
Typhoid fever.....	17
Whooping cough.....	99

OKLAHOMA.

(Exclusive of Oklahoma City and Tulsa.)

Diphtheria.....	15
Smallpox.....	4
Typhoid fever.....	15

OREGON.

Chicken pox.....	35
Diphtheria:	
Portland.....	20
Scattering.....	16
Influenza.....	1
Lethargic encephalitis.....	2
Mumps.....	1
Pneumonia.....	14
Poliomyelitis.....	2
Scarlet fever:	
Portland.....	8
Corvallis.....	9
Scattering.....	16
Smallpox.....	3
Tuberculosis.....	17

SOUTH DAKOTA.

Cerebrospinal meningitis.....	1
Chicken pox.....	15
Diphtheria.....	20
Measles.....	2
Mumps.....	2

¹ Deaths.

SOUTH DAKOTA—continued.

	Cases.
Poliomyelitis.....	2
Scarlet fever.....	46
Smallpox.....	4
Typhoid fever.....	2
Whooping cough.....	4

TEXAS.

Anthrax.....	2
Cerebrospinal meningitis.....	1
Chicken pox.....	10
Dengue.....	13
Diphtheria.....	31
Dysentery (epidemic).....	34
Influenza.....	71
Measles.....	7
Mumps.....	9
Ophthalmia neonatorum.....	1
Paratyphoid fever.....	2
Pellagra.....	1
Pneumonia.....	14
Poliomyelitis.....	1
Rabies (human).....	2
Scarlet fever.....	33
Smallpox.....	33
Tetanus.....	7
Trachoma.....	4
Tuberculosis.....	36
Typhoid fever.....	24
Typhus fever.....	3
Whooping cough.....	7

VERMONT.

Chicken pox.....	34
Diphtheria.....	4
Measles.....	81
Mumps.....	17
Scarlet fever.....	23
Typhoid fever.....	1
Whooping cough.....	77

WASHINGTON.

Chicken pox.....	86
Diphtheria.....	25
Measles.....	15
Mumps.....	15
Poliomyelitis:	
Adams County.....	1
Franklin County.....	1
King County.....	1
Pierce County.....	1
Spokane County.....	1
Okanogan.....	2
Seattle.....	2
Scarlet fever.....	23
Smallpox.....	22
Tuberculosis.....	5
Typhoid fever.....	14
Whooping cough.....	5

WEST VIRGINIA.

Diphtheria.....	23
Scarlet fever.....	22
Typhoid fever.....	1

WISCONSIN.

	Cases.
Milwaukee:	
Chicken pox	72
Diphtheria	16
German measles	43
Measles	31
Mumps	17
Pneumonia	3
Scarlet fever	7
Tuberculosis	11
Typhoid fever	1
Whooping cough	20
Scattering:	
Cerebrospinal meningitis	1
Chicken pox	265
Diphtheria	35
German measles	1
Influenza	11

WISCONSIN—continued.

	Cases.
Scattering—Continued.	
Measles	22
Mumps	61
Pneumonia	15
Poliomylitis	3
Scarlet fever	102
Smallpox	13
Tuberculosis	14
Typhoid fever	2
Whooping cough	105

WYOMING.

	Cases.
Chicken pox	16
Diphtheria	1
Measles	2
Pneumonia	2
Scarlet fever	11
Smallpox	5

Reports for Week Ended November 8, 1924.

NEBRASKA.

	Cases.
Chicken pox	27
Diphtheria	31
Measles	2
Scarlet fever	19
Smallpox	9
Typhoid fever	2
Whooping cough	1
NORTH DAKOTA.	
Chicken pox	41
Diphtheria	6

NORTH DAKOTA—continued.

	Cases.
Influenza	1
Measles	23
Pneumonia	2
Poliomylitis	8
Scarlet fever	43
Smallpox	7
Tuberculosis	4
Typhoid fever	2
Whooping cough	5

SUMMARY OF MONTHLY REPORTS FROM STATES.

The following summary of monthly State reports is published weekly and covers only those States from which reports are received during the current week.

State.	Cer- bro- spinal menin- gitis.	Diph- theria.	Indu- enza.	Malaria.	Meas- sles.	Pella- gra.	Polio- mye- litis.	Scarlet fever.	Small- pox.	Ty- phoid fever.
<i>October, 1924,</i>										
Arkansas	1	62	126	469	80	23	0	56	50	123
District of Columbia	0	38	1	-----	5	0	5	58	1	16
Georgia	280	22	74	-----	3	1	-----	34	8	67
North Dakota	25	1	-----	91	-----	29	116	17	12	-----
Oklahoma	1	127	28	34	10	9	2	74	16	131
Vermont	22	-----	3	45	-----	2	2	21	-----	6
New Jersey	4	361	21	3	102	-----	16	361	3	80

GENERAL CURRENT SUMMARY AND WEEKLY REPORTS FROM CITIES.

Diphtheria.—For the week ended November 1, 1924, 35 States reported 2,189 cases of diphtheria. For the week ended November 3, 1923, the same States reported 3,386 cases of this disease. One hundred and one cities, situated in all parts of the country, and having an aggregate population of more than 28,600,000, reported 947 cases of diphtheria for the week ended November 1, 1924. Last year, for the corresponding week, they reported 1,377 cases. The estimated expectancy for these cities was 1,484 cases of diphtheria. The estimated expectancy is based on the experience of the last nine years, excluding epidemics.

Measles.—Thirty-one States reported 670 cases of measles for the week ended November 1, 1924, and 3,735 cases of this disease for the week ended November 3, 1923. One hundred and one cities reported 238 cases of measles for the week this year and 683 cases last year.

Scarlet fever.—Scarlet fever was reported for the week as follows: Thirty-five States—this year, 2,424 cases; last year, 2,642 cases. One hundred and one cities—this year, 1,015 cases; last year, 1,014 cases; estimated expectancy, 768 cases.

Smallpox.—For the week ended November 1, 1924, 35 States reported 477 cases of smallpox. Last year, for the corresponding week, they reported 333 cases. One hundred and one cities reported smallpox for the week as follows: 1924, 134 cases; 1923, 80 cases; estimated expectancy, 44 cases. These cities reported 13 deaths from smallpox for the week this year, 12 of which occurred at Minneapolis.

Typhoid fever.—Four hundred and seventy-one cases of typhoid fever were reported for the week ended November 1, 1924, by 34 States. For the corresponding week of 1923 the same States reported 474 cases. One hundred and one cities reported 102 cases of typhoid fever for the week this year and 107 cases for the week last year. The estimated expectancy for these cities was 117 cases.

Influenza and pneumonia.—Deaths from influenza and pneumonia (combined) were reported for the week by 101 cities as follows: 1924, 626 deaths; 1923, 561 deaths.

City reports for week ended November 1, 1924.

The "estimated expectancy" given for diphtheria, poliomyelitis, scarlet fever, smallpox, and typhoid fever is the result of an attempt to ascertain from previous occurrence how many cases of the disease under consideration may be expected to occur during a certain week in the absence of epidemics. It is based on reports to the Public Health Service during the past nine years. It is in most instances the median number of cases reported in the corresponding week of the preceding years. When the reports include several epidemics, or when for other reasons the median is unsatisfactory, the epidemic periods are excluded and the estimated expectancy is the mean number of cases reported for the week during nonepidemic years.

If reports have not been received for the full nine years, data are used for as many years as possible, but no year earlier than 1915 is included. In obtaining the estimated expectancy, the figures are smoothed when necessary to avoid abrupt deviations from the usual trend. For some of the diseases given in the table the available data were not sufficient to make it practicable to compute the estimated expectancy.

Division, State, and city.	Chick- en pox, cases re- ported.	Diphtheria.		Influenza.		Meas- sles, cases re- ported.	Mumps, cases re- ported.	Pneu- monia, deaths re- ported.	Scarlet fever.	
		Cases, esti- mated expect- ancy.	Cases re- ported.	Cases re- ported.	Deaths re- ported.				Cases, esti- mated expect- ancy.	Cases re- ported.
NEW ENGLAND.										
Maine:										
Lewiston.....	2	2	2	0	0	0	0	2	1	1
Portland.....	12	3	5	0	0	0	11	0	1	0
New Hampshire:										
Concord.....	0	0	0	0	0	0	0	2	1	0
Vermont:										
Barre.....	0	0	0	0	0	0	3	0	0	1
Massachusetts:										
Boston.....	16	64	43	1	1	27	3	17	29	40
Fall River.....	1	4	1	0	0	0	1	2	1	3
Springfield.....	17	6	4	0	0	0	5	3	6	20
Worcester.....	7	8	6	0	0	1	1	2	8	8
Rhode Island:										
Pawtucket.....	0	2	5	0	0	0	0	2	1	0
Providence.....	0	12	6	0	0	1	0	7	5	4
Connecticut:										
Bridgeport.....	0	10	9	0	0	0	0	0	5	9
Hartford.....	4	9	9	0	0	0	0	3	4	4
New Haven.....	3	5	0	0	0	2	2	4	4	7
MIDDLE ATLANTIC.										
New York:										
Buffalo.....	25	28	6	2	0	10	3	7	15	15
New York.....	0	165	117	24	17	27	7	173	76	116
Rochester.....	8	15	0	0	0	2	24	6	5	10
Syracuse.....	5	16	4	0	0	2	1	2	10	3
New Jersey:										
Camden.....	2	7	9	0	0	0	0	5	1	4
Newark.....	31	21	10	5	1	8	9	8	10	13
Trenton.....	3	7	3	1	0	0	0	1	1	0
Pennsylvania:										
Philadelphia.....	51	73	60	3	24	16	34	40	74	74
Pittsburgh.....	97	42	24	0	38	34	34	0	24	53
Reading.....	5	5	2	0	0	1	3	0	1	0
Scranton.....	2	6	3	0	0	0	0	10	2	1
E. NORTH CENTRAL.										
Ohio:										
Cincinnati.....	16	27	13	0	0	0	2	9	13	11
Cleveland.....	63	53	34	2	1	4	4	11	24	27
Columbus.....	8	13	3	0	1	0	0	8	8	5
Toledo.....	20	18	17	0	0	5	0	0	12	9
Indiana:										
Fort Wayne.....	2	3	4	0	0	0	0	4	1	4
Indianapolis.....	27	28	11	0	0	2	1	7	10	5
South Bend.....	3	3	2	0	0	0	1	2	2	4
Terre Haute.....		5	4	0	0	0	0	2	2	3
Illinois:										
Chicago.....	93	186	64	7	3	27	14	35	109	100
Cicero.....	1	5	2	0	0	0	1	0	3	1
Peoria.....	1	6	1	0	0	0	0	1	9	3
Springfield.....	1	2	6	0	0	0	0	0	9	4
Michigan:										
Detroit.....	40	86	36	0	0	5	0	13	58	56
Flint.....	13	14	2	0	0	0	0	0	9	11
Grand Rapids.....	3	10	5	0	0	0	3	1	9	16
Saginaw.....	4	2	0	0	0	0	1	1	1	4

City reports for week ended November 1, 1924—Continued.

Division, State, and city.	Chick- en pox, cases re- ported.	Diphtheria.		Influenza.		Meas- sles, cases re- ported.	Mumps, cases re- ported.	Pneu- monia, deaths re- ported.	Scarlet fever.	
		Cases, esti- mated expect- ancy.	Cases re- ported.	Cases re- ported.	Deaths re- ported.				Cases, esti- mated expect- ancy.	Cases re- ported.
E. NORTH CEN- TRAL—CONT'D.										
Wisconsin:										
Madison.....	14	2	2	0	0	1	12	2	1	1
Milwaukee.....	40	30	21	0	0	27	18	0	26	9
Racine.....	1	4	2	0	0	0	0	0	6	3
Superior.....	0	1	0	0	0	0	0	1	2	0
W. NORTH CENTRAL.										
Minnesota:										
Duluth.....	8	7	3	0	0	1	0	2	3	22
Minneapolis.....	63	26	29	0	0	1	0	4	21	38
St. Paul.....		21	25	0	0	2		7	8	5
Iowa:										
Davenport.....	4	2	3	0	0	0	0		1	0
Des Moines.....	1	9	3	0	0	0	0		13	7
Sioux City.....	0	3	2	0	0	1	2		3	1
Waterloo.....	1	1	0	0	0	0	0		4	0
Missouri:										
Kansas City.....	7	18	9	1	0	0	3	5	9	25
St. Joseph.....	0	5	0	0	0	0	0	1	4	3
St. Louis.....	7	85	41	0	0	1	1		26	105
North Dakota:										
Fargo.....	8	0	0	0	0	0	0	0	2	0
Grand Forks.....	2	1	2	0	0	0	0		3	2
South Dakota:										
Aberdeen.....	4		0	0	0	0	2			0
Sioux Falls.....	1	1	1	0	0	0	0	0	1	0
Nebraska:										
Lincoln.....	4	3	19	0	0	0	0	0	2	1
Omaha.....	4	11	8	0	0	0	0	6	3	3
Kansas:										
Topeka.....	8	4	1	0	0	0	9	1	2	10
Wichita.....	5	8	6	0	0	0	2	2	4	2
SOUTH ATLANTIC.										
Delaware:										
Wilmington.....		2	5	0	0	0		2	3	3
Maryland:										
Baltimore.....	34	34	26	10	2	3	15	26	15	8
Cumberland.....		1	1	2	0	0		0	1	2
Frederick.....		1	0	0	0	0		0	0	0
District of Col.:										
Washington.....	5	23	5	0	0	0		18	14	13
Virginia:										
Lynchburg.....	1	2	11	0	0	1	13	2	1	1
Norfolk.....	8	5	2	0	0	0	6	4	1	1
Richmond.....	0	14	43	0	0	0	0	1	8	9
Roanoke.....	3	4	3	0	0	0	0	0	2	4
West Virginia:										
Charleston.....	17	6	5	0	0	0	0	2	2	0
Wheeling.....		3	0	0	1	0		0	2	3
North Carolina:										
Raleigh.....	2	4	8	0	0	1	0	1	2	2
Wilmington.....	0	2	1	0	0	0	9	1	0	1
Winston-Salem.....	0	3	10	0	0	0	0	4	3	0
South Carolina:										
Charleston.....	0	3	1	0	0	0	0	2	1	1
Columbia.....	4	3	1	0	0	0	1	1	1	0
Greenville.....	0	2	6	0	0	0	0	0	1	1
Georgia:										
Atlanta.....	1	11	2	1	0	0	0	17	7	6
Brunswick.....	0	0	0	0	0	0	0	0	0	0
Savannah.....	0	5	1	0	0	0	1	5	1	0
Florida:										
St. Petersburg.....	0	0	0	0	0	0	0	0	0	0
Tampa.....		3	0	0	0	0	1	1	0	2

City reports for week ended November 1, 1924—Continued.

Division, State, and city.	Chick- en pox, cases re- ported.	Diphtheria.		Influenza.		Meas- sles, cases re- ported.	Mumps, cases re- ported.	Pneu- monia, deaths re- ported.	Scarlet fever.	
		Cases, esti- mated expect- ancy.	Cases re- ported.	Cases re- ported.	Deaths re- ported.				Cases, esti- mated expect- ancy.	Cases re- ported.
EAST SOUTH CENTRAL.										
Kentucky:										
Covington	0	4	1	0	0	0	0	1	2	0
Lexington	1	4	2	0	0	0	0	0	1	1
Louisville	1	15	3	0	0	0	0	4	4	6
Tennessee:										
Memphis	1	12	11	0	1	0	2	9	5	1
Nashville	0	8	2	0	0	0	0	1	4	3
Alabama:										
Birmingham	4	7	5	3	0	0	0	5	5	13
Mobile	0	2	1	0	0	0	0	1	1	1
Montgomery	0	3	4	0	0	0	0	0	1	0
WEST SOUTH CENTRAL.										
Arkansas:										
Fort Smith	0	2	2	0	0	0	1	0	1	1
Little Rock	0	3	2	0	0	0	0	2	2	0
Louisiana:										
New Orleans	0	13	10	3	3	0	0	5	4	3
Shreveport	0		1	0	0	0	0	0		1
Oklahoma:										
Oklahoma	0	6	3	2	0	0	0	1	3	3
Tulsa	0	5	5	0	0	1	0	0	3	2
Texas:										
Dallas	7	15	19	1	0	0	0	4	3	5
Galveston	0	1	0	0	0	0	0	0	1	0
Houston	1	5	6	0	0	0	0	5	1	3
San Antonio	0	4	0	0	0	0	0	5	0	2
MOUNTAIN.										
Montana:										
Billings	7	0	0	0	0	0	0	0	1	3
Great Falls	0	2	1	0	0	0	0	0	1	3
Helena	0	0	0	0	0	0	0	0	0	0
Missoula	1	0	5	0	0	0	0	0	1	0
Idaho:										
Boise	7	0	0	0	0	0	0	0	1	1
Colorado:										
Denver	29	16	11	0	0	2	12	4	7	7
Pueblo	11	5	7	0	0	0	1	0	2	1
New Mexico:										
Albuquerque	1	0	0	0	0	0	0	0	0	1
Utah:										
Salt Lake City	24	3	4	0	0	1	4	1	4	2
Nevada:										
Reno	0	0	0	0	0	0	0	1	0	2
PACIFIC.										
Washington:										
Seattle	42	6	7	0	0	2	14	7	7	10
Spokane	15	5	12	0	0	3	0	0	7	1
Tacoma	0	3	1	0	0	0	3	0	1	0
Oregon:										
Portland	15	7	13	0	0	0	0	5	8	10
California:										
Los Angeles	25	40	37	8	0	6	5	16	11	16
Sacramento	3	2	2	0	0	0	0	0	2	4
San Francisco	19	20	19	1	1	0	13	7	7	9

City reports for week ended November 1, 1924—Continued.

Division, State, and city.	Population, July 1, 1923, estimated.	Smallpox.			Typhoid fever.			Deaths, all causes.
		Cases, estimated expectancy.	Cases reported.	Deaths reported.	Tuberculosis, deaths re- ported.	Cases, estimated expectancy.	Cases reported.	
NEW ENGLAND.								
Maine:								
Lewiston	33,790	0	0	0	1	0	0	0
Portland	73,129	0	0	0	0	1	0	21
New Hampshire:								
Concord	22,408	0	0	0	0	0	0	8
Vermont:								
Barre	10,008	0	0	0	0	0	0	2
Massachusetts:								
Boston	770,400	0	0	0	11	3	1	14
Fall River	120,912	0	0	0	2	1	0	21
Springfield	144,227	0	0	0	0	0	0	32
Worcester	161,927	0	0	0	0	0	0	33
Rhode Island:								
Pawtucket	68,799	0	0	0	0	0	0	13
Providence	242,378	0	0	0	2	2	0	171
Connecticut:								
Bridgeport	¹ 143,555	0	0	0	0	0	0	27
Hartford	¹ 138,036	0	0	0	0	0	0	38
New Haven	172,967	0	0	0	1	1	0	36
MIDDLE ATLANTIC.								
New York:								
Buffalo	536,718	0	1	0	6	1	0	24
New York	5,927,625	0	0	0	113	23	20	1,341
Rochester	317,867	0	0	0	8	1	0	62
Syracuse	184,511	0	0	0	0	1	0	42
New Jersey:								
Camden	124,157	0	0	0	0	1	2	1
Newark	438,699	0	0	0	0	3	0	18
Trenton	127,390	0	0	0	3	1	1	102
Pennsylvania:								
Philadelphia	1,922,788	1	0	0	32	8	11	76
Pittsburgh	613,442	0	1	0	11	2	1	460
Reading	110,917	0	0	0	0	1	0	204
Scranton	140,636	0	0	0	2	0	1	26
EAST NORTH CENTRAL.								
Ohio:								
Cincinnati	406,312	0	0	0	9	1	0	134
Cleveland	888,519	1	0	0	16	3	0	153
Columbus	261,082	0	0	0	3	1	0	74
Toledo	268,338	1	0	0	7	2	1	44
Indiana:								
Fort Wayne	93,573	0	0	0	0	0	0	18
Indianapolis	342,718	1	5	0	7	0	0	83
South Bend	76,709	0	0	0	2	1	1	20
Terre Haute	68,939	0	1	0	0	0	0	18
Illinois:								
Chicago	2,886,121	1	0	0	32	8	6	2
Cicero	55,968	0	0	0	0	0	0	2
Peoria	79,675	0	0	0	1	0	0	18
Springfield	61,333	1	0	0	0	1	0	13
Michigan:								
Detroit	995,668	2	0	1	24	5	2	43
Flint	117,968	0	3	0	0	0	0	14
Grand Rapids	145,947	0	0	0	2	0	0	20
Saginaw	69,754	1	0	0	0	1	0	17
Wisconsin:								
Madison	42,519	1	0	0	0	0	0	4
Milwaukee	484,595	3	6	0	3	1	0	18
Racine	64,393	1	1	0	0	0	0	3
Superior	¹ 39,671	1	0	0	1	0	0	9
								8

¹ Population, Jan. 1, 1920.

* Pulmonary only.

City reports for week ended November 1, 1924—Continued.

Division, State, and city.	Population, July 1, 1923, estimated.	Smallpox.			Typhoid fever.			Deaths, all causes.
		Cases reported. Estimated expectancy.	Cases reported. Deaths reported.	Tuberculosis, deaths re- ported. Cases, estimated expectancy.	Cases reported. Deaths reported.	Whooping cough, cases reported.		
WEST NORTH CENTRAL.								
Minnesota:								
Duluth	106,289	1	0	0	0	0	5	18
Minneapolis	409,125	2	50	12	3	0	4	86
St. Paul	241,891	6	14	0	3	1	0	50
Iowa:								
Davenport	61,262	0	3		0	0	0	
Des Moines	140,923	1	1		0	0	0	
Sioux City	79,662	1	0		0	0	0	
Waterloo	39,667	1	0		1	0	0	
Missouri:								
Kansas City	351,819	1	0	0	8	1	1	85
St. Joseph	78,232	0	0	0	1	0	0	24
St. Louis	803,853	1	3	0	13	3	6	217
North Dakota:								
Fargo	24,841	0	0	0	0	1	0	6
Grand Forks	14,547	1			0		4	
South Dakota:								
Aberdeen	15,829		1			1	1	
Sioux Falls	29,206	0	0	0	0	0	0	8
Nebraska:								
Lincoln	58,761	0	0	0	0	0	0	16
Omaha	204,382	1	3	0	4	0	1	45
Kansas:								
Topeka	52,555	0	0	0	0	0	0	10
Wichita	79,261	0	0	0	0	0	4	18
SOUTH ATLANTIC.								
Delaware:								
Wilmington	117,728	0	0	0	3	2	0	32
Maryland:								
Baltimore	773,580	0	0	0	16	6	2	64
Cumberland	32,361	0	0	0	0	1	0	8
Frederick	11,301	0	0	0	0	0	0	0
District of Columbia:								
Washington	1,437,571	0	0	0	17	2	5	131
Virginia:								
Lynchburg	30,277	0	0	0	0	0	0	8
Norfolk	159,089	1	0	0	3	1	0	
Richmond	181,044	0	0	0	2	1	0	45
Roanoke	55,502	0	0	0	0	0	0	12
West Virginia:								
Charleston	45,597	0	1	0	0	0	1	19
Wheeling	1,56,208	0	0	0	0	0	1	21
North Carolina:								
Raleigh	29,171	0	0	0	0	0	0	8
Wilmington	35,719	0	0	0	0	1	0	7
Winston-Salem	56,230	0	0	0	1	0	0	19
South Carolina:								
Charleston	71,245	0	0	0	0	1	0	14
Columbia	39,688	0	0	0	1	1	0	28
Greenville	25,789	0	0	0	0	0	0	5
Georgia:								
Atlanta	222,963	1	0	0	10	1	0	81
Brunswick	15,937	0	0	0	0	0	0	1
Savannah	89,448	0	0	0	1	1	0	33
Florida:								
St. Petersburg	24,403	0	0	0	0	0	3	4
Tampa	56,050	0	0	0	1	0	0	21
EAST SOUTH CENTRAL.								
Kentucky:								
Covington	57,877	0	0	0	2	0	0	12
Lexington	43,673	0	0	0	0	0	0	15
Louisville	257,671	0	0	0	4	2	0	57
Tennessee:								
Memphis	170,067	0	0	0	8	1	1	0
Nashville	121,128	0	0	0	2	2	6	37

¹ Population Jan. 1, 1920.

City reports for week ended November 1, 1924—Continued.

Division, State, and city.	Popula- tion, July 1, 1923, estimated.	Smallpox.			Tuberculosis, deaths re- ported.	Typhoid fever.			Whooping cough, cases reported.	Deaths, all causes.
		Cases, estimated expectancy.	Cases reported.	Deaths reported.		Cases, estimated expectancy.	Cases reported.	Deaths reported.		
EAST SOUTH CENTRAL—contd.										
Alabama:										
Birmingham.....	195,901	0	0	0	3	1	3	0	1	53
Mobile.....	63,858	0	0	0	1	1	0	1	0	
Montgomery.....	45,383	0	0	0	0	0	2	0	0	11
WEST SOUTH CENTRAL.										
Arkansas:										
Fort Smith.....	30,635	0	0	0	8	1	0	0	0	
Little Rock.....	70,916	1	0	0	1	1	1	0	0	
Louisiana:										
New Orleans.....	404,575	1	0	0	18	3	2	0	0	131
Shreveport.....	54,590	0	0	0	1	0	0	0	0	10
Oklahoma:										
Oklahoma.....	101,150	1	0	0	0	1	1	0	0	20
Tulsa.....	102,018	0	0	0	1	1	3	0	0	
Texas:										
Dallas.....	177,274	0	0	0	3	2	0	0	3	54
Galveston.....	46,877	0	0	0	1	1	3	0	0	13
Houston.....	154,970	0	0	0	5	0	0	0	0	53
San Antonio.....	184,727	0	0	0	7	0	0	0	0	
MOUNTAIN.										
Montana:										
Billings.....	16,927	0	0	0	0	0	0	0	0	3
Great Falls.....	27,787	0	0	0	0	0	0	0	0	6
Helena.....	112,037	0	0	0	0	0	0	0	0	2
Missoula.....	112,668	0	0	0	1	0	0	0	0	2
Idaho:										
Boise.....	22,806	1	0	0	0	0	0	0	0	6
Colorado:										
Denver.....	272,031	4	0	0	7	1	1	0	3	60
Pueblo.....	43,519	0	0	0	0	1	0	0	0	7
New Mexico:										
Albuquerque.....	16,648	0	0	0	1	1	2	0	0	2
Utah:										
Salt Lake City.....	126,241	2	0	0	3	1	4	2	0	39
Nevada:										
Reno.....	12,429	0	0	0	0	0	0	0	0	2
PACIFIC.										
Washington:										
Seattle.....	1,315,695	1	2	0	1	2	0	1	0	
Spokane.....	104,573	5	0	0	1	4	0	0	0	
Tacoma.....	101,731	1	0	0	0	0	0	0	0	
Oregon:										
Portland.....	273,621	4	2	0	4	1	2	1	0	57
California:										
Los Angeles.....	666,853	1	22	0	25	3	3	2	22	213
Sacramento.....	69,950	1	10	0	2	1	0	0	0	22
San Francisco.....	539,038	1	0	0	11	2	1	0	0	142

¹ Population Jan. 1, 1920.

City reports for week ended November 1, 1924—Continued.

Division, State and city.	Cerebro-spinal meningitis.		Lethargic encephalitis.		Pellagra.		Poliomylitis (infantile paralysis).		
	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases, est. expectancy.	Cases.	Deaths.
NEW ENGLAND.									
Massachusetts:									
Boston.....	1	0	1	1	1	0	2	3	0
Worcester.....	0	0	0	0	0	0	0	2	0
Connecticut:									
Hartford.....	0	0	1	0	0	0	0	0	0
MIDDLE ATLANTIC.									
New York:									
Buffalo.....	0	0	0	0	0	0	0	1	0
New York.....	0	0	8	8	0	0	9	23	7
New Jersey:									
Newark.....	0	0	3	0	0	0	0	0	0
Pennsylvania:									
Philadelphia.....	0	0	1	1	0	0	0	0	0
EAST NORTH CENTRAL.									
Ohio:									
Cincinnati.....	1	0	0	0	0	0	0	0	0
Cleveland.....	0	0	0	0	0	0	1	1	0
Illinois:									
Chicago.....	2	0	0	0	0	0	3	2	0
Michigan:									
Detroit.....	1	1	0	0	0	0	0	17	5
Wisconsin:									
Madison.....	0	0	0	0	0	0	0	1	0
WEST NORTH CENTRAL.									
Minnesota:									
St. Paul.....	0	0	0	0	0	0	0	2	0
Missouri:									
St. Louis.....	0	0	0	0	0	0	0	1	0
North Dakota:									
Grand Forks.....	0	0	0	0	0	0	0	1	0
SOUTH ATLANTIC.									
Maryland:									
Baltimore.....	0	0	1	0	0	0	1	1	0
Florida:									
Tampa.....	0	1	0	0	0	0	0	0	0
EAST SOUTH CENTRAL.									
Kentucky:									
Lexington.....	1	0	0	0	0	0	0	0	0
Tennessee:									
Memphis.....	0	0	0	0	0	1	0	0	0
Alabama:									
Birmingham.....	0	0	0	0	1	1	0	0	0
WEST SOUTH CENTRAL.									
Louisiana:									
New Orleans.....	0	0	0	0	1	1	0	0	0
PACIFIC.									
Washington:									
Seattle.....	0	0	0	0	0	0	1	4	4
Spokane.....	0	0	0	0	0	0	0	3	3
Tacoma.....	0	0	0	0	0	0	0	5	5
Oregon:									
Portland.....	0	0	0	0	0	0	0	4	1
California:									
Los Angeles.....	5	0	1	1	0	0	0	2	0
San Francisco.....	0	0	1	1	0	0	0	3	0

The following table gives a summary of the reports from 105 cities for the 10-week period ended November 1, 1924. The cities included in this table are those whose reports have been published for all 10 weeks in the Public Health Reports. Eight of these cities did not report deaths. The aggregate population of the cities reporting cases was estimated at nearly 29,000,000 on July 1, 1923, which is the latest date for which estimates are available. The cities reporting deaths had more than 28,000,000 population on that date. The number of cities included in each group and the aggregate population are shown in a separate table below.

Summary of weekly reports from cities, August 24 to November 1, 1924.

DIPHTHERIA CASES.

	1924, week ended—										
	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 4.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.	
Total.....	480	455	521	643	779	757	883	936	988	965	
New England.....	35	49	135	56	55	56	77	82	89	88	
Middle Atlantic.....	167	139	139	177	255	198	209	259	228	235	
East North Central.....	269	85	88	125	151	134	174	176	176	211	
West North Central.....	50	47	91	90	92	116	126	136	149	127	
South Atlantic.....	468	70	73	94	89	97	142	121	172	131	
East South Central.....	8	7	7	13	22	20	28	42	41	27	
West South Central.....	11	10	18	13	24	23	26	28	36	40	
Mountain.....	16	19	12	15	18	24	14	18	23	28	
Pacific.....	56	29	58	60	73	89	87	74	74	78	

MEASLES CASES.

	121	109	102	94	104	134	130	193	197	241
Total.....	26	11	14	9	15	15	21	25	28	32
New England.....	41	56	40	36	38	65	56	97	92	112
Middle Atlantic.....	25	18	25	28	29	29	22	42	55	70
East North Central.....	9	3	4	2	7	9	5	7	3	7
West North Central.....	11	11	8	3	2	10	4	2	1	6
South Atlantic.....	1	1	1	0	2	1	2	1	0	0
East South Central.....	0	1	0	1	1	2	2	2	1	0
West South Central.....	4	2	4	0	3	2	0	5	2	3
Mountain.....	4	6	3	10	6	9	12	10	14	11

SCARLET FEVER CASES.

	307	253	359	455	586	570	774	795	938	1,021
Total.....	29	35	133	38	46	55	89	99	121	96
New England.....	69	50	48	97	128	129	154	168	213	298
Middle Atlantic.....	74	68	97	99	123	128	178	176	214	256
East North Central.....	58	48	104	142	172	148	218	227	253	216
West North Central.....	26	22	24	32	36	29	46	48	57	57
South Atlantic.....	9	2	6	14	17	13	21	11	14	24
East South Central.....	5	5	10	10	8	13	17	16	17	15
West South Central.....	17	3	10	9	16	18	15	19	13	19
Mountain.....	20	20	27	14	40	37	36	31	36	40

SMALLPOX CASES.

	88	66	64	86	84	86	72	99	134	134
Total.....	0	0	10	0	0	0	0	0	0	0
New England.....	11	4	2	3	6	8	3	0	5	2
Middle Atlantic.....	12	9	16	14	27	23	21	30	19	16
East North Central.....	25	9	11	23	19	15	21	27	64	70
West North Central.....	42	5	2	1	3	6	2	0	3	1
South Atlantic.....	13	16	3	8	5	6	2	15	11	9
East South Central.....	1	1	4	3	1	0	0	3	2	2
West South Central.....	2	0	0	2	1	1	0	2	3	0
Mountain.....	22	22	26	32	22	27	23	22	27	34

¹ Figures for Barre, Vt., estimated. Report not received at time of going to press.

² Figures for Cleveland, Ohio, estimated.

³ Figures for Superior, Wis., estimated.

⁴ Figures for Raleigh, N. C., estimated.

⁵ Figures for Wilmington, Del., and Tampa, Fla., estimated.

Summary of weekly reports from cities, August 24 to November 1, 1924—Continued.

TYPHOID FEVER CASES.

	1924, week ended —									
	Aug. 30.	Sept. 6.	Sept. 13.	Sept. 20.	Sept. 27.	Oct. 5.	Oct. 11.	Oct. 18.	Oct. 25.	Nov. 1.
Total.....	220	199	229	195	281	217	214	159	136	106
New England.....	12	6	19	12	11	9	16	8	6	5
Middle Atlantic.....	41	50	59	54	59	67	45	47	40	35
East North Central.....	22	27	31	25	39	25	15	17	11	11
West North Central.....	28	11	19	21	17	15	16	11	5	9
South Atlantic.....	34	36	47	32	50	35	23	20	22	13
East South Central.....	48	32	25	15	51	29	17	12	21	12
West South Central.....	25	10	15	15	17	7	15	12	12	6
Mountain.....	7	13	9	8	18	18	58	23	10	5
Pacific.....	3	14	15	13	19	12	9	9	6	10

INFLUENZA DEATHS.

Total.....	13	4	6	7	18	20	21	20	18	35
New England.....	1	0	10	1	1	0	1	1	1	1
Middle Atlantic.....	4	3	2	1	5	10	13	11	9	21
East North Central.....	23	0	3	30	2	4	4	3	5	5
West North Central.....	0	0	0	1	1	1	0	2	0	0
South Atlantic.....	42	1	51	1	3	1	1	1	2	3
East South Central.....	1	0	0	0	3	1	1	1	0	1
West South Central.....	2	0	0	0	1	1	1	0	0	3
Mountain.....	0	0	0	0	1	1	1	0	0	0
Pacific.....	0	0	0	0	1	1	0	0	1	1

PNEUMONIA DEATHS.

Total.....	315	313	306	308	372	438	494	497	479	593
New England.....	19	14	16	12	20	29	39	28	27	42
Middle Atlantic.....	136	152	120	125	152	178	217	221	227	270
East North Central.....	55	53	53	67	82	94	84	90	77	95
West North Central.....	18	9	23	22	18	16	25	23	20	28
South Atlantic.....	34	32	37	37	42	52	50	50	65	87
East South Central.....	12	17	15	9	14	22	15	19	13	21
West South Central.....	11	8	10	13	13	11	31	16	17	21
Mountain.....	13	11	10	8	11	11	15	22	16	6
Pacific.....	17	17	22	15	20	25	18	28	17	23

¹ Figures for Barre, Vt., estimated. Report not received at time of going to press

² Figures for Cleveland, Ohio, estimated.

³ Figures for Superior, Wis., estimated.

⁴ Figures for Raleigh, N. C., estimated.

⁵ Figures for Wilmington, Del., and Tampa, Fla., estimated.

Number of cities included in summary of weekly reports and aggregate population of cities in each group, estimated as of July 1, 1923.

Group of cities.	Number of cities reporting cases.	Number of cities reporting deaths.	Aggregate population of cities reporting cases.	Aggregate population of cities reporting deaths.
Total.....	105	97	28,898,350	28,140,934
New England.....	12	12	2,098,746	2,098,746
Middle Atlantic.....	10	10	10,304,114	10,304,114
East North Central.....	17	17	7,032,535	7,032,535
West North Central.....	14	11	2,515,330	2,381,454
South Atlantic.....	22	22	2,566,901	2,566,901
East South Central.....	7	7	911,885	911,885
West South Central.....	8	6	1,124,564	1,023,013
Mountain.....	9	9	546,445	546,445
Pacific.....	6	3	1,797,830	1,275,841

FOREIGN AND INSULAR:

CHINA.

North Manchuria Plague-Prevention Service—July-Sept., 1924.

Information contained in the report of the North Manchuria Plague-Prevention Service for the quarter ended September 30, 1924, shows the occurrence at Dairen, late in August, of three cases of cholera; also, the occurrence, August 9, of two fatal cases of plague, one bubonic and one pneumonic, at Substation 83 near Dauria, a locality in Transbaikalia, 36 miles west of Manchouli. The cases occurred in workers in tarabagan (marmot) skins. On September 18, an additional case of plague was reported at Harenor, a village in Transbaikalia, 52 miles west of Manchouli. The origin of this latter case had not been determined. The localities named are situated on the line of the Chinese Eastern and Trans-Siberian Railway.

Protection of Tarabagan Hunters.

It was stated that the commercial department of the railway held a meeting in August, 1924, to consider measures for protecting tarabagan hunters and safeguarding the traffic in tarabagan skins.

CUBA.

Communicable Diseases—Habana.

Communicable diseases have been notified at Habana as follows:

Disease.	Oct. 1-31, 1924.		Remaining under treatment Oct. 31, 1924.
	New cases.	Deaths.	
Diphtheria.....	1		9
Leprosy.....			
Malaria.....	44	1	129
Paratyphoid fever.....	2		1
Typhoid fever.....	47	10	45

¹ From the interior, 39.

² From the interior, 79.

FINLAND.

Proposed Sanitary Convention—Finland and Russia.

According to information dated October 1, 1924, negotiations have been begun between the governments of Finland and Russia for a sanitary convention to establish mutual protective measures against outbreaks of epidemic cholera, plague, and typhus fever.

FRANCE.**Plague—Vicinity of Paris.**

According to information dated November 3, 1924, two cases of bubonic plague were reported in the vicinity of Paris during the month of October, 1924, one case occurring at Saint Ouen, a suburb situated north of Paris, and one at Saint Medard, a suburb to the east of Paris. Both suburbs lie just outside the city limits. The source of the infection was not stated.

JAMAICA.**Quarantine Regulations—1924.**

Under date of October 1, 1924, the quarantine board of Jamaica issued a revised set of regulations governing vessels arriving at Jamaican ports. The regulations pertain to the rat-guarding of all vessels while in port, and provide special rules applying to those vessels which have cleared from ports in countries infected with plague, smallpox, yellow fever, and influenza.

LATVIA.**Communicable Diseases—August, 1924.**

During the month of August, 1924, 548 cases of communicable diseases were notified in the Republic of Latvia, including two cases of leprosy, one case of relapsing fever, 238 cases of typhoid fever, and 8 cases of typhus fever. Estimated population, 2,000,000.

SPAIN.**Smallpox—Madrid—July—September, 1924.**

During the three months period ended September 30, 1924, an outbreak of smallpox with 300 reported cases and about 30 deaths was reported at Madrid, Spain. Vaccination was made compulsory, under penalty, for all persons who had not been vaccinated within two years. Free clinics were established.

Mortality—July—August, 1924.

Deaths from all causes in Madrid during the months of July and August, 1924, were reported as follows: July, 1,234; August, 976. Population, estimated, 750,896. The causes of death included, for July, tuberculosis, 159; typhoid fever, 18; for August, smallpox, 1 death; tuberculosis, 137 deaths; typhoid fever, 16; typhus fever, 1 death.

Improved Building Regulations.

During the period under report, government regulations were promulgated with regard to the building of dwelling houses, with special view to securing adequate ventilation and access to fresh air in sleeping apartments.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER.

The reports contained in the following tables must not be considered as complete or final as regards either the lists of countries included or the figures for the particular countries for which reports are given.

Reports Received During Week Ended November 21, 1924.¹**CHOLERA.**

Place.	Date.	Cases.	Deaths.	Remarks.
China:				
Manchuria—				
Dairen.....	August, 1924.....	3.....		
India.....	Sept. 14-20.....	3.....		Aug. 24-Sept. 6, 1924: Cases, 19,047; deaths, 11,657.
Bombay.....	Oct. 5-11.....	3.....	1.....	
Madras.....	Sept. 7-13.....	2.....		Including 100 square kilometers of surrounding country.
Indo-China:				
Saigon.....				

PLAQUE.

China:				
Nanking.....	Oct. 5-18.....			Present.
France.....	Oct. 1-31.....	2.....		Aug. 1-31, 1924: Cases, 3.
Paris.....				Bubonic. Occurring in suburbs, St. Medard and St. Ouen.
Gold Coast.....				January-June, 1924: Cases, 173; deaths, 104. July-August, 1924: Cases, 142; deaths, 104.
India.....				Aug. 24-Sept. 6, 1924: Cases, 1,166; deaths, 726.
Madras Presidency.....	Oct. 5-11.....	87.....	46.....	
Rangoon.....	Sept. 21-27.....	8.....	8.....	
Mauritius Island.....				Dec. 30, 1923-June 28, 1924: Cases, 35; deaths, 29. June 29-Sept. 6, 1924: Cases, 9; deaths, 8.
Morocco.....				Jan.-June, 1924: Cases, 53; deaths, 3.
Nigeria.....				July, 1924: Cases, 1; deaths, 1.
Russia.....				Jan.-June, 1924: Cases, 252.
Palestine:				
Jaffa.....	Oct. 16.....	1.....		
Jerusalem.....	Oct. 14-20.....	1.....		Bubonic.
Siam:				
Bangkok.....	Sept. 21-27.....	2.....	1.....	
Siberia:				
Transbaikalia—				At Substation 83, vicinity of Dauria.
Dauria.....	Aug. 9.....	2.....	2.....	Bubonic and pneumonic. On line of Chinese and Trans-Siberian Railway. In workers in tarabagan (Marmot) skins.
Harenor.....	Sept. 18.....	1.....		

SMALLPOX.

British South Africa:				
Northern Rhodesia.....	Sept. 9-22.....	7.....		
Canada:				
British Columbia—				
Vancouver.....	Oct. 19-25.....	5.....		
New Brunswick—				
Restigouche County.....				Year ended Oct. 31, 1924: Cases, 36; deaths, 1.
China:				
Amoy.....	Sept. 28-Oct. 11.....			Present.
Foochow.....	Sept. 28-Oct. 11.....			Do.
Nanking.....	Sept. 28-Oct. 11.....			Do.
Egypt:				
Alexandria.....	Oct. 1-21.....	3.....		
Gibraltar.....	Oct. 20-26.....	1.....		
Greece:				
Athens.....	Sept. 21-30.....		2.....	

¹ From medical officers of the Public Health Service, American consuls, and other sources.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.
Reports Received During Week Ended November 21, 1924—Continued.
SMALLPOX—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
India:				
Bombay	Sept. 14-27	7	4	
Madras	Oct. 5-11	18	8	
Rangoon	Sept. 20-27	2		
Indo-China:				
Saigon	Aug. 31-Sept. 27	13	4	
Jamaica				
Kingston	Sept. 28-Oct. 25	7		
Java:				
East Java—				
Soerabaya	Sept. 7-13	182	48	
West Java—				
Brebes	Aug. 26-Sept. 1	3		
Pekalongan	Aug. 26-Sept. 8	9	2	
Pemalang	Aug. 26-Sept. 1		4	
Tegal	Sept. 2-8	4		
Mexico:				
Durango	Oct. 1-31		1	
Portugal:				
Lisbon	Oct. 5-18	6		
Oporto	Oct. 12-25	1	1	
Spain:				
Madrid				
Valencia	Oct. 19-25	1		
Tunis:				
Tunis	Oct. 20-27	7	7	July-Sept., 1924: Cases, 300; deaths, 30.

TYPHUS FEVER.

Chosen:				
Seoul	Sept. 1-30	1		
Greece				Jan.-Apr., 1924: Cases, 178; deaths, 27.
Hungary				Jan.-June, 1924: Cases, 221; deaths, 19.
Latvia				July, 1924: Cases, 9. August 1-31, 1924: Cases, 8.
Lithuania				Jan.-June, 1924: Cases, 556; deaths, 48. July, 1924: Cases, 24.
Palestine:				
Jaffa	Oct. 14-20	1		
Ramleh district	do	1		
Palestine	do	1		
Turkey:				
Constantinople	Oct. 12-18	2		

YELLOW FEVER.

Gold Coast				
				May, 1924: Cases, 2; deaths, 2. July, 1924: Cases, 2; deaths, 1.

Reports Received from June 28 to November 14, 1924.¹
CHOLERA.

Place.	Date.	Cases.	Deaths.	Remarks.
China:				
Shanghai	Aug. 2-Sept. 6	1		
India:				
Do.				
Bombay	May 4-10	1		Apr. 20-June 28, 1924: Cases, 81,035; deaths, 56,740.
Do.	June 29-Sept. 13	43	23	June 29-Sept. 6, 1924: Cases, 75,484; deaths, 47,781.

¹ From medical officers of the Public Health Service, American consuls, and other sources.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.**Reports Received from June 28 to November 14, 1924—Continued.****CHOLERA—Continued.**

Place.	Date.	Cases.	Deaths.	Remarks.
India—Continued.				
Calcutta	May 11-June 28	293	250	
Do.	June 29-Sept. 17	182	150	
Madras	June 1-21	7	6	
Do.	June 29-Sept. 27	44	25	
Rangoon	May 11-June 28	98	76	
Do.	June 29-Aug. 23	24	22	
Indo-China				Jan. 1-June 30, 1924: Cases, 107; deaths, 52. July 1-31, 1924: Cases, 20; deaths: 10. Corresponding period 1923, Cases, 42; deaths, 30.
Province—				
Annam	June 1-30	4	1	June, 1923: 1 case.
Do.	July 1-31	3	1	
Cambodia	June 1-30	7	4	June, 1923: Cases, 13; deaths, 4.
Do.	July 1-31	7	4	
Cochin-China	June 1-30	9	6	June, 1923: Cases, 40; deaths, 28.
Do.	July 1-31	7	5	
Tonkin	June 1-30	9	4	June, 1923: 3 cases, including 100 square kilometers of surrounding country.
Do.	July 1-31	3	1	Do.
Saigon	Apr. 27-June 28	6	4	
Do.	June 29-Aug. 9	6	5	
Persia:				
Bushire	June 1-30	1	1	
Philippine Islands				June 15-28, 1924: 32 cases, 22 deaths, including suspects. June 29-July 5, 1924: 5 cases, 4 deaths.
Manila	June 22-28	1		Suspect. Occurring in a non-resident.
Do.	July 6-12	1	1	
Provinces—				
Batangas	July 1-12	4	3	
Bulacan	June 21	1	1	
Do.	June 28-July 26	4	2	
Angat	July 20-29	1	1	
Malolos and Paombong	July 13-19	2	1	
Cagayan	Mar. 30-Apr. 5	1	1	
Laguna	May 18-24	1	1	
San Pablo	July 13-19	1	1	
Rizal	July 3	1	1	
Santo Tomas	July 6-12	1	1	
Russia				Summer of 1924. Cases, 9. 7 cases at Rostov and Nakhchivan.
Don Province				1 case, Black Sea district. 1 case in Kolomensky Uyezd.
Kuban				
Moscow Province				
Rostov-on-Don	Aug. 5-7	3		
Siam:				
Bangkok	May 4-June 28	21	18	
Do.	June 29-Sept. 20	11	5	
Straits Settlements:				
Penang	June 1-7	1	1	
Singapore	June 15-28	9	6	
Do.	June 29-July 5	2	1	
On vessel:				
S. S. Argalia		1		At Bassein, Lower Burma, India. Case in European member of crew. Case removed to hospital. Vessel left May 16, 1924, arrived June 8 at Durban, South Africa; left Durban June 10 for Trinidad and Cuba.

PLAQUE.

Algeria:				
Mostaganem	July 21-28	4		Seaport.
Argentina:				
Chaco Territory				April, 1924: Cases reported.
Brazil:				
Porto Alegre	July 6-12	1		

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.

Reports Received from June 28 to November 14, 1924—Continued.

PLAQUE—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
British East Africa:				
Kenya—				
Kisumu.....	July 13-Aug. 16.....	2	1	
Tanganyika Territory—	Feb. 24-June 7.....	1	2	
Do.....	June 26-July 3.....	3	2	
Uganda—				
Entebbe.....	Feb. 1-Apr. 30.....	59	54	
Canary Islands:				
Las Palmas.....	Sept. 8.....	1		
Teneriffe—				
La Laguna.....	June 20.....	1		
Celebes:				
Macassar and Menando.....	July 27-Aug. 2.....			1 plague rat.
Ceylon:				
Colombo.....	May 11-June 28.....	11	7	10 plague rodents.
Do.....	June 29-Sept. 13.....	19	18	Plague-infected rodents, 17.
Chile:				
Antofagasta.....	June 1-16.....	4		
China:				
Amoy.....	June 15-28.....		4	
Do.....	June 29-Aug. 9.....		13	Cases not reported.
Foochow.....	May 4-June 21.....		25	
Nanking.....	July 20-Aug. 16.....			Present.
Ecuador:				
Eloy Alfaro.....	May 16-31.....	1		
Do.....	Sept. 16-30.....	1		Rats taken, 23,717; found infected, 107.
Guayaquil.....	May 16-June 30.....	5	1	Rats taken, 44,489; found plague infected, 188.
Do.....	July 1-Aug. 31.....	2		
Posorja.....	July 1-15.....	1		
Puna.....	July 16-31.....	1		
Egypt				
City—				
Alexandria.....		1	1	First case, Apr. 2; last, Apr. 2.
Ismailia.....		1	1	First case, July 6; last July 6
Port Said.....		5	2	First case, Apr. 24; last, Aug. 26.
Suez.....		16	8	First case, Jan. 2; last, Sept. 23.
Province—				
Assiout.....	474	35		First case, Apr. 1; last, Aug. 27.
Behera.....	1	1		First case, Aug. 9; last, Aug. 9.
Beni-Suef.....	3	3		First case, June 21; last, June 21.
Charkieh.....	1	1		First case, Jan. 31; last, Jan. 31.
Fayoum.....	106	33		First case, Feb. 18; last, July 18.
Gharbia.....	3	2		First case, Apr. 21; last, Aug. 22.
Ghirga.....	10	3		First case, Jan. 17; last, May 13.
Kalioubiah.....	10	1		First case, Jan. 6; last, May 22.
Kena.....	44	26		First case, Apr. 9; last, May 17.
Menoufieh.....	49	32		First case, Jan. 2; last, June 28.
Minia.....	58	28		First case, Feb. 5; last, Aug. 1.
Greece:				
Kalamata.....				Reported July 15, 1924: Cases, 20; deaths, 6.
Patras.....	July 7.....	36		
Saloniki.....	July 3-4.....	2		
Symi, Island of.....				
Hawaii.....				Reported present in August, 1924: Cases, 10; deaths, 2.
Honokaa.....				July 15, 1924: Near Kukuihaele, Island of Hawaii, 1 plague rat.
India.....				Aug. 19-Sept. 10, 1924: 5 plague-infected rodents found in vicinity. In vicinity, at Paauhau sugar plantation, Oct. 11, 1924, 1 plague rat (trapped).
Do.....				Apr. 20-June 28, 1924: Cases, 102,874; deaths, 84,656.
Bombay.....	May 4-June 21.....	50	44	June 29-Sept. 6, 1924: Cases, 581; deaths, 4,431.
Do.....	June 29-Aug. 30.....	20	16	
Calcutta.....	May 11-June 14.....	10	10	
Karachi.....	May 18-June 21.....	16	13	
Do.....	Aug. 17-Sept. 20.....	7	7	

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.
Reports Received from June 28 to November 14, 1924—Continued.
PLAGUE—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
India—Continued.				
Madras Presidency—	May 18-31	7	2	
Do.	Aug. 3-Oct. 4	144	100	
Rangoon	May 11-June 28	77	72	
Do.	June 29-Sept. 20	206	175	
Indo-China				Jan. 1-June 30, 1924: Cases, 734; deaths, 486. July 1-31, 1924: Cases, 26; deaths, 22. Corresponding period, 1923: Cases, 34; deaths, 30.
Province—				
Anam	June 1-30	6	5	June, 1923: Cases, 11; deaths, 10.
Do.	July 1-31	4	4	
Cambodia	June 1-30	18	18	June, 1923: Cases, 140; deaths, 121.
Do.	July 1-31	9	9	June, 1923: Cases, 14; deaths, 10.
Cochin-China	June 1-30	4		Including 100 square kilometers of surrounding country.
Do.	July 1-31	13	9	
Saigon	May 4-June 28	10	2	
Do.	July 20-Aug. 9	3	1	Do.
Iraq:				
Bagdad	Apr. 20-June 28	125	62	
Do.	June 29-Aug. 9	7	4	
Japan				July 1-31, 1924: 1 case, 1 death. Jan.-July, 1924: Cases, 4; deaths, 3. To June 20, 1924: Cases, 2; death, 1.
Shizuoka Prefecture—				
Higashi				
Java:				
East Java—				
Soerabaya	June 8-21	14	14	
Do.	Aug. 31-Sept. 6	1	1	
West Java—				
Cheribon	Aug. 19-25		2	
Pekalongan	do		8	
Madagascar:				
Diego Suarez	June 22-Aug. 28	43	37	Seaport.
Moramanga	June 1-30	1	1	Interior.
Tamatave	June 6-30	5	4	Bubonic.
Tananarive Province				Apr. 1-June 30, 1924: Cases, 138; deaths, 128; bubonic, pneumonic, septicemic, July 1-Aug. 31, 1924: Cases, 91, deaths, 88.
Tananarive Town	Apr. 1-June 30	12	12	
Do	July 1-Aug. 31	6	6	Bubonic, pneumonic, and septi-cemic.
Other localities	Apr. 1-June 30	105	97	Do.
Do	July 1-Aug. 31	64	63	Do.
Persia:				
Abadan	May 1-31	20	12	
Bander Abbas	do	11	6	Landed at quarantine.
Bushire	do	1	1	
Mohammerah	do	111	78	
Peru				May 1-June 30, 1924: Cases, 9; deaths, 6. July 1-31, 1924: Cases, 6; deaths, 3.
Do				
Callao	June 1-30	1		
Do	July 1-31	2		
Huaral	June 1-30	1		
Do	July 1-31	1		
Lima (city)	May 1-June 30	5	5	
Do	July 1-31	6	3	
Lima (country)	May 1-June 30	1		
Do	July 1-31		1	
Mollendo	May 1-31	1	1	
Russia:				
Don Cossack Territory—				
Salsky District				Aug. 8, 1924: Reported present in marmots in 6 localities.
Siam:				
Bangkok	May 4-June 14	3	3	
Do	July 13-Sept. 20	3	3	
South Nigeria (West Africa):				
Lagos	Sept. 8			Present.

November 21, 1924

**CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW
FEVER—Continued.**

Reports Received from June 28 to November 14, 1924—Continued.

PLAQUE—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Syria: Beirut.....	July 10-Aug. 20.....	7	-----	
Tunis: Tunis.....	Sept. 23-29.....	1	1	
Union of South Africa.....				
Orange Free State.....				
Philippolis District.....	Aug. 24-30.....	1	1	May 11-June 14, 1924: Cases, 21; deaths, 9. June 22-28, 1924: Plague-infected mouse found in Kroonstad District.
Smithfield District.....	July 13-19.....	2	-----	In natives on two farms.
On vessel: S. S. Amboise.....	July 10.....	1	-----	At Marseille, France; removed to quarantine station. Case occurred in an Arab fireman embarked at Aden. Vessel left Yokohama May 30 and Col- ombo, Ceylon, June 22, 1924.

SMALLPOX.

Arabia:				
Aden	July 20-26		1	
Bolivia:				
La Paz	May 1-June 30	10	9	
Do.	July 1-Sept. 30	28	21	
Brazil:				
Bahia	May 18-24	1		
Porto Alegre	May 18-June 28	1	2	
Do.	July 6-Aug. 2		3	
Rio de Janeiro	May 18-24	2		
Do.	July 20-Aug. 30	5		
British East Africa:				
Kenya—				
Mombasa	May 4-31	3		
Tanganyika Territory	June 15-21	1		
Do.	Aug. 17-23	1		
Uganda				
Entebbe	Feb. 1-29	2		
British South Africa:				
Northern Rhodesia	May 6-June 30	74	1	Natives.
Do.	July 1-Sept. 8	49		
Canada:				
British Columbia	Sept. 12-Oct. 18	29		
Vancouver	June 15-28	11		
Do.	June 29-Oct. 11	43		Not including suburbs.
Victoria	Aug. 3-9	4		
Manitoba				
Winnipeg	July 13-Aug. 1	3		
New Brunswick				
Restigouche County	June 1-30	7		
Do.	July 6-Sept. 6	21		
Westmoreland County	Aug. 17-23	1		
Ontario				June 1-30, 1924: Cases, 24; July 1-Oct. 25, 1924: Cases, 93. Corresponding period, 1923: Cases, 23.
Chatham Township	Sept. 28-Oct. 25	31		
Chatham	do	3		
Harwich Township	do	2		
Howard Township	do	14		
Macaulay Township	do	1		
Sarnia	July 20-26	1		
Toronto	Sept. 28-Oct. 25	1		
Whitney	Sept. 28-Oct. 25	21		
Windsor	June 22-28	1		
Quebec				
Montreal	June 8-14	1		
Do.	Sept. 14-20	1		Unorganized.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.
Reports Received from June 28 to November 14, 1924—Continued.
SMALLPOX—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Ceylon:				
Colombo	July 6-12	1		
Chile:				
Antofagasta	June 11			
Do.	Aug. 24-30	1		
Valparaiso	June 1-7		1	This report covers the two principal districts of Valparaiso.
China:				
Amoy	May 11-June 28			
Do.	June 29-Sept. 27			
Antung	June 9-29	41	3	
Do.	July 7-13	4		
Chungking	May 11-June 28			
Do.	June 29-Sept. 13			
Foochow	May 18-June 28			
Do.	July 6-Sept. 20			
Hongkong	May 4-June 28	30	24	
Do.	June 29-July 12	3	3	
Manchuria:				
Dairen	May 12-June 28	22	7	
Do.	June 29-Aug. 3	5	1	
Harbin	May 13-June 23	2		
Nanking	May 18-June 28			
Do.	July 6-Sept. 27			
Shanghai	May 25-31		1	
Tientsin	May 4-June 28	11	1	British municipality.
Chosen:				
Fusan	May 1-31	1		
Do.	July 25-31	1		
Colombia:				
Barranquilla	Aug. 3-9		1	
Cuba:				
Matanzas	Sept. 1-30	1		
Czechoslovakia:				
State—				
Bohemia	Apr. 1-June 30	6	2	
Russinia	do	1		
Denmark:				
Copenhagen	May 18-31	3	1	
Dominican Republic:				
La Romana	Aug. 24-30	2		
Egypt:				
City—				
Alexandria	June 4-10	1		
Do.	Sept. 3-9	1		
Cairo	Feb. 19-June 24	163	45	
Do.	June 25-Aug. 5	15	2	
Port Said	June 18-24	1	2	
Do.	June 25-Sept. 9	4		
France:				
Limoges	Apr. 1-May 31		2	
Marseille	May 1-31		1	
Paris	May 21-31	2		
Gibraltar	July 21-Oct. 12	9		
Great Britain:				
England and Wales:				
Counties—				
Derby	May 25-June 28	159		
Do.	June 29-Oct. 4	159		
London	June 29-Aug. 30	3		
Northumberland	May 25-June 28	61		
Do.	June 29-Oct. 4	134		
Nottingham	May 25-June 28	29		
Do.	June 19-Oct. 4	103		
Yorks (North Riding).	May 25-June 28	54		
Do.	June 29-Oct. 4	118		
Yorks (West Riding).	May 25-June 28	5		
Do.	June 29-Oct. 4	44		
Liverpool	Aug. 28	1		
Greece:				
Saloniki	Apr. 21-June 29	7	21	
Do.	June 30-Oct. 4		41	Mild. Admitted to port hospital from Lower Bebington district, 2 miles from docks.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.
Reports Received from June 28 to November 14, 1924—Continued.
SMALLPOX—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Haiti:				
Port au Prince	July 6-12	2		Developed at Cape Haitien.
Hungary:				
Budapest	July 20-Aug. 2	11		
India				
Do.				
Bombay	May 4-June 28	432	299	
Do.	June 29-Sept. 13	196	126	
Calcutta	May 11-June 28	36	32	
Do.	July 6-Sept. 27	78	63	
Karachi	May 18-June 28	51	18	
Do.	June 29-Sept. 13	35	16	
Madras	May 18-June 28	32	10	
Do.	June 29-Oct. 4	164	52	
Rangoon	May 11-June 28	53	21	
Do.	June 29-Sept. 20	31	12	
Indo-China				Jan. 1-June 30, 1924: Cases, 4,934; deaths, 1,413. July 1-31, 1924: Cases, 119; deaths, 51. Corresponding period, 1923: Cases, 268; deaths, 108.
Province—				
Anam	June 1-30	23	2	June, 1923: Cases, 2.
Do.	July 1-31	11	7	
Cambodia	June 1-30	35	21	June, 1923: Cases, 156.
Do.	July 1-31	28	13	
Cochin-China	June 1-30	145	55	June, 1923: Cases, 70; deaths, 35.
Do.	July 1-31	73	31	
Saigon	Apr. 27-June 28	145	79	Including 100 square kilometers of surrounding country. Do.
Do.	June 29-Aug. 23	55	23	
Tonkin	June 1-30	31	2	
Do.	July 1-31	7		
Iraq:				
Bagdad	Apr. 20-May 24	8	1	
Do.	July 27-Aug. 2	1		
Italy:				
Messina	May 26-June 1	1		
Jamaica				
Kingston	June 1-28	6		
Do.	June 29-Sept. 13	20		Reported as alastrim. Do.
Japan				
Kobe	May 26-21	3		July 1-31, 1924: Cases, 51; deaths, 9; Jan. 1-July 31, 1924: Cases, 1,693; deaths, 264.
Nagoya	June 8-14	2		
Tokyo	do	1		
Java:				
East Java—				
Madoera Residency—				
Sampang	May 22			Epidemic.
Malang	May 25-31	5	1	
Pasoeroean Residency	July 4-Sept. 2	7		Epidemic in some localities. Do.
Rembang Residency	Aug. 29-Sept. 2			
Soerabaya	Apr. 13-June 28	501	143	
Do.	June 29-Sept. 6	769	217	Epidemic Aug. 10, 1924, in 4 localities.
West Java—				
Batavia	May 31-June 27	3		
Do.	July 6-Aug. 22	6		Province.
Cheribon	Aug. 19-25	1		
Pekalongan Province				
Pekalongan	Aug. 19-25	3		Aug. 19-25, 1924: Cases, 12; deaths, 2.
Pemalong	do	5	3	
Tegal	do	3		
Latvia				
Mexico:				
Cecilia	Oct. 11-17	5	1	State of Tamaulipas.
Durango	June 1-30		2	
Do.	Sept. 1-30		1	
Guadalajara	May 1-June 30	9	4	
Do.	July 8-14		1	
Mexico City	May 4-June 28	96		Including municipalities in Federal District. Do.
Do.	June 29-Oct. 4	75		

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.
Reports Received from June 28 to November 14, 1924—Continued.
SMALLPOX—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Mexico—Continued.				
Progreso	Oct. 19-25		1	
Salina Cruz	May 25-31	1	1	
Tampico	June 14-20	2		
Do	July 1-Aug. 20	8	7	
Tuxtepec	July 3-18	3	1	
Vera Cruz	Sept. 21-Oct. 25		4	
Palestine				
Samaria Province—				
Samak	May 27-June 2	1		
Paraguay:				
Asuncion	June 2			Present.
Encarnacion	do			Many cases reported.
Persia:				
Bushire	June 1-30	2		
Peru:				
Arequipa	Jan. 1-June 30		5	
Poland				
Do				
Portugal:				
Lisbon	May 25-June 28	7	2	
Do	June 29-Sept. 28	28	5	
Oporto	May 11-June 28	18	16	
Do	June 29-Oct. 11	21	25	
Russia				
Moscow	July 27-Aug. 9	37		Jan. 1-31, 1924: 2,243 cases.
Siam:				
Bangkok	Apr. 27-June 14	3	5	
Do	Sept. 7-13	1		
Spain:				
Barcelona				Year 1923: Cases, 160.
Do	August-September	23	2	
Cadiz	June 1-30		5	
Do	July 1-Sept. 30		11	
Madrid	Aug. 1-Sept. 30		6	
Malaga	June 29-Oct. 18	8	76	
Santander	Aug. 24-30		4	
Valencia	June 8-21	3		
Do	July 13-Oct. 18	4	1	
Vigo	Aug. 17-23		1	
Straits Settlements:				
Singapore	May 4-24	2	1	
Sumatra:				
Medan	Jan. 1-31		5	
Switzerland:				
Berne	May 25-June 28	22		
Do	June 29-Sept. 27	13		
Lucerne	Aug. 1-Sept. 30	30		
Syria:				
Damascus	May 28-June 12	12		
Do	Aug. 7-13	6		
Tunis:				
Tunis	May 27-June 30	17	4	
Do	July 1-Oct. 13	22	19	
Turkey:				
Constantinople	June 1-7	1		
Do	Aug. 17-Sept. 27	2		
Union of South Africa				
Cape Province	May 4-31			
Do	July 20-Sept. 20			
East London	July 27-Aug. 2	1		
Orange Free State	May 4			
Do	Aug. 24-Sept. 13			
Transvaal	May 4-31			
Do	July 20-Aug. 23			
Johannesburg	July 6-12	1		
Yugoslavia				
Belgrade	July 28-Aug. 3	1		January-June, 1924. Cases, 308: deaths, 62.

November 21, 1924

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.

Reports Received from June 28 to November 14, 1924—Continued.

SMALLPOX—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
On vessels:				
S. S. Dront.....	Sept. 14-20.....	1.....		At Pernambuco, Brazil. Case removed to hospital. Vessel left Cadiz, Spain, Aug. 20, 1924.
S. S. Karoa.....	May 7.....	1.....		At Durban, South Africa, from Bombay, India. Vessel left Bombay Apr. 16, 1924. Patient, European.
S. S. Mount Evans.....	July 8.....	1.....		At Key West, Fla., from Manchester, England.

TYPHUS FEVER.

Algeria:				
Algiers.....	May 1-June 30.....	24.....	9.....	Year 1923: Cases, 1,166, of which 27 were in the military population.
Do.....	July 1-Sept. 30.....	3.....		
Bolivia:	do.....		2.....	
Brazil:				
Porto Alegre.....	June 1-7.....		1.....	
Bulgaria:				
Sofia.....	Aug. 17-23.....		1.....	
Chile:				
Antofagasta.....	May 20-26.....		3.....	June 16, 1924: 2 cases in Lazaretto.
Concepcion.....	July 8-21.....		3.....	
Do.....	June 22-28.....		1.....	
Iquique.....	May 25-31.....	2.....		
Talcahuano.....	June 29-Oct. 11.....	28.....	43.....	Aug. 30, 1924: 53 cases reported present. Sept. 6, 1924: About 20 cases in vicinity.
Do.....				
Valparaiso.....	May 25-June 21.....		11.....	
Do.....	June 29-Sept. 27.....		37.....	
China:				
Antung.....	June 2-16.....	6.....		
Chungking.....	May 11-June 14.....			Present.
Manchuria—				
Harbin.....	Sept. 17-23.....	2.....		
Chosen:				
Chemulpo.....	May 1-June 30.....	10.....		
Do.....	July 1-31.....	6.....	2.....	
Seoul.....	May 1-June 30.....	43.....	5.....	
Do.....	July 1-31.....	2.....		
Czechoslovakia—				Apr. 1-June 30, 1924: Cases, 6.
State—				
Slovakia.....	Apr. 1-June 30.....	4.....		
Egypt:				
Alexandria.....	June 25-Aug. 26.....	5.....	1.....	
Cairo.....	Feb. 19-June 24.....	53.....	16.....	
Do.....	June 25-Aug. 5.....	5.....	4.....	
Port Said.....	July 24-Aug. 5.....	3.....		
Esthonia.....				Apr. 1-June 30, 1924: Cases, 37 July 1-31, 1924: Cases, 2.
Germany:				
Coblenz.....	July 12-19.....	2.....		
Great Britain:				
England—				
St. Helens.....	July 13-Sept. 20.....	8.....	3.....	One suspect case: July 10, 1924. Locality, vicinity of Liverpool.
Ireland—				
Dublin.....	June 8-14.....	1.....		
Do.....	July 13-19.....	1.....		
Lismore.....	July 19.....	1.....		
Longford.....	do.....	1.....		
Greece:				
Saloniki.....	Apr. 20-May 4.....	6.....		
Do.....	Aug. 10-Sept. 27.....	2.....	2.....	
Iraq:				
Bagdad.....	Apr. 27-May 10.....	2.....		
Do.....	Aug. 3-9.....	1.....		
Japan.....				July 1-31, 1924: Cases, 2. Jan. 1- July 31, 1924: Cases, 8; deaths, 1.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued.**Reports Received from June 28 to November 14, 1924—Continued.
TYPHUS FEVER—Continued.**

Place.	Date.	Cases.	Deaths.	Remarks.
Latvia:				Apr. 1-June 30, 1924: Cases, 108.
City:				
Riga	June 1-30	1		
Mexico:				Including municipalities in Federal district.
Durango	July 1-31		2	
Guadalajara	May 1-June 30	2	2	
Mexico City	May 4-June 28	59		
Do.	June 29-Oct. 12	112		
Torreón	July 1-Aug. 31		4	Do.
Palestine:				
Acre	Aug. 19-25	1		
Jaffa	June 17-23	1		
Do	July 8-Sept. 29	5		
Jerusalem	July 1-Sept. 29	7		
Kantara	July 15-21	1		
Khulde	Aug. 17	1		
Safad	Aug. 26-Sept. 1	1		
Tiberias	Aug. 19-25	1		
Peru:				
Arequipa	Jan. 1-June 30		4	
Do.	July 1-Aug. 31		3	
Poland				Mar. 30-June 28, 1924: Cases, 2,947; deaths, 277.
Do.				June 29-July 27, 1924: Cases, 332; deaths, 23.
Portugal:				
Oporto	June 15-21		1	
Russia:				Jan. 1-31, 1924: Cases, 14,275.
Moscow	July 27-Aug. 9	4		
Spain:				
Barcelona	July 10-16		1	
Malaga	Sept. 6-Oct. 11		2	
Switzerland:				
Lucerne	Sept. 1-30	1		
Syria:				
Aleppo	June 8-14	1		
Damascus	July 14-20	1		
Tunis:				
Tunis	May 27-June 9	4		
Turkey:				
Constantinople	May 18-June 21	7	2	
Do.	July 6-Sept. 27	12	13	
Union of South Africa				Mar. 1-June 30, 1924: Cases, 418 deaths, 45. July 1-Aug. 31, 1924: Cases, 212; deaths, 31. (Colored, 203 cases; white, 9 cases.)
Cape Province				Mar. 1-June 30, 1924: Cases, 249; deaths, 23.
Do.				July 1-Aug. 31, 1924: Cases, 122; deaths, 16. Sept. 14-20, outbreaks.
Natal				Mar. 1-June 30, 1924: Cases, 27; deaths, 5. July 1-Aug. 31, 1924: Cases, 12; deaths, 1 (colored).
Durban	Apr. 20-June 8	2		Mar. 1-June 30, 1924: Cases, 83; deaths, 11. July 1-Aug. 31, 1924: Cases, 40; deaths, 12. Aug. 24-Sept. 20: Outbreaks in the Hoopstad district.
Orange Free State				Mar. 1-May 31, 1924: Cases, 39; deaths, 5. July 1-Aug. 31, 1924: Cases, 29 (colored); deaths, 2. Aug. 17-23, 1924: Outbreaks.
Transvaal				January-June, 1924: Cases, 252; deaths, 14.
Johannesburg	May 11-24	2		
Do.	June 29-Sept. 13	3		
Yugoslavia				
Zagreb	Sept. 7-13	1		

YELLOW FEVER.

Brazil:				
Pernambuco	May 11-17	2	1	
Salvador:				
San Salvador	June 10-Aug. 25			Present in San Salvador and vicinity.