## PUBLIC HEALTH REPORTS

VOL. 40 JULY 24, 1925 No. 30

# A Plan to Establish in the United States a Morbidity Registration Area, that is, an Area for the more Complete Collection of Data Relating to the Diseases of Man <sup>1</sup>

By B. J. LLOYD, Assistant Surgeon General, United States Public Health Service

Reports of communicable and other diseases have an intensive value in the community where the diseases occur. This value can not, however, be rightly interpreted in any community without comparable data from other communities. One State or city can not rightly evaluate the results of its efforts in the protection of the health of its citizens without comparable data from other States and cities.

We, as a Nation, should be able to present to other nations and to ourselves for comparison a picture of health conditions in the United States as a whole. At the present time our situation with regard to morbidity reports resembles somewhat a cross-word puzzle with most of the words missing.

Before attempting to outline a plan to establish a morbidity registration area, let us do two things; namely, first let us visualize our ultimate purpose, I should say our theoretical goal, which I am afraid is a long way off. My conception of such a goal would be a working system of reporting all of the diseases of man for all of the people of the United States and making the best use of these reports possible. To attempt this under present conditions is, of course, unthinkable. We have not yet succeeded in getting complete reports of one disease for the entire United States. Having visualized our goal, let us forget that, and, as the second step in the development of the plan for a morbidity area, let us take stock of the facilities for the collection of data which we already have and of the reports we now receive.

In the past, the Federal Government has manifested its greatest interest in the reporting of the major quarantinable diseases, such as plague, cholera, yellow fever, and smallpox. Congress, however, instructs the Public Health Service to collect information with regard to disease throughout the United States, but does not furnish the means with which to do it. The Public Health Service, by the direction of Congress, obtains its data on reportable diseases in the United States through the cooperation of State and local health officers.

The aid that the Public Health Service renders in collecting this information is based on the principle of mutual advantage and coop-

<sup>&</sup>lt;sup>1</sup> Read as a part of the proceedings of the Annual Conference of State and Territorial Health Officers with the Surgeon General, Washington, D. C., June 1, 1925.

July 24, 1925 1550

eration. For the purpose of getting prompt and more accurate morbidity reports, the Public Health Service furnishes blank report forms and appoints as its agents in the various States, at nominal salaries, collaborating and assistant collaborating epidemiologists, who are authorized by law to use the penalty envelope in collecting these data for the Federal Government. These epidemiologists may also be, and most often are, State or local health officers, thus making their work in the improvement of morbidity reporting mutually beneficial to both the Federal Government and the States. In addition. the Public Health Service furnishes to State and local health officers, through the weekly Public Health Reports, the data which it gets from al! States and cities, together with the data from foreign countries and other pertinent sanitary information. In order to understand just how the Federal Government functions in this cooperative work of collecting data, it is well to know something of the development of the present system and of its actual operation.

In 1878 Congress provided that "Consular officers of the United States shall make weekly reports to him [the Supervising Surgeon General of the Marine Hospital Service] of the sanitary condition of the ports at which they are respectively stationed. \* \* \*" These reports were published as "Bulletins of the Public Health."

In 1879 Congress established the National Board of Health, charged with the duty, among other duties, of obtaining and disseminating information upon all matters affecting the public health, and this body took over the issuing of the Bulletins of Public Health, changing the title to "Abstracts of Sanitary Reports."

The National Board of Health was discontinued in 1883 and the Marine Hospital Service, now the Public Health Service, being charged with its duties, again assumed the publication of the Abstracts of Sanitary Reports, but the name was not changed to "Public Health Reports" until January, 1896.

In 1902, in order to secure uniformity in the registration of morbidity data, Congress enacted a law directing the Surgeon General to provide forms for the collection and compilation of morbidity data.

The first morbidity reports collected related principally to yellow fever, cholera, plague, and smallpox. From time to time other diseases were included and morbidity data for cities and States were received, compiled, published, and distributed.

The data received have increased in volume and completeness until at the present time the Public Health Service is receiving reports from about 560 out of 824 cities in the United States having a population of 10,000 or more, and from practically all States and insular possessions, as well as reports from American consuls and diplomatic officers and medical officers of the Public Health Service

1551 July 24, 1925

stationed abroad. Reports are also received through certain cooperative agencies.

At the present time a very large part of the population of the continental United States is covered by morbidity reports of some kind transmitted to the Surgeon General of the Public Health Service with some degree of regularity. The current reports are of three kinds—namely, weekly telegraphic reports or prompt mail reports from 37 States and the District of Columb a; weekly mail reports from approximately 560 cities of 10,000 population or over; telegraphic reports of unusual conditions in the United States (or abroad).

The collection of morbidity reports is still in the formative stage. There are many rural communities in the United States in which practically no morbidity reports are collected and no records of disease prevalence are kept. Many incorporated places of considerable size make no attempt to secure systematic reports of preventable diseases, and in some State health departments the small force available and the limited appropriations make it impossible to secure reports which are of much real value. Even in those States which have the best health departments and in which the best records are kept it must be admitted that reports of notifiable diseases are incomplete and are not always comparable in completeness as between one State or city and another, and much information that is needed is not available. Statistics compiled from these incomplete reports must be used with caution. are of value as they show the presence (or absence) of epidemics, however, and it is usually possible to compare the reports for one year with those of another in the same community; but comparisons of the prevalence of a certain disease based on reports from different communities are likely to be misleading, as the reliability of the reports varies greatly in different localities and usually the percentage of the cases which are reported in a community is not known.

However, the outlook is not entirely dark. Since 1912 the Public Health Service has published annual summaries of the reported cases of preventable diseases in States and cities of the United States. An examination of these reports shows progress. Each year the number of States and cities reporting has increased, and an analysis of the figures shows that in most communities a larger percentage of the cases are being reported than ever before.

Let us examine now the cooperative plan followed in many States in collecting morbidity statistics. As you well know, in order to comply with the law authorizing the use of the penalty envelope in obtaining these data there must be appointed as officers of the Federal Government persons to whom these penalty envelopes bearing the information may be mailed. There is appointed in the office of the

July 24, 1925 1552

State health officer of the State using the plan, at \$1 a year, an individual known as the collaborating epidemiologist of the State. The collaborating epidemiologist, usually the State health officer, recommends for appointment as many assistant collaborating epidemiologists in cities, towns, and communities throughout the State as he thinks are needed for the service. Usually these assistant collaborating epidemiologists are members of local health departments.

Penalty cards and penalty envelopes, furnished by the Public Health Service as required, are distributed to private physicians, who make out their reports of communicable diseases on these cards and mail them to the nearest local collaborating epidemiologist, who in turn transmits a summary of the data received to the State collaborating epidemiologist and to the Surgeon General of the Public Health Service. In some districts the original cards or reports are sent direct to the State collaborating epidemiologist. Usually this is in rural districts. The details of selecting assistants, collecting the data, and determining the data and the diseases to be reported on in any given State are left to the discretion of the State health officer.

Laws or enforceable regulations requiring the reporting of communicable diseases are necessary. The Model State Law for Morbidity Reports, approved by the Annual Conference of State and Territorial Health Authorities with the United States Public Health Service in 1913, and amended by the conference in 1915, has been made the basis for laws or regulations in many States and for ordinances or regulations in a large number of cities.

With these preliminary statements, let me take up now the plan for establishing a morbidity registration area. In doing so I wish to emphasize the fact that I claim no credit for this plan. It seems to me that it is merely the next step in the logical development of the system that State and local health officers have helped the Public Health Service to construct.

In the first place, such an area must be built up of units, all functioning as nearly alike as possible along certain broad, general lines. In minor details there may be as much individualization as may be desired. These units may be States, districts, cities, counties, parishes, or any form of unit that can meet the requirements of eligibility. As it appears now it would seem that, in the immediate future, registration units may consist mostly of cities. There may be two or three States and a county here and there that could qualify.

What are the requirements proposed?

Inasmuch as this is a pioneer work, much of what is suggested here is, of course, tentative.

The first requirement is, I think, a sine qua non—the unit must report directly to the Surgeon General of the Public Health Service.

1553 July 24, 1925

In the cases of cities, reports must go to the collaborating epidemiologist in the State health office as well. The reasons for asking that reports be sent direct to the Surgeon General are twofold: (1) It is required by the statutory provisions involved, and (2) if they are not sent direct they will not reach the office of the Surgeon General in time to be of value when published as current reports. This will leave out temporarily some cities which probably could meet all other requirements.

Second. The unit seeking and maintaining its status in the registration area must be able to attain a percentage of completeness in the reporting of contagious diseases corresponding to the minimum rates adopted for these diseases. For example, the minimum rates for smallpox and diphtheria might well be 90 per cent of the cases occurring in a given locality; of measles possibly 75 per cent. Inasmuch as the number of cases of some of the diseases to be reported manifestly can not be determined by actual count, a system must be devised for estimating the percentage of completeness of these reports if percentage is to be used as a criterion of eligibility. I shall discuss this phase of the problem in another part of this paper.

Third. Reports must be mailed to the Surgeon General at the close of each week.

Fourth. Reports must include the following 10 diseases as a minimum,<sup>2</sup> namely, diphtheria, influenza, measles, pneumonia, poliomyelitis, scarlet fever, smallpox, tuberculosis, typhoid fever, and whooping cough. Cities should be required to report both cases and deaths, except that in the case of influenza and pneumonia, deaths only are required. States will have to be excused from reporting deaths for districts other than cities for the present.

The data asked for in these reports (the numbers of cases and deaths) may seem to you inadequate; but the Public Health Service does not have the facilities for working up other important data, such as age groups, race, sex, etc. There is no objection to these data being required by the units concerned, but we can not use them at this time.

We come now to the question of checking the accuracy of these reports, and this, I think, should be done by personal visit of a representative of the Public Health Service, first, to the health department of the unit which is to be checked, and, second, to as many physicians and others who treat disease as possible, the visit to the physicians to be preceded by the mailing of a letter and a questionnaire.

<sup>&</sup>lt;sup>2</sup>It has been suggested that this list should be revised—that, perhaps, reports should be required for 3 out of 10 of these diseases, or that 2 others should be added and reports on 10 out of 12 diseases should be required.

<sup>(</sup>Note.—Certain parts of the original paper have been slightly changed to conform to certain very excellent suggestions brought out in the discussion of this paper by members of the conference.)

In checking up the work of the health department, the following questions may be asked, not as indispensable prerequisites of eligibility, but in order that a judgment may be formed or the percentage of cases reported may be estimated. These questions are:

#### A. GENERAL REQUIREMENTS

- (1) Is the unit which is being checked in the registration area for deaths?
- (2) Is it in the registration area for births?
- (3) Is it served by a whole-time health officer?
- (4) Is there a service of medical inspection of schools?
- (5) Is the health department able to impose penalties through the medium of the courts for failure to report cases of communicable disease?
- (6) Has the unit adopted (in substance) the model morbidity law as recommended by this conference?
- (7) Can the license of a physician who persistently fails or refuses to report cases of communicable diseases be revoked?
- (8) Does the health department maintain as a check a card index of the physicians and others who are required to report?

These requirements are general and would tend to enable one to begin to form a judgment.

In addition to the foregoing general questions, the following might well be asked with regard to individual diseases:

#### B. REQUIREMENTS FOR SPECIFIC DISEASES

- (1) DIPHTHERIA:
  - (a) Reportable by name of patient?
  - (b) Is diagnosis verified by health department?
  - (c) Is free culture media furnished at convenient places for use in making cultures?
  - (d) Are negative cultures required before releasing?
  - (e) Is residence placarded by personal visit, and is case maintained in strict quarantine?
  - (f) Are contacts kept out of school unless immune and noncarriers?
  - (g) Is certificate required for return to school?
  - (h) Are permits required for removal from premises in case of change of residence?
  - (i) Is terminal disinfection (or mechanical cleaning) of premises required?
  - (j) Is free antitoxin furnished to indigent cases?
- (2) INFLUENZA:
  - (a) Report of deaths.
- (3) MEASLES:
  - (a) Reportable by name of patient?
  - (b) Is case quarantined?
  - (c) Is residence placarded by personal visit?
  - (d) Are contacts kept from school unless immune?
  - (e) Is release required for child to attend school?
- (4) Poliomyelitis:
  - (a) Reportable by name of patient?
  - (b) Is case quarantined?
  - (c) Is residence placarded by personal visit?
  - (d) Is release required for attendance at school?

- (5) SCARLET FEVER:
  - (a) Reportable by name of patient?
  - (b) Is patient quarantined?
  - (c) Is residence placarded by personal visit?
  - (d) Are child contacts kept under supervision to cover incubation period?
  - (e) Is release required for attending school?
  - (f) Is terminal disinfection (or mechanical cleaning) of premises required?
  - (g) Are permits required for change of residence?
- (6) SMALLPOX:
  - (a) Reportable by name of patient?
  - (b) Is vaccination history required in report?
  - (c) Are patients treated in isolation hospital?
  - (d) If not, is residence quarantined or placarded by personal visit?
  - (e) Are contacts vaccinated, or if not, held to complete 14 days from last exposure?
  - (f) Is release from quarantine required?
  - (g) Is terminal disinfection (or mechanical cleaning) of premises required?
  - (h) Are reports of chicken pox obligatory?
  - (i) Are reports of chicken pox verified by health department?
  - (j) Are residences of patients suffering from chicken pox placarded by personal visit?
- (7) Tuberculosis:
  - (a) Reportable by name of patient?
  - (b) Are clinics available for indigent cases?
  - (c) What is the ratio of fatalities to cases?
- (8) Typhoid fever:
  - (a) Reportable by name of patient?
  - (b) Are attempts made to determine origin?
  - (c) Are residences placarded by personal visit?
  - (d) Are permits required for change of residence?
  - (e) What is the ratio of fatalities to cases?
- (9) Whooping cough:
  - (a) Reportable by name of patient?
  - (b) Is residence placarded by personal visit?
  - (c) Is patient quarantined or tagged during active period?
  - (d) Is release required for school attendance?
  - (e) Is permit required for change of residence?
  - (f) Are contacts kept from school unless immune?
- (10) PNEUMONIA:
  - (a) Report of deaths.

I mentioned as a second means of checking the accuracy of morbidity reports a letter, a questionnaire, and a visit to the physicians. I would consider sending a modified form of the letter and questionnaire to the Christian Scientist practitioners, the osteopaths, the chiropractors, and to all others who are authorized in any way to treat the sick, and if it is determined to include them in the survey, visit them as well.

The letter and questionnaire should be mailed to every physician and to others concerned and followed within a few days by the visit.

July 24, 1925 1556

If it is not possible to visit all physicians, then a follow-up letter should be sent to those not seen, asking that the questionnaires be mailed.

The following is suggested as the letter to the physicians:

Dear Doctor: Every right-thinking physician recognizes the desirability, the necessity, of reporting communicable disease. In conferring upon the physician the responsible privileges inseparable from the practice of his profession, the State justly imposes on him the duty of safeguarding the public health by requiring him to report cases of communicable disease that he attends.

Your State and local authorities, in cooperation with the United States Public Health Service, are at present engaged in checking the completeness of the reports of communicable disease in this city, in order to determine its eligibility for authoritative inclusion in the United States Registration Area for Morbidity Reports.

The inclosed numbered questionnaire is sent you with the request that you fill it out at your earliest convenience and retain it in your office until called for (within the next few days) by a representative of the United States Public Health Service. The information you give will be treated as confidential and will be used for one purpose, and one only, namely, as a check on the completeness of the reports of communicable diseases in this city. You will never hear from it in any other way. It is desired that you sign the questionnaire, but this is not necessary if you prefer not to do so.

Respectfully,

SURGEON GENERAL.

The questionnaire to be inclosed would read as follows:

#### REPORT OF COMMUNICABLE DISEASES

1. Check on the list given below the diseases which are and which are not reportable:

Diamen	Repo	ortable		Repo	rtable
Disease -	Yes	No	Disease	Yes	No
Actinomycosis Acute infectious conjunctivitis Anchylostomiasis (hookworm) Anthrax Cerebrospinal meningitis (epidemic) Chicken pox Cholera Dengue Diphtheria Dysentery (amebic) Dysentery (bacillary) Favus Jerman measles Jlanders Jonorrhea Leprosy Malaria Measles Mumps Paratyphoid fever			Plague Pneumonia (acute lobar) Poliomyelitis Rabies Rocky Mountain spotted or tick fever Scarlet fever Septic sore throat Smallpox Syphilis Tetanus Trachoma Trichinosis Tuberculosis (pulmonary) Tuberculosis (other than pulmonary) Typhoid fever Typhus fever Whooping cough Yellow fever		

2. Indicate on the list following this paragraph the number of cases of the discases mentioned which you attended during the last four weeks and the number you reported to your health department. (Do not include those in which you were a consultant only, and which you know were reported by another physician.)

Disease	Attended	Reported	Disease	Attended	Reported
Diphtheria Influenza Measles Pneumonia Poliomyelitis			Scarlet fever Small pox Tuberculosis Typhoid fever Whooping cough		


3. From your knowledge of the practices of the physicians of this city, is it your opinion that 95 per cent of them report at least 90 per cent of their cases of the following-named diseases:

Disease	95 per cent of physicians report 90 per cent o their cases (opinion)		
	Yes	No	
Diphtheria Influenza (deaths) Pneumonia (deaths) Poliomyellitis Smallpox			
Typhoid fever			

4. What is your estimate of the percentage of cases of the following-named diseases that are reported to your health department:

Disease	Estimate of cases reported (per cent)
Mensles Scarlet fever Tuberculosis	

Finally we come to the question of the component units of the registration area itself, and I would recommend for inclusion the 91 cities noted on the map. These cities have an aggregate population of 27,700,000 and are selected because they are already regularly submitting weekly reports which are believed to be of the degree of accuracy stipulated, though if any of them should be found deficient on check they would be left out until the necessary requirements are met. Perhaps some cities have been omitted that deserve to be included. This can be determined later. It is possible that the States of Maryland and Massachusetts and the county of Harrison of the State of Mississippi might be able to qualify as units at once. Whether there are other States that could do so I am at present unable to say. I think it is quite possible. The health officers of the individual States will know better than I as to whether they could so qualify.



Map showing cities proposed to be included in tentative morbidity registration area

1559 July 24, 1925

I may also say (and this is quite important) that the establishment of a registration area will not, for the time being at least, prevent the Public Health Service from receiving and publishing informally data from those States and cities which can not qualify as portions of the registration area, nor will it cease to publish such data as may be obtained with regard to diseases not included in the list I have indicated.

In concluding, I want to express my thanks to Doctor Fulton, Doctor Leathers, Doctor Kelley, Doctor Riley, Doctor Olin, and others for aid and encouragement; to my predecessors in my division; and to Mr. Jason Waterman, also of my division, for a foundation to work on; and to the Surgeon General and my colleagues for aid and encouragement, and for this opportunity of presenting the plan as outlined.

#### SMALLPOX IN MILWAUKEE—SPECIAL RULES RESCINDED

The State health officer of Wisconsin, on June 24, 1925, rescinded the special rules for the control of smallpox in Milwaukee. These rules were adopted by the Wisconsin State Board of Health and became effective May 22, 1925. They read as follows:

- Rule 1. Whenever within any square block in the city of Milwaukee there shall have developed within a period of 14 days cases of smallpox in three or more homes in such square block, then said square block, with all the houses abutting on the streets surrounding said square block, shall be known as an infected area and such area is hereby quarantined.
- Rule 2. The commissioner of health of Milwaukee is hereby authorized to make such rules and regulations as he deems advisable for enforcing this quarantine, and shall have power to suspend the operation of this quarantine in respect to any person or persons in this infected area or any part thereof as he shall deem advisable.
- Rule 3. These rules, regulations, and orders shall become null and void when the State health officer shall notify the commissioner of health of the city of Milwaukee that the emergency no longer exists.

The decrease in the number of cases of smallpox in Milwaukee was the reason for the decision that the emergency no longer existed.

## ABSTRACT OF CURRENT PUBLIC HEALTH COURT DECISION

Pollution of public water supply enjoined.—(Pennsylvania Supreme Court.) The complainants brought suit to enjoin the defendants from discharging acid mine waters into a stream from which, at a point below defendants' mines, the public was supplied with water and from which water was taken for use by the plaintiff railroad company. The drainage of the mine waters into the stream polluted it, and the court, after stating facts showing that public use was made of the stream, reached the conclusion that the defendants had "no

July 24, 1925 1560

right of any kind to drain their mine waters into the stream, considering the public use which is made of its waters, and that their so doing constitutes a nuisance which must be restrained." (Pennsylvania R. Co. v. Sagamore Coal Co. et al., 126 Atl. 386.)

# A METHOD OF PREPARING EFFECTIVE HEALTH POSTERS QUICKLY

Occasions frequently arise in public health work, especially in times of epidemics, when there is urgent need for the speedy application of all measures that may aid in controlling an acute situation. One of the most important and effective of such measures, in many instances, is the use of specially prepared posters which will arrest attention and present a graphic lesson in prevention that is more effective than other forms of health education such as circulars and pamphlets. While there is nothing new in the method described below, its use and possibilities have probably been overlooked, and it is presented here merely as a suggestion to public health authorities who may have occasion to employ it.


During a recent outbreak of smallpox in the cities of Rock Island and Moline, Ill., and Davenport, Iowa, Acting Asst. Surg. H. W. Keatley, of the United States Public Health Service, was called upon to assist the local authorities in furnishing publicity material showing the value and necessity of vaccination against smallpox. As this material was needed immediately, and as there were no funds available for printing, he prepared some posters by making use of the photostat. He took two photographs of a severe case of the disease, pasted these photographs on a large cardboard 16 by 20 inches, and had the legends lettered on it. From this, by means of the photostat, he produced a negative and from the negative as many positives (as shown in the accompanying illustration) as were required. These posters were ready for distribution in less than 24 hours after Doctor Keatley had been called upon to assist the local health authorities.

## DEATH RATES IN A GROUP OF INSURED PERSONS

COMPARISON OF PRINCIPAL CAUSES OF DEATH, APRIL AND MAY, 1925, AND MAY AND YEAR, 1924

The accompanying table is taken from the Statistical Bulletin for June, 1925, published by the Metropolitan Life Insurance Co., and presents the mortality experience of the company for the month of May, 1925, as compared with April and with May, 1924. The rates are based on a strength of approximately 16,000,000 insured persons.

For the fifth successive month of 1925 the death rate for this group of persons showed improvement over the corresponding month of



Appearance of finished poster, about 13 by 17 inches, prepared quickly by means of the photostat

1561 July 24, 1925

last year. The rate for May (8.8 per 1,000) is stated to be the lowest ever recorded for that month, excepting for the year 1921, and to make this comparison the calculation must be carried to the second decimal place. This year's rate for May is nevertheless considered to mark a new low rate for that month, as it is based on an exposure to risk of several hundred thousand infant lives, whereas in 1921 no infants were insured.

The usual seasonal decline as compared with April (10.1 per 1,000) is shown. The Bulletin states:

"The table shows that a favorable report may be made for all of the more important diseases. The combined rate for the epidemic diseases of childhood continues remarkably low. Mortality from tuberculosis is much lower than ever before recorded for the month of May. The record for the degenerative diseases is altogether favorable. The heart disease death rate, as in April, shows a reduction as compared with 1924, which is the reverse of the experience for January, February, and March. Even diabetes, which for the majority of the months since midyear of 1924 has been registering increases, recorded declines in May and April. Deaths from maternal diseases fell sharply, both from the April, 1925, figure and from that of May, 1924.

"The fatal accident rate, however, rose slightly over last year's May figure, and there was again a sharp rise in automobile casualties. The homicide rate for the fifth successive month of 1925 showed an increase over the corresponding period of the preceding year."

Death rates (annual basis) for principal causes per 100,000 lives exposed, April and May, 1925, and May and year, 1924

[Industrial department, Metropolitan Life Insurance Co.]

	Ra	Rate per 100,000 lives exposed <sup>1</sup>				
Cause of death	May, 1925	April, 1925	May, 1924	Year 1924 <sup>3</sup>		
Total, all causes	884. 2	1, 014. 9	957. 2	907. 5		
Typhoid fever		2.0	2, 5	4. 4		
Measles		4.5	10. 2	7. 2		
Scarlet fever	4.6	4.8	6.4	4. 4		
Whooping cough	7.9	8.8	8.0	7. 4		
Diphtheria Influenza	10.4	12.8	9.8	13. 2		
Influenza	25. 0	44.5	18.8	16. 0		
Tuberculosis (all forms)	102.6	105. 4	111.5	104. 5		
Tuberculosis of respiratory system	87.6	92.3	101.6	92. 6		
Cancer	65. 9	70.0	66. 6	70. 4		
Diabetes mellitus	14.1	16. 1	16.3	14. 9		
Cerebral hemorrhage	49.6	56.6	66. 2	60. 2		
Organic diseases of heart		138. 5	129. 9	123. 7		
Pneumonia (all forms). Other respiratory diseases.	94. 7 14. 2	134. 0 16. 8	103. 8 17. 0	88. 8 13. 9		
		17. 5	20.7	32. 2		
Diarrhea and enteritisBright's disease (chronic nephritis)		76.1	68.4	65. 5		
Puerperal state	15. 4	18. 9	17.6	16. 8		
Suicides		7. 2	8.2	7. 2		
Homicides	6.7	7. 7	5.4	7. 1		
Other external causes (excluding suicides and homicides)	55. 6	57.3	54.3	62. 7		
Traumatism by automobile	14.1	13.6	11.5	15. 7		
All other causes	195. 1	215. 2	215.6	187. 0		

All figures include infants insured under 1 year of age.
 Based on provisional estimate of lives exposed to risk in 1924.

## DEATHS DURING WEEK ENDED JULY 11, 1925

Summary of information received by telegraph from industrial insurance companies for week ended July 11, 1925, and corresponding week of 1924. (From the Weekly Health Index, July 14, 1925, issued by the Bureau of the Census, Department of Commerce)

• •	Week ended July 11, 1925	Corresponding week, 1924
Policies in force	60, 488, 896	56, <b>537</b> , 305
Number of death claims	9, 399	9, 565
Death claims per 1,000 policies in force, annual rate.	8. 1	8.8

Deaths from all causes in certain large cities of the United States during the week ended July 11, 1925, infant mortality, annual death rate, and comparison with corresponding week of 1924. (From the Weekly Health Index, July 14, 1925, issued by the Bureau of the Census, Department of Commerce)

		nded July 1925	Annual death rate per		under 1 ear	Infant mortality rate
City	Total deaths	Death rate <sup>1</sup>	1,000 corre- sponding week, 1924	Week ended July 11, 1925	Corresponding week, 1924	week ended July 11, 1925 2
Total (66 cities)	6, 306	11.8	3 11. 3	748	3 676	461
Total (66 cities)  Akron. Albany 5 Atlanta Baltimore 5 Birmingham Boston. Bridgeport Buffalo Cambridge Camden Chicago 5 Cincianati Cleveland Columbus Dallas Dayton Denver Des Moines Detroit Duluth El Paso Erie Fall River 5 Flint Fort Worth Grand Rapids Houston Indianapolis Jersey City Kansas City, Kans Kansas City, Kans Kansas City, Mo Los Angeles Lotlatimus Los Houston Louisville Louisville	6,306	11. 8  18. 3  12. 7 15. 5 14. 0  15. 2 11. 6 13. 8 10. 5 11. 8 10. 5 11. 8 10. 5 11. 8 10. 5 11. 8 10. 5 11. 8 10. 5 11. 8 10. 5 11. 8 10. 5 11. 8 10. 7 11. 5 10. 4 15. 0 15. 8 14. 7 15. 0 15.	11. 0 12. 6 13. 2 13. 6 10. 1 13. 0 13. 2 9. 9 12. 3 9. 8 13. 8 8. 9 11. 4 11. 7 6. 1 13. 5 14. 1 15. 5 16. 1 17. 6 18. 1 19. 2 19. 2 19. 2 19. 2 19. 3 19. 4 11. 4 11. 7 10. 1 10. 1	748 2 5 11 129 14 22 23 5 57 10 5 4 5 5 7 0 5 4 5 8 8 11 6 6 6 6 6 25 13	1 676 6 1 14 221 7 25 1 1 12 25 1 1 12 26 6 14 0 422 3 8 8 5 5 4 4 7 7 23 4 4	461 222 103 87 566 166 777 699 322 50 711 577 83 447 108 0 72 63 126 78 43 127
Lowell Lynn Memphis Milwaukee Minneapolis	35 24 56 75 82	15. 7 12. 0 16. 7 7. 8 10. 1	13. 5 10. 1 23. 9 11. 1 9. 9	3 2 6 6 6	7 1 11 14 10	52 53 28 32
Nashville 5 New Bedford New Ilaven New Orleans. New Orleans. New York Bronx Borough Brooklyn Borough Manhattan Borough Queens Borough Richmond Borough	51 24 39 157 1, 210 153 382 521 109 45	19. 5 9. 3 11. 4 19. 7 10. 3 8. 8 8. 9 12. 0 9. 9 17. 5	19. 4 9. 0 11. 6 18. 8 9. 9 8. 0 9. 3 11. 2 9. 2 13. 6	5 7 2 24 163 16 56 75 12	10   2   7   17   132   12   50   54   13   3	116 26 65 55 58 78 56 72

Deaths from all causes in certain large cities of the United States during the week ended July 11, 1925, infant mortality, annual death rate, and comparison with corresponding week of 1924. (From the Weekly Health Index, July 14, 1925, issued by the Bureau of the Census, Department of Commerce)—Continued

		ided July 1925	Annual death rate per		under 1 sar	Infant mortality
City	Total deaths	Death rate 1	1,000 corre- sponding week, 1924	Week ended July 11, 1925	Corresponding week, 1924	week ended July 11, 1925
Newark, N. J. Norfolk Oakland Oklahoma City Omaha Paterson Philadelphia Pittsburgh Portland, Oreg Providence Richmond Rochester St. Louis St. Paul Salt Lake City <sup>3</sup> San Antonio San Diego San Francisco Schenectady Scattle Somerville Somerville Somerville Spokane Springfield, Mass Syracuse Tacoma Toledo Trenton Washington, D. C Waterbury Wilmington, Del Worcester Youngstown	16 57 18 23 31 54 16 61	13. 0 9. 9 10. 4 10. 5 9. 6 13. 4 17. 1 10. 7 15. 2 10. 4 10. 8 17. 4 10. 8 17. 4 10. 8 17. 4 10. 8 17. 4 10. 8 17. 4 10. 8 17. 4 10. 8 11. 1 12. 3	7. 6  9. 5  10. 8 13. 3 10. 6 12. 4 13. 5 11. 4 13. 5 13. 2 14. 3 15. 8 14. 4 20. 5 14. 4 6. 2  9. 9 10. 0 10. 5 13. 3 10. 1 13. 0 17. 3 11. 6	17 5 7 5 2 0 5 19 4 4 23 3 3 11 4 28 2 8 2 6 1 1 1 1 1 1 1 1 2 3 3 5 1 3 5 1 8 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10 9 6 6 5 4 47 14 6 4 4 6 11 5 6 11 2 7 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1	777 922 811 04 633 400 244 1311 322

<sup>&</sup>lt;sup>1</sup> Annual rate per 1,000 population.

<sup>2</sup> Deaths under 1 year per 1,000 births—an annual rate based on deaths under 1 year for the week and estimated births for 1924. Cities left blank are not in the registration area for births.

Data for 65 cities.
 Data for 61 cities.

Deaths for week ended Friday, July 10, 1925.

## PREVALENCE OF DISEASE

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring

## UNITED STATES

#### CURRENT WEEKLY STATE REPORTS

These reports are preliminary, and the figures are subject to change when later returns are received by the State health officers

#### Reports for Week Ended July 18, 1925

ALABAMA		CALIFORNIA	
	ases		ases
Cerebrospinal meningitis		Cerebrospinal meningitis—Ukiah	
Chicken pox		Diphtheria	55
Dengue		Influenza	6
Diphtheria		Leprosy—Sacramento County	1
Influenza	2	Lethargic encephalitis:	
Malaria	98	Colton	1
Measles	6	San Francisco	1
Mumps	9	Measles	34
Pellagra	21	Poliomyelitis:	
Pneumonia	8	Berkeley	1
Poliomyelitis	5	Bishop	1
Scarlet fever	19	Contracosta County	1
Smallpox	20	Fresno County	2
Tuberculosis	31	Kern County	1
Typhoid fever	105	Long Beach	1
Whooping cough	16	Los Angeles	21
ARIZONA		Los Angeles County	3
Diphtheria	2	Oakland	2
Dysentery	1	Orange County	1
Measles	4	Pomona	1
Pneumonia	1	Sacramento	2
Scarlet fever.	2	Sacramento County	1
Tuberculosis	59	San Diego	1
Typhoid fever	2	San Francisco	1
Whooping cough	6	Venice	1
·	•	Scarlet fever	42
ARKANSAS		Smallpox:	
Cerebrospinal meningitis	1	Los Angeles	25
Chicken pox	17	Scattering	
Diphtheria	1	Typhoid fever	16
Hookworm disease	4		
Influenza	17	COLORADO	
Malaria	113		
Measles	9	(Exclusive of Denver)	
Mumps	12	(======================================	
Paratyphoid fever	3	Diphtheria	12
Pellagra	13	Mumps	2
Scarlet fever	3	Scarlet fever	3
Trachoma	1	Smallpox	1
Tuberculosis	13		23
Typhoid fever	68	Typhoid fever	2
Whooping cough	11		10

CONNECTICUT	ase	ILLINOIS—continued
Cerebrospinal meningitis		Cases
Chicken pox		Cools Co
Diphtheria		
German measles		
Lethargic encephalitis	. 2	Morgan County 1
Malaria	. 2	
Measles		Scattering 31
Mumps		Smallpox:
Pneumonia (all forms)	15	
Poliomyelitis	1	Scattering 7
Scarlet fever	21	Tuberculosis 250
Tetanus		Typhoid fever:
Tuberculosis (all forms)	47	Cook County
Typhoid fever	100	Scattering 39
·	100	Whooping cough255
DELAWARE		INDEANA
Measles	6	Cerebrospinal meningitis—Marion 1
Mumps	1	Chicken pox 24
Tuberculosis	4	Diphtheria 17
Typhoid fever	7	Influenza 24
Whooping cough	5	Measles 56
FLORIDA		Pneumonia 2
Chicken pox.	1	Scarlet fever 21
Diphtheria	7	Smallpox 23
Influenza	6	Tuberculosis 50
Malaria	9	Typhoid fever 33
Mumps	2	Whooping cough 52
Pneumonia	2	IOWA
Scarlet fever	3	
Tuberculosis	7	Diphtheria 4
Typhoid fever	9	Scarlet fever 9
Whooping cough	3	Smallpox 3
GEORGIA		KANSAS
•	_	Chicken pox 11
Chicken pox	1	Diphtheria
Conjunctivitis Dengue	2 2	Dysentery 2
Diphtheria	7	Measles 1
Dysentery	9	Mumps
Hookworm disease	7	Pellagra 1 Pneumonia 6
Influenza	3	
	78	Scarlet fever 13
Measles	2	Smallpox 8
Mumps	10	Tetanus 2
Paratyphoid fever	9	Tuberculosis 43
Pellagra	8	Typhoid fever 31
Pneumonia	7	Whooping cough 111
Poliomyelitis	3	
Scarlet fever	4	LOUISIANA
Septic sore throat	1	Diphtheria 7
Smallpox	4	Leprosy 1
	1	Malaria 11
	0	Paratyphoid fever 2
	6	Pneumonia17
	2	Scarlet fever 7
Whooping cough	4	Smallpox 2
ILLINOIS	į	Tuberculesis 29
Diphtheria:		Typhoid fever 71
Cook County 4	6	Whooping cough
Scattering 1		MAINE
	_	Chicken pox 5
Measles 239	9	Diphtheria 2
Pneumonia 72		German measles1
	•	

MAINE - Continued		MINNESOTA—continued	
maint — contained	ases	C	ases
Measles	7	Poliomyelitis	19
Mumps		Scarlet fever	65
Pneumonia		Smallpox	5
Scarlet fever		Tuberculosis	
Tetanus		Typhoid fever	4
Tuberculosis		Whooping cough	<b>2</b> 2
Typhoid fever		MISSISSIPPI	
Whooping cough	•	Diphtheria	4
MARYLAND 1		Scarlet fever	9
Chicken pox	14	Smallpox	12
Diphtheria	10	Typhoid fever	64
Dysentery		MISSOURI	
German measles	7	(Exclusive of Kansas City)	
Influenza	1	Chicken pox	10
Malaria	4	Diphtheria	22
Measles	29	Measles	8
Mumps	22	Mumps	9
Pellagra	1 5	Pneumonia	4
Pneumonia (broncho) Pneumonia (lobar)	7	Scarlet fever	34
Poliomyelitis	2	Smallpox	6
Rabies	1	Tetanus	4
Scarlet fever	5	Trachoma	2
Tetanus	1	Tuberculosis	67
Tuberculosis	51	Typhoid fever	40
Typhoid fever	18	Whooping cough	<b>6</b> 8
Whooping cough	109	MONTANA	
MASSACHUSETTS		Chicken pox	6
MASSACHUSETIS		Diphtheria	2
Cerebrospinal meningitis	3	Mumps	2
Chicken pox	58	Pneumonia	1
Conjunctivitis (suppurative)	12	Poliomyelitis	1
Diphtheria	52	Scarlet fever	18
German measles	31	Smallpox	6
Hookworm disease	1	Tuberculosis	13
Lethargic encephalitis	3	Typhoid fever	4
Lethargic encephalitis	3 276	Typhoid fever	
Lethargic encephalitis	3 276 19	Typhoid fever	4
Lethargic encephalitis	3 276 19 17	Typhoid fever	4
Lethargic encephalitis	3 276 19	Typhoid fever.  Whooping cough  NEW JERSEY  Cerebrospinal men ngitis	4
Lethargic encephalitis	3 276 19 17	Typhoid fever	4 4
Lethargic encephalitis  Measles  Mumps  Ophthalmia neonatorum  Pellagra  Pneumonia (lobar)	3 276 19 17 1 35	Typhoid fever	4 4 39
Lethargic encephalitis  Measles  Mumps  Ophthalmia neonatorum  Pellagra  Pneumonia (lobar)  Poliomyelitis	3 276 19 17 1 35	Typhoid fever	4 4 39 56
Lethargic encephalitis  Measles  Mumps  Ophthalmia neonatorum  Pellagra  Pneumonia (lobar)  Poliomyelitis  Scarlet fever	3 276 19 17 1 35 2 49	Typhoid fever	4 4 39 56 1
Lethargic encephalitis Measles Mumps Ophthalmia neonatorum Pellagra Pneumonia (lobar) Poliomyelitis Scarlet fever Septic sore throat Tetanus Traehoma	3 276 19 17 1 35 2 49 1	Typhoid fever Whooping cough  NEW JERSEY  Cerebrospinal men ngitis Chicken pox Diphtheria Dysentery Influenza Malaria Measles	4 4 39 56 1 3 1
Lethargic encephalitis  Measles  Mumps  Ophthalmia neonatorum  Pellagra  Pneumonia (lobar)  Poliomyelitis  Scarlet fever  Septic sore throat  Tetanus  Traehoma  Tuberculosis (pulmonary)	3 276 19 17 1 35 2 49 1 1 1	Typhoid fever	4 4 39 56 1 3 1 163 34
Lethargic encephalitis  Measles  Mumps  Ophthalmia neonatorum  Pellagra  Pneumonia (lobar)  Poliomyelitis  Scarlet fever  Septic sore throat  Tetanus  Traehoma  Tuberculosis (pulmonary)  Tuberculosis (other forms)	3 276 19 17 1 35 2 49 1 1 1 123 20	Typhoid fever Whooping cough  NEW JERSEY  Cerebrospinal men ngitis Chicken pox Diphtheria Dysentory Influenza Malaria Measles Pneumonia Poliomyelitis	4 4 39 56 1 3 1 163 34 7
Lethargic encephalitis  Measles  Mumps  Ophthalmia neonatorum  Pellagra  Pneumonia (lobar)  Poliomyelitis  Scarlet fever  Septic sore throat  Tetanus  Traehoma  Tuberculosis (pulmonary)  Tuberculosis (other forms)  Typhoid fever	3 276 19 17 1 35 2 49 1 1 1 123 20 27	Typhoid fever  Whooping cough  NEW JERSEY  Cerebrospinal men ngitis Chicken pox Diphthetia Dysentery Influenza Malaria Measles Proeumonia Poliomyelitis Scalet fever	4 4 39 56 1 3 1 163 34 7
Lethargic encephalitis  Measles  Mumps  Ophthalmia neonatorum  Pellagra  Pneumonia (lobar)  Poliomyelitis  Scarlet fever  Septic sore throat  Tetanus  Traehoma  Tuberculosis (pulmonary)  Tuberculosis (other forms)	3 276 19 17 1 35 2 49 1 1 1 123 20 27	Typhoid fever. Whooping cough  NEW JERSEY  Cerebrospinal men ngitis. Chicken pox. Diphthetia. Dysentery. Influenza. Malaria. Measles. Pneumonia. Poliomyelitis. Scal let fever. Smallpox.	4 4 39 56 1 3 1 163 34 7 44 5
Lethargic encephalitis  Measles  Mumps  Ophthalmia neonatorum  Pellagra  Pneumonia (lobar)  Poliomyelitis  Scarlet fever  Septic sore throat  Tetanus  Traehoma  Tuberculosis (pulmonary)  Tuberculosis (other forms)  Typhoid fever	3 276 19 17 1 35 2 49 1 1 1 123 20 27	Typhoid fever.  Whooping cough  NEW JERSEY  Cerebrospinal men ngitis. Chicken pox. Diphthetia. Dysentery. Influenza. Malaria. Measles. Pneumonia. Poliomyelitis. Scarlet fever. Smallpox. Typhoid fever.	4 4 39 56 1 3 1 163 34 7 44 5 26
Lethargic encephalitis  Measles  Mumps  Ophthalmia neonatorum  Pellagra  Pneumonia (lobar)  Poliomyelitis  Scarlet fever  Septic sore throat  Tretanus  Traehoma  Tuberculosis (pulmonary)  Tuberculosis (other forms):  Typhoid fever  Whooping cough	3 276 19 17 1 35 2 49 1 1 1 1 123 20 27 142	Typhoid fever. Whooping cough  NEW JERSEY  Cerebrospinal men ngitis. Chicken pox. Diphthetia. Dysentery. Influenza. Malaria. Measles. Pneumonia. Poliomyelitis. Scal let fever. Smallpox.	4 4 39 56 1 3 1 163 34 7 44 5 26
Lethargic encephalitis Measles Mumps Ophthalmia neonatorum Pellagra Pneumonia (lobar) Poliomyelitis Scarlet fever Septic sore throat Tetanus Traehoma Tuberculosis (pulmonary) Tuberculosis (other forms): Typhoid fever Whooping cough	3 276 19 17 1 35 2 49 1 1 1 123 20 27	Typhoid fever. Whooping cough  NEW JERSEY  Cerebrospinal men ngitis. Chicken pox. Diphtheria. Dysentery. Influenza. Malaria. Measles. Pneumonia. Poliomyelitis. Scalet fever. Smallpox. Typhoid fever. Whooping cough	4 4 39 56 1 3 1 163 34 7 44 5 26
Lethargic encephalitis Measles Mumps Ophthalmia neonatorum Pellagra Pneumonia (lobar) Poliomyelitis Scarlet fever Septic sore throat Tetanus Traehoma Tuberculosis (pulmonary) Tuberculosis (other forms) Typhoid fever Whooping cough	3 276 19 17 1 1 35 2 49 1 1 1 1 123 20 27 142	Typhoid fever	4 4 39 56 1 3 1 163 34 7 44 5 26 225
Lethargic encephalitis Measles Mumps Ophthalmia neonatorum Pellagra Pneumonia (lobar) Poliomyelitis Scarlet fever Septic sore throat Tetanus Traehoma Tuberculosis (pulmonary) Tuberculosis (other forms) Typhoid fever Whooping cough  MICHIGAN Diphtheria Measles	3 276 19 17 1 1 35 2 49 1 1 1 1 123 20 27 142	Typhoid fever.  Whooping cough  NEW JERSEY  Cerebrospinal men ngitis. Chicken pox. Diphtheria. Dysentory. Influenza. Malaria. Measles. Pneumonia. Poliomyelitis. Scal let fever. Smallpox. Typhoid fever. Whoopinge ough  NEW MEXICO Chicken pox. Diphtheria.	4 4 39 56 1 3 1 163 34 7 44 5 26 225
Lethargic encephalitis Measles Mumps Ophthalmia neonatorum Pellagra Pneumonia (lobar) Poliomyelitis Scarlet fever Septic sore throat Tetanus Traehoma Tuberculosis (pulmonary) Tuberculosis (other forms) Typhoid fever Whooping cough  MICHIGAN Diphtheria Measles Pneumonia	3 276 19 17 1 135 2 49 1 1 1 1123 20 27 142 43 84 33	Typhoid fever.  Whooping cough  NEW JERSEY  Cerebrospinal men ngitis. Chicken pox. Diphthetia. Dysentery. Influenza. Malaria. Measles. Pneumonia. Preumonia. Poliomyelitis. Scalet fever. Smallpox. Typhoid fever. Whoopingc ough  NEW MEXICO  Chicken pox. Diphtheria. Malaria.	4 4 39 56 1 3 1 163 34 7 44 5 26 225
Lethargic encephalitis Measles Mumps Ophthalmia neonatorum Pellagra Pneumonia (lobar) Poliomyelitis Scarlet fever Septic sore throat Tetanus Traehoma Tuberculosis (pulmonary) Tuberculosis (other forms): Typhoid fever Whooping cough  MICHIGAN Diphtheria Measles Pneumonia Scarlet fever Smallpox Tuberculosis  Craft fever Smallpox Tuberculosis	3 276 19 17 1 1 35 2 49 1 1 1 123 20 27 142 43 84 33 98	Typhoid fever. Whooping cough  NEW JERSEY  Cerebrospinal men ngitis. Chicken pox. Diphtheria. Dysentery. Influenza. Malaria. Measles. Pneumonia. Poliomyelitis. Scarlet fever. Smallpox. Typhoid fever. Whooping cough  NEW MEXICO  Chicken pox. Diphtheria. Malaria. Mumps.	4 4 39 56 1 3 1 163 34 7 44 5 26 225
Lethargic encephalitis Measles Mumps Ophthalmia neonatorum Pellagra Pneumonia (lobar) Poliomyelitis Scarlet fever Septic sore throat Tetanus Traehoma Tuberculosis (pulmonary) Tuberculosis (other forms) Typhoid fever Whooping cough  MICHIGAN Diphtheria Measles Pneumonia Scarlet fever Smallpox Tuberculosis Typhoid fever	3 276 19 17 1 35 2 49 1 1 1 1 123 220 27 142 43 84 43 33 98 5 65 13	Typhoid fever. Whooping cough  NEW JERSEY  Cerebrospinal men ngitis. Chicken pox. Diphthetia. Dysentery. Influenza. Malaria. Measles. Pneumonia. Poliomyelitis. Scalet fever. Smallpox. Typhoid fever. Whoopingc ough  NEW MEXICO  Chicken pox. Diphtheria. Malaria. Malaria. Malaria. Malaria. Mumps. Pneumonia.	4 4 39 56 1 3 1 163 34 7 44 5 26 225 4 16 2 5 3
Lethargic encephalitis Measles Mumps Ophthalmia neonatorum Pellagra Pneumonia (lobar) Poliomyelitis Scarlet fever Septic sore throat Tetanus Traehoma Tuberculosis (pulmonary) Tuberculosis (other forms): Typhoid fever Whooping cough  MICHIGAN Diphtheria Measles Pneumonia Scarlet fever Smallpox Tuberculosis  Craft fever Smallpox Tuberculosis	3 276 19 17 1 35 2 49 1 1 1 1 123 220 27 142 43 84 43 33 98 5 65 13	Typhoid fever.  Whooping cough  NEW JERSEY  Cerebrospinal men ngitis. Chicken pox. Diphtheria. Dysentery. Influenza. Malaria. Measles. Pneumonia. Poliomyelitis. Scalet fever. Smallpox. Typhoid fever. Whooping cough  NEW MEXICO  Chicken pox. Diphtheria. Malaria. Mumps. Pneumonia. Rabies in animals.	4 4 39 56 1 3 1 163 34 5 26 225 4 16 2 5 3 2
Lethargic encephalitis Measles Mumps Ophthalmia neonatorum Pellagra Pneumonia (lobar) Poliomyelitis Scarlet fever Septic sore throat Tetanus Traehoma Tuberculosis (pulmonary) Tuberculosis (other forms) Typhoid fever Whooping cough  MICHIGAN  Diphtheria Measles Pneumonia Scarlet fever Smallpox Tuberculosis Typhoid fever Whooping cough	3 276 19 17 1 35 2 49 1 1 1 1 123 220 27 142 43 84 43 33 98 5 65 13	Typhoid fever.  Whooping cough  NEW JERSEY  Cerebrospinal men ngitis. Chicken pox. Diphtheria. Dysentory. Influenze. Malaria. Measles. Pneumonia. Poliomyelitis. Scal let fever. Smallpox Typhoid fever. Whoopingc ough  NEW MEXICO  Chicken pox. Diphtheria. Malaria. Mumps. Pneumonia. Rabies in animals. Scarlet fever.	4 4 39 56 1 3 1 163 34 5 26 225 4 16 2 5 3 2 1
Lethargic encephalitis Measles Mumps Ophthalmia neonatorum Pellagra Pneumonia (lobar) Poliomyelitis Scarlet fever Septic sore throat Tetanus Traehoma Tuberculosis (pulmonary) Tuberculosis (other forms): Typhoid fever Whooping cough  MICHIGAN Diphtheria Measles Pneumonia Scarlet fever Smallpox Tuberculosis Typhoid fever Whooping cough	3 276 19 17 1 1 3 5 2 49 1 1 1 1 1 1 123 20 27 142 43 84 33 98 5 65 13 1215	Typhoid fever.  Whooping cough  NEW JERSEY  Cerebrospinal men ngitis. Chicken pox. Diphthetia. Dysentery. Influenza. Malaria. Measles. Pneumonia. Poliomyelitis. Scal et fever. Smallpox. Typhoid fever. Whooping cough  NEW MEXICO  Chicken pox. Diphtheria. Malaria. Mumps. Pneumonia. Rabies in animals Scarlet fever. Tuberculosis.	4 4 39 56 1 3 1 163 34 7 44 5 225 4 16 2 2 1 8
Lethargic encephalitis Measles Mumps Ophthalmia neonatorum Pellagra Pneumonia (lobar) Poliomyelitis Scarlet fever Septic sore throat Tetanus Traehoma Tuberculosis (pulmonary) Tuberculosis (other forms) Typhoid fever Whooping cough  MICHIGAN Diphtheria Measles Pneumonia Scarlet fever Smallpox Tuberculosis Typhoid fever Whooping cough	3 276 19 17 1 1 35 2 49 1 1 1 1 1 123 20 27 142 43 84 33 98 5 65 13 215	Typhoid fever. Whooping cough  NEW JERSEY  Cerebrospinal men ngitis. Chicken pox. Diphtheria. Dysentery. Influenza. Malaria. Measles. Pneumonia. Poliomyelitis. Scarlet fever. Smallpox. Typhoid fever. Whooping cough  NEW MEXICO  Chicken pox. Diphtheria. Mumps. Pneumonia. Rabies in animals. Scarlet fever. Tyberculosis. Tularaemia.	4 4 39 56 1 3 1 163 34 5 26 225 4 16 2 5 3 2 1 8 2 1 8 2 1 8 1 8 1 8 1 8 1 8 1 8 1
Lethargic encephalitis Measles Mumps Ophthalmia neonatorum Pellagra Pneumonia (lobar) Poliomyelitis Scarlet fever Septic sore throat Tetanus Traehoma Tuberculosis (pulmonary) Tuberculosis (other forms) Typhoid fever Whooping cough  MICHIGAN Diphtheria Measles Pneumonia Scarlet fever Smallpox Tuberculosis Typhoid fever Whooping cough	3 276 19 17 1 1 3 5 2 49 1 1 1 1 1 1 123 20 27 142 43 84 33 98 5 65 13 1215	Typhoid fever.  Whooping cough  NEW JERSEY  Cerebrospinal men ngitis. Chicken pox. Diphthetia. Dysentery. Influenza. Malaria. Measles. Pneumonia. Poliomyelitis. Scal et fever. Smallpox. Typhoid fever. Whooping cough  NEW MEXICO  Chicken pox. Diphtheria. Malaria. Mumps. Pneumonia. Rabies in animals Scarlet fever. Tuberculosis.	4 4 4 39 56 1 3 1 163 34 7 44 5 225 4 16 2 2 1 8

NEW YORK		SOUTH DAKOTA	
	ases		ases
Cerebrospinal meningitis	. 2	Diphtheria	. 4
Diphtheria		Poliomyelitis	1
Influenza		Scarlet fever	11
Lethargic encephalitis		Smallpox	2
Measles	183	Tuberculosis	5
Pneumonia	. 57	Whooping cough	8
Poliomyelitis	. 18		-
Scarlet fever	49	Chicken	_
Smallpox	. 3	Chicken pox	2
Typhoid fever	30	Diphtheria	
Whooping cough		Measles	4
NORTH CAROLINA		Mumps Paratyphoid fever	- 8 - 5
Chicken pox	3	Pellagra	6
Diphtheria		Pneumonia	2
German measles		Poliomyelitis	3
Measles		Scarlet fever	2
Scarlet fever		Smallpox	3
Septic sore throat		Tuberculosis	38
Smallpox		Typhoid fever	37
Trachoma		Typhus fever	2
Typhoid fever		Whooping cough	24
Whooping cough		VERMONT	
•		Chicken pox	5
OKLAHOMA		Diphtheria	3
(Exclusive of Oklahoma City and Tulsa)		Measles	12
Cerebrospinal meningitis:		Mumps	3
Grady	1	Scarlet fever	3
Leflore	ī	Whooping cough	5
Osage	1		
Chicken pox	2	VIRGINIA	
Diphtheria	3	Poliomyelitis—Rockbridge County	1
Influenza	14	Smallpox—Roanoke	1
Malaria	96	WASHINGTON	
Mumps	15		
Pellagra	14	Cerebrospinal meningitis: Spokane	3
Pneumonia	8	Thurston County	1
Poliomyelitis:		Chicken pox	33
Blaine	1	Diphtheria	19
Choctaw	1	German measles	5
Washington	1	Measles	3
Scarlet fever	10	Mumps	42
Smallpox	6	Pneumonia	4
Typhoid fever:	- 1	Scarlet fever	25
Garvin	11	Smallpox	50
Johnston	11	Tuberculosis	13
Stephens	12	Typhoid fever	13
Washington	20	Whooping cough	
Scattering	54		
Whooping cough	29	WEST VIRGINIA	
OREGON	- 1	Scarlet fever	4 6
		Typhoid fever.	3
Cerebrospinal meningitis	1	1 y phota te ver	o
Chicken pox	6	WISCONSIN	
Diphtheria	5	Milwaukee:	
Dysentery	2	Chicken pox	15
Measles	1	Diphtheria	11
Mumps	2	Measles	32
PneumoniaScarlet fever	12	Mumps	12
Smallpox	13	Pneumonia.	6
	4	Scarlet fever	5
Tuberculosis	•	Smallpox	2
Whooping cough	5 4		23 20
¹ Deaths.	=	A HOODING CORRE	39
1 1 100 t he			

wisconsin-continued	1	wisconsin—continued	
Scattering:	Cases		Cases
Chicken pox	33	Pneumonia	3
Diphtheria	26	Poliomyelitis	13
German measles	22	Scarlet fever	
Influenza		Smallpox	
Lethargic encephalitis	1	Tuberculosis	
Measles	63	Typhoid fever	
Mumps	34	Whooping cough	

## Reports for Week Ended July 11, 1925

DISTRICT OF COLUMBIA		NORTH DAKOTA	
Ca	ses	'	Cases
Diphtheria	4	Cerebrospinal meningitis	- 1
Measles	25	Chicken pox	_ 4
Pneumonia	7	Diphtheria	
Scarlet fever	6	Mumps	
Tuberculosis	26	Pneumonia	
Typhoid fever	3	Poliomyelitis	
Whooping cough	22	Scarlet fever	
		Smallpox	
*****		Tuberculosis	
NEBRASKA		Whooping cough	
Chicken pox	1		- 21
Diphtheria.	6	WYOMING	_
		Chicken pox.	
Measles	1	German measles	. 1
Mumps	4	Influenza	- 1
Scarlet fever	- 2	Mumps	. 1
Smallpox	2	Scarlet fever	4
Typhoid fever	2	Smallpox	
Whooping cough	17	Whooping cough	. 4

## SUMMARY OF MONTHLY REPORTS FROM STATES

The following summary of monthly State reports is published weekly and covers only those States from which reports are received during the current week:

State	Cere- bro- spinal menin- gitis	Diph- theria	Influ- enza	Ma- laria	Mea- sles	Pella- gra	Polio- my- elitis	Scarlet fever	Small- pox	Ty- phoid fever
May, 1925  Georgia	3	34	491	279	88	70	1	25	128	155
Delaware	0 0 2 3	31 42 78	1 0 51 74	48	41 106 12	0 17	2 0 7	44 12 292	2 2 19	8 70 45
Missouri North Carolina Oklahoma Vermont Wyoming	4 2 4 0	176 82 28 6 5	129 0 1	187	61 36 15 203	52	1 11 4 0	390 43 58 26 23	99 174 37 0 2	41 159 295 1 3

<sup>&</sup>lt;sup>1</sup> Cities of Tulsa and Oklahoma excluded.

## Number of Cases of Certain Communicable Diseases Reported for the Month of April, 1925, by State Health Officers

	Chick- en pox	Diph- theria	Mea- sles	Mumps	Scarlet fever	Small- pox	Tuber- culosis	Ty- phoid fever	Whooping cough
Alabama	210	34	90	239	104	497	207	48	96
Arizona	20	14	171	42	36	5	94	2	35
Arkansas	65	13	104	162	19	38	1 56	27	73
California	1, 423	560	555	1.824	620	827	1, 119	54	2.060
Colorado	136	86	28	371	107	2	1 67	8	4
Connecticut	207	138	780	126	480	2	174	11	402
Delaware	10	8	37	18	17	1	19	1	•
District of Columbia	88	31	194		106	26	142	4	72
Florida	72	33	24	417	25	32	157	76	65
Georgia	182	59	92	372	28	46	1 141	42	200
Idaho		15		!	13		l	11	<b> </b>
Illinois	830	391	5, 985	1,037	1,772	215	1, 101	58	1, 352
Indiana		119	l		856			25	l
Iowa	94	65	37	62	131	37	8	(9)	34
Kansas	325	- 68	61	938	397	35	287	6	127
Kentucky 3								!	
Louisiana	69	53	8	4	50	83	1 172	98	87
Maine	120	12	85	406	85		48	12	24
Maryland	387	132	154	379	280	. 6	440	22	40
Massachusetts	612	394	3,846	335	1, 148	1	703	42	622
Michigan	527	307	1,039	381	1,605	93	668	38	637
Minnesota	357	259	77		928	-73	307	12	72
Mississippi	777	51	605	2,091	14	145	357	134	783
Missouri	283	264	79	298	1,061	61	278	24	104
Mentana	56	36	97	- 83	144	• 35	71	5	21
Nebraska		42			66			1	
Nevada 4									!
New Hampshire 4									
New Jersey	616	310	1, 322		1, 172	23	487	24	1,083
New Mexico	31	9	74	49	32	.2	80	7	46
New York	1, 747	1, 576	3, 258	1,374	2,898	14	1,893	142	1, 597
North Carolina	501	90	97		107	350		10	442
North Dakota	41	19	16	43	136	33	5	1	10
Ohio_	950	294	1, 258	557	1,827	539	824	42	849
Okiahoma	140		21	105		77	151	29	144
Oregon	93	131	16	171	125	31	70	14	97
Pennsylvania	1, 282	957	7, 289	2, 516	2, 534	63 27	663	69	1,000
Rhode Island		49			143			4 84	
South Carolina	45	146	18	13	28	129	282	84	638
South Dakota	49	13	4	5	199	57 221	10		.11
Tennessee	170	42	264	6	145	221	174	22	171
Texas 3								10	
Utah.	321	39	18	272	35		1 19	10	346
Vermont	.96	17	23	224	63	10	1 141	3 70	13
Virginia	569	83	970	538	106 119	100		13	728
Washington	387	105	22	. 558	170	196	128	40	544
West Virginia	170 707	51	481	1.727	719	96 157	67 212	25	113
		203	2,440	1. /2/ 1	119	107	212	20	413
Wisconsin	22	7	53	46	34		1	2	31

Pulmonary.
 Reports not required by law.
 Reports received weekly.
 Reports received annually.

#### Case Rates Per 1,000 Population (Annual Basis) for the Month of April, 1925

	Chick- en pox	Diph- theria	Mea- sles	Mumps	Scarlet fever	Small- pox	Tuber- culosis	Ty- phoid fever	Whoop- ing cough
Alabama	1.08	0. 17	0.46	1, 23	0. 53	2.55	1.06	0. 25	0.50
Arizona.		. 43	5.31	1.30	1.12	.16	2.92	.06	1.09
Arkansas		.09	.71	1.11	. 13	. 26	1.38	. 18	. 50
California	4.48	1.76	1.75	5.75	1.95	2 61	3, 52	.17	6.49
Colorado	1.69	1.07	.35	4.61	1. 33	.02	1.83	.10	56
Connecticut	1.71	1.14	6.45	1.04	3.97	.02	1.44	.09	3.33
Delaware	. 54	.43	2.00	.97	.92	.05	1.03	.05	. 49
District of Columbia	2.24	.79	4.94		2.70	.66	3.61	.10	1.83
Florida	.84	.38	.28	4.84	. 29	.37	1.82	.88	75
Georgia	.75	.24	.38	1.54	. 12	. 19	.58	.17	85
Idaho.	1	.39		2.02	.33		۱ ۰۰۰۰	.28	
Illinois	1.51	.71	10.89	1.89	3. 22	. 39	2.00	.11	2.46
Indiana	1. 51	.49	10.00	1.00	3. 54	. 30	200	. 10	4 40
Iowa.	. 48	.33	. 19	.31	. 66	. 19	.04	(3)	
Kansas	2 27	47	. 43	8.55	2.77	. 24	2.00	.04	.17
Kentucky	2.21	. 12/	. 23	0.33	2.11	. 24	2.00	. 01	.89
Louisiana			. 05	.03	. 34		1. 16		
Louisiana	.47	. 36			1.38	. 56		. 66	. 59
Maine	1.94	. 19	1.38	6.57			. 78	. 19	. 39
Maryland	3.19	1.09	1.27	3.12	2.31	. 05	3. 63	. 18	3.34
Massachusetts	1.88	1. 21	11.80	1.03	3. 52	.00	2.16	. 13	1.91
Michigan	1.61	.94	3.17	L 16	4.89	. 28	2.04	. 12	1.94
Minnesota	1.76	1.28	. 38		4.59	. 36	1. 52	.06	. 36
Mississippi	5.50	. 36	4. 28	14.79	.10	1.03	2.53	. 95	5.54
Missouri	1.03	. 96	. 29	1.00	3.88	. 22	1.02	. 09	.38
Montana	1. 10	.70	1.90	1.63	2.82	. 69	1.39	. 10	.41
Nebraska		39 ر			. 62			. 01	
Nevada 4									
New Hampshire 4									
New Jersey	2. 22	1.12	4.78		4. 23	.08	1.76	.09	3.91
New Mexico	1.04	. 30	2.47	1.64	1.07	.07	2.67	. 23	1.54
New York	1.99	1.80	8.72	1. 57	3.31	.02	2.16	. 16	1.82
North Carolina		.41	. 45		. 49	1.61	1	. 05	2.03
North Dakota	. 76	. 35	. 30	.79	2.51	. 61	.09	. 02	1, 94
Ohio	1.90	. 59	2.52	1.12	3.66	1.08	1.65	. 08	1, 70
Oklahoma	.79		. 12	. 59		.44	. 85	. 16	.81
Dregon (	1.39	1.96	. 24	2.56	1.87	. 46	1.05	. 21	1.45
Pennsylvania	1.74	1.30	9.91	3.42	3.44	.09	. 90	. 09	1.37
Rhode Island		. 97			2.83	. 53		.08	2.0.
South Carolina	. 32	1.04	. 13	.09	. 20	. 92	2.01	.60	4. 54
outh Dakota	. 93	. 25	.08	. 10	3, 78	1.08	. 19		. 21
l'ennessee	.89	. 22	1.38	.03	. 76	1.15	. 91	. 11	.89
Pexas 3			2.00						.00
Itah	8. 26	1.00	.46	7.00	. 90		. 15	. 26	8, 90
Jtah Jermont	8.45	.61	.83	8.05	2.26		1.68	.11	. 47
/irginia	2.94	.43	5.02	٠. ٠.٠	. 55	. 10	.73	.36	3.76
7irginia Washington	3.32	.90	. 19	4.61	1.02	1.68	1. 10	.11	4.66
Vact Virginia	1.34	.40	3.81	2.01	1.34	.76	. 53		
West Virginia	3. 20	.92	11.03	7. 81	3. 25	.71		.32	.89
Wyoming	1.26	.40	3.03		1.94	.71	. 96	.11	1.87
A AnimitR	1.20	. 20	a. U3	2.63	1.01		.06	. 11	1. 77

## PLAGUE-ERADICATIVE MEASURES IN THE UNITED STATES

The following items were taken from the reports of plague-eradicative measures from the cities named:

## Los Angeles, Calif.

2 weeks ended July 4, 1925:	
Number of rats trapped	1, 751
Number of rats found plague infected	1
Number of squirrels examined	1. 623
Number of squirrels found plague infected	0
Date of discovery of last plague-infected rat, June 25, 1925.	

Pulmonary.
 Reports not required by law.
 Reports received weekly.
 Reports received annually.

#### Oákland, Calif.

#### (Including other East Bay communities)

Week ended July 4, 1925:	
Number of rats trapped	1, 341
Number of rats found to be plague infected.	•
Number of squirrels examined	
Number of squirrels found to be plague infected	
Totals:	
Number of rats trapped Jan. 1 to July 4, 1925	57, 072
Number of rats found to be plague infected	
Number of squirrels examined May 1 to July 4, 1925	
Number of squirrels found to be plague infected.	
Date of discovery of last plague-infected rat, Mar. 4, 1925.	•
Date of last human case, Sept. 10, 1919.	
New Orleans, La.	• . • .
Week ended July 4, 1925:	
Number of vessels inspected	242
Number of inspections made	559
Number of vessels fumigated with cyanide gas	12
Number of rodents examined for plague	3, 130
Number of rodents found to be plague infected	0
Totals, Dec. 5, 1924, to July 4, 1925:	
Number of rodents examined for plague	137, 128
Number of rodents found to be plague infected.	12
Date of discovery of last plague-infected rat, Jan. 17, 1925.	
Date of last human case occurring in New Orleans, Aug. 20, 1920.	•

#### POLIOMYELITIS IN SOUTH CAROLINA

In Public Health Reports for July 10, 1925, page 1049, a brief note was printed regarding the prevalence of poliomyelitis in South Carolina as reported to the State health officer. The following paragraphs are taken from a letter dated July 9, 1925, sent out by Dr. James A. Hayne, the State health officer, to the physicians in the State, requesting further information regarding cases which have come to their attention:

The situation as regards poliomyelitis (infantile paralysis) in South Carolina, while disquieting, has not been severe enough to justify drastic measures in any part of the State. The State board of health so far has been informed of 70 cases, a greater number than has been reported up to this date (July 9) in any summer record. The outbreak has been chiefly in the northern counties, apparently subsiding in one county while extending in some other county attacked later. The greatest number of cases reported for any one county has been 16.

The evidence goes to show that though the patient himself harbors the virus, the disease is spread largely through "carriers." Children should therefore be protected from such close contact with others, even with their parents, as would expose them to nose and throat July 24, 1925 1572

secretions. On account of the probably large and entirely unknown number of "carriers" in a community, definite protective measures are difficult, but much can be done by insuring that the cases come under medical attention early and remain under competent supervision.

## GENERAL CURRENT SUMMARY AND WEEKLY REPORTS FROM CITIES

Diphtheria.—For the week ended July 4, 1925, 35 States reported 806 cases of diphtheria. For the week ended July 5, 1924, the same States reported 1,081 cases of this disease. One hundred and one cities, situated in all parts of the country, and having an aggregate population of more than 27,250,000, reported 489 cases of diphtheria for the week ended July 4, 1925. Last year, for the corresponding week, they reported 620 cases. The estimated expectancy for these cities was 709 cases. The estimated expectancy is based on the experience of the last nine years, excluding epidemics.

Measles.—Thirty-two States reported 2,159 cases of measles for the week ended July 4, 1925, and 3,468 cases of this disease for the week ended July 5, 1924. One hundred and one cities reported 1,199 cases of measles for the week this year, and 1,131 cases last year.

Scarlet fever.—Scarlet fever was reported for the week as follows: 35 States—this year, 1,035 cases; last year, 1,210 cases; 101 cities—this year, 504 cases; last year, 532; estimated expectancy, 443 cases.

Smallpox.—For the week ended July 4, 1925, 35 States reported 306 cases of smallpox. Last year for the corresponding week they reported 570 cases. One hundred and one cities reported smallpox for the week as follows: 1925, 78 cases; 1924, 155 cases; estimated expectancy, 75 cases. Six deaths from smallpox were reported by these cities for the week this year—two at Milwaukee, Wis., and one each at Philadelphia, Pa., Cleveland, Ohio, Superior, Wis., and St. Paul, Minn.

Typhoid fever.—Six hundred and forty-two cases of typhoid fever were reported for the week ended July 4, 1925, by 34 States. For the corresponding week of 1924 the same States reported 392 cases. One hundred and one cities reported 186 cases of typhoid fever for the week this year, and 128 cases for the corresponding week last year. The estimated expectancy for these cities was 116 cases.

Influenza and pneumonia.—Deaths from influenza and pneumonia (combined) were reported for the week by 101 cities as follows: 1925, 323 deaths; 1924, 354 deaths.

#### City reports for week ended July 4, 1925

The "estimated expectancy" given for diphtheria, poliomyelitis, scarlet fever, smallpox, and typhold fever is the result of an attempt to ascertain from previous occurrence how many cases of the disease under consideration may be expected to occur during a certain week in the absence of epidemics. It is based on reports to the Public Health Service during the past nine years. It is in most instances the median number of cases reported in the corresponding week of the preceding years. When the reports include several epidemics or when for other reasons the median is unsatisfactory, the epidemic periods are excluded and the estimated expectancy is the mean number of cases reported for the week during nonepidemic years.

If reports have not been received for the full nine years, data are used for as many years as possible, but no year earlier than 1915 is included. In obtaining the estimated expectancy, the figures are smoothed when necessary to avoid abrupt deviations from the usual trend. For some of the diseases given in the table the available data were not sufficient to make it practicable to compute the estimated expectancy.

			Diph	theria	Influ	ienza			
Division, State, and city	Population July 1, 1923, estimated	Chick- en pox, cases re- ported	Cases, esti- mated expec- tancy	Cases re- ported	Cases re- ported	Deaths re- ported	Mea- sles, cases re- ported	Mumps, cases re- ported	Pneu- monia, deaths re- ported
NEW ENGLAND									
Maine: Portland	73, 129	0	1	. 1	0	. 0	1	0	. 1
New Hampshire: Concord Vermont:	22, 408	0	. 0	.0	0	0	3	0	0
Barre Burlington Massachusetts:	1 10, 008 23, 613	0	0	: 0 0	0	0 0	1 0	0 2	0
Boston Fall River Springfield Worcester	770, 400 120, 912 144, 227 191, 927	0 0 5	48 2 2 3	2 3 5	0 0 0	0	23 1 25	0 0 1	0 0 4
Rhode Island: Pawtucket Providence	68, 799 242, 378	0	1 8	0	0	0.1	1 2	0	0 2
Connecticut: BridgeportHartfordNew Haven	1 143, 555 1 138, 036 172, 967	0 1 0	4 5 2	4 0 0	0	0	4 2 18	1 2 0	1 1 2
MIDDLE ATLANTIC	112, 501		-				10	F	•
New York: Buffalo New York Rochester Syracuse	536, 718 5, 927, 625 317, 867 184, 511	2 76	11. 219 5 5	109 5 1	2 1	0 3 0	68 - 90 47 9	1 9 0 7	5 70 2 1
New Jerse<: Camden Newark	124, 157 438, 699	4 31 2	3 13	1 7 1	1 0	0	13 66 6	0 1 0	2 6 1
Trenton Pennsylvania: Philadelphia Pittsburgh Reading	127, 390 1, 922, 788 613, 442 110, 917	50 15 1	49 16 2	51 7 3	0	1 0 0	108 -85 18	8 4 2	23 11 1
Scranton	140, 636	1	2	5	0	. 0	0	0	1
Ohio:			_	_					_
Cincinnati Cleveland Columbus Toledo	406, 312 888, 519 261, 082 268, 338	1 56 0 24	7 20 2 5	1 9 1 7	0	1 3 0 0	0 28 4 53	2 6 0 0	5 7 4 0
Fort WayneIndianapolis	93, 573 342, 718	5 1	2 5	0	0	0	2 11	0 1 0	0 3 3
South Bend Terre Haute Illinois:	76, 709 68, 939	8	0	0	0	0	7	0	0
Chicago	2, 886, 121 55, 968	52	88	62	4	2	202	7	21
Springfield	61, 833	1	1	3	0	0	23	2	1
Detroit	995, 668 117, 968 145, 947	20 1 4	42 3 2	27 1 0	0	1 0 0	13 8 42	2 0 0	12 1 2

<sup>&</sup>lt;sup>1</sup> Population Jan. 1, 1920.

	<u> </u>		Diph	theria	Infl	ienza		1	
Division, State, and city	Population July 1, 1923, estimated	Chick- en pox, cases re- ported	Cases, esti- mated expec- tancy	Cases re- ported	Cases re- ported	Deaths re- ported	Mea- sles, cases re- ported	Mumps, cases re- ported	Pneu- monia, deaths re- ported
EAST NORTH CENTRAL— continued									
Wisconsin: Madison Milwaukee Racine Superior	42, 519 484, 595 64, 393 1 39, 671	3 19 1 0	0 11 1 0	0 10 0 0	0 0 0 0	0 0 0	0 90 0	0 11 0 0	0 0 0 1
WEST NORTH CENTRAL	1 1	i							
Minnesota: Duluth Minneapolis. St. Paul Iowa:	106, 289 409, 125 241, 891	11 45 19	1 10 11	0 20 7	0	0	0 1 1	0 2 5	0 1 8
Davenport Des Moines Sioux City Waterloo Missouri	61, 262 140, 923 79, 662 39, 667	0 1 1	1 1 1 0	0 3 2 0	0 0 0 0		0 0 0 0	0 0 2	
Kansas City	351, 819 78, 232 803, 853	0 2 4	5 1 27	0 0 32	0	0	1 0 12	5 1 6	6 0
Fargo Grand Forks South Dakota:	24, 841 14, 547	1	0	0	0	0	0	0	
AberdeenSioux Falls Nebraska:	15, 829 29, 206	0	0	8	0	. 0	8	0	0
LincolnOmaha	58, 761 204, 382	6	3	1 2	····o	0	8	1 0	1 4
Topeka	52, 555 79, 261	0	1 1	0	0	0	0	5 1	0 0
SOUTH ATLANTIC	:					l		- 1	
Delaware: Wilmington Maryland:	117, 728	0	1	0	0	o	13	1	
BaltimoreCumberlandFrederick	773, 580 32, 361	27	12	7	0	2 0	49	20	15 1
District of Columbia: Washington	11, 301 1 437, 571	2	5	0 4	0	1	1 24	0	0 5
Virginia: Lynchburg Norfolk	30, 277 159, 089	8	0	1 0	0	8	0	5 2	0 2
Richmond	181, 044 55, 502	0	1 1	0	0	0	17 14	0	4 0
Charleston Huntington Wheeling	45, 597 57, 918 1 56, 208	0	1 1 0	0 -		0	6 0 3	0 -	0 ō
North Carolina: Raleigh	29, 171	0	0	0	0	0	0	0	0
Wilmington Winston-Salem South Carolina:	35, 719 56, 230	0	0	0	0	8	0	0	0 2
Charleston Columbia Greenville	71, 245 39, 688 25, 789	0 1 0	0	0 -	0	0	. 0	0	1 0 1
deorgia: Atlanta Brunswick	222, 963 15, 937	2	1 0	2 0	4 0	0	1 0	0	5 0
Savannah Ilorida: St. Petersburg	89, 448 24, 403	0	0	0	0	0	0	0	0
Tampa	56, 050	0	0 1	2	0	0 [	0	1	1

<sup>&</sup>lt;sup>1</sup> Population Jan. 1, 1920.

			Diph	theria	Infl	uenza			
Division, State, and city	Population July 1, 1923, estimated	Chick- en pox, cases re- ported	Cases, esti- mated expec- tancy	Cases re- ported	Cases re- ported	Deaths re- ported	Mea- sles, cases re- ported	Mumps, cases re- ported	Pneu- monia, deaths re- ported
EAST SOUTH CENTRAL							,		
Kentucky: Covington Louisville	57, 877 257, 671		1 3		0	0	<u>i</u>	ō	7
Tennessee: Memphis Nashville Alabama:	170, 067 121, 128	1 0	1 0	0		1 0	5 11	0	5 0
Birmingham Mobile Montgomery	195, 901 63, 858 45, 383	3 0 0	1 0 0	0 0 0	1	0 1 0	0	0	3 0 1
WEST SOUTH CENTRAL	·								
Arkansas: Fort Smith Little Rock	<b>30, 63</b> 5 70, 916	0	0	1 0		0	0	1 0	<u>2</u>
Louisiana: New Orleans Shreveport Oklahoma:	404, 575 54, 590	1 0	5	2 0	0	0	0	0	. 0
Oklahoma Texas:	101, 150	. 0	1	0	0	. 0	2	0	2
Dallas Galveston Houston San Antonio	177, 274 46, 877 154, 970 184, 727	1 1 0	· 0 2 2 1	2 0 4 4	0 0 0	1 0 0 1	0 9 0	0	2 1 1 2
MOUNTAIN		• -	_	-		-		Ĭ	_
Montana: Billings	16, 927 27, 787 1 12, 037 1 12, 668	1 0 0	0 0 0	0 0 0	0	0 0	0	5 1 0	0 0
Idaho: Boise	22, 806	0	0	1	0	0	0	0	. 0
Colorado: Denver	272, 031 43, 519	9	9 2	11 1		0	2 1	7 0	. 0
Albuquerque	16, 648	0	1	0	0	0	0	2	0
Phoenix	33, 899	0		0		0	0	0	1
Salt Lake City Nevada:	126, 241.	39	2	6	0	0	1	12	4
Reno	12, 429	0	0	0	0	0	0	0	0
Washington:									
Seattle Spokane Tacoma California:	1 315, 685 104, 573 101, 731	29 0	5 2 1	1 11	0		0	11	
Los Angeles Sacramento San Francisco	666, 853 69, 950 539, 038	23 4 9	33 1 18	28 2 5	3 0 3	• 1 0 0	10 1 1	11 0 7	14 2 4

<sup>&</sup>lt;sup>1</sup> Population Jan. 1, 1920.

	Scarle	t féver		Smallp	)X ·	Tuber-	Т	phoid f	ever	Whoop	
Division, State, and city	Cases, esti- mated expect- ancy	Cases re-	Cases, esti- mated expect- ancy	Cases re- ported	Deaths re- ported	culo- sis, deaths re- ported	Cases, esti- mated expect- ancy	Cases re- ported	Deaths re- ported	ing cough, cases re- ported	Deaths, all causes
NEW ENGLAND											
Maine: Portland New Hampshire: Concord	1 0	1	0	0	0	0	1	0	0	0	. 11 . 12
Vermont: Barre Burlington Massachusetts:	0	0	0	0	0	0	0	0	0	2 0	0 7
Boston Fall River Springfield Worcester	25 1 3 3	1 2 7	0 0 0	0 0 0	0 0 0	4 1 2	2 3 0 0	0 • 0	0 0 0	0 2 5	29 22 42
Rhode Island: Pawtucket Providence Connecticut:	0 4	0	0	0	0	0 3	0 1	0 4	·0 0	0 2	15 59
Bridgeport Hartford New Haven	3 2 1	4 0 1	0 0 0	0 0 0	0 0 0	4 1 1	. 0 0 2	0 0 0	. 0	0 5 . 17	25 17 33
MIDDLE ATLANTIC	- 1	1	l			-				.	
New York: Buffalo New York Rochester Syracuse	13 89 5 5	14 46 5 1	0	0 0 0 0	'0 0 0	1 79 .3 0	1 16 0 1	19 0 0	0 0 0	14 50 7	104 990 64 37
New Jersey: Camden Newark Trenton Pennsylvania:	1 11 1	4 11 1	0	0 0 2	0	2 12 2	0 0 1	0 1 0	0	20 0	22 107 23
Philadelphia Pittsburgh Reading Scranton	37 12 1 1	37 35 2 0	1 0 0 0	0 0 0	1 0 0 0	43 6 2 0	6 2 1 0	6 1 0 4	3 0 0 0	101 11 18 1	396 118 27
EAST NORTH CENTRAL					į						
Ohio: Cincinnati Cleveland Columbus Toledo Indiana:	5 14 3 11	3 9 3 9	1 1 1 1	0 2 4 0	0 1 0 0	11 16 7 3	1 2 1 1	3 0 1 4	0 0 1 0	5 49 2 11	98 156 74 51
Fort Wayne Indianapolis South Bend Terre Haute Illinois:	1 4 1 1	0 1 0 1	1 3 1 0	0 2 0 3	0 0 0	1 5 1 0	0 2 1 0	0 1 0 0	0 0 0	30 1 0	27 77 16 18
Chicago	43	76	0	0	0	64	3 -	7	1	92	597
Michigan: Detroit	38	. 33	7	0   1	0	15	3	2	0	51	18 191
Flint Grand Rapids Wisconsin:	2 2	3 16	0	0	0	2	1	0	0	6 7	13 37
Madison Milwaukee Racine Superior	1 17 2 1	4 7 0 6	0 2 1 2	0 3 2 2	0 2 0 1	0 7 0 0	0 1 0 0	0 0 0	0 0 0 0	25 6 0	104 8 10
WEST NOR: H CENTRAL											
Minnesota: Duluth Minneapolis St. Paul	2 13 8	7 25 10	2 6 3	0	0 0 1	0 1 4	0 1 1	0 0	0 1 0	1 7 18	12 79 55

<sup>&</sup>lt;sup>1</sup> Pulmonary tuberculosis only.

	Scarle	t fever		Smallp	)X		T	phoid f	ever	Whoop-	
Division, State, and city	Cases, esti- mated expect- ancy	Cases re- ported	Cases, esti- mated expect- ancy	Cases re- ported	Deaths re- ported	re-	Cases, esti- mated expect- ancy	Cases re- ported	Deaths re- ported	ing cough, cases re- ported	Deaths, all causes
WEST NORTH CENTRAL—contd.											
Iowa: Davenport Des Moines Sioux City Waterloo	1 2 1 1	1 0 0 0	2 3 1 1	2 1 3 0			0 9 0	0		0 0 0 2	
Missouri: Kansas City St. Joseph St. Louis North Dakota:	2 1 12	8 0 22	3 0 1	0 0 3	0	9 3 12	1 0 2	1 1 7	0 0 1	14 8 20	97 24 179
Grand Forks South Dakota:	0	2 0	1 0	0	0	0	0	0	0	0	8
Aberdeen Sioux Falls Nebraska: Lincoln	0	0 6 0	1 0 0	0	0	0 0 1	0	0	0	0 0 4	
Omaha Kansas: Topeka	2 1	0	3	2 0	0	2 1	0	0	0	- 6 8	48 12
Wichita	1	1	2	0	0	1	1	0	0	14	29
Delaware: Wilmington Maryland:	2	0	0	1	0	1	0	0	. 0	1	13
Baltimore Cumberland Frederick District of Colum-	11 1 0	0 0	0	0	0 0 0	24 0 0	4 0 0	2 0 0	0 0	96 0 0	166 8 3
bia: Washington Virginia:	6	5	0	0	0	14	3	2	0	8	110
Lynchburg Norfolk Richmond Roanoke	0 0 1 0	1 0 4 0	0 1 0 1	0 0 0 0	. 0	0 1 1 2	0 2 1 0	2 0 4 0	0 0 1 0	4 2 (33 0	11 34 20
West Virginia: Charleston Huntington Wheeling	1 0 1	1 0 6	0 0 0	1 0 0	0	0	1 0 1	0	1 0	4 0 0	10 16
North Carolina: Raleigh Wilmington Winston-Salem South Carolina:	0 0 1	1 1 0	1 0 1	0 0 3	0	0 0 1	0 0 2	0 0 1	0	1 0 13	7 9 13
Charleston Columbia Greenville Georgia:	0	1 0 0	0	0	0	1 0 1	2 1 1	1 0 1	0 0 4	3 1 3	23 14
Atlanta Brunswick Savannah	2 0 0	0	5 0 0	0	0	0 1 1	3 0 2	20 0 1	2 0 0	6 0 0	70 3 21
Florida: St. Petersburg Tampa	0	0	0	0	0	0	0	0	0	0	16 14
EAST SOUTH CENTRAL		-									
Kentucky: Covington Louisville Tennessee:	1 2	5	0 -		<u>o</u>	5	1 3	2	····ō	2	72
Memphis Nashville Alabama:	1 1	0	0	0	0	3 3	3 4	15 9	2 0	18 3	68 46
Birmingham Mobile Montgomery	1 0 0	6	0 1 0	11 0 0	0	6 2 2	1 1	4 2 3	0	6 1 0	59 17 14

	Scarle	t fever		Smallpo	)X		Т	phoid f	ever	Whoop	
Division, State, and city	Cases, esti- mated expect- ancy	Cases re- ported	Cases, esti- mated expect- ancy	Cases re- ported	Deaths re- ported	Tuber- cu'osis, deaths re- ported	esti- mated	Cases re- ported	Deaths re- ported	ing cough, cases re- ported	Deaths, all causes
WEST SOUTH CENTRAL											
Arkansas:	9	0	o	0							
Fort Smith Little Rock	ő	ŏ	ŏ	ŏ	0	1	0	3 8	1	11 0	
Louisiana: New Orleans	1	3	1	1	0	11	4	21	3	5	165
Shreveport		ŏ		õ	ŏ	ï	Ô	12	ĭ	3	26
Oklahoma: Oklahoma	1	0	3	2	0	3	1	6	0	0	35
Texas: Dallas	1.	1	1	0	0	0	3	2	1	2	1
Galveston	0	0	0	0	0	1	1	1	0	ő	57 14
Houston San Antonio	0	6	1	0	0	2 6	1	3 3	0		55 52
MOUNTAIN		Ĭ	-	- 1		Ĭ	Ĭ			·	. 32
Montana:			İ	l					•		
Billings	0	1	0	1	0	0	0	0	0	2	6
Great Falls Helena	1 0	3 0	1 0	0	0	2 0	0	1 0	0	8	6 5 2 4
Missoula	ŏ	ĭ	ŏ	ŏ	ŏ	ĭ	ŏ	ŏ	ŏ	ŏ	4
Idaho: Boise	1	0	1	2	0	0	0	اه	0	0	2
Colorado:		ĺ	i					- 1	- 1		
Denver Pueblo	6	1 0	0	0	0	11	1 0	0	0	32 0	65 6
New Mexico:	. [		- 1		- 1	- 1	ļ		- 1		
Albuquerque Arizona:	1	0	0	0	0	4	0	0	0	0	12
Phoenix		0		0	0	4 .		0	0	0	13
Utah: Salt Lake City.	2	5	1	0	0	0	1	0	ol	13	31
Nevada:	. 0	0		0	0	1		0	0		
Reno	- 1	١	1	١	١	- 1	0	١	ا	0	1
PACIFIC			į	1	.		- 1	1			
Washington:	_			اء			_	_	1		
Seattle Spokane	5	3	3	6 -			1 1	1 _		51	
Tacoma	1	1	1	5 -			ō	0		5	
California: Los Angeles	9	13	1	15	ol	24	3	3	. 0	53	197
Sacramento San Francisco.	1 9	0	0	0 3	0	2 10	1	0	0	2 25	36
San Francisco.		•		<u> </u>		10	_ 1	3	0	25	107
			Ceret	prospina ningitis	l Leti encer	hargic ohalitis	Pel	llagra		nyelitis e paraly:	
Division, State	e, and c	ity	Cases	Death	s Cases	Deaths	Cases	Deaths	Cases, esti- mated expect- ancy	Cases	Deaths
					-		-				-
NEW ENG	LAND			1							
Rhode Island: Providence			1			0		0	0		0
MIDDLE AT	LANTIC		1 1	"	"	., 0	"	U	"	"	J
New York:							1				
Buffalo		·	- 0	0		0	0	0	0	0	0
New York New Jersey:			- 1	1	2	3	0	0	3	3	0
			. 0		1 4		ا ما	Α.	1 .	ا ما	0
Newark ennsylvania:				0	4	. 0	0	0	1	3	U

City reports for week ended July 4, 1925—Continued

EAST NORTH CENTRAL				,	, 4, 10	-				
Cases   Deaths   Deaths		Cereb men	rospinal ingitis	Let ence	hargic phalitis	Pe	llagra			
Ohio:   Cleveland	Division, State, and city	Cases	Deaths	Cases	Deaths	Cases	Deaths	esti- mated expect-	Cases	Deaths
Ohio:   Cleveland	EAST NORTH CENTRAL									
Columbus	io:	۰			9	٥		١،		0
Chicago	Columbus	ŏ		ŏ	3					ŏ
Detroit	iois: Chicago	1	1	0	0	0	0	1	0	0
WINDEST NORTH CENTRAL   Minnesota:   Minnesota:   Minneapolis   O   O   O   O   O   O   O   O   O	higan:				,	A	ρ	_		. 0
Minnesota:         Minneapolis.         0         0         0         1         0				•	•	·			ľ	· ·
Minneapolis         0         0         0         1         0 <th< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th<>										
Kansas City	Minneapolis	0	0	0	1	0	0	0	0	0
BOUTH ATLANTIC   District of Columbia:	souri: Kansas City	اها	o	0		0	0	0	4	0
District of Columbia:	St. Louis									ŏ
Washington         0         0         1         0	SOUTH ATLANTIC									
Virginia:         Lynchburg         0         0         0         0         1         0	trict of Columbia:									
Lynchburg	rinia.	li			I	- 1				9
Wheeling	Lynchburg	0	0	0,	0	1	. 0	0	0	- 0
Raleigh	Wheeling.	0	0	0	0	0	.0	0	1	0
South Carolina: Charleston	th Carolina: Raleigh	0	o	اه	0	0		0	1	0
Charleston	Winston-Salem	0	0	Ō	0	1	1	0	0	0
Georgia:	Charleston						1			0
Atlanta	Columbiargia:	0	0	0	0	۰	١٠٠١	0.	2	0
EAST SOUTH CENTRAL  Tennessee:     Memphis.	Atlanta									0
Tennessee:     Memphis		١ ١	"	1	ľ	- 1	Ĭ		١	·
Memphis	,	.		i						
Alabama:	Memphis						2			· 0
	Nashville	0	0	0	0	1	0	0	0	
	Birmingham	0	0	0	0	o l	0	0	1	1 0
Mobile 0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Montgomery								ŏ	č
WEST SOUTH CENTRAL	WEST SOUTH CENTRAL	1		- 1		ı			l	
Louisiana:	siana:	1		1			_			
New Orleans 0 0 1 1 0 2 1 0 Shreveport 0 0 0 0 0 2 1 1	New Orleans				1 0			1		0
Texas:	ıs:	1		- 1	l l	- 1	- 1		- 1	
Dallas         0         0         0         0         1         0         0         1           Houston         0         1         0         0         1         3         0         0										2 0
MOUNTAIN				. !	l	- 1		.		
Utah: Salt Lake City		0	o	0	o	0	1	0	0	0
PACIFIC			- 1	. 1		1	-	1		
California: 0 0 0 0 0 0 1 5	os Angeles	ام	ام	ام	ام	ام	ام	,	5	3
Sacramento 0 0 0 0 0 5	acramento	0	0	0 1	0	0	0	0	5	0
San Francisco 0 1 2 2 1 0 0 1	an Francisco	0	1	2	2	1	0	. 0	1	0

The following table gives the rates per hundred thousand population for 105 cities for the 10-week period ended July 4, 1925. The population figures used in computing the rates were estimated as of July 1, 1923, as this is the latest date for which estimates are available. The 105 cities reporting cases had an estimated aggregate population of nearly 29,000,000 and the 97 cities reporting deaths

1580 July 24, 1925

had more than 28,000,000 population. The number of cities included in each group and the aggregate populations are shown in a separate table below.

Summary of weekly reports from cities, April 26 to July 4, 1925—Annual rates per 100,000 population 1

#### DIPHTHERIA CASE RATES

		L	nrnin	ERIA (	JASE K	ATES				
					Week	ended				
	May 2	May 9	May 16	May 23	May 30	June 6	June 13	June 20	June 27	July 4
105 cities	158	2 157	3 164	153	4 149	158	120	119	\$ 116	6 91
New England	127 213 110 201 104 40 70 115 206	109 212 113 278 104 11 65 105 2 123	154 238 110 211 85 34 56 153 3 138	127 203 108 251 87 40 42 134 165	114 211 106 197 4 77 11 65 143 168	129 244 99 189 91 11 42 76 145	94 156 95 145 57 11 70 181 165	97 166 93 133 51 6 74 191	127 163 8 84 114 73 34 46 105	7 82 96 5 87 131 41 8 6 60 181 2 145
	'		MEASI	LES CA	SE RAT	res	<u> </u>			
105 cities	581	² 627	624	601	4 593	619	582	434	§ 303	6 224
New England	1, 004 734 761 79 305 200 28 534 162	984 797 890 112 240 343 32 181 295 SCA	1, 188 768 854 79 329 166 14 57 3 178 RLET	1, 051 617 954 236 327 337 23 181 131	867 704 913 145 4 256 217 14 248 165 CASE	872 774 893 114 410 132 23 38 165 RATES	892 727 844 135 297 212 14 95 87	634 544 592 87 349 114 19 76 84	407 382 5 404 60 278 132 5 95 52	7 318 258 5 321 31 2662 8 104 5 38 2 37
New England Middle Atlantic East North Central. West North Central. South Atlantic. East South Central. West South Central. West South Central. Mountain Pacific	430 323 324 518 132 263 111 334 125	415 319 366 618 106 263 88 277 2 151	358 331 399 728 165 326 74 353 3197	350 265 413 556 146 246 23 324 162	211 271 346 531 122 183 65 410 139	266 263 317 481 130 126 88 334 151	179 156 204 325 61 160 46 277 162	142 145 217 328 61 160 37 143	107 100 157 184 45 91 56 210 107	7 75 79 8 122 168 59 8 73 46 105 2 71
SMALLPOX CASE RATES										
105 cities	50	2 46	3 46	60	4 48	46	37	36	<sup>8</sup> 25	6 15
New England	0 8 30 75 63 435 32 10 206	2 6 44 60 45 877 28 48 2 176	0 7 56 79 37 189 37 29 3 191	0 2 70 68 65 440 130 29 186	0 2 58 70 10 423 56 57 168	0 4 65 95 39 114 32 38 191	0 2 42 52 22 297 5 29 148	0 1 45 60 30 200 19 19 154	0 0 20 37 18 132 0 29 171	7 0 1 5 14 17 10 8 67 5 29 2 89

¹ The figures given in this table are rates per 100,000 population, annual basis, and not the number of cases reported. Populations used are estimated as of July 1, 1923.
² Spokane, Wash., not included. Report not received at time of going to press.
³ Tacoma, Wash., not included.
² Charleston, W. Va., not included.
² Cicero, Ill., not included.
² Boston, Mass., Cicero, Ill., Covington, Ky., and Spokane, Wash., not included.
³ Boston, Mass., not included.
² Covington, Ky., not included.

#### Summary of weekly reports from cities, April 26 to July 4, 1925-Annual rates per 100,000 population—Continued

#### TYPHOID FEVER CASE RATES

					Week e	nded-				
	May 2	May 9	May 16	Мау 23	May 30	June 6	June 13	June 20	June 27	July 4
105 cities	18	2 14	3 13	19	4 16	25	28	22	5 27	6 35
New England Middle Atlantic East North Central West North Central South Atlantic East South Central West South Central Mountain Pacific	10 22 4 12 28 46 51 0	5 13 9 2 28 46 46 0	12 10 6 0 26 63 79 0	25 19 5 4 39 74 65 19	17 9 7 10 441 51 74 10 9	30 26 10 8 41 40 88 76 9	25 17 10 25 65 120 116 48 15	20 14 4 12 49 80 130 38 6	17 18 49 10 71 91 148 0	7 16 15 8 10 21 69 8 214 246 10
INFLUENZA DEATH RATES										
105 cities	22	15	14	14	4 12	11	7	6	<b>\$</b> 6	94
New England Middle Atlantic East North Central West North Central South Atlantic East South Central West South Central Mountain Pacific	20 14 23 31 26 51 31 48 12	10 10 16 11 24 51 15 19	7 12 11 11 10 80 20 57 12	5 11 12 18 6 86 24 19 25	7 9 14 18 4 12 40 31 0 8	2 11 10 4 6 54 5 29 12	5 6 7 9 4 17 20 10 4	2 4 7 7 6 34 10 0 4	7 6 86 4 2 17 10 10 4	7 4 2 5 5 0 6 8 12 10 0 4
		PN	EUMO	NIA DE	EATH F	RATES				
105 cities	167	151	127	128	4 117	128	104	81	<b>⁵</b> 66	9 58
New England Middle Atlantic East North Central West North Central South Atlantic East South Central West South Central Mountain Pacific	149 206 148 72 195 194 127 124 127	161 185 130 77 156 160 138 124 123	134 143 125 58 136 166 112 162 78	119 144 125 79 134 137 84 172 135	114 146 119 59 4157 172 76 76 82	72 168 114 57 146 126 66 95 131	117 130 89 59 122 63 87 105 49	62 93 81 33 77 103 92 143 65	60 75 8 42 50 96 120 76 57 53	7 39 62 4 45 42 75 8 98 61 67 82

Number of cities included in summary of weekly reports and aggregate population of cities in each group, estimated as of July 1, 1923

Group of cities	Number of cities reporting cases	Number of cities reporting deaths	Aggregate population of cities reporting cases	Aggregate population of cities reporting deaths
Total	105	97	28, 898, 350	28, 140, 934
New England	12	12	2, 098, 746	2, 098, 746
Middle Atlantic	10	10	10, 304, 114	10, 304, 114
East North Central	17	17	7, 032, 535	7, 032, 535
West North Central	14	11	2, 515, 330	2, 381, 454
South Atlantic	22	22	2, 566, 901	2, 566, 901
East South Central	7	7	911, 885	911, 885
West South Central	8	6	1, 124, 564	1, 023, 013
Mountain		9	546, 445	546, 445
Pacific	6	3	1, 797, 830	1, 275, 841
	l ·			

Spokane, Wash., not included. Report not received at time of going to press.
 Tacoma, Wash., not included.
 Charleston, W. Va., not included.
 Cicero, Ill., not included.
 Boston, Mass., Cicero, Ill., Covington, Ky., and Spokane, Wash., not included.
 Boston, Mass., not included.
 Covington, Ky., not included.
 Boston, Mass., Cicero, Ill., and Covington, Ky., not included.
 Boston, Mass., Cicero, Ill., and Covington, Ky., not included.

## FOREIGN AND INSULAR

#### THE FAR EAST

Reports for two weeks ended June 27, 1925.—The following reports, covering the two-week period ended June 27, 1925, were transmitted by the Far Eastern Bureau of the Health Section of the League of Nations, located at Singapore, to the headquarters at Geneva:

#### WEEK ENDED JUNE 20, 1925

Port	Pla	gue	Ch	oler <b>a</b>	Smallpox	
FOIL	Cases	Deaths	Cases	Deaths	Cases	Deaths
Bombay Madras Rangoon Karachi Negapatam Singapore Port Swettenham Penang Batavia Soerabaya Samarang Belawan Deli Macassar Bangkok * Sandakan (North Borneo) Sarawak Bangkok * Saigon and Cholon Hongkong Shanghai Manila Colombo Nagasaki Yokohama Shimonoseki	0 0 0	3 0 15 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	000000000000000000000000000000000000000	13 19 177 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	122 88 8 8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Kobe Adelaide Fremantle Melbourne Sydney Suez Port Said	0 0 0 0 0 2 1	0 0 0 0 0 1 1	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0	0 0 0 0 0

<sup>\*</sup>Infected rats found.

#### WEEK ENDED JUNE 27, 1925

Doct	Pla	gue	Che	olera	Smallpox	
Port	Cases	Deathe	Cases	Deaths	Cases	Deaths
Calcutta Bombay Madras Rangoon Karachi Negapatam Singapore Port Swettenham Penang Batavia Soerabaya Samarang Belawan Deli Macassar Sandakan (North Borneo) Sarawak Bangkok Saigon and Cholon	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 5 0 15 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	10 0 0 3 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	22 6 28 9 1 0 0 0 0 0 0 0 2 2 2 2	20 3 13 5 0 0 0 0 0 0 0 0 0
Hongkong Shanghai Manila Colombo Nagasaki Yokohama Shimonoseki Kobe Adelaide Brisbane Fremantle Melbourne Sydney Suez Port Said*	0 0 0 1 0 0 0 0 0 1 0 0 0	0 0 0 0 0 0 0 0 0 0	002000000000000000000000000000000000000	000000000000000000000000000000000000000	05 00 00 00 00 00 00 00 00	0 3 0 0 0 0 0 0 0 0
Mombasa.	0	0	0	0	0	ō

<sup>\*</sup> Two cases of plague reported June 28, 1925.

#### CANADA

Communicable diseases—Ontario—May 31-June 27, 1925 (comparative).—During the four-week period ended June 27, 1925, communicable diseases were reported in the Province of Ontario, Canada, as follows:

Disease		1925	1924		
22.00	Cases	Deaths	Cases	Deaths	
Cerebrospinal meningitis		2	9	5	
Chicken pox	. 457	i	265		
Diphtheria		12	227	12	
German measles	1 77	1	150	1	
Gonorrhea	132		132	<del>-</del>	
Influenza		7	9	6	
Lethargic encephalitis Measles		2	4, 321	12	
Mumps			7,021		
Pneumonia		126		149	
Scarlet fever	326	1	510 24	14	
Smallpox Syphilis		1 1	96		
Tuberculosis		85	162	89	
Typhoid fever	46	3	47	1	
Whooping cough.	269	7	104	3	

July 24, 1925 1584

Smallpox distribution—Localities.—The 12 cases of smallpox notified in the Province of Ontario during the period under report were distributed in seven localities, the greatest number of cases, viz, 6, occurring at Kingston and at the remaining six localities, one case each, with one death at London.

#### **EGYPT**

Plague—June 11-17, 1925—Summary, January 1-June 17, 1925 (comparative).—During the week ended June 17, 1925, 11 cases of plague with eight deaths were reported in Egypt. The occurrence in cities was as follows: Alexandria—1 case, 1 death; Port Said—1 case, 1 death; Suez—2 cases, 1 death. The type of the urban cases was stated to have been bubonic. The remaining cases reported were distributed in the Provinces of Beni-Souef, Kena, and Minia. From January 1 to June 17, 1925, inclusive, 75 cases of plague were reported in Egypt as compared with 298 cases reported from the corresponding period of the year 1924.

INDIA

Cholera nostras—Calcutta—May 31-June 6, 1925—During the week ended June 6, 1925, 31 cases of cholera nostras with 23 deaths were reported at Calcutta, India. Population, 1,077,264.

#### ITALY

Leprosy—Province of Syracuse—Sicily.—Information received under date of June 3, 1925, indicates the prevalence of leprosy and gives its distribution according to locality and population in the Province of Syracuse, Island of Sicily, Italy, as follows:

Avola.—Population, 17,481. Stated to have been infected from a remote period of history and to be the locality from which spread of the disease to other localities has occurred.

Floridia.—Population, 13,541. Stated to have been a continuous focus, with the disease still present. Cases are reported in the neighboring village of Marzamemi.

Pachino.—Population, 12,190. Cases are stated to be of constant occurrence, infected persons in the past having been permitted to mingle freely with the population, live in equal social relations, and to engage in the sale of food. It was stated that no sanitary measures were taken.

Vittoria.—Population, 30,362. Stated to have had a continuous focus of infection and to be still infected.

Sporadic cases.—Sporadic cases of leprosy have been reported at Augusta, Chiaramonte Gulfi, Pozzallo, Ragusa, and Sortino.

#### **JAMAICA**

Smallpox (reported as alastrim)—May 31-June 27, 1925.—During the four-week period ended June 27, 1925, 33 cases of smallpox

1585 July 24, 1925

(reported as alastrim) were notified in the Island of Jamaica, exclusive of Kingston, and 13 cases in Kingston. Two additional cases were reported for the island occurring during the week ended May 30, 1925.

Chicken pox—Typhoid fever.—During the same period, 16 cases of chicken pox were reported in the island, and two cases at Kingston. Typhoid fever was reported as follows: Kingston, 29 cases; localities other than Kingston, 49 cases.

#### PERU

Pernicious malaria in northern Peru.—Under date of June 4, 1925, pernicious malaria was stated to be epidemic in the Department of Piura, northern Peru. Two thousand persons were said to have been ill in the city of Catacaos and vicinity.

Epidemic bacillary dysentery in Callao.—Epidemic bacillary dysentery, with many fatalities, was reported at Callao, Peru, June 2, 1925.

Quarantine by Ecuador against Peruvian ports terminated.—On June 12, 1925, quarantine restrictions imposed at ports of Ecuador against vessels from the northern coast of Peru were discontinued. The restrictions were imposed because of rumors of yellow fever, but the disease was found to be acute malaria.

#### TURKEY

Communicable diseases—Mortality—Constantinople—Year 1924.—During the year 1924, 8,064 cases of communicable diseases were reported at Constantinople, Turkey, including influenza, 2,171; malaria, 2,034; tuberculosis, 2,881. The number of deaths from all causes reported for the year was 15,139. Population, estimated, 1,000,000.

#### CHOLERA, PLAGUE, SMALLPOX, AND TYPHUS FEVER

The reports contained in the following tables must not be considered as complete or final as regards either the lists of countries included or the figures for the particular countries for which reports are given.

## Reports Received During Week Ended July 24, 1925 a

#### **CHOLERA**

Place	Date	Cases	Deaths	Remarks
India	June 6-13 May 24-30	2 3	1 2	May 3-23, 1925: Cases, 17,350; deaths, 10,891.
Saigon	May 25-31	2	2	Including 100 square kilometers of surrounding country.
Bangkok	May 17-23	2		

<sup>&</sup>lt;sup>1</sup> Public Health Reports, July 10, 1925, p. 1500.

<sup>&</sup>lt;sup>a</sup> From medical officers of the Public Health Service, American consuls, and other sources.

# CHOLERA, PLAGUE, SMALLPOX, AND TYPHUS FEVER—Continued Reports Received During Week Ended July 24, 1925—Continued

#### PLAGUE

Egypt	Place	Date	Cases	Deaths	Remarks
China: Foochow	Ceylon:	May 24 20			
Foochow	China	May 24-30	1 -		· ·
Egypt		do			Reported present in epidemic
City—     Alexandria	Fount				
Alexandria June 17 1 1 Do. Port Said June 17-18 1 1 Do. Suez June 14-15 2 1 Do. Province— Beni-Souef June 18-16 5 3 Bubonic and septicemic. Kena June 17 1 1 Do. Minia do 1 1 Do.  India 20 1 Do. Bubonic and septicemic. Septicemic. Septicemic. Septicemic. Septicemic. May 3-23, 1925: Cases, 17,6 deaths, 14,303.  May 3-23, 1925: Cases, 17,6 deaths, 14,303.  May 24-30 5 4 Indo-China: Saigon May 24-30 2 1 Rangoon May 24-30 2 1 Iraq: Bagdad May 24-30 2 Java: Batavia May 23-29 12 12 Socrabaya May 7-13 2 2 Straits Settlements: Singapore May 17-30 2 2					1-June 17, 1925: Cases, 75; cor- responding period, 1924—cases.
Port Said		June 17	1	1	
Suez		June 17-18			
Province—Beni-Souef         June 13-16         5         3         Bubonic and septicemic.           Kena         June 17         1         2         1         1         1         1         2         1         1         1         1         1         2         1			2		
Kena	Province—	1	_	_	_ <del></del> .
Kena				3	Bubonic and septicemic.
Minia	Kena	June 17		1	Septicemic.
Bombay. May 17-30 20 18 deaths, 14,303.  Calcutta May 30-June 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Minia	do	1	1	
Calcutta     May 30-June 6     1       Karachi     de     1       Madras Presidency     May 10-16     2     1       Rangoon     May 24-30     5     4       Indo-China:     Saigon     May 25-31     1     1       Iraq:     Bagdad     May 24-30     2       Java:     May 23-29     12     12       Soerabaya     May 7-13     2     2       Straits Settlements:     Singapore     May 17-30     2     2	India				May 3-23, 1925: Cases, 17,667;
Karachi	Bombay	May 17-30	20		deaths, 14,303.
Madras Presidency       May 10-16       2       1         Rangoom       May 24-30       5       4         Indo-China:       Saigon       1       1         Saigon       May 25-31       1       1         Iraq:       Bagdad       May 24-30       2         Java:       Batavia       May 23-29       12       12         Soerabaya       May 7-13       2       2         Straits Settlements:       Singapore       May 17-30       2       2			1	1	•
Rangoon   May 24-30   5   4	Karachi	_ do	1		
Indo-China: Saigon				1	
Saigon     May 25-31     1     1       Iraq:     Bagdad     2       Java:     May 24-30     2       Socrabaya     May 23-29     12     12       Straits Settlements:     May 7-13     2     2       Singapore     May 17-30     2     2		_ May 24-30	5	4	
Iraq:     Bagdad     2       Java:     Batavia.     2       Socrabaya.     May 23-29.     12     12       Straits Settlements:     May 7-13.     2     2       Singapore.     May 17-30.     2     2		35. 05.01			
Bagdad	Saigon	_ May 25-31	1	1	•
Java:     May 23-29     12     12       Batavia     May 7-13     2     2       Straits Settlements:     Singapore     May 17-30     2     2	iraq:	350-04-90			
Batavia.       May 23-29       12 </td <td></td> <td>- May 24-30</td> <td>-</td> <td></td> <td><b>\</b></td>		- May 24-30	-		<b>\</b>
Socrabaya		May 22 20	10	io	
Straits Settlements: Singapore May 17-30 2 2					
Singapore May 17-30 2 2		- May 1-10	- 4	- 1	
		May 17-30	9	9 1	
	Turkey:	1	- 1	- 1	
Constantinople May 25-31	Constantinople	May 25-31	1		

#### SMALLPOX

Brazil:   Pernambuco	
Canada:   British Columbia	
British Columbia— Vancouver June 22-28 2 Ontario May 31-June 27, deaths, 1.	
Vancouver June 22-28 2 May 31-June 27, deaths, 1.	
Ontario	
Ontario	
deaths, 1.	1925: Cases 12
	Corresponding
period, 1924—ca	ses 24
China:	200, 21.
Canton May 31-June 6 Present.	
Foochow May 24-June 6 Do.	
Hongkong May 10-16 1 1 1 Do May 24-30 2 2	
Manchuria—	
Dairen May 18-June 7 25 7	
Channe	
Egypt: Apr. 16-22 1	
Cairo Apr. 16-22 1	
Great Britain:	
England and Wales June 7-29 186	
Greece:	
Athens	
India May 3-23, 1925:	Cases, 13,417;
Bombay	
Calcutta May 31-June 6 50   45	
Karachi May 31-June 13 3	
Madras	
Rangoon	•
maica May 31-June 27,	1925: Cases, 33
(reported as a week ended M additional cases	lastrim). For ay 30, $1925-2$

# CHOLERA, PLAGUE, SMALLPOX, AND TYPHUS FEVER—Continued Reports Received During Week Ended July 24, 1925—Continued

#### SMALLPOX-Continued

Place	Date	Cases	Deaths	Remarks				
Java: Socrabaya. Mexico: Durango Guadalajara Mexico City  Poland. Siam: Bangkok. Spain: Malaga Straits Settlements: Singapore	May 7-13 June 1-30 June 30-July 6 June 6-27 May 17-23 June 14-20 May 17-23	11 5	6 11 1 	Including municipalities in Federal District. Mar. 22-Apr. 4, 1925: Cases, 9.				
Union of South Africa: Cape Province	May 24-30			Outbreaks.				
TYPHUS FEVER								
Egypt:	A 10 00							

Egypt: Cairo	Apr. 16-22	1		
Poland				Mar. 22-Apr. 11, 1925: Cases, 603;
Portugal: Oporto Rumania:	May 31-June 6	1		deaths, 38.
Constantza	May 1-31	1		
Tunis: Tunkey:	May 21-June 17	16	8	-
Constantinople	May 25-31	1		
Union of South Africa: Cape Province Orange Free State Transvaal	May 24-30dodo			Outbreaks. Do. Do.
1 ( ans / aar				20.

## Reports Received from June 27 to July 17, 1925 1

#### CHOLERA

Place	Date	Cases	Deaths	Remarks
Algeria: Algiers. Ceylon. Colombo India. Do. Rangoon. Indo-China: Saigon. Siam: Bangkok. Turkey: Constantinople.	May 11-20 May 10-16 May 3-9 May 17-23 May 3-23 May 4-10 Apr. 29-May 16 May 16-22	1 2 58 79 16 1 3	2 49 61 11	Jan. 25-Apr. 4, 1925: Cases, 10; deaths, 10. Apr. 26-May 2, 1925: Cases, 5,421 deaths, 3120. Feb. 8-14, 1925: Cases, 2; deaths, 2. Received out of date.

<sup>&</sup>lt;sup>1</sup> From medical officers of the Public Health Service, American consuls, and other sources. For reports received from Dec. 27, 1924, to June 26, 1925, see Public Health Reports for June 26, 1925. The tables of epidemic diseases are terminated semiannually and new tables begun.

## CHOLERA, PLAGUE, SMALLPOX, AND TYPHUS FEVER—Continued Reports Received from June 27 to July 17, 1925—Continued

#### PLAGUE

Place	Date	Cases	Deaths	Remarks
Brazil:	N			
Bahia	May 3-June 13	5	4	
British East Africa: UgandaCeylon:	Feb. 1-28	28	28	
Ceylon. Colombo Ecuador:	May 10-16		1	
Guayaquil	June 1-15	1	1	May 16-June 16, 1925: Rats ex amined, 20, 967; found infected 78.
				Jan. 1-June 10, 1925: Cases 64
Province— Assiout	June 5	1	1	Corresponding period 1924— cases, 284,
Beni Souef	June 10	3	ī	1
Charkieh	June 6-8	1	1	
Minia	June 6	2	1	
India				Apr. 26-May 2, 1925: Cases,
BombayKarachi	Apr. 26-May 9	15	16	3,858; deaths, 3,359.
Karacni	May 18-23	3 44	3	Fab 0 14 1005. Care 10
Rangoon	May 3-23	44	37	Feb. 8-14, 1925: Cases, 13; deaths, 13. (Received out of date.)
Indo-China:				
Cochin China—				
Saigon	Apr. 20-26	1	1	Including 100 square kilometers of surrounding country.
ava:	Mam 6 00	9		Dunnings
Batavia Pasoeroean Residency	May 6-22 Mar. 7	9	9	Province. Epidemic in one locality.
fasoeroean Residency	Wal.	i		Epidemic in one locality.
Province—				
	Apr. 1-15	1	1	
Tananarive	Apr. 1-30	128	104	Bubonic, cases, 80, deaths, 61;
Town—	- 1			pneumonic, cases 22: deaths.
Tamatave (port)	Apr. 1-15	2 .		17; septicemic, cases, 26; deaths,
	Apr. 16-30	1	1	26.
Vigeria	Dec., 1924	17	13	
	Jan., 1925	10	6	•
iam: Bangkok	Apr. 26-May 9	5	5	
traits Settlements:	Apr. 20-May 3	0	۱۹	
Singapore	May 3-16	7	7	

#### SMALLPOX

	· · · · · · · · · · · · · · · · · · ·	<del>,                                    </del>	<del>,</del>	
Algeria:		1		1
Algiers				May 1-31, 1925: Cases, 17; deaths
Brazil:		i	1	2
Pernambuco	Apr. 26-May 16	33	13	
Rio de Janeiro	May 9-16	1 %	10	}
British East Africa:	- May 5-10	1 *		į
Kenya—	1	l	1	l
Mombasa	Apr. 19-May 23	21	9	İ
Nairobi	May 3-9	3	2	
Tanganyika Territory	Apr. 5-May 9	22	6	
Uganda	Feb. 1-28	22		ļ
British South Africa:	Feb. 1-28	_		
Northern Rhodesia	Apr. 28-May 4	3	1	
Canada:	Apr. 20-May 1	٥		
British Columbia—	l .	I	l	
Vancouver	June 1-14	5		
New Brunswick—	June 1-14	9		
Restigouche County	June 1-30	1	1	
Ontario—	June 1-30	1		
Galt	June 14-20	2		
Kingston	dodo	z		
Saskatchewan—	ao	1		
	Morr 94 20	3	i l	
Regina	May 24-30	3		
	May 17-30			75 1
AmoyAntung		2	4	Prevalent in surrounding
Canton	May 11-June 7	2		country.
Chungking	May 10-30			Present.
Foochow	May 3-30			Widespread.
	May 9-23			Present.
Hongkong	Apr. 19-May 23	13	12	

## CHOLERA, PLAGUE, SMALLPOX, AND TYPHUS FEVER-Continued

## Reports Received from June 27 to July 17, 1925-Continued

#### SMALLPOX-Continued

Place	Date	Cases	Deaths	Remarks
China—Continued.			1 .	
Manchuria—		l	1 -	
Dairen	Apr. 13-May 17 May 13-June 2	82	9	· .
Harbin	May 13-June 2	2		
Nanking	May 9-June 6		-	Present.
Shanghai	May 3-June 6	5	2	0
Swatow	May 17-June 6		-	Stated to be endemic.
Tientsin	May 9-23	1		Two cases reported by British municipality.
Egypt:			1 _	1
Alexandria	May 21-27 Mar. 19-25	1	1	
_ Cairo	Mar. 19-25	1		·
France:	35 01 01	1	1	February March 1005, Cases
Paris	May 21-31	1 1		February-March, 1925: Cases,
Gold Coast		<b></b>	.	January-February, 1925: Cases,
Great Britain:			l	114; deaths, 17.
England and Wales		l <u>-</u> -	-	May 24-June 6, 1925: Cases, 187.
Birmingham		1		
Cardiff	June 14-20	1		1
Newcastle-on-Tyne		4		Tonuany Fahrus 1807. C.
Greece			·	January-February, 1925: Cases,
India		i	1	43; deaths, 6. Apr. 26-May 2, 1925; Cases,
IndiaBombay	Apr. 26-May 9	48	42	6,675; deaths, 1,719.
Calcutta	May 3-9	109	100	u,pro, ucatus, 1,116.
Do		75		
Karachi	May 18-30	13	1	
Madras	do	54		
Rangoon	May 3-23	129	65	
Indo-Crina:	May 0 20			
Cochin-China-			1	
Saigon	Apr. 20-May 24	13	9	
Iraq				Jan. 11-Apr. 4, 1925: Cases, 87;
Bagdad	Apr. 26-May 2	3		deaths, 42.
Jamaica				Apr. 26-May 30, 1925: Cases, 75
		_	ł	(reported as alastrim).
Kingston	Apr. 26-May 30	6		Reported as alastrim.
apan:		_	1	·
Kobe	May 24-30	1		
Nagasaki	May 15-21	2		
Yokohama	May 25-31	1		
ava:	Mano	1	1	Province.
Batavia Rembang Residency	May 2-8 Apr. 23			Epidemic at Kawedanam.
Soerabaya	Apr. 16-May 6	93	10	Epidemic at Itawedanam
Tegal	Mar. 29-Apr. 4	2	10	
Malta	June 1-15.	2		
viexico:	June 1-10	-		
Guadalajara	June 2-29		10	
Mexico City	May 24-30	1		Including municipalities in Fed-
Tampico	June 1-10		1	eral District.
Aorocco:			-	
Tangier	May 17-June 5			Present among natives.
ligeria				December, 1924: Cases, 40; deaths, 16.
				deaths, 16.
Do				January-February, 1925: Cases,
	1			421; deaths, 11.
Persia:	j			
Teheran	Mar. 21-Apr. 21		11	10
				Mar. 1-21, 1925: Cases, 10.
ortugal:			ا م	
Lisbon	Apr. 26-June 13	35	6	December, 1924; Cases, 880,
tussia				December, 1924: Cases, 880. January, 1925: Cases, 383.
iam.	İ		l i	January, 1920. Cases, sea.
iam:	Ann 96 Mon 16	9	6	
Bangkok	Apr. 26-May 16	9	١٥١	
pain:	Morr 94-Tune 12	i	12	
Malaga Valencia	May 24-June 13 May 31-June 6	1.	12	•
valencia.	May of Julie O	1.		
Beirut	Apr. 21-30	1	l	
17011 UV	12 pt . 41 00		'	

## CHOLERA, PLAGUE, SMALLPOX, AND TYPHUS FEVER—Continued.

## Reports Received from June 27 to July 17, 1925—Continued

#### SMALLPOX—Continued

Place	Date	Cases	Deaths	Remarks
Tripoli	•			Jan. 3-Feb. 20, 1925: Cases, 6.
Tunis: Tunis	May 6-June 10		23	
Turkey: Constantinople Union of South Africa:	May 16-22	2		
TransvaalUruguay	May 3-9			Outbreaks. December, 1924: Cases, 8.

#### TYPHUS FEVER

Algeria: Algiers	May 11-20	6	2	In violate 19 cons Toolst 1
Bulgaria	May 11-20		1 -	In vicinity, 12 cases. Isolated. November-December, 1924:
Sofia	May 28-June 3	2		case. January-March, 1925 Cases, 36; deaths, 2.
Chile:				Cases, 50, ueatils, 2.
Valparaiso	May 10-16		1	
Manchuria— Harbin	May 19-June 2	2		
Egypt:	-	_		
Alexandria Cairo	May 7-June 3 Mar. 26-Apr. 8		4	
Port Said	May 14-20	1	1	
Greece	May 1-31	¦	2	January-February, 1925: Cases, 40: deaths, 4.
Latvia			<u></u>	April, 1925: Cases, 12.
Mexico: Mexico City	May 24-June 6	24		Including municipalities in Fed-
Morocco				eral district. January, 1925: Cases, 63.
Palestine:		2		, 1020. Cubes, 66.
Jaffa District Majdal	May 26-June 8	3		
Ramleh	May 19-25	1		
Arequipa	Apr. 1-30		2	
Poland				Mar. 1-21 1925: Cases, 592; deaths. 36.
Russia				December, 1924: Cases, 4,227. January, 1925; Cases, 3,828.
Spain:	_			January, 1920. Cases, 3,828.
Valencia Furkev:	June 7-13		1	
	May 11-20	6	2	
Cape Province	Apr. 19-May 23			Outbreaks.
Natal	May 3-9	14		Do. European.
Durban Orange Free State	Feb. 1-May 23	12		Outbreaks.
Transvaai	Feb. 1-Apr. 15 May 17-23			<b>Do.</b> .
Yugoslavia:		-		
Zagreb	May 8-21	7	1	