

PUBLIC HEALTH REPORTS

VOL. 40

SEPTEMBER 4, 1925

No. 36

OAKLAND, CALIF., DECLARED FREE FROM PLAGUE INFECTION

Under date of September 4, 1925, the following letter was sent to medical officers in charge of United States quarantine stations and to other persons concerned:

In view of the fact that no plague infection has been discovered among the rodents in Oakland, Calif., since March 4, 1925, all special restrictions against vessels from that port are removed, and you will consider the city of Oakland as free from plague infection.

This action leaves all United States ports clear of plague infection, New Orleans, La., having been declared free from infection July 18, and San Pedro, Calif., August 6, 1925.

AMERICAN PUBLIC HEALTH ASSOCIATION ANNUAL MEETING IN ST. LOUIS, MO., OCTOBER 19-22

Announcement has been made that the Fifty-fourth Annual Meeting of the American Public Health Association will be held in St. Louis, Mo., October 19-22, 1925, with headquarters at the Hotel Statler. This association is the professional society of sanitarians in North America, and its annual meetings always offer a program of particular interest to public health workers. Several special features add more than usual interest to this year's program.

The American Public Health Association, representing all public health specialities, both official and unofficial, brings together at its meetings and includes in its programs the various elements, personnel, and subjects that go to make up our public health structure. With a view to correlating these elements, it has this year arranged for a greater number of joint sessions and general sessions than is customary.

The nine sections of the association—public health administration, laboratory, sanitary engineering, food and drugs, vital statistics, industrial hygiene, child hygiene, health education and publicity, and public health nursing—will have their own programs, consisting of one or more sessions. In addition, in a number of instances, two and sometimes four sections will combine to discuss in a joint meeting

some outstanding development of interest to the various groups. One subject to be discussed from four angles is the epidemiology of respiratory diseases; another is oyster pollution. There will be also five general sessions participated in by the entire association. In the 27 meetings, more than 125 papers and reports are scheduled. These figures do not include luncheon and dinner sessions devoted to particular topics, nor a special session on mental hygiene sponsored by the National Committee on Mental Hygiene.

The local committee on arrangements has provided an attractive program of entertainment, including trips to points of general and scientific interest in and near St. Louis, free tickets to the theater, and the usual reception following the opening meeting.

Additional information regarding the meeting and the program may be secured by addressing the secretary, American Public Health Association, 370 Seventh Avenue, New York City.

COMMERCIAL PASTEURIZATION (PUBLIC HEALTH BULLETIN NO. 147)—ERRATA

Attention has been called to two errors in the table of requirements of pasteurization ordinances on page 130 of Public Health Bulletin No. 147, "Commercial Pasteurization," issued recently by the Public Health Service.

Since 1916 the regulations of the department of health of Chicago have required that all milk be pasteurized at a temperature of not less than 145° F., maintained for a period of not less than 30 minutes, instead of 140° F. for 20 minutes. In Detroit the present regulation makes the minimum temperature 142° F. instead of 145°.

THE NOTIFIABLE DISEASES

PREVALENCE DURING 1924 IN CITIES OF OVER 100,000

The following tables were compiled from data furnished by the health officers of the cities. They include all cities of 100,000 population or over in the United States.

The following is a list of the diseases included:

Anthrax.	Pneumonia (all forms).
Cerebrospinal meningitis.	Poliomyelitis.
Chicken pox.	Rabies in animals.
Dengue.	Rabies in man.
Diphtheria.	Scarlet fever.
Influenza.	Septic sore throat.
Lethargic encephalitis.	Smallpox.
Malaria.	Tuberculosis (all forms and pulmonary)
Measles.	Typhoid fever.
Mumps.	Typhus fever.
Pellagra.	Whooping cough.

The populations given, and which were used in computing the rates, were estimated as of July 1, 1924, except where otherwise stated.

The estimated expectancy, given in the tables for some of the diseases, is the result of an attempt to ascertain from the experience of recent years how many cases of the disease under consideration might be expected in 1924. In most instances the estimated expectancy is the median number of cases reported by the city for the years 1917 to 1923, inclusive. When several epidemics have occurred during these years, or when for other reasons the median is not satisfactory, epidemic years are excluded, and the estimated expectancy is the mean of the number of cases reported for the non-epidemic years. The aim has been to ascertain how many cases of each disease may reasonably be expected in the absence of epidemics.

The column headed "Number of years" shows the number of years for which data were available for each city.

In comparing the figures for 1924 with the estimated expectancy, averages, or with reports for preceding years, it should be borne in mind that for several years there has been a gradual improvement in the reporting of communicable diseases. An increase in the number of cases reported may be due to better reporting rather than to an increase in the number of cases occurring.

In studying these tables it should be kept in mind that a relatively large number of reported cases of a communicable disease as indicated by a high case rate (and more especially when accompanied by a relatively small number of deaths, as indicated by a low fatality rate) usually means that the health department of that city is active and that the cases of the disease are being well reported by the practicing physicians. It does not usually mean that the disease is more prevalent in that city than in other cities. A high fatality rate may mean that the disease was unusually virulent in a city; that the physicians did not treat the disease in that city with the success usual elsewhere; or that the practicing physicians did not report all of their cases to the health department. On the other hand, an unusually low fatality rate may be due to the fact that the disease in the city was unusually mild; that the physicians treated it with unusual success; that the practicing physicians reported their cases satisfactorily; or that the registration of deaths was incomplete or the assignment of the causes of death inaccurate.

Cities which did not report either cases or deaths of a certain disease in 1924 are not included in the table for that disease.

The following table gives a comparison of the rates for some of the principal communicable diseases in the large cities of the United States for the years 1922, 1923, and 1924:

	Cases		Deaths	
	Number of cities	Cases per 1,000 pop- ulation	Number of cities	Deaths per 1,000 pop- ulation
Chicken pox:				
1922.....	68	1.69	68	.001
1923.....	77	2.02	77	.001
1924.....	82	2.45	82	.001
Diphtheria:				
1922.....	73	2.25	73	.16
1923.....	77	1.97	77	.13
1924.....	82	1.67	83	.11
Influenza:				
1922.....			70	.16
1923.....			77	.21
1924.....			80	.10
Lethargic encephalitis:				
1924.....			68	.02
Measles:				
1922.....	72	5.26	72	.06
1923.....	77	7.11	77	.06
1924.....	80	4.36	83	.05
Mumps:				
1922.....	66	.72	66	.0005
1923.....	69	.75	69	.0005
1924.....	75	1.66	76	.0006
Pneumonia:				
1922.....			74	1.36
1923.....			75	1.51
1924.....			83	1.35
Poliomyelitis:				
1924.....	66	.07	72	.01
Scarlet fever:				
1922.....	73	1.80	73	.03
1923.....	77	2.07	77	.04
1924.....	82	2.15	82	.03
Smallpox:				
1922.....	75	.17	75	.0119
1923.....	78	.18	78	.0014
1924.....	83	.50	83	.0165
Tuberculosis (all forms):				
1922.....			72	1.01
1923.....			77	.98
1924.....			82	.96
Tuberculosis (pulmonary):				
1922.....			64	.87
1923.....			67	.85
1924.....			70	.82
Typhoid fever:				
1922.....	73	.19	73	.0329
1923.....	77	.19	77	.0327
1924.....	81	.22	83	.0341
Whooping cough:				
1923.....	76	1.67	76	.06
1924.....	77	1.56	81	.05

Diphtheria shows continued improvement for the three years. The death rate from this disease has decreased steadily for more than two decades at least.

In 83 large cities of the United States smallpox caused 15,574 cases of illness and 513 deaths during the year 1924. These could have been prevented by vaccination and revaccination. The case rate for smallpox in 1924 (50 cases per 100,000 population) was almost three times the rate for 1923 (18 per 100,000), and the death

rate (1.65 per 100,000) was the highest recorded for the large cities in the present series of reports, which was started in 1912.

In the large cities typhoid fever shows a slight increase for the year 1924 over the preceding two years. However, the death rate for 1924 (3.4 per 100,000) is lower than the rate for any year prior to 1922 for which records for these cities are available.

Reported Prevalence for the Year 1924

ANTHRAX

City	Cases reported, 1924	Deaths registered, 1924	City	Cases reported, 1924	Deaths registered, 1924
California:			New York:		
Los Angeles.....	1		New York.....	1	0
Delaware:			Ohio:		
Wilmington.....	1	0	Akron.....	2	1
Louisiana:			Pennsylvania:		
New Orleans.....	3	1	Philadelphia.....	7	1
Massachusetts:			Tennessee:		
Boston.....	2	0	Memphis.....	1	0
Lowell.....	1	1	Texas:		
Lynn.....	2	1	Fort Worth.....		
New Jersey:			Houston.....	2	2
Camden.....	2	0			

CEREBROSPINAL MENINGITIS

City	Estimated population, July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases reported	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Alabama:								
Birmingham.....	200,785	7	11	3	.01	1	0.00	33.3
California:								
Los Angeles.....	1,666,853	7	22	49	.07	11	.02	22.4
Oakland.....	246,893	5	6	3	.01	0		
San Francisco.....	548,284	7	34	18	.03	15	.03	83.3
Colorado:								
Denver.....	1,272,031	5	1	1	.00	0		
Connecticut:								
Bridgeport.....	* 143,555	7	15			1	.01	
Hartford.....	156,167	7	7			3	.02	
New Haven.....	175,947	7	13			3	.02	
Waterbury.....	* 100,000	7	8			2	.02	
Delaware:								
Wilmington.....	119,888	6	2	9	.08	4	.03	44.4
District of Columbia:								
Washington.....	486,936	6	8	2	.00	0		
Georgia:								
Atlanta.....	227,710	4	9			8	.04	
Illinois:								
Chicago.....	2,942,605	4	69	33	.01	19	.01	57.6
Iowa:								
Des Moines.....	145,053	4	3			12	.08	
Kansas:								
Kansas City.....	121,762	7	10	8	.07	2	.02	25.0
Kentucky:								
Louisville.....	258,465	7	10			2	.01	
Louisiana:								
New Orleans.....	409,534	7	12	5	.01	3	.01	60.0
Maryland:								
Baltimore.....	784,938	4	25	12	.02	11	.01	91.7

¹ Population uncertain. Not officially estimated for 1924.

² Population Jan. 1, 1920.

Reported Prevalence for the Year 1924—Continued

CEREBROSPINAL MENINGITIS—Continued

City	Estimated population, July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases reported	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Massachusetts:								
Boston	776,783	4	39	35	.05	19	.02	54.3
Cambridge	111,944	7	5	8	.07	5	.04	62.5
Fall River	121,034	7	9			6	.05	
Lowell	115,755	7	8			4	.03	
Lynn	103,693	6	6	8	.08	3	.03	37.5
New Bedford	132,002	5	4			4	.03	
Somerville	100,440	7	2			1	.01	
Springfield	148,402	5	5	2	.01	1	.01	50.0
Worcester	195,406	7	6	3	.02	1	.01	33.3
Michigan:								
Detroit	1,995,668	5	55			26	.03	
Minnesota:								
Duluth	108,395	5	4			3	.03	
Minneapolis	417,250	5	8			5	.01	
St. Paul	243,946	6	5	1	.00	0		
Missouri:								
Kansas City	359,650	5	11			3	.01	
St. Louis	812,608	7	37	29	.04	16	.02	55.2
Nebraska:								
Omaha	208,025	3	4	1	.00	0		
New Jersey:								
Elizabeth	1,163,947	3	5			9	.09	
Jersey City	312,157	7	13	8	.03	5	.02	
Newark	445,606	7	31	20	.04	11	.02	55.0
Paterson	140,637	7	9	8	.06	0		
New York:								
Albany	118,527	5	2	3	.03	2	.02	66.7
Buffalo	545,273	7	18	7	.01	4	.01	57.1
New York	6,015,504	7	279	156	.03	104	.02	66.7
Schenectady	100,467	7	4			1	.01	
Syracuse	188,000	7	3	2	.01	1	.01	50.0
Ohio:								
Akron	1,208,435	5	9	3	.01	2	.01	66.7
Cincinnati	407,835	6	10			3	.01	
Cleveland	912,502	6	21	19	.02	8	.01	42.1
Dayton	169,236	7	7			3	.02	
Toledo	280,359	5	4	2	.01	1	.00	50.0
Youngstown	155,153	5	4	1	.01	0		
Oklahoma:								
Tulsa	113,128	2	4			12	.11	
Oregon:								
Portland	278,002	6	5			1	.00	
Pennsylvania:								
Philadelphia	1,951,076	4	37	25	.01	19	.01	76.0
Pittsburgh	626,015	6	14	9	.01	7	.01	77.8
Rhode Island:								
Providence	243,745	7	13	5	.02	3	.01	60.0
Tennessee:								
Memphis	172,276	7	11	4	.02	3	.02	75.0
Texas:								
Dallas	187,862	7	8			3	.02	
El Paso	100,624			1	.01	0		
Houston	1,154,970	5	4	1	.01	0		
San Antonio	191,398	5	7			10	.05	
Utah:								
Salt Lake City	128,564	5	5	4	.03	3	.02	75.0
Virginia:								
Richmond	183,723	7	2			2	.01	
Washington:								
Seattle	1,315,685	4	8	8	.03	4	.01	50.0
Tacoma	103,093	6	4			2	.02	
Wisconsin:								
Milwaukee	494,198			12	.02	8	.02	66.7
Total:								
37 cities	22,315,949		792	515	.02	288	.01	55.9
39 cities	22,910,772			528	.02	296	.01	56.1
64 cities	28,307,184					425	.02	

¹ Population uncertain. Not officially estimated for 1924.² Population Jan. 1, 1920.

Reported Prevalence for the Year 1924—Continued

CHICKEN POX

City	Estimated population, July 1, 1924	Average, 1922-23	1924				
			Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:							
Birmingham	200,785	217	390	1.94	0		
California:							
Los Angeles	¹ 666,853	1,250	3,245	4.87	0		
Oakland	246,893	320	407	1.65	0		
San Francisco	548,284	1,177	1,353	2.47	2	0.00	676.5
Colorado:							
Denver	¹ 272,031		1,157	4.25	0		
Connecticut:							
Bridgeport	¹ 143,555	152	106	.74	0		
Hartford	156,167	180	267	1.71	1	.01	267.0
New Haven	175,947		431	2.45	0		
Waterbury	¹ 100,000	98	46	.46	0		
Delaware:							
Wilmington	119,888	178	131	1.09	0		
District of Columbia:							
Washington	486,936	1,223	1,625	3.34	0		
Florida:							
Jacksonville	102,471		243	2.37	0		
Georgia:							
Atlanta	227,710	98	54	.24	0		
Illinois:							
Chicago	2,942,605	4,280	5,451	1.85	3	.00	1,817.0
Indiana:							
Indianapolis	351,073	987	1,624	4.63	0		
Iowa:							
Des Moines	145,053		19	.13	0		
Kansas:							
Kansas City	121,762	244	427	3.51	0		
Kentucky:							
Louisville	258,465	181	233	.90	0		
Louisiana:							
New Orleans	409,534		124	.30	0		
Maryland:							
Baltimore	784,938	2,486	3,753	4.78	2	.00	1,876.5
Massachusetts:							
Boston	776,783	1,606	1,886	2.43	3	.00	628.7
Cambridge	111,944	463	630	5.63	0		
Fall River	121,634	99	133	1.10	0		
Lowell	115,755	62	113	.98	0		
Lynn	103,693	95	55	.53	0		
New Bedford	132,602	88	134	1.01	0		
Somerville	100,440	92	96	.96	0		
Springfield	148,402	278	220	1.48	0		
Worcester	195,405	254	453	2.31	0		
Michigan:							
Detroit	² 995,668	1,998	3,115	3.13	4	.00	778.7
Flint	¹ 117,968	348	445	3.77	0		
Grand Rapids	148,322	272	336	2.27	0		
Minnesota:							
Duluth	108,395	221	569	5.25	0		
Minneapolis	417,280	2,123	3,358	8.05	1	.00	3,358.0
St. Paul	243,946	813	1,487	6.10	0		
Missouri:							
Kansas City	359,650	361	412	1.15	0		
St. Louis	812,698	1,156	1,094	1.35	1	.00	1,094.0
Nebraska:							
Omaha	208,025	221	273	1.31	0		
New Jersey:							
Camden	126,399	132	209	1.65	0		
Elizabeth	¹ 103,947	253	310	2.98	0		
Jersey City	312,157	206	194	.62	0		
Newark	445,606	1,336	1,613	3.62	1	.00	1,613.0
Paterson	140,637	384	377	2.68	0		
Trenton	129,705	113	132	1.02	0		

¹Population uncertain. Not officially estimated for 1924.²Population Jan. 1, 1920.

Reported Prevalence for the Year 1924—Continued

CHICKEN POX—Continued

City	Estimated population, July 1, 1924	Average, 1922-23	1924				
			Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
New York:							
Albany	118,527	404	456	3.85	0		
Buffalo	545,273	905	1,112	2.04	0		
New York	6,015,504	7,204	8,260	1.37	14	.00	590.0
Rochester	325,211	358	376	1.16	0		
Schenectady	100,467	195	181	1.80	0		
Syracuse	188,060	356	722	3.84	0		
Utica	105,315	307	200	1.90	0		
Yonkers	109,618	166	272	2.48	0		
Ohio:							
Akron	* 208,435	348	462	2.22	0		
Canton	102,754	424	439	4.27	0		
Cincinnati	407,835	420	673	1.65	0		
Cleveland	912,502	2,145	3,275	3.59	0		
Columbus	268,209		358	1.33	0		
Dayton	169,236	140	165	.97	0		
Toledo	280,359	977	1,644	5.86	2	.01	822.0
Youngstown	155,153	295	433	2.79	0		
Oklahoma:							
Oklahoma	104,080	176	36	.35	0		
Oregon:							
Portland	278,002	543	523	1.88	0		
Pennsylvania:							
Erie	* 112,571	416	562	4.99	0		
Philadelphia	1,951,076	3,766	4,980	2.55	5	.00	996.0
Pittsburgh	626,015	1,966	3,043	4.86	0		
Reading	111,812	386	352	3.15	0		
Scranton	141,451	53	186	1.31	0		
Rhode Island:							
Providence	243,745	81	123	.50	2	.01	61.5
Tennessee:							
Memphis	172,276	414	673	3.91	0		
Nashville	123,424	70	111	.90	0		
Texas:							
Dallas	187,862	545	360	1.92	0		
El Paso	100,624		330	3.28	0		
Fort Worth	148,107		72	.49	0		
Houston	* 154,970		62	.40	0		
San Antonio	191,398	26	12	.06	0		
Utah:							
Salt Lake City	128,564	831	1,233	9.59	0		
Virginia:							
Norfolk	164,105	72	407	2.48	0		
Richmond	183,723	175	276	1.50	0		
Washington:							
Seattle	* 315,685	864	1,068	3.38	0		
Spokane	* 104,573	403	851	8.14	0		
Tacoma	103,093	239	230	2.23	0		
Wisconsin:							
Milwaukee	494,199	1,516	2,973	6.02	0		
Total:							
73 cities	29,314,278	53,231	73,425	2.50	41	.00	1,790.9
82 cities	31,091,224		76,221	2.45	41	.00	1,859.0

DENGUE

City	Cases reported, 1924	Deaths registered, 1924	City	Cases reported, 1924	Deaths registered, 1924
Florida:			New York:		
Jacksonville	9	0	New York		
Georgia:			Texas:		
Atlanta	3	0	Houston	1	0

¹ Population uncertain. Not officially estimated for 1924.² Population Jan. 1, 1920.

Reported Prevalence for the Year 1924—Continued

DIPHTHERIA

City	Estimated population, July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases reported	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Alabama:								
Birmingham.....	200,785	7	216	126	0.63	7	0.03	5.6
California:								
Los Angeles.....	¹ 666,853	7	1,945	2,742	4.11	151	.23	5.5
Oakland.....	246,938	7	213	.944	3.82	57	.23	6.0
San Francisco.....	548,284	7	952	1,272	2.32	121	.22	9.5
Colorado:								
Denver.....	1,272,631	5	529	774	2.85	57	.21	7.4
Connecticut:								
Bridgeport.....	² 143,555	7	430	312	2.17	25	.17	8.0
Hartford.....	156,167	7	406	310	1.99	10	.06	3.2
New Haven.....	175,947	7	209	68	.39	3	.02	4.4
Waterbury.....	¹ 100,000	7	192	275	2.75	26	.26	9.5
Delaware:								
Wilmington.....	119,888	7	89	168	1.40	14	.12	8.3
District of Columbia:								
Washington.....	486,936	7	735	398	.82	30	.06	7.5
Florida:								
Jacksonville.....	102,471	5	53	128	1.25	20	.20	15.6
Georgia:								
Atlanta.....	227,710	6	200	204	.90	18	.08	8.8
Illinois:								
Chicago.....	2,942,605	5	6,007	3,672	1.25	216	.97	5.9
Indiana:								
Indianapolis.....	351,073	4	559	301	.86	15	.04	5.0
Iowa:								
Des Moines.....	145,053	5	194	150	1.03	19	.13	12.7
Kansas:								
Kansas City.....	121,762	7	188	122	1.00	11	.09	9.0
Kentucky:								
Louisville.....	258,466	7	538	197	.76	5	.02	2.5
Louisiana:								
New Orleans.....	409,534	7	648	591	1.20	23	.06	3.9
Maryland:								
Baltimore.....	784,938	7	1,318	1,111	1.42	61	.08	5.5
Massachusetts:								
Boston.....	776,783	7	2,992	2,521	3.25	168	.22	6.7
Cambridge.....	111,944	7	249	236	2.11	8	.07	3.4
Fall River.....	121,634	7	223	190	1.57	18	.15	9.5
Lowell.....	115,755	7	234	113	.98	10	.09	8.8
Lynn.....	103,693	6	202	129	1.24	9	.09	7.0
New Bedford.....	132,602	7	144	129	.97	13	.10	10.1
Somerville.....	100,440	7	218	197	1.96	14	.14	7.1
Springfield.....	148,402	7	179	171	1.15	23	.15	13.5
Worcester.....	195,405	7	282	374	1.91	45	.23	12.0
Michigan:								
Detroit.....	¹ 995,668	7	3,506	2,138	2.15	163	.16	7.6
Flint.....	¹ 117,968	6	498	158	1.34	18	.15	11.4
Grand Rapids.....	148,322	7	307	189	1.27	8	.08	4.2
Minnesota:								
Duluth.....	106,395	7	198	67	.62	1	.01	1.5
Minneapolis.....	417,280	7	1,046	1,232	3.19	70	.17	5.3
St. Paul.....	243,946	6	880	895	3.67	35	.14	3.9
Missouri:								
Kansas City.....	359,650	6	476	272	.76	15	.04	5.5
St. Louis.....	812,698	7	2,951	1,800	2.21	79	.10	4.4
Nebraska:								
Omaha.....	208,025	6	364	204	1.46	34	.16	11.2
New Jersey:								
Camden.....	126,399	7	246	307	2.43	23	.18	7.5
Elizabeth.....	¹ 103,947	7	359	278	2.67	23	.22	8.3
Jersey City.....	312,157	6	769	523	1.68	39	.12	7.5
Newark.....	445,606	7	974	574	1.29	39	.09	6.8
Paterson.....	140,637	7	292	184	1.31	12	.09	6.5
Trenton.....	129,705	7	287	247	1.90	11	.08	4.5

¹ Population uncertain. Not officially estimated for 1924.² Population Jan. 1, 1920.

Reported Prevalence for the Year 1924—Continued

DIPHTHERIA—Continued

City	Estimated population, July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases reported	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
New York:								
Albany	118,527	7	168	362	3.05	16	.13	4.4
Buffalo	545,273	7	1,009	519	.95	47	.09	9.1
New York	6,015,504	7	12,624	9,687	1.61	714	.12	7.4
Rochester	325,211	7	499	77	.24	15	.05	19.5
Schenectady	100,487	7	125	233	2.32	10	.10	4.3
Syracuse	188,060	7	454	369	1.96	17	.09	4.6
Utica	105,315	7	177	348	3.30	14	.13	4.0
Yonkers	109,618	7	262	206	1.88	14	.13	6.8
Ohio:								
Akron	* 203,435	7	335	245	1.18	9	.04	3.7
Canton	102,754	7	170	213	2.07	14	.14	6.6
Cincinnati	407,835	7	690	397	.97	16	.04	4.0
Cleveland	912,502	7	1,788	1,100	1.21	79	.09	7.2
Columbus	288,209	7	348	208	.78	11	.04	5.3
Dayton	169,236	7	211	182	1.08	17	.10	9.3
Toledo	280,359	6	562	386	1.38	28	.10	7.3
Youngstown	155,153	7	220	202	1.30	16	.10	7.9
Oklahoma:								
Oklahoma	104,080	6	116	56	.54	8	.08	14.3
Tulsa	113,128	3	79	-----	-----	7	.06	-----
Oregon:								
Portland	278,002	6	309	770	2.77	26	.09	3.4
Pennsylvania:								
Erie	* 112,571	7	217	113	1.00	4	.04	3.5
Philadelphia	1,951,076	7	3,310	3,874	1.99	275	.14	7.1
Pittsburgh	626,015	7	1,327	1,218	1.95	96	.15	7.9
Reading	111,812	7	200	163	1.46	15	.13	9.2
Scranton	141,451	7	224	128	.90	8	.06	6.2
Rhode Island:								
Providence	243,745	7	735	420	1.76	35	.14	8.2
Tennessee:								
Memphis	172,276	7	474	248	1.44	14	.08	5.6
Nashville	123,424	7	84	39	.32	2	.02	5.1
Texas:								
Dallas	187,862	7	331	338	1.80	14	.07	4.1
El Paso	100,624	4	42	129	1.28	10	.10	7.8
Fort Worth	148,107	7	139	86	.58	3	.02	3.5
Houston	* 154,970	7	178	167	1.08	9	.06	5.4
San Antonio	191,398	6	143	120	.63	6	.03	5.0
Utah:								
Salt Lake City	128,564	7	166	165	1.28	15	.12	9.1
Virginia:								
Norfolk	164,105	6	131	74	.45	3	.02	4.1
Richmond	183,723	7	398	470	2.56	22	.12	4.7
Washington:								
Seattle	* 315,685	7	309	459	1.45	24	.08	5.2
Spokane	* 104,573	7	114	251	2.40	13	.12	5.2
Tacoma	103,093	7	125	169	1.64	17	.16	10.1
Wisconsin:								
Milwaukee	494,199	7	1,017	649	1.31	40	.08	6.2
Total:								
82 cities	31,091,224		63,913	52,042	1.67	3,463	.11	6.7
83 cities	31,204,352				-----	3,470	.11	-----

¹ Population uncertain. Not officially estimated for 1924.² Population Jan. 1, 1920.

Reported Prevalence for the Year 1924—Continued

INFLUENZA

City	Estimated population July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:						
Birmingham.....	200,785	201	1.00	61	0.30	3.3
California:						
Los Angeles.....	1,666,853	268	.40	53	.08	5.1
Oakland.....	246,893	38	.15	23	.09	1.7
San Francisco.....	548,284	152	.28	26	.05	5.8
Colorado:						
Denver.....	1,272,031			43	.16	
Connecticut:						
Bridgeport.....	143,555	27	.19	24	.17	1.1
Hartford.....	156,167			9	.06	
New Haven.....	175,947			12	.07	
Waterbury.....	1,100,000	14	.14	10	.10	1.4
Delaware:						
Wilmington.....	119,888			27	.23	
District of Columbia:						
Washington.....	486,936	66	.14	33	.07	2.0
Florida:						
Jacksonville.....	102,471			15	.15	
Georgia:						
Atlanta.....	227,710	114	.50	32	.14	3.6
Illinois:						
Chicago.....	2,942,606	605	.21	184	.06	3.3
Indiana:						
Indianapolis.....	351,073			60	.17	
Iowa:						
Des Moines.....	145,053			23	.16	
Kansas:						
Kansas City.....	121,762			2	.02	
Kentucky:						
Louisville.....	258,465	79	.31	15	.06	5.3
Louisiana:						
New Orleans.....	409,534	176	.43	129	.31	1.4
Maryland:						
Baltimore.....	784,938	892	1.14	116	.15	7.7
Massachusetts:						
Boston.....	776,783	127	.16	30	.04	4.2
Cambridge.....	111,944	19	.17	4	.04	4.7
Fall River.....	121,034	25	.21	15	.12	1.7
Lowell.....	115,755	7	.06	3	.03	2.3
Lynn.....	103,693	2	.02	1	.01	2.0
New Bedford.....	132,602			3	.02	
Somerville.....	100,440	6	.06	1	.01	6.0
Springfield.....	148,402	21	.14	17	.11	1.2
Worcester.....	195,405	20	.10	3	.02	6.7
Michigan:						
Detroit.....	1,995,668	80	.08	65	.07	1.2
Flint.....	1,117,968	6	.05	5	.04	1.2
Grand Rapids.....	148,322			3	.02	
Minnesota:						
Duluth.....	108,395			1	.01	
Minneapolis.....	417,280			27	.06	
St. Paul.....	243,946			15	.06	
Missouri:						
Kansas City.....	359,650			81	.23	
St. Louis.....	812,698	22	.03	4	.00	5.5
New Jersey:						
Camden.....	126,399			3	.02	
Elizabeth.....	103,947			5	.05	
Jersey City.....	312,157			35	.11	
Newark.....	445,606	338	.76	19	.04	17.8
Paterson.....	140,637			16	.11	
Trenton.....	129,705	31	.24	23	.18	1.3
New York:						
Albany.....	118,527	58	.49	7	.06	8.3
Buffalo.....	545,273	44	.08	28	.05	1.6
New York.....	6,015,504	1,753	.29	649	.09	8.2
Rochester.....	325,211			13	.04	
Schenectady.....	100,467			8	.08	
Syracuse.....	188,060			2	.02	
Utica.....	105,315	12	.11	0		
Yonkers.....	106,618			3	.03	

¹ Population uncertain. Not officially estimated for 1924.² Population Jan. 1, 1920.

Reported Prevalence for the Year 1924—Continued

INFLUENZA—Continued

City	Estimated population July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
Ohio:						
Akron	1 208,435			6	.03	
Canton	102,754			3	.03	
Cincinnati	407,835			67	.16	
Cleveland	912,502	169	.19	81	.09	2.1
Columbus	268,209			33	.12	
Dayton	169,236			20	.12	
Toledo	280,359			24	.09	
Youngstown	155,153			23	.15	
Oklahoma:						
Oklahoma	104,080			9	.09	
Tulsa	113,128			11	.10	
Pennsylvania:						
Erie	1 112,571			22	.20	
Philadelphia	1,951,076			209	.11	
Pittsburgh	626,015			154	.25	
Reading	111,812			47	.42	
Scranton	141,451			7	.05	
Rhode Island:						
Providence	243,745			15	.06	
Tennessee:						
Memphis	172,276			55	.32	
Nashville	123,424			81	.66	
Texas:						
Dallas	187,862			43	.23	
El Paso	100,624			43	.43	
Fort Worth	148,107			9	.06	
Houston	1 154,970			17	.11	
San Antonio	191,398			6	.03	
Utah:						
Salt Lake City	128,564			17	.13	
Virginia:						
Richmond	183,723			33	.18	
Washington:						
Seattle	315,685			35	.11	
Spokane	1 104,573			16	.15	
Tacoma	103,093			10	.10	
Wisconsin:						
Milwaukee	494,199	19	.04	9	.02	2.1
Total:						
31 cities	19,382,979	5,391	.28	1,570	.08	3.4
80 cities	30,554,220			2,992	.10	

LETHARGIC ENCEPHALITIS

Alabama:						
Birmingham	200,785	4	.02	3	.01	1.3
California:						
Los Angeles	1 666,853	28	.04	2	.00	14.0
Oakland	246,593	11	.04	8	.03	1.4
San Francisco	548,284	32	.06	25	.05	1.3
Colorado:						
Denver	1 272,031			7	.03	
Connecticut:						
Bridgeport	3 143,555			13	.09	
Hartford	156,167	11	.07	3	.02	3.7
New Haven	175,947			1	.01	
Waterbury	1 100,000	1	.01	0		
District of Columbia:						
Washington	486,936	10	.02	9	.02	1.1
Florida:						
Jacksonville	102,471	1	.01	0		
Illinois:						
Chicago	2,942,605	48	.02	10	.00	4.8
Kansas:						
Kansas City	121,762	5	.04	4	.03	1.2
Kentucky:						
Louisville	258,465			1	.00	
Louisiana:						
New Orleans	409,534	11	.03	3	.01	3.7

¹ Population uncertain. Not officially estimated for 1924.² Population Jan. 1, 1920.

Reported Prevalence for the Year 1924—Continued

LETHARGIC ENCEPHALITIS—Continued

City	Estimated population July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
Maryland:						
Baltimore	784,938	39	.05	29	.04	1.3
Massachusetts:						
Boston	776,783	42	.05	16	.02	2.6
Cambridge	111,944	5	.04	0		
Fall River	121,034			1	.01	
Lowell	115,755			1	.01	
Lynn	103,693	3	.03	1	.01	3.0
New Bedford	132,602			2	.02	
Somerville	100,440	6	.06	1	.01	6.0
Springfield	148,402	2	.01	1	.01	2.0
Worcester	195,405	4	.02	1	.01	4.0
Michigan:						
Detroit	1,995,668	31	.03	15	.02	2.1
Flint	1,117,968	2	.02	0		
Grand Rapids	148,322	1	.01	0		
Minnesota:						
Duluth	108,395			3	.03	
Minneapolis	417,280			9	.02	
St. Paul	243,946			16	.07	
Missouri:						
Kansas City	359,650	19	.05	18	.05	1.1
St. Louis	812,698			4	.00	
Nebraska:						
Omaha	208,025			4	.02	
New Jersey:						
Camden	126,399			3	.02	
Elizabeth	1,103,947			6	.06	
Jersey City	312,157	3	.01	0		
Newark	445,606	35	.08	8	.02	4.4
Paterson	140,637			6	.04	
Trenton	129,705	1	.01	0		
New York:						
Albany	118,527	6	.05	4	.03	1.5
Buffalo	545,273	3	.01	2	.00	1.5
New York	6,015,504	465	.08	247	.04	1.9
Rochester	325,211			5	.02	
Schenectady	100,467	5	.05	2	.02	2.5
Syracuse	188,060	3	.02	0		
Yonkers	109,618	4	.04	1	.01	4.0
Ohio:						
Cincinnati	407,835	5	.01	0		
Cleveland	912,502	14	.02	11	.01	1.3
Columbus	268,209			25	.09	
Dayton	169,236			4	.02	
Toledo	280,359			14	.05	
Youngstown	155,153	1	.01	0		
Oregon:						
Portland	278,002	20	.07	4	.01	5.0
Pennsylvania:						
Erie	1,112,571	3	.03	2	.02	1.5
Philadelphia	1,951,076	57	.03	30	.02	1.9
Pittsburgh	626,015			11	.02	
Rhode Island:						
Providence	243,745	4	.02	3	.01	1.3
Tennessee:						
Memphis	172,276			5	.03	
Texas:						
Houston	1,154,970			2	.01	
San Antonio	191,398			1	.01	
Utah:						
Salt Lake City	128,564			5	.04	
Virginia:						
Norfolk	164,105			3	.02	
Richmond	183,723			1	.01	
Washington:						
Seattle	1,315,685			6	.02	
Spokane	1,104,573	10	.10	8	.08	1.2
Tacoma	103,093			6	.06	
Wisconsin:						
Milwaukee	494,199	14	.03	12	.02	1.2
Total:						
40 cities	22,450,076	969	.04	483	.02	2.0
68 cities	28,913,636			648	.02	

¹ Population uncertain. Not officially estimated for 1924.² Population Jan. 1, 1920.

Reported Prevalence for the Year 1924—Continued

MALARIA

City	Estimated population, July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:						
Birmingham	200,785	123	.61	1	0.00	123.0
California:						
Los Angeles	¹ 666,853	2	.00	0		
Oakland	246,893	1	.00	0		
San Francisco	548,284	2	.00	0		
Connecticut:						
Bridgeport	² 143,555	1	.01	0		
Hartford	156,167	1	.01	0		
New Haven	175,947	1	.01	0		
District of Columbia:						
Washington	486,936			1	.00	
Florida:						
Jacksonville	102,471	44	.43	5	.05	8.8
Georgia:						
Atlanta	227,710	13	.06	1	.00	13.0
Illinois:						
Chicago	2,942,605	12	.00	10	.00	1.2
Kansas:						
Kansas City	121,762	4	.03	0		
Kentucky:						
Louisville	258,465	4	.02	1	.00	4.0
Louisiana:						
New Orleans	409,534	66	.16	7	.02	9.4
Maryland:						
Baltimore	784,938	23	.03	1	.00	23.0
Massachusetts:						
Boston	776,783	11	.01	0		
Cambridge	111,944	2	.02	0		
Lowell	115,755	5	.04	0		
New Bedford	132,602	1	.01	0		
Somerville	100,440	1	.01	0		
Michigan:						
Detroit	² 995,668			2	.00	
Missouri:						
Kansas City	359,650	3	.01	2	.01	1.5
St. Louis	812,698			2	.00	
New Jersey:						
Newark	445,606	9	.02	1	.00	9.0
Paterson	140,637	2	.01	1	.01	2.0
Trenton	129,705	2	.02	0		
New York:						
New York	6,015,504	39	.01	4	.00	9.7
Ohio:						
Cleveland	912,502	3	.00	0		
Dayton	169,236			1	.01	
Toledo	280,359			1	.00	
Pennsylvania:						
Philadelphia	1,951,076	3	.00	0		
Rhode Island:						
Providence	243,745			1	.00	
Tennessee:						
Memphis	172,276	392	2.28	17	.10	23.1
Nashville	123,424	2	.02	0		
Texas:						
Dallas	187,862			7	.04	
Forth Worth	148,107	343	2.32	0		
Houston	¹ 154,970			8	.05	
San Antonio	191,398			6	.03	
Virginia:						
Norfolk	164,105	5	.03	2	.01	2.5
Richmond	183,723	3	.02	0		
Total:						
31 cities	18,969,808	1,123	.06	53	.00	21.2
40 cities	22,492,680			82	.00	

¹ Population uncertain. Not officially estimated for 1924.² Population Jan. 1, 1920.

Reported Prevalence for the Year 1924—Continued
MEASLES

City	Estimated population, July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases reported	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Alabama:								
Birmingham	200,785	4	252	1,226	6.11	25	0.12	2.0
California:								
Los Angeles	¹ 666,853	6	2,503	5,091	7.63	15	.02	.3
Oakland	246,893	6	579	624	2.53	1	.00	.2
San Francisco	548,284	4	1,180	1,892	3.45	15	.03	.8
Colorado:								
Denver	¹ 272,031	3	789	1,763	6.48	23	.08	1.3
Connecticut:								
Bridgeport	² 143,555	7	409	39	.27	0		
Hartford	156,167	7	447	842	5.39	9	.06	
New Haven	175,947	5	636	341	1.94	1	.01	.3
Waterbury	¹ 100,000	7	174	11	.11	0		
Delaware:								
Wilmington	119,888	7	198	53	.44	0		
District of Columbia:								
Washington	486,936	3	424	425	.87	3	.01	.7
Florida:								
Jacksonville	102,471	3	386	1,137	11.10	18	.18	1.6
Georgia:								
Atlanta	227,710	4	281	167	.73	42	.18	25.1
Illinois:								
Chicago	2,942,605	4	8,023	6,000	2.04	72	.02	1.2
Indiana:								
Indianapolis	351,073	4	1,015	1,101	3.14	2	.01	.2
Iowa:								
Des Moines	145,053	4	55	158	1.09	18	.12	11.4
Kansas:								
Kansas City	121,762	6	458	1,118	9.18	12	.10	1.1
Kentucky:								
Louisville	258,465	5	498	194	.75	2	.01	1.0
Louisiana:								
New Orleans	409,534	6	560	1,776	4.34	76	.19	4.3
Maryland:								
Baltimore	784,938	5	3,475	4,256	5.42	25	.03	.6
Massachusetts:								
Boston	776,783	7	5,023	4,758	6.13	44	.06	.9
Cambridge	111,944	7	1,065	764	6.82	3	.03	.4
Fall River	121,034	7	537	148	1.22	0		
Lowell	115,755	5	381	200	1.73	0		
Lynn	103,693	5	281	310	2.99	0		
New Bedford	132,602	5	487	142	1.07	0		
Somerville	100,440	7	390	489	4.87	0		
Springfield	148,402	6	461	1,359	9.16	11	.07	.8
Worcester	195,405	7	304	230	1.18	2	.01	.9
Michigan:								
Detroit	² 995,668	5	1,968	3,712	3.73	55	.06	1.5
Flint	¹ 117,968	5	259	727	6.16	1	.01	.1
Grand Rapids	148,322	4	287	181	1.22	0		
Minnesota:								
Duluth	108,395	7	175	186	1.72	0		
Minneapolis	417,280	5	863	666	1.60	7	.02	1.1
St. Paul	243,946	5	821	689	2.82	6	.02	.9
Missouri:								
Kansas City	359,650	5	1,081	1,860	5.17	28	.08	1.5
St. Louis	812,698	4	1,148	1,185	1.46	19	.02	1.6
Nebraska:								
Omaha	208,025	5	446	1,439	6.92	10	.05	.7
New Jersey:								
Camden	126,399	7	312	105	.83	2	.02	1.9
Elizabeth	¹ 103,947	4	350	280	2.69	8	.08	2.9
Jersey City	312,157	7	952	976	3.13	28	.09	2.9
Newark	445,606	7	3,956	3,031	6.90	16	.04	.5
Paterson	140,637	5	764	902	6.41	7	.05	.8
Trenton	129,705	7	300	694	5.35	14	.11	2.0
New York:								
Albany	118,527	7	695	264	2.23	2	.02	.8
Buffalo	545,273	4	1,043	1,036	1.90	4	.01	.4
New York	6,015,504	5	17,205	33,561	5.58	508	.08	1.5
Rochester	325,211	4	1,102	495	1.52	9	.03	1.8
Schenectady	100,467	7	402	1,135	11.30	10	.10	.9
Syracuse	188,060	4	723	1,446	7.69	11	.06	.8
Utica	105,315	7	760	654	6.21	2	.02	.3
Yonkers	108,618	7	577	163	1.49	2	.02	1.2

¹ Population uncertain. Not officially estimated for 1924.² Population Jan. 1, 1920.

Reported Prevalence for the Year 1924—Continued

MEASLES—Continued

City	Estimated population, July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases reported	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Ohio:								
Akron	208,435	4	632	50	.24	0		
Canton	102,754	7	155	635	6.18	2	.02	.3
Cincinnati	407,835	5	1,002	2,198	5.39	28	.07	1.3
Cleveland	912,502	5	2,171	2,290	2.51	20	.02	.9
Columbus	268,209	4	496	103	.38	2	.01	1.9
Dayton	169,236	5	222	52	.31	1	.01	1.9
Toledo	280,359	6	1,231	1,563	5.57	28	.10	1.8
Youngstown	155,153	7	636	302	1.95	3	.02	1.0
Oklahoma:								
Oklahoma	104,080	6	185	316	3.04	7	.07	2.2
Tulsa	113,128	3	213			1	.01	
Oregon:								
Portland	278,002	5	1,122	2,882	10.37	15	.05	.5
Pennsylvania:								
Erie	111,571	5	544	653	5.80	3	.03	.5
Philadelphia	1,951,076	4	4,015	3,816	1.96	29	.01	.8
Pittsburgh	626,015	5	3,490	1,282	2.05	13	.02	1.0
Reading	111,812	6	691	116	1.04	0		
Scranton	141,451	7	264	123	.87	1	.01	.8
Rhode Island:								
Providence	243,745	4	743	99	.41	1	.00	1.0
Tennessee:								
Memphis	172,276	4	332	894	5.19	8	.05	.9
Nashville	123,424	7	408	224	1.81	12	.10	5.4
Texas:								
Dallas	187,862	5	803	2,924	15.56	34	.18	1.2
El Paso	100,624	3	197	543	5.40	25	.25	4.6
Fort Worth	148,107	7	20			5	.03	
Houston	154,970	5	203			11	.07	
San Antonio	191,398	7	140	579	3.03	9	.05	1.6
Utah:								
Salt Lake City	128,564	5	526	4,571	35.55	17	.13	.4
Virginia:								
Norfolk	164,105	4	103	1,147	6.99	0		
Richmond	183,723	7	1,121	1,644	8.95	13	.07	.8
Washington:								
Seattle	315,685	7	1,572	8,170	25.88	34	.11	.4
Spokane	104,573	7	399	1,883	18.01	1	.01	.1
Tacoma	103,093	6	188	1,624	15.75	5	.05	.3
Wisconsin:								
Milwaukee	494,199	3	747	1,561	3.16	0		
Total:								
80 cities	30,788,147		91,595	134,245	4.36	1,477	.06	1.1
83 cities	31,204,352					1,494	.05	

MUMPS

City	Estimated population, July 1, 1924	Average, 1922-23	1924				
			Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:							
Birmingham	200,785	59	648	3.23	0		
California:							
Los Angeles	1,666,853	250	327	.49	0		
Oakland	246,893	18	52	.33	0		
San Francisco	548,284	168	623	1.14	0		
Colorado:							
Denver	1,272,031	335	410	1.51	0		
Connecticut:							
Bridgeport	143,555	36	60	.42	0		
Hartford	156,167	25	365	2.33	0		
New Haven	175,947	6	1,035	5.88	0		
Waterbury	100,000	22	11	.11	0		

¹ Population uncertain. Not officially estimated for 1924.¹ Population Jan. 1, 1920.

Reported Prevalence for the Year 1924—Continued

MUMPS—Continued

City	Estimated population, July 1, 1924	Average, 1922-23	1924				
			Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Delaware:							
Wilmington.....	119,888		28	.23	0		
Florida:							
Jacksonville.....	102,471		513	5.01	0		
Georgia:							
Atlanta.....	227,710	87	115	.51	0		
Illinois:							
Chicago.....	2,942,605	1,400	3,160	1.07	3	.00	1,053.3
Iowa:							
Des Moines.....	145,053		1	.01	0		
Kansas:							
Kansas City.....	121,762	451	210	1.72	0		
Kentucky:							
Louisville.....	258,465		122	.47	0		
Maryland:							
Baltimore.....	784,938	2,152	668	.85	1	.00	668.0
Massachusetts:							
Boston.....	776,783	1,358	719	.93	0		
Cambridge.....	111,944	381	781	6.98	0		
Fall River.....	121,034	62	86	.71	0		
Lowell.....	115,755	67	79	.68	0		
Lynn.....	103,693	32	94	.91	0		
New Bedford.....	132,602	13	134	1.01	0		
Somerville.....	100,440	99	68	.68	0		
Springfield.....	148,402	233	314	2.12	0		
Worcester.....	195,405	134	677	3.46	0		
Michigan:							
Detroit.....	1,995,668	601	2,067	2.08	5	.01	413.4
Flint.....	1,117,968	105	659	5.59	0		
Grand Rapids.....	148,322	106	666	4.49	0		
Minnesota:							
Duluth.....	108,395	271	19	.18	0		
Minneapolis.....	417,280		121	.29	2	.00	60.5
St. Paul.....	243,946	69	671	2.75	0		
Missouri:							
Kansas City.....	350,650	188	483	1.34	0		
St. Louis.....	812,698	223	1,071	1.32	1	.00	1,071.0
Nebraska:							
Omaha.....	208,025	160	7	.03	0		
New Jersey:							
Camden.....	126,399	46	121	.96	0		
Elizabeth.....	1,103,947	245	626	6.02	0		
Jersey City.....	312,157	18	38	.12	0		
Newark.....	445,606	689	2,202	4.94	0		
Paterson.....	140,637	62	74	.53	0		
Trenton.....	129,705	12	1	.01	0		
New York:							
Albany.....	118,527	383	31	.26	0		
Buffalo.....	545,273	242	1,362	2.50	0		
New York.....	6,015,504	3,462	5,692	.95	0		
Rochester.....	325,211	215	535	1.65	0		
Schenectady.....	100,467	293	10	.10	0		
Syracuse.....	188,060	266	272	1.45	0		
Utica.....	105,315	95	323	3.07	0		
Yonkers.....	109,618	148	75	.68	0		
Ohio:							
Akron.....	2,208,435	38	1,107	5.31	0		
Canton.....	102,754	124	506	4.92	0		
Cincinnati.....	407,835	115	350	.86	0		
Cleveland.....	912,502	446	5,798	6.35	0		
Columbus.....	268,209		49	.18	2	.01	24.5
Dayton.....	169,236		19	.11	0		
Toledo.....	280,359	15			1	.00	
Youngstown.....	155,153	11	50	.32	0		
Oregon:							
Portland.....	278,002	92	105	.38	0		
Pennsylvania:							
Philadelphia.....	1,951,076	903	4,320	2.21	0		
Pittsburgh.....	626,015	413	2,985	4.77	0		
Reading.....	111,812	30	814	7.28	0		
Scranton.....	141,451	53	30	.21	0		

¹ Population uncertain. Not officially estimated for 1924.² Population Jan. 1, 1920.

Reported Prevalence for the Year 1924—Continued

MUMPS—Continued

City	Estimated population, July 1, 1924	Average, 1922-23	1924				
			Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Rhode Island:							
Providence	243,745	56	42	.17	0		
Tennessee:							
Memphis	172,276	28	739	4.29	0		
Nashville	123,424	55	21	.17	0		
Texas:							
Dallas	187,862	82	421	2.24	0		
El Paso	100,624		309	3.07	0		
Fort Worth	148,107	3	7	.05	0		
Houston	154,970		1	.01	0		
Utah:							
Salt Lake City	128,564	957	404	3.14	0		
Virginia:							
Norfolk	164,105	8	532	3.24	0		
Richmond	183,723	22	32	.17	0		
Washington:							
Seattle	315,685	466	255	.81	0		
Spokane	104,573	17	45	.43	1	.01	45.0
Tacoma	103,093	158	120	1.16	0		
Wisconsin:							
Milwaukee	494,199	858	821	1.66	1	.00	821.0
Total:							
66 cities	27,419,077	20,222	47,175	1.72	12	.00	3931.2
75 cities	29,155,273		48,338	1.66	16	.00	3021.1
76 cities	29,435,632				17	.00	

PELLAGRA

City	Estimated population, July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases reported	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:								
Birmingham	200,785			25	0.12	18	0.09	1.4
California:								
Los Angeles	1,666,853	6	5	4	.01	3	.00	1.3
Oakland	246,893	7	1	2	.01	0		
San Francisco	548,284	4	1	2	.00	0		
District of Columbia:								
Washington	486,936	7	5			1	.00	
Florida:								
Jacksonville	102,471					11	.11	
Georgia:								
Atlanta	227,710					16	.07	
Illinois:								
Chicago	2,942,605					2	.00	
Kentucky:								
Louisville	258,465	4	1	1	.00	0		
Louisiana:								
New Orleans	409,534	6	28			22	.05	
Maryland:								
Baltimore	784,938					2	.00	
Massachusetts:								
Boston	776,783	7	5	17	.02	7	.01	2.4
Cambridge	111,944	7	0	1	.01	0		
Michigan:								
Detroit	2,995,668					2	.00	

¹ Population uncertain. Not officially estimated for 1924.² Population Jan. 1, 1920.

Reported Prevalence for the Year 1924—Continued

PELLAGRA—Continued

City	Estimated population, July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases reported	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Missouri:								
St. Louis	812,698					6	.01	
New York:								
New York	6,015,504					9	.00	
Ohio:								
Cleveland	912,502	6	1			4	.00	
Toledo	280,359	7	0			1	.00	
Oklahoma:								
Oklahoma	104,080	2	5			2	.02	
Tulsa	113,128	2	2			2	.02	
Oregon:								
Portland	278,002	6	0			1	.00	
Pennsylvania:								
Philadelphia	1,951,076	5	2			2	.00	
Rhode Island:								
Providence	243,745	6	0	1	.00	0		
Tennessee:								
Memphis	172,276	4	33	14	.08	3	.05	4.7
Nashville	123,424					9	.07	
Texas:								
Dallas	187,862	4	29			20	.11	
El Paso	100,624					2	.02	
Fort Worth	148,107					17	.11	
Houston	154,970					15	.10	
San Antonio	191,398					2	.01	
Virginia:								
Norfolk	164,105					2	.01	
Richmond	183,723			2	.01	1	.01	2.0
32 cities	20,897,452					182	.01	

PNEUMONIA (ALL FORMS)

City	Estimated population July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:						
Birmingham	200,785	827	4.12	471	2.35	1.8
California:						
Los Angeles	1,666,853	1,646	2.47	767	1.15	2.1
Oakland	246,893	181	.73	253	1.02	
San Francisco	548,284			703	1.29	
Colorado:						
Denver	1,272,031			552	2.03	
Connecticut:						
Bridgeport	143,555	181	1.26	162	1.13	
Hartford	156,167	137	.88	72	.46	
New Haven	175,947	129	.73	238	1.35	
Waterbury	100,000	66	.66	48	.48	
Delaware:						
Wilmington	119,888			264	2.20	
District of Columbia:						
Washington	486,936			741	1.52	
Florida:						
Jacksonville	102,471			119	1.16	
Georgia:						
Atlanta	227,710	748	3.28	679	2.98	1.1
Illinois:						
Chicago	2,942,605	9,530	3.24	2,863	.97	3.3
Indiana:						
Indianapolis	351,073			425	1.21	
Iowa:						
Des Moines	145,053			149	1.03	

¹ Population uncertain. Not officially estimated for 1924.² Lobar pneumonia only.³ Population Jan. 1, 1920.

Reported Prevalence for the Year 1924—Continued

PNEUMONIA (ALL FORMS)—Continued

	Estimated population July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
Kansas:						
Kansas City.....	121,762	243	2.00	150	1.23	1.6
Kentucky:						
Louisville.....	258,465			436	1.69	-----
Louisiana:						
New Orleans.....	409,534	672	1.64	587	1.43	1.1
Maryland:						
Baltimore.....	784,938			1,434	1.83	-----
Massachusetts:						
Boston.....	776,783	1,565	2.01	1,024	1.32	-----
Cambridge.....	111,944	210	1.88	121	1.08	-----
Fall River.....	121,034	126	1.04	134	1.11	-----
Lowell.....	115,755	61	.53	124	1.07	-----
Lynn.....	103,693	105	1.01	55	.53	-----
New Bedford.....	132,002	110	.83	184	1.39	-----
Somerville.....	100,440	163	1.62	102	1.02	-----
Springfield.....	148,402	160	1.14	63	.42	-----
Worcester.....	195,405	228	1.17	86	.44	-----
Michigan:						
Detroit.....	895,668	2,469	2.48	1,516	1.52	1.6
Flint.....	117,968			133	1.13	-----
Grand Rapids.....	148,322	190	1.34	113	.76	1.8
Minnesota:						
Duluth.....	108,395			97	.89	-----
Minneapolis.....	417,280			331	.79	-----
St. Paul.....	243,946			212	.87	-----
Missouri:						
Kansas City.....	359,650	587	1.63	529	1.47	1.1
St. Louis.....	812,698			1,431	1.76	-----
Nebraska:						
Omaha.....	208,025			323	1.55	-----
New Jersey:						
Camden.....	126,399	279	2.21	213	1.69	1.3
Elizabeth.....	103,947			109	1.05	-----
Jersey City.....	312,157			517	1.66	-----
Newark.....	445,606	2,738	6.14	515	1.16	5.3
Paterson.....	140,637			189	1.34	-----
Trenton.....	129,705	190	1.39	163	1.26	1.1
New York:						
Albany.....	118,527	420	3.62	138	1.16	3.1
Buffalo.....	545,273	1,089	2.00	509	.93	2.1
New York.....	6,015,504	18,594	3.09	9,152	1.52	2.0
Rochester.....	325,211	1,062	3.27	263	.81	4.0
Schenectady.....	100,467	231	2.30	79	.79	2.9
Syracuse.....	188,060	414	2.20	194	1.03	2.1
Utica.....	105,315	412	3.91	118	1.12	3.5
Yonkers.....	109,618			107	.98	-----
Ohio:						
Akron.....	208,435			167	.80	-----
Canton.....	102,754			129	1.26	-----
Cincinnati.....	407,835			457	1.12	-----
Cleveland.....	912,602	1,789	1.96	1,060	1.19	1.6
Columbus.....	268,209			145	.54	-----
Dayton.....	169,236			126	.74	-----
Toledo.....	280,359			246	.88	-----
Youngstown.....	155,153			207	1.33	-----
Oklahoma:						
Oklahoma.....	104,080			135	1.30	-----
Tulsa.....	113,128			73	.65	-----
Oregon:						
Portland.....	278,002			274	.99	-----
Pennsylvania:						
Erie.....	1112,571			125	1.11	-----
Philadelphia.....	1,951,076			2,864	1.47	-----
Pittsburgh.....	626,016			2,074	3.31	-----
Reading.....	111,812			132	1.18	-----
Scranton.....	141,451			206	2.00	-----
Rhode Island:						
Providence.....	243,745			330	1.35	-----
Tennessee:						
Memphis.....	172,276			405	2.35	-----
Nashville.....	123,424			197	1.60	-----

¹ Population uncertain. Not officially estimated for 1924.² Lobar pneumonia only.³ Population Jan. 1, 1920.

Reported Prevalence for the Year 1924—Continued

PNEUMONIA (ALL FORMS)—Continued

City	Estimated population July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
Texas:						
Dallas	187,862			206	1.10	
El Paso	100,624			130	1.29	
Fort Worth	148,107			158	1.07	
Houston	¹ 154,970			239	1.54	
San Antonio	191,398			303	1.58	
Utah:						
Salt Lake City	128,564			155	1.21	
Virginia:						
Norfolk	164,105			174	1.06	
Richmond	183,723			257	1.40	
Washington:						
Seattle	² 315,685			196	.62	
Spokane	¹ 104,573	112	1.07	103	.98	1.1
Tacoma	103,093			104	1.01	
Wisconsin:						
Milwaukee	494,199			575	1.16	
83 cities	31,204,352			42,038	1.35	

POLIOMYELITIS (INFANTILE PARALYSIS)

City	Estimated population, July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases reported	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Alabama:								
Birmingham	200,785	7	4	3	0.01	0		
California:								
Los Angeles	¹ 666,853	7	17	26	.04	0		
Oakland	246,893	6	3	20	.08	1	0.00	5.0
San Francisco	548,284	7	4	10	.02	2	.00	20.0
Colorado:								
Denver	¹ 272,031	6	2			2	.01	
Connecticut:								
Bridgeport	² 143,555	6	5	6	.04	2	.01	33.3
Hartford	156,167	7	3	16	.10	2	.01	12.5
New Haven	175,947	7	6	5	.03	0		
Waterbury	¹ 100,000	6	3	7	.07	1	.01	14.3
Delaware:								
Wilmington	119,888	6	0	2	.02	1	.01	50.0
District of Columbia:								
Washington	486,936	7	6	23	.05	1	.00	4.3
Illinois:								
Chicago	2,942,605	4	77	67	.02	2	.00	3.0
Iowa:								
Des Moines	145,053	3	2	3	.02	0		
Kansas:								
Kansas City	121,762	6	1	3	.02	1	.01	33.3
Kentucky:								
Louisville	258,465	6	2			1	.00	
Louisiana:								
New Orleans	409,534	7	4	6	.01	1	.00	16.7
Maryland:								
Baltimore	784,938	5	18	131	.17	11	.01	8.4
Massachusetts:								
Boston	776,783	6	34	76	.10	6	.01	7.9
Cambridge	111,944	6	3	8	.07	0		
Fall River	121,034	7	4	27	.22	1	.01	3.7
Lowell	115,755	6	7	15	.13	1	.01	6.7
Lynn	103,693	5	4	6	.06	0		
New Bedford	132,602	7	2	3	.02	0		
Somerville	100,440	7	3	8	.08	0		
Springfield	148,402	7	4	3	.02	0		
Worcester	195,405	5	3	10	.05	2	.01	20.0

¹ Population uncertain. Not officially estimated for 1924.² Population Jan. 1, 1920.

Reported Prevalence for the Year 1924—Continued

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued

City	Estimated population, July 1, 1924	Estimated ex- pectancy		1924				
		Number of years	Cases re- ported	Cases re- ported	Cases per 1,000 inhab- itants	Deaths regis- tered	Deaths per 1,000 inhab- itants	Fatalities per 100 cases
Michigan:								
Detroit.....	2,995,668	6	14	357	.36	60	.06	16.8
Flint.....	1,117,968	6	7	6	.05	0	-----	-----
Grand Rapids.....	148,322	7	3	14	.09	3	.02	21.4
Minnesota:								
Minneapolis.....	417,280	7	5	10	.02	2	.00	20.0
St. Paul.....	243,946	6	5	17	.07	1	.00	5.9
Missouri:								
St. Louis.....	812,698	5	13	22	.03	4	.00	18.2
Nebraska:								
Omaha.....	208,025	5	3	1	.00	0	-----	-----
New Jersey:								
Camden.....	126,399	7	1	3	.02	0	-----	-----
Jersey City.....	312,157	6	2	6	.02	0	-----	-----
Newark.....	445,606	7	21	13	.03	0	-----	-----
Paterson.....	140,637	7	3	1	.01	0	-----	-----
Trenton.....	129,705	7	2	8	.06	2	.02	25.0
New York:								
Albany.....	118,527	7	1	2	.02	0	-----	-----
Buffalo.....	545,273	7	7	34	.06	4	.01	11.8
New York.....	6,015,504	5	138	344	.06	90	.01	26.2
Rochester.....	325,211	5	4	5	.02	0	-----	-----
Schenectady.....	100,467	5	3	3	.03	1	.01	33.3
Syracuse.....	188,060	7	5	133	.71	12	.06	9.0
Utica.....	105,315	7	1	16	.15	2	.02	12.5
Yonkers.....	109,618	7	3	2	.02	2	.02	-----
Ohio:								
Akron.....	2,208,435	6	5	3	.01	0	-----	-----
Canton.....	102,754	7	2	1	.01	0	-----	-----
Cincinnati.....	407,835	7	5	9	.02	0	-----	-----
Cleveland.....	912,502	7	13	24	.03	3	.00	12.5
Columbus.....	268,209	5	4	6	.02	2	.01	33.3
Dayton.....	169,236	7	2	22	.13	4	.02	18.2
Toledo.....	280,359	7	4	6	.02	0	-----	-----
Youngstown.....	155,153	7	3	2	.01	1	.01	50.0
Oregon:								
Portland.....	278,002	7	2	33	.12	1	.00	3.0
Pennsylvania:								
Erie.....	1,112,571	7	2	10	.09	3	.03	30.0
Philadelphia.....	1,951,076	7	19	21	.01	3	.00	14.3
Pittsburgh.....	626,015	7	10	7	.01	3	.00	42.9
Rhode Island:								
Providence.....	243,745	6	6	9	.04	4	.02	44.4
Tennessee:								
Memphis.....	172,276	7	1	1	.01	0	-----	-----
Texas:								
Dallas.....	187,862	7	3	2	.01	1	.01	50.0
El Paso.....	100,624	3	1	-----	-----	2	.02	-----
Forth Worth.....	148,107	6	1	3	.02	0	-----	-----
Houston.....	1,154,970	7	1	-----	-----	1	.01	-----
San Antonio.....	191,398	7	1	-----	-----	3	.02	-----
Utah:								
Salt Lake City.....	128,564	5	2	2	.02	0	-----	-----
Virginia:								
Norfolk.....	164,105	5	1	24	.15	0	-----	-----
Richmond.....	183,723	7	5	5	.03	2	.01	40.0
Washington:								
Seattle.....	2,315,685	6	2	119	.38	20	.06	16.8
Spokane.....	1,104,573	7	1	47	.45	9	.09	-----
Tacoma.....	103,093	7	2	128	1.24	18	.17	14.1
Wisconsin:								
Milwaukee.....	494,199	4	12	4	.01	2	.00	50.0
Total:								
66 cities.....	28,270,105	-----	562	1,967	.07	292	.01	14.8
72 cities.....	29,357,211	-----	-----	-----	-----	303	.01	-----

¹ Population uncertain. Not officially estimated for 1924.² Population Jan. 1, 1920.

Reported Prevalence for the Year 1924—Continued

RABIES IN ANIMALS

City	Cases reported, 1924	City	Cases reported, 1924
Alabama:		Missouri:	
Birmingham	114	Kansas City	43
California:		New Jersey:	
Los Angeles	276	Jersey City	17
Oakland	10	Newark	26
District of Columbia:		Paterson	20
Washington	23	New York:	
Florida:		New York	12
Jacksonville	16	Yonkers	1
Kentucky:		Ohio:	
Louisville	13	Cleveland	167
Maryland:		Columbus	30
Baltimore	24	Pennsylvania:	
Massachusetts:		Erie	5
Boston	17	Tennessee:	
Somerville	2	Memphis	59
Michigan:		Texas:	
Detroit	300	Dallas	19
Grand Rapids	37	Houston	38

RABIES IN MAN

City	Deaths registered, 1924	City	Deaths registered, 1924
California:		Ohio:	
Los Angeles	3	Akron	1
Georgia:		Cleveland	1
Atlanta	1	Washington:	
Michigan:		Spokane	1
Detroit	3		
Missouri:			
Kansas City	1		

SCARLET FEVER

City	Estimated population, July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases reported	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Alabama:								
Birmingham	200,785	7	180	182	.91	2	0.01	1.1
California:								
Los Angeles	1,666,853	7	562	2,040	3.06	10	.01	.5
Oakland	246,893	7	317	373	1.51	0		
San Francisco	548,284	7	569	1,101	2.01	12	.02	1.1
Colorado:								
Denver	1,272,031	7	480	518	1.90	5	.02	1.0
Connecticut:								
Bridgeport	143,555	3	150	438	3.05	5	.03	1.1
Hartford	156,167	7	240	1,021	6.54	7	.04	.7
New Haven	175,947	5	176	620	3.52	2	.01	.3
Waterbury	1,100,000	6	234	309	3.09	6	.06	1.9
Delaware:								
Wilmington	119,888	4	110	234	1.95	3	.03	1.3
District of Columbia:								
Washington	486,936	7	782	1,260	2.59	8	.02	.6
Florida:								
Jacksonville	102,471	5	21	24	.23	0		
Georgia:								
Atlanta	227,710	7	212	271	1.19	6	.03	2.2

¹Population uncertain. Not officially estimated for 1924.²Population Jan. 1, 1920.

Reported Prevalence for the Year 1924—Continued

SCARLET FEVER—Continued

City	Estimated population, July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases reported	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Illinois:								
Chicago	2,942,605	5	3,849	4,953	1.68	75	.03	1.5
Indiana:								
Indianapolis	351,073	3	328	204	.58	4	.01	2.0
Iowa:								
Des Moines	145,053	4	283	209	1.44	2	.01	1.0
Kansas:								
Kansas City	121,762	7	179	174	1.43	3	.02	1.7
Kentucky:								
Louisville	258,465	7	153	139	.54	2	.01	1.4
Louisiana:								
New Orleans	400,534	7	175	292	.71	4	.01	1.4
Maryland:								
Baltimore	784,038	5	884	1,956	2.49	20	.03	1.0
Massachusetts:								
Boston	776,783	6	1,745	3,910	5.03	51	.07	1.3
Cambridge	111,944	6	206	556	4.97	0		
Fall River	121,034	7	119	259	2.14	2	.02	.8
Lowell	115,755	7	130	135	1.17	1	.01	.7
Lynn	103,693	6	187	202	1.95	2	.02	1.0
New Bedford	132,602	6	144	136	1.03	0		
Somerville	100,440	7	204	390	3.88	2	.02	.5
Springfield	148,402	6	255	821	5.53	4	.03	.5
Worcester	195,405	5	319	631	3.23	16	.08	2.5
Michigan:								
Detroit	2,995,668	7	3,125	3,338	3.35	51	.05	1.5
Flint	117,968	6	451	434	3.68	10	.08	2.3
Grand Rapids	148,322	7	297	500	3.37	3	.02	.6
Minnesota:								
Duluth	108,395	6	177	744	6.86	4	.04	.5
Minneapolis	417,280	4	774	2,211	5.30	20	.05	.9
St. Paul	243,946	4	558	1,513	6.20	17	.07	1.1
Missouri:								
Kansas City	359,650	6	387	767	2.13	5	.01	.7
St. Louis	812,698	7	1,175	4,041	4.97	74	.09	1.8
Nebraska:								
Omaha	208,025	5	270	125	.60	0		
New Jersey								
Camden	126,390	7	128	173	1.37	0		
Elizabeth	103,947	7	276	225	2.16	3	.03	1.3
Jersey City	312,187	7	420	569	1.82	7	.02	1.2
Newark	445,606	5	690	1,004	2.25	8	.02	.8
Paterson	140,637	7	170	221	1.57	0		
Trenton	129,705	7	103	280	2.16	2	.02	.7
New York:								
Albany	118,527	5	77	527	4.45	8	.07	1.5
Buffalo	545,273	4	682	807	1.48	15	.03	1.9
New York	6,015,504	5	6,018	8,399	1.40	80	.01	1.0
Rochester	325,211	6	349	802	2.47	12	.04	1.5
Schenectady	100,467	7	104	452	4.50	4	.04	.9
Syracuse	188,060	7	629	1,176	6.25	16	.09	1.4
Utica	105,315	7	85	248	2.35	1	.01	.4
Yonkers	109,618	6	178	228	2.08	4	.04	1.8
Ohio:								
Akron	208,435	7	363	395	1.90	11	.05	2.8
Canton	102,754	7	122	149	1.45	0		
Cincinnati	407,835	6	544	543	1.33	21	.05	3.9
Cleveland	912,502	5	1,245	817	.90	12	.01	1.5
Columbus	268,209	7	424	608	1.89	4	.01	.8
Dayton	169,236	7	236	253	1.49	3	.02	1.2
Toledo	280,359	5	536	745	2.66	17	.06	2.3
Youngstown	155,153	7	254	350	2.26	14	.09	4.0
Oklahoma:								
Oklahoma	104,060	6	119	61	.59	2	.02	3.3
Oregon:								
Portland	278,002	7	265	255	.92	4	.01	1.6

¹Population uncertain. Not officially estimated for 1924.²Population Jan. 1, 1920.

Reported Prevalence for the Year 1924—Continued

SCARLET FEVER—Continued

City	Estimated population, July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases reported	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Pennsylvania:								
Erie	1,112,571	7	186	604	5.37	3	.03	.6
Philadelphia	1,951,076	6	2,425	3,353	1.72	42	.02	1.3
Pittsburgh	626,015	7	1,127	1,825	2.92	36	.06	2.0
Reading	111,812	7	74	91	.81	2	.02	2.2
Scranton	141,451	7	171	62	.44	2	.01	3.2
Rhode Island:								
Providence	243,745	7	423	1,689	6.93	16	.07	.9
Tennessee:								
Memphis	172,276	7	177	267	1.55	8	.05	3.0
Nashville	123,424	7	122	56	.45	1	.01	1.8
Texas:								
Dallas	187,862	7	110	167	.89	1	.01	.6
El Paso	100,624	4	64	111	1.10	4	.04	3.6
Fort Worth	148,107	7	63	75	.51	1	.01	1.3
Houston	154,970	7	42	98	.63	0		
San Antonio	191,398	7	32	42	.22	0		
Utah:								
Salt Lake City	128,564	7	119	97	.75	1	.01	1.0
Virginia:								
Norfolk	164,105	6	82	62	.38	0		
Richmond	183,723	7	231	165	.90	1	.01	.6
Washington:								
Seattle	2,315,685	5	367	445	1.41	3	.01	.7
Spokane	1,104,573	7	247	444	4.25	5	.05	1.1
Tacoma	103,093	7	126	117	1.13	4	.04	3.4
Wisconsin:								
Milwaukee	494,199	7	1,241	918	1.86	8	.02	.9
82 cities	31,091,234		41,860	66,906	2.15	824	.03	1.3

SEPTIC SORE THROAT

City	Estimated population July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
California:						
Oakland	246,893	3	0.01	0		
San Francisco	548,284			5	.01	
Connecticut:						
Bridgeport	1,143,555	2	.01	0		
Hartford	156,167	1	.01	0		
New Haven	175,947			2	.01	
Waterbury	1,100,000			1	.01	
Georgia:						
Atlanta	227,710	2	.01	0		
Illinois:						
Chicago	2,942,605	61	.02	19	.01	3.2
Iowa:						
Des Moines	145,053			6	.04	
Louisiana:						
New Orleans	409,534	1	.00	0		
Maryland:						
Baltimore	784,938	31	.04	6	.01	5.2
Massachusetts:						
Boston	776,783	79	.10	11	.01	7.2
Cambridge	111,944	4	.04	0		
Fall River	121,034	4	.03	2	.02	2.0
Lowell	115,755			1	.01	
Lynn	103,693	1	.01	0		
New Bedford	132,602	3	.02	0		
Somerville	100,440	3	.03	0		
Springfield	148,402	2	.01	0		
Worcester	195,405	3	.02	1	.01	3.0

¹ Population uncertain. Not officially estimated for 1924.² Population Jan. 1, 1920.

Reported Prevalence for the Year 1924—Continued

SEPTIC SORE THROAT—Continued

City	Estimated population July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
Michigan:						
Flint	117,968			5	.04	
New Jersey:						
Newark	445,606			8	.02	
New York:						
Albany	118,527	8	.07	1	.01	8.0
New York	6,015,504			53	.01	
Rochester	325,211			1	.00	
Schenectady	100,467	2	.02	0		
Syracuse	188,060	1	.01	0		
Yonkers	109,618			1	.01	
Ohio:						
Akron	1208,435			3	.01	
Oklahoma:						
Tulsa	113,128			2	.02	
Rhode Island:						
Providence	243,745	3	.01	2	.01	1.5
Texas:						
El Paso	100,624	3	.03	0		
32 cities	15,773,637			130	.01	

SMALLPOX

City	Estimated population, July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases reported	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Alabama:								
Birmingham	200,785			1,113	5.54	1	0.00	0.1
California:								
Los Angeles	1666,853	7	137	3,401	5.10	12	.02	.4
Oakland	246,893	5	44	84	.34	0		
San Francisco	548,284	5	108	33	.06	0		
Colorado:								
Denver	1272,031			6	.02	0		
Connecticut:								
Bridgeport	143,555	7	3	1	.01	0		
Hartford	156,167	7	1	2	.01	0		
New Haven	175,947	7	1	1	.01	0		
District of Columbia:								
Washington	486,936	7	66	147	.30	0		
Florida:								
Jacksonville	102,471	4	23	10	.10	0		
Georgia:								
Atlanta	227,710	3	53	1,595	7.01	6	.03	.4
Illinois:								
Chicago	2,942,605	4	104	236	.08	1	.00	.4
Indiana:								
Indianapolis	351,073	5	215	1,014	2.89	0		
Iowa:								
Des Moines	145,053	4	155	107	.74	0		
Kansas:								
Kansas City	121,762	4	54	14	.11	0		
Kentucky:								
Louisville	258,465	7	31	34	.13	2	.01	5.9
Louisiana:								
New Orleans	409,534			5	.01	0		
Maryland:								
Baltimore	784,938	7	18	39	.05	0		
Massachusetts:								
Springfield	148,402	7	1	1	.01	0		

¹ Population uncertain. Not officially estimated for 1924.² Population Jan. 1, 1920.

Reported Prevalence for the Year 1924—Continued

SMALLPOX—Continued

City	Estimated population, July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases reported	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Michigan:								
Detroit.....	995,668	5	311	1,610	1.62	163	.16	10.1
Flint.....	117,968	4	34	162	1.37	7	.06	4.3
Grand Rapids.....	148,322	5	39	49	.33	0	0	-----
Minnesota:								
Duluth.....	108,395	4	94	228	2.10	13	.12	5.7
Minneapolis.....	417,280	4	385	993	2.38	221	.58	22.3
St. Paul.....	243,946	7	435	773	3.17	10	.04	1.3
Missouri:								
Kansas City.....	359,650	5	232	7	.02	0	0	-----
St. Louis.....	812,098	4	106	118	.15	0	0	-----
Nebraska:								
Omaha.....	208,025	4	236	178	.86	0	0	-----
New Jersey:								
Camden.....	126,309	7	1	47	.37	14	.11	29.8
Elizabeth.....	103,947	7	0	45	.43	0	0	-----
Newark.....	445,606	7	2	4	.01	0	0	-----
Trenton.....	129,705	7	1	26	.20	0	0	-----
New York:								
Albany.....	118,527	7	1	34	.29	0	0	-----
Buffalo.....	545,273	6	23	19	.03	0	0	-----
New York.....	6,015,504	7	18	3	.00	0	0	-----
Rochester.....	325,211	7	2	10	.03	1	.00	10.0
Schenectady.....	100,467	7	1	8	.08	0	0	-----
Syracuse.....	188,060	6	1	3	.02	0	0	-----
Ohio:								
Akron.....	208,435	7	163	157	.75	0	0	-----
Canton.....	102,754	7	51	6	.06	0	0	-----
Cincinnati.....	407,835	7	98	218	.53	0	0	-----
Cleveland.....	912,502	4	66	99	.11	6	.01	6.1
Columbus.....	268,209	5	55	138	.50	0	0	-----
Dayton.....	169,236	7	67	59	.53	0	0	-----
Toledo.....	280,359	7	120	559	1.99	31	.11	5.5
Youngstown.....	155,163	5	84	546	3.52	0	0	-----
Oklahoma:								
Oklahoma.....	104,080	3	110	44	.42	0	0	-----
Oregon:								
Portland.....	278,002	4	280	413	1.49	0	0	-----
Pennsylvania:								
Erie.....	112,571	5	2	1	.01	0	0	-----
Philadelphia.....	951,076	7	18	33	.02	0	0	-----
Pittsburgh.....	626,015	7	19	107	.17	24	.04	22.4
Reading.....	111,812	7	0	4	.04	0	0	-----
Tennessee:								
Memphis.....	172,276	5	84	29	.17	0	0	-----
Nashville.....	123,424	7	44	61	.49	0	0	-----
Texas:								
Dallas.....	187,862	3	67	26	.14	0	0	-----
Fort Worth.....	148,107	5	61	112	.76	0	0	-----
Houston.....	154,970	6	43	4	.03	0	0	-----
San Antonio.....	191,398	6	14	2	.01	0	0	-----
Utah:								
Salt Lake City.....	128,564	4	133	9	.07	0	0	-----
Virginia:								
Richmond.....	183,723	7	5	14	.08	1	.01	7.1
Washington:								
Seattle.....	315,685	4	154	133	.42	0	0	-----
Spokane.....	104,573	4	300	481	4.60	0	0	-----
Tacoma.....	103,063	4	92	105	1.02	0	0	-----
Wisconsin:								
Milwaukee.....	494,199	3	99	24	.05	0	0	-----
Total:								
61 cities.....	27,013,678		5,223	14,450		513		3.5
83 cities ³	31,204,352			15,574	.50	513	.02	3.3

¹ Population uncertain. Not officially estimated for 1924.² Population Jan. 1, 1920.³ 19 cities, not included in the table, did not have any cases of smallpox or deaths from this disease during 1924.

Reported Prevalence for the Year 1924—Continued

TUBERCULOSIS (ALL FORMS)

City	Estimated population July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:						
Birmingham	200,785	497	2.48	232	1.26	2.0
California:						
Los Angeles	1,666,853	3,655	5.48	1,297	1.94	2.8
Oakland	246,893	303	1.23	144	.58	2.1
San Francisco	548,284	1,223	2.23	670	1.22	1.8
Colorado:						
Denver	1,272,031			576	2.12	
Connecticut:						
Bridgeport	2,143,555			95	.66	
Hartford	156,167	246	1.58	62	.40	4.0
New Haven	175,947	338	1.92	127	.72	2.7
Waterbury	1,100,000	119	1.19	50	.50	2.4
District of Columbia:						
Washington	486,936	1,330	2.73	559	1.15	2.4
Florida:						
Jacksonville	102,471	260	2.54	177	1.73	1.5
Georgia:						
Atlanta	227,710	420	1.84	285	1.25	1.5
Illinois:						
Chicago	2,942,605	8,633	2.93	2,434	.83	3.5
Indiana:						
Indianapolis	351,073			349	.99	
Iowa:						
Des Moines	145,053			82	.57	
Kansas:						
Kansas City	121,762	302	2.48	99	.81	3.1
Kentucky:						
Louisville	258,465	743	2.87	296	1.15	2.5
Louisiana:						
New Orleans	409,534	1,118	2.73	692	1.69	1.6
Maryland:						
Baltimore	784,938	1,477	1.88	943	1.20	1.6
Massachusetts:						
Boston	776,783	2,252	2.90	784	1.01	2.9
Cambridge	111,944	227	2.03	139	1.24	1.6
Fall River	121,034	235	1.94	111	.92	2.1
Lowell	115,755	198	1.71	112	.97	1.8
Lynn	103,693	173	1.67	68	.66	2.5
New Bedford	132,602	302	2.28	115	.87	2.6
Somerville	100,440	132	1.31	46	.46	2.9
Springfield	148,402	167	1.13	84	.57	2.0
Worcester	195,405	273	1.40	147	.75	1.9
Michigan:						
Detroit	2,995,668	2,421	2.43	1,134	1.14	2.1
Flint	1,117,968	94	.80	52	.44	1.8
Grand Rapids	148,322	236	1.59	69	.47	3.4
Minnesota:						
Duluth	108,395			56	.52	
Minneapolis	417,280	1,610	3.86	289	.69	5.6
St. Paul	243,946	387	1.59	204	.84	1.9
Missouri:						
Kansas City	359,650	553	1.54	329	.91	1.7
St. Louis	812,698			652	.80	
Nebraska:						
Omaha	208,025			127	.61	
New Jersey:						
Camden	126,399	166	1.31	93	.74	1.8
Elizabeth	1,103,947	103	.99	76	.73	1.4
Jersey City	312,157	470	1.51	327	1.05	1.4
Newark	445,606	909	2.04	392	.88	2.3
Paterson	140,637	300	2.13	123	.87	2.4
Trenton	129,705	228	1.76	124	.96	1.8
New York:						
Albany	118,527	238	2.01	130	1.10	1.8
Buffalo	545,273	944	1.73	528	.97	1.8
New York	6,015,504	12,384	2.06	5,587	.93	2.2
Rochester	325,211	603	1.85	180	.55	3.3
Schenectady	100,467	162	1.61	37	.37	4.4
Syracuse	188,060	341	1.81	82	.44	4.2
Utica	105,315	118	1.12	76	.72	1.6
Yonkers	109,618	168	1.53	72	.66	2.3

¹ Population uncertain. Not officially estimated for 1924.² Population Jan. 1, 1920.

Reported Prevalence for the Year 1924—Continued

TUBERCULOSIS (ALL FORMS)—Continued

City	Estimated population July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
Ohio:						
Akron.....	208,435	428	2.05	87	.42	4.9
Canton.....	102,754	121	1.18	36	.34	2.2
Cincinnati.....	407,833	928	2.28	518	1.27	1.8
Cleveland.....	912,502	2,118	2.32	845	.93	2.5
Columbus.....	268,209	225	.84
Dayton.....	169,236	116	.65
Toledo.....	280,359	294	1.05
Youngstown.....	155,153	93	.60
Oklahoma:						
Oklahoma.....	104,080	75	.72	60	.58	1.2
Tulsa.....	113,128	59	.52
Oregon:						
Portland.....	278,002	382	1.37	146	.53	2.6
Pennsylvania:						
Erie.....	¹ 112,571	230	2.04	90	.88	2.3
Philadelphia.....	1,951,076	2,026	1.04
Pittsburgh.....	626,015	572	.91
Reading.....	111,812	60	.54
Scranton.....	141,451	108	.76	85	.60	1.3
Rhode Island:						
Providence.....	243,745	204	.84
Tennessee:						
Memphis.....	172,276	767	4.45	319	1.88	2.4
Nashville.....	123,424	312	2.53	210	1.70	1.5
Texas:						
Dallas.....	187,862	181	.96
El Paso.....	100,634	404	4.01
Fort Worth.....	148,107	112	.76	61	.41	1.8
Houston.....	¹ 154,970	175	1.13
San Antonio.....	191,398	453	2.37
Utah:						
Salt Lake City.....	128,564	111	.86
Virginia:						
Norfolk.....	164,105	141	.86
Richmond.....	183,723	206	1.12
Washington:						
Seattle.....	² 315,685	202	.64
Spokane.....	¹ 104,573	137	1.31	53	.51	2.6
Tacoma.....	103,098	52	.50	35	.34	1.5
Wisconsin:						
Milwaukee.....	494,199	279	.50
Total:						
57 cities.....	23,203,771	52,828	2.28	22,171	.96	2.4
82 cities.....	31,084,464	29,903	.96

TUBERCULOSIS (PULMONARY)

Alabama:						
Birmingham.....	200,785	471	2.35	204	1.02	2.3
California:						
Los Angeles.....	¹ 666,853	1,076	1.61
Oakland.....	246,893	121	.49
San Francisco.....	548,294	570	1.04
Colorado:						
Denver.....	¹ 272,031	525	1.93
Connecticut:						
Bridgeport.....	² 143,555	230	1.60	81	.56	2.8
Hartford.....	156,167	224	1.43	55	.35	4.1
New Haven.....	175,947	279	1.59	109	.62	2.6
Waterbury.....	¹ 100,000	117	1.17	47	.47	2.5
Delaware:						
Wilmington.....	119,888	98	.82
District of Columbia:						
Washington.....	486,936	1,263	2.59	474	.97	2.7
Florida:						
Jacksonville.....	102,471	166	1.62
Illinois:						
Chicago.....	2,942,605	2,078	.71
Indiana:						
Indianapolis.....	351,073	414	1.18	283	.81	1.5
Iowa:						
Des Moines.....	145,053	63	.49

¹ Population uncertain. Not officially estimated for 1924.² Population Jan. 1, 1920.

Reported Prevalence for the Year 1924—Continued
TUBERCULOSIS (PULMONARY)—Continued

City	Estimated population July 1, 1924	Cases reported, 1924	Cases per 1,000 inhabitants	Deaths registered, 1924	Deaths per 1,000 inhabitants	Cases reported for each death registered
Louisiana:						
New Orleans.....	409,534	635	1.55
Maryland:						
Baltimore.....	784,938	1,445	1.84	843	1.07	1.7
Massachusetts:						
Boston.....	776,783	1,870	2.41	670	.86	2.8
Cambridge.....	111,944	184	1.64	118	1.05	1.6
Fall River.....	121,034	214	1.77	94	.78	2.3
Lowell.....	115,755	153	1.32	86	.74	1.8
Lynn.....	102,693	145	1.40	54	.52	2.7
New Bedford.....	132,602	186	1.40	96	.72	1.9
Somerville.....	100,440	108	1.08	35	.35	3.1
Springfield.....	148,402	132	.89	63	.42	2.1
Worcester.....	195,405	222	1.14	123	.63	1.8
Michigan:						
Detroit.....	* 995,668	2,265	2.27	930	.93	2.4
Grand Rapids.....	148,322	48	.32
Minnesota:						
Duluth.....	108,395	43	.40
Minneapolis.....	417,280	1,817	3.16	245	.59	5.4
St. Paul.....	243,946	363	1.49	157	.64	2.3
Missouri:						
Kansas City.....	359,650	297	.83
St. Louis.....	812,698	1,538	1.89	550	.68	2.8
New Jersey:						
Camden.....	126,399	162	1.28	81	.64	2.0
Jersey City.....	312,157	297	.95
Newark.....	445,606	346	.78
Paterson.....	140,637	94	.67
Trenton.....	129,705	192	1.48	99	.76	1.9
New York:						
Albany.....	118,527	117	.99
Buffalo.....	545,273	823	1.51	460	.84	1.8
New York.....	6,015,504	11,924	1.98	4,780	.79	2.5
Rochester.....	325,211	142	.44
Schenectady.....	100,467	147	1.46	28	.28	5.2
Syracuse.....	188,060	282	1.50	66	.35	4.3
Yonkers.....	109,618	162	1.48	69	.63	2.3
Ohio:						
Akron.....	* 208,435	64	.31
Canton.....	102,754	115	1.12	50	.49	2.3
Cincinnati.....	407,835	817	2.00	444	1.09	1.8
Cleveland.....	912,502	1,975	2.16	711	.78	2.8
Columbus.....	268,209	319	1.19	174	.65	1.8
Dayton.....	169,236	101	.60	93	.55	1.1
Youngstown.....	155,153	174	1.12	76	.49	2.3
Oklahoma:						
Tulsa.....	113,128	50	.44
Pennsylvania:						
Erie.....	* 112,571	209	1.86	81	.72	2.6
Philadelphia.....	1,951,076	3,569	1.83	1,777	.91	2.0
Pittsburgh.....	626,015	802	1.28	476	.76	1.7
Reading.....	111,812	59	.53
Rhode Island:						
Providence.....	243,745	149	.61
Tennessee:						
Memphis.....	172,276	692	4.02	244	1.42	2.8
Nashville.....	123,424	311	2.52	187	1.52	1.7
Texas:						
Dallas.....	187,862	159	.85	147	.78	1.1
El Paso.....	100,624	382	3.80
Houston.....	* 154,970	170	1.10
Utah:						
Salt Lake City.....	128,564	90	.70
Virginia:						
Norfolk.....	164,105	184	1.12	131	.80	1.4
Richmond.....	183,723	214	1.16	171	.93	1.3
Washington:						
Seattle.....	* 315,685	139	.44
Spokane.....	* 104,573	126	1.20	42	.40	3.0
Tacoma.....	103,093	26	.25
Wisconsin:						
Milwaukee.....	494,199	737	1.49	217	.44	3.4
Total:						
44 cities.....	20,045,590	37,336	1.86	15,921	.79	2.3
70 cities.....	28,937,763	23,766	.82

¹ Population uncertain. Not officially estimated for 1924.

² Population Jan. 1, 1920.

Reported Prevalence for the Year 1924—Continued

TYPHOID FEVER

City	Estimated population, July 1, 1924	Estimated expectancy		1924				
		Number of years	Cases reported	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Alabama:								
Birmingham	200,786	7	162	166	.83	15	.07	9.0
California:								
Los Angeles	1,666,853	7	137	108	.16	31	.05	28.7
Oakland	246,893	7	42	32	.13	4	.02	12.5
San Francisco	548,284	7	73	27	.06	14	.03	51.9
Colorado:								
Denver	1,272,031	7	75	53	.19	14	.05	26.4
Connecticut:								
Bridgeport	143,555	7	21	19	.13	5	.03	26.3
Hartford	156,167	7	37	11	.07	0	—	—
New Haven	175,947	7	74	51	.29	9	.05	17.6
Waterbury	1,100,000	7	18	6	.06	0	—	—
Delaware:								
Wilmington	119,888	7	47	28	.23	10	.08	35.7
District of Columbia:								
Washington	486,936	7	188	133	.27	19	.04	14.3
Florida:								
Jacksonville	102,471	5	52	54	.53	10	.10	18.5
Georgia:								
Atlanta	227,710	7	93	68	.30	34	.15	50.0
Illinois:								
Chicago	2,942,605	7	234	362	.12	45	.02	12.4
Indiana:								
Indianapolis	351,073	7	78	38	.11	16	.05	42.1
Iowa:								
Des Moines	145,053	—	—	—	—	4	.03	—
Kansas:								
Kansas City	121,762	6	48	29	.24	9	.07	31.0
Kentucky:								
Louisville	258,465	7	138	79	.31	5	.02	6.3
Louisiana:								
New Orleans	409,534	7	171	185	.45	41	.10	22.2
Maryland:								
Baltimore	784,938	7	270	126	.16	22	.03	17.5
Massachusetts:								
Boston	776,783	7	120	101	.13	16	.02	15.8
Cambridge	111,944	7	16	16	.14	5	.04	31.2
Fall River	121,034	4	55	19	.16	0	—	—
Lowell	113,755	7	27	17	.15	2	.02	11.8
Lynn	103,693	6	21	14	.14	3	.03	21.4
New Bedford	132,602	7	21	18	.14	5	.04	27.8
Somerville	100,440	7	16	10	.10	1	.01	10.0
Springfield	148,402	7	14	4	.03	2	.01	50.0
Worcester	195,405	7	35	17	.09	1	.01	5.9
Michigan:								
Detroit	2,995,668	5	208	126	.13	30	.03	23.8
Flint	117,968	6	72	14	.12	2	.02	14.3
Grand Rapids	148,322	7	31	31	.21	5	.03	16.1
Minnesota:								
Duluth	108,395	7	24	29	.27	1	.01	3.4
Minneapolis	417,280	7	70	52	.12	9	.02	17.3
St. Paul	243,946	7	47	28	.11	5	.02	17.9
Missouri:								
Kansas City	350,650	7	87	57	.16	13	.04	22.8
St. Louis	812,938	7	187	178	.22	30	.04	16.9
Nebraska:								
Omaha	208,025	6	28	13	.06	2	.01	15.4
New Jersey:								
Camden	126,399	7	30	33	.26	9	.07	27.3
Elizabeth	1,103,947	7	19	19	.18	3	.03	15.8
Jersey City	312,157	7	28	26	.08	8	.03	30.8
Newark	445,606	6	73	47	.11	12	.03	25.5
Paterson	140,637	7	24	15	.11	5	.04	33.3
Trenton	129,705	7	37	14	.11	1	.01	7.1

¹ Population uncertain. Not officially estimated for 1924.² Population Jan. 1, 1920.

Reported Prevalence for the Year 1924—Continued

TYPHOID FEVER—Continued

City	Estimated population, July 1, 1924	Estimated ex- pectancy		1924				
		Number of years	Cases re- ported	Cases re- ported	Cases per 1,000 inhabitants	Deaths regis- tered	Deaths per 1,000 inhabitants	Fatali- ties per 100 cases
New York:								
Albany	118,527	7	57	167	1.41	15	.13	9.0
Buffalo	545,273	7	87	72	.13	13	.02	18.1
New York	6,015,504	7	899	1,687	.28	184	.03	10.9
Rochester	325,211	7	40	45	.14	4	.01	8.9
Schenectady	100,467	7	15	21	.21	2	.02	9.5
Syracuse	188,060	7	36	32	.17	3	.02	9.4
Utica	105,315	7	20	42	.40	5	.05	11.9
Yonkers	109,618	7	11	14	.13	3	.03	21.4
Ohio:								
Akron	2 208,435	5	41	9	.04	2	.01	22.2
Canton	102,754	7	24	13	.13	0		
Cincinnati	407,835	7	62	65	.16	10	.02	15.4
Cleveland	912,502	7	143	97	.11	11	.01	11.3
Columbus	268,209	7	42	25	.09	10	.04	40.0
Dayton	169,236	7	30	19	.11	4	.02	21.1
Toledo	280,359	7	62	54	.19	12	.04	22.2
Youngstown	155,153	7	67	44	.28	7	.05	15.9
Oklahoma:								
Oklahoma	104,080	6	42	58	.56	9	.09	15.5
Tulsa	113,128	3	74			13	.11	
Oregon:								
Portland	278,002	7	41	69	.25	13	.05	18.8
Pennsylvania:								
Erie	1 112,571	7	29	30	.27	3	.03	10.0
Philadelphia	1,951,076	7	383	341	.17	42	.02	12.3
Pittsburgh	626,015	7	112	82	.13	24	.04	29.3
Reading	111,812	7	36	20	.18	6	.05	30.0
Scranton	141,451	7	11	44	.31	1	.01	2.3
Rhode Island:								
Providence	243,745	7	46	55	.23	6	.02	10.9
Tennessee:								
Memphis	172,276	7	136	301	1.75	60	.35	19.9
Nashville	123,424	7	131	110	.89	25	.20	22.7
Texas:								
Dallas	187,862	7	93	86	.46	15	.08	17.4
El Paso	100,624	4	31	99	.98	11	.11	11.1
Fort Worth	148,107	6	32	13	.09	3	.02	23.1
Houston	1 154,970	6	58	46	.30	9	.06	19.6
San Antonio	191,398	7	50	20	.10	12	.06	60.0
Utah:								
Salt Lake City	128,564	7	38	188	1.46	13	.10	6.9
Virginia:								
Norfolk	164,105	6	39	23	.14	1	.01	4.3
Richmond	183,723	7	79	71	.39	14	.08	19.7
Washington:								
Seattle	2 315,635	7	45	74	.23	10	.03	13.5
Spokane	1 104,573	7	34	27	.26	2	.02	7.4
Tacoma	103,093	7	19	37	.36	4	.04	10.8
Wisconsin:								
Milwaukee	494,199	7	37	24	.05	5	.01	20.8
Total:								
81 cities	30,946,171	-----	6,403	6,697	.22	1,046	.03	15.6
83 cities	31,204,352	-----				1,063	.03	-----

¹ Population uncertain. Not officially estimated for 1924.² Population Jan. 1, 1920.

Reported Prevalence for the Year 1924—Continued

TYPHUS FEVER

City	Cases reported, 1924	Deaths registered, 1924	City	Cases reported, 1924	Deaths registered, 1924
Alabama: Birmingham.....	1	0	Maryland: Baltimore.....	3	0
California: Los Angeles.....	16	0	New York: New York.....	14	1
Georgia: Atlanta.....	2	0	Texas: Houston.....	1	1

WHOOPING COUGH

City	Estimated population, July 1, 1924	Average, 1922-23	1924					Cases reported for each death registered
			Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants		
Alabama: Birmingham.....	200,785	192	205	1.02	32	0.16	6.4	
California: Los Angeles.....	1,666,853	543	641	0.96	13	.02	49.3	
Oakland.....	246,893	127	67	.27	6	.02	11.2	
San Francisco.....	548,284	494	160	.29	3	.01	53.3	
Colorado: Denver.....	1,272,031	743	725	2.67	20	.07	36.2	
Connecticut: Bridgeport.....	143,555	99	86	.60	8	.06	10.7	
Hartford.....	156,167	327	124	.79	3	.02	41.3	
New Haven.....	175,947	305	303	1.72	7	.04	43.3	
Waterbury.....	100,000	75	50	.50	8	.08	6.2	
Delaware: Wilmington.....	119,888	82	120	1.00	5	.04	24.0	
District of Columbia: Washington.....	486,936	968	487	1.00	13	.03	37.5	
Florida: Jacksonville.....	102,471	-----	222	2.17	17	.17	13.1	
Georgia: Atlanta.....	227,710	55	98	.43	50	.22	2.0	
Illinois: Chicago.....	2,942,605	3,542	3,748	1.27	108	.04	34.7	
Indiana: Indianapolis.....	351,073	864	1,056	3.01	19	.05	55.6	
Iowa: Des Moines.....	145,053	-----	-----	-----	4	.03	-----	
Kansas: Kansas City.....	121,762	274	578	4.75	9	.07	64.2	
Kentucky: Louisville.....	258,465	258	97	.38	4	.02	24.2	
Louisiana: New Orleans.....	409,534	223	68	.17	12	.03	5.7	
Maryland: Baltimore.....	784,938	2,271	1,881	2.40	47	.06	40.0	
Massachusetts: Boston.....	776,783	1,800	655	.84	21	.03	31.2	
Cambridge.....	111,944	726	76	.68	2	.02	38.0	
Fall River.....	121,034	121	328	2.71	23	.19	14.3	
Lowell.....	115,755	114	28	.24	3	.03	9.3	
Lynn.....	103,693	153	147	1.42	6	.06	24.5	
New Bedford.....	132,602	125	104	.78	2	.02	52.0	
Somerville.....	100,440	70	47	.47	2	.02	23.5	
Springfield.....	148,402	214	111	.75	3	.02	37.0	
Worcester.....	195,405	237	206	1.05	4	.02	51.5	
Michigan: Detroit.....	1,995,668	2,607	2,062	2.07	58	.06	35.6	
Flint.....	117,968	312	95	.81	2	.02	47.5	
Grand Rapids.....	148,322	492	165	1.11	2	.01	82.5	

¹ Population uncertain. Not officially estimated for 1924.² Population Jan. 1, 1920.

Reported Prevalence for the Year 1924—Continued

WHOOPING COUGH—Continued

City	Estimated population, July 1, 1924	Average, 1922-23	1924				
			Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Minnesota:							
Duluth	108,395	213	108	1.00	3	.03	36.0
Minneapolis	417,280	122	88	.21	12	.03	7.3
St. Paul	243,946	716	752	3.08	8	.03	94.0
Missouri:							
Kansas City	359,650	365	407	1.13	35	.10	11.6
St. Louis	812,698	1,373	1,092	1.34	31	.04	35.2
Nebraska:							
Omaha	208,025	95	15	.07	0		
New Jersey:							
Camden	126,399	35	95	.75	5	.04	19.0
Elizabeth	¹ 108,947	276	108	1.04	8	.08	13.5
Jersey City	312,157	93	109	.35	30	.10	3.6
Newark	445,606	1,753	2,561	5.75	34	.08	75.3
Paterson	140,637	369	387	2.75	7	.05	55.3
Trenton	129,705	85	240	1.85	20	.15	12.0
New York:							
Albany	118,527	278	470	3.97	4	.03	117.5
Buffalo	545,273	823	1,469	2.69	46	.08	31.9
New York	6,015,504	4,641	8,244	1.37	382	.06	21.6
Rochester	325,211	347	268	.82	11	.03	24.4
Schenectady	100,467	336	215	2.14	3	.03	71.7
Syracuse	188,060	460	112	.60	2	.01	56.0
Utica	105,315	222	169	1.60	1	.01	169.0
Yonkers	109,618	95	260	2.37	7	.06	37.1
Ohio:							
Akron	² 208,435	784	903	4.33	10	.05	90.3
Canton	102,754	337	288	2.80	2	.02	144.0
Cincinnati	407,835	494	599	1.47	28	.07	21.4
Cleveland	912,502	2,032	2,351	2.58	36	.04	65.3
Columbus	268,209	218	181	.67	10	.04	18.1
Dayton	169,236	84	40	.24	11	.06	3.6
Toledo	280,359	515	920	3.28	18	.06	51.1
Youngstown	155,153	329	373	2.40	17	.11	21.9
Oklahoma:							
Oklahoma	104,080	45			1	.01	
Oregon:							
Portland	278,002	166	49	.18	5	.02	9.8
Pennsylvania:							
Erie	¹ 112,571	502	340	3.02	5	.04	68.0
Philadelphia	1,951,076	1,693	3,833	1.98	123	.06	31.2
Pittsburgh	626,015	1,920	1,496	2.39	57	.09	26.2
Reading	111,812	230	471	4.21	4	.04	117.7
Scranton	141,451	40	298	2.11	14	.10	21.3
Rhode Island:							
Providence	243,745	192	85	.35	14	.06	6.1
Tennessee:							
Memphis	172,276	391	157	.91	6	.03	26.2
Nashville	123,424	84	135	1.09	27	.22	5.0
Texas:							
Dallas	187,862	653	229	1.22	5	.03	45.8
El Paso	100,624	638	399	3.97	26	.26	15.3
Houston	¹ 154,970				1	.01	
San Antonio	191,398				7	.04	
Utah:							
Salt Lake City	128,564	688	149	1.16	2	.02	74.5
Virginia:							
Norfolk	164,105		211	1.29	9	.05	23.4
Richmond	183,723	198	221	1.20	34	.19	6.5
Washington:							
Seattle	² 315,685	618	173	.55	2	.01	86.5
Spokane	¹ 104,573	234	138	1.32	1	.01	138.0
Tacoma	103,093	207	8	.08	0		
Wisconsin:							
Milwaukee	494,199	2,306	1,431	2.90	16	.03	89.4
Total:							
74 cities	29,980,416	46,034	46,555	1.55	1,591	.05	29.3
77 cities	30,347,616		47,387	1.56	1,643	.05	28.8
81 cities	30,943,117				1,656	.05	

¹ Population uncertain. Not officially estimated for 1924.² Population Jan. 1, 1920.

PREVALENCE OF DISEASE

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring

UNITED STATES

CURRENT WEEKLY STATE REPORTS

These reports are preliminary, and the figures are subject to change when later returns are received by the State health officer

Reports for Week Ended August 29, 1925

ALABAMA		CALIFORNIA	
	Cases		Cases
Chicken pox.....	1	Cerebrospinal meningitis:	
Dengue.....	2	Los Angeles.....	1
Diphtheria.....	32	Pittsburg.....	1
Influenza.....	11	Diphtheria.....	60
Lethargic encephalitis.....	1	Influenza.....	8
Malaria.....	126	Leprosy—Los Angeles.....	1
Measles.....	2	Lethargic encephalitis—San Diego.....	1
Mumps.....	3	Measles.....	14
Ophthalmia neonatorum.....	1	Poliomyelitis:	
Paratyphoid fever.....	3	Albany.....	1
Pellagra.....	8	Berkeley.....	1
Pneumonia.....	5	Butte County.....	1
Poliomyelitis.....	9	Culver City.....	1
Scarlet fever.....	22	Fresno.....	1
Smallpox.....	28	Kern County.....	1
Tetanus.....	1	Los Angeles.....	14
Tuberculosis.....	53	Oakland.....	1
Typhoid fever.....	145	Perris.....	5
Whooping cough.....	31	Paso Robles.....	1
ARIZONA			
Chicken pox.....	1	Pinole.....	1
Mumps.....	1	Pomona.....	1
Poliomyelitis.....	1	Riverside County.....	1
Tuberculosis.....	3	Sacramento.....	1
Typhoid fever.....	5	San Diego.....	1
Whooping cough.....	2	San Diego County.....	1
ARKANSAS			
Cerebrospinal meningitis.....	1	San Francisco.....	6
Chicken pox.....	5	Santa Clara County	2
Influenza.....	6	Upland.....	1
Malaria.....	122	Scarlet fever.....	41
Mumps.....	8	Smallpox.....	12
Ophthalmia neonatorum.....	1	Typhoid fever.....	31
Pellagra.....	4	COLORADO	
Scarlet fever.....	1	Chicken pox.....	4
Tuberculosis.....	10	Diphtheria.....	13
Typhoid fever.....	61	Lethargic encephalitis.....	1
Whooping cough.....	6	Measles.....	1

CONNECTICUT		ILLINOIS—continued	
	Cases		Cases
Cerebrospinal meningitis.....	1	Scarlet fever:	
Chicken pox.....	2	Cook County.....	24
Diphtheria.....	15	Scattering.....	26
German measles.....	1	Smallpox.....	4
Influenza.....	1	Tuberculosis.....	193
Lethargic encephalitis.....	1	Typhoid fever:	
Measles.....	2	Jackson County.....	8
Mumps.....	1	Will County.....	9
Paratyphoid fever.....	2	Scattering.....	68
Pneumonia (all forms).....	23	Whooping cough.....	163
Poliomyelitis.....	7	INDIANA	
Scarlet fever.....	15	Cerebrospinal meningitis.....	1
Trachoma.....	1	Chicken pox.....	4
Tuberculosis (all forms).....	38	Diphtheria.....	26
Typhoid fever.....	14	Influenza.....	18
Whooping cough.....	99	Measles.....	9
FLORIDA		Poliomyelitis.....	3
Cerebrospinal meningitis.....	1	Scarlet fever.....	26
Dengue.....	1	Smallpox.....	16
Diphtheria.....	12	Tuberculosis.....	56
Influenza.....		Typhoid fever.....	42
Malaria.....	2	Whooping cough.....	75
Mumps.....	14	IOWA	
Tuberculosis.....	3	Chicken pox.....	2
Typhoid fever.....	10	Diphtheria.....	5
Whooping cough.....	8	Mumps.....	2
GEORGIA		Poliomyelitis:	
Cerebrospinal meningitis.....	1	Chariton.....	1
Chicken pox.....	1	Clinton.....	1
Conjunctivitis.....	4	Des Moines.....	1
Dengue.....	1	Lynn.....	1
Diphtheria.....	20	Marshall.....	1
Dysentery.....	11	Melcher.....	1
Hookworm disease.....	7	Muscatine.....	3
Influenza.....	12	Sweetland.....	2
Malaria.....	83	Scarlet fever.....	8
Mumps.....	10	Smallpox.....	3
Pellagra.....	20	Typhoid fever.....	1
Pneumonia.....	12	Whooping cough.....	1
Poliomyelitis.....	2	KANSAS	
Scarlet fever.....	3	Cerebrospinal meningitis—Augusta.....	1
Septic sore throat.....	1	Chicken pox.....	1
Trachoma.....	1	Diphtheria.....	8
Tuberculosis.....	22	Dysentery.....	1
Typhoid fever.....	68	German measles.....	1
Whooping cough.....	15	Influenza.....	3
ILLINOIS		Measles.....	5
Diphtheria:		Mumps.....	3
Cook County.....	47	Pneumonia.....	11
Scattering.....	16	Poliomyelitis:	
Influenza.....	18	Bendena.....	1
Lethargic encephalitis:		Manhattan.....	1
Cook County.....	1	Ottawa.....	1
McLean County.....	1	Pottawatomie.....	1
Measles.....	33	Smith Center.....	1
Pneumonia.....	93	Valley Falls.....	1
Poliomyelitis:		Washington.....	2
Cook County.....	4	Watrena.....	1
Fulton County.....	1	Scarlet fever.....	18
Henry County.....	1	Tetanus.....	2
Kane County.....	2	Tuberculosis.....	39
Knox County.....	2	Typhoid fever.....	31
Lee County.....	1	Vincent's angina.....	1
Piatt County.....	1	Whooping cough.....	54
Rock Island County.....	2		

LOUISIANA	Cases	MICHIGAN	Cases
Diphtheria.....	9	Diphtheria.....	55
Infu nza.....	6	Measles.....	30
Malaria.....	10	Pneumonia.....	24
Pneumonia.....	35	Scarlet fever.....	76
Poliomyelitis.....	3	Smallpox.....	9
Scarlet fever.....	3	Tuberculosis.....	38
Tuberculosis.....	28	Typhoid fever.....	45
Typhoid fever.....	46	Whooping cough.....	230
Whooping cough.....	9		
		MINNESOTA	
MAINE		Chicken pox.....	16
Chicken pox.....	2	Diphtheria.....	62
Diphtheria.....	5	Influenza.....	1
German measles.....	1	Measles.....	4
Measles.....	1	Pneumonia.....	4
Mumps.....	2	Poliomyelitis.....	58
Pneumonia.....	2	Scarlet fever.....	45
Poliomyelitis.....	1	Smallpox.....	1
Scarlet fever.....	6	Tuberculosis.....	54
Tuberculosis.....	4	Typhoid fever.....	10
Typhoid fever.....	10	Whooping cough.....	27
Whooping cough.....	10		
	MISSISSIPPI		
MARYLAND ¹		Diphtheria.....	22
Cerebrospinal meningitis.....	3	Scarlet fever.....	4
Chicken pox.....	2	Smallpox.....	3
Diphtheria.....	24	Typhoid fever.....	64
Dysentery.....	9		
Influenza.....	3	MISSOURI (Exclusive of Kansas City)	
Lethargic encephalitis.....	1	Cerebrospinal meningitis.....	1
Malaria.....	1	Chicken pox.....	1
Measles.....	14	Diphtheria.....	23
Mumps.....	6	Influenza.....	5
Paratyphoid fever.....	6	Malaria.....	1
Pneumonia (all forms).....	20	Mumps.....	3
Scarlet fever.....	10	Pneumonia.....	1
Tetanus.....	1	Poliomyelitis.....	6
Tuberculosis.....	71	Scarlet fever.....	33
Typhoid fever.....	74	Tetanus.....	1
Vincent's angina.....	3	Tuberculosis.....	48
Whooping cough.....	84	Typhoid fever.....	30
		Whooping cough.....	13
	MONTANA		
MASSACHUSETTS		Chicken pox.....	2
Chicken pox.....	14	Diphtheria.....	1
Conjunctivitis (suppurative).....	8	Measles.....	1
Diphtheria.....	35	Poliomyelitis:	
German measles.....	5	Billings.....	1
Influenza.....	3	Wibaux.....	1
Lethargic encephalitis.....	4	Scarlet fever.....	7
Malaria.....	1	Tuberculosis.....	3
Measles.....	42	Typhoid fever.....	8
Mumps.....	18	Whooping cough.....	10
Ophthalmia neonatorum.....	16		
Pellagra.....	1	NEW JERSEY	
Pneumonia (lobar).....	13	Cerebrospinal meningitis.....	1
Poliomyelitis.....	18	Chicken pox.....	11
Scarlet fever.....	35	Diphtheria.....	39
Septic sore throat.....	1	Influenza.....	4
Tetanus.....	3	Malaria.....	2
Trachoma.....	2	Measles.....	25
Tuberculosis (all forms).....	117	Paratyphoid fever.....	1
Typhoid fever.....	15	Pneumonia.....	28
Whooping cough.....	142	Poliomyelitis.....	12
		Scarlet fever.....	25
		Typhoid fever.....	29
		Whooping cough.....	78

¹ Week ended Friday.

NEW MEXICO		TEXAS	
	Cases		Cases
Chicken pox.....	1	Chicken pox.....	1
Influenza.....	1	Dengue.....	4
Mumps.....	2	Diphtheria.....	11
Pneumonia.....	2	Malaria.....	1
Rabies in animals.....	1	Malta fever.....	1
Scarlet fever.....	3	Measles.....	2
Tuberculosis.....	25	Mumps.....	3
Typhoid fever.....	26	Pellagra.....	1
Whooping cough.....	28	Scarlet fever.....	11
NORTH CAROLINA			
Chicken pox.....	5	Smallpox.....	2
Diphtheria.....	85	Tuberculosis.....	27
Measles.....	6	Typhoid fever.....	21
Poliomyelitis.....	2	Whooping cough.....	12
Scarlet fever.....	19	VERMONT	
Smallpox.....	9	Chicken pox.....	1
Trachoma.....	1	Diphtheria.....	2
Typhoid fever.....	52	Measles.....	6
Whooping cough.....	55	Mumps.....	3
OKLAHOMA			
Cerebrospinal meningitis:		Poliomyelitis.....	6
Adair.....	1	Scarlet fever.....	1
Washington.....	1	Typhoid fever.....	3
Chicken pox.....	2	Whooping cough.....	2
Diphtheria.....	9	VIRGINIA	
Influenza.....	11	Poliomyelitis—Prince George County.....	1
Malaria.....	68	WASHINGTON	
Mumps.....	10	Cerebrospinal meningitis:	.
Pellagra.....	21	Seattle.....	1
Pneumonia.....	4	Spokane.....	1
Rabies.....	2	Chicken pox.....	7
Scarlet fever.....	7	Diphtheria.....	13
Typhoid fever:		German measles.....	2
McCurtain.....	10	Mumps.....	16
Seminole.....	11	Pneumonia.....	1
Washington.....	10	Poliomyelitis:	
Washita.....	8	Kitsap County.....	2
Scattering.....	72	Pacific County.....	1
Whooping cough.....	15	Pierce County.....	1
OREGON		Seattle.....	1
Cerebrospinal meningitis.....	3	Spokane.....	1
Diphtheria:		Scarlet fever.....	8
Portland.....	8	Smallpox.....	6
Scattering.....	4	Tuberculosis.....	1
Influenza.....	3	Typhoid fever.....	17
Measles.....	1	Whooping cough.....	22
Mumps.....	1	WEST VIRGINIA	
Pneumonia.....	5	Diphtheria.....	3
Poliomyelitis.....	2	Scarlet fever.....	6
Scarlet fever.....	9	Typhoid fever.....	12
Smallpox.....	1	WISCONSIN	
Tuberculosis.....	10	Milwaukee:	
Typhoid fever.....	12	Chicken pox.....	2
Whooping cough.....	7	Diphtheria.....	7
SOUTH DAKOTA		German measles.....	2
Chicken pox.....	1	Measles.....	5
Diphtheria.....	3	Mumps.....	3
Pneumonia.....	1	Pneumonia.....	7
Poliomyelitis.....	2	Tuberculosis.....	20
Scarlet fever.....	10	Whooping cough.....	65
Typhoid fever.....	12	Scattering:	
Whooping cough.....	3	Cerebrospinal meningitis.....	1
		Chicken pox.....	27
		Diphtheria.....	25

WISCONSIN—continued

Scattering—Continued.	Cases
German measles.....	5
Influenza.....	9
Measles.....	63
Mumps.....	22
Pneumonia.....	7
Poliomyelitis.....	18
Scarlet fever.....	38
Smallpox.....	5
Tuberculosis.....	4

WISCONSIN—continued

Scattering—Continued.	Cases
Typhoid fever.....	2
Whooping cough.....	107
WYOMING	
Chicken pox.....	1
Diphtheria.....	1
Mumps.....	1
Poliomyelitis.....	1
Scarlet fever.....	2
Whooping cough.....	1

Reports for Week Ended August 22, 1925

DISTRICT OF COLUMBIA

	Cases
Chicken pox.....	2
Diphtheria.....	5
Lethargic encephalitis.....	1
Measles.....	4
Pneumonia.....	4
Poliomyelitis.....	1
Scarlet fever.....	2
Tuberculosis.....	8
Typhoid fever.....	3
Whooping cough.....	18

NEBRASKA

	Cases
Chicken pox.....	2
Diphtheria.....	7
Measles.....	2
Mumps.....	5
Pneumonia.....	1
Poliomyelitis.....	4
Scarlet fever.....	5

NEBRASKA—continued

	Cases
Smallpox.....	1
Tuberculosis.....	1
Typhoid fever.....	4
Whooping cough.....	15

NORTH DAKOTA

	Cases
Diphtheria.....	3
German measles.....	8
Lethargic encephalitis.....	3
Measles.....	2
Mumps.....	3
Pneumonia.....	3
Poliomyelitis.....	22
Scarlet fever.....	23
Smallpox.....	1
Tuberculosis.....	4
Typhoid fever.....	1
Whooping cough.....	63

SUMMARY OF MONTHLY REPORTS FROM STATES

The following summary of monthly State reports is published weekly and covers only those States from which reports are received during the current week:

State	Cerebro-spinal menin-gitis	Diph-theria	Influ-enza	Malaria	Meas-les	Pella-gra	Polio-my-elitis	Scarlet fever	Small-pox	Ty-phi-od fever
<i>July, 1925</i>										
Arkansas.....	2	7	44	525	20	104	0	8	1	230
California.....	7	333	34	15	151	7	205	254	294	130
Georgia.....	1	30	16	381	7	39	7	10	6	363
Kansas.....	4	27	13	6	18	3	15	81	18	136
Louisiana.....	1	30	8	86	3	27	0	23	21	357
Maine.....	1	12	5	0	33	0	0	35	0	15
Mississippi.....	1	48	209	9,350	108	1,246	4	19	63	851
Montana.....	19	6	-----	1	-----	9	53	19	19	-----
Oregon.....	7	58	2	-----	10	-----	-----	41	24	23
Pennsylvania.....	4	537	2	-----	1,630	1	33	517	1	198
South Carolina.....	120	159	1,617	40	3	2	2	21	54	439
South Dakota.....	14	-----	8	-----	28	2	2	93	7	21
Utah.....	2	35	9	-----	28	1	1	22	1	13
Virginia.....	4	82	662	227	283	31	18	67	30	340
Washington.....	9	63	0	1	11	0	5	61	114	32
Wyoming.....	4	1	-----	1	-----	-----	-----	18	2	4

PLAQUE-ERADICATIVE MEASURES IN THE UNITED STATES

The following items were taken from the reports of plague-eradicative measures from the cities named:

Los Angeles, Calif.

Week ended Aug. 15, 1925:

Number of rats trapped.....	2,355
Number of rats found plague infected.....	1
Number of squirrels examined.....	789
Number of squirrels found plague infected.....	0
Number of mice trapped.....	2,294
Number of mice found plague infected.....	0

Date of discovery of last plague-infected rodent, Aug. 22, 1925.

Date of last human case, Jan. 15, 1925.

Oakland, Calif.

(Including other East Bay communities)

Week ended Aug. 15, 1925:

Number of rats trapped.....	1,124
Number of rats found to be plague infected.....	0

Totals:

Number of rats trapped Jan. 1 to Aug. 15, 1925.....	64,253
Number of rats found to be plague infected.....	21
Number of squirrels examined May 1 to Aug. 1, 1925.....	7,277
Number of squirrels found to be plague infected.....	0

Date of discovery of last plague-infected rat, Mar. 4, 1925.

Date of last human case, Sept. 10, 1919.

New Orleans, La.

Week ended Aug. 15, 1925:

Number of vessels inspected.....	20
Number of inspections made.....	30
Number of vessels fumigated with cyanide gas.....	4
Number of rodents examined for plague.....	3,110
Number of rodents found to be plague infected.....	0

Totals, Dec. 5, 1924, to Aug. 15, 1925:

Number of rodents examined for plague.....	157,345
Number of rodents found to be plague infected.....	12

Date of discovery of last plague-infected rat, Jan. 17, 1925.

Date of last human case occurring in New Orleans, Aug. 20, 1920.

GENERAL CURRENT SUMMARY AND WEEKLY REPORTS FROM CITIES

Diphtheria.—For the week ended August 15, 1925, 34 States reported 817 cases of diphtheria. For the week ended August 16, 1924, the same States reported 906 cases of this disease. One hundred cities, situated in all parts of the country and having an aggregate population of nearly 28,500,000, reported 440 cases of diphtheria for the week ended August 15, 1925. Last year for the corresponding week they reported 451 cases. The estimated expectancy for these cities was 556 cases. The estimated expectancy

is based on the experience of the last nine years, excluding epidemics.

Measles.—Thirty-one States reported 513 cases of measles for the week ended August 15, 1925, and 465 cases of this disease for the week ended August 16, 1924. One hundred cities reported 264 cases of measles for the week this year, and 177 cases last year.

Poliomyelitis.—The health officers of 34 States reported 280 cases of poliomyelitis for the week ended August 15, 1925. The same States reported 150 cases for the week ended August 16, 1924.

Scarlet fever.—Scarlet fever was reported for the week as follows: Thirty-four States—this year, 623 cases; last year, 664 cases; 100 cities—this year, 328 cases; last year, 247 cases; estimated expectancy, 224 cases.

Smallpox.—For the week ended August 15, 1925, 34 States reported 136 cases of smallpox. Last year for the corresponding week, they reported 262 cases. One hundred cities reported smallpox for the week as follows: 1925, 40 cases; 1924, 93 cases; estimated expectancy, 29 cases. No deaths from smallpox were reported by these cities for the week this year.

Typhoid fever.—One thousand and fifty-eight cases of typhoid fever were reported for the week ended August 15, 1925, by 33 States. For the corresponding week of 1924 the same States reported 771 cases. One hundred cities reported 262 cases of typhoid fever for the week this year, and 231 cases for the corresponding week last year. The estimated expectancy for these cities was 230 cases.

Influenza and pneumonia.—Deaths from influenza and pneumonia (combined) were reported for the week by 100 cities as follows: 1925, 351 deaths; 1924, 278 deaths.

City reports for week ended August 15, 1925

The "estimated expectancy" given for diphtheria, poliomyelitis, scarlet fever, smallpox, and typhoid fever is the result of an attempt to ascertain from previous occurrence how many cases of the disease under consideration may be expected to occur during a certain week in the absence of epidemics. It is based on reports to the Public Health Service during the past nine years. It is in most instances the median number of cases reported in the corresponding week of the preceding years. When the reports include several epidemics or when for other reasons the median is unsatisfactory, the epidemic periods are excluded and the estimated expectancy is the mean number of cases reported for the week during nonepidemic years.

If reports have not been received for the full nine years, data are used for as many years as possible, but no year earlier than 1915 is included. In obtaining the estimated expectancy, the figures are smoothed when necessary to avoid abrupt deviations from the usual trend. For some of the diseases given in the table the available data were not sufficient to make it practicable to compute the estimated expectancy.

Division, State, and city	Population July 1, 1923, estimated	Chick-en pox, cases re-por-ted	Diphtheria		Influenza		Meas-les, cases re-por-ted	Mumps, cases re-por-ted	Pneu-monia, deaths re-por-ted
			Cases, esti-mated expec-tancy	Cases re-por-ted	Cases re-por-ted	Deaths re-por-ted			
NEW ENGLAND									
Maine:									
Portland	73,129	0	1	0	0	0	0	0	0
New Hampshire:									
Concord	22,408	0	0	0	0	0	0	0	0
Vermont:									
Barre	10,008	0							
Massachusetts:									
Boston	770,400	2	33	16	1	0	18	1	7
Fall River	120,912	1	2	2	0	0	8		
Springfield	144,227	0	1	0	0	0	0	1	0
Worcester	191,927	2	2	10	0	0	16	0	1
Rhode Island:									
Pawtucket	68,799	0	0	0	0	0	0	0	0
Providence	242,378	0	5	3	0	0	8	0	2
Connecticut:									
Bridgeport	143,555	0	4	2	0	0	0	0	0
Hartford	138,036	0	3	3	0	0	2	0	0
New Haven	172,967	1	2	1	0	0	0	0	2
MIDDLE ATLANTIC									
New York:									
Buffalo	536,718	0	11	6	0	0	7	0	8
New York	5,927,625	15	114	91	3	4	49	2	84
Rochester	317,867	0	4	0	0	0	6	1	2
Syracuse	184,511	0	3	0	0	0	1	14	0
New Jersey:									
Camden	124,157	2	1	4	0	0	3	0	2
Newark	438,699	2	7	6	0	0	9	1	5
Trenton	127,390	0	2	1	0	0	3	0	0
Pennsylvania:									
Philadelphia	1,922,788	6	32	35	0	0	10	4	29
Pittsburgh	613,442	0	15	11	0	1	17	0	14
Reading	110,917	0	2	0	0	0	8	0	1
EAST NORTH CENTRAL									
Ohio:									
Cincinnati	406,312	0	6	4		3	0	0	3
Cleveland	888,519	8	18	22	0	0	17	1	2
Columbus	261,082		2						
Toledo	268,338	0	4	2	0	0	5	0	2
Indiana:									
Fort Wayne	93,573	0	1	2	0	0	0	0	1
Indianapolis	342,718	6	5	0	0	1	3	0	6
South Bend	76,709	1	1	1	0	0	0	0	0
Terre Haute	68,939	0	1	0	0	0	0	0	0
Illinois:									
Chicago	2,866,121	10	69	43	1	0	14	8	31
Cicero	55,968		1						
Springfield	61,833	0	1	0	1	0	4	0	1
Michigan:									
Detroit	995,668	10	31	11	1	0	5	5	9
Flint	117,968	0	4	1	0	0	1	0	0
Grand Rapids	145,947	1	2	1	0	0	0	0	1
Wisconsin:									
Madison	42,519	0	0	0	0	0	4	2	2
Milwaukee	484,595	3	10	10	0	0	2	5	8
Racine	64,393	1	0	2	0	0	0	2	2
Superior	139,671	0	0	0	0	0	0	0	0

¹ Population Jan. 1, 1920.

City reports for week ended August 15, 1925—Continued

Division, State, and city	Population July 1, 1923, estimated	Chick-en pox, cases re-por-ted	Diphtheria		Influenza		Meas-ies, cases re-por-ted	Mumps, cases re-por-ted	Pneu-monia, deaths re-por-ted
			Cases, es-ti-mated ex-pectancy	Cases re-por-ted	Cases re-por-ted	Deaths re-por-ted			
WEST NORTH CENTRAL									
Minnesota:									
Duluth.....	106,289	1	2	0	0	0	0	0	3
Minneapolis.....	409,125	15	11	19	0	0	3	0	2
St. Paul.....	241,891	1	11	11	0	0	0	1	4
Iowa:									
Davenport.....	61,262	1	0	0	0	0	0	0	
Sioux City.....	79,662	0							
Waterloo.....	39,667	0		0	0	0	0	1	
Missouri:									
Kansas City.....	351,819	0	3	1	0	0	0	2	4
St. Joseph.....	78,232	1	1	1	0	0	0	0	2
St. Louis.....	803,853	0	20	19	0	0	8	0	
North Dakota:									
Fargo.....	24,841	1	0	0	0	0	0	1	0
Grand Forks.....	14,547	0	0	0	0	0	0	0	
South Dakota:									
Aberdeen.....	15,829	0	0	0	0	0	0	0	0
Sioux Falls.....	29,206	1	0	0	0	0	0	0	1
Nebraska:									
Lincoln.....	58,761	0	0	0	0	0	3	0	1
Omaha.....	204,382	1	5	1	0	0	0	0	4
Kansas:									
Topeka.....	52,555	1	1	1	0	0	0	3	0
Wichita.....	79,261	0	0	0	0	0	0	0	0
SOUTH ATLANTIC									
Delaware:									
Wilmington.....	117,728	0	1	3	0	0	6	0	0
Maryland:									
Baltimore.....	773,580	4	11	6	0	0	5	6	13
Cumberland.....	32,361	0	6	1	0	0	0	0	0
Frederick.....	11,301	0	0	0	0	0	0	0	
District of Columbia:									
Washington.....	1,437,571	3	3	11	0	0	3	0	7
Virginia:									
Lynchburg.....	30,277	0	0	3	0	0	0	0	0
Norfolk.....	159,089	0	0	0	0	0	0	1	1
Richmond.....	181,044	0	4	4	0	0	0	0	3
Roanoke.....	55,502	0	1	2	0	0	5	0	0
West Virginia:									
Charleston.....	45,597	0	1	0	0	0	0	0	0
Huntington.....	57,918	0	1	1	0	0	0	0	
Wheeling.....	1,56,208	1	0	3	0	0	0	0	1
North Carolina:									
Raleigh.....	29,171	0	1	0	0	0	0	0	0
Wilmington.....	35,719	0	1	0	0	0	1	0	0
Winston-Salem.....	56,230	0	1	1	0	0	0	0	1
South Carolina:									
Charleston.....	71,245	0	1	0	0	0	0	0	0
Columbia.....	39,688	0	0	0	0	0	0	1	
Greenville.....	25,789	0	0	0	0	0	0	0	0
Georgia:									
Atlanta.....	222,963	1	2	1	3	0	1	0	6
Brunswick.....	15,937	0	0	0	0	0	0	1	3
Savannah.....	89,448	0	1	0	0	0	0	0	
Florida:									
St. Petersburg.....	24,403	0	0	0	10	0	0	0	2
Tampa.....	56,050	0	0	1	0	0	0	0	3
EAST SOUTH CENTRAL									
Kentucky:									
Covington.....	57,877	0	0	0	0	0	0	0	0
Louisville.....	257,671	0	2	2	0	0	1	0	6
Tennessee:									
Memphis.....	170,067	1	3	1	0	0	0	2	2
Nashville.....	121,128	0	1	0	0	0	1	0	1
Alabama:									
Birmingham.....	195,901	1	2	2	1	1	0	0	2
Mobile.....	63,858	0	1	0	0	0	0	0	0
Montgomery.....	45,383	0	1	1	0	0	1	0	0

¹ Population Jan. 1, 1920.

City reports for week ended August 15, 1925—Continued

Division, State, and city	Population July 1, 1925, estimated	Chick-en pox, cases reported	Diphtheria		Influenza		Measles, cases reported	Mumps, cases reported	Pneu-monia deaths re-ported
			Cases, es-ti-mated ex-pectancy	Cases re-ported	Cases re-ported	Deaths re-ported			
WEST SOUTH CENTRAL									
Arkansas:									
Fort Smith.....	30,635	0	1	0	0	0	0	1	0
Little Rock.....	70,916	-----	1	0	0	0	0	-----	0
Louisiana:									
New Orleans.....	404,575	1	6	0	0	0	1	0	10
Shreveport.....	54,590	0	0	2	0	0	0	0	2
Oklahoma:									
Oklahoma.....	101,150	0	1	2	0	0	0	0	2
Texas:									
Dallas.....	177,274	-----	3	4	0	0	1	-----	0
Galveston.....	46,877	0	0	0	0	0	0	0	1
Houston.....	154,970	-----	2	3	0	0	0	0	2
San Antonio.....	184,727	0	1	2	0	0	0	0	2
MOUNTAIN									
Montana:									
Billings.....	16,927	-----	0	0	0	0	0	-----	0
Great Falls.....	27,787	1	1	2	0	0	0	0	0
Helena.....	112,037	0	0	0	0	0	0	0	0
Missoula.....	112,668	0	0	0	0	0	0	0	0
Idaho:									
Boise.....	22,806	3	0	0	0	0	0	0	0
Colorado:									
Denver.....	272,031	0	8	10	0	1	1	1	4
Pueblo.....	43,519	-----	0	1	3	0	0	0	1
New Mexico:									
Albuquerque.....	16,648	0	1	0	0	0	0	0	0
Arizona:									
Phoenix.....	33,899	0	0	0	0	0	0	0	0
Utah:									
Salt Lake City.....	126,241	3	2	2	0	0	1	6	1
Nevada:									
Reno.....	12,429	0	0	0	0	0	0	0	0
PACIFIC									
Washington:									
Seattle.....	315,685	0	3	0	0	0	1	2	-----
Spokane.....	104,573	1	2	0	0	0	0	0	3
Tacoma.....	101,731	0	2	5	0	0	0	0	-----
Oregon:									
Portland.....	273,621	0	3	7	0	0	0	2	-----
California:									
Los Angeles.....	666,853	7	22	14	2	0	6	1	6
Sacramento.....	69,950	0	2	2	0	0	0	0	1
San Francisco.....	539,038	3	14	8	1	0	0	6	12

Division, State, and city	Scarlet fever		Smallpox			Tuber-cu-losis, deaths re-ported	Typhoid fever			Whoop-ing cough, cases re-ported	Deaths, all causes
	Cases, es-ti-mated ex-pectancy	Cases re-ported	Cases, es-ti-mated ex-pectancy	Cases re-ported	Deaths re-ported		Cases, es-ti-mated ex-pectancy	Cases re-ported	Deaths re-ported		
NEW ENGLAND											
Maine:											
Portland.....	1	0	0	0	0	0	1	0	0	0	14
New Hampshire:											
Concord.....	1	0	0	0	0	0	0	0	0	5	5
Vermont:											
Barre.....	0	-----	0	-----	-----	0	-----	-----	-----	-----	-----
Massachusetts:											
Boston.....	12	21	0	0	0	16	4	3	0	46	195
Fall River.....	1	0	0	0	0	1	1	1	0	1	17
Springfield.....	2	0	0	0	0	2	1	1	0	0	27
Worcester.....	2	2	0	0	0	1	0	0	0	20	40

¹ Population Jan 1, 1920.

City reports for week ended August 15, 1925—Continued

Division, State, and city	Scarlet fever		Smallpox			Tuber- culosis, deaths re- ported	Typhoid fever			Whoop- ing cough, cases re- ported	Deaths, all causes
	Cases, esti- mated expect- ancy	Cases re- ported	Cases, esti- mated expect- ancy	Cases re- ported	Deaths re- ported		Cases, esti- mated expect- ancy	Cases re- ported	Deaths re- ported		
NEW ENGLAND—continued											
Rhode Island:											
Pawtucket	0	0	0	0	0	0	0	0	0	0	13
Providence	2	1	0	0	0	3	1	5	0	1	53
Connecticut:											
Bridgeport	2	4	0	0	0	3	1	1	0	2	17
Hartford	1	3	0	0	0	0	4	0	0	2	25
New Haven	1	3	0	0	0	2	3	1	0	14	33
MIDDLE ATLANTIC											
New York:											
Buffalo	5	2	0	0	0	5	2	2	0	23	121
New York	25	22	0	0	0	100	40	45	8	70	1,152
Rochester	3	1	0	0	0	5	1	0	0	11	63
Syracuse	3	0	0	0	0	0	0	1	0	0	37
New Jersey:											
Camden	1	1	0	0	0	0	2	1	0	3	30
Newark	4	7	0	0	0	3	5	5	0	30	86
Trenton	1	0	0	0	0	3	2	1	1	2	33
Pennsylvania:											
Philadelphia	13	22	0	0	0	40	13	7	2	68	444
Pittsburgh	6	15	1	0	0	10	4	2	2	8	157
Reading	0	1	0	0	0	1	2	1	0	8	28
EAST NORTH CENTRAL											
Ohio:											
Cincinnati	3	3	1	1	0	12	3	3	1	5	131
Cleveland	6	6	1	0	0	22	5	7	1	85	202
Columbus	1		1				2				
Toledo	5	1	1	0	0	5	2	3	1	8	46
Indiana:											
Fort Wayne	1	0	1	0	0	0	0	3	0	0	24
Indianapolis	2	1	1	1	0	6	3	0	0	0	88
South Bend	1	0	0	0	0	0	0	0	0	0	9
Terre Haute	0	1	0	0	0	1	1	0	0	0	16
Illinois:											
Chicago	25	27	0	0	0	38	5	5	0	86	600
Cicero	1		0				0				16
Springfield	0	1	0	0	0	0	1	0	0	0	
Michigan:											
Detroit	19	22	3	0	0	20	5	3	1	56	224
Flint	2	2	0	2	0	1	1	1	0	5	25
Grand Rapids	1	3	1	0	0	0	1	0	0	13	28
Wisconsin:											
Madison	0	1	0	0	0	0	0	0	0	5	3
Milwaukee	8	6	2	0	0	5	1	1	0	66	86
Racine	1	2	0	0	0	0	0	0	0	12	14
Superior	1	2	0	0	0	0	0	0	0	0	7
WEST NORTH CENTRAL											
Minnesota:											
Duluth	1	6	0	0	0	1	1	0	0	12	20
Minneapolis	6	13	2	0	0	6	2	2	0	4	76
St. Paul	4	14	1	1	0	2	1	2	1	7	47
Iowa:											
Davenport	0	0	0	0	0		0	0		0	
Sioux City	0		0				0				
Waterloo	1	0	0	0	0		0	0		1	
Missouri:											
Kansas City	2	2	0	1	0	7	4	1	0	10	101
St. Joseph	0	0	0	0	0	1	0	0	0	2	24
St. Louis	5	23	0	0	0	2	7	11	1	9	189
North Dakota:											
Fargo	0	1	0	0	0	0	0	0	0	1	2
Grand Forks	1	0	0	0	0		0			1	
South Dakota:											
Aberdeen	0	0	0	0	0	0	0	0	0	0	0
Sioux Falls	0	2	0	0	0	1	0	0	0	0	14

1 Pulmonary tuberculosis only.

City reports for week ended August 15, 1925—Continued

Division, State, and city	Scarlet fever		Smallpox			Tuber- culosis, deaths re- ported	Typhoid fever			Whoop- ing cough, cases re- ported	Deaths, all causes
	Cases, esti- mated expect- ancy	Cases re- ported	Cases, esti- mated expect- ancy	Cases re- ported	Deaths re- ported		Cases, esti- mated expect- ancy	Cases re- ported	Deaths re- ported		
WEST NORTH CEN- TRAL—Con.											
Nebraska:											
Lincoln.....	0	0	0	0	0	0	1	0	0	4	11
Omaha.....	1	1	1	3	0	2	0	0	0	0	46
Kansas:											
Topeka.....	1	2	1	0	0	0	1	0	0	3	15
Wichita.....	1	0	1	0	0	2	2	11	0	12	28
SOUTH ATLANTIC											
Delaware:											
Wilmington.....	1	0	0	0	0	0	1	0	0	1	22
Maryland:											
Baltimore.....	6	2	0	0	0	17	9	13	1	75	184
Cumberland.....	0	0	0	0	0	0	0	1	0	0	12
Frederick.....	0	0	0	0	0	0	0	0	0	0	7
District of Colum- bia:											
Washington.....	3	7	0	0	0	13	6	4	0	15	107
Virginia:											
Lynchburg.....	0	1	0	0	0	1	1	4	0	0	13
Norfolk.....	0	0	0	0	0	3	3	3	1	0	0
Richmond.....	2	2	0	0	0	5	2	2	0	0	56
Roanoke.....	0	2	0	0	0	0	2	0	0	3	11
West Virginia:											
Charleston.....	0	0	0	1	0	0	2	0	1	1	12
Huntington.....	0	3	0	0	0	0	1	4	0	0	0
Wheeling.....	1	1	0	0	0	1	1	0	0	0	14
North Carolina:											
Raleigh.....	0	0	0	0	0	1	1	0	0	6	16
Wilmington.....	0	0	0	0	0	0	1	0	0	0	15
Winston-Salem.....	1	0	0	0	0	1	2	2	0	9	11
South Carolina:											
Charleston.....	0	2	0	0	0	2	2	6	0	0	18
Columbia.....	0	0	0	0	0	0	2	0	0	3	0
Greenville.....	0	0	0	0	0	0	1	3	0	0	3
Georgia:											
Atlanta.....	2	2	2	0	0	5	4	4	2	1	86
Brunswick.....	0	0	0	0	0	0	0	0	0	0	0
Savannah.....	0	0	1	0	0	3	2	2	0	1	28
Florida:											
St. Petersburg.....	0	0	0	0	0	0	0	0	0	0	10
Tampa.....	0	1	0	0	0	1	1	1	0	0	19
EAST SOUTH CENTRAL											
Kentucky:											
Covington.....	0	0	0	0	0	1	1	2	0	0	22
Louisville.....	1	1	1	0	0	9	6	2	0	1	96
Tennessee:											
Memphis.....	1	1	0	0	0	1	5	14	0	5	40
Nashville.....	1	1	0	1	0	4	6	10	0	0	58
Alabama:											
Birmingham.....	2	4	0	3	0	3	7	6	0	2	47
Mobile.....	0	0	0	0	0	0	1	1	0	0	26
Montgomery.....	1	0	0	0	0	0	1	3	1	0	0
WEST SOUTH CEN- TRAL											
Arkansas:											
Fort Smith.....	0	7	0	0	0	4	1	0	0	0	0
Little Rock.....	0	0	0	0	0	4	2	4	0	0	0
Louisiana:											
New Orleans.....	1	8	0	1	0	18	5	6	1	12	171
Shreveport.....	0	0	0	0	0	3	1	0	4	0	29
Oklahoma:											
Oklahoma.....	1	1	0	0	0	1	2	12	0	0	19
Texas:											
Dallas.....	2	0	1	0	0	0	2	5	4	0	48
Galveston.....	0	0	0	0	0	0	1	0	3	0	20
Houston.....	0	0	0	1	0	0	2	1	1	0	3
San Antonio.....	0	0	0	0	0	0	3	1	4	0	48

City reports for week ended August 15, 1925—Continued

Division, State, and city	Scarlet fever		Smallpox			Tuber-cu-lo-sis, deaths re-ported	Typhoid fever			Whoop-ing cough, cases re-ported	Deaths, all causes
	Cases, es-ti-mated ex-pectancy	Cases re-ported	Cases, es-ti-mated ex-pectancy	Cases re-ported	Deaths re-ported		Cases, es-ti-mated ex-pectancy	Cases re-ported	Deaths re-ported		
MOUNTAIN											
Montana:											
Billings.....	0	0	1	0	0	0	0	0	0		3
Great Falls.....	1	1	0	1	0	0	1	0	0		12
Helena.....	0	0	0	0	0	1	0	0	0		4
Missoula.....	0	0	0	0	0	0	4	0	0		1
Idaho:											
Boise.....	0	0	1	0	0	0	0	0	0		5
Colorado:											
Denver.....	2	6	1	0	0	12	3	2	0		78
Pueblo.....	0	1	0	0	0	1	1	0	1		10
New Mexico:											
Albuquerque.....	1	0	0	0	0	3	0	1	0		4
Arizona:											
Phoenix.....	0	0	0	0	0	8	0	0	0		18
Utah:											
Salt Lake City.....	1	1	0	0	0	1	2	4	0		28
Nevada:											
Reno.....	0	1	0	0	0	0	0	0	0		5
PACIFIC											
Washington:											
Seattle.....	3	3	1	2			1	3			13
Spokane.....	2	2	2	0			1	0			10
Tacoma.....	1	2	1	1	0	2	0	0			1
Oregon:											
Portland.....	3	4	4	0	0	2	0	6	0		48
California:											
Los Angeles.....	4	21	0	9	0	14	5	7	0		186
Sacramento.....	1	1	0	0	0	1	2	2	0		14
San Francisco.....	5	1	0	-11	0	9	2	3	0		127

Division, State, and city	Cerebrospinal meningitis		Lethargic encephalitis		Pellagra		Polio-myelitis (infan-tile paralysis)			Typhus fever	
	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases, es-ti-mated ex-pectancy	Cases	Deaths	Cases	Deaths
NEW ENGLAND											
Massachusetts:											
Boston.....	0	0	0	1	2	0	2	2	0	0	0
Springfield.....	0	0	0	0	1	1	0	0	0	0	0
Rhode Island:											
Providence.....	0	0	0	0	0	0	1	2	0	0	0
Connecticut:											
Hartford.....	0	0	0	0	0	0	1	1	0	0	0
MIDDLE ATLANTIC											
New York:											
Buffalo.....	0	1	0	0	0	0	0	0	0	2	0
New York.....	2	3	7	2	0	0	7	21	8	1	0
Rochester.....	0	0	0	0	0	0	0	0	1	0	0
New Jersey:											
Newark.....	0	0	1	0	0	0	1	1	0	0	0
Pennsylvania:											
Philadelphia.....	0	0	1	0	1	0	0	0	0	0	0
Pittsburgh.....	0	0	0	0	0	0	0	3	1	0	0
EAST NORTH CENTRAL											
Ohio:											
Cleveland.....	2	1	0	0	0	0	1	5	0	0	0
Indiana:											
Indianapolis.....	0	1	0	0	0	0	0	0	0	0	0
Illinois:											
Chicago.....	2	1	2	0	0	0	5	4	0	0	0

City reports for week ended August 15, 1925—Continued

Division, State, and city	Cerebrospinal meningitis		Lethargic encephalitis		Pellagra		Poliomyelitis (infantile paralysis)		Typhus fever		
	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases, estimated expectancy	Cases	Deaths	Cases	Deaths
WEST NORTH CENTRAL											
Minnesota:											
Duluth.....	0	1	0	0	0	0	0	2	0	0	0
Minneapolis.....	1	0	1	1	0	0	0	8	0	0	0
St. Paul.....	0	0	0	0	0	0	0	1	0	0	0
Missouri:											
Kansas City.....	0	0	0	0	0	0	0	4	0	0	0
St. Joseph.....	0	0	0	0	0	1	0	1	1	0	0
North Dakota:											
Fargo.....	0	0	0	0	0	0	0	2	0	0	0
Nebraska:											
Omaha.....	0	0	0	0	0	0	0	4	3	0	0
SOUTH ATLANTIC											
Maryland:											
Baltimore.....	0	0	0	1	0	0	1	1	0	0	0
Virginia:											
Norfolk.....	0	0	0	0	0	0	0	2	0	0	0
West Virginia:											
Wheeling.....	0	0	0	1	0	0	0	1	0	0	0
South Carolina:											
Charleston.....	0	0	0	0	0	1	0	3	0	0	0
Georgia:											
Atlanta.....	0	0	0	0	0	1	0	0	0	1	0
Savannah.....	0	1	0	0	0	0	0	0	0	0	0
Florida:											
Tampa.....	0	0	0	0	0	0	0	1	0	0	0
EAST SOUTH CENTRAL											
Kentucky:											
Louisville.....	1	0	0	0	0	0	0	1	0	0	0
Tennessee:											
Memphis.....	0	0	0	0	0	1	1	0	0	0	0
Alabama:											
Birmingham.....	0	0	0	0	1	0	0	1	1	0	0
WEST SOUTH CENTRAL											
Louisiana:											
New Orleans.....	0	0	0	0	2	0	0	1	1	0	0
Shreveport.....	0	0	0	0	0	3	0	0	0	0	0
MOUNTAIN											
Colorado:											
Denver.....	0	0	0	0	0	0	0	2	0	0	0
PACIFIC											
Washington:											
Seattle.....	0		0		0		0	2		0	
Spokane.....	0		0		0		0	1		0	
Tacoma.....	0	0	0	0	0	0	0	1	0	0	0
Oregon:											
Portland.....	1	1	0	0	0	0	0	0	0	0	0
California:											
Los Angeles.....	0	0	0	0	0	0	1	15	1	0	0
Sacramento.....	0	0	0	0	0	0	0	1	1	0	0
San Francisco.....	0	0	0	0	1	1	0	2	0	0	0

The following table gives the rates per hundred thousand population for 105 cities for the 10-week period ended August 15, 1925. The population figures used in computing the rates were estimated as of July 1, 1923, as this is the latest date for which estimates are available. The 105 cities reporting cases had an estimated aggre-

gate population of nearly 29,000,000 and the 97 cities reporting deaths had more than 28,000,000 population. The number of cities included in each group and the aggregate populations are shown in a separate table below.

Summary of weekly reports from cities, June 7 to August 15, 1925—Annual rates per 100,000 population¹

DIPHTHERIA CASE RATES

	Week ended—									
	June 13	June 20	June 27	July 4	July 11	July 18	July 25	Aug. 1	Aug. 8	Aug. 15
105 cities.....	120	119	116	93	96	79	78	78	87	81
New England.....	94	97	127	117	62	62	62	82	792	
Middle Atlantic.....	156	166	163	96	127	97	91	92	83	78
East North Central.....	95	93	84	87	89	73	68	74	101	875
West North Central.....	145	133	114	131	93	85	106	100	107	10 113
South Atlantic.....	57	51	73	41	55	26	45	50	55	74
East South Central.....	11	6	34	6	23	11	11	11	29	34
West South Central.....	70	74	46	60	42	28	70	46	23	51
Mountain.....	181	191	105	181	105	124	115	153	13 68	162
Pacific.....	165	113	107	145	125	99	104	75	148	84

MEASLES CASE RATES

105 cities.....	582	434	303	228	193	159	105	73	53	48
New England.....	892	634	407	350	283	261	216	186	132	130
Middle Atlantic.....	727	544	382	258	249	199	128	77	69	57
East North Central.....	844	592	404	321	225	191	119	72	47	39
West North Central.....	135	87	60	31	35	29	19	29	11	30
South Atlantic.....	297	349	278	262	211	148	95	71	45	43
East South Central.....	212	114	132	97	120	80	63	29	11	17
West South Central.....	14	19	5	5	0	0	5	0	0	9
Mountain.....	95	76	95	38	57	29	38	105	13 20	19
Pacific.....	87	84	52	37	41	64	20	37	29	20

SCARLET FEVER CASE RATES

105 cities.....	174	165	117	96	90	61	57	57	53	60
New England.....	179	142	107	112	147	80	72	75	102	85
Middle Atlantic.....	156	145	100	79	81	45	43	37	33	36
East North Central.....	204	217	157	122	97	67	67	64	52	60
West North Central.....	325	328	184	168	143	108	122	124	120	137
South Atlantic.....	61	61	45	59	45	47	16	35	22	41
East South Central.....	160	160	91	74	126	80	29	63	63	40
West South Central.....	46	37	56	46	9	23	32	31	56	70
Mountain.....	277	143	210	105	153	86	162	86	13 39	95
Pacific.....	162	116	107	71	52	61	46	66	64	87

¹ The figures given in this table are rates per 100,000 population, annual basis, and not the number of cases reported. Populations used are estimated as of July 1, 1923.

² Cicero, Ill., not included. Report not received at time of going to press.

³ Cicero, Ill., and Spokane, Wash., not included.

⁴ Cicero, Ill., Tampa, Fla., and San Francisco, Calif., not included.

⁵ Cicero, Ill., Waterloo, Iowa, and Helena, Mont., not included.

⁶ Barre, Vt., Columbus, Ohio, Cicero, Ill., Sioux City, Iowa, and Brunswick, Ga., not included.

⁷ Barre, Vt., not included.

⁸ Columbus, Ohio, and Cicero, Ill., not included.

⁹ Waterloo, Iowa, not included.

¹⁰ Sioux City, Iowa, not included.

¹¹ Tampa, Fla., not included.

¹² Brunswick, Ga., not included.

¹³ Helena, Mont., not included.

¹⁴ Spokane, Wash., not included.

¹⁵ San Francisco, Calif., not included.

Summary of weekly reports from cities, June 7 to August 15, 1925—Annual rates per 100,000 population—Continued

SMALLPOX CASE RATES

	Week ended—									
	June 13	June 20	June 27	July 4	July 11	July 18	July 25	Aug. 1	Aug. 8	Aug. 15
	105 cities.....	37	36	125	14	16	15	10	10	7
New England.....	0	0	0	0	2	2	5	0	0	7 0
Middle Atlantic.....	2	1	0	1	0	1	0	0	0	0
East North Central.....	42	45	20	14	12	10	8	4	6	8 3
West North Central.....	52	60	37	17	21	17	12	15	9	10 11
South Atlantic.....	22	30	18	10	24	8	16	11 2	2	12 2
East South Central.....	297	200	132	63	80	46	40	23	51	23
West South Central.....	5	19	0	5	5	14	5	5	14	9
Mountain.....	29	19	29	29	19	19	9	57	13 20	10
Pacific.....	148	154	171	14 89	102	119	67	13 120	67	67

TYPHOID FEVER CASE RATES

105 cities.....	28	22	127	35	35	38	34	40	41	48
New England.....	25	20	17	22	25	32	22	22	27	7 90
Middle Atlantic.....	17	14	18	15	17	25	21	30	23	33
East North Central.....	10	4	9	10	14	12	8	10	21	8 18
West North Central.....	25	12	10	21	44	44	39	48	43	10 58
South Atlantic.....	65	49	71	69	59	55	53	11 66	59	12 92
East South Central.....	120	80	91	200	177	223	177	183	274	217
West South Central.....	116	130	148	246	185	134	172	178	130	102
Mountain.....	48	38	0	10	29	19	48	57	13 107	105
Pacific.....	15	6	20	14 22	17	32	29	18 25	17	44

INFLUENZA DEATH RATES

105 cities.....	7	6	16	4	2	2	2	1	13	12 2
New England.....	5	2	7	2	0	0	0	0	5	7 0
Middle Atlantic.....	6	4	6	2	2	2	1	2	2	2
East North Central.....	7	7	6	5	2	3	1	20	23	8 8
West North Central.....	9	7	4	0	0	0	4	0	0	0
South Atlantic.....	4	6	2	6	6	4	4	12	6	12 0
East South Central.....	17	24	17	31	17	17	6	0	6	6
West South Central.....	20	10	10	10	10	10	0	0	5	0
Mountain.....	10	0	10	9	9	9	10	4	13 0	10
Pacific.....	4	4	4	4	0	4	0	13 0	0	0

PNEUMONIA DEATH RATES

105 cities.....	104	81	66	58	61	57	59	62	56	17 64
New England.....	117	62	60	45	45	50	52	55	37	7 30
Middle Atlantic.....	130	98	75	62	64	63	52	65	65	73
East North Central.....	89	81	42	45	59	47	40	52	38	8 52
West North Central.....	59	33	50	42	39	55	42	42	53	44
South Atlantic.....	122	77	96	75	67	51	55	63	73	12 82
East South Central.....	63	103	120	97	91	74	63	74	69	63
West South Central.....	87	92	76	61	61	76	66	111	71	87
Mountain.....	105	143	57	67	76	86	57	76	13 29	57
Pacific.....	49	65	58	62	74	45	65	13 85	78	90

* Cicero, Ill., not included. Report not received at time of going to press.

† Cicero, Ill., and Spokane, Wash., not included.

‡ Cicero, Ill., Tampa, Fla., and San Francisco, Calif., not included.

§ Cicero, Ill., Waterloo, Iowa, and Helena, Mont., not included.

¶ Barre, Vt., Columbus, Ohio, Cicero, Ill., Sioux City, Iowa, and Brunswick, Ga., not included.

|| Barre, Vt., not included.

♦ Columbus, Ohio, and Cicero, Ill., not included.

® Waterloo, Iowa, not included.

■ Sioux City, Iowa, not included.

▲ Tampa, Fla., not included.

● Brunswick, Ga., not included.

◆ Helena, Mont., not included.

◆ Spokane, Wash., not included.

◆ San Francisco, Calif., not included.

◆ Cicero, Ill., and Helena, Mont., not included.

◆ Barre, Vt., Columbus, Ohio, Cicero, Ill., and Brunswick, Ga., not included.

Number of cities included in summary of weekly reports and aggregate population of cities in each group, estimated as of July 1, 1923

Group of cities	Number of cities reporting cases	Number of cities reporting deaths	Aggregate population of cities reporting cases	Aggregate population of cities reporting deaths
Total.....	105	97	28,898,350	28,140,934
New England.....	12	12	2,098,746	2,098,746
Middle Atlantic.....	10	10	10,304,114	10,304,114
East North Central.....	17	17	7,032,535	7,032,535
West North Central.....	14	11	2,515,330	2,381,484
South Atlantic.....	22	22	2,566,901	2,566,901
East South Central.....	7	7	911,885	911,885
West South Central.....	8	6	1,124,564	1,023,013
Mountain.....	9	9	546,445	546,445
Pacific.....	6	3	1,797,830	1,275,841

FOREIGN AND INSULAR

GREAT BRITAIN

Typhus fever—Greenock, Scotland.—Under date of August 18, 1925, an outbreak of typhus fever, with seven cases, occurring in two houses, was reported at Greenock, Scotland. The outbreak was stated to cover the period August 6 to 18, 1925, approximately.

HAWAII

Plague-infected rodent—Kukuihaele—July 31, 1925.—A plague-infected rodent was reported found at Kukuihaele, Hawaii, July 31, 1925.

IRELAND

Typhus fever—Cork County—August 25, 1925.—Three cases of typhus fever were reported at one locality in County Cork, Ireland, August 25, 1925.

JAMAICA

Smallpox (reported as alastrim)—June 28–August 1, 1925.—During the five-week period from June 28 to August 1, 1925, there were reported in the island of Jamaica 59 cases of smallpox (reported as alastrim), of which 22 cases were in the town and parish of Kingston.

Chicken pox—Leprosy—Typhoid fever.—During the same period 8 cases of chicken pox were reported in the island and two cases at Kingston; two cases of leprosy were reported in the island. The typhoid-fever prevalence was reported as follows: Island, 67 cases; Kingston, 29 cases.

JAPAN

Cholera—Yokohama.—Under date of September 2, 1925, five cases of cholera with three deaths were reported at Yokohama, Japan.

LATVIA

Communicable diseases—June, 1925.—During the month of June, 1925, communicable diseases were notified in the Republic of Latvia as follows:

Disease	Cases	Disease	Cases
Anthrax.....	1	Recurrent fever.....	
Cerebrospinal meningitis.....	2	Scarlet fever.....	1
Diphtheria.....	56	Smallpox.....	199
Dysentery.....	6	Typhoid fever.....	1
Leprosy.....	1	Typhus fever.....	71
Measles.....	445	Whooping cough.....	9
Mumps.....	35		146

1901

September 4, 1925

MALTA

Communicable diseases—July 16-31, 1925.—During the period July 16 to 31, 1925, communicable diseases were reported in the island of Malta, as follows:

Disease	Cases	Disease	Cases
Chicken pox.....	6	Smallpox.....	3
Malta fever.....	47	Tuberculosis.....	23
Measles.....	1	Typhoid fever.....	13
Pneumonia and broncho-pneumonia.....	6	Whooping cough.....	6
Scarlet fever.....	3		

UNION OF SOUTH AFRICA

Plague - infected rodent — Kimberley — Typhus fever — July 5-11, 1925.—During the week ended July 11, 1925, the finding of a plague-infected house mouse in the town of Kimberley, Union of South Africa, was reported.

During the same period fresh outbreaks of typhus fever were reported in the State of Natal, in one district, and in the Orange Free State in the Hoopstad district. The outbreaks were on farms. It was stated that outbreaks were being combated in the Cape Province in 4 districts, in Natal in 2 districts, in the Orange Free State in 4 districts, and in the Transvaal in 2 districts.

Certain features of the typhus fever prevalence.—The conditions under which several outbreaks of typhus fever have occurred in the Union of South Africa and the sporadic character of these outbreaks are believed to indicate that the infection is widespread and that the forms in which it manifests itself are often obscure and indefinite, necessitating special care to prevent cases of the disease from passing unrecognized.

VIRGIN ISLANDS

Filariasis—Pellagra—July, 1925.—During the month of July, 1925, one case of filariasis (Bancrofti) and three cases of pellagra were reported in the Virgin Islands of the United States.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER

The reports contained in the following tables must not be considered as complete or final as regard either the lists of countries included or the figures for the particular countries for which reports are given.

Reports Received During Week Ended September 4, 1925¹**CHOLERA**

Place	Date	Cases	Deaths	Remarks
India: Calcutta.....	July 5-11.....	9	7	
Japan: Yokohama.....	Sept. 2.....	5	3	
Philippine Islands: Bulacan Province.....	June 28-July 18.....	3	2	
Leyte Province.....	July 8-14.....	1	1	

¹ From medical officers of the Public Health Service, American consuls, and other sources.

September 4, 1925

1902

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued**Reports Received During Week Ended September 4, 1925—Continued****PLAQUE**

Place	Date	Cases	Deaths	Remarks
Egypt:				
Port Said	July 30-Aug. 5	1		
Greece:				
Athens	July 1-31	17	4	
Piraeus	July 18-19	2		
Hawaii:				
Kukuhaele	July 31			Plague-infected rat.
India:				
Calcutta	July 5-11	1	1	
Iraq:				
Bagdad	June 21-27	5	1	
Java:				
Batavia	July 5-10	19	19	In Province.
Cheribon	May 31-June 13		10	
Pekalongan	do		8	
Tegal	do		8	
Union of South Africa:				
Cape Province—				
Kimberley	July 5-11			One plague-infected house mouse.
On vessel:				
S. S. Arcadia	July 24-27	2		At Alexandria, Egypt, July 27, 1925: One case; vessel arrived July 27. At Piraeus, Greece July 24, 1925: One case.

SMALLPOX

Algeria:				
Algiers	July 1-20	28		
Constantine	do	15		District.
Brazil:				
Bahia	July 5-25	2	2	
Pernambuco	July 5-18	1	1	
Canada:				
British Columbia—				
Vancouver	Aug. 2-9	2		
China:				
Amoy	July 12-25			Present.
Antung	July 20-26	1		
Nanking	July 19-25			Do.
Shanghai	do		1	
Great Britain:				
Cardiff	Aug. 2-8	14	8	
Newcastle-on-Tyne	do		1	
Greece:				
Athens	July 1-31	14	1	
India:				
Calcutta	July 5-11	12	8	
Iraq:				
Bagdad	June 14-20	1	1	
Jamaica:				
Kingston	June 28-Aug. 1	22		June 28-Aug 1, 1925: Cases, 59 (reported as alastrim). Reported as alastrim.
Japan:				
Nagasaki	July 13-19		1	
Java:				
Batavia	July 4-10	1		Province.
Soerabaya	June 21-27	30	4	
Latvia				
Malta:				
Mexico:				
Guadalajara	Aug. 11-17	2		
Mexico City	July 26-Aug. 8	6		Including municipalities in Federal district.
Persia:				
Teheran	Apr. 21-May 21		18	
Peru:				
Arequipa	June 1-30		1	
Portugal:				
Lisbon	July 12-Aug. 1		7	
Union of South Africa:				
Cape Province	July 5-11			Outbreaks.

1903

September 4, 1925

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued
Reports Received During Week Ended September 4, 1925—Continued
TYPHUS FEVER

Place	Date	Cases	Deaths	Remarks
Algeria:				
Algiers.....	July 1-20.....	13.....	7.....	
Constantine.....	July 1-10.....	17.....		District.
Egypt:				
Port Said.....	July 30-Aug. 5.....	2.....		
Great Britain:				
Scotland—				
Greenock.....	Aug. 6-18.....	7.....		
Iraq:				
Bagdad.....	July 12-18.....	1.....		
Ireland:				
Cork County.....	Aug. 25.....	3.....		
Latvia.....				
Mexico:				
Mexico City.....	July 26-Aug. 1.....	5.....		Including municipalities in the Federal district.
Palestine:				
Dagania.....	July 21-27.....	1.....		
Ekran.....	do.....	1.....		
Safad.....	do.....	1.....		
Tel-Aviv.....	do.....	1.....		
Persia:				
Teheran.....	Apr. 21-May 21.....		1.....	
Peru:				
Arequipa.....	June 1-30.....		1.....	
Union of South Africa:				
Natal.....	July 5-11.....			Outbreaks. In one district.
Hoopstad.....	do.....			Do.

Reports Received from June 27 to August 28, 1925¹
CHOLERA

Place	Date	Cases	Deaths	Remarks
Algeria:				
Algiers.....	May 11-20.....	1.....		
Ceylon:				
Colombo.....	May 10-16.....	2.....	2.....	Jan. 25-May 30, 1925: Cases, 78; deaths, 58.
India:				
Bombay.....	May 10-June 27.....	2.....	1.....	Apr. 26-June 20, 1925: Cases, 34,322; deaths, 20,799.
Do.....	June 28-July 4.....	2.....	2.....	
Calcutta.....	May 3-9.....	58.....	49.....	
Do.....	May 17-23.....	79.....	61.....	
Do.....	June 14-20.....	12.....	11.....	
Madras Presidency.....	June 6-20.....	4.....	1.....	
Do.....	July 5-18.....	2.....	2.....	
Rangoon.....	May 3-June 6.....	22.....	15.....	Feb. 8-14, 1925: Cases, 2; deaths, 2. (Received out of date.)
Do.....	June 14-July 18.....	13.....	10.....	
Do.....	June 28-July 4.....		1.....	
Indo-China:				
Saigon.....	May 4-June 7.....	4.....	3.....	
Philippine Islands:				
Albay—				
Tabaco.....	June 14-20.....	1.....	1.....	
Bulacan.....	do.....	1.....	1.....	
Camarines Sur.....	July 3-9.....	1.....		
Lagonoy.....	June 6-12.....	2.....	1.....	
Manila.....	June 15-28.....	3.....		
Do.....	June 29-July 12.....	6.....	1.....	
Mountain Province.....	June 23-29.....	1.....	1.....	June 1-Aug. 8, 1925: Cases, 17.
Siam:				
Bangkok.....	Apr. 29-June 27.....	9.....	4.....	
Turkey:				
Constantinople.....	May 16-22.....	1.....		

¹ From medical officers of the Public Health Service, American consuls, and other sources.

September 4, 1925

1904

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued**Reports Received from June 27 to August 28, 1925—Continued****PLAQUE**

Place	Date	Cases	Deaths	Remarks
Brazil:				
Bahia.....	May 3-June 13.....	5.....	4.....	
British East Africa:				
Uganda.....	Feb. 1-28.....	28.....	28.....	
Entebbe.....	May 4-June 4.....	78.....	73.....	
Ceylon:				
Colombo.....	May 10-June 30.....	11.....	10.....	
Do.....	June 28-July 11.....	5.....	3.....	
China:				
Foochow.....	May 24-31.....	Reported present in epidemic form.
North Manchuria.....	May 27.....	2.....	1.....	
Ecuador:				
Guayaquil.....	June 1-15.....	1.....	1.....	May 16-June 30, 1925: Rats examined, 30,347; found infected, 95. July 1-15, 1925: Rats taken, 9,926; rats found infected, 16.
Egypt.....				June 1-July 15, 1925: Cases, 88. Corresponding period 1924—cases, 328.
City—				Bubonic.
Alexandria.....	June 17-24.....	2.....	2.....	
Port Said.....	June 17-July 8.....	6.....	3.....	
Suez.....	June 14-27.....	3.....	2.....	Do.
Province—				
Assiout.....	June 5.....	1.....	1.....	
Beni Souef.....	June 10-16.....	8.....	4.....	
Charkieh.....	June 6-8.....	1.....	1.....	
Kena.....	June 17.....	1.....	1.....	
Minia.....	June 6-17.....	3.....	2.....	
Gold Coast.....	March-April.....	3.....	3.....	
Hawaii:				
Honokaa.....				June 28, 1925: Plague-infected rat trapped at Honokaa Plantation.
India:				
Bombay.....	Apr. 26-June 27.....	65.....	59.....	Apr. 26-June 27, 1925: Cases, 23,879; deaths, 19,855.
Do.....	June 28-July 4.....	5.....	4.....	
Calcutta.....	May 30-June 6.....	1.....	1.....	
Karachi.....	May 18-June 6.....	4.....	3.....	
Madras.....	May 10-June 30.....	15.....	8.....	
Rangoon.....	May 3-June 27.....	113.....	95.....	Feb. 8-14, 1925: Cases, 13; deaths, 13. (Received out of date.)
Do.....	June 28-July 4.....	20.....	18.....	
Indo-China:				
Cochin-China—				
Saigon.....	Apr. 20-June 21.....	3.....	3.....	Including 100 square kilometers of surrounding country.
Iraq:				
Bagdad.....	May 24-June 6.....	9.....		
Java:				
Batavia.....	May 6-June 19.....	32.....	31.....	
Cheribon.....	Apr. 2-May 30.....		68.....	Epidemic in several localities.
Paserocean Residency.....	Mar. 7-May 25.....			
Pekalongan.....	Apr. 9-May 30.....		78.....	
Soerabaya.....	May 7-27.....	3.....	3.....	
Soerakarta Residency.....	May 28.....			Epidemic at Kalidgambe.
Tegal.....	Apr. 2-16.....		36.....	
Do.....	May 24-30.....		8.....	
Madagascar:				
Province—				
Itasy.....	Apr. 1-15.....	1.....	1.....	
Tananarive.....	Apr. 1-June 15.....	216.....	185.....	
Town—				
Tamatave (port).....	Apr. 1-15.....	2.....		
Tananarive Town.....	Apr. 16-May 31.....	5.....	5.....	
Mauritius.....				April, 1925: One case.
Nigeria:				
Do.....	December, 1924.....	17.....	13.....	
Do.....	January, 1925.....	10.....	6.....	
Do.....	March-April.....	18.....	14.....	
Russia:				
Kalmuky District.....	May 19-31.....	10.....	8.....	
North Caucasus.....	June 6-7.....	2.....	2.....	
Urts.....	May 25-June 3.....	2.....	2.....	In laboratory worker and contact. Locality, Province of Bukeevsk.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued
Reports Received from June 27 to August 28, 1925—Continued
PLAQUE—Continued

Place	Date	Cases	Deaths	Remarks
Siam:				
Bangkok	Apr. 26-June 20	13	11	
Straits Settlements:				
Singapore	May 3-30	9	9	
Do.	June 28-July 4	1	1	
Turkey:				
Constantinople	May 25-31	1		
Union of South Africa:				
Orange Free State— Boshof District	June 28-July 4	1	1	Native.
Kimberly	June 14-20	1	1	In a Malay camp.
On vessel:				
Steamship Efstratios Ca-voundis.	July 7-11	4	1	At Alexandria, Egypt. Vessel arrived July 7, 1925. Regular route, ports in Syria, Greece, and Port Said. Dead rats reported found on board.

SMALLPOX

Algeria:				
Algiers	May 1-June 30	43	2	
Brazil:				
Bahia	June 28-July 4	2		
Pernambuco	Apr. 26-May 30	40	21	
Do.	June 7-27	5	3	
Porto Alegre	June 14-20		1	
Rio de Janeiro	May 9-June 27	5	1	
Do.	June 28-July 18	18	10	
British East Africa:				
Kenya— Mombasa	Apr. 19-June 20	27	13	
Nairobi	May 3-9	3	2	
Tanganyika Territory	Apr. 5-May 23	82	24	
Uganda	Feb. 1-28	2		
British South Africa:				
Northern Rhodesia	Apr. 28-May 4	3		
Southern Rhodesia	June 11-July 1	2		
Canada:				
British Columbia— Vancouver	June 1-28	7		
Do.	July 6-Aug. 1	8		
New Brunswick— Restigouche County	June 1-30	1		
Ontario— Galt	June 14-20	2		
Kingston	do	1		
Quebec— Quebec	July 26-Aug. 1	2	2	
Saskatchewan— Regina	May 24-30	3		
China:				
Amoy	May 17-June 30		7	
Antung	May 11-July 5	8		
Canton	May 10-June 13			
Chungking	May 3-30			
Foochow	May 9-June 20			
Hongkong	Apr. 19-June 13	15	12	
Manchuria— Dairen	Apr. 13-June 28	115	17	
Do.	June 29-July 5	1	1	
Harbin	May 18-June 2	2		
Nanking	May 9-July 11			
Shanghai	May 3-June 6	5	2	
Do.	July 6-11	1		
Swatow	May 17-July 11			
Tientsin	May 9-June 6	3		
Chosen:				
Seoul	May 1-June 30	2		
Egypt:				
Alexandria	May 21-27	1	1	
Cairo	Mar. 19-May 13	5		
France:				
Paris	May 21-31	1		February-May, 1925: Cases, 77.

September 4, 1925

1906

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued
Reports Received from June 27 to August 28, 1925—Continued
SMALLPOX—Continued

Place	Date	Cases	Deaths	Remarks
Germany:				
Baden (state)	July 12-25.....	2	1	
Stuttgart.....	July 5-11.....	3	1	
Gold Coast.....				January-April, 1925: Cases, 367, deaths, 29.
Great Britain:				
England and Wales.....				May 24-June 27, 1925: Cases, 441. June 28-Aug. 1, 1925: Cases, 353.
Birmingham.....	June 7-13.....	1		
Cardiff.....	June 14-20.....	1		
Newcastle-on-Tyne.....	May 31-June 27.....	4		
Do.....	June 28-Aug. 1.....	8		
Greece.....				January-May, 1925: Cases, 46; deaths, 8.
Athens.....	May 1-31.....		2	
Do.....	June 24-30.....	27	3	
Hungary:				
Budapest.....	July 5-18.....	13		
India.....				Apr. 26-June 27, 1925: Cases, 36,658; deaths, 9,087.
Bombay.....	Apr. 26-June 27.....	156	115	
Do.....	June 28-July 4.....	6	3	
Calcutta.....	May 3-9.....	109	100	
Do.....	May 17-23.....	75	61	
Do.....	May 31-June 20.....	88	81	
Karachi.....	May 18-June 27.....	6	1	
Do.....	June 28-July 4.....	1	1	
Madras.....	May 18-June 27.....	152	66	
Do.....	June 28-July 18.....	68	25	
Rangoon.....	May 3-June 27.....	207	99	
Do.....	June 28-July 4.....	2	1	
Indo-China:				
Cochin-China—				
Saigon.....	Apr. 20-May 21.....	13	9	Including 100 square kilometers of surrounding country.
Iraq.....				
Bagdad.....	Apr. 26-May 2.....	3		
Italy.....	Dec. 28-May 30.....	72		
Jamaica.....				Apr. 26-June 27, 1925: Cases, 110 (reported as alastrim). Reported as alastrim.
Kingston.....	Apr. 26-June 27.....	19		
Japan:				
Kobe.....	May 24-June 27.....	2		
Nagasaki.....	May 15-21.....	2		
Do.....	July 6-12.....	1		
Taiwan.....	July 1-10.....	1		
Tokyo.....	June 14-20.....	1		
Yokohama.....	May 25-June 12.....	3		
Java:				
Batavia.....	May 2-June 26.....	2		
Brebes.....	Apr. 22-28.....	1		
Cheribon.....	Apr. 16-22.....		1	
Pekalongan.....	Apr. 2-8.....	1		
Rembang Residency.....	Apr. 23.....			Epidemic at Kawedanan.
Soerabaya.....	Apr. 16-June 20.....	274	37	
South Bantam.....	Apr. 16-22.....	1		
Tegal.....	Mar. 29-May 2.....	2	1	
Latvia.....				May, 1925: Cases, 3.
Lithuania.....				February-April, 1925: Cases, 5.
Malta.....				
Do.....	June 1-30.....	9		
Mexico:				
Durango.....	do.....		11	
Do.....	July 1-31.....		13	
Guadalajara.....	June 2-29.....		10	
Do.....	June 30-Aug. 10.....		13	
Mexico City.....	May 24-June 27.....	12		
Do.....	July 5-11.....	3		
Tampico.....	June 1-10.....		1	
Do.....	July 1-31.....	4	2	
Morocco:				Including municipalities in Federal district.
Tangier.....	May 17-June 5.....			
Nigeria.....				Present among natives.
Do.....				December, 1924: Cases, 40; deaths, 16.
				January-April, 1925: Cases, 1,377; deaths, 123.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued
Reports Received from June 27 to August 28, 1925—Continued
SMALLPOX—Continued

Place	Date	Cases	Deaths	Remarks
Persia:				
Teheran.....	Mar. 21-Apr. 21		11	
Poland.....				Mar. 1-May 9, 1925: Cases, 23.
Portugal:				
Lisbon.....	Apr. 26-June 27	36	6	
Do.....	June 28-Aug. 1	34	7	
Oporto.....	June 14-20	1		
Do.....	July 19-25	4		
Rumania.....				January-February, 1925: Cases, 20.
Russia.....				December, 1924: Cases, 1,000 January-March, 1925: Cases, 2,457. Later than previously published reports.
Siam:				
Bangkok.....	Apr. 26-June 27	27	19	
Spain:				
Malaga.....	May 24-June 20		15	
Do.....	July 5-Aug. 1		13	
Valencia.....	May 31-June 27	3	1	
Straits Settlements:				
Singapore.....	May 17-23	1		
Switzerland:				
Berne.....	June 7-13	1		
Lucerne.....	June 14-20	4		
Syria:				
Beirut.....	Apr. 21-30	1		
Tripoli.....				Jan. 3-Apr., 1925: Cases, 14.
Tunis:				
Tunis.....	May 6-June 30		46	
Do.....	July 1-Aug. 4		20	
Turkey:				
Constantinople.....	May 16-22	2		
Union South Africa:				
Cape Province.....	May 24-30			Outbreaks.
Port Elizabeth.....	Apr. 18-25	8	1	
Transvaal.....	May 3-June 6			
Uruguay.....				Do.
Do.....				December, 1924: Cases, 8. February-March, 1925: Cases, 4.

TYPHUS FEVER

Algeria:				
Algiers.....	May 11-20	6	2	In vicinity, 12 cases. Isolated.
Bulgaria:				November-December, 1924: 1 case. January-March, 1925: Cases, 36; deaths, 2.
Sofia.....	May 28-June 3	2	2	
Chili:				
Valparaiso.....	May 10-July 18		9	
China:				
Manchuria—				
Harbin.....	May 19-June 2	2		
Czechoslovakia.....				April, 1925: 1 case.
Egypt:				
Alexandria.....	May 7-June 3	3	1	
Do.....	July 9-15	1		
Cairo.....	Mar. 26-May 13	6	4	
Port Said.....	May 14-20	1	1	
Estonia.....				
Greece:				
Athens.....	May 1-31		2	Apr. 1-May 30, 1925: Cases, 6.
Kalamata.....	Apr. 1-30		2	January-May, 1925: Cases, 54; deaths, 6.
Patras.....	June 28-July 4		2	
Latvia.....				
Libau.....	July 14-20	1		April-May, 1925: Cases, 17.
Lithuania.....				March-April, 1925: Cases, 118; deaths, 5.
Mexico:				
Mexico City.....	May 24-June 6	24		Including municipalities in Federal district.
Do.....	June 28-July 25	34		Do.
San Luis Potosi.....	June 26-July 4		1	

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued**Reports Received from June 27 to August 28, 1925—Continued****TYPHUS FEVER—Continued**

Place	Date	Cases	Deaths	Remarks
Morocco				January-May, 1925: Cases, 362. Later than previously published reports.
Palestine:				
Jaffa District	June 2-8	2		
Majdal	May 26-June 8	3		
Ramleh	May 19-25	1		
Safad	June 9-15	1		
Peru:				
Arequipa	Apr. 1-30		2	
Poland				Mar. 1-Apr. 11, 1925: Cases, 1,195; deaths, 74.
Portugal:				
Oporto	May 31-June 6	1		
Do	July 5-11	1		
Rumania:				
Constantza	May 1-31	1		
Russia				December, 1924: Cases, 5,062. January-March, 1925: Cases, 18,336. Later than previously published reports.
Spain:				
Valencia	June 7-13		1	
Tunis:				
Tunis	May 21-June 17	16	8	
Do	July 8-28	9	4	
Turkey:				
Constantinople	May 11-31	7	2	
Union of South Africa:				
Cape Province	Apr. 19-July 4	39	5	
Natal	May 3-July 4	14		
Durban	Feb. 1-July 4	18		
Orange Free State	Feb. 1-June 27	26	4	
Transvaal	do	11	2	
Yugoslavia:				
Zabreb	May 8-21	7	1	

YELLOW FEVER

Gold Coast	Apr. 1-30	1	
Ivory Coast:			
Lahou	June 1-10	1	1
Nigeria:			
Ibadan	Apr. 24-30	1	
Lagos	Apr. 29-May 5	4	1

X