

PUBLIC HEALTH REPORTS

VOL. 41

OCTOBER 15, 1926

NO. 42

DEATH RATE FROM TUBERCULOSIS DECREASING

Lower death rates from tuberculosis (all forms) were registered in 1924 than in 1900, for each age period for both sexes, in the Registration States of 1900, as shown by figures recently issued by the Department of Commerce. The amount of this decline in death rates ranged from 73 per cent for females under 1 year of age to 37 per cent for females aged 15 to 19 years. Specific rates per 100,000 population at each age period are given in the accompanying table.

This decline in tuberculosis death rates is not limited to the United States. Similar declines are recorded in the death rates of England and Wales. A comparison of the 1924 death rates from tuberculosis (all forms) for England and Wales with the corresponding 1924 rates for the United States Registration States of 1900 reveals lower rates in the United States for each age period up to age 55 for each sex. The greatest per cent difference up to age 55 was for males aged 5 to 9 years, the respective rates for the two countries being 37 for England and Wales and 15 for the United States, the latter rate being 59 per cent lower than the rate for England and Wales. The least per cent difference up to age 55 was for females aged 20 to 24, the respective rates for the two countries being 153 for England and Wales and 146 for the United States, the latter rate being 19 per cent lower than the rate for England and Wales. Comparisons of the tuberculosis death rates for the two countries for ages above 55 show much lower rates in England and Wales than in this country, so much lower in fact that apparently the only explanation is a tendency in England and Wales to certify at the older ages bronchitis as the cause of death instead of tuberculosis.

Death rates for tuberculosis, by sex and age groups, in the registration States of 1900

Age period	Death rate for tuberculosis (all forms) per 100,000 population in the registration States of 1900							
	1900		1910		1920		1924	
	Male	Female	Male	Female	Male	Female	Male	Female
All ages—								
Adjusted rate.....	194.4	182.8	173.5	141.2	114.5	101.7	89.7	77.2
Crude rate.....	201.9	188.5	184.0	146.2	121.8	103.7	95.4	78.0
Under 1 year.....	349.5	294.8	250.9	249.3	152.0	127.8	94.4	78.7
1 to 4 years.....	109.0	98.0	109.6	95.5	66.7	56.2	42.6	40.2
5 to 9 years.....	31.1	33.5	29.2	33.4	22.4	21.5	14.8	15.0
10 to 14 years.....	27.4	55.0	25.3	46.3	18.3	33.5	14.9	21.7
15 to 19 years.....	124.1	177.7	111.1	133.0	79.0	131.6	63.4	111.6
20 to 24 years.....	249.7	265.8	190.9	204.0	137.9	179.4	123.0	145.7
25 to 29 years.....	286.6	312.4	224.8	219.6	151.2	164.5	118.1	124.0
30 to 34 years.....	298.3	282.0	263.0	208.9	163.3	138.0	121.5	104.7
35 to 44 years.....	279.8	230.3	284.0	182.5	171.4	120.5	133.5	82.5
45 to 54 years.....	257.0	175.0	263.0	137.8	179.3	89.8	137.9	68.0
55 to 64 years.....	269.1	180.2	251.8	138.2	170.2	91.5	145.9	69.6
65 to 74 years.....	284.1	232.8	227.0	166.2	163.4	103.4	135.7	88.5
75 years and over.....	276.0	267.6	183.0	168.1	122.7	103.2	90.8	78.2

*Comparison of tuberculosis death rates for the United States and England and Wales
for 1924*

Age period	Death rate for tuberculosis (all forms) per 100,000 estimated population in 1924—			
	The United States: Registration States of 1920		England and Wales ¹	
	Male	Female	Male	Female
All ages—				
Adjusted rate.....	92.1	86.9	115.6	93.4
Crude rate.....	95.6	87.1	120.2	92.6
Under 1 year.....	86.8	74.7	114.2	94.3
1 to 4 years.....	36.9	32.6	103.6	88.3
5 to 9 years.....	12.7	13.9	36.5	36.7
10 to 14 years.....	14.6	23.8	32.0	53.5
15 to 19 years.....	63.2	112.7	82.3	127.3
20 to 24 years.....	127.0	167.8	151.2	152.6
25 to 29 years.....	131.4	142.5	150.4	130.3
30 to 34 years.....	129.8	118.4	148.6	117.8
35 to 44 years.....	134.1	97.0	170.4	99.3
45 to 54 years.....	133.6	82.2	172.4	76.0
55 to 64 years.....	144.9	84.2	143.6	65.7
65 to 74 years.....	165.1	115.7	102.2	54.4
75 years and over.....	136.2	120.9	33.5	34.4

¹ From Statistical Review for 1924, compiled by Registrar General of England and Wales.

PUBLIC HEALTH ENGINEERING ABSTRACTS

Housing Methods and Death Rate Variations Correlate. *The Nation's Health*, Vol. 8, No. 6, June 15, 1926, pp. 425-426. (Abstract by A. L. Dopmeyer.)

In this short article are analyzed the results of a study by Dr. A. K. Chalmers (*Proc. Roy. Soc. Med.*, March, 1926, pp. 13-22) to determine the probable effects on the health of the community produced by living in tenements as compared to cottages. The comparison is made between England and Scotland, the general practice of the people of England in the past having been to live in cottages, and that of the people of Scotland to live in tenements.

According to Doctor Chalmers, dwellers in tenements in Scotland show a much higher death rate, particularly from communicable diseases, than people living in cottages in England; in fact, Scotland shows a higher death rate for each sex at all ages. A table shows comparative death rates between Scotland and England, and a specific comparison is made between Manchester, a "city of cottages," and Glasgow for the years between 1914-1922.

Incidentally, England is said to be attempting to relieve its housing shortage by building tenements and Scotland by building cottages, in each case, the method of housing of which the nation knows least.

Pollution of Water Supplies By Wastes from Canneries and Dairies in Iowa. J. H. Buchanan, Associate Professor of Sanitation Chemistry, Iowa State College, Ames, Iowa. *Journal American*

Water Works Association, Vol. 15, No. 5, May, 1926, pp. 527-530.
(Abstract by Sol Pincus.)

The stream-pollution problem of Iowa has become serious owing to the centralization of manufacturing plants producing organic wastes, particularly in the corn-canning industry and in the dairy industry. It is pointed out that the corn-canning and creamery wastes differ from domestic sewage, as the fermentation of considerable quantities of carbohydrates in the former wastes results in very markedly increasing the acidity of the streams. Instances are given in which the corn-canning waste effected an increase of acidity in the stream of nearly one hundred fold. With the creamery wastes the effect of increase of acidity is also encountered, as well as a great increase in organic matter.

The increase in acidity would be an important factor in the suitability of a stream for public water-supply purposes, on account of the corrosive nature of the acid water and the difficulty that would be experienced in the chemical process of purification.

Schenectady Sewage-Treatment Plant Markets Its Sewage Sludge.
Anon. *Health News*, New York State Health Department, Vol. 3, No. 22, May 31, 1926. p. 86. (Abstract by Isador W. Mendelsohn.)

In little over a year 2,500 cubic yards of dried Imhoff tank sludge from the Schenectady (N. Y.) sewage-disposal plant has been sold to the farmers of the county at 10 to 25 cents per load at the plant. The farmers cart the material in trucks and farm wagons, the average haul being 6 miles, the longest 14. All types of crops were benefited and equal success was reported on both sandy and clayey soils.

The plan for selling the sludge is very interesting and can be adapted to other places. It included (1) advertisement of the fertilizer value of the sludge by the local farm bureau association in the local press and the farm bureau periodical; (2) form letters mailed by the bureau to its members; (3) exhibits at meetings of market gardeners; (4) spread of results of analysis of sludge samples by Cornell University among farmers.

COURT DECISIONS RELATING TO PUBLIC HEALTH

City, not county, held liable for expense of free vaccination.—(Michigan Supreme Court; Keho et al. v. Board of Auditors of Bay County, 209 N. W. 163; decided June 7, 1926.) To prevent the spread of smallpox in Bay City, the plaintiffs, who were physicians constituting the board of health of the city, vaccinated approximately 10,000 school children, teachers, and janitors. Their bills were presented to the county board of auditors and disallowed because the auditors were of the opinion that the county was not liable. The circuit

court affirmed the auditors' action and on appeal to the supreme court the judgment of the circuit court was affirmed. The decision of the supreme court was based on section 5096 of the Compiled Laws, 1915, which provided that "the board of health of each city * * * may at any time direct its health officer or health physician to offer vaccination * * * with bovine vaccine virus * * * to every child and to all other persons, without cost to the person vaccinated * * * but at the expense of such city * * *."

Meat ordinance construed.—(Colorado Supreme Court; *Burtis v. City of Montrose*, 247 P. 186; decided May 10, 1926.) A city ordinance prohibited any person from selling, or keeping or offering for sale, any meat not inspected by the city inspector, unless the meat bore the meat inspection brand or mark of the United States Department of Agriculture. The ordinance also fixed the charges for inspection. The supreme court held that, where the meat handled by a person had been inspected and marked by the Federal Government, such person was expressly exempted from the payment of any inspection fee provided by the ordinance.

Tort action against Washington Suburban Sanitary Commission held not maintainable.—(District of Columbia Court of Appeals; *Washington Suburban Sanitary Commission v. Magruder*, 12 F. (2d) 832; decided May 3, 1926.) The plaintiff in the lower court brought an action for damages against the Washington Suburban Sanitary Commission for personal injuries alleged to have been caused through the negligence of the defendant in constructing and laying a sewer. The court of appeals held that the action could not be maintained because the commission was a governmental agency created by a Maryland law and was without funds or power to raise same for the purpose of paying damages.

Commitment of drug addicts under certain statute not warranted.—(New York Supreme Court; *People ex rel. Sherwood et al. v. City of Buffalo et al.*, 216 N. Y. S. 468; decided March, 1926.) Where there was no statute making the use of habit-forming drugs unlawful, the supreme court held that the Buffalo city court could not commit persons to a hospital under a statute authorizing such commitment "for unlawfully using" habit-forming drugs. The court also held that such statute did not make the use of habit-forming drugs unlawful.

Migratory livestock act held unconstitutional.—(Colorado Supreme Court; *People v. Morgan*, 246 P. 1024; decided May 24, 1926.) The migratory livestock act of 1925 provided that "whenever any migratory livestock is driven into or pastured or suffered to range or graze in this State from an adjoining State, the owner thereof or his agent shall 10 days before crossing the State line notify the sheriff of the county into which such entry is made of such entry," and also

required the inspection of such livestock for communicable diseases. The collection of a certain fee for each animal was also prescribed. In a prosecution for a violation of the act, the supreme court in its opinion stated in part as follows:

Section 6 of the above act of the legislature provides, among other things, that it does not affect livestock owned by residents of this State which are ranged a portion of the year in adjoining States, or which are taken for shipment back into this State. By sections 1, 2, and subsequent sections, the act is made to apply to migratory livestock driven into, or suffered to range or graze in, this State from adjoining States. In other words, one rule is made for residents of Colorado and another for nonresidents. If inspection is necessary for the one, it is necessary for the other.

The above discrimination is repugnant to clause 1, section 2, article 4, of the Constitution of the United States, which entitles the citizens of each State to all privileges and immunities of citizens in the several States. It is also contrary to that part of section 1 of the fourteenth amendment to the Constitution of the United States which forbids any State from making or enforcing any law abridging the privileges and immunities of the citizens of the United States.

The court held the entire act to be invalid.

Enjoining of enforcement of slaughterhouse ordinance refused.—(Texas Court of Civil Appeals; City of Wichita Falls v. Roberson, 283 S. W. 870; decided March 6, 1926.) The plaintiff in the lower court sought to enjoin the enforcement of an ordinance of the city of Wichita Falls relating to slaughterhouses. The ordinance was very detailed and regulated the construction, equipment, and sanitation of slaughterhouses, required the medical examination of employees, and prohibited the use or sale as food of any animal not slaughtered at a place such as prescribed by the ordinance. Other provisions relating to the subject were also contained in the ordinance. The court of civil appeals refused to grant the injunctive relief asked for, and stated as follows in the opinion:

We conclude that it can not be said that the ordinance invoked in this case, as a whole, is void or violative of any constitutional provision invoked, or that plaintiff's petition or the facts proven on the trial come within any exception to the general rule which denies equitable relief from the enforcement of a criminal statute.

Inspection fees, applicable to private meat markets and imposed by city ordinance, held excessive.—(Louisiana Supreme Court; City of Baton Rouge v. Sanchez, 108 So. 552; decided May 3, 1926.) An ordinance of the city of Baton Rouge provided, among other things, for the inspection of private meat markets and fixed the fees for such inspection at a certain amount for each animal, the amount varying with the kind of animal. The fees were on a daily basis, while the markets were inspected about twice a month. The defendant, the owner and operator of a private meat market, refused to pay an amount assessed against him in accordance with the schedule of fees contained in the ordinance, and the city brought suit to recover

the same. The legality of the ordinance was attacked on the ground that the fees, if construed as either a license or a tax, exceeded the maximum limits provided by the State constitution, and also on the ground that the fees were arbitrary, excessive, and exorbitant, and in no way related to the cost of inspection, but were in restraint of trade and an attempt on the part of the city to raise revenue under the guise of the police power. The evidence showed that the fees and charges assessed against the defendant, on a per annum basis, were far in excess of all of his State and parish taxes and licenses. The supreme court decided in favor of the defendant, and the ordinance, in so far as it attempted to impose the stated fees on private meat markets, was annulled. The following are portions from the court's opinion:

We would not be disposed to interfere with the exercise of the discretion vested in the council and to declare the ordinance illegal if it was made to appear that the fees demanded were for regulatory and inspection purposes, even though the city did incidentally derive a small revenue from such fees over and beyond the amount required to cover the cost and expense incident to the regulation and inspection of the markets.

But the fees exacted under the ordinance are so patently out of proportion to, and so obviously in excess of, the amount necessary to meet the expense and cost of the service contemplated, that we are constrained to hold that the city went beyond its police power of regulation and that the exactions demanded constitute a source of revenue, are within the term "license or tax," and exceed the constitutional limitation.

Town ordinance held valid in so far as making it unlawful to permit certain animals to pollute stream used as water supply.—(Utah Supreme Court; Town of Ophir v. Ault, 247 P. 290; decided June 4, 1926.) One of the provisions of an ordinance of the town of Ophir made it unlawful to permit any cattle, horses, sheep, goats, or hogs to pollute any stream of water, used by the inhabitants of the town, anywhere within 10 miles above a point where said water was first taken by the town for domestic purposes. The defendant was charged with violating the above ordinance in that he permitted his sheep to pollute a stream used by the inhabitants of the town as a water supply and of which stream the town was part owner. The supreme court held that the town had statutory authority to enact an ordinance for the protection of its water supply, and that the ordinance in question was valid as far as the offense charged was concerned. The conviction of the defendant in the lower court was affirmed by the supreme court.

Occupational disease held not compensable under workmen's compensation act.—(Texas Commission of Appeals, Section B; Aetna Life Ins. Co. v. Graham et al., 284 S. W. 931; decided June 9, 1926.) As a result of continued exposure to gases, fumes, etc., incident to her work, an employee of a shoe polish manufacturing company

contracted tuberculosis and died therefrom. In an action for compensation under the workmen's compensation act, the commission of appeals was of the opinion that recovery could not be had for an occupational or industrial disease. The commission held that the employee in the instant case had suffered no accidental injury, and that, therefore, the claim was not compensable. The commission recommended that judgment be rendered denying compensation, and the supreme court entered judgment as recommended.

THE NOTIFIABLE DISEASES

PREVALENCE DURING 1925 IN CITIES OF 10,000 TO 100,000 POPULATION

The tables shown on the following pages were compiled from data furnished by the health officers of cities. Requests for information were sent to all cities of the United States having 10,000 population or more. The data for cities having more than 100,000 population were published in the PUBLIC HEALTH REPORTS, volume 41, No. 38, September 17, 1926.

The following is a list of the diseases included:

Anthrax.	Poliomyelitis (infantile paralysis).
Cerebrospinal fever.	Rabies in animals.
Chicken pox.	Rabies in man.
Dengue.	Rocky Mountain spotted fever.
Diphtheria.	Scarlet fever.
Influenza.	Septic sore throat.
Lethargic encephalitis.	Smallpox.
Malaria.	Tuberculosis (all forms and pulmonary)
Measles.	Typhoid fever.
Mumps.	Typhus fever.
Pellagra.	Whooping cough.
Pneumonia (all forms).	

The present article contains reports from cities having between 10,000 and 100,000 population. It is believed that practically all of these cities are included which have records of morbidity from communicable diseases which are of value for statistical purposes.

The populations given and which were used in computing the rates were estimated as of July 1, 1925. Estimates of population by the Bureau of the Census are based upon the assumption that the annual increase in the population of any city since 1920 is equal to the increase between 1910 and 1920 as shown by the returns of the two Federal censuses. This method gives an estimate which is approximately correct for most of the cities. In a few cases, however, where there is reason to believe that the results thus obtained are far from correct, no estimate is made. The number of cases and

deaths occurring from each disease in these cities is given but no rates are computed.

The estimated expectancy, given in the tables for some of the diseases, is the result of an attempt to ascertain from the experience of recent years how many cases of the disease under consideration might be expected in 1925. In most instances the estimated expectancy is the median number of cases reported by the city for the years 1918 to 1924, inclusive. When several epidemics have occurred during these years, or when for other reasons the median is not satisfactory, epidemic years are excluded, and the estimated expectancy is the mean of the number of cases reported for the nonepidemic years. The aim has been to ascertain how many cases of each disease may reasonably be expected in the absence of epidemics.

The column headed "Number of years" shows the number of years for which data are available for each city.

In comparing the figures for 1925 with the estimated expectancy, averages, or with reports for preceding years, it should be borne in mind that there has been a gradual improvement in the reporting of communicable diseases during the last few years. An increase in the number of cases reported may be due to better reporting of the particular disease rather than to an increase in the number of cases existing.

In studying these tables it should be kept in mind that a relatively large number of reported cases of a communicable disease as indicated by a high case rate (and more especially when accompanied by a relatively small number of deaths, as indicated by a low fatality rate) usually means that the health department of that city is active and that the cases of the disease are being well reported by the practicing physicians. It does not usually mean that the disease is more prevalent in that city than in other cities. A high fatality rate may mean that the disease was unusually virulent in a city, that the physicians did not treat the disease in that city with the success usual elsewhere, or that the practicing physicians did not report all of their cases to the health department. On the other hand, an unusually low fatality rate may be due to the fact that the disease in the city was unusually mild, that the physicians treated it with unusual success, that the practicing physicians reported their cases satisfactorily, or that the registration of deaths was incomplete or the assignment of the causes of death inaccurate.

Cities which did not report either cases or deaths of a certain disease in 1925 are not included in the table for that disease.

Reported Prevalence for the Year 1925

ANTHRAX

City	Cases reported, 1925	Deaths registered, 1925	City	Cases reported, 1925	Deaths registered, 1925
California:			Mississippi:		
Riverside.....	1	0	Natchez.....	1	1
Connecticut:			New Hampshire:		
New London.....	1	1	Claremont.....		1
Louisiana:			New York:		
Lake Charles.....	1	0	Amsterdam.....	3	1
Maine:			Gloversville.....	3	0
Biddeford.....		1	South Dakota:		
Massachusetts:			Aberdeen.....	1	
Haverhill.....	1	1	Texas:		
Woburn.....	1	0	Orange.....	2	1
Minnesota:					
Rochester.....	12				

¹ Nonresidents.CEREBROSPINAL FEVER¹

City	Estimated population, July 1, 1925	Estimated expectancy	1925					
			Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants
Alabama:								
Mobile.....	66,000	6	1	1	0.02	1	0.02	100.0
Arkansas:								
Little Rock.....	74,200	6	2	3	.04	2	.03	66.7
California:								
Bakersfield.....	23,500	7	3			2	.09	
Berkeley.....	66,200	7	1	2	.03	0		
Fresno.....	58,500	3	2	4	.07	2	.03	50.0
Sacramento.....	73,300	7	2	2	.03	1	.01	50.0
Santa Monica.....	19,400					3	.15	
Colorado:								
Pueblo.....	43,800	4	1			3	.07	
Trinidad.....	11,000					1	.09	
Connecticut:								
Greenwich.....	25,300	7	0	2	.08	0		
Manchester.....	21,000	5	0	1	.05			
New Britain.....	68,000	5	8	3	.04	0		
Stratford.....	16,100	3	1	1	.06	0		
Florida:								
St. Petersburg.....	26,800			3	.11	0		
Tampa.....	94,700					3	.03	
Georgia:								
Augusta.....	55,200	5	1	3	.05	2	.04	66.7
Savannah.....	93,100	6	2	1	.01	1	.01	100.0
Idaho:								
Pocatello.....	18,300	4	1	1	.05	1	.05	100.0
Illinois:								
Berwyn.....	18,900	3	0	5	.26	5	.26	100.0
Blue Island.....	13,200	3	1	1	.08	1	.08	100.0
Chicago Heights.....	22,100	4	2			3	.14	
Galesburg.....	24,800	6	1	1	.04	1	.04	100.0
Kewanee.....	19,700	4	1	4	.20	2	.10	50.0
Maywood.....	14,200	6	0	1	.07	1	.07	100.0
Murphysboro.....	12,560	2	1			5	.40	
Oak Park.....	51,400			1	.02	1	.02	100.0
Ottawa.....	11,500	4	0	2	.17	1	.09	50.0
Peoria.....	81,600	5	1	4	.05	0		
Rockford.....	76,500	6	2	1	.01	1	.01	100.0
Springfield.....	63,900	6	2	3	.05	3	.05	100.0
Waukegan.....	22,000			1	.05	1	.05	100.0

¹ Epidemic cerebrospinal meningitis; meningocecal meningitis.

Reported Prevalence for the Year 1925—Continued

CEREBROSPINAL FEVER—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Indiana:								
East Chicago	45,600							
Fort Wayne	97,800	6	2			1	.02	
Hammond	50,400					2	.02	
Kokomo	36,900	7	1	1	.03	5	.10	
Newcastle	17,000			3	.18	0		
Richmond	30,500	4	0	1	.03	3	.18	100.0
Terre Haute	71,100	6	1	2	.03	0		
Kansas:								
Arkansas City	14,000			1	.07	1	.07	
Fort Scott	11,800	5	1	1	.08	1	.08	100.0
Hutchinson	26,000			1	.04			
Leavenworth	20,900	7	1	1	.05	2	.14	
Parsons	14,800	4	2			1	.05	
Pittsburg	19,200			1		3	.03	75.0
Wichita	88,400	6	5	4	.05			
Kentucky:								
Henderson	12,600	2	0			2	.16	
Newport		5	2	1		1		100.0
Louisiana:								
Lake Charles		3	0	1		0		
Shreveport	57,900	2	1			1	.10	.17
Maine:								
Auburn	18,100	3	2	1	.06	0		
Bangor	26,600	3	5	2	.08	1	.04	50.0
Bath	17,800	3	1	1	.06	0		
Biddeford	18,500	4	1	1	.05	1	.05	100.0
Lewiston	34,900	4	3			13	.37	
Portland	75,300	5	0	1	.01	1	.01	100.0
Massachusetts:								
Adams	13,500	6	1	1	.07	1	.07	100.0
Chelsea	47,200			4	.08	1	.02	25.0
Easthampton	11,600	5	0			1	.09	
Everett	42,100	7	2	2	.05	0		
Greenfield	15,200	5	1			2	.13	
Haverhill	49,200	6	3	3	.06	3	.06	100.0
Holyoke	60,300	6	2	2	.03	1	.02	50.0
Lawrence	93,500	7	6	3	.03	2	.02	66.7
Leominster	22,100	6	2	2	.09	2	.09	100.0
Malden	51,800	7	2	2	.04	1	.02	50.0
Medford	47,600			5	.11	0		
Melrose	20,200	7	0	1	.05	1	.05	100.0
Milton		1	1	2				
Newburyport	15,700	7	1	1	.06	0		
North Adams	22,700	6	1	2	.09	2	.09	100.0
Northampton	24,100	7	1	13	.12	2	.08	66.7
Northbridge	10,100	6	0			2	.20	
Salem	42,800	7	2	4	.09	1	.02	25.0
Somerville	99,000	7	2	2	.02	0		
Winthrop	16,200	7	0	1	.06	0		
Michigan:								
Cadillac		3	0	1		1		100.0
Hamtramck	81,700			5	.06	3	.04	60.0
Highland Park	72,300	7	7	4	.06	3	.04	75.0
Ironwood	17,400			2	.11	1	.06	50.0
Ishpeming		6	1	2		2		100.0
Kalamazoo	53,600	7	3	3	.06	2	.04	66.7
Muskegon	43,100			6	.14	5	.12	83.3
River Rouge				1		1		
Saginaw	72,100					3	.04	
Sault Ste. Marie		7	1	1		0		
Minnesota:								
Virginia	16,000			1	.06	1	.06	100.0
Mississippi:								
Natchez	13,100			4	.31	4	.31	100.0
Missouri:								
Moberly	13,900	3	2	1	.07	0		
Montana:								
Butte	42,900			6	.14	6	.14	100.0
Missoula				1		1		100.0

¹ Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

CEREBROSPINAL FEVER—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Nebraska:								
Grand Island	15,600	7	1	1	.06			
Lincoln	66,900	6	1			4	.07	
North Platte	13,700	2	2	2	.16			
Nevada:								
Reno	12,700	7	0	3	.24	2	.16	66.7
New Hampshire:								
Portsmouth	14,900	7	0	1	.07			
New Jersey:								
Carteret	14,000					2	.14	
Dover		2	0	1		1		100.0
Harrison	16,400	7	0	2	.12			
Montclair	32,900	5	3	3	.09	3	.09	100.0
New Brunswick	38,000	6	2	2	.05	0		
Orange	35,400	5	1	1	.03	1	.03	100.0
Passaic	69,000					6	.09	
Ridgefield Park		2	0	1				
New Mexico:								
Albuquerque	21,000	2	2	2	.10	0		
New York:								
Amsterdam	35,300	3	2	2	.06	2	.06	100.0
Elmira	48,400	3	3			10	.21	
Freeport						1		
Hudson	11,300	5	0	1	.03	0		
Lackawanna	20,200	5	2	7	.35	1	.05	14.3
Middletown	20,400	5	1			2	.10	
Mount Vernon	56,400	7	1	1	.02	0		
New Rochelle	44,200	5	2			4	.09	
Newburgh	36,400	5	1		.03	0		
Niagara Falls	57,000	6	4	3	.05	0		
North Tonawanda	17,400	6	0	3	.17	2	.11	66.7
Schenectady	92,800	7	3	2	.02	1	.01	50.0
Troy	72,200	6	2	3	.04	2	.03	66.7
White Plains	27,400	7	1	1	.04	0		
North Carolina:								
Greensboro	47,100	2	0	1	.02	1	.02	100.0
High Point	23,600	1	1			9	.38	
New Bern	12,200			1	.08	1	.03	100.0
Raleigh	30,400	5	2		.03	0		
Salisbury	17,700	3	0	1	.06	1	.06	100.0
Winston-Salem	69,000	4	2	2	.03	2	.03	100.0
Ohio:								
Ashtabula	25,100	5	1	1	.04	0		
Bellefontaine				1		0		
Chillicothe	16,600	7	0	1	.06	1	.06	100.0
Findlay	18,200	2	0	1	.05	1	.05	100.0
Lorain	42,300			1	.02	1	.02	100.0
Marietta	15,300			4	.26	0		
Martins Ferry	15,500					7	.45	
Steubenville	32,000	5	2	2	.03	0		
Oklahoma:								
Ardmore	17,200			2	.12	0		
Guthrie	11,800					5	.42	
Okmulgee	25,300	1	6	5	.20	5	.20	100.0
Oregon:								
Eugene	11,400					2	.18	
Pennsylvania:								
Bradford	15,800	6	1			1	.06	
Harrisburg	88,400	7	1	1	.01	0		
McKeesport	49,100	5	2	2	.04	1	.02	50.0
Pottstown	18,500					1	.05	
Sunbury	16,800	6	0			1	.06	
Uniontown		6	0	4		3		
Washington	23,000	5	1	2	.09			
Wilkes-Barre	77,600					5	.06	
Woodlawn	18,900	5	0			2	.11	
York	49,100	6	1	2	.04	2	.04	100.0
Rhode Island:								
Pawtucket	69,800	3	2	1	.01	0		
Woonsocket	49,700					11	.22	
South Carolina:								
Charleston	73,100			3	.04	2	.03	66.7
Greenville	27,300	4	2	2	.07	0		
Tennessee:								
Chattanooga	66,600	2	2	4	.06			

Reported Prevalence for the Year 1925—Continued

CEREBROSPINAL FEVER—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Texas:								
Beaumont	50,600			3	.06	2	.04	66.7
Galveston	48,400			1	.02	1	.02	100.0
San Angelo						3		
Tyler	13,000	7	0	2	.15	0		
Waco	43,900					4	.09	
Utah:								
Logan		1	0	1		0		
Ogden	36,900	5	2	1	.03	1	.03	100.0
Provo	11,200			1	.09	0		
Vermont:								
Burlington	24,100	6	1			1	.04	
Virginia:								
Danville	23,000					5	.22	
Newport News	47,100					1	.02	
Portsmouth	59,000	5	1			1	.02	
Washington:								
Aberdeen	16,200	5	1	4	.25	4	.25	100.0
Bremerton		2	2	3		2		66.7
West Virginia:								
Bluefield	19,300	4	2	2	.10	2	.10	100.0
Charleston	49,000			1	.02	1	.02	100.0
Martinsburg	13,500	4	0			6	.44	
Morgantown	13,800	2	0			2	.14	
Wisconsin:								
Racine	67,700	6	1	2	.03	2	.03	100.0
Wyoming:								
Cheyenne	15,500			3	.19	3	.19	100.0

CHICKEN POX

City	Estimated population, July 1, 1925	Average, 1922-1924		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:								
Anniston	20,500	3	21	21	1.02	0		
Dothan	14,500	2	34	16	1.10	0		
Florence	12,700	1	3	25	1.97	0		
Mobile	66,000	2	41	23	.35	0		
Montgomery	46,500	2	137	60	1.29	0		
Tuscaloosa	13,100			15	1.15	0		
Arizona:								
Phoenix	38,700	2	14	17	.44	0		
Tucson	26,700	3	13	20	.75	3	.11	6.7
Arkansas:								
Hot Springs				55				
Little Rock	74,200	3	59	27	.36	0		
California:								
Alameda	31,900	3	166	143	4.48	0		
Alhambra		2	101	65		0		
Bakersfield	23,500	3	16	10	.43	0		
Berkeley	66,200	3	439	279	4.21	0		
Chico		2	15	2				
Eureka	13,500	3	68	53	3.92	0		
Fresno	58,500	2	50	178	3.04	0		
Glendale	21,300	3	177	295	13.85	0		
Long Beach	91,200	3	243	418	4.58	0		
Pasadena	56,700	3	456	456	8.04	0		
Pomona	15,400	3	83	79	5.13	0		
Richmond	22,500	3	4	9	.40			

Reported Prevalence for the Year 1925—Continued

CHICKEN POX—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925				Cases reported for each death registered
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	
California—Continued.								
Riverside		3	164	139	1.76	0	0	
Sacramento	72,300	3	129	127	1.76	0	0	
San Bernardino	22,800	2	102	64	2.81	0	0	
San Jose	43,600	3	107	75	1.72	0	0	
Santa Ana	19,500	3	32	35	1.79	0	0	
Santa Barbara	24,000	1	122	45	1.87	0	0	
Stockton	47,300	3	83	212	4.48	0	0	
Vallejo	26,600	1	4	10	.38	0	0	
Colorado:								
Boulder	11,800	3	82	117	9.92	0	0	
Colorado Springs		3	153	234				
Greeley	12,500	2	35	13	1.04	0	0	
Pueblo	43,800	3	140	209	4.77	0	0	
Trinidad	11,000	3	47	15	1.36	0	0	
Connecticut:								
Danbury				12		0		
Fairfield	14,500	3	39	38	2.62	0	0	
Greenwich	25,300	3	81	123	4.86	0	0	
Manchester	21,000	3	13	6	.29			
Meriden	36,300	3	53	47	1.29			
Milford	13,500	3	29	15	1.11	0	0	
New Britain	68,000	3	105	114	1.68			
New London	29,100	3	56	44	1.51	0	0	
Shelton		1	8	14				
Stamford	40,700	2	116	95	2.33	0	0	
Stratford	18,100	2	43	65	4.04	0	0	
Florida:								
St. Petersburg	26,800	2	68	94	3.51	0	0	
Tampa	94,700	3	16	29	.31	0	0	
West Palm Beach		2	5	2		0		
Georgia:								
Albany	13,500	2	20	2	.15	0	0	
Augusta	55,200	2	70	150	2.72	0	0	
Brunswick	16,800	2	54	37	2.20	0	0	
Lagrange	23,500	1	154	4	.17	0	0	
Macon	58,200	3	241	138	2.37	0	0	
Rome	13,900	3	26	14	1.01	0	0	
Savannah	93,100	3	31	34	.37	0	0	
Idaho:								
Boise	23,000	3	55	81	3.52	0	0	
Pocatello	18,300	3	53	35	1.91	0	0	
Illinois:								
Aurora	40,300	2	134	202	5.01	0	0	
Berwyn	18,900	3	86	210	11.11	0	0	
Bloomington	30,400	3	298	107	3.52	0	0	
Blue Island	13,200	3	51	63	4.77	0	0	
Centralia	14,100	1	32	20	1.42	0	0	
Champaign	18,200	3	80	46	2.53	0	0	
Chicago Heights	22,100	2	7	7	.32	0	0	
Cicero	62,200	3	195	168	2.70	0	0	
Danville	37,000	2	48	60	1.62	0	0	
Decatur	53,900	2	144	156	2.89	0	0	
East Moline		2	29	21		0		
East St. Louis	71,400	3	32	13	.18	0	0	
Elgin	33,400	3	250	94	2.81	0	0	
Evanston	43,900	3	296	279	6.36	0	0	
Freeport	20,700	2	135	187	9.03	0	0	
Galesburg	24,800	3	194	155	6.25	0	0	
Jacksonville	15,900	3	118	194	12.20	0	0	
Joliet	40,600	1	26	75	1.85	0	0	
Kewanee	19,700	2	269	205	10.41	0	0	
La Salle	13,900	3	45	86	6.19	0	0	
Maywood	14,200	3	50	13	.92	0	0	
Mohne	33,900	3	243	134	3.95	0	0	
Murphysboro	12,500	2	2	3	.24	0	0	
Oak Park	51,400	3	457	529	10.29	0	0	
Ottawa	11,500	2	13	2	.17	0	0	
Pekin	13,300	3	58	8	.60	0	0	
Peoria	81,600	3	202	495	6.07	0	0	
Quincy		3	130	199		0		

Reported Prevalence for the Year 1925—Continued

CHICKEN POX—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925			
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Cases reported for each death registered
Illinois—Continued.							
Rock Island	40,000	3	195	291	7.27	0	
Rockford	76,500	3	301	250	3.27	0	
Springfield	63,900	3	178	222	3.47	0	
Streator	15,100	3	28	29	1.92	0	
Waukegan	22,000	2	113	30	1.36	0	
Indiana:							
Anderson	33,900	3	153	113	3.33	0	
Bloomington	12,600	1	3	2	.16	0	
Connersville	12,500	1	60	8	.64	0	
Crawfordsville	10,500	3	19	17	1.62	0	
East Chicago	45,600	3	47	7	.15	0	
Elkhart	27,100	2	6	6	.22	0	
Elwood		3	55	3		0	
Fort Wayne	97,800	3	267	238	2.43	0	
Frankfort	13,100	3	27	14	1.07	0	
Gary	76,900	2	57	182	2.37	0	
Hammond	50,400	2	39	21	.42	0	
Huntington	15,900	3	4	1	.06	0	
Jeffersonville		3	3	2		0	
Kokomo	36,900	3	21	42	1.14	0	
La Fayette	23,800	3	18	16	.67	0	
Logansport	23,100	3	20	41	1.77	0	
Michigan City	20,300	3	16	12	.59	0	
Mishawaka	16,700	3	20	17	1.02	0	
Muncie	42,500	3	254	278	6.54	0	
New Albany		1	1	3		0	
Newcastle	17,000	3	6	2	.12	0	
Peru	12,700			40	3.15	0	
Richmond	30,500	3	13	3	.10	0	
South Bend	80,100	3	142	214	2.67	0	
Terre Haute	71,100	3	93	132	1.86	0	
Whiting	12,200	3	5	2	.16	0	
Iowa:							
Boone	12,800	2	9	142	11.09	0	
Burlington	26,400	3	55	67	2.54	0	
Cedar Rapids	50,600	1	32	51	1.01	0	
Clinton	26,400	3	13	9	.34	0	
Council Bluffs	39,800	3	31	55	1.38	0	
Dubuque	41,000	3	127	68	1.66	0	
Fort Dodge	21,700	2	22	3	.14	0	
Iowa City	15,300	3	24	21	1.37	0	
Marshalltown	16,900	2	32	60	3.55	0	
Mason City	22,700	2	20	24	1.06	0	
Muscatine	16,800	3	59	33	1.96	0	
Waterloo	36,800	2	84	206	5.60	0	
Kansas:							
Arkansas City	14,000			6	.43	0	
Coffeyville	16,200	3	19	42	2.59	0	
Emporia	12,200	2	25	165	13.52	0	
Fort Scott	11,800	3	14	4	.34	0	
Hutchinson	26,000	2	75	43	1.65	0	
Lawrence	12,300	3	57	49	3.98	0	
Leavenworth	20,900	3	36	10	.48	0	
Parsons	14,800	3	24	53	3.58	0	
Pittsburg	19,200	3	15	10	.52	0	
Topeka	55,400	3	451	514	9.28	0	
Wichita	88,400	3	508	576	6.52	0	
Kentucky:							
Covington	58,300	3	41	15	.26	1	.02
Henderson	12,600	3	9	6	.48	0	
Newport		2	14	28		0	
Paducah	25,900	3	30	53	2.05	0	
Louisiana:							
Lake Charles		2	28	62		0	
Shreveport	57,900	2	58	78	1.35	0	
Maine:							
Auburn	18,100	3	62	24	1.33	0	
Bangor	26,600	3	34	42	1.58	0	
Bath	17,800	3	17	24	1.35	0	
Biddeford	18,500	2	22	13	.70	0	

Reported Prevalence for the Year 1925—Continued

CHICKEN POX—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925			
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Cases reported for each death registered
Maine—Continued.							
Lewiston	34,900	3	68	60	1.72	0	
Portland	75,300	3	291	222	2.95	0	
Sanford	11,600	3	5	1	.09	0	
South Portland		1	86	26			
Waterville	14,400	3	70	43	2.99	0	
Westbrook				4		0	
Massachusetts:							
Adams	13,500	3	13	17	1.26	0	
Amesbury	11,200	2	15	17	1.52	0	
Arlington	24,900	3	37	113	4.54	0	
Athol		1	12	3			
Belmont	15,300	3	71	121	7.91	0	
Beverly	22,700	3	36	42	1.85	0	
Braintree	13,200	3	30	67	5.08	0	
Brockton	65,300	3	130	127	1.94	0	
Brookline	42,700	3	174	64	1.50	0	
Chelsea	47,200	3	56	66	1.40	0	
Chicopee	41,900	2	14	14	.33	0	
Clinton	14,200	3	29	35	2.46	0	
Danvers	11,800	3	11	7	.59	0	
Dedham	13,900	3	21	27	1.94	0	
Easthampton	11,600	3	4	8	.69	0	
Everett	42,100	3	97	59	1.40	0	
Framingham	21,100	3	115	57	2.70	0	
Gardner	18,700	3	33	22	1.18	0	
Gloucester	23,400			12	.51	0	
Greenfield	15,200	3	52	89	5.86	0	
Haverhill	49,200	3	129	104	2.11	0	
Holyoke	60,300	3	39	43	.71	0	
Lawrence	93,500	3	146	67	.72	0	
Leominster	22,100	3	55	10	.45	0	
Malden	51,800	3	73	58	1.12	0	
Marlboro	16,200	2	35	20	1.23	0	
Medford	47,600	3	83	129	2.71	0	
Melrose	20,200	3	33	28	1.39	0	
Methuen	20,600	3	47	66	3.20	0	
Milton		1	163	81			
Newburyport	15,700	3	31	49	3.12	0	
Newton	53,000	3	183	274	5.17	0	
North Adams	22,700	2	7	1	.04	0	
Northampton	24,100	3	57	99	4.11	0	
Northbridge	10,100	3	14	16	1.53	0	
Palmer		2	5	1			
Peabody	19,900	3	30	16	.80	0	
Pittsfield	46,900	3	37	35	.75	0	
Plymouth	13,200	3	38	5	.38	0	
Quincy	60,100	3	96	59	.98	0	
Revere	33,300			23	.69	0	
Salem	42,800	3	51	140	3.27	0	
Saugus	12,700	3	18	16	1.26	0	
Somerville	99,000	3	94	167	1.69	0	
Southbridge	15,500	8	8	6	.39	0	
Wakefield	15,600	3	25	28	1.79	0	
Waltham	34,700	3	123	100	2.88	0	
Watertown	25,500	3	76	54	2.12	0	
West Springfield	15,300	2	18	8	.52		
Westfield	19,300	3	20	14	.73	0	
Winchester	11,600	3	100	20	1.72	0	
Winthrop	16,200	3	49	98	6.05	0	
Woburn	18,400	3	14	14	.76	0	
Michigan:							
Adrian	12,500	2	12	10	.80	0	
Ann Arbor	22,200	3	191	108	4.86	0	
Battle Creek	42,300	3	341	387	9.15	0	
Bay City	48,900	3	22	9	.18	0	
Benton Harbor	14,000	3	13	34	2.43	0	
Cadillac		1	10	2			
Hamtramck	81,700	3	29	51	.62	0	
Highland Park	72,300	3	282	233	3.22	0	
Holland	13,100	3	16	27	2.06	0	

Reported Prevalence for the Year 1925—Continued

CHICKEN POX—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Michigan—Continued.								
Ironwood	17,400	3	89	82	4.71	0	0	
Ishpeming		2	16	7				
Jackson	58,000	3	373	395	6.81	0	0	
Kalamazoo	53,600	3	287	300	5.60	0	0	
Lansing	70,800	3	494	313	4.42	0	0	
Marquette	13,400	2	83	105	7.84	0	0	
Muskegon	43,100	3	68	64	1.48	0	0	
Muskegon Heights		2	29	72				
Pontiac	47,500	3	336	176	3.71	0	0	
Port Huron	30,000	3	229	139	4.63	0	0	
River Rouge		1	1	5				
Saginaw	72,100	3	183	82	1.14	0	0	
Sault Ste. Marie		3	109	63		0	0	
Minnesota:								
Albert Lea		1	6	10				
Austin	11,900	3	1	50	4.20	0	0	
Brainerd		1	21	10				
Faribault	12,300	3	45	59	4.80	0	0	
Hibbing	18,000	3	27	4	.22	0	0	
Mankato	13,700				1	.07	0	
Rochester	17,000	2	100	228	13.41	0	0	
St. Cloud	18,900	2	4	1	.05	0	0	
Winona	19,500	3	27	95	4.87	0	0	
Mississippi:								
Biloxi	12,600	3	10	20	1.59	0	0	
Jackson	23,700	2	72	89	3.76	0	0	
Laurel	15,700			74	4.71	0	0	
Meridian	24,300	1	19	35	1.44	0	0	
Natchez	13,100			32	2.44	0	0	
Missouri:								
Independence	12,700	2	15	25	1.97	0	0	
Joplin		2	19	4				
Moberly	13,900	3	43	42	3.02	0	0	
St. Joseph	78,300	3	67	117	1.49	0	0	
Springfield	42,100	2	24	124	2.95	0	0	
Montana:								
Anaconda	12,500	3	25	12	.96	0	0	
Butte	42,900	3	44	41	.96	0	0	
Great Falls	29,900	3	198	201	6.72	0	0	
Helena		3	25	5				
Missoula		2	44	32		0	0	
Nebraska:								
Grand Island	15,600	3	23	30	1.92	0	0	
Lincoln	60,900	3	293	244	4.01	0	0	
North Platte	13,700	2	15	13	.95	0	0	
Nevada:								
Reno	12,700	3	16	4	.31	0	0	
New Hampshire:								
Berlin	18,600	1	5			1	.05	
Claremont		2	11	3				
Dover		3	8	44				
Kenne	11,900	3	7	10	.84	0	0	
Manchester	83,100	3	16	4	.05	0	0	
Nashua	29,700	3	9	1	.03	0	0	
Portsmouth	14,900	3	42	16	1.07	0	0	
New Jersey:								
Asbury Park	13,700	3	30	68	4.96	0	0	
Bayonne	88,800	2	58	38	.43	0	0	
Belleville	18,900	3	34	65	3.44	0	0	
Bridgeton	14,400	3	35	14	.97	0	0	
Clifton	34,700	3	29	26	.72	0	0	
Collingswood		1	40	21				
Dover		2	98	19				
East Orange	60,000	3	282	315	5.25	0	0	
Englewood	12,600	3	49	125	9.92	0	0	
Garfield	24,600	2	11	5	.20	0	0	
Gloucester City	13,700	2	16	7	.51	0	0	
Hackensack	19,700	3	76	65	3.30	0	0	
Harrison	16,400	3	29	7	.43	0	0	
Hoboken		3	29	14		0	0	
Irvington	33,200	2	125	116	3.49	0	0	

Reported Prevalence for the Year 1925—Continued

CHICKEN POX—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925			
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Cases reported for each death registered
New Jersey—Continued.							
Kearny	31,300	3	147	191	6.10	0	
Lodi		1	6	5			
Long Branch	13,600	3	96	96	7.06	0	
Montclair	32,900	3	180	208	6.32	0	
Morristown	12,600	3	61	126	10.00	0	
New Brunswick	38,000	1	21	6	.16	0	
Nutley				5			
Orange	35,400	3	137	116	3.28	0	
Passaic	69,000	3	153	67	.97	0	
Perth Amboy	47,100	2	30	31	.66	0	
Plainfield	31,700	3	68	90	2.84	0	
Rahway	12,000	3	12	10	.83	0	
Red Bank		1	24	7			
Ridgefield Park		2	30	84			
Rutherford		2	15	52		0	
Summit	11,700	3	70	38	3.25	0	
Union City	63,100			17	.27		
West New York	39,200	3	43	86	2.19	0	
West Orange	18,200	3	99	71	3.90		
New Mexico:							
Albuquerque	21,000			105	5.00	0	
New York:							
Amsterdam	35,300	3	110	254	7.20	0	
Binghamton	71,900	3	303	322	4.48	0	
Cohoes	23,000	3	34	17	.74	0	
Corning	15,700	2	19	68	4.33	0	
Cortland	13,900	3	16	12	.86	0	
Dunkirk	19,900	3	60	33	1.66	0	
Elmira	48,400	2	263	310	6.40	0	
Freeport		1	10	36			
Geneva	15,900	2	120	24	1.51	0	
Glens Falls	17,900	3	51	28	1.56	0	
Gloversville	22,100	3	71	90	4.07	0	
Hornell	15,800	3	150	164	10.38	0	
Hudson	11,800	3	15	51	4.32	0	
Iliion	10,400			55	5.29	0	
Ithaca	18,900	3	70	21	1.11	0	
Jamestown	43,400	3	179	336	7.74	0	
Johnson City		1	114	140			
Johnstown	10,700	1	23	14	1.31	0	
Kingston	28,100	2	59	38	1.35	0	
Lackawanna	20,200	3	59	20	.99	0	
Little Falls	12,400	3	37	73	5.89	0	
Lockport	21,700	3	38	44	2.03	0	
Middletown	20,400	3	78	64	3.14	0	
Mount Vernon	50,400	3	114	233	4.62	0	
New Rochelle	44,200	3	81	123	2.78	0	
Newburgh	30,400	3	48	60	1.97	0	
Niagara Falls	57,000	3	215	197	3.46	0	
North Tonawanda	17,400	3	59	38	2.18	0	
Olean	21,300	3	92	153	7.18	0	
Peekskill	18,000	3	69	36	2.00	0	
Poughkeepsie	35,700	3	112	109	3.05	0	
Rensselaer	11,400	3	20	20	1.75	0	
Rome	30,300	3	44	72	2.38	0	
Salamanca		1	27	24			
Saratoga Springs	13,900	3	128	11	.79	0	
Schenectady	92,800	3	190	383	4.13	0	
Watertown	32,800	3	312	147	4.48	0	
Watervliet	16,200	2	5	8	.49	0	
White Plains	27,400	3	93	130	4.74	0	
North Carolina:							
Asheville	31,500	3	72	41	1.30		
Charlotte	53,300	1	240	135	2.53	0	
Greensboro	47,100	3	132	103	2.19	0	
High Point	23,600	1	81	93	3.94	0	
New Bern	12,200	2	1	39	3.20	0	
Raleigh	30,400	3	266	199	6.55	0	
Rocky Mount	15,100	2	19	11	.73	0	

Reported Prevalence for the Year 1925—Continued

CHICKEN POX—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924	1925				
			Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered
North Carolina—Continued.							
Salisbury	17,700	1	77	46	2.60	0	
Wilson	12,800			4	.31		
Winston-Salem	69,000	3	205	199	2.88	0	
North Dakota:							
Fargo	24,900	2	82	190	7.63	1	0.04
Ohio:							
Alliance	25,000	2	23	22	.88	0	
Ashland	25,100	3	39	12	.48	0	
Barberton	23,300	3	10	14	.60	0	
Bellahire	16,300	3	34	26	1.60	0	
Bellefontaine					25	0	
Bucyrus	11,700	3	26	17	1.45	0	
Cambridge	14,000	3	16	16	1.14	0	
Chillicothe	16,600	3	11	19	1.14	0	
Cleveland Heights	22,200	3	210	543	24.46	0	
Connicut		2	38	13			
Cuyahoga Falls	13,700	3	39	48	3.50	0	
East Cleveland	37,600	3	254	226	6.01	0	
East Liverpool	22,000	3	6	6	.27	0	
East Youngstown (Campbell)	16,000	3	55	42	2.62	0	
Elyria	23,800	3	67	29	1.22	0	
Findlay	18,200	3	71	142	7.80	0	
Fremont	13,900	3	27	11	.79	0	
Hamilton	42,400	3	24	10	.24	0	
Kenmore	19,400	3	74	11	.57	0	
Lakewood	56,800	2	52	64	1.13	0	
Lancaster	16,100	2	2	26	1.61	0	
Lima	46,700	3	146	61	1.31	0	
Lorain	42,300	3	203	182	4.30	0	
Mansfield	31,800	3	138	186	5.85	0	
Marietta	15,300	1	6	2	.13	0	
Marion	32,500	1	12	2	.06	0	
Martins Ferry	15,500	3	10	3	.19	0	
Newark	30,500	3	166	180	5.90	0	
Niles	16,600	3	53	44	2.65	0	
Norwood	29,900	3	39	31	1.04	0	
Piqua	16,000	3	30	7	.44		
Salem	11,100	3	117	36	3.24	0	
Sandusky	24,500	3	221	101	4.12	0	
Springfield	68,700	3	197	100	1.46	0	
Steubenville	32,000	3	11	4	.12	0	
Zanesville	30,400	3	46	28	.92	0	
Oklahoma:							
Ardmore	17,200	1	50	87	5.06	1	.06
Okmulgee	25,300			25	.99	0	
Oregon:							
Astoria	16,500	3	20	16	.97	0	
Eugene	11,400	3	27	15	1.32	0	
Pennsylvania:							
Allentown	92,200	2	331	195	2.11	0	
Altoona	66,100	3	133	106	1.60	0	
Beaver Falls	13,100	3	40	8	.61		
Braddock	21,700	3	29	58	2.67	0	
Bradford	15,800	3	96	50	3.16	0	
Butler	25,200	3	89	50	1.98	0	
Carbondale	19,500	3	4	15	.77		
Carlisle	11,400	3	58	144	12.63		
Carnegie	12,400	3	30	19	1.53	0	
Carrick	13,000	3	18	10	.77		
Chambersburg	13,900	3	36	79	5.68	0	
Charleroi	12,600	3	32	16	1.27		
Clairton	14,900	2	102	22	1.48	0	
Coatesville	16,500	3	31	48	2.91	0	
Columbia			7				
Connellsburg	14,300	3	19	20	1.40	0	
Dubois	14,300	2	71	15	1.05		
Duquesne	20,900	2	13	8	.38	0	

Reported Prevalence for the Year 1925—Continued

CHICKEN POX—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925			
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants
Pennsylvania—Continued.							
Easton	36,800	2	94	84	2.28	0	
Farrell	18,700	3	55	91	4.87	1	.05
Greensburg	16,100	1	11	17	1.03	0	
Harrisburg	83,400	3	378	271	3.25	0	
Hazleton	36,100	3	57	8	.22	0	
Homestead	21,400	3	23	12	.56	0	
Jeannette	11,700	3	27	1	.09	0	
Kingston	18,000	2	123	32	1.78	0	
Lancaster	56,500	3	368	319	5.65	1	.02
Lansford		2	6	4		0	
Latrobe				12		0	
Lewistown		2	31	39		0	
McKees Rocks	18,100	2	28	5	.28	0	
McKeesport	49,100	3	42	32	.65	0	
Meadville	15,600			6	.38		
Monessen	21,200	3	44	25	1.18	0	
Mount Carmel		2	5	5		0	
Nanticoke	24,700	3	4	1	.04	0	
New Castle	49,800	3	90	20	.40	0	
Norristown	34,800	3	155	81	2.33	0	
North Braddock	16,700	3	23	63	3.77	0	
Oil City	23,300	3	194	54	2.32		
Olyphant	11,200	2	1			1	.09
Phoenixville		3	24	72			
Pittstown	19,800	3	5	9	.45		
Plymouth		2	18	3			
Pottstown	18,500	2	40	22	1.19	0	
Sharon	25,000	3	89	48	1.92	0	
Steelton		3	46	47		0	
Sunbury	16,800	3	70	130	7.74	0	
Swissvale	12,900	3	84	67	5.19	0	
Vandergrift		1	12	28		0	
Warren	15,100	3	181	88	5.83	0	
Washington	23,000	3	135	69	3.00		
Waynesboro				40			
West Chester		3	81	35		0	
Wilkes-Barre	77,600	1	184	181	2.33	0	
Wilkinsburg	27,400	1	133	40	1.43	0	
Windber		1	6	46		0	
Woodlawn	18,900	3	77	46	2.43	0	
York	49,100	2	127	95	1.93	0	
Rhode Island:							
Central Falls	25,400			4	.16		
Cranston	34,500	2	8	7	.20	0	
Pawtucket	69,800	2	60	132	1.89	0	
South Carolina:							
Charleston	73,100	1	32	17	.23	0	
Florence	13,200			2	.15	0	
Greenville	27,300	3	23	7	.26	0	
Spartanburg	25,500	2	41	18	.71	0	
South Dakota:							
Aberdeen	15,000	3	171	94	6.27		
Sioux Falls	30,100	3	54	77	2.56	0	
Tennessee:							
Chattanooga	66,600	1	87	33	.50		
Knoxville	95,500	3	41	43	.45	0	
Texas:							
Beaumont	50,600	2	6	1	.02	0	
Cleburne	14,200			40	2.82	0	
Corpus Christi	11,800			50	4.24	0	
Galveston	48,400	3	3	28	.58	0	
Orange				65		0	
Palestine	11,400			3	.26		
Texarkana	12,400			6	.48	0	
Tyler	13,000	3	24	21	1.62	0	
Waco	43,900	3	44	52	1.18	0	
Utah:							
Ogden	36,900	3	268	233	6.31	0	
Provo	11,200	2	116	52	4.64	0	

Reported Prevalence for the Year 1925—Continued

CHICKEN POX—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925			
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants
Vermont:							
Barre.		3	22	39		0	
Bennington.		2	23	95		0	
Burlington.	24,100	3	76	64	2.66	0	
Rutland.	15,800	1	40	114	7.22	0	
Virginia:							
Alexandria.	18,500	3	52	30	1.62	0	
Charlottesville.	11,200	2	12	15	1.34	0	
Danville.	23,000	3	45	26	1.13	0	
Lynchburg.	30,400	3	180	171	5.62	0	
Newport News.	47,100	3	135	212	4.50	0	
Petersburg.	35,700	3	23	33	.92	0	
Portsmouth.	59,000	3	12	8	.14	0	
Roanoke.	58,200	2	118	119	2.04	0	
Suffolk.				37		0	
Washington:							
Aberdeen.	16,200	3	14	21	1.30	0	
Bremerton.		2	65	240		0	
Everett.	29,300	3	52	103	3.52	0	
Vancouver.	14,500	2	58	42	2.90	0	
Walla Walla.		3	6	62		0	
Yakima.	22,700	3	202	220	9.69	0	
West Virginia:							
Bluefield.	19,300	1	47	24	1.24	0	
Charleston.	49,000	3	98	97	1.98	0	
Clarksburg.	30,400	3	177	304	10.00	0	
Fairmont.	21,000	3	28	60	2.86	0	
Huntington.	63,500	2	59	2	.03	0	
Martinsburg.	13,500	3	22	9	.67	0	
Parkersburg.	21,300	1	14	2	.09	0	
Wheeling.		3	232	100		0	
Wisconsin:							
Appleton.	21,100	3	32	36	1.71	0	
Ashland.		2	3	2			
Beloit.	24,800	3	148	121	4.88	0	
Eau Claire.	22,400	3	104	196	8.75	0	
Fond du Lac.	26,000	3	10	22	.85	0	
Green Bay.	34,300	3	40	73	2.13	0	
Janesville.	20,800	3	100	51	2.45	0	
Kenosha.	50,900	3	353	491	9.65	0	
La Crosse.	30,400	2	130	241	7.93	0	
Madison.	46,400	3	401	372	8.02	0	
Manitowoc.	22,100	2	65	27	1.22	0	
Marinette.		3	25	11		0	
Oshkosh.	33,200	3	103	88	2.65	0	
Racine.	67,700	3	193	393	5.81	0	
Sheboygan.	33,500	3	46	25	.75	0	
Superior.		3	46	99		0	
Waukesha.	14,700	1	45	42	2.86	0	
Wausau.	20,100	3	91	139	6.92	0	
West Allis.	18,400	3	17	55	2.99	0	
Wyoming:							
Cheyenne.	15,500			35	2.26	0	

DENGUE .

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:						
Mobile.	66,000	1	0.02	0		
Tuscaloosa.	13,100	58	4.43	0		
Florida:						
Tampa.	94,700	1	.01	0		
West Palm Beach.						

Reported Prevalence for the Year 1925—Continued

DENGUE—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Georgia:						
Savannah.....	93,100	5	.05	1	.01	5.0
Mississippi:						
Dothan.....	15,700	1,160	73.82			
Laurel.....	24,300	1	.04			
Meridian.....	13,100	1	.08	0		
Natchez.....						
Rhode Island:						
Woonsocket.....	49,700			1	.02	
Texas:						
Corpus Christi.....	11,800	40	3.39	0		
Palestine.....	11,400	20	1.75			
Texarkana.....	12,400	12	.97	0		

DIPHTHERIA

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Alabama:								
Anniston.....	20,500	7	56	24	1.17	3	0.15	12.5
Dothan.....	14,500	2	6	12	.83	1	.07	8.3
Florence.....	12,700	1	6	8	.63	1	.08	12.5
Mobile.....	66,000	7	70	25	.38	2	.03	8.0
Montgomery.....	46,500	5	55	72	1.55	3	.06	4.2
Selma.....	17,000					2	.12	
Tuscaloosa.....	13,100			18	1.37	1	.08	5.6
Arizona:								
Phoenix.....	38,700	2	27	19	.49	3	.08	15.8
Tucson.....	26,700	3	31	5	.19	0		
Arkansas:								
Hot Springs.....		3	10	8				
Little Rock.....	74,200	7	77	56	.75	6	.08	10.7
California:								
Alameda.....	31,900	7	80	48	1.50	3	.09	6.2
Alhambra.....		2	47	42		2		4.8
Bakersfield.....	23,500	7	40	42	1.79	0		
Berkeley.....	66,200	4	100	90	1.36	1	.02	1.1
Chico.....		2	3	3		0		
Eureka.....	13,500	7	13	7	.52	0		
Fresno.....	58,500	5	109	93	1.59	2	.03	2.2
Glendale.....	21,300	5	79	104	4.88	4	.19	3.8
Long Beach.....	91,200	7	122	64	.70	4	.04	6.2
Modesto.....		2	50	51		0		
Pasadena.....	56,700	7	63	53	.93	2	.04	3.8
Pomona.....	15,400	5	24	17	1.10	2	.13	11.8
Richmond.....	22,500	3	55	27	1.20	1	.04	3.7
Riverside.....		7	36	34		0		
Sacramento.....	72,300	7	107	100	1.38	5	.07	5.0
San Bernardino.....	22,800	7	25	52	2.28	3	.13	5.8
San Jose.....	43,600	5	116	40	.92	0		
Santa Ana.....	19,500	5	30	92	4.72	0		
Santa Barbara.....	24,000	5	29	38	1.58	1	.04	2.6
Stockton.....	47,300	4	100	73	1.54	1	.02	1.4
Vallejo.....	26,600	4	31	2	.08	0		
Colorado:								
Boulder.....	11,800	5	11	47	3.98	1	.08	2.1
Colorado Springs.....		7	23	50		3		6.0
Greeley.....	12,500	2	12			3	.24	
Pueblo.....	43,800	3	169	187	4.27	14	.32	7.5
Trinidad.....	11,000	7	17	8	.73	0		
Connecticut:								
Danbury.....		4	18	7		1		14.3
Fairfield.....	14,500	4	29	12	.83	0		
Greenwich.....	25,300	7	35	14	.55	1	.04	7.1
Manchester.....	21,000	6	12	5	.24			
Meriden.....	36,300	5	66	22	.61			

Reported Prevalence for the Year 1925—Continued

DIPHTHERIA—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				Fatalities per 100 cases
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	
Connecticut—Continued.								
Milford	13,500	5	13	6	0.44	1	0.07	16.7
New Britain	68,000	7	181	94	1.38	7	.10	7.4
New London	29,100	7	62	20	.69	3	.10	15.0
Norwich	23,100	7	45	51	2.21	9	.39	17.6
Shelton		1	7	12		1		8.3
Stamford	40,700	3	41	72	1.77	12	.29	16.7
Stratford	16,100	4	38	16	.99	4	.25	25.0
Florida:								
St. Petersburg	26,800	2	61	34	1.27	3	.11	8.8
Tampa	94,700	4	75	46	.49	4	.04	8.7
West Palm Beach		2	4	13		1		7.7
Georgia:								
Albany	13,500	4	12	12	.89	1	.07	8.3
Augusta	55,200	5	46	26	.47	4	.07	15.4
Brunswick	16,800	7	5	1	.06	0		
Lagrange	23,500	2	29	19	.81	0		
Macon	58,200	7	84	44	.76	1	.02	2.3
Rome	13,900	5	23	7	.50	0		
Savannah	93,100	6	96	51	.55	17	.08	13.7
Idaho:								
Boise	23,000	6	14	17	.74	0		
Pocatello	18,300	5	48	26	1.42	2	.11	7.7
Illinois:								
Alton	26,800	6	79	31	1.16	1	.04	3.2
Aurora	40,300	6	141	48	1.19	0		
Berwyn	18,900	3	39	33	1.75	2	.11	6.1
Bloomington	30,400	5	22	26	.86	4	.13	15.4
Blue Island	13,200	5	31	2	.15	1	.08	50.0
Centralia	14,100	6	15	4	.28			
Champaign	18,200	7	12	6	.33	1	.05	16.7
Chicago Heights	22,100	2	43	14	.63	0		
Cicero	62,200	7	141	58	.93	8	.13	13.8
Danville	37,000	6	25	18	.49	0		
Decatur	53,900	4	39	45	.83	0		
East Moline		2	19	8		0		
East St. Louis	71,400	5	111	26	.36	2	.03	7.7
Elgin	33,400	7	22	14	.42	1	.03	7.1
Evanston	43,900	7	46	6	.14	11	.02	16.7
Freeport	20,700	5	20	8	.39	0		
Galesburg	24,800	7	21	10	.40	1	.04	10.0
Jacksonville	15,900	6	17	11	.69	0		
Joliet	40,600	4	38	5	.12	0		
Kewanee	19,700	4	19	10	.51	2	.10	20.0
La Salle	13,900	6	23	4	.29	1	.07	25.0
Maywood	14,200	7	37	19	1.34	1	.07	5.3
Moline	33,900	7	57	14	.41	3	.00	21.4
Murphysboro	12,500	3	13	9	.72	0		
Oak Park	51,400	7	81	36	.70	2	.04	5.6
Ottawa	11,500	5	17	14	1.22	1	.09	7.1
Pekin	13,300	7	24	10	.75	1	.08	10.0
Peoria	81,600	7	90	20	.25	1	.01	5.0
Quincy		7	30	34		3		
Rock Island	40,000	7	43	70	1.75	3	.07	4.3
Rockford	76,500	7	97	24	.31	1	.01	4.2
Springfield	63,900	6	90	64	1.00	3	.05	4.7
Streator	15,100	4	72	22	1.46	0		
Waukegan	22,000	4	39	6	.27	0		
Indiana:								
Bloomington	12,600	4	23	10	.79	2	.16	20.0
Connersville	12,500	1	5	15	1.20	0		
Crawfordsville	10,500	6	9	4	.38	0		
East Chicago	45,600	7	86	23	.50	1	.02	4.3
Elkhart	27,100	5	28	10	.37			
Elwood		6	11	1		1		100.0
Fort Wayne	97,500	7	207	75	.77	3	.03	4.0
Gary	76,900	5	120	44	.57	2	.03	4.5
Hammond	50,400	6	62	27	.54	2	.04	7.4
Huntington	15,900	5	18	7	.44	1	.06	14.3
Kokomo	36,900	7	36	24	.65	1	.03	4.2
La Fayette	23,800	7	42	12	.50	1	.04	8.3
Logansport	23,100	7	12	9	.39	1	.04	11.1
Marion	26,300	6	44			1	.04	

¹ Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

DIPHTHERIA—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Indiana—Continued.								
Michigan City	20,300	4	44	23	1.13	1	0.05	4.3
Mishawaka	16,700	7	15	3	.18	0		
Munice	42,500	7	54	25	.59	1	.02	4.0
New Albany		5	12	13				
Newcastle	17,000	7	10	4	.24	1	.06	25.0
Peru	12,700	2	10	15	1.18	0		
Richmond	30,500	7	24	7	.23	0		
South Bend	80,100	6	74	97	1.21	11	.14	11.3
Terre Haute	71,100	5	69	34	.48	1	.01	2.9
Whiting	12,200	3	14	16	1.31	2	.16	12.5
Iowa:								
Boone	12,800	4	20	15	1.17	0		
Burlington	26,400	6	52	17	.64	2	.08	11.8
Cedar Rapids	50,600	7	63	34	.67	1	.02	2.9
Clinton	26,400	4	47	65	2.46	3	.11	4.6
Council Bluffs	39,800	7	60	21	.53	0		
Dubuque	41,000	6	65	62	1.51	5	.12	8.1
Fort Dodge	21,700	4	45	20	.92	0		
Iowa City	15,300	4	19	31	2.03			
Marshalltown	16,900	5	20	9	.53			
Mason City	22,700	7	39	12	.53	1	.04	8.3
Muscatine	16,800	6	11	3	.18	1	.06	33.3
Ottumwa	26,400	4	41			1	.04	
Waterloo	36,800	4	30	8	.22	1	.03	12.5
Kansas:								
Arkansas City	14,000		1	.07	0			
Coffeyville	16,200	6	21	28	1.73	0		
Emporia	12,200	2	33	22	1.80	0		
Fort Scott	11,800	7	34	29	2.46	0		
Hutchinson	26,000	4	38	2	.08			
Lawrence	12,300	7	21	22	1.79	1	.08	4.5
Leavenworth	20,900	7	54	22	1.05			
Parsons	14,800	4	44	8	.54	1	.07	12.5
Pittsburg	19,200	6	52	65	3.39	1	.05	1.5
Topeka	55,400	6	120	59	1.06	0		
Wichita	88,400	7	297	112	1.27	0		
Kentucky:								
Covington	58,300	5	74	40	.69	0		
Henderson	12,600	3	5	3	.24	1	.08	33.3
Newport		5	28	6		0		
Paducah	25,900	7	32	11	.42	1	.04	9.1
Louisiana:								
Baton Rouge	27,800	5	22	37	1.33	0		
Lake Charles		3	4	14		1		7.1
Shreveport	57,900	3	31	36	.62	15	.09	13.9
Maine:								
Auburn	18,100	5	7	41	2.27	0		
Bangor	26,600	5	15	5	.19	0		
Biddeford	18,500	5	19	12	.65	0		
Lewiston	34,900	6	38	34	.97	1	.03	2.9
Portland	75,300	7	134	46	.61	4	.05	8.7
Sanford	11,600	7	4			1	.09	
South Portland		1	10	6				
Waterville						0		
Westbrook	14,400	7	24	25		2		8.0
Massachusetts:								
Adams	13,500	7	11	17	1.26	0		
Amesbury	11,200	4	30	13	1.16	1	.09	7.7
Arlington	24,900	7	30	19	.76	0		
Athol		1	3	1		0		
Attleboro	20,600	7	13	7	.34	0		
Belmont	15,300	5	12	5	.33	0		
Beverly	22,700	7	16	25	1.10	1	.04	4.0
Braintree	13,200	5	18	18	1.36	1	.08	5.6
Brockton	65,300	7	183	39	.60	5	.08	12.8
Brookline	42,700	7	42	10	.23	0		
Chelsea	47,200	7	83	55	1.17	2	.04	3.6
Chicopee	41,900	7	70	48	1.15	2	.05	4.2
Clinton	14,200	7	9	17	1.20	0		
Danvers	11,800	7	20	5	.42	0		
Dedham	13,900	5	19	20	1.44	1	.07	5.0
Easthampton	11,600	6	27	5	.43	1	.09	20.0

¹ Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

DIPHTHERIA—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925			
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Fatalities per 100 cases
Massachusetts—Continued.							
Everett	42,100	7	127	61	1.45	1	.02
Framingham	21,100	7	13	23	1.09	4	.19
Gardner	18,700	7	19	1	.05	0	
Gloucester	23,400			58	2.48	4	.17
Greenfield	15,200	7	20	8	.53	1	.07
Haverhill	49,200	7	151	71	1.44	2	.04
Holyoke	60,300	7	52	77	1.28	9	.15
Lawrence	93,500	7	146	96	1.03	17	.18
Leominster	22,100	7	20	22	1.00	1	.05
Malden	51,800	7	145	59	1.14	8	.15
Marlboro	16,200	6	18	10	.62	1	.06
Medford	47,600	7	70	32	.67	0	
Melrose	20,200	7	24	25	1.24	3	.15
Methuen	20,600	6	26	16	.78	1	.05
Milford	14,800	7	9	11	.74	1	.07
Milton		1	6	1			
Newburyport	15,700	7	13	8	.51	1	.06
Newton	53,000	7	88	19	.36	1	.02
North Adams	22,700	7	13	24	1.06	5	.22
Northampton	24,100	7	31	7	.29	0	
Northbridge	10,100	7	4	8	.79	1	.10
Palmer		2	8	7		1	
Peabody	19,900	7	43	41	2.06	3	.15
Pittsfield	46,900	7	69	92	1.96	3	.06
Plymouth	13,200	3	16	5	.38	0	
Quincy	60,100	7	122	131	2.18	1	.02
Revere	33,300	1	79	93	2.79	1	.03
Salem	42,800	7	87	173	4.04	10	.23
Saugus	12,700	6	14	6	.47	1	.06
Somerville	99,000	7	205	113	1.14	3	.03
Southbridge	15,500	7	9	28	1.81	3	.19
Taunton	39,300	5	20	12	.31	1	.03
Wakefield	15,600	3	35	9	.58	0	
Waltham	34,700	7	74	12	.35	1	.03
Watertown	25,500	7	53	29	1.14	0	
West Springfield	15,300	5	10	8	.52		
Westfield	19,300	7	32	18	.93	6	.31
Winchester	11,600	6	12	13	1.12	0	
Winthrop	16,200	7	16	2	.12	0	
Woburn	18,400	7	19	15	.82	0	
Michigan:							
Adrian	12,500	3	6	12	.96	1	.06
Ann Arbor	22,200	7	85	28	1.26	4	.18
Battle Creek	42,300	7	178	48	1.13	0	
Bay City	48,900	7	125	41	.84	3	.06
Benton Harbor	14,000	7	27	5	.36	0	
Cadillac		4	39	11		2	
Hamtramck	81,700	5	188	33	.40	3	.04
Highland Park	72,300	7	93	36	.50	2	.03
Holland	13,100	6	19	6	.46	1	.06
Ironwood	17,400	7	20	4	.23	0	
Ishpeming		5	17	9		1	
Jackson	58,000	7	86	65	1.12	4	.07
Kalamazoo	53,600	6	110	16	.30	3	.06
Lansing	70,800	6	193	143	2.02	6	.08
Marquette	13,400	6	10	6	.45	1	.07
Monroe	14,200	3	11	3	.21		
Muskegon	43,100	6	121	80	1.86	3	.07
Muskegon Heights		2	61	23			
Pontiac	47,500	7	147	199	4.19	8	.17
Port Huron	30,000	6	60	35	1.17	2	.07
River Rouge		2	22	26		0	
Saginaw	72,100	5	104	30	.42	3	.04
Sault Ste. Marie		5	19	10		1	
Minnesota:							
Albert Lea		1	14	1		0	
Brainerd				13		1	
Faribault	12,300	5	29	44	3.58	2	.16
Hibbing	18,000	6	28	9	.50	0	
Mankato	13,700	5	3	12	.88	2	.15
Rochester	17,000	3	26	6	.35	1	.06
St. Cloud	18,900	4	115	73	3.86	3	.16
Virginia	16,000	1	28	5	.31	0	

Reported Prevalence for the Year 1925—Continued

Diphtheria—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Mississippi:								
Biloxi	12,600	4	10	13	1.03	1	0.08	7.7
Jackson	23,700	2	38	21	.89	1	.04	4.8
Laurel	15,700			30	1.91			
Meridian	24,300	1	68	9	.37			
Natchez	13,100			10	.76	0		
Missouri:								
Independence	12,700	2	71	30	2.36	0		
Joplin		6	32	22		3		13.6
Moberly	13,900	5	31	16	1.15	1	.07	6.2
St. Joseph	78,300	7	133	27	.34	6	.06	22.2
Springfield	42,100	4	72	69	1.64	8	.19	11.6
Montana:								
Anaconda	12,500	6	4	1	.08	0		
Butte	42,900	7	48	44	1.03	6	.14	13.6
Great Falls	29,900	7	62	91	3.04	8	.27	8.8
Helena		3	9	23		2		8.7
Missoula		6	6	39		0		
Nebraska:								
Grand Island	15,600	7	5	5	.32			
Lincoln	60,900	7	83	62	1.02	4	.07	6.5
North Platte	13,700	3	42	9	.66	0		
New Hampshire:								
Berlin	18,600	6	4	5	.27	0		
Claremont		2	19	22		1		4.5
Concord	22,500	7	11	12	.53	1	.04	8.3
Dover		7	7	2		0		
Keene	11,900	6	7	11	.92	0		
Manchester	83,100	7	189	30	.36	7	.08	23.3
Nashua	29,700	6	25	28	.94	1	.03	3.6
Portsmouth	14,900	7	21	4	.27			
New Jersey:								
Asbury Park	13,700	6	8	3	.22	0		
Bayonne	88,800	6	153	49	.55	4	.05	8.2
Belleville	18,900	7	24	3	.16	0		
Bloomfield	26,600	7	34	15	.58	1	.04	6.7
Bridgeton	14,400	6	23	12	.83	0		
Carteret	14,000	2	20	5	.36	2	.14	40.0
Clifton	34,700	5	68	192	5.53	13	.37	6.8
Collingswood		1	7	3				
Dover		2	4	1		1		100.0
East Orange	60,070	7	40	15	.25	0		
Englewood	12,600	7	19	7	.56	0		
Garfield	24,600	4	29	103	4.19	0		
Gloucester City	13,700	3	24	15	1.09	0		
Hackensack	19,700	7	22	12	.61	2	.10	16.7
Harrison	16,400	6	32	23	1.40			
Hoboken		5	123	74		5		6.8
Irvington	33,200	5	32	18	.54	0		
Kearny	31,300	7	38	32	1.02	2	.06	6.2
Lodi		1	6	15				
Long Branch	13,600	7	9	10	.74	0		
Montclair	32,900	7	24	13	.40	1	.03	7.7
Morristown	12,600	7	13	3	.24	0		
New Brunswick	38,000	7	57	10	.26	1	.03	10.0
Nutley			9			0		
Orange	35,400	5	48	13	.37	0		
Passaic	69,000	7	174	333	4.83	24	.35	7.2
Perth Amboy	47,100	5	75	142	3.01	11	.23	7.7
Phillipsburg	18,600	4	40	26	1.40			
Plainfield	31,700	7	43	6	.19	0		
Rahway	12,000	7	37	8	.67	0		
Ridgefield Park		2	5	19		1		5.3
Rutherford		2	10	10		1		10.0
Summit	11,700	5	8	2	.17	0		
Union City	63,100			47	.74			
West New York	39,200	7	62	73	1.86	3	.08	4.1
West Orange	18,200	7	47	12	.66	0		
New Mexico:								
Albuquerque	21,000	2	53	10	.48	2	.10	20.0
New York:								
Amsterdam	35,300	4	115	16	.28	0		
Binghamton	71,900	6	64	32	.45	5	.07	15.6
Cohoes	23,000	7	25	7	.30	9		

Reported Prevalence for the Year 1925—Continued

DIPHTHERIA—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
New York—Continued.								
Corning	15,700	5	21	30	1.91	2	0.12	6.7
Cortland	13,900	7	14	16	1.15	3	.22	18.7
Dunkirk	19,900	7	26	15	.75	0		
Elmira	48,400	5	38	11	.23	1	.02	9.9
Freeport		1	11	6		0		
Geneva	15,900	5	44	18	1.13	1	.06	5.6
Glens Falls	17,900	7	16	5	.28	1	.06	20.0
Gloversville	22,100	7	15	18	.81	2	.09	11.1
Hornell	15,800	6	12	4	.25	0		
Hudson	11,800	5	16	7	.59	0		
Iliion	10,400	2	15	29	2.79	3	.29	10.3
Ithaca	18,900	7	13	4	.21	0		
Jamestown	43,400	7	109	62	1.43	1	.02	1.6
Johnson City		1	7	4		0		
Johnstown	10,700	4	5	4	.37	0		
Kingston	28,100	6	39	23	.82	2	.07	8.7
Lackawanna	20,200	7	62	73	3.61	5	.25	6.8
Little Falls	12,400	7	23	11	.89	2	.16	18.2
Lockport	21,700	5	11	8	.37	1	.05	12.5
Middletown	20,400	7	10	11	.54	1	.05	9.9
Mount Vernon	50,400	7	78	12	.24	1	.02	8.3
New Rochelle	44,200	6	43	19	.43	0		
Newburgh	30,400	7	31	107	3.52	17	.56	15.9
Niagara Falls	57,000	7	139	72	1.26	4	.07	5.6
North Tonawanda	17,400	7	29	6	.34	0		
Olean	21,360	7	55	25	1.17	1	.05	4.0
Peekskill	18,000	7	35	16	.89	0		
Plattsburg	11,600	7	9			4	.34	
Poughkeepsie	35,700	7	40	9	.25	2	.66	22.2
Rensselaer	11,400	3	14	4	.35	1	.09	25.0
Rome	30,300	7	51	15	.50	2	.07	13.3
Salamanca		1	47	1		0		
Saratoga Springs	13,900	7	15	10	.72	1	.07	10.0
Schenectady	92,800	7	153	38	.41	3	.03	7.9
Troy	72,200	7	127	111	1.54	11	.15	9.9
Watertown	32,800	7	32	19	.58	1	.03	5.3
Watervliet	16,200	5	55	10	.62	0		
White Plains	27,400	7	31	23	.84	1	.04	4.3
North Carolina:								
Asheville	31,500	7	50	14	.44			
Charlotte	53,300	4	102	84	1.58	2	.64	2.4
Greensboro	47,100	3	66	143	3.04	4	.08	2.8
High Point	23,600	1	113	90	3.81	2	.08	2.2
New Bern	12,200	2	20	7	.57	1	.08	14.3
Raleigh	30,400	7	79	31	1.02	3	.10	9.7
Rocky Mount	15,100	5	55	106	7.02	4	.26	3.8
Salisbury	17,700	3	40	25	1.41	1	.06	4.0
Wilmington	37,100	6	40	26	.54	5	.13	25.0
Wilson	12,800	2	7	50	3.90	2	.16	4.0
Winston-Salem	69,000	6	106	45	.65	4	.06	8.9
North Dakota:								
Fargo	24,900	6	27	25	1.00	3	.12	12.0
Ohio:								
Alliance	25,000	4	25	30	1.20	0		
Ashtabula	25,100	7	24	19	.72	2	.08	11.1
Barberton	23,300	6	34	28	1.20	0		
Bellshire	16,300	4	25	5	.31	0		
Bellefontaine			2			0		
Bucyrus	11,700	5	34	3	.26	0		
Cambridge	14,000	5	18	21	1.50	0		
Chillicothe	16,600	7	45	20	1.20	0		
Cleveland Heights	22,200	3	13	38	1.71	2	.09	5.3
Conneaut		2	9	2		1		50.0
Coshocton	11,600	5	11	4	.34	1	.09	25.0
Cuyahoga Falls	13,700	4	30	10	.73	0		
East Cleveland	37,600	7	32	37	.98	0		
East Liverpool	22,000	3	34	7	.32	0		
East Youngstown (Campbell)	16,000	5	16	4	.25	0		
Elyria	23,800	6	24	26	1.09	2	.08	7.7
Findlay	18,200	7	17	4	.22	1	.05	25.0
Fostoria		2	10	7		2		2.9
Fremont	13,900	7	4	9	.65	1	.07	11.1
Hamilton	42,400	7	29	32	.75	4	.09	12.5

Reported Prevalence for the Year 1925—Continued

DIPHTHERIA—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925			
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Fatalities per 100 cases
Ohio—Continued.							
Ironton	14,500	2	41	29	2.00	1	.07
Kenmore	19,400	4	26	10	.52	1	.05
Lakewood	56,800	4	28	51	.90	2	.04
Lancaster	16,100	5	14	14	.87	0	
Lima	46,700	7	70	27	.58	0	
Lorain	42,300	7	69	37	.87	2	
Mansfield	31,800	7	21	32	1.01	4	.13
Marietta	15,300	3	7	2	.13		
Marion	32,500	4	66	13	.40	2	.06
Martins Ferry	15,500	7	17	22	1.42	3	.19
Middletown	30,800	7	34	105	3.41	0	
Newark	30,500	7	19	10	.33	0	
Niles	16,600	5	46	12	.72	0	
Norwood	29,900	7	14	4	.13	0	
Piqua	16,000	7	9	17	1.06	0	
Salem	11,100	5	23	9	.81	2	.18
Sandusky	24,500	7	15	32	1.31	2	.08
Springfield	68,700	7	61	25	.36	8	.12
Steubenville	32,000	7	37	7	.22	2	.06
Zanesville	30,400	7	24	7	.23	0	
Oklahoma:							
Ardmore	17,200	1	10	25	1.45	3	.17
Guthrie	11,800					1	.08
Omulgee	25,300	1	10	33	1.30	3	.12
Sapulpa	14,200	1	11	7	.49	1	.07
Oregon:							
Astoria	16,500	7	4	7	.42	1	.06
Eugene	11,400	7	22	24	2.11	3	.26
Pennsylvania:							
Allentown	92,200	4	217	99	1.07	11	.12
Altoona	66,100	7	136	84	1.27	8	.12
Beaver Falls	13,100	4	25	8	.61		
Braddock	21,700	7	68	40	1.84	4	.18
Bradford	15,800	6	8	13	.82	2	.13
Butler	25,200	7	74	41	1.63	2	.08
Carbondale	19,500	7	29	7	.36		
Carlisle	11,400	7	9	5	.44		
Carnegie	12,400	4	25	7	.56	0	
Carrick	13,000	5	17	27	2.08		
Chambersburg	13,900	7	11	2	.14	0	
Charleroi	12,600	7	19	6	.48		
Clairston	14,900	2	8	8	.54	0	
Coatesville	16,500	7	11	9	.55	1	.06
Columbia				2			
Connellsville	14,300	6	33	8	.56		
Dubois	14,300	4	32	34	2.38		
Duquesne	20,900	4	40	23	1.10	1	.05
Easton	36,800	7	48	22	.60		
Farrell	18,700	5	45	27	1.44	3	.16
Greensburg	16,100	1	12	8	.50	0	
Harrisburg	83,400	7	138	130	1.56	9	.11
Hazleton	36,100	7	48	20	.55	4	.11
Homestead	21,400	7	36	18	.84	0	
Jeannette	11,700	5	25	28	2.39	2	.17
Kingston	18,000	2	22	7	.39	1	.06
Lancaster	56,500	7	154	52	.92	2	.04
Lansford		4	20	8			
Latrobe		1	19	8		1	
Lewistown		3	35	26		2	
McKees Rocks	18,100	3	65	20	1.10	2	.11
McKeesport	49,100	7	58	15	.31	2	.04
Meadville	15,600	3	9	11	.71	1	.06
Monessen	21,200	6	63	31	1.46	3	.14
Mount Carmel		3	38	29		0	
Nanticoke	24,700	6	44	12	.49	2	.08
New Castle	49,800	7	52	23	.46	2	.04
Norristown	34,800	7	58	22	.63	4	.11
North Braddock	16,700	7	37	35	2.10	8	.48
Oil City	23,300	7	36	4	.17		
Olyphant	11,200	6	13	40	3.57	7	.62
Phoenixville		4	14	2			
Pittston	19,800	7	15	10	.51	2	
Plymouth		6	39	15			

Reported Prevalence for the Year 1925—Continued

DIPHTHERIA—Continued

City	Estimated population, July 1, 1925	Estimated expectancy	1925				
			Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered
Pennsylvania—Continued.							
Pottstown	18,500	2	6	15	0.81	0	
Sharon	25,000	5	40	48	1.92	2	0.08
Steelton		7	25	7		0	
Sunbury	16,800	7	45	17	1.01	0	
Swissvale	12,900	5	35	8	.62		
Uniontown		6	40	13		0	
Vandergrift		1	8	2		1	
Warren	15,100	7	22	9	.60	0	
Washington	23,000	7	54	14	.61		
Waynesboro				9			
West Chester		7	13	6		0	
Wilkes-Barre	77,600	2	99	81	1.04	5	.06
Wilkinsburg	27,400	3	34	3	.11	1	.04
Windber		1	26	28		4	
Woodlawn	18,900	5	25	8	.42	0	
York	49,100	6	156	14	.29	1	.02
Rhode Island:							
Central Falls	25,400	4	24	15	.59		
Cranston	34,500	7	24	17	.49	1	.03
Newport	27,800	7	74	93	3.35	2	.07
Pawtucket	69,800	6	75	44	.63	4	.06
Woonsocket	49,700	1	8	8	.16	0	
South Carolina:							
Anderson	11,100	4	12	5	.45	2	.18
Charleston	73,100	1	55	68	.93	5	.07
Florence	13,200	1	16	10	.76	0	
Greenville	27,300	6	29	36	1.32	4	.15
Spartanburg	25,500	4	43	40	1.57	3	.12
Sumter		2	14	16		0	
South Dakota:							
Aberdeen	15,000	4	32	6	.40		
Sioux Falls	30,100	7	35	46	1.53	5	.17
Tennessee:							
Chattanooga	66,600	4	84	59	.89		
Knoxville	95,500	7	77	47	.49	6	.06
Texas:							
Amarillo	17,800	6	15	10	.56	0	
Beaumont	50,600	5	19	55	1.09	0	
Cleburne	14,200	5	5	5	.35	0	
Corpus Christi	11,800	3	6	12	1.02	3	.25
Eastland		1	5	1		0	
Galveston	48,400	7	42	44	.91	2	.04
Greenville	14,400			20	1.39	1	.07
Orange		1	10	12		0	
Palestine	11,400			6	.53		
San Angelo						1	
Texarkana	12,400	6	15	9	.73	0	
Tyler	13,000	7	11	7	.54	0	
Waco	43,900	6	48	15	.34	3	.07
Utah:							
Ogden	36,900	7	33	140	3.79	3	.08
Provo	11,200	2	23	19	1.70	0	
Vermont:							
Barre		6	5	15		1	
Bennington		2	3	4		0	
Burlington	24,100	6	23	23	.95	0	
Rutland	15,800	4	7	23	1.46	1	.06
Virginia:							
Alexandria	18,500	6	9	26	1.41	1	.05
Charlottesville	11,200	4	12	16	1.43	0	
Danville	23,000	7	53	69	3.00	1	.04
Lynchburg	30,400	6	84	79	2.60	1	.03
Newport News	47,100	6	36	13	.28	2	.04
Petersburg	35,700	7	69	32	.90	1	.03
Portsmouth	59,000	7	77	10	.17	0	
Roanoke	58,200	6	101	174	2.99	11	.19
Suffolk				3		0	
Washington:							
Aberdeen	16,200	6	4	3	.19	0	
Bremerton		2	8	15		1	
Everett	29,300	7	10	9	.31	0	
Hoquiam	11,100	1	12	18	1.62	1	.09
Vancouver	14,500	6	18	26	1.79	0	
Walla Walla		3	11	11		0	
Yakima	22,700	7	17	37	1.63	2	.09

Reported Prevalence for the Year 1925—Continued

DIPHTHERIA—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
West Virginia:								
Bluefield	19,300	4	54	19	0.98	0	0	
Charleston	49,000	7	91	49	1.00	0	0	
Clarksburg	30,400	3	57	11	.36	2	0.07	18.2
Fairmont	21,000	7	69	41	1.95			
Huntington	63,500	4	103	52	.82			
Martinsburg	13,500	5	13	19	1.41	1	.07	5.3
Morgantown	13,900	2	17	9	.65	3	.22	33.3
Parkersburg	21,300	5	56	15	.70	2	.09	13.3
Wheeling		7	101	56		4		7.1
Wisconsin:								
Appleton	21,100	5	28	22	1.04	0	0	
Ashland		6	16	18				
Beloit	24,800	7	39	39	1.57	0	0	
Eau Claire	22,400	7	22	11	.49	0	0	
Fond du Lac	26,000	7	28	118	4.54	8	.31	6.8
Green Bay	34,300	7	70	31	.90	1	.03	3.2
Janesville	20,800	6	21	3	.14	0	0	
Kenosha	50,900	7	121	62	1.22	5	.10	8.1
La Crosse	30,400	6	20	6	.20	0	0	
Madison	46,400	7	71	26	.56			
Manitowoc	22,100	5	21	22	1.00	0	0	
Marinette		7	12	3		0	0	
Oshkosh	33,200	6	25	38	1.14	2	.06	5.3
Racine	67,700	6	163	102	1.51	1	.01	1.0
Sheboygan	33,500	6	109	38	1.13	2	.06	5.3
Superior		6	40	16		1		6.2
Waukesha	14,700	1	22	5	.34	0	0	
Watson	20,100	7	19	3	.15	0	0	
West Allis	18,400	5	40	70	3.80	3	.16	4.3
Wyoming:								
Cheyenne	15,500			14	.90	2	.13	14.3

INFLUENZA

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:						
Anniston	20,500	97	4.73	5	0.24	19.4
Dothan	14,500	205	14.14	7	.48	29.3
Florence	12,700	54	4.25	3	.24	18.0
Mobile	66,000	111	1.68	49	.74	2.3
Montgomery	46,500	47	1.01	11	.24	4.3
Selma	17,000			20	1.18	
Tuscaloosa	13,100	112	8.55	1	.08	112.0
Arizona:						
Phoenix	38,700			38	.98	
Tucson	26,700			5	.19	
Arkansas:						
Little Rock	74,200	131	1.77	24	.32	5.5
California:						
Alameda	31,900	13	.41	1	.03	13.0
Alhambra		15		1		15.0
Bakersfield	23,500	6	.26	4	.17	1.5
Berkeley	66,200	100	1.51	8	.12	12.5
Chico				3		
Eureka	13,500			1	.07	
Fresno	58,500	4	.07	2	.03	2.0
Glendale	21,300	10	.47	2	.09	5.0
Long Beach	91,200	47	.52	8	.09	5.9
Pasadena	56,700	33	.58	5	.09	6.6
Pomona	15,400	1	.06	0	0	
Richmond	22,500	4	.18	2	.09	2.0
Riverside		28		2		14.0
Sacramento	72,300			17	.24	

Reported Prevalence for the Year 1925—Continued

INFLUENZA—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
California—Continued.						
San Bernardino	22,800			4	0.18	
San Jose	43,600			1	.02	
Santa Ana	19,500	5	0.26	4	.21	1.2
Stockton	47,300	37	.78	14	.30	2.6
Colorado:						
Boulder	11,800	4	.34	0		
Colorado Springs		65				7.2
Greeley	12,500			5	.40	
Pueblo	43,800			16	.37	
Trinidad	11,000			9	.82	
Connecticut:						
Danbury		5		0		
Fairfield	14,500	4	.28	1	.07	4.0
Greenwich	25,300	4	.16	0		
Manchester	21,000	7	.33			
Meriden	36,300	7	.19			
New Britain	68,000	18	.26	4	.06	4.5
New London	29,100	13	.45	1	.03	13.0
Shelton				2		
Florida:						
St. Petersburg	26,800			4	.15	
Tampa	94,700	63	.67	19	.20	3.3
West Palm Beach				2		
Georgia:						
Albany	13,500	10	.74	8	.59	1.2
Augusta	55,200	51	.92	2	.04	25.5
Brunswick	16,800	109	6.49	4	.24	27.2
Lagrange	23,500			7	.30	
Rome	13,900	418	30.07	3	.22	139.3
Savannah	93,100	665	7.14	50	.54	13.3
Idaho:						
Pocatello	18,300	100	5.46	0		
Illinois:						
Aurora	40,300			1	.02	
Blue Island	13,200			4	.30	
Champaign	18,200			1	.05	
Cicero	62,200	8	.13	2	.03	4.0
Danville	37,000	24	.65	0		
Decatur	53,900			4	.07	
East St. Louis	71,400	2	.03	0		
Elgin	33,400			1	.03	
Evanston	43,900	7	.16	5	.11	1.4
Freeport	20,700	6	.29	1	.05	6.0
Galesburg	24,800			2	.08	
Granite City	18,200			8	.44	
Jacksonville	15,900	3	.19	1	.06	3.0
Joliet	40,600			4	.10	
Kewanee	19,700	3	.15	2	.10	1.5
La Salle	13,900	3	.22	2	.14	1.5
Moline	33,900	5	.15	4	.12	1.2
Oak Park	51,400	11	.21	1	.02	11.0
Pekin	13,300			4	.30	
Peoria	81,600			16	.20	
Quincy		13		2		6.5
Rock Island	40,000	2	.05	1	.02	2.0
Rockford	76,500	10	.13	8	.10	1.2
Springfield	63,900			45	.70	
Waukegan	22,000	2	.09			
Indiana:						
Bloomington	12,600	24	1.90	6	.48	4.0
Connersville	12,500	60	4.80	8	.64	7.5
Crawfordsville	10,500			1	.10	
East Chicago	45,600			10	.22	
Elwood				2		
Fort Wayne	97,800			6	.06	
Gary	76,900			3	.04	
Hammond	50,400			10	.20	
Jeffersonville		5		0		
Kokomo	36,900			9	.24	
Marion	26,300			9	.34	
Michigan City	20,300			2	.10	
Mishawaka	16,700			12	.72	
Muncie	42,500			8	.19	
New Albany				6		
Newcastle	17,000			2	.12	
Peru	12,700			3	.24	
Richmond	30,500			3	.10	

October 15, 1926

Reported Prevalence for the Year 1925—Continued

INFLUENZA—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Iowa:						
Cedar Rapids	50,600			19	0.38	
Council Bluffs	39,800			6	.15	
Dubuque	41,000			2	.05	
Muscatine	16,800			4	.24	
Kansas:						
Emporia	12,200	9	0.74	0		
Independence	10,900			2	.18	
Lawrence	12,300	5	.41	4	.33	1.2
Parsons	14,800			3	.20	
Pittsburg	19,200	8	.42	7	.36	1.1
Topeka	55,400	16	.29	3	.05	5.3
Kentucky:						
Covington	58,300	15	.26	14	.24	1.1
Henderson	12,600	1	.08	0		
Newport		29		19		1.5
Paducah	25,900	32	1.24	7	.27	4.6
Louisiana:						
Baton Rouge	27,800			9	.32	
Lake Charles		7		4		1.7
Shreveport	57,900			19	.33	
Maine:						
Auburn	18,100	2	.11	0		
Bangor	26,600			2	.08	
Bath	17,800	37	2.08	0		
Biddeford	18,500	19	1.03	3	.16	6.3
Lewiston	34,900			7	.20	
Portland	75,300	21	.28	8	.11	2.6
Sanford	11,600			5	.43	
Waterville	14,400			4	.28	
Massachusetts:						
Amesbury	11,200	10	.89	1	.09	10.0
Arlington	24,900	4	.16	0		
Athol				3		
Attleboro	20,600	2	.10	2	.10	1.0
Belmont	15,300	1	.07	1	.07	1.0
Beverly	22,700	2	.09	0		
Braintree	13,200	1	.08	0		
Brookline	42,700	5	.12	4	.09	1.2
Chelsea	47,200	6	.13	1	.02	6.0
Chicopee	41,900			3	.07	
Clinton	14,200	1	.07	0		
Danvers	11,800	3	.25	2	.17	1.5
Dedham	13,900	1	.07	0		
Everett	42,100	5	.12	4	.10	1.2
Framingham	21,100	7	.33	3	.14	2.3
Gloucester	23,400			1	.04	
Greenfield	15,200	20	1.32	4	.26	5.0
Haverhill	49,200	15	.30	5	.10	3.0
Holyoke	60,300	5	.08	3	.05	1.7
Lawrence	93,500	12	.13	11	.12	1.1
Malden	51,800	32	.62	5	.10	6.4
Marlboro	16,200	2	.12	2	.12	1.0
Medford	47,600	10	.21	2	.04	5.0
Methuen	20,600	83	4.03	1	.05	83.0
Milford	14,800	2	.14	0		
Newburyport	15,700	7	.45	0		
North Adams	22,700	3	.13	1	.04	3.0
Northampton	24,100	13	.12	13	.12	1.0
Northbridge	10,100	5	.50	0		
Peabody	19,900	1	.05	1	.05	1.0
Pittsfield	46,900	5	.11	5	.11	1.0
Quincy	60,100	165	2.75	9	.15	18.3
Salem	42,800	25	.58	3	.07	8.3
Saugus	12,700	10	.79	2	.16	5.0
Somerville	99,000	19	.19	2	.02	9.5
Southbridge	15,500	3	.19	1	.06	3.0
Taunton	39,300	1	.03	0		
Waltham	34,700	12	.35	4	.12	3.0
Watertown	25,500	4	.16	1	.04	4.0
West Springfield	15,300	3	.20			
Westfield	19,300	7	.36	4	.21	1.7
Winchester	11,600	2	.17	1	.09	2.0
Winthrop	16,200	3	.19	0		
Woburn	18,400	5	.27	1	.05	5.0

¹ Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

INFLUENZA—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Michigan:						
Bay City	48,900			1	0.02	
Cadillac				2		
Hamtramck	81,700	1	.01	1	.01	1.0
Highland Park	72,300	8	.11	3	.04	2.7
Ironwood	17,400	11	.63	2	.12	5.5
Kalamazoo	53,600	25	.47	15	.28	1.7
Lansing	70,800	5	.07	4	.06	1.2
Muskegon	43,100			4	.09	
Pontiac	47,500	2	.04	2	.04	1.0
Port Huron	30,000	2	.07			
Saginaw	72,100			2	.03	
Sault Ste. Marie				1		
Minnesota:						
Brainerd				2		
Faribault	12,300				.16	
Hibbing	18,000			2	.11	
Mankato	13,700				.15	
Rochester	17,000			11	.65	
Virginia	16,000	3	.19	3	.19	1.0
Winona	19,500	4	.21			
Mississippi:						
Biloxi	12,600	102	8.10	6	.48	17.0
Jackson	23,700	1,206	50.89	11	.46	109.6
Laurel	15,700	278	17.69			
Meridian	24,300	383	15.76			
Natchez	13,100	270	20.61	10	.76	27.0
Missouri:						
Independence	12,700				.64	
Moberly	13,900			3	.22	
St. Joseph	78,300				.26	
Springfield	42,100	12	.29	8	.19	1.5
Montana:						
Anaconda	12,500			3	.24	
Butte	42,900	2	.05	2	.05	1.0
Great Falls	29,900			4	.13	
Nebraska:						
Lincoln	60,900			10	.16	
North Platte	13,700	3	.22	3	.22	1.0
New Hampshire:						
Claremont				4		
Concord	22,500			1	.04	
Dover				2		
Keene	11,900	1	.08	0		
Manchester	83,100				.54	.65
Nashua	29,700			8	.27	
Portsmouth	14,900	11	.74			
New Jersey:						
Asbury Park	13,700	1	.07	0		
Bayonne	88,800				16	.18
Belleville	18,900	3	.16	0		
Bloomfield	26,000	2	.08	0		
Bridgeton	14,400			3	.21	
Clifton	34,700	5	.14	0		
East Orange	60,000	5	.08	2	.03	2.5
Hackensack	19,700	1	.05	1	.05	1.0
Harrison	16,400	16	.98			
Irvington	33,200	11	.33	1	.03	11.0
Kearny	31,300	12	.38	0		
Long Branch	13,600	4	.29	0		
Montclair	32,900	12	.36	1	.03	12.0
Nutley		1		0		
Orange	35,400	5	.14	2	.06	2.5
Passaic	69,000			4	.06	
Phillipsburg	18,600	3	.16			
Plainfield	31,700			1	.03	
Red Bank		1		1		
Rutherford		3		0		
Summit	11,700	1	.09	0		
West New York	39,200	2	.05	2	.05	1.0
West Orange	18,200	11	.60	0		
New Mexico:						
Albuquerque	21,000	11	.52	5	.24	2.2
New York:						
Amsterdam	35,300	208	5.89	3	.08	60.3
Binghamton	71,900	43	.60	0		
Cohoes	23,000	15	.65	0		
Cortland	13,900	3	.22	1	.07	3.0

Reported Prevalence for the Year 1925—Continued

INFLUENZA—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
New York—Continued.						
Dunkirk	19,900	70	3.52	1	0.05	70.0
Elmira	48,400			3	.06	
Freeport		4				
Geneva	15,900	2	.13	2	.13	1.0
Glens Falls	17,900			1	.06	
Hornell	15,800			2	.13	
Hudson	11,800	2	.17	0		
Jamestown	43,400	2	.05	2	.05	1.0
Johnson City		1		1		1.0
Johnstown	10,700	3	.28	1	.09	3.0
Kingston	28,100			2		
Lackawanna	20,200	8	.40	0		
Little Falls	12,400	7	.56	0		
Mount Vernon	50,400	10	.20	3	.06	3.3
New Rochelle	44,200	1	.02	0		
North Tonawanda	17,400	1	.06	0		
Olean	21,300	3	.14	0		
Peekskill	18,000	10	.56	0		
Plattsburg	11,600			1	.09	
Rome	30,300	3	.10	2	.07	1.5
Salamanca				1		
Saratoga Springs	13,900	169	12.16	0		
Schenectady	92,800			22	.24	
Watertown	32,800			6	.18	
Watervliet	16,200			1	.06	
White Plains	27,400	5	.18	1	.04	5.0
North Carolina:						
Charlotte	53,300			12	.23	
Greensboro	47,100			9	.19	
High Point	23,600			10	.42	
New Bern	12,200			4	.33	
Raleigh	30,400			5	.16	
Rocky Mount	15,100			3	.20	
Wilmington	37,100			5	.13	
Wilson	12,800			5	.39	
Winston-Salem	69,000			13	.19	
Ohio:						
Barberton	23,300	1	.04	0		
Cambridge	14,000			4	.29	
Conneaut		9				
Cuyahoga Falls	13,700	22	1.61	6	.44	3.7
East Cleveland	37,600	7	.19	0		
East Youngstown (Campbell)	16,000			1	.06	
Elyria	23,800			1	.04	
Findlay	18,200	4	.22	3	.16	1.3
Hamilton	42,400			9	.21	
Kenmore	19,400	3	.15	2	.10	1.5
Lakewood	56,800	4	.07	4	.07	1.0
Lima	46,700			8	.17	
Lorain	42,300	4	.09	3	.07	1.3
Mansfield	31,800			7	.22	
Marietta	15,300			5	.33	
Marion	32,500			23	.71	
Martins Ferry	15,500			3	.19	
Newark	30,500			9	.30	
Niles	16,600			2	.12	
Norwood	29,900			4	.13	
Salem	11,100			5	.45	
Sandusky	24,500			1	.04	
Springfield	68,700			14	.20	
Steubenville	32,000	4	.12	1	.03	4.0
Zanesville	30,400	10	.33	5	.16	2.0
Oklahoma:						
Ardmore	17,200	294	17.09	11	.64	26.7
Guthrie	11,800			3	.25	
Okmulgee	25,300	80	3.16	6	.24	13.3
Sapulpa	14,200	15	1.06	0		
Oregon:						
Eugene	11,400	13	1.14	2	.18	6.5
Pennsylvania:						
Allentown	92,200			4	.04	
Altoona	66,100			1	.02	
Braddock	21,700	8	.37	5	.23	1.6
Bradford	15,800			3	.19	
Canonsburg	13,500	2	.15	2	.15	1.0

Reported Prevalence for the Year 1925—Continued

INFLUENZA—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Pennsylvania—Continued.						
Carnegie	12,400			1	0.08	
Connellsville	14,300			3	.21	
Easton	36,800			2	.05	
Harrisburg	83,400			5	.06	
Homestead	21,400			1	.05	
Kingston	18,000			5	.28	
Lancaster	56,500			10	.18	
Lewistown				1		
McKees Rocks	18,100	11	0.61	0		
McKeesport	49,100			7	.14	
Nanticoke	24,700			4	.16	
New Castle	49,800			10	.20	
Norristown	34,800			1	.03	
North Braddock	16,700			3	.18	
Olyphant	11,200			5	.45	
Pottstown	18,500			6	.32	
Sharon	25,000			6	.24	
Sunbury	16,800	140	8.33	2	.12	70.0
Swissvale	12,900			1	.08	
Vandergrift				5		
Wilkes-Barre	77,600			8	.10	
Wilkinsburg	27,400			8	.29	
Windber				5		
Woodlawn	18,900			2	.11	
Rhode Island:						
Newport	27,800			3	.11	
Pawtucket	69,800			3	.04	
South Carolina:						
Charleston	73,100			23	.31	
Greenville	27,300			5	.18	
Spartanburg	25,500			4	.16	
Sumter				7		
South Dakota:						
Sioux Falls	30,100	1	.03	1	.03	1.0
Tennessee:						
Chattanooga	66,600	23	.35			
Knoxville	95,500			46	.48	
Texas:						
Beaumont	50,600			4	.08	
Cleburne	14,200	30	2.11	0		
Corpus Christi	11,500	100	8.47	10	.85	10.0
Galveston	48,400	10	.21	0		
Greenville	14,400			5	.35	
Orange		195		1		195.0
Palestine	11,400	105	9.21			
San Angelo				10		
Texarkana	12,400	25	2.02	0		
Waco	43,900	46	1.05	21	.48	2.2
Utah:						
Ogden	36,900	1	.03	1	.03	1.0
Provo	11,200			3	.27	
Vermont:						
Barre				1		
Virginia:						
Alexandria	18,500			2	.11	
Danville	23,000			10	.43	
Lynchburg	30,400			21	.69	
Petersburg	35,700			22	.62	
Portsmouth	59,000			3	.05	
Roanoke	58,200			15	.26	
Suffolk				7		
Washington:						
Bremerton		123		0		
Walla Walla				2		
Yakima	22,700			15	.86	
West Virginia:						
Bluefield	19,300			8	.41	
Charleston	49,000			5	.10	
Clarksburg	30,400			13	.43	
Martinsburg	13,500			3	.22	
Morgantown	13,800			5	.36	
Parkersburg	21,300			8	.38	
Wheeling				13		
Wisconsin:						
Beloit	24,800			1	.04	
Green Bay	34,300			3	.09	

Reported Prevalence for the Year 1925—Continued

INFLUENZA—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Wisconsin—Continued.						
Kenosha	50,900	4	.08	1	.02	4.0
La Crosse	30,400	3	.10	0		
Madison	46,400	2	.04			
Marinette				4		
Racine	67,700	7	.10	3	.04	2.3
Sheboygan	33,500			8	.24	
Waukesha	14,700	3	.20	0		
Wausau	20,100			1	.05	
West Allis	18,400			2	.11	
Wyoming:						
Cheyenne	15,500	4	.26	4	.26	1.0

LETHARGIC ENCEPHALITIS

Alabama:						
Anniston	20,500	1	.05	0		
Mobile	66,000	1	.02	1	.02	1.0
Arkansas:						
Little Rock	74,200	3	.04	2	.03	1.5
California:						
Alameda	31,900	2	.06	2	.06	1.0
Alhambra		1		0		
Bakersfield	23,500	2	.09	0		
Berkeley	66,200	4	.06	3	.05	1.3
Glendale	21,300	2	.09	1	.05	2.0
Long Beach	91,200			1	.01	
Pomona	15,400	2	.13	0		
Sacramento	72,300	2	.03	2	.03	1.0
San Bernardino	22,800			1	.04	
Santa Ana	19,500			3	.15	
Santa Monica	19,400			1	.05	
Stockton	47,300	1	.02	0		
Colorado:						
Colorado Springs		1		1		1.0
Pueblo	43,800			1	.02	
Trinidad	11,000			1	.09	
Connecticut:						
Danbury		2		0		
Greenwich	25,300	2	.08	0		
New Britain	68,000	5	.07	2	.03	2.5
Stratford	16,100	1	.06	1	.06	1.0
Florida:						
St. Petersburg	26,800	1	.04	0		
Tampa	94,700			3	.03	
Georgia:						
Augusta	55,200			3	.05	
Illinois:						
Berwyn	18,900	1	.05	1	.05	1.0
Bloomington	30,400	1	.03	1	.03	1.0
Evanston	43,900	4	.09	0		
Galesburg	24,800	3	.12	2	.08	1.5
La Salle	13,900	1	.07	1	.07	1.0
Moline	33,900	1	.03	0		
Oak Park	51,400	3	.06	0		
Pekin	13,300	5	.38	0		
Peoria	81,600			2	.02	
Rochester	40,000	2	.05	1	.02	2.0
Indiana:						
Kokomo	36,900			1	.03	
Michigan City	20,300			1	.05	
Muncie	42,500	1	.2	1	.02	1.0
Iowa:						
Muscatine	16,800	3	.18	1	.06	3.0
Kansas:						
Lawrence	12,300	3	.24	2	.16	1.5
Topeka	55,400	2	.04	0		
Kentucky:						
Covington	58,300			4	.07	
Louisiana:						
Shreveport	57,900	2	.03	0		

Reported Prevalence for the Year 1925—Continued

LETHARGIC ENCEPHALITIS—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Maine:						
Lewiston.	34,900			2	.06	
Portland.	75,300			1	.01	
Massachusetts:						
Attleboro.	20,600	2	.10	2	.10	1.0
Belmont.	15,300	1	.07	0		
Beverly.	22,700	3	.13	2	.09	1.5
Brockton.	65,300	3	.05	1	.02	3.0
Brookline.	42,700	2	.05	2	.05	1.0
Chelsea.	47,200	2	.04	0		
Clinton.	14,200	1	.07	1	.07	1.0
Everett.	42,100	2	.05	0		
Gloucester.	23,400			1	.04	
Greenfield.	15,200			1	.07	
Haverhill.	49,200	6	.12	3	.06	2.0
Holyoke.	60,300	1	.02	1	.02	1.0
Leominster.	22,100	1	.05	0		
Malden.	51,800	3	.06	0		
Medford.	47,600	3	.06	0		
Methuen.	20,600	2	.10	2	.10	1.0
Newburyport.	15,700	2	.13	0		
Northampton.	24,100	1 ⁹	.37	1 ³	.12	3.0
Peabody.	19,900	1	.05	0		
Quincy.	60,100	1	.02	0		
Salem.	42,800	2	.05	2	.05	1.0
Taunton.	39,300	1	.03	0		
Waltham.	34,700	2	.06	0		
Michigan:						
Ann Arbor.	22,200	1	.05	1	.05	1.0
Battle Creek.	42,300	3	.07	0		
Bay City.	48,900	2	.04	2	.04	1.0
Highland Park.	72,300	2	.03	1	.01	2.0
Ishpeming.				1		
Kalamazoo.	53,600	3	.06	2	.04	1.5
Marquette.	13,400	2	.15	2	.15	1.0
Muskegon.	43,100	1	.02	1	.02	1.0
Port Huron.	30,000	1	.03	1	.03	1.0
River Rouge.		3		3		1.0
Minnesota:						
Virginia.	16,000	1	.06	1	.06	1.0
Missouri:						
Moberly.	13,900	1	.07	0		
St. Joseph.	78,300			5	.06	
Montana:						
Butte.	42,900			3	.07	
Great Falls.	29,900			1	.03	
Nebraska:						
Lincoln.	60,900	3	.02	1	.02	2.0
New Hampshire:						
Manchester.	83,100			1	.01	
New Jersey:						
Belleville.	18,900	1	.05	0		
Bloomfield.	26,000	2	.08	1	.04	2.0
Carteret.	14,000	1	.07	1	.07	1.0
Clifton.	34,700	1	.03	1	.03	1.0
East Orange.	60,000	4	.07	2	.03	2.0
Englewood.	12,600	2	.16	2	.16	1.0
Garfield.	24,600	2	.08	1	.04	1.0
Irvington.	33,200	1	.03	1	.03	1.0
Kearny.	31,300	1	.03	1	.03	1.0
Long Branch.	13,600			1	.07	
Montclair.	32,900	3	.09	1	.03	3.0
New Brunswick.	38,000	1	.03	1	.03	1.0
Orange.	35,400	3	.08	1	.03	3.0
Passaic.	69,000			1	.01	
Rahway.	12,000			1	.08	
Summit.	11,700	3	.26	0		
New York:						
Amsterdam.	35,300	2	.06	2	.06	1.0
Binghamton.	71,900	6	.08	1	.01	6.0
Elmira.	48,400			3	.06	
Geneva.	15,900	2	.13	0		
Glens Falls.	17,900	2	.11	1	.06	2.0
Gloversville.	22,100	1	.05	0		
Hudson.	11,800			3	.25	

¹Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

LETHARGIC ENCEPHALITIS—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
New York—Continued.						
Ithaca.....	18,900	3	.06	0		
Jamestown.....	43,400	2	.05	2	.05	1.0
Middletown.....	20,400	1	.05	0		
Mount Vernon.....	50,400			2	.04	
New Rochelle.....	44,200			2	.05	
Newburgh.....	30,400	3	.10	2	.07	1.5
Olean.....	21,300	2	.09	0		
Peekskill.....	18,000	2	.11	1	.06	2.0
Poughkeepsie.....	35,700	2	.06	1	.03	2.0
Salamanca.....				2		
Schenectady.....	92,800	5	.05	5	.05	1.0
North Carolina:						
Greensboro.....	47,100	2	.04	2	.04	1.0
Winston-Salem.....	69,000	2	.03	2	.03	1.0
Ohio:						
Cambridge.....	14,000			2	.14	
Conneaut.....		1				
East Cleveland.....	37,600	2	.05	2	.05	1.0
Findlay.....	18,200	1	.05	1	.05	1.0
Kenmore.....	19,400	1	.05	0		
Lorain.....	42,300	2	.05	1	.02	2.0
Middletown.....	30,800	3	.10	2	.06	1.5
Steubenville.....	32,000	1	.03	1	.03	1.0
Zanesville.....	30,400	1	.03	1	.03	1.0
Oregon:						
Astoria.....	16,500			1	.06	
Eugene.....	11,400			2	.18	
Pennsylvania:						
Allentown.....	92,200	3	.03	3	.03	1.0
Canonsburg.....	13,500			1	.07	
Homestead.....	21,400			2	.09	
Jeannette.....	11,800	1	.09	1	.09	1.0
McKeesport.....	49,100			1	.02	
Sharon.....	25,000			1	.04	
West Chester.....		1		0		
Wilkes-Barre.....	77,600			2	.03	
Windber.....				1		
York.....	49,100	2	.04	1	.02	2.0
South Carolina:						
Charleston.....	73,100			2	.03	
South Dakota:						
Sioux Falls.....	30,100	1	.03	1	.03	1.0
Tennessee:						
Knoxville.....	95,500			1	.01	
Texas:						
Amarillo.....	17,800	1	.06	1	.06	1.0
Beaumont.....	50,600			2	.04	
Galveston.....	48,400			2	.04	
Waco.....	43,900			1	.02	
Utah:						
Logan.....		2		1		2.0
Virginia:						
Alexandria.....	18,500			12	.11	
Lynchburg.....	30,400			1	.03	
Petersburg.....	35,700	3	.08	3	.09	1.0
Roanoke.....	58,200			2	.03	
Washington:						
Aberdeen.....	16,200	1	.06	1	.06	1.0
Vancouver.....	14,500	1	.07	0		
Walla Walla.....				2		
West Virginia:						
Bluefield.....	19,300			4	.21	
Martinsburg.....	13,500	1	.07	0		
Morgantown.....	13,800			1	.07	
Wheeling.....				1		
Wisconsin:						
Eau Claire.....	22,400	2	.09	0		
La Crosse.....	30,400			13	.10	
Oshkosh.....	33,200	2	.05	2	.06	1.0
Racine.....	67,700	2	.03	2	.03	1.0
West Allis.....	18,400			2	.11	

¹ Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

MALARIA

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:						
Anniston	20,500	1	.05	0	0	
Dothan	14,500	23	1.59	0	0	
Florence	12,700	20	1.57	0	0	
Mobile	66,000	10	.15	2	0.03	5.0
Montgomery	46,500	11	.24	3	.06	3.7
Selma	17,000			2	.12	
Tuscaloosa	13,100	4	.31	0	0	
Arkansas:						
Hot Springs		6				
Little Rock	74,200	136	1.83	8	.11	17.0
California:						
Chico		1				
Sacramento	72,300	2	.03	0	0	
Santa Ana	19,500	3	.15	0	0	
Santa Barbara	24,000	1	.04	0	0	
Stockton	47,300	3	.06	0	0	
Connecticut:						
Greenwich	25,300	3	.12	0	0	
Manchester	21,000	2	.10			
New Britain	68,000	10	.15	1	.01	10.0
Florida:						
St. Petersburg	26,800	15	.56	1	.04	15.0
Tampa	94,700	21	.22	4	.04	5.2
Georgia:						
Albany	13,500	23	1.70	7	.52	3.3
Augusta	55,200			6	.11	
Brunswick	16,800	9	.54	2	.12	4.5
Lagrange	23,500			1	.04	
Rome	13,900	18	1.29	0	0	
Savannah	93,100	23	.25	0	0	
Illinois:						
Alton	26,800	2	.07	1	.04	2.0
Danville	37,000	2	.05	0	0	
Granite City	18,200			1	.05	
Oak Park	51,400	1	.02	0	0	
Kansas:						
Emporia	12,200	38	4.75	0	0	
Topeka	55,400	2	.04	0	0	
Kentucky:						
Paducah	25,900			1	.04	
Louisiana:						
Lake Charles		1		0	0	
Shreveport				5	.09	
Maine:						
Portland	75,300			1	.01	
Massachusetts:						
Amesbury	11,200	4	.36	0	0	
Brookline	42,700	1	.02	0	0	
Medford	47,600	1	.02	0	0	
Milton		1				
Northbridge	10,100	2	.20	0	0	
Woburn	18,400	2	.11	0	0	
Michigan:						
Saginaw	72,100	1	.01	0	0	
Mississippi:						
Biloxi	12,600	5	.40	0	0	
Jackson	23,700	997	42.07	4	.17	249.2
Laurel	15,700	427	27.17			
Meridian	24,300	270	11.11			
Natchez	13,100	320	24.43	2	.15	160.0
Missouri:						
Springfield	42,100	1	.02	1	.02	1.0
New Jersey:						
Hackensack	19,700	1	.05	0	0	
Irvington	33,200	2	.06	0	0	
New York:						
Binghamton	71,900	2	.03	0	0	
Glens Falls	17,900	1	.06	0	0	
Kingston	28,100	1	.04	0	0	
Olean	21,300	1	.05	0	0	
Poughkeepsie	35,700	2	.06	0	0	
Saratoga Springs	13,900	2	.14	1	.07	2.0

Reported Prevalence for the Year 1925—Continued**MALARIA—Continued**

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
North Carolina:						
Greensboro.....	47,100	2	.04	1	.02	2.0
New Bern.....	12,200			2	.16	
Wilson.....	12,800			2	.16	
Winston-Salem.....	69,000	2	.03	1	.01	2.0
Ohio:						
East Cleveland.....	37,600	1	.03	0		
Oklahoma:						
Ardmore.....	17,200	38	2.21	4	.23	9.5
Oklmulgee.....	25,300	55	2.17	0		
Sapulpa.....	14,200	20	1.41	1	.07	20.0
Pennsylvania:						
Allentown.....	92,200	2	.02	0		
South Carolina:						
Charleston.....	73,100			4	.05	
Tennessee:						
Chattanooga.....	66,600	7	.11			
Texas:						
Beaumont.....	50,600			5	.10	
Cleburne.....	14,200	20	1.41	0		
Orange.....		16		0		
Palestine.....	11,400	36	3.16			
Texarkana.....	12,400	75	6.05	0		
Waco.....	43,900	2	.05	1	.02	2.0
Utah:						
Logan.....		1		0		
Virginia:						
Alexandria.....	18,500	5	.27	0		
Danville.....	23,000	8	.35	0		
Petersburg.....	35,700			1	.03	
Portsmouth.....	59,000			1	.02	

MEASLES

City	Estimated population July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Alabama:								
Anniston.....	20,500	7	34	1	0.05	0		
Montgomery.....	46,500			5	.11	0		
Tuscaloosa.....	13,100			61	4.66	0		
Arizona:								
Phoenix.....	38,700			42	1.09	2	0.05	4.8
Tucson.....	26,700	5	18	38	1.42	0		
Arkansas:								
Hot Springs.....				4				
Little Rock.....	74,200	5	238	84	1.13	3	.04	3.6
California:								
Alameda.....	31,900	7	163	11	.34	0		
Alhambra.....		2	178	9		0		
Bakersfield.....	23,500	6	34	4	.17	0		
Berkeley.....	66,200			17	.26	0		
Eureka.....	13,500	7	38	9	.67	0		
Fresno.....	58,500			7	.12	0		
Glendale.....	21,300	5	235	16	.75	1	.05	6.2
Long Beach.....	91,200	7	288	27	.30	0		
Pasadena.....	56,700	5	350	35	.62	1	.02	2.9
Pomona.....	15,400	5	131	23	1.49	0		
Richmond.....	22,500	5	18	1	.04	0		
Riverside.....		5	37	9		0		
Sacramento.....	72,300	7	288	17	.24	1	.01	5.9
San Bernardino.....	22,800	7	137	5	.22	0		
San Jose.....	43,600	5	241	26	.60	0		

Reported Prevalence for the Year 1925—Continued

MEASLES—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
California—Continued.								
Santa Ana	19,500	5	23	12	0.62	0		
Santa Barbara	24,000	5	17	10	.42	0		
Stockton	47,300			5	.11	0		
Vallejo	26,600	3	18	2	.08	0		
Colorado:								
Boulder	11,800	6	88	15	1.27	0		
Colorado Springs		7	265	21		0		
Greeley	12,500	2	49	7	.56	0		
Pueblo	43,800	3	207	7	.16	0		
Trinidad	11,000	7	98	13	1.18	0		
Connecticut:								
Danbury		4	50	3		0		
Fairfield	14,500	3	34	7	.48	0		
Greenwich	25,300	7	417	4	.16	0		
Manchester	21,000	6	33	7	.33			
Meriden	36,300	5	63	15	.41			
Milford	13,500	5	59	31	2.30	0		
New Britain	68,000	7	314	235	3.46	2	0.03	0.9
New London	29,100	7	44	13	.45	0		
Norwich	23,100	7	11	35	1.52	0		
Shelton		1	85	68		2		2.9
Stamford	40,700	3	480	94	2.31	2	.05	2.1
Stratford	16,100	4	50	70	4.35	0		
Florida:								
St. Petersburg	26,800	2	50	58	2.16	1	.04	1.7
Tampa	94,700	4	176	4	.04	1	.01	25.0
West Palm Beach		2	47	6		0		
Georgia:								
Albany	13,500	4	22	5	.37	0		
Augusta	55,200	5	14	98	1.78	1	.02	1.0
Brunswick	16,800	6	47	1	.06	0		
Macon	53,200	5	106	21	.36	0		
Savannah	93,100			9	.10	0		
Idaho:								
Boise	23,000	6	48	6	.26	0		
Pocatello	18,300	7	31	2	.11	0		
Illinois:								
Alton	26,800	6	75	39	1.46	0		
Aurora	40,300	6	291	349	8.66	0		
Berwyn	18,900	2	23	273	14.44	0		
Bloomington	30,400	5	388	793	26.09	2	.07	.3
Blue Island	13,200	5	60	7	.53	0		
Centralia	14,100	5	6	300	21.28	0		
Champaign	18,200	7	105	339	18.63	0		
Chicago Heights	22,100	4	14	18	.81	2	.09	11.1
Cicero	62,230	7	144	258	4.15	0		
Danville	37,000	6	49	84	2.27	0		
Decatur	53,900	4	211	678	12.58	0		
East Moline				3		0		
East St. Louis	71,400	6	96	10	.14	0		
Elgin	33,400	7	68	333	9.97	0		
Evanston	43,900	7	134	476	10.84	0		
Freeport	20,700	5	61	128	6.18	0		
Galesburg	24,800	5	231	4	.16	0		
Jacksonville	15,900	7	55	4	.25	0		
Joliet	40,600	4	180	25	.62	0		
Kewanee	19,700			62	3.15	0		
La Salle	13,900	6	115	5	.36	0		
Maywood	14,200	7	123	322	22.68	0		
Moline	33,900	7	283	38	1.12	0		
Murphysboro	12,500	3	13	2	.16	0		
Oak Park	51,400	7	314	1,173	22.82	1	.02	.1
Ottawa	11,500	5	45	5	.43	0		
Pekin	13,300	7	11	11	.83	0		
Peoria	81,600	7	40	207	2.54	0		
Quincy		7	194	216		0		
Rock Island	40,000	7	350	89	2.22	0		
Rockford	76,500	7	452	702	9.18	5	.07	.7
Springfield	63,900	6	60	378	5.92	1	.02	.3
Streator	15,100	2	9	50	3.31	0		
Waukegan	22,000	4	85	128	5.82	0		

Reported Prevalence for the Year 1925—Continued

MEASLES—Continued

City	Estimated population, July 1, 1925	Estimated expectancy	1925				
			Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered
Indiana:							
Anderson	33,900	7	48	18	0.53	0	
Bloomington	12,600	4	74	7	.56	0	
Connersville	12,500	1	158	2	.16	0	
Crawfordsville	10,500	6	13	2	.19	0	
East Chicago	45,600	7	60	93	2.04	0	
Elwood		6	33	2		0	
Fort Wayne	97,800	5	234	145	1.48	0	
Frankfort	13,100	7	17	14	1.07	0	
Gary	76,900	5	37	252	3.28	1	0.01
Hammond	50,400	6	150	58	1.15	0	
Huntington	13,900	5	35	4	.25	0	
Kokomo	36,900	7	22	13	.35	0	
La Fayette	32,800	7	19	10	.42	0	
Logansport	23,100	7	35	10	.43	0	
Michigan City	20,300	4	9	15	.74	1	.05
Mishawaka	16,700	7	23	26	1.56	0	
Munice	42,500	7	110	22	.52	0	
New Albany		5	6	1		0	
Newcastle	17,000	7	49	25	1.47	0	
Peru	12,700	2	229	13	1.02	0	
Richmond	30,500	7	41	18	.59	0	
South Bend	80,100	6	327	99	1.24	0	
Terre Haute	71,100	5	55	300	4.22	2	.03
Whiting	12,200	4	23	36	2.95	0	
Iowa:							
Boone	12,800	4	23	2	.16	0	
Burlington	26,400	5	58	10	.38	0	
Cedar Rapids	50,600	1	131	14	.28	1	.02
Clinton	26,400	4	113	4	.15	0	
Council Bluffs	39,800	7	65	3	.08	0	
Dubuque	41,000	6	87	5	.12	0	
Fort Dodge	21,700	3	58	2	.09	0	
Iowa City	15,300	3	80	51	3.33		
Marshalltown	16,900	5	9	80	4.73		
Mason City	22,700	7	48	8	.35	0	
Muscatine	16,800	6	104	4	.24	0	
Ottumwa	26,400			2	.08	0	
Waterloo	36,800	4	59	25	.68	0	
Kansas:							
Arkansas City	14,000			1	.07	0	
Coffeyville	16,200	6	85	6	.37	0	
Hutchinson	26,000	4	86	7	.27		
Lawrence	12,300	7	27	1	.08	0	
Leavenworth	20,900	7	47	3	.14		
Parsons	14,800	4	80	5	.34	0	
Pittsburg	19,200	5	56	2	.10	0	
Topeka	55,400	4	261	26	.47	1	.02
Wichita	88,400	5	267	27	.31	0	
Kentucky:							
Covington	58,300	5	120	6	.10	0	
Newport		4	56	40			
Paducah	25,900	7	326	10	.39	0	
Louisiana:							
Baton Rouge	27,800	5	15	2	.07	0	
Lake Charles		2	575	9		0	
Shreveport	57,000	3	143	10	.17	0	
Maine:							
Auburn	18,100	6	77	8	.44	0	
Bangor	26,600	3	23	4	.15	0	
Bath	17,800	5	5	3	.17	0	
Biddeford	18,500	5	33	6	.32	0	
Lewiston	34,900	6	173	18	.52	0	
Portland	75,300	7	342	25	.33	0	
South Portland		1	4	6			
Waterville	14,400	6	43	4	.28	0	
Westbrook				2		0	
Massachusetts:							
Adams	13,500	7	8	34	2.52	0	
Amesbury	11,200	4	51	192	17.14	2	.18
Arlington	24,900	7	157	134	5.38	0	
Athol		1	103	7		0	

Reported Prevalence for the Year 1925—Continued

MEASLES—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Massachusetts—Continued.								
Attleboro	20,600	7	60	12	0.58	0		
Belmont	15,300	5	36	309	20.20	0		
Beverly	22,700	7	37	61	2.69	0		
Braintree	13,200	5	48	41	3.11	0		
Brockton	65,300	7	321	76	1.16	0		
Brookline	42,700	7	337	541	12.67	1	0.02	0.2
Chelsea	47,200	7	244	351	7.44	2	.04	.6
Chicopee	41,900	6	52	4	.10	0		
Clinton	14,200	6	95	46	3.24	0		
Danvers	11,800	7	32	30	2.54	0		
Dedham	13,900	5	29	95	6.83	1	.07	1.1
Easthampton	11,600	6	42	20	1.72	0		
Everett	42,100	7	231	404	9.60	5	.12	1.2
Framingham	21,100	7	61	524	24.83	3	.14	.6
Gardner	18,700	7	36	394	21.07	7	.37	1.8
Gloucester	23,400			11	.47	0		
Greenfield	15,200	7	37	17	1.12	0		
Haverhill	49,200	7	66	578	1.75	4	.08	.7
Holyoke	60,300	7	234	97	1.61	0		
Lawrence	93,500	6	388	612	6.55	8	.09	1.3
Leominster	22,100	7	101	168	7.60	0		
Malden	51,800	7	243	459	8.86	1	.02	.2
Marlboro	16,200	6	89	20	1.23	0		
Medford	47,600	7	297	482	10.13	1	.02	.2
Melrose	20,200	7	111	375	18.56	0		
Methuen	20,600	6	87	327	15.87	0		
Milford	14,800	7	36	26	1.76	2	.14	7.7
Milton		1	195	88				
Newburyport	15,700	7	80	291	18.54			
Newton	53,000	5	202	132	2.49	0		
North Adams	22,700	7	14	36	1.59	0		
Northampton	24,100	7	130	53	2.20	0		
Northbridge	10,100	7	31	37	3.66	0		
Palmer		2	50	10		0		
Peabody	19,900	7	78	48	2.41	1	.05	2.1
Pittsfield	46,900	7	101	24	.51	2	.04	8.3
Plymouth	13,200	5	27	37	2.80	0		
Quincy	60,100	7	555	819	13.63	6	.10	.7
Revere	33,300	1	173	185	5.56	1	.03	.5
Salem	42,800	7	131	432	10.09	0		
Saugus	12,700	6	48	77	6.06	0		
Somerville	99,000	7	489	680	6.87	3	.03	.4
Southbridge	15,500	7	17	5	.32	0		
Taunton	39,300	5	87	11	.28	0		
Wakefield	15,600	5	132	39	2.50	0		
Waltham	34,700	7	85	342	9.86	0		
Watertown	25,500	7	155	352	13.80	0		
West Springfield	15,300	5	60	73	4.77			
Westfield	19,300	7	24	74	3.83	0		
Winchester	11,600	6	65	357	30.78	3	.26	.8
Winthrop	16,200	7	42	124	7.65	0		
Woburn	18,400	7	82	83	4.51	0		
Michigan:								
Adrian	12,500	3	77	110	8.80	0		
Ann Arbor	22,200	7	120	61	2.75	1	.05	1.6
Battle Creek	42,300	7	442	216	5.11	0		
Bay City	48,900	7	81	10	.20	0		
Benton Harbor	14,000	7	35	75	5.36	0		
Cadillac				35		1		2.9
Hamtramck	81,700	5	66	21	.26	0		
Highland Park	72,300	7	431	76	1.05	0		
Holland	13,100	6	8	21	1.60	0		
Ironwood	17,400	7	96	13	.75	0		
Ishpeming		5	54	28		0		
Jackson	58,000	7	256	459	7.91	0		
Kalamazoo	53,600	7	336	628	11.72	0		
Lansing	70,800	5	485	1,082	15.28	0		
Marquette	13,400	6	78	22	1.64	0		
Muskegon	43,100	6	54	56	1.30	0		
Muskegon Heights		2	96	241		2		.8
Pontiac	47,500	7	426	294	6.19	1	.02	.3

Reported Prevalence for the Year 1925—Continued

MEASLES—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Michigan—Continued.								
Port Huron	30,000	6	413	35	1.17	0		
Saginaw	72,100	5	330	25	.35	1	0.01	4.0
Sault Ste. Marie		7	39	4		0		
Minnesota:								
Albert Lea		1	180	14		0		
Austin	11,900			2	.17	0		
Faribault	12,300	5	18	1	.08	0		
Rochester	17,000	3	88	12	.71	0		
Winona	19,500	6	68	3	.15			
Mississippi:								
Biloxi	12,600	3	39	1	.08	0		
Jackson	23,700			4	.17	0		
Laural	15,700			9	.57			
Meridian	24,300	1	410	6	.25			
Natchez	13,100			50	3.82	0		
Missouri:								
Independence	12,700	2	164	20	1.57	0		
Joplin		6	58	2		0		
Moberly	13,900	4	35	42	3.02	0		
St. Joseph	78,300	7	184	13	.17	0		
Springfield	42,100	5	183	6	.14	0		
Montana:								
Anaconda	12,500	6	39	1	.08	0		
Butte	42,900	7	64	63	1.47			
Great Falls	29,900	7	134	1,137	38.03	0		
Missoula		7	8	206		0		
Nebraska:								
Lincoln	60,900	4	134	33	.54	0		
North Platte	13,700	3	146	4	.29	0		
New Hampshire:								
Berlin	18,600	5	15	1	.05	0		
Claremont		2	59	3		0		
Concord	22,500	7	112	24	1.07	0		
Dover		6	114	4		0		
Keene	11,900	6	29	9	.76	0		
Manchester	83,100	7	182			1	.01	
Nashua	29,700	6	50	200	6.73	0		
Portsmouth	14,900	7	34	37	2.48			
New Jersey:								
Asbury Park	13,700	7	50	9	.66	0		
Bayonne	88,800	4	196	6	.07	1	.01	16.7
Belleville	18,900	7	104	40	2.12	0		
Bloomfield	26,000	6	231	48	1.85	0		
Bridgeton	14,400	6	53	27	1.87	0		
Carteret	14,000	1	39	1	.07	0		
Clifton	34,700	5	149	278	8.01	0		
Collingswood		1	14	63				
Dover		2	23	10		0		
East Orange	60,000	7	651	86	1.43	0		
Englewood	12,600	7	108	12	.95			
Garfield	24,600	4	60	373	15.16	0		
Gloucester City	13,700	3	56	76	5.55	0		
Hackensack	19,700	7	125	5	.25	0		
Harrison	16,400	6	106	21	1.28			
Hoboken		5	152	70		0		
Irvington	33,200	5	205	125	3.77	0		
Kearny	31,300	7	364	151	4.82	0		
Lodi		1	6	27		0		
Long Branch	13,600	7	144	12	.88	0		
Montclair	32,900	6	237	256	7.78	0		
Morristown	12,600	7	49	5	.40	0		
New Brunswick	38,000	7	41	31	.82	0		
Nutley				43		0		
Orange	35,400	5	114	64	1.81	0		
Passaic	69,000	6	271	489	7.09	3	.04	.6
Perth Amboy	47,100	7	123	12	.25	0		
Plainfield	31,700	7	279	11	.35	0		
Rahway	12,000	7	26	3	.25	0		
Red Bank		1	106	21		0		
Ridgefield Park		2	97	7		0		
Rutherford		2	108	280		1		.4

Reported Prevalence for the Year 1925—Continued

MEASLES—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
New Jersey—Continued.								
Summit	11,700	5	83	28	2.39	0		
Union City	63,100			73	1.16			
West New York	39,200	6	153	60	1.53	0		
West Orange	18,200	7	221	311	17.09	0		
New Mexico:								
Albuquerque	21,000	2	238	15	.71	0		
New York:								
Amsterdam	35,300	4	234	12	.34	0		
Binghamton	71,900	7	747	21	.29			
Cohoes	23,000	7	20	108	4.70	0		
Corning	15,700	5	45	49	3.12	0		
Cortland	13,900	7	56	4	.29	0		
Dunkirk	19,900	7	19	21	1.06	0		
Elmira	48,400	5	486	49	1.01	0		
Freeport		1	178	17		0		
Geneva	15,000	5	121	6	.38	0		
Glens Falls	17,300	7	17	15	.84	0		
Gloversville	22,100	7	119	111	5.02	0		
Hornell	15,800	6	191	16	1.01	0		
Hudson	11,800	5	62	5	.42	0		
Iliion	10,400	2	87	2	.19	0		
Ithaca	18,900	6	43	6	.32	0		
Jamestown	43,400	5	285	94	2.17	0		
Johnson City		1	234	9		0		
Johnstown	10,700			22	2.06	0		
Kingston	28,100	4	89	6	.21	0		
Lackawanna	20,200	7	205	274	13.56	0		
Little Falls	12,400	4	30	2	.16	0		
Lockport	21,700	5	46	204	9.40	0		
Middletown	20,400	7	72	6	.29	0		
Mount Vernon	50,400	6	246	131	2.60	3	0.06	2.3
New Rochelle	44,200	5	260	409	9.25	0		
Newburgh	30,400	5	66	141	4.64	0		
Niagara Falls	57,000	6	349	480	8.42	3	.05	.6
North Tonawanda	17,400	7	56	291	16.72	0		
Olean	21,300	7	98	275	12.91	0		
Peekskill	18,000	7	140	63	3.50	0		
Poughkeepsie	35,700	7	37	12	.34	0		
Rensselaer	11,400	3	24	124	10.88	0		
Rome	30,300	7	261	12	.40	0		
Salamanca		1	171	4		0		
Saratoga Springs	13,900	7	36	5	.36	0		
Schenectady	92,800	7	402	36	.39	0		
Troy	72,200	6	323	85	1.18	1	.01	1.2
Watertown	32,800	7	218	62	1.89			
Watervliet	16,200	5	61	6	.37	0		
White Plains	27,400	7	148	46	1.68	0		
North Carolina:								
Asheville	31,500	7	44	55	1.75	0		
Charlotte	53,300	5	328	17	.32	0		
Greensboro	47,100	3	593	9	.19	0		
High Point	23,600	1	736	1	.04	0		
New Bern	12,200			5	.41	0		
Raleigh	30,400	7	272	16	.53	0		
Rocky Mount	15,100	5	39	2	.13	0		
Salisbury	17,700	3	82	25	1.41	0		
Wilmington	37,100	7	77	4	.11	0		
Wilson	12,800			2	.16	0		
Winston-Salem	69,000	6	446	153	2.22	0		
North Dakota:								
Fargo	24,900	5	68	8	.32	0		
Ohio:								
Alliance	25,000	4	77	14	.56	0		
Ashtrabula	25,100	6	18	380	15.14	1	.04	.3
Barberton	23,300	6	14	61	2.62	0		
Bellaire	16,300	3	111	4	.25	1	.06	25.0
Bellefontaine				3		0		
Bucyrus	11,700			85	7.26	0		
Cambridge	14,000	5	11	42	3.00	0		
Chillicothe	16,600	7	21	3	.18	0		
Cleveland Heights	22,200	3	206	33	1.49	0		

Reported Prevalence for the Year 1925—Continued

MEASLES—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Ohio—Continued.								
Conneaut								
Cuyahoga Falls	13,700	3	19	13	2.34	0	0	
East Cleveland	37,600	5	64	59	1.57	0	0	
East Liverpool	22,000	2	3	38	1.73	1	0.04	2.6
East Youngstown (Campbell)	16,000	5	54	99	6.19	1	.06	1.0
Elyria	23,800	7	35	66	2.77	0		
Findlay	18,200	7	171	298	16.37	0		
Fostoria		3	15	10		0		
Fremont	13,900	7	16	42	3.02	1	.07	2.4
Fronton	14,500			246	16.97	0		
Kenmore	19,400	4	95	87	4.48	0		
Lakewood	56,800	4	68	73	1.29	0		
Lancaster	16,100	4	20	6	.37	0		
Lima	46,700	7	255	45	.96	0		
Lorain	42,300	7	146	348	8.23	0		
Mansfield	31,800	7	100	28	.88	0		
Marietta	15,300			31	2.03	0		
Marion	32,500	4	5	17	.52	0		
Martins Ferry	15,500			6	.39	0		
Middletown	30,800	7	55	25	.81	0		
Newark	30,500	7	26	16	.52	0		
Niles	16,600	4	54	151	9.10	4	.24	2.6
Norwood	29,900	7	158	8	.27	0		
Piqua	16,000	7	8	2	.12	0		
Salem	11,100	5	15	2	.18	0		
Sandusky	24,500	7	37	237	9.67	0		
Springfield	68,700	6	323	18	.26	0		
Steubenville	32,000	7	35	3	.09	0		
Zanesville	30,400	7	113	6	.20	0		
Oklahoma:								
Ardmore	17,200			7	.41	1	.06	14.3
Okmulgee	25,300	1	40	11	.43	0		
Oregon:								
Eugene	11,400	7	49	5	.44	0		
Pennsylvania:								
Allentown	92,200	3	536	780	8.46	1	.01	.1
Altoona	66,100	5	150	92	1.39	0		
Beaver Falls	13,100	4	50	136	10.38			
Braddock	21,700	7	172	75	3.46	1	.05	1.3
Bradford	15,800	6	199	11	.70	0		
Butler	25,200	7	210	99	3.93	0		
Canonsburg	13,500	4	8			1	.07	
Carlisle	11,400	7	61	20	1.75			
Carnegie	12,400	3	14	225	18.15	0		
Carrick	13,000	5	46	136	10.46			
Chambersburg	13,900	7	35	42	3.02	0		
Charleroi	12,600	7	43	69	5.48			
Claireton	14,900			136	9.13	2	.13	1.5
Coatesville	16,500	7	52	29	1.76	0		
Columbia				52		0		
Connellsville	14,300	6	41	26	1.82	0		
Duquesne	20,900	4	63	212	10.14	0		
Easton	36,800	6	302	396	10.76	0		
Farrell	18,700	5	35	4	.21	0		
Greensburg	16,100	1	65	10	.62	0		
Harrisburg	83,400	5	268	575	6.89	8	.10	1.4
Hazleton	36,100	7	278	295	8.17	5	.14	1.7
Homestead	21,400	7	30	14	.65	0		
Jeannette	11,800	5	32	28	2.39	0		
Kingston	18,000	2	87	274	15.22	0		
Lancaster	56,500	5	199	606	10.73	3	.05	.5
Lansford		4	14	6		0		
Latrobe				4		0		
Lewistown				30		0		
McKees Rocks	18,100	3	45	161	8.90	0		
McKeesport	49,100	7	206	105	2.14	0	-	
Meadville	15,600	3	75	31	1.99	0		
Monessen	21,200	5	126	105	4.95	1	.05	1.0
Mount Carmel		3	76	2		0		
Nanticoke	24,700	6	59	21	.85	1	.04	4.8
New Castle	49,800	5	114	8	.16	0		

Reported Prevalence for the Year 1925—Continued

MEASLES—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Pennsylvania—Continued.								
Norristown	34,800	7	88	400	11.49	1	0.03	0.2
North Braddock	16,700	7	102	65	3.89	0		
Oil City	23,300	7	66	37	1.69			
Olyphant	11,260	6	4	1	.09	0		
Phoenixville		3	58	263				
Pittston	19,800	7	29	78	3.94			
Plymouth		6	39	118		0		
Pottstown	18,500			29	1.57	0		
Sharon	25,000	4	85	47	1.88	0		
Steelton		7	35	30				
Sunbury	16,800	7	48	142	8.45	0		
Swissvale	12,900	5	98	49	3.80	0		
Uniontown		3	29	95		0		
Vandergrift		1	6	193		1		.5
Warren	15,100	7	18	77	5.10	0		
Washington	23,000	7	230	23	1.00			
Waynesboro				12				
Wilkes-Barre	77,600	2	356	634	8.17	1	.01	.2
Wilkinsburg	27,400	3	63	208	7.59	0		
Windber		1	3	21		0		
Woodlawn	18,900	4	115	26	1.38	0		
York	49,100	6	188	27	.55	0		
Rhode Island:								
Central Falls	25,400	2	35	13	.51			
Cranston	34,500	6	43	68	1.97	0		
Newport	27,800	7	12	19	.68	0		
Pawtucket	69,800	6	90	30	.43	0		
Woonsocket	49,700		60			8	.16	
South Carolina:								
Charleston	73,100	1	128	5	.07	0		
Florence	13,200			5	.38	0		
Greenville	27,300	4	34	2	.07	0		
Spartanburg	25,500	4	36	2	.08	0		
Sumter		2	60	2		0		
South Dakota:								
Aberdeen	15,000			5	.33			
Sioux Falls	30,100	7	85	6	.20	0		
Tennessee:								
Chattanooga	66,600	2	37	9	.14			
Knoxville	95,500	4	200	67	.70	0		
Texas:								
Corpus Christi	11,800			150	12.71	0		
Galveston	48,400			1	.02	0		
Orange		1	120	24		0		
Texarkana	12,400	2	40	9	.73	0		
Tyler	13,000	1	25	1	.08	0		
Waco	43,900	6	12	5	.11	0		
Utah:								
Ogden	36,900	7	108	14	.38	0		
Vermont:								
Barre		5	12	9		0		
Bennington		2	235	5		0		
Burlington	24,100	6	54	15	.62	1	.04	6.7
Rutland	15,800	3	44	10	.03	0		
Virginia:								
Alexandria	18,500	6	14	9	.49	0		
Charlottesville	11,200	3	28	58	5.18	3	.27	5.2
Danville	23,000	7	48	5	.22	0		
Lynchburg	30,400	6	133	13	.43	0		
Newport News	47,100	5	175	22	.47	1	.02	4.5
Petersburg	35,700	7	84	583	16.33	3	.08	.5
Portsmouth	59,000	7	189	20	.34	0		
Roanoke	58,200	4	292	217	3.73	1	.02	.5
Suffolk				9		0		
Washington:								
Aberdeen	16,200	6	6	6	.37	0		
Bremerton		2	93	86		0		
Everett	29,300	7	182	6	.20	0		
Vancouver	14,500	6	146	5	.34	0		
Walla Walla				29		0		
Yakima	22,700	7	231	9	.40	0		

Reported Prevalence for the Year 1925—Continued**MEASLES—Continued**

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
West Virginia:								
Bluefield	19,300	4	31	9	0.47	0		
Charleston	49,000	7	129	536	10.94	2	0.04	0.4
Clarksburg	30,400	3	58	52	1.71	0		
Fairmont	21,000	7	54	177	8.43			
Huntington	63,500	2	246	16	.25			
Martinsburg	13,500	5	18	217	16.07	7	.52	3.2
Morgantown	13,800	2	20	3	.22	0		
Parkersburg	21,300	5	45	4	.19	0		
Wheeling		7	217	175		1		.6
Wisconsin:								
Appleton	21,100	5	28	18	.85	0		
Ashland		5	26	3				
Beloit	24,800	7	24	14	.56	0		
Eau Claire	22,400	6	197	389	17.37	0		
Fond du Lac	26,000	5	46	26	1.00	1	.04	3.8
Green Bay	34,300	5	115	11	.32	0		
Janesville	20,800	6	68	68	3.27	0		
Kenosha	50,900	7	160	186	3.65	0		
Le Crosse	30,400	7	162	799	26.28	0		
Madison	46,400	6	189	146	3.15			
Manitowoc	22,100	5	26	7	.32	0		
Marinette		7	83	13		0		
Oshkosh	33,200	7	141	22	.66	0		
Racine	67,700	6	73	876	12.94	1	.01	.1
Sheboygan	33,500	6	9	59	1.76	1	.03	1.7
Superior		4	64	12		0		
Waukesha	14,700	1	380	462	31.43	1	.07	.2
Wausau	20,100	7	51	59	2.94	0		
West Allis	18,400	4	22	77	4.18	1	.05	1.3

MUMPS

City	Estimated population July 1, 1925	Average, 1922-1924		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:								
Anniston	20,500	3	4	46	2.24	0		
Dothan	14,500	2	1	1	.07	0		
Florence	12,700	1	6	20	1.57	0		
Mobile	66,000	1	13	15	.23	0		
Montgomery	46,500	2	10	303	6.52	0		
Tuscaloosa	13,100			19	1.45	0		
Arizona:								
Phoenix	38,700	2	11	3	.08	0		
Tucson	26,700	3	9	4	.15	1	.04	4.0
Arkansas:								
Hot Springs				7				
Little Rock	74,200	3	35	11	.15	0		
California:								
Alameda	31,900	3	23	151	4.73	0		
Alhambra		2	50	50		0		
Bakersfield	23,500			39	1.66	0		
Berkeley	66,200	3	62	1,207	18.23	0		
Chico		2	3	17		0		
Eureka	13,500	3	63	2	.15	0		
Fresno	58,500			33	.56	0		
Glendale	21,300	3	19	258	12.11	0		

Reported Prevalence for the Year 1925—Continued

MUMPS—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925			
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Cases reported for each death registered
California—Continued.							
Long Beach	91,200	3	81	871	9.55	0	
Pasadena	56,700	3	64	280	4.04	0	
Pomona	15,400	3	106	62	4.63	0	
Richmond	22,500	3	0	8	.33	0	
Riverside		3	14	73		0	
Sacramento	72,300	3	52	32	.44	0	
San Bernardino	22,800	3	47	25	1.10	0	
San Jose	43,600	3	18	39	.89	0	
Santa Ana	19,500	3	6	11	.56	0	
Santa Barbara	24,000	1	3	20	.83	0	
Stockton	47,300	3	42	767	16.22	0	
Vallejo	26,600			1	.04	0	
Colorado:							
Boulder	11,800	3	91	18	1.52	0	
Colorado Springs				34		0	
Greeley	12,500	2	19	14	1.12	0	
Pueblo	43,800	3	77	145	3.31	0	
Trinidad	11,000			50	4.55	0	
Connecticut:							
Danbury				7		0	
Fairfield	14,500	3	55	2	.14	0	
Greenwich	25,300	3	107	16	.63	0	
Meriden	36,300	3	21	70	1.93	0	
Milford	13,500	3	13	3	.22	0	
New Britain	68,000	3	34	4	.06	0	
New London	29,100	3	24	79	2.71	0	
Shelton		1	1	4		0	
Stamford	40,700	2	25	17	.42	0	
Florida:							
St. Petersburg	26,800	2	13	13	.49	0	
Tampa	94,700	2	3	39	.41	0	
West Palm Beach				5		0	
Georgia:							
Albany	13,500	3	15	7	.52	0	
Augusta	55,200	2	23	11	.20	0	
Brunswick	16,800			24	1.43	0	
Lagrange	23,500	1	8	17	.72	0	
Macon	58,200	3	218	631	10.84	0	
Rome	13,900	2	22	29	2.09	0	
Savannah	93,100	3	7	178	1.91	0	
Idaho:							
Pocatello	18,300	2	35	3	.16	0	
Illinois:							
Alton	26,800	3	134	24	.90	0	
Aurora	40,300	2	6	26	.65	0	
Berwyn	18,900	3	98	3	.16	0	
Bloomington	30,400	3	147	51	1.68	0	
Blue Island	13,200	3	51	2	.15	0	
Centralia	14,100			40	2.84	0	
Cicero	62,200	3	281	16	.26	0	
Danville	37,000			45	1.22	0	
Decatur	53,900	2	33	50	.93	0	
East Moline		2	10	149		0	
East St. Louis	71,400			2	.03	0	
Elgin	33,400	3	326	264	7.90	0	
Evanston	43,900	3	132	238	5.42	0	
Freeport	20,700			16	.77	0	
Galesburg	24,800			7	.28	0	
Jacksonville	15,900	3	69	753	47.36	0	
Kewanee	19,700			4	.20	0	
La Salle	13,900	3	17	343	24.68	0	
Maywood	14,200	3	69	9	.63	0	
Moline	33,900	3	38	291	8.58	0	
Murphysboro	12,500			5	.40	0	
Oak Park	51,400	3	464	44	.86	0	
Ottawa	11,500	2	1	3	.26	0	
Pekin	13,300	3	24	48	3.61	0	
Peoria	81,600	3	59	180	2.21	0	

Reported Prevalence for the Year 1925—Continued

MUMPS—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Illinois—Continued.								
Quincy		3	69	152		0		
Rock Island	40,000	3	24	40	1.00	0		
Rockford	76,500	3	768	81	1.06	0		
Springfield	63,900	2	42	888	13.90	0		
Streator	55,100	3	5	10	.66	0		
Waukegan	22,100			28	1.27	0		
Indiana:								
Connerville	12,500	1	3	85	6.80	0		
Crawfordsville	10,500	3	2	1	.10	0		
East Chicago	45,600	3	13	10	.22	0		
Frankfort	13,100	3	5	3	.23	0		
Hammond	50,400	1	10	2	.04	0		
La Fayette	23,800			2	.08	0		
Logansport	23,100			1	.04	0		
Michigan City	20,300	2	5	11	.54	0		
Newcastle	17,000	1	5	4	.24	0		
Iowa:								
Boone	12,800	1	23	63	4.92	0		
Burlington	26,400	3	40	86	3.26	0		
Clinton	26,400	3	3	3	.11	0		
Council Bluffs	39,800	3	5	16	.40	0		
Dubuque	41,000	3	20	77	1.88	0		
Iowa City	15,300	2	87	1	.07			
Marshalltown	16,900	2	43	802	47.46			
Mason City	22,700	2	6	2	.09	0		
Muscatine	16,800	3	94	3	.18	0		
Waterloo	36,800	2	163	37	1.01	0		
Kansas:								
Coffeyville	16,200	3	75	15	.93	0		
Emporia	12,250	2	73	369	30.25	0		
Hutchinson	26,000	2	127	87	3.35			
Lawrence	12,300	3	30	301	24.47	0		
Leavenworth	20,900			70	3.35			
Parsons	14,800	3	4	34	2.30	0		
Pittsburg	19,200	3	2	2	.10	0		
Topeka	55,400	3	179	2,471	44.60	0		
Wichita	88,400			42	.48	0		
Kentucky:								
Covington	58,300	2	8	19	.33	0		
Henderson	12,600	3	5	10	.79	0		
Newport		2	2	51		0		
Paducah	25,900			1	.04	0		
Louisiana:								
Shreveport	57,900	2	15	2	.03	0		
Maine:								
Auburn	18,100	3	13	99	5.47	0		
Bangor	26,600	3	4	114	4.29	0		
Bath	17,800	3	1	30	1.69	0		
Biddeford	18,500	1	34	25	1.25	0		
Lewiston	34,900	3	10	112	3.21	0		
Portland	75,300	3	334	773	10.27	0		
Sanford	11,600	3	1	33	2.84	0		
South Portland		1	39	11		0		
Waterville	14,400	3	15	71	4.93	0		
Westbrook				8		0		
Massachusetts:								
Amesbury	11,200	2	7	34	3.04	0		
Arlington	24,900	3	19	149	5.98	0		
Attleboro	20,600	3	60	2	.10	0		
Belmont	15,300	3	38	11	.72	0		
Brantree	13,200	3	69	2	.15	0		
Brookton	65,260	3	48	70	1.07	0		
Brookline	42,700	3	126	14	.33	0		
Chester	47,200	3	41	3	.06	0		
Chicopee	41,900			1	.02	0		
Danvers	11,800	3	6	2	.17	0		
Dedham	13,900	2	7	17	1.22	0		

Reported Prevalence for the Year 1925—Continued

MUMPS—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925					
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered	
Massachusetts—Continued									
Easthampton	11,600	3	15	6	0.52	0	0	0	
Everett	42,100	3	88	2	.05	0	0	0	
Framingham	21,100	3	163	34	1.61	0	0	0	
Gloucester	23,400			14	.60	0	0	0	
Greenfield	15,200	3	68	228	15.00	0	0	0	
Haverhill	49,200	3	88	115	2.34	0	0	0	
Holyoke	60,300	3	22	32	.53	0	0	0	
Lawrence	93,500	3	65	36	.39	0	0	0	
Leominster	22,100	3	13	7	.32	0	0	0	
Malden	51,800	3	69	5	.10	0	0	0	
Marlboro	16,200			4	.25	0	0	0	
Medford	47,600	3	81	37	.78	0	0	0	
Melrose	20,200	3	45	8	.40	0	0	0	
Methuen	20,600	3	44	80	3.88	0	0	0	
Millard	14,800	2	38	5	.34	0	0	0	
Milton		1	9	12					
Newburyport	15,700	3	21	157	10.00	0	0	0	
Newton	53,000	3	409	87	1.64	0	0	0	
Northampton	24,100	3	145	14	.58	0	0	0	
Northbridge	10,100	3	16	2	.20	0	0	0	
Peabody	19,900	3	20	2	.10	0	0	0	
Pittsfield	46,900	3	36	2	.04	0	0	0	
Plymouth	13,200	3	58	3	.23	0	0	0	
Quincy	60,100	3	103	26	.43	0	0	0	
Saugus	12,700	3	34	1	.08	0	0	0	
Somerville	99,000	3	89	18	.18	0	0	0	
Southbridge	15,500	2	22	1	.06	0	0	0	
Wakefield	15,600	3	19	2	.13	0	0	0	
Waltham	34,700	3	153	3	.09	0	0	0	
Watertown	25,500	3	54	23	.90	0	0	0	
West Springfield	15,300	2	41	8	.52	0	0	0	
Winchester	11,600	3	29	25	2.16	0	0	0	
Winthrop	16,200	3	103	2	.12	0	0	0	
Michigan:									
Adrian	12,500	1	8	5	.40	0	0	0	
Ann Arbor	22,200	3	126	8	.36	0	0	0	
Battle Creek	42,300	3	120	596	14.09	0	0	0	
Bay City	48,900	3	3	5	.10	0	0	0	
Benton Harbor	14,000	3	3	1	.07	0	0	0	
Hamtramck	81,700	3	11	10	.12	0	0	0	
Highland Park	72,300	3	221	67	.93	0	0	0	
Holland	13,100	2	8	2	.15	0	0	0	
Ironwood	17,400	3	6	8	.46	0	0	0	
Jackson	58,000	3	303	259	4.47	0	0	0	
Kalamazoo	53,600	3	226	131	2.44	0	0	0	
Lansing	70,800	3	86	174	2.46	0	0	0	
Marquette	13,400			135	10.07	0	0	0	
Muskegon	43,100	3	16	2	.05	0	0	0	
Muskegon Heights		2	17	1		0	0	0	
Pontiac	47,500	2	32	15	.32	0	0	0	
Port Huron	30,000	2	8	30	1.00	0	0	0	
Saginaw	72,100	3	92	11	.15	0	0	0	
Minnesota:									
Austin	11,900	1	4	6	.50	0	0	0	
Brainerd				39					
Hibbing	18,000	3	1	1	.06	0	0	0	
Mississippi:									
Biloxi	12,600	3	12	3	.24	0	0	0	
Jackson	23,700			176	7.43	0	0	0	
Laurel	15,700			348	22.15	0	0	0	
Meridian	24,300	1	48	120	4.94	0	0	0	
Natchez	13,100			28	2.14	0	0	0	
Missouri:									
Joplin		2	4	9		0	0	0	
St. Joseph	78,300	3	53	29	.37	0	0	0	
Springfield	42,100	2	20	4	.10	0	0	0	

Reported Prevalence for the Year 1925—Continued

MUMPS—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Montana:								
Great Falls.	29,900	3	5	1,299	43.44	0	0	
Helena.				23		0	0	
Missoula.		2	1	1		0	0	
Nebraska:								
Grand Island.	15,600	3	13	102	6.54			
Lincoln.	60,900	3	236	68	1.12	0	0	
North Platte.	13,700	2	1	4	.29	0	0	
Nevada:								
Reno.	12,700	3	1	2	.16	0	0	
New Hampshire:								
Concord.	22,500			2	.09	0	0	
Dover.		3	10	28		0	0	
Keene.	11,900	3	1	2	.17	0	0	
Manchester.	83,100	3	9	7	.08	0	0	
Portsmouth.	14,900	3	28	6	.40			
New Jersey:								
Bayonne.	88,800			17	.19	0	0	
Belleville.	18,900	2	37	58	3.07	0	0	
Bridgeton.	14,400	3	27	17	1.18	0	0	
Clifton.	34,700	3	12	5	.14	0	0	
Collingswood.				63		0	0	
East Orange.	60,000	2	357	14	.23	0	0	
Englewood.	12,600	3	75	7	.56	0	0	
Garfield.	24,600	2	8	8	.33	0	0	
Glooucester City.	13,700			26	1.90	0	0	
Hackensack.	19,700	3	60	14	.71	0	0	
Hoboken.		3	13	2		0	0	
Irvington.	33,200	2	139	7	.21	0	0	
Kearny.	31,300	3	172	7	.22	0	0	
Lodi.				1				
Long Branch.	13,600	3	4	30	2.21	0	0	
Montclair.	32,900	3	143	27	.82	0	0	
Morristown.	12,600	3	38	9	.71	0	0	
Nutley.				32		0	0	
Orange.	35,400	3	129	12	.34	0	0	
Passaic.	69,000	3	68	28	.41	0	0	
Ridgefield Park.		2	44	7		0	0	
Rutherford.				1		0	0	
Sunmit.	11,700	3	18	63	5.38	0	0	
West Orange.	18,200	3	71	4	.22	0	0	
New Mexico:								
Albuquerque.	21,000			75	3.57	0	0	
New York:								
Amsterdam.	35,300	3	78	3	.08	0	0	
Binghamton.	71,900	3	434	14	.19	0	0	
Cohees.	23,000	1	11	2	.09	0	0	
Corning.	15,700	2	24	8	.51	0	0	
Dunkirk.	19,900	3	8	9	.45	0	0	
Elmira.	48,400	2	121	66	1.36	0	0	
Freeport.		1	26	9				
Geneva.	15,900	2	54	35	2.20	0	0	
Glens Falls.	17,900	3	11	5	.28	0	0	
Gloversville.	22,100	3	25	2	.09	0	0	
Hornell.	15,800	3	93	5	.32	0	0	
Ithaca.	18,900	3	68	269	14.23	0	0	
Jamestown.	43,400	3	22	18	.41	0	0	
Johnson City.		1	7	6				
Johnstown.	10,700	1	3	16	1.50	0	0	
Kingston.	28,100	2	33	147	5.23	0	0	
Lackawanna.	20,200	3	11	73	3.61	0	0	
Little Falls.	12,400	3	32	2	.16	0	0	
Lockport.	21,700	3	25	63	2.90	0	0	
Middletown.	20,400			2	.10	0	0	
Mount Vernon.	50,400	3	243	58	1.15	1	0.02	58.0
New Rochelle.	44,200	3	77	151	3.42	0	0	
Newburgh.	30,100	3	29	14	.46	0	0	
Niagara Falls.	57,000	3	102	54	.95	0	0	
North Tonawanda.	17,400	3	22	4	.23	0	0	

Reported Prevalence for the Year 1925—Continued

MUMPS—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925					
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered	
New York—Continued.									
Olean	21,300	3	42	264	12.39	0			
Peekskill	18,000	3	65	5	.28	0			
Poughkeepsie	35,700	3	100	3	.08	0			
Rensselaer	11,400	3	17	1	.09	0			
Rome	30,300	3	19	20	.66	0			
Salamanca				25		0			
Saratoga Springs	13,900	3	92	12	.86	0			
Schenectady	92,800	3	199	12	.13	0			
Troy	72,200	3	127	2	.03	0			
Watertown	32,800			268	8.17	0			
Watervliet	16,200	3	11	3	.19	0			
White Plains	27,400	3	56	4	.15	0			
North Carolina:									
Charlotte	53,300			243	4.56	0			
Greensboro	47,100	1	188	187	3.97	0			
Rocky Mount	15,100	2	7	1	.07	0			
Wilmington	37,100	3	102	113	3.05	0			
Winston-Salem	69,000	3	160	102	1.48	0			
North Dakota:									
Fargo	24,900	2	17	547	21.97	0			
Ohio:									
Ashtabula	25,100	3	15	103	4.10	0			
Bellaire	16,300	1	7	4	.25	0			
Bellefontaine				8		0			
Bucyrus	11,700	3	14	16	1.37	0			
Cambridge	14,000	2	5	2	.14	0			
Chillicothe	16,600			7	.42	0			
Cleveland Heights	22,200	3	132	6	.27	0			
Conneaut		2	6	338		0			
Cuyahoga Falls	13,700	2	13	13	.95	0			
East Cleveland	37,600	3	214	25	.66	0			
East Liverpool	22,000			1	.05	0			
Elyria	23,800	3	10	3	.13	0			
Findlay	18,200	3	3	80	4.40	0			
Fremont	13,900	3	7	2	.14	0			
Hamilton	42,400			4	.09	0			
Ironton	14,500	2	1	2	.14	0			
Kenmore	19,400			16	.82	0			
Lancaster	16,100	1	1	1	.06	0			
Lima	46,700	3	5	17	.36	0			
Lorain	42,300	3	47	17	.40	0			
Mansfield	31,860	3	27	57	1.79	0			
Marietta	15,300	1	26	105	6.86	0			
Marion	32,500	1	2	6	.18	0			
Newark	30,500			70	2.30	0			
Niles	16,600	3	16	20	1.20	0			
Norwood	29,900	3	8	5	.17	0			
Piqua	16,000	3	1	16	1.00	0			
Salem	11,100			122	10.99	0			
Sandusky	24,500	3	9	138	5.63	0			
Springfield	68,700	3	27	30	.44	0			
Steubenville	32,000			1	.03	0			
Oklahoma:									
Ardmore	17,200			48	2.79	0			
Oregon:									
Astoria	16,500	3	9	15	.91	0			
Eugene	11,400	3	5	14	1.23	0			
Pennsylvania:									
Allentown	92,200			19	.21	0			
Altoona	66,100			51	.77	0			
Beaver Falls	13,100	1	61	6	.46				
Braddock	21,700	3	3	41	1.89	0			
Bradford	15,800	3	15	39	2.47	0			
Butler	25,200	3	86	123	4.88	0			
Carlisle	11,400	3	53	33	2.89				
Carnegie	12,400	2	17	2	.16	0			
Carrick	13,000	2	6	3	.23				

Reported Prevalence for the Year 1925—Continued

MUMPS—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Pennsylvania—Continued.								
Chambersburg	13,900	3	37	29	2.09	0		
Charleroi	12,600	3	30	26	2.06			
Clairton	14,900	1	20	148	9.93	0		
Coatesville	16,500	2	101	4	.24	0		
Columbia				2				
Connellsburg	14,300	2	5	14	.98	0		
Dubois	14,300	1	20	54	3.78			
Duquesne	20,900	1	5	3	.14	0		
Easton	36,800			131	3.56			
Farrell	18,700	3	46	11	.59	0		
Greensburg	16,100	1	5	16	.99	0		
Harrisburg	83,400	3	137	366	4.39	0		
Hazleton	36,100	3	52	3	.08	0		
Homestead	21,400	3	12	27	1.26	0		
Jeannette	11,700	3	12	1	.09	0		
Kingston	18,000	2	75	3	.17	0		
Lancaster	56,500	3	184	170	3.01	0		
Lansford		1	2	3		0		
Latrobe				20		0		
Lewistown		1	132	2		0		
McKees Rocks	18,100	2	30	4	.22	0		
McKeesport	49,100	3	4	103	2.10	0		
Meadville	15,600			2	.13	0		
Monessen	21,200	3	19	2	.09	0		
New Castle	49,800	2	25	28	.56	0		
Norristown	34,800	3	34	134	3.85	0		
North Braddock	16,700	3	3	19	1.14	0		
Oil City	23,300	3	82	142	6.09			
Phoenixville		3	47	98				
Sharon	25,000	3	105	13	.52	0		
Steelton		3	32	35		0		
Sunbury	16,800	3	35	40	2.38	0		
Swissvale	12,900	3	16	75	5.81	0		
Uniontown		3	4	64		0		
Vandergrift				55		0		
Warren	15,100	3	11	680	45.03	0		
Washington	23,000	3	31	250	10.87			
Waynesboro				35				
West Chester		3	85	201		0		
Wilkes-Barre	77,600	1	51	10	.13	0		
Wilkinsburg	27,400	1	53	157	5.73	0		
Windber				4		0		
Woodlawn	18,900	3	17	214	11.32	0		
York	49,100	2	44	13	.26	0		
Rhode Island:								
Cranston	34,500	3	6	5	.14	0		
Pawtucket	69,800			2	.03	0		
South Carolina:								
Charleston	73,100			5	.07	0		
Florence	13,200			35	2.65	0		
Greenville	27,300	3	24	3	.11	0		
Spartanburg	25,500	2	2	48	1.88	0		
Sumter		2	1	56		0		
South Dakota:								
Aberdeen	15,000	2	12	330	22.00			
Sioux Falls	30,100	3	1	1	.03	0		
Tennessee:								
Chattanooga	66,600			2	.03			
Knoxville	95,500	1	4	5	.05	0		
Texas:								
Cleburne	14,200			60	4.23	0		
Corpus Christi	11,800			100	8.47	0		
Galveston	48,400			16	.33	0		
Orange				3		0		
Palestine	11,400			1	.09			
Waco	43,900	3	2	9	.21	0		
Utah:								
Ogden	36,900	3	150	135	3.66	0		
Provo	11,200	2	78	10	.89	0		

Reported Prevalence for the Year 1925—Continued

MUMPS—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Vermont:								
Barre		3	22	152	-----	0	0	0
Bennington		2	25	4	-----	0	0	0
Burlington	24,100	3	7	304	12.61	0	0	0
Rutland	15,800	1	3	67	4.24	0	0	0
Virginia:								
Alexandria	18,500	3	4	136	7.35	0	0	0
Charlottesville	11,200	-----	-----	17	1.52	0	0	0
Danville	23,000	3	12	109	4.74	0	0	0
Lynchburg	30,400	3	122	604	19.86	0	0	0
Newport News	47,100	3	76	83	1.76	0	0	0
Portsmouth	59,000	3	3	27	.46	0	0	0
Roanoke	58,200	2	36	18	.31	0	0	0
Suffolk				2	-----	0	0	0
Washington:								
Bremerton		2	76	78	-----	0	0	0
Everett	29,300	3	7	26	.89	0	0	0
Vancouver	14,500	2	12	147	10.14	0	0	0
Walla Walla				5	-----	0	0	0
Yakima	22,700	3	58	689	30.35	0	0	0
West Virginia:								
Charleston	49,000	3	28	23	.47	0	0	0
Clarksburg	30,400	3	25	195	6.41	0	0	0
Fairmont	21,000			93	4.43	0	0	0
Morgantown	13,800			1	.07	0	0	0
Wheeling				34	-----	0	0	0
Wisconsin:								
Appleton	21,100	3	4	20	.95	0	0	0
Beloit	24,800	3	78	100	4.03	0	0	0
Eau Claire	22,400			7	.31	0	0	0
Fond du Lac	26,000			7	.27	0	0	0
Green Bay	34,300	2	15	62	1.81	0	0	0
Janesville	20,800	3	8	75	3.61	0	0	0
Kenosha	50,900	3	257	20	.39	0	0	0
La Crosse	30,400	3	94	376	12.37	0	0	0
Madison	46,400			2,248	48.45	0	0	0
Manitowoc	22,100	1	12	16	.72	0	0	0
Racine	67,700	3	12	264	3.90	0	0	0
Sheboygan	33,500	3	15	28	.84	0	0	0
Waukesha	14,700			42	2.86	0	0	0
Wausau	20,100	3	3	47	2.34	0	0	0
West Allis	18,400			6	.33	0	0	0
Wyoming:								
Cheyenne	15,500			5	.32	0	0	0

PELLAGRA

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:						
Anniston	20,500	2	.10	0	0	3.0
Florence	12,700	3	.24	1	.08	
Mobile	66,000			19	.29	
Montgomery	46,500			13	.28	
Selma	17,000			9	.53	
Tuscaloosa	13,100	31	2.37	20	1.53	1.5
Arizona:						
Phoenix	38,700			1	.03	
Tucson	26,700			1	.04	

Reported Prevalence for the Year 1925—Continued

PELLAGRA—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Arkansas:						
Hot Springs.		1				
Little Rock.	74,200			12	0.16	
California:						
Bakersfield.	23,500	2	0.09	2	.09	1.0
Long Beach.	91,200	1	.01	0		
Sacramento.	72,300			3	.04	
San Bernardino.	22,800			1	.04	
Santa Ana.	19,500	1	.05	0		
Stockton.	47,300	3	.06	1	.02	3.0
Florida:						
Tampa.	94,700	11	.12	7	.07	1.6
West Palm Beach.				1		
Georgia:						
Albany.	13,500			3	.22	
Augusta.	55,200			13	.24	
Brunswick.	16,800			1	.06	
Lagrange.	23,500			11	.47	
Rome.	13,900	5	.36	4	.29	1.2
Savannah.	93,100			14	.15	
Illinois:						
Granite City.	18,200			1	.05	
Moline.	33,900	1	.03	0		
Springfield.	63,900	1	.02	1	.02	1.0
Indiana:						
Terre Haute.	71,100	1	.01	1	.01	1.0
Kansas:						
Parsons.	14,800	6	.41	1	.07	6.0
Pittsburg.	19,200	1	.05	1	.05	1.0
Kentucky:						
Paducah.	25,900			2	.08	
Louisiana:						
Baton Rouge.	27,800	1	.04	1	.04	1.0
Shreveport.	57,900			160	1.04	
Massachusetts:						
Arlington.	24,900	1	.04	0		
Brockton.	65,300	1	.02	0		
Chicopee.	41,900	1	.02	0		
Danvers.	11,800			4	.34	
Waltham.	34,700	1	.03	0		
Minnesota:						
Rochester.	17,000			1	.06	
Mississippi:						
Biloxi.	12,600	1	.08	0		
Jackson.	23,700	117	4.91	13	.55	9.0
Laurel.	15,700	19	1.21			
Meridian.	24,300	7	.29			
Natchez.	13,100	17	1.30	3	.23	5.7
Missouri:						
St. Joseph.	78,300			1	.01	
New Mexico:						
Albuquerque.	21,000	2	.10	0		
North Carolina:						
Charlotte.	53,300			13	.24	
Raleigh.	30,400			16	.53	
Wilmington.	37,100			1	.03	
Wilson.	12,800			1	.08	
Winston-Salem.	69,000	18	.26	16	.23	1.1
Oklahoma:						
Ardmore.	17,260	8	.47	4	.23	2.0
Okmulgee.	25,300	10	.40	3	.12	3.3
Sapulpa.	14,200	1	.07	0		
Pennsylvania:						
Allentown.	92,200	1	.01	1	.01	1.0
Homestead.	21,400			1	.05	
South Carolina:						
Anderson.	11,100	2	.18	0		
Charleston.	73,100			33	.45	
Greenville.	27,300			3	.11	
Spartanburg.	25,500			6	.24	
Sumter.				5		
Tennessee:						
Knoxville.	95,500			41	.43	

¹ Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

PELLAGRA—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Texas:						
Beaumont	50,600			5	0.10	
Cleburne	14,200	4	0.28	4	.28	1.0
Corpus Christi	11,800	2	.17	1	.08	
Galveston	48,400			6	.12	
Orange		12		0		
Palestine	11,400	4	.35			
San Angelo				2		
Tyler	13,000			3	.23	
Waco	43,900			8	.18	
Vermont:						
Burlington	24,100			1	.04	
Virginia:						
Danville	23,000			6	.26	
Lynchburg	30,400			4	.13	
Newport News	47,100	1	.02	1	.02	1.0
Petersburg	35,700	5	.14	1	.03	5.0
Portsmouth	59,000			3	.05	
West Virginia:						
Bluefield	19,300			12	.62	

PNEUMONIA (ALL FORMS)

Alabama:						
Anniston	20,500	63	3.07	61	2.98	1.0
Dothan	14,500	41	2.83	18	1.24	2.3
Florence	12,700	30	2.36	22	1.73	1.4
Mobile	66,000			52	.79	
Montgomery	46,500			64	1.38	
Selma	17,000			57	3.35	
Tuscaloosa	13,100	43	3.28	21	1.60	2.0
Arizona:						
Phoenix	38,700			86	2.22	
Tucson	26,700			40	1.50	*
Arkansas:						
Hot Springs		1				
Little Rock	74,200	88	1.19	72	.97	1.3
California:						
Alameda	31,900	35	1.10	32	1.00	1.1
Alhambra		18		14		1.3
Bakersfield	23,500			26	1.11	
Berkeley	66,200	234	1.51	35	.53	
Chico		9		5		1.8
Eureka	13,500			14	1.04	
Fresno	58,500	10	.17	0		
Glendale	21,300	211	1.52	33	1.55	
Long Beach	91,200	119	1.30	92	1.01	1.3
Pasadena	56,700	91	1.60	50	.88	1.8
Pomona	15,400			21	1.36	
Richmond	22,500	16	.71	11	.49	1.5
Riverside		55		26		2.1
Sacramento	72,300			116	1.60	
San Bernardino	22,800			35	1.53	
San Jose	43,600			32	.73	
Santa Ana	19,500			19	.97	
Santa Barbara	24,000			41	1.71	
Santa Monica	19,400			37	1.91	
Stockton	47,300	55	1.16	45	.95	1.2
Vallejo	26,600			12	.45	
Colorado:						
Boulder	11,800	46	3.90	18	1.52	2.6
Colorado Springs		66		60		1.1
Greeley	12,500			16	1.28	
Pueblo	43,800			95	2.17	
Trinidad	11,000			40	3.64	
Connecticut:						
Danbury				26		
Fairfield	14,500	19	1.31	6	.41	3.2
Greenwich	25,300	84	3.32	26	1.03	3.2
Manchester	21,000	61	2.90			
Meriden	36,300	128	3.53			

² Lobar pneumonia only.

Reported Prevalence for the Year 1925—Continued

PNEUMONIA (ALL FORMS)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Connecticut—Continued.						
Milford	13,500	27	2.00	14	1.04	1.9
New Britain	68,000	216	3.18	96	1.41	2.2
New London	29,100			36	1.24	
Norwich	23,100	11	48	5	.22	2.2
Shelton				17		
Stamford	40,700	30	.74	21	.52	1.4
Stratford	16,100	41	2.55	8	.50	5.1
Florida:						
St. Petersburg	26,800			54	2.01	
Tampa	94,700			105	1.11	
West Palm Beach				73		
Georgia:						
Albany	13,500			32	2.37	
Augusta	55,200			103	1.87	
Brunswick	16,800	9	.54	8	.48	1.1
Lagrange	23,500			21	.89	
Rome	13,900	65	4.68	16	1.15	4.1
Savannah	93,100			112	1.20	
Idaho:						
Pocatello	18,300	13	.71	4	.22	3.2
Illinois:						
Alton	26,800			29	1.08	
Aurora	40,300	74	1.84	0		
Berwyn	18,900	31	1.64	10	.53	3.1
Bloomington	30,400			59	1.94	
Blue Island	13,200			17	1.29	
Champaign	18,200	30	1.65	16	.88	1.9
Chicago Heights	22,100			48	2.17	
Cicero	62,200	63	1.01	25	.40	2.5
Danville	37,000	120	3.24	35	.95	3.4
Decatur	53,900	89	1.65	61	1.13	1.5
East Moline		11		3		3.7
East St. Louis	71,400			105	1.47	
Elgin	33,400	39	1.17	27	.81	1.4
Evanston	43,900	59	1.34	49	1.12	1.2
Freeport	20,700	32	1.55	14	.68	2.3
Galesburg	24,800	28	1.13	24	.97	1.2
Granite City	18,200			36	1.98	
Jacksonville	15,900	46	2.89	42	2.64	1.1
Joliet	40,600	52	1.28	43	1.06	1.2
Kewanee	19,700	59	2.99	25	1.27	2.4
La Salle	13,900	32	2.30	19	1.37	1.7
Maywood	14,200	41	2.89	14	.99	2.9
Moline	33,900	64	1.89	16	.47	4.0
Murphysboro	12,500			6	.48	
Oak Park	51,400	142	2.76	65	1.26	2.2
Ottawa	11,500	4	.35	1	.09	4.0
Pekin	13,300	11	.83	5	.38	2.2
Peoria	81,600			142	1.74	
Quincy		68		17		4.0
Rock Island	40,000	38	.95	4	.10	9.5
Rockford	76,500	117	1.53	42	.55	2.8
Springfield	63,900	87	1.36	53	.83	1.6
Streator	15,100			17	1.13	
Waukegan	22,000	47	2.14	7	.32	6.7
Indiana:						
Anderson	33,900			21	.62	
Bloomington	12,600	27	2.14	19	1.51	1.4
Connersville	12,500	40	3.20	14	1.12	2.9
Crawfordsville	10,500			12	1.14	
East Chicago	45,600			124	2.72	
Elwood				11		
Fort Wayne	97,800			100	1.02	
Frankfort	13,100			24	1.83	
Hammond	50,400			78	1.55	
Huntington	15,900			4	.25	
Jeffersonville		10				
Kokomo	36,900			36	.98	
La Fayette	23,800	4	.17			
Logansport	23,100	5	.22	2	.09	2.5
Marion	26,300			28	1.06	
Michigan City	20,300			17	.84	
Mishawaka	16,700			31	1.86	
Muncie	42,500			53	1.25	
New Albany				23		

Reported Prevalence for the Year 1925—Continued

PNEUMONIA (ALL FORMS)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Indiana—Continued.						
Newcastle	17,000			18	1.06	
Peru	12,700			10	.79	
Richmond	30,500			18	.59	
South Bend	80,100			123	1.54	
Terre Haute	71,100			111	1.56	
Wabash				13	1.23	
Whiting	12,200			17	1.39	
Iowa:						
Boone	12,800			16	1.25	
Burlington	26,400	58	2.20	22	.83	2.6
Cedar Rapids	50,600			35	.69	
Council Bluffs	39,800			72	1.81	
Dubuque	41,000			56	1.37	
Iowa City	15,300	1	.07	26	1.15	
Mason City	22,700			20	1.19	1.3
Muscatine	16,800	26	1.55			
Kansas:						
Arkansas City	14,000			12	.86	
Coffeyville	16,200			20	1.23	
Emporia	12,200	34	2.79	22	1.80	1.5
Fort Scott	11,800	10	.85	5	.42	2.0
Hutchinson	26,000	36	1.33			
Independence	10,900			11	1.01	
Lawrence	12,300	22	1.79	14	1.14	1.6
Leavenworth	20,900	5	.24	0		
Parsons	14,800	27	1.82	16	1.08	1.7
Pittsburg	19,200	23	1.20	20	1.04	1.1
Topeka	55,400	104	1.88	21	.38	5.0
Wichita	88,400			67	.76	
Kentucky:						
Covington	58,300			96	1.65	
Henderson	12,600			21	1.67	
Newport				46		
Paducah	25,900	43	1.66	35	1.35	1.2
Louisiana:						
Baton Rouge	27,800			23	.83	
Lake Charles				16		
Shreveport	57,900			137	2.37	
Maine:						
Auburn	18,100			11	.61	
Bangor	26,300			25	.94	
Bath	17,800	26	1.12	14	.79	1.9
Biddeford	18,500			37	2.00	
Lewiston	34,900			48	1.38	
Portland	75,300			91	1.21	
Sanford	11,600	14	1.21	6	.52	2.3
South Portland		6				
Waterville	14,400			13	.90	
Westbrook		2		2		1.0
Massachusetts: ¹						
Adams	13,500	11	.81	11	.81	
Amesbury	11,200	25	2.23	18	1.61	
Arlington	24,900	39	1.57	35	1.41	
Athol				17		
Attleboro	26,600	18	.87	19	.92	
Belmont	15,300	21	1.37	17	1.11	
Beverly	22,700	70	3.08	22	.97	
Braintree	13,200	6	.45	14	1.06	
Brockton	65,300	76	1.16	63	.96	
Brookline	42,700	38	.89	35	.82	
Chelsea	47,200	83	1.76	85	1.80	
Chicopee	41,900	29	.69	42	1.00	
Clinton	14,200	43	3.03	25	1.76	
Danvers	11,800	20	1.69	39	3.31	
Dedham	13,900	17	1.22	7	.50	
Easthampton	11,600	41	3.53	16	1.38	
Everett	42,100	77	1.83	23	.55	3.3
Framingham	21,100	20	.95	31	1.47	
Gardner	18,700	19	1.02	39	2.09	
Gloucester	23,400	15	.64	20	.85	
Greenfield	15,200	9	.59	12	.79	
Haverhill	49,200	115	2.34	73	1.48	

¹ Includes nonresidents.² Cases of pneumonia reported by cities are lobar only.

Reported Prevalence for the Year 1925—Continued

PNEUMONIA (ALL FORMS)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Massachusetts—Continued.						
Holyoke	60,300	41	0.68	84	1.39	
Lawrence	93,500	73	.78	36	.39	
Leominster	22,100	59	2.67	35	1.58	
Malden	51,800	89	1.72	60	1.16	
Marlboro	16,200	28	1.73	34	2.10	
Medford	47,600	78	1.64	50	1.05	
Melrose	20,200	40	1.98	0		
Methuen	20,600	18	.87	26	1.26	
Milford	14,800	8	.54	36	2.43	
Milton		9		9		
Newburyport	15,700	24	1.53	24	1.53	
Newton	53,000	57	1.08	25	.47	
North Adams	22,700	6	.26	40	1.76	
Northampton	24,100	125	1.04	14	.58	
Northbridge	10,100	6	.59	13	1.29	
Palmer				5		
Peabody	19,900	52	2.61	25	1.26	
Pittsfield	46,900	30	.64	28	.60	
Plymouth	13,200	20	1.52	19	1.44	
Quincy	60,100	49	.82	45	.75	
Revere	33,300	43	1.29	49	1.47	
Salem	42,800	46	1.07	8	.19	
Saugus	12,700	43	3.39	14	1.10	
Somerville	99,000	147	1.48	113	1.14	
Southbridge	15,500	13	.84	4	.26	
Tanatow	39,300	21	.53	52	1.32	
Wakefield	15,600	21	1.35	12	.77	
Waltham	34,700	50	1.44	30	.86	
Watertown	25,500	40	1.57	12	.47	
West Springfield	15,300	11	.72			
Westfield	19,300	30	1.55	30	1.55	
Winchester	11,600	17	1.47	19	1.04	
Winthrop	16,200	12	.74	15	.93	
Woburn	18,400	19	1.03	29	1.58	
Michigan:						
Adrian	12,500	15	.20			
Ann Arbor	22,200	34	1.53	8	.38	4.3
Battle Creek	42,300	28	.66	8	.19	3.5
Bay City	48,900	60	1.23	37	.76	1.6
Benton Harbor	14,000	17	1.21	3	.21	5.7
Cadillac		13		11		1.2
Hamtramck	81,700	60	.73	47	.58	1.3
Highland Park	72,300	120	1.66	41	.57	2.9
Holland	13,100	9	.69	2	.15	4.5
Ironwood	17,400	15	.86	9	.52	1.7
Ishpeming		31		19		1.6
Jackson	58,000	243	2.74	35	60	
Kalamazoo	53,600	106	1.98	60	1.12	1.8
Lansing	70,800	74	1.04	60	.85	1.2
Marquette	13,400	46	3.43	13	.97	3.5
Muskegon	43,100	57	1.32	45	1.04	1.3
Muskegon Heights				13		
Pontiac	47,500	101	2.13	53	1.12	1.9
Port Huron	30,000	34	1.13	22	.73	1.5
River Rouge		23		11		2.1
Saginaw	72,100			74	1.03	
Sault Ste. Marie		28		13		2.2
Minnesota:						
Brainerd				17		
Faribault				34	2.76	
Hibbing	12,300					
Mankato	18,000	6	.33			
Rochester	13,700			21	1.53	
St. Cloud	17,000			16	.94	
Virginia	18,900	3	.16	0		
Winona	16,000			21	1.31	
Mississippi:						
Biloxi	12,600	20	1.59	12	.95	1.7
Jackson	23,700	293	12.36	18	.76	16.3
Laurel	15,700	122	7.76			
Meridian	24,300	99	4.07			
Natchez	13,100	30	2.29	5	.38	6.0

¹ Includes nonresidents.² Lobar pneumonia only.

Reported Prevalence for the Year 1925—Continued

PNEUMONIA (ALL FORMS)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Missouri:						
Independence	12,700			38	2.99	
Mcberly	13,900			16	1.15	
St. Joseph	78,300			123	1.57	
Springfield	42,100	70	1.66	67	1.59	1.0
Montana:						
Anaconda	12,500			25	2.00	
Buitt	42,900			122	2.84	
Great Falls	29,900			21	.70	
Helena				19		
Missoula		42		30		1.4
Nebraska:						
Lincoln	60,900			44	.72	
North Platte	13,700			18	1.31	
Nevada:						
Reno	12,700			21	1.65	
New Hampshire:						
Claremont				19		
Concord	22,500			48	2.13	
Dover				17		
Keene	11,900	26	2.18	16	1.34	1.6
Manchester	83,100			71	.85	
Nashua	29,700			53	1.78	
Portsmouth	14,900	11	.74			
New Jersey:						
Ashbury Park	13,700			16	1.17	
Bayonne	88,800			104	1.17	
Belleville	18,900	46	2.43	15	.79	3.1
Bloomfield	26,000	56	2.15	12	.46	4.7
Bridgeton	14,400			20	1.39	
Carteret	14,000			13	.93	
Clifton	34,700	40	1.15	21	.61	1.9
Collingswood				4		
Dover		41		13		3.2
East Orange	60,000	129	2.15	25	.42	5.2
Englewood	12,600	22	1.75	11	.87	2.0
Garfield	24,600	54	2.20	25	1.02	2.2
Gloucester City	13,700	23	1.68	13	.95	1.8
Hackensack	19,700	55	2.79	30	1.52	1.8
Harrison	16,400	36	2.20			
Hoboken				117		
Irvington	33,200	69	2.08	27	.81	2.6
Kearny	31,300	65	2.08	26	.83	2.5
Lodi				6		
Long Branch	13,600	30	2.21	19	1.40	1.6
Montclair	32,900	103	3.13	46	1.40	2.2
Morristown	12,600	31	2.46	6	.48	5.2
New Brunswick	38,000			45	1.18	
Nutley		31		0		
Orange	35,400	98	2.77	35	.99	2.8
Passaic	69,000			78	1.13	
Perth Amboy	47,100			56	1.19	
Phillipsburg	18,600	3	.16			
Plainfield	31,700	99	3.12	32	1.01	3.1
Rahway	12,000	8	.67			
Red Bank				6		
Ridgefield Park		21		12		1.7
Rutherford		26		7		
Summit	11,700	54	4.62	22	1.88	2.5
Union City	63,100	12	.19			
West New York	39,200			19	.48	
West Orange	18,200	64	3.52	12	.66	5.3
New Mexico:						
Albuquerque	21,000			31	1.48	
New York:						
Amsterdam	35,300	84	2.38	30	.85	2.8
Binghamton	71,900	327	4.55	43	.60	7.6
Cohoes	23,000	77	3.35	18	.78	4.3
Corning	15,700			15	.96	
Cortland	13,900	32	2.30	24	1.73	1.3
Dunkirk	19,900	54	2.71	10	.50	5.4
Elmira	45,460	207	4.28	70	1.45	3.0
Freeport		24		11		2.2
Geneva	15,900	31	1.95	19	1.19	1.6
Glens Falls	17,900	65	3.63	23	1.28	2.8

Reported Prevalence for the Year 1925—Continued

PNEUMONIA (ALL FORMS)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
New York—Continued.						
Gloversville	22,100	50	2.26	17	0.77	2.9
Hornell	15,800	39	2.47	17	1.08	2.3
Hudson	11,800	38	3.22	18	1.53	2.1
Ithaca	18,900	68	3.60			
Jamestown	43,400	94	2.17	40	.92	2.2
Johnson City		51		22		2.3
Johnstown	10,700			12	1.12	
Kingston	28,100			42	1.49	
Lackawanna	20,200	163	8.07	39	1.93	4.2
Little Falls	12,400	13	1.05	11	.89	1.2
Lockport	21,700	50	2.30	31	1.43	1.6
Middletown	20,400	75	3.68	12	.59	6.2
Mount Vernon	50,400	112	2.22	49	.97	2.3
New Rochelle	44,200	84	1.90	50	1.13	1.7
Newburgh	30,400	44	1.45	37	1.22	1.2
Niagara Falls	57,000	169	2.96	109	1.91	1.6
North Tonawanda	17,400	31	1.78	16	.92	1.9
Olean	21,300	53	2.49	16	.75	3.3
Peekskill	18,000	59	3.28	21	1.17	2.8
Plattsburg	11,600			16	1.38	
Poughkeepsie	35,700	82	2.30	42	1.18	2.0
Rensselaer	11,400	46	4.04	11	.96	4.2
Rome	30,300	41	1.35	22	.73	1.9
Salamanca		21		13		1.6
Saratoga Springs	13,900	83	5.97	29	2.09	2.9
Schenectady	92,800	256	2.76	81	.87	3.2
Troy	72,200	211	2.92	102	1.41	2.1
Watertown	32,800	52	1.59	49	1.49	1.1
Watervliet	16,200	18	1.11	12	.74	1.5
White Plains	27,400	94	3.43	23	.84	4.1
North Carolina:						
Charlotte	53,300			112	2.10	
Greensboro	47,100			48	1.02	
High Point	23,600			30	1.27	
New Bern	12,200			28	2.29	
Raleigh	30,400			53	1.74	
Rocky Mount	15,100			24	1.50	
Salisbury	17,700			14	.79	
Wilmington	37,100			60	1.62	
Wilson	12,800			25	1.95	
Winston-Salem	69,000			117	1.70	
Ohio:						
Ashtabula	25,100			21	.84	
Barberton	23,300			27	1.16	
Bellaire	16,300			20	1.23	
Bellefontaine				5		
Bucyrus	11,700			13	1.11	
Cambridge	14,000			12	.86	
Chillicothe	16,600			16	.96	
Cleveland Heights	22,200			20	.90	
Conneaut		9		8		1.1
Coshocton	11,600			16	1.38	
Cuyahoga Falls	13,700			9	.66	
East Cleveland	37,600	51	1.36	19	.51	2.7
East Liverpool	22,000			53	2.41	
East Youngstown (Campbell)	16,000			31	1.94	
Elyria	23,800			23	.97	
Findlay	18,200	27	1.48	23	1.26	1.2
Fostoria				5		
Fremont	13,600			12	.86	
Hamilton	42,400			62	1.46	
Ironton	14,500			27	1.86	
Kenmore	19,400	23	1.19	13	.67	1.8
Lakewood	56,800			40	.70	
Lima	46,700			48	1.03	
Lorain	42,300			63	1.54	
Mansfield	31,800	118	3.71	35	1.10	3.4
Marietta	15,200			17	1.11	
Marion	32,500			26	.80	
Martins Ferry	15,500			23	1.48	
Middletown	30,800	51	1.66	39	1.27	1.3
Newark	30,500			32	1.05	
Niles	16,600			11	.66	
Norwood	29,900	14	.47	12	.40	1.2

Reported Prevalence for the Year 1925—Continued

PNEUMONIA (ALL FORMS)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Ohio—Continued.						
Piqua.....	16,000	9	.56	1	.06	9.0
Salem.....	11,100			20	1.80	
Sandusky.....	24,500	23	.94	11	.45	2.1
Springfield.....	68,700			90	1.31	
Steubenville.....	32,000			52	1.63	
Zanesville.....	30,400			51	1.68	
Oklahoma:						
Ardmore.....	17,200	83	4.83	25	1.45	3.3
Guthrie.....	11,800			12	.02	
Okmulgee.....	25,300	49	1.94	24	.95	2.0
Sapulpa.....	14,200	25	1.76	4	.28	6.2
Oregon:						
Astoria.....	16,500			18	1.09	
Eugene.....	11,400			21	1.84	
Pennsylvania:						
Allentown.....	92,200			148	1.61	
Altoona.....	66,100			101	1.53	
Beaver Falls.....	13,102	8	.61			
Braddock.....	21,700			70	3.23	
Butler.....	25,200			29	1.15	
Caronensburg.....	13,500			21	1.56	
Carbon-dale.....	19,500	1	.65			
Carlisle.....	11,400	17	1.49			
Carnegie.....	12,400			16	1.29	
Carrick.....	13,050	8	.62			
Clairton.....	14,900	7	.47	6	.40	1.2
Coatesville.....	16,500			14	.85	
Connellsville.....	14,300			32	2.24	
Easton.....	36,800			24	.65	
Harrisburg.....	83,460			115	1.38	
Homestead.....	21,400			59	2.76	
Jeanette.....	11,700			16	1.37	
Kingston.....	18,000			24	1.33	
Lancaster.....	56,500			80	1.42	
Latrobe.....		5		1		5.0
Lewistown.....				10		
McKees Rocks.....	18,109	16	.88	5	.28	3.2
McKeesport.....	49,100			131	2.67	
Monessen.....	21,200	25	.24	2	.09	
Nanticoke.....	24,700			51	2.06	
New Castle.....	49,800			95	1.91	
Norristown.....	34,800			42	1.21	
North Braddock.....	16,769			24	1.44	
Oil City.....	23,360	3	.13			
Olyphant.....	11,200			29	1.79	
Pottstown.....	18,550			45	2.43	
Sharon.....	25,000			36	1.44	
Steelton.....				19		
Sunbury.....	16,800	30	1.79	10	.60	3.0
Swissvale.....	12,900	23	1.78	20	1.55	1.1
Vandergrift.....				12		
Warren.....	15,100			12	.79	
Washington.....	23,060	3	.13			
West Chester.....				37		
Wilkes-Barre.....	77,690			114	1.47	
Wilkinsburg.....	27,400			108	3.94	
Windber.....				16		
Woodlawn.....	18,900	29	1.53	21	1.11	1.4
York.....	49,100			80	1.63	
Rhode Island:						
Cranston.....	34,500			31	.90	
Newport.....	27,800			26	.94	
Pawtucket.....	69,800			62	.89	
Woonsocket.....	49,700			88	1.77	
South Carolina:						
Anderson.....	11,100	14	1.26	3	.27	4.7
Charleston.....	73,190			123	1.68	
Greenville.....	27,300			38	1.39	
Spartanburg.....	25,500			29	1.14	
Sumter.....				10		

* Lobar pneumonia only.

Reported Prevalence for the Year 1925—Continued

PNEUMONIA (ALL FORMS)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
South Dakota:						
Sioux Falls.....	30,100			26	0.86	
Tennessee:						
Chattanooga.....	66,600	54	0.81			
Knoxville.....	95,500			102	1.07	
Texas:						
Beaumont.....	50,600			77	1.52	
Cleburne.....	14,200	40	2.82			
Corpus Christi.....	11,800	25	2.12	6	.51	4.2
Galveston.....	48,400			64	1.32	
Greenville.....	14,400			6	.42	
Orange.....		34		6		5.7
Palestine.....	11,400	11	.96			
San Angelo.....				18		
Texarkana.....	12,400	20	1.61	3	.24	6.7
Tyler.....	13,000			14	1.08	
Waco.....	43,900			69	1.57	
Utah:						
Logan.....				19		
Ogden.....	36,900			52	1.41	
Provo.....	11,200			8	.71	
Vermont:						
Barre.....				20		
Bennington.....		30		23		
Burlington.....	24,100			37	1.54	
Rutland.....	15,800	16	1.01			
Virginia:						
Alexandria.....	18,500	39	2.11	29	1.57	1.3
Charlottesville.....	11,250			14	1.25	
Danville.....	23,000			30	1.30	
Lynchburg.....	30,400			27	.89	
Newport News.....	47,100			80	1.70	
Petersburg.....	35,700			49	1.12	
Portsmouth.....	59,000			79	1.34	
Roanoke.....	58,200			54	.93	
Suffolk.....				43		
Washington:						
Aberdeen.....	16,200			29	1.79	
Bremerton.....		21		9		2.3
Vancouver.....	14,500			13	.90	
Walla Walla.....				12		
Yakima.....	22,700			23	1.01	
West Virginia:						
Bluefield.....	19,300			10	.52	
Charleston.....	49,000			30	.61	
Clarksburg.....	30,400			44	1.45	
Martinsburg.....	13,500			41	3.04	
Morgantown.....	13,800			37	2.68	
Parkersburg.....	21,300			17	.80	
Wheeling.....				103		
Wisconsin:						
Appleton.....	21,100			26	1.23	
Beloit.....	24,800	16	.65	0		
Eau Claire.....	22,400	29	1.29	24	1.07	1.2
Fond du Lac.....	26,000			25	.96	
Green Bay.....	34,300			35	1.02	
Janesville.....	20,800			15	.72	
Kenosha.....	50,900	46	.90	38	.75	1.2
Manitowoc.....	22,100			13	.59	
Marinette.....				13		
Oshkosh.....	33,200			29	.87	
Racine.....	67,700	76	1.12	42	.62	1.8
Sheboygan.....	33,500			40	1.19	
Superior.....				49		
Waukesha.....	14,700			12	.82	
Wausau.....	20,100			29	1.44	
West Allis.....	18,400			37	2.01	
Wyoming:						
Cheyenne.....	15,500			16	1.03	

Reported Prevalence for the Year 1925—Continued

POLIOMYELITIS (INFANTILE PARALYSIS)

City	Estimated population July 1, 1925	Estimated expectancy		1925					
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases	
Alabama:									
Tuscaloosa	13,100			1	.08	0			
Arizona:									
Phoenix	38,700	2	0	8	.21	5	.13	62.0	
Arkansas:									
Little Rock	74,200	7	0	1	.01	1	.01	100.0	
California:									
Alameda	31,900	7	1	12	.38	0			
Alhambra		2	1	6		0			
Bakersfield	23,500	7	1	6	.26	4	.17	66.7	
Berkeley	66,200	7	1	32	.48	1	.02	3.1	
Chico		2	0	2		0			
Fresno	58,500	5	1	11	.19	1	.02	9.1	
Glendale	21,300	4	1	4	.19	1	.05	25.0	
Long Beach	91,200	7	2	12	.13	3	.03	25.0	
Modesto		2	0	11		0			
Pasadena	56,700	7	1	6	.11	2	.04	33.3	
Pomona	15,400	5	2	6	.39	0			
Richmond	22,500	5	0	2	.09	1	.04	50.0	
Sacramento	72,300	7	1	17	.24	5	.07	29.4	
San Bernardino	22,800			5	.22	3	.13	60.0	
San Jose	43,600	4	0	4	.09	0			
Santa Ana	19,500	4	0	2	.10	0			
Stockton	47,300	4	1	9	.19	1	.02	11.1	
Vallejo	26,600	1	8			3	.11	37.5	
Colorado:									
Colorado Springs		7	0	1		0			
Trinidad	11,000	4	1	11	1.00	0			
Connecticut:									
Greenwich	25,300	7	1	1	.04	1	.04	100.0	
Manchester	21,000	4	1	1	.05				
Shelton		1	0	2		2		100.0	
Stamford	40,700	2	0	2	.05				
Stratford	16,100	4	1	2	.12	2	.12	100.0	
Florida:									
St. Petersburg	26,800			4	.15	0			
Tampa	94,700	3	0	1	.01	0			
West Palm Beach				1		1		100.0	
Georgia:									
Augusta	55,200	5	1	5	.09	1	.02	20.0	
Savannah	93,100	6	0	3	.03	0			
Idaho:									
Boise									
Illinois:									
Alton	26,800	5	3			1	.04		
Aurora	40,300	7		3	.07	1	.02	33.3	
Berwyn	18,900	3	1	2	.11	0			
Bloomington	30,400	5	1	2	.07	0			
Champaign	18,200	4	1	1	.05	0			
Chicago Heights	22,100	4	1	3	.14				
Decatur	53,900	3	0	1	.02	0			
East St. Louis	71,400	6	2	1	.01	1	.01	100.0	
Elgin	33,400	5	3	1	.03	1	.03	100.0	
Evanston	43,900	7	2	2	.05	0			
Freeport	20,700	5	1	2	.10	1	.05	50.0	
Galesburg	24,800	6	1	2	.08	1	.04	50.0	
Granite City	18,200	4	1			1	.05		
Jacksonville	15,900	5	2	1	.06	0			
Kewanee	19,700	3	0	5	.25	1	.05	20.0	
La Salle	13,900	6	1	2	.14	0			
Moline	33,900	7	0	1	.03	1	.03	100.0	
Pekin	13,300	7	1	1	.08				
Peoria	81,600	7	1	7	.09	0			
Rock Island	40,000	7	2	4	.10	1	.02	25.0	
Rockford	76,300	7	1	11	.14	0			
Springfield	63,900	5	4	1	.02	1	.02	100.0	
Indiana:									
Fort Wayne	97,800	6	3			1	.01		
Frankfort	13,100	6	1	2	.15	0			
Huntington	15,900	5	0	1	.06	0			
Jeffersonville		3	0	2		2			
Kokomo	36,460	6	1	1	.03	0		100.0	

Reported Prevalence for the Year 1925—Continued

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Indiana—Continued.								
Logansport.	23,100	7	0	1	0.04	0		
Mishawaka.	16,700	7	0			1	0.06	
Muncie.	42,500	7	1	1	.02	0		
Newcastle.	17,000	6	0	3	.18	3	.18	100.0
Iowa:								
Burlington.	26,400	6	1	1	.04	0		
Cedar Rapids.	50,600	7	1	7	.14	0		
Council Bluffs.	39,800	7	1	2	.05	1	.03	50.0
Fort Dodge.	21,700	3	1	2	.09	0		
Marshalltown.	16,000	3	1	5	.30			
Mason City.	22,700	6	1	4	.18	1	.04	25.0
Muscatine.	16,800	6	1	5	.30			
Ottumwa.	26,400	4	0	1	.04	0		
Waterloo.	36,800	4	2	1	.03	0		
Kansas:								
Hutchinson.	26,000	5	1	1	.04			
Topeka.	55,400	5	3	6	.11	0		
Wichita.	88,400	7	1	10	.11	2	.02	20.0
Kentucky:								
Paducah.	25,900	7	0	3	.12	3	.12	100.0
Louisiana:								
Baton Rouge.	27,800	4	1	2	.07	1	.04	50.0
Shreveport.	57,900	3	0	3	.05	0		
Maine:								
Auburn.	18,100	6	1	2	.11	0		
Bath.	17,800	5	1	3	.17	0		
Lewiston.	34,900					2	.06	
Portland.	75,300	5	1	1	.01	1	.01	100.0
Sanford.	11,600	5	1	2	.17	0		
Waterville.	14,400	7	1			1	.07	
Massachusetts:								
Adams.	13,500	7	1	3	.22	0		
Amesbury.	11,200	4	1	2	.18	0		
Belmont.	15,300	5	1	1	.07	0		
Beverly.	22,700	7	1	3	.13	1	.04	33.3
Brockton.	65,300	7	1	1	.02	1	.02	100.0
Brookline.	42,700	7	1	6	.14	0		
Chelsea.	47,200	6	1	1	.02	1	.02	100.0
Danvers.	11,800	7	1	1	.08	0		
Everett.	42,100	7	5	2	.05	1	.02	50.0
Framingham.	21,100	7	1	1	.05	0		
Haverhill.	49,200	7	3	6	.12	2	.04	33.3
Holyoke.	60,300	7	2	1	.03	0		
Lawrence.	93,500	7	6	4	.04	0		
Leominster.	22,100	7	1	1	.05	0		
Malden.	51,800	7	1	2	.04	0		
Medford.	47,600	7	3	1	.02	0		
Melrose.	20,200	7	1	2	.10	0		
Newton.	53,000	7	4	6	.11	0		
North Adams.	22,700	7	1	8	.35	1	.04	12.5
Northbridge.	10,100	7	1	2	.20	0		
Palmer.		2	0	1		0		
Pittsfield.	46,900	6	2	4	.09	4	.09	100.0
Quincy.	60,100	7	2	4	.07	0		
Salem.	42,800	5	3	1	.02	1	.02	100.0
Somerville.	99,000	7	3	1	.01	0		
Taunton.	39,300	5	0	1	.03	1	.03	100.0
Wakefield.	15,600	5	1	1		0		
Waltham.	34,700	7	1	3	.09	6		
Watertown.	25,500	7	1	1	.04	0		
Winchester.	11,600	5	1	2	.17	2	.17	100.0
Winthrop.	16,200	7	1	1	.06	0		
Woburn.	18,400	5	1	2	.11	0		
Michigan:								
Adrian.	12,500	2	0	1	.08	0		
Battle Creek.	42,300	7	2	2	.05	1	.02	50.0
Bay City.	48,900	6	1	3	.06	0		
Highland Park.	72,300	7	1	2	.03	0		
Kalamazoo.	53,600	7	1	2	.04	1	.02	50.0
Lansing.	70,800	6	2	1	.01	0		

Reported Prevalence for the Year 1925—Continued

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925			
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Fatalities per 100 cases
Michigan—Continued.							
Port Huron	30,000	5	1	1	.03	0	
River Rouge		2	3	4		0	
Saginaw	72,100	4	1	1	.01	0	
Sault Ste. Marie		7	0	8		1	12.5
Minnesota:							
Austin	11,900	5	1	3	.25	2	.17
Brainerd				5		1	
Faribault	12,300	5	1	1	.08	0	
Mankato	13,700	5	1	17	1.24	2	
Rochester	17,000	2	3	22	1.29	2	.15
St. Cloud	18,900	4	0	1	.05	1	.12
Winona	19,500	5	0	49	2.51		100.0
Mississippi:							
Jackson	23,700	2	1	1	.04	0	
Missouri:							
Independence	12,700	2	0	1	.08	0	
St. Joseph	78,300	7	1	6	.08	0	
Montana:							
Anaconda	12,500	4	1	1	.08	0	
Great Falls	29,900	7	2	2	.07	0	
Missoula		6	1	1		1	100.0
Nebraska:							
Lincoln	60,900	7	1	5	.08	0	
Nevada:							
Reno	12,700	7	1	6	.47	2	.16
New Hampshire:							
Claremont		2	2	2		1	
Concord	22,500	7	0	3	.13	0	
Dover		7	1	2		0	
New Jersey:							
Bayonne	88,800	6	0	3	.03	0	
Belleview	18,900	6	1			1	.05
Bloomfield	26,000	7	1	2	.08	0	
Clifton	34,700	5	1	6	.17	2	
East Orange	60,000	7	2	6	.10	3	.05
Englewood	12,600	7	1	1	.08	0	
Garfield	24,600	4	0	3	.12	0	
Irvington	33,200	5	0	1	.03	0	
Kearny	31,300	7	1	3	.10	1	.03
Long Branch	13,600	7	1	1	.07	0	
Montclair	32,900	7	1	2	.06	0	
Orange	35,400	6	1	4	.11	0	
Passaic	69,000	7	1	1	.01	0	
Perth Amboy	47,100	7	1	1	.02	1	.02
Plainfield	31,700	5	1	1	.03	0	
Rahway	12,000	7	1	1	.08	0	
Red Bank		1	1	1		0	
Union City	63,100			2	.03		
West New York	39,200	6	1	2	.05		
New York:							
Binghamton	71,900	7	1	2	.03	0	
Cohoes	23,000	7	1	1	.04	0	
Corning	15,700	6	0	1	.06	0	
Cortland	13,900	7	1	13	.94	3	.22
Dunkirk	19,900	7	1	1	.05	0	
Elmira	48,400	5	1	3	.06	2	.04
Geneva	15,900	6	1	3	.19	0	
Glens Falls	17,900	7	0	6	.34	0	
Hornell	15,800	7	1	1	.06	0	
Hudson	11,800	5	1	1	.08	0	
Iliion	10,400	2	1	1	.10	0	
Ithaca	18,900	7	2	5	.26	1	.05
Jamestown	43,400	7	2	5	.12	1	.02
Johnson City		1	1	3		0	
Johnstown	10,700	4	0	1	.09	0	
Little Falls	12,400	7	1	3	.24	1	.08
Lockport	21,700	5	0	9	.41	0	
Middletown	20,400	7	1	17	.83	2	.10
New Rochelle	44,200	6	2	3	.07	2	.05

¹Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
New York—Continued.								
North Tonawanda	17,400	7	0	1	0.06	0		
Olean	21,300	7	1	3	.14	0		
Poughkeepsie	35,700	7	2	3	.08	0		
Rome	30,300	7	2	2	.07	0		
Saratoga Springs	13,900	7	1	1	.07	0		
Schenectady	92,800	6	3	8	.09	4	0.04	50.0
Troy	72,200	7	1	1	.01	0		
Watertown	32,800	7	2	4	.12	0		
White Plains	27,400	7	1	8	.29	2	.07	25.0
North Carolina:								
Asheville	31,500	7	1	10	.32			
Charlotte	53,300	5	0	8	.15	0		
Raleigh	30,400	7	0	1	.03	1	.03	100.0
Rocky Mount	15,100	5	0	1	.07	0		
Winston-Salem	69,000	6	1	2	.03	0		
North Dakota:								
Fargo	24,900	5	1	10	.40	3	.12	30.0
Ohio:								
Bellefontaine					1		0	
Cambridge	14,000	5	2	1	.07	0		
Cleveland Heights	22,200	3	0	1	.05	0		
East Cleveland	37,600	7	1	2	.05	0		
Elyria	23,800	7	0	3	.13	0		
Kenmore	19,400	4	1	1	.05	0		
Lorain	42,300	7	1	3	.07	0		
Mansfield	31,300	7	0	1	.03	0		
Marietta	15,300	1	2	2	.13	1	.07	50.0
Salem	11,100	4	0	1	.09	0		
Sandusky	24,500	6	0	2	.08	0		
Springfield	68,700	7	1	2	.03	0		
Steubenville	32,000	7	1	2	.06	0		
Oklahoma:								
Omulgee	25,300	1	0	3	.12	2	.08	66.7
Pennsylvania:								
Allentown	92,200	2	2	1	.01	0		
Altoona	66,100	7	2	1	.02	0		
Braddock	21,700	7	0	3	.14	0		
Butler	25,200	5	2	1	.04	0		
Carbondale	19,500	7	0	1	.05			
Carrick	13,000	5	0	1	.08			
Harrisburg	83,400	7	1			2	.02	
Lansford		4	0	1		1		100.0
New Castle	49,800	6	1	3	.06	0		
North Braddock	16,700	7	0	1	.06	0		
Oil City	23,300	7	1	2	.09			
Swissvale	12,900	4	0	1	.08	0		
Washington	23,000	7	0	7	.30			
West Chester		7	1	1		0		
Wilkinsburg	27,400	3	1	3	.11	1	.04	33.3
Windber				1		1		100.0
Rhode Island:								
Cranston	34,500	7	2	2	.06	0		
Newport	27,800	7	1	1	.04	0		
Pawtucket	69,800	6	1	1	.01	0		
Woonsocket	49,700					1	.02	
South Carolina:								
Charleston	73,100	1	1	8	.11	0		
Florence	13,200	1	0	1	.08	0		
Greenville	27,300	6	0	1	.04	0		
Spartanburg	25,500	4	0	6	.24	0		
Sumter		2	0	2		0		
South Dakota:								
Sioux Falls	30,100	7	1	1	.03	0		
Tennessee:								
Knoxville	95,500	7	0			1	.01	
Texas:								
Galveston	48,400	7	0	2	.04	1	.02	50.0
Utah:								
Odgen	36,900	5	0	2	.05	0		

Reported Prevalence for the Year 1925—Continued

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Vermont:								
Barre.....		5	0	1		0		
Bennington.....		2	1	1		1		
Burlington.....	24,100	6	1	1	0.04	0		100.0
Virginia:								
Charlottesville.....	11,200	3	0	1	.09	0		
Lynchburg.....	30,400	5	1	1	.03	0		
Petersburg.....	35,700	7	1	3	.08	2	0.06	66.7
Portsmouth.....	59,000	7	1	5	.08	0		
Roanoke.....	58,200	6	1	2	.03	0		
Washington:								
Aberdeen.....	16,200	6	1	1	.06	1	.06	100.0
West Virginia:								
Bluefield.....	19,300	3	2			1	.05	
Wisconsin:								
Eau Claire.....	22,400	7	1	6	.27	0		
Janesville.....	20,800	6	1	3	.14	2	.10	66.7
Kenosha.....	50,900	7	1	1	.02	0		
La Crosse.....	30,400	7	1	21	.69	17	.23	33.3
Madison.....	46,400	7	2	2	.04			
Racine.....	67,700	6	2	3	.04	2	.03	66.7
Sheboygan.....	33,500	6	1	2	.06	0		
Waukesha.....	14,700	1	1	1	.07	0		
Wausau.....	20,100	7	1	3	.15	1	.05	33.3

¹ Includes nonresidents.

RABIES IN MAN

City	Deaths registered, 1925	City	Deaths registered, 1925
Arizona:		Mississippi:	
Tucson.....	2	Jackson.....	1
Georgia:		Montana:	
Macon.....	1	Great Falls.....	1
Illinois:		New Jersey:	
Springfield.....	1	Bridgeport.....	1
Kansas:		Irvington.....	1
Pittsburg.....		North Carolina:	
Kentucky:		Raleigh.....	1
Newport.....	1	Ohio:	
Massachusetts:		Ironton.....	1
Arlington.....	1	Springfield.....	1
Holyoke.....	1		

RABIES IN ANIMALS

City	Cases reported, 1925	City	Cases reported, 1925
Alabama:		California—Continued.	
Dothan.....	8	Long Beach.....	3
Florence.....	6	Pomona.....	10
Mobile.....	14	Riverside.....	1
Tuscaloosa.....	2	Santa Barbara.....	7
Arkansas:		Connecticut:	
Little Rock.....	38	Greenwich.....	18
California:		Stamford.....	2
Alhambra.....	2	Florida:	
Berkeley.....	10	St. Petersburg.....	12
Eureka.....	3	Georgia:	
Fresno.....	6	Albany.....	4
Glenelde.....	4	Savannah.....	10

Reported Prevalence for the Year 1925—Continued

RABIES IN ANIMALS—Continued

City	Cases reported, 1925	City	Cases reported, 1925
Illinois:		New Jersey—Continued	
Decatur.....	1	Phillipsburg.....	2
Iowa:		Rahway.....	1
Burlington.....	1	Rutherford.....	2
Ottumwa.....	4	West New York.....	1
Kansas:		West Orange.....	4
Coffeyville.....	8	New Mexico:	
Emporia.....	15	Albuquerque.....	6
Fort Scott.....	4	New York:	
Topeka.....	1	Mount Vernon.....	5
Massachusetts:		White Plains.....	3
Arlington.....	3	North Carolina:	
Belmont.....	2	Greensboro.....	14
Brookline.....	1	New Bern.....	17
Clinton.....	2	Winston-Salem.....	19
Framingham.....	1	Ohio:	
Milton.....	1	Barberton.....	3
Northbridge.....	1	Cambridge.....	1
Watertown.....	9	Chillicothe.....	15
Winchester.....	2	Cleveland Heights.....	3
Michigan:		Conneaut.....	2
Hamtramck.....	4	Hamilton.....	2
Highland Park.....	2	Lancaster.....	3
Marquette.....	4	Middletown.....	3
Pontiac.....	13	Niles.....	1
Mississippi:		Norwood.....	15
Jackson.....	7	Sandusky.....	12
Laurel.....	5	Springfield.....	13
Missouri:		Oklahoma:	
Joplin.....	6	Sapulpa.....	1
Moberly.....	6	South Carolina:	
Springfield.....	10	Anderson.....	9
New Hampshire:		Florence.....	7
Manchester.....	1	Greenville.....	2
New Jersey:		Texas:	
Bayonne.....	7	Beaumont.....	3
Bloomfield.....	10	Cleburne.....	6
Bridgeton.....	1	Eastland.....	25
Clifton.....	4	Palestine.....	21
East Orange.....	7	Texarkana.....	20
Englewood.....	3	Virginia:	
Irvington.....	1	Alexandria.....	12
Kearny.....	6	Newport News.....	8
Lodi.....	1	Washington:	
Montclair.....	7	Yakima.....	7
Morristown.....	1	Wisconsin:	
Orange.....	2	Marinette.....	11
Passaic.....	3		

ROCKY MOUNTAIN SPOTTED FEVER

City	Cases reported, 1925	Deaths registered, 1925	City	Cases reported, 1925	Deaths registered, 1925
Idaho:			Montana:		
Pocatello.....	5	1	Butte.....	1	0
Kansas:			Missoula.....	7	6
Topeka.....	1	0	Ogden.....	1	0

Reported Prevalence for the Year 1925—Continued

SCARLET FEVER

City	Estimated population July 1, 1925	Estimated expectancy	1925				
			Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered
Alabama:							
Anniston	20,500	7	8	15	0.73	0	
Dothan	14,500	2	8	9	.62		
Florence	12,700	1	7	1	.08	0	
Mobile	66,000	7	25	25	.38	0	
Montgomery	46,500	5	32	26	.56	0	
Selma	17,000					1	0.06
Tuscaloosa	13,100			16	.76	0	
Arizona:							
Phoenix	38,700	2	38	66	1.71	0	
Tucson	26,700	5	6	58	2.17	0	
Arkansas:							
Hot Springs		3	3	2			
Little Rock	74,200	7	72	44	.59	0	
California:							
Alameda	31,900	7	44	42	1.32	0	
Alhambra		2	33	28		0	
Bakersfield	23,500	7	25	39	1.66	1	.04
Berkeley	66,200	4	69	37	.56	0	
Chico		2	16	7		0	
Eureka	13,500	5	38	2	.15	0	
Fresno	58,500	5	83	40	.68	0	
Glendale	21,300	4	41	40	1.88	0	
Long Beach	91,200	7	63	322	3.53	2	.03
Modesto		2	20	8		0	
Pasadena	56,700	7	93	28	.49	0	
Pomona	15,400	5	30	50	3.25	0	
Richmond	22,500	5	35	11	.49	0	
Riverside		7	20	41		0	
Sacramento	72,300	7	76	52	.72	0	
San Bernardino	22,800	7	14	26	1.14	0	
San Jose	43,600	5	51	176	3.90	3	.07
Santa Ana	19,500	5	24	64	3.28	0	
Santa Barbara	24,000	5	6	60	2.50	0	
Stockton	47,300	4	87	159	3.36	1	.02
Colorado:							
Boulder	11,800	6	15	5	.42	0	
Colorado Springs		7	51	104		3	
Greeley	12,500	2	15	27	2.16	1	.08
Pueblo	43,809	4	98	55	1.26	0	
Trinidad	11,000	7	30	12	1.09	0	
Connecticut:							
Danbury		4	21	22		0	
Fairfield	14,500	4	51	39	2.69	0	
Greenwich	25,300	7	46	70	2.77	0	
Manchester	21,000	6	48	115	5.48		
Meriden	36,300	3	32	84	2.31		
Milford	13,500	5	21	21	1.56	0	
New Britain	68,000	7	118	351	5.16	3	.04
New London	29,100	7	46	48	1.65	1	.03
Norwich	23,100	7	29	41	1.77	0	
Shelton		1	101	169		6	
Stamford	40,700	2	35	172	4.23	5	.12
Stratford	16,100	4	51	48	2.98	1	.08
Florida:							
St. Petersburg	26,800	2	55	22	.82	0	
Tampa	94,760	4	12			2	.02
West Palm Beach		2	1	9		0	
Georgia:							
Albany	13,500	4	7	2	.15	0	
Augusta	55,200	5	34	12	.22	0	
Brunswick	16,800	6	3	1	.06	0	
Lagrange	23,500	2	11	22	.94	0	
Macon	58,200	7	21	7	.12	0	
Rome	13,900	5	21	12	.86	0	
Savannah	93,100	6	43	24	.26	11	.01
Idaho:							
Boise	23,000	6	46	53	2.30		
Pocatello	18,300	7	9	1	.05	0	

¹ Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

SCARLET FEVER—Continued

City	Estimated population July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Illinois:								
Alton	26,800	6	50	121	4.51	2	0.07	1.7
Aurora	40,300	6	68	87	2.16	1	.02	1.1
Berwyn	18,900	3	40	120	6.35	0		
Bloomington	30,400	5	95	60	1.97	1	.03	1.7
Blue Island	13,200	5	46	59	4.47	1	.08	1.7
Centralia	14,100	6	12	15	1.06			
Champaign	18,200	7	38	23	1.26	0		
Chicago Heights	22,100	4	29	13	.59	0		
Cicero	62,200	7	61	225	3.62	0		
Danville	37,000	6	47	48	1.30	2	.05	4.2
Decatur	53,900	3	40	135	2.50	2	.04	1.5
East Moline		2	9	10		0		
East St. Louis	71,400	6	63	114	1.60	2	.03	1.8
Elgin	33,400	7	36	336	10.06	1	.03	.3
Evanston	43,900	7	80	274	6.24	1	.02	.4
Freeport	20,700	5	46	119	5.75	0		
Galesburg	24,800	7	21	64	2.58	0		
Jacksonville	15,900	7	37	55	3.46			
Joliet	40,600	2	70	67	1.65	0		
Kewanee	19,700	3	40	14	.71	0		
La Salle	13,900	6	13	4	.29	0		
Maywood	14,200	7	40	44	3.10	0		
Moline	33,900	7	23	75	2.21	0		
Murphysboro	12,500	3	20	48	3.84	1	.08	2.1
Oak Park	51,400	7	72	173	3.37	0		
Ottawa	11,500	5	27	42	3.65	1	.09	2.4
Pekin	13,300	7	29	24	1.80	0		
Peoria	81,600	7	203	350	4.29	1	.01	.3
Quincy		7	47	43		0		
Rock Island	40,000	7	28	20	.50	1	.02	5.0
Rockford	76,500	4	73	64	.84	1	.01	1.6
Springfield	63,900	4	58	125	1.97	2	.03	1.6
Streator	15,100	3	43	22	1.46	0		
Waukegan	22,000	4	52	35	1.59			
Indiana:								
Anderson	33,900	6	47	14	.41	0		
Bloomington	12,600	3	15	8	.63	0		
Connersville	12,500	1	37	26	2.08	0		
Crawfordsville	10,500	6	36	38	3.62	1	.10	2.6
East Chicago	45,600	7	31	29	.64	2	.04	6.9
Elkhart	27,100	5	59	103	3.80			
Elwood		6	6	1		0		
Fort Wayne	97,800	7	146	195	1.99	4	.04	2.1
Frankfort	13,100	7	26	25	1.91	0		
Gary	76,900	5	81	121	1.57	16	.13	8.3
Hammond	50,400	6	96	51	1.01	1	.02	2.0
Huntington	15,900	5	42	164	10.31	4	.25	2.4
Kokomo	36,900	7	42	16	.43	0		
La Fayette	23,800	7	45	57	2.39	0		
Logansport	23,100	7	29	112	4.85	1	.04	.9
Michigan City	20,300	3	56	20	.99	2	.10	10.0
Mishawaka	16,700	5	50	300	17.96	2	.12	.7
Muncie	42,500	7	25	140	3.29	0		
New Albany		4	5	19		0		
Newcastle	17,000	7	13	10	.59	0		
Peru	12,700	2	12	19	1.50	0		
Richmond	30,500	7	22	52	1.70	0		
South Bend	80,100	6	159	310	3.87	2	.02	.6
Terre Haute	71,100	6	102	248	3.49	2	.03	.8
Whiting	12,200	4	9	7	.57	0		
Iowa:								
Boone	12,800	4	28	37	2.89	0		
Burlington	26,400	7	47	187	7.08	0		
Cedar Rapids	50,600	5	55	51	1.01	1	.02	2.0
Clinton	26,400	6	29	37	1.40	0		
Council Bluffs	39,800	5	68	43	1.08	0		
Dubuque	41,000	6	44	38	.93	1	.02	2.6
Fort Dodge	21,700	4	22	3	.14	0		
Iowa City	15,300	3	19	9	.59			
Marshalltown	16,900	3	26	11	.65			
Mason City	22,700	7	48	27	1.19	0		
Muscatine	16,800	6	29	41	2.44	0		
Waterloo	36,800	4	73	66	1.79	0		

Reported Prevalence for the Year 1925—Continued

SCARLET FEVER—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Kansas:								
Arkansas City	14,000			14	1.00	0		
Coffeyville	16,200	6	16	18	1.11	0		
Emporia	12,200	2	40	53	4.34	1	0.08	1.9
Fort Scott	11,800	7	7	15	1.27	0		
Hutchinson	26,000	5	72	21	.81			
Lawrence	12,300	7	30	27	2.20	0		
Leavenworth	20,900	7	18	14	.67			
Parsons	14,800	4	21	6	.41	1	.07	16.7
Pittsburg	19,200	6	26	28	1.46	1	.05	3.6
Topeka	55,400	6	139	118	2.13	0		
Wichita	88,400	7	110	91	1.03	0		
Kentucky:								
Covington	58,300	5	95	70	1.20	1	.02	1.4
Henderson	12,600	3	16	8	.63	0		
Newport		5	49	25		0		
Paducah	25,900	7	32	53	2.05	0		
Louisiana:								
Baton Rouge	27,800	5	13	9	.32	0		
Lake Charles		3	5	2		1		50.0
Shreveport	57,900	3	18	36	.62	0		
Maine:								
Auburn	18,100	4	32	33	1.82	0		
Bangor	26,600	5	15	26	.98	1	.04	3.8
Bath	17,800	5	15	18	1.01	1	.06	5.6
Biddeford	18,500	5	9	14	.76	0		
Lewiston	34,960	6	96	51	1.46	0		
Portland	75,300	7	131	203	2.70	4	.05	2.0
Sanford	11,600	6	14	14	1.21	1	.09	7.1
South Portland		1	6	15				
Waterville		7	14	13	.90	0		
Westbrook				60		0		
Massachusetts:								
Adams	13,500	7	11	10	.74	0		
Amesbury	11,200	4	20	40	3.57	0		
Arlington	24,900	7	47	46	1.85	0		
Athol		1	37	7		1		14.3
Attleboro	20,600	7	35	40	1.94	1	.05	2.5
Belmont	15,300	5	34	24	1.57	1	.07	4.2
Beverly	22,700	7	42	107	4.71	2	.09	7.1
Braintree	13,200	5	37	18	1.36	0		
Brockton	65,300	7	148	69	1.06	1	.02	1.4
Brookline	42,700	7	65	54	1.26	0		
Chelsea	47,200	7	105	105	2.22	0		
Chicopee	41,900	7	42	66	1.58	1	.02	1.5
Clinton	14,200	7	26	108	7.61	0		
Danvers	11,800	7	22	59	5.00	0		
Dedham	13,900	5	35	28	2.01	0		
Easthampton	11,600	6	15	13	1.12	0		
Everett	42,100	7	110	184	4.37	2	.05	1.1
Framingham	21,100	7	45	141	6.68	0		
Gardiner	18,700	7	32	26	1.39	0		
Gloucester	23,400			35	1.50	0		
Greenfield	15,200	7	35	77	5.07	0		
Haverhill	49,200	4	68	123	2.50	2	.04	1.6
Holyoke	60,300	7	59	52	.86	0		
Lawrence	93,500	5	84	173	1.85	5	.05	2.9
Leominster	22,100	7	48	18	.81	0		
Malden	51,800	7	153	159	3.07	2	.04	1.3
Marlboro	16,200	6	18	53	3.27	0		
Medford	47,600	7	105	153	3.21	0		
Melrose	20,200	7	43	57	2.82	2	.10	3.5
Methuen	20,600	6	55	89	4.32	2	.10	2.2
Milford	14,800	3	29	42	2.84	2	.14	4.8
Milton		1	24	23		0		
Newburyport	15,700	7	14	78	4.97	0		
Newton	53,000	7	117	104	1.96	0		
North Adams	22,700	7	13	12	.53	0		
Northampton	24,100	7	42	91	3.78	0		
Northbridge	10,100	7	11	7	.69	0		
Palmer		2	2	37		0		
Peabody	19,900	7	52	58	2.91	0		

Reported Prevalence for the Year 1925—Continued

SCARLET FEVER—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Massachusetts—Continued.								
Pittsfield	46,900	7	114	89	1.90	2	0.04	2.2
Plymouth	13,200	5	19	17	1.29	0	—	—
Quincy	60,100	7	141	129	2.15	0	—	—
Revere	33,300	1	77	112	3.36	1	.03	.9
Salem	42,800	7	91	130	3.04	0	—	—
Saugus	12,700	6	44	22	1.73	0	—	—
Somerville	99,000	7	204	226	2.28	3	.03	1.3
Southbridge	15,500	7	13	1	.06	0	—	—
Taunton	39,300	5	45	53	1.35	1	.03	2.0
Wakefield	15,600	5	48	.51	3.27	0	—	—
Waltham	34,700	7	70	122	3.52	0	—	—
Watertown	25,500	7	31	62	2.43	0	—	—
West Springfield	15,300	5	31	79	5.16	—	—	—
Westfield	19,300	7	42	14	.73	0	—	—
Winchester	11,600	7	21	16	1.38	0	—	—
Winthrop	16,200	7	41	24	1.48	0	—	—
Woburn	18,400	7	33	13	.71	0	—	—
Michigan:								
Adrian	12,500	3	8	160	12.80	1	.08	.6
Ann Arbor	22,200	7	41	92	4.14	1	.05	1.1
Battle Creek	42,300	7	222	73	1.73	1	.02	1.4
Bay City	48,900	7	109	137	2.80	4	.08	2.9
Benton Harbor	14,000	7	37	10	.71	0	—	—
Cadillac		3	10	26	—	0	—	—
Hamtramck	81,700	5	38	20	.24	0	—	—
Highland Park	72,300	7	169	137	1.89	2	.03	1.5
Holland	13,100	6	48	32	2.44	0	—	—
Ironwood	17,400	7	99	78	4.48	0	—	—
Ishpeming		5	25	12	—	0	—	—
Jackson	58,000	4	151	183	3.16	3	.05	1.6
Kalamazoo	53,600	7	265	68	1.27	0	—	—
Lansing	70,800	6	140	267	3.77	3	.04	1.1
Marquette	13,400	6	37	17	1.27	0	—	—
Muskegon	43,100	6	90	109	2.53	0	—	—
Muskegon Heights		2	89	28	—	0	—	—
Pontiac	47,500	7	175	349	7.35	2	.04	.6
Port Huron	30,000	6	65	217	7.23	7	.23	3.2
River Rouge		2	40	41	—	2	—	4.9
Saginaw	72,100	5	212	68	.94	1	.01	1.5
Sault Ste. Marie		7	27	30	—	2	—	6.7
Minnesota:								
Albert Lea		1	24	3	—	0	—	—
Austin	11,900	5	35	34	2.86	—	—	—
Brainerd		1	14	16	—	0	—	—
Faribault	12,300	4	33	20	1.63	0	—	—
Hibbing	18,000	6	80	61	3.39	0	—	—
Mankato	13,700	6	23	58	4.23	2	.15	3.4
Rochester	17,000	3	20	28	1.65	1	.06	3.6
St. Cloud	18,900	3	37	14	.74	1	.05	7.1
Virginia	16,000	1	230	66	4.12	1	.06	1.5
Winona	19,500	5	25	48	2.46	—	—	—
Mississippi:								
Biloxi	12,600	4	2	3	.24	0	—	—
Jackson	23,700	2	14	23	.97	1	.04	4.3
Laurel	15,700			5	.32	—	—	—
Meridian	24,300	1	47	3	.12	—	—	—
Natchez	13,100			3	.23	0	—	—
Missouri:								
Independence	12,700	2	99	40	3.15	2	.16	5.0
Joplin		6	30	33	—	1	—	3.0
Moberly	13,900	5	39	34	2.45	0	—	—
St. Joseph	78,300	7	109	88	1.12	0	—	—
Springfield	42,100	5	43	141	3.35	3	.07	2.1
Montana:								
Anaconda	12,500	6	27	9	.72	0	—	—
Butte	42,900	5	39	16	.37	0	—	—
Great Falls	29,900	4	51	258	8.63	1	.03	.4
Helena		3	64	103	—	1	—	1.0
Missoula		7	26	43	—	0	—	—

Reported Prevalence for the Year 1925—Continued

SCARLET FEVER—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Nebraska:								
Grand Island	15,600	7	17	17	1.09			
Lincoln	60,900	7	87	62	1.02	1	0.02	1.6
North Platte	13,700	3	26	17	1.24	0		
Nevada:								
Reno	12,700	7	15	17	1.34	1	.08	5.9
New Hampshire:								
Berlin	18,600	5	22	11	.59	0		
Claremont		2	7	36		0		
Concord	22,500	7	38	63	2.80	0		
Dover		7	6	27		0		
Keene	11,900	6	27	23	1.93	0		
Manchester	83,100	6	70	500	6.02	6	.07	1.2
Nashua	29,700	4	44	72	2.42	0		
Portsmouth	14,900	7	14	22	1.48			
New Jersey:								
Asbury Park	13,700	7	15	16	1.17	2	.15	12.5
Bayonne	88,500	6	78	149	1.68	1	.01	.7
Bellefonte	18,900	7	42	38	2.01	0		
Bloomfield	26,000	5	60	68	2.62	0		
Bridgeton	14,400	6	18	39	2.71	1	.07	2.6
Carteret	14,000	2	23	4	.29	0		
Clifton	34,700	3	40	152	4.38	2	.06	1.3
Collingswood		1	54	25				
Dover		2	12	26		0		
East Orange	60,000	7	104	206	3.43	1	.02	.5
Englewood	12,600	7	32	34	2.70	0		
Garfield	24,600	3	27	59	2.40	0		
Gloucester City	13,700	3	4	22	1.6!	0		
Hackensack	19,700	6	39	28	1.42	0		
Harrison	16,400	6	33	66	4.02			
Hoboken		4	59	37		0		
Irvington	33,200	5	92	122	3.67	0		
Kearny	31,300	7	81	209	6.68	0		
Lodi		1	7	5		0		
Long Branch	13,600	7	32	10	.74	0		
Montclair	32,900	6	58	41	1.25	0		
Morristown	12,600	7	25	25	1.98	0		
New Brunswick	38,000	7	40	28	.74	0		
Nutley			51			0		
Orange	35,400	4	53	58	1.64	0		
Passaic	69,000	5	79	171	2.48	4	.06	2.3
Perth Amboy	47,100	7	87	40	.85	0		
Phillipsburg	18,600	4	22	25	1.34			
Plainfield	31,700	5	56	85	2.68	1	.03	1.2
Rahway	12,000	7	29	36	3.00	0		
Red Bank		1	10	11		1		9.1
Ridgefield Park		2	34	29				
Rutherford		2	33	60		0		
Summit	11,700	5	19	57	4.87	0		
Union City	63,100			50	.79			
West New York	39,200	7	36	100	2.55	1	.03	1.0
West Orange	18,200	7	43	65	3.57	0		
New Mexico:								
Albuquerque	21,000	2	23	67	3.19	0		
New York:								
Amsterdam	35,300	2	43	122	3.46	0		
Binghamton	71,900	5	123	249	3.46	2	.03	.8
Cohoes	23,600	7	27	60	2.61	0		
Corning	15,700	6	8	7	.45	0		
Cortland	13,900	7	36	5	.36	0		
Dunkirk	19,900	6	62	75	3.77	0		
Elmira	48,400	5	46	53	1.10	1	.02	1.9
Freeport		1	10	31				
Geneva	15,900	6	25	8	.50	0		
Glens Falls	17,900	7	5	45	2.51	0		
Gloversville	22,100	7	10	27	1.22	0		
Hornell	15,800	6	13	5	.32	0		
Hudson	11,800	5	12	8	.68	0		
Ithion	10,400	2	7	10	.96	0		
Ithaca	18,900	7	48	41	2.17	0		
Jamestown	43,400	7	110	152	3.50	1	.02	.7

Reported Prevalence for the Year 1925—Continued

SCARLET FEVER—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
New York—Continued.								
Johnson City		1	102	34		0		
Johnstown	10,700	4	2	27	2.52	0		
Kingston	28,100	6	24	97	3.45	1	0.04	1.0
Lackawanna	20,200	7	51	15	.74	0		
Little Falls	12,400	7	17	8	.65	0		
Lockport	21,700	5	70	41	1.89	0		
Middletown	20,400	7	30	34	1.67	0		
Mount Vernon	50,400	7	37	161	3.19	0		
New Rochelle	44,200	6	73	50	1.13	1	.02	2.0
Newburgh	30,400	7	41	207	6.81	0		
Niagara Falls	57,000	4	104	141	2.47	1	.02	.7
North Tonawanda	17,400	7	90	73	4.20	1	.06	1.4
Olean	21,300	5	35	80	3.76	3	.14	3.7
Peekskill	18,000	6	30	31	1.72	0		
Poughkeepsie	35,700	7	54	17	.48	1	.03	5.9
Rensselaer	11,400	3	21	13	1.14	0		
Rome	30,300	4	38	149	4.92	0		
Salamanca		1	47	8		0		
Saratoga Springs	13,900	7	14	74	5.32	1	.07	1.4
Schenectady	92,800	7	204	93	1.00	1	.01	1.1
Troy	72,200	7	50	90	1.25	1	.03	1.1
Watertown	32,800	5	60	66	2.01	1	.03	1.5
Watervliet	16,200	5	15	13	.80	1	.06	7.7
White Plains	27,400	6	46	35	1.28	1	.04	2.9
North Carolina:								
Asheville	31,500	7	42	39	1.24			
Charlotte	53,300	4	41	46	.36	0		
Greensboro	47,100	2	52	64	1.36	0		
High Point	23,600	1	48	69	2.92	0		
New Bern	12,200	2	2	3	.25	0		
Raleigh	30,400	7	43	38	1.25	0		
Rocky Mount	15,100	5	19	16	1.06	0		
Salisbury	17,700	3	24	21	1.19	0		
Wilmington	37,100	7	41	40	1.08	0		
Wilson	12,800	2	10	30	2.34	0		
Winston-Salem	69,000	6	57	73	1.06	0		
North Dakota:								
Fargo	24,900	3	35	139	5.58	0		
Ohio:								
Alliance	25,000	2	33	41	1.64	0		
Ashland	25,100	7	39	85	3.39	0		
Barberton	23,300	6	34	21	.90	0		
Bellaire	16,300	4	24	6	.37	0		
Bellefontaine				43		1		2.3
Bucyrus	11,700	5	29	32	2.74	0		
Cambridge	14,000	5	20	18	1.29	0		
Chillicothe	16,600	7	52	30	1.81	0		
Cleveland Heights	22,200	3	100	45	2.03	0		
Conneaut		2	17	111		1		.9
Coshocton	11,600	3	1	14	1.21	0		
Cuyahoga Falls	13,700	4	18	18	1.31	1	.07	5.6
East Cleveland	37,400	7	42	86	2.29	0		
East Liverpool	22,000	3	46	44	2.00	0		
East Youngstown (Campbell)	16,000	5	19	46	2.87	1	.06	2.2
Elyria	23,800	7	36	19	.80	0		
Findlay	18,200	7	18	30	1.65	1	.05	3.3
Fostoria		3	19	8		0		
Fremont	13,900	7	25	23	1.65	0		
Hamilton	42,400	5	41	33	.78	4	.09	12.1
Ironton	14,500	2	12	58	4.00	0		
Kenmore	19,400	4	40	57	2.94	2	.10	3.5
Lakewood	56,800	4	47	67	1.18	0		
Lancaster	16,100	3	13	19	1.18	0		
Lima	46,700	7	75	105	2.25	0		
Lorain	42,300	5	91	145	3.43	1	.02	.7
Mansfield	31,800	7	16	160	5.03	2	.06	1.2
Marietta	15,300	3	9	11	.72	0		
Marion	32,500	4	35	8	.25	0		
Martins Ferry	15,500	6	28	27	1.74	1	.06	3.7
Middletown	30,800	7	29	36	1.17	0		

Reported Prevalence for the Year 1925—Continued

SCARLET FEVER—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Ohio—Continued.								
Newark	30,500	7	53	63	2.07	0		
Niles	16,600	5	39	89	5.36			
Norwood	29,900	7	31	39	1.30	0		
Piqua	16,000	7	10	33	2.06			
Salem	11,100	5	63	20	1.80	0		
Sandusky	24,500	7	23	200	8.16	0		
Springfield	68,700	5	92	316	4.60			
Steubenville	32,000	7	35	15	.47	0		
Zanesville	30,400	7	39	144	4.74	0		
Oklahoma:								
Ardmore	17,200	1	5	35	2.03	5	0.29	14.3
Omulgee	25,300	1	35	54	2.13	0		
Sapulpa	14,200	1	9	12	.85	0		
Oregon:								
Astoria	16,500	7	8	3	.18	0		
Eugene	11,400	7	28			21	1.84	
Pennsylvania:								
Allentown	92,200	4	180	34	.37	0		
Altoona	66,100	7	62	40	.61	1	.02	2.5
Beaver Falls	13,100	3	40	13	.99			
Braddock	21,700	7	32	35	1.61	0		
Bradford	15,800	6	20	27	1.71	0		
Butler	25,200	7	40	87	3.45	1	.04	1.1
Carbondale	19,500	7	12	5	.26			
Carlisle	11,400	7	18	158	13.86			
Carnegie	12,400	3	18	34	2.74	0		
Carrick	13,000	5	27	44	3.68			
Chambersburg	13,900	7	8	52	3.74	0		
Charleroi	12,600	7	19	5	.40			
Clairton	14,900	2	39	55	3.69	0		
Coatesville	16,500	6	25	11	.67	0		
Columbia				15				
Connellsville	14,300	6	54	94	6.57	0		
Dubois	14,300	3	28	21	1.47			
Duquesne	20,900	3	28	70	3.35	3	.14	4.3
Easton	36,800	6	26	19	.52	1	.03	5.3
Farrell	18,700	3	35	54	2.89	1	.05	1.9
Greensburg	16,100	1	32	76	4.72	0		
Harrisburg	83,400	7	124	426	5.11	2	.02	.5
Hazleton	36,100	7	27	6	.17	0		
Homestead	21,400	7	27	113	5.28	1	.05	.9
Jeanette	11,700	5	23	43	3.68	2	.17	4.7
Kingston	18,000	2	21	23	1.28	0		
Lancaster	56,500	4	106	59	1.04	2	.04	3.4
Lansford		5	2	1		0		
Latrobe				32				
Lewistown		3	28	122		1		.8
McKee Rocks	18,100	3	28	7	.39	0		
McKeesport	49,100	7	29	82	1.67	1	.02	1.2
Meadville	15,600	3	11	40	2.56			
Monessen	21,200	6	33	18	.86	0		
Mount Carmel		3	4	1		0		
Nanticoke	24,700	6	22	14	.57	0		
New Castle	49,800	6	97	219	4.40	3	.06	1.4
Norristown	34,800	7	36	8	.23	0		
North Braddock	16,780	7	27	26	1.56	0		
Oil City	23,300	5	38	59	2.53			
Olyphant	11,200	6	4	7	.62	1	.00	14.3
Phoenixville		4	7	3				
Pittston	19,800	7	7	10	.51			
Plymouth		6	11	9		1		11.1
Pottstown	18,500	2	8	8	.43	0		
Sharon	25,000	5	41	146	5.84	0		
Steelton		7	20	37		0		
Sunbury	16,800	7	25	85	5.06	1	.06	1.2
Swissvale	12,900	4	58	73	5.66	0		
Uniontown		5	63	49		0		
Vandergrift		1	27	27		1		3.7
Warren	15,100	7	32	33	2.19	0		
Washington	23,000	7	54	60	2.61			
Waynesboro				29				

Reported Prevalence for the Year 1925—Continued

SCARLET FEVER—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Pennsylvania—Continued.								
West Chester		7	17	43				
Wilkes-Barre	77,600	3	46	74	0.95			
Wilkinsburg	27,400	1	16	39	3.25			
Windber		5	17	3		0		
Woodlawn	18,900	3	61	45	2.38	1	0.05	2.2
York	49,100			63	1.32	2	.04	3.1
Rhode Island:								
Central Falls	25,400	4	17	18	.71			
Cranston	34,500	7	38	52	1.51	0		
Newport	27,800	6	69	33	1.19	1	.04	3.0
Pawtucket	69,800	4	52	75	1.07	0		
Woonsocket	49,700	1	38	36	.72	1	.02	2.8
South Carolina:								
Anderson	11,100	4	7	6	.54	0		
Charleston	73,100	1	41	22	.30	0		
Florence	13,200	1	14	3	.23	0		
Greenville	27,300	6	23	9	.33	1	.04	
Spartanburg	25,500	4	25	9	.35	0		
Sumter		2	6	3		0		
South Dakota:								
Aberdeen	15,000	2	74	45	3.00			
Sioux Falls	30,100	5	65	178	5.91	1	.03	.6
Tennessee:								
Chattanooga	66,600	4	53	116	1.74			
Knoxville	95,500	4	75	118	1.24	3	.03	2.5
Texas:								
Amarillo	17,800	6	41	51	2.87	1	.06	2.0
Beaumont	50,600	5	3	19	.38	0		
Cleburne	14,200	5	1	4	.28	0		
Eastland		1	5	10		0		
Galveston	48,400	7	10	8	.17	0		
Greenville	14,400	1	5	16	1.11	0		
Orange				8		0		
Palestine	11,400			4	.35			
Texarkana	12,400	6	10	9	.73	0		
Tyler	13,000	7	6	3	.23	0		
Waco	43,900	6	21	19	.43	0		
Utah:								
Ogden	36,900	7	19	29	.79	0		
Provo	11,200	2	10	2	.18	0		
Vermont:								
Barre		6	23	34		0		
Bennington		2	9	15		0		
Burlington	24,100	5	30	32	1.33	0		
Rutland	15,800	4	11	19	1.20	0		
Virginia:								
Alexandria	18,500	6	15	24	1.30	0		
Charlottesville	11,200	4	6	21	1.87	0		
Danville	23,000	7	30	24	1.04			
Lynchburg	30,400	6	33	75	2.47	1	.03	1.3
Newport News	47,100	6	30	21	.45	0		
Petersburg	35,700	7	30	16	.45	0		
Portsmouth	59,000	7	27	47	.80	0		
Roanoke	58,200	6	85	65	1.12	1	.02	1.5
Suffolk				4		0		
Washington:								
Aberdeen	16,200	6	9	13	.80	0		
Bremerton		2	17	19		0		
Everett	29,300	7	18	2	.07			
Hoquiam	11,100			3	.27	0		
Vancouver	14,500	6	23	35	2.41	0		
Walla Walla		3	2	6		0		
Yakima	22,700	7	23	31	1.37	0		
West Virginia:								
Bluefield	19,300	4	56	91	4.72	0		
Charleston	49,000	7	60	41	.84	0		
Clarksburg	30,400	3	66	23	.76	0		
Fairmount	21,000	5	35	36	1.71			
Huntington	63,500	3	36	96	1.51			
Martinsburg	13,500	5	16	24	1.78	1	.07	4.2
Morgantown	13,800	2	12	12	.87	2	.14	16.7
Parkersburg	21,300	5	21	52	2.44	1	.05	1.9
Wheeling		5	85	159		0		

Reported Prevalence for the Year 1925—Continued

SCARLET FEVER—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Wisconsin:								
Appleton	21,100	5	47	46	2.18	0		
Ashland		6	11	56				
Beloit	24,800	5	71	92	3.71	0		
Eau Claire	22,400	6	60	36	4.29	0		
Fond du Lac	26,000	4	32	40	1.54	0		
Green Bay	34,300	5	53	55	1.60	2	0.06	3.6
Janesville	20,800	6	45	35	1.68	1	.05	2.9
Kenosha	50,900	5	81	134	2.63	1	.02	.7
La Crosse	30,400	7	72	24	.79	0		
Madison	46,400	7	133	151	3.25			
Manitowoc	22,100	3	37	24	1.09	0		
Marinette		7	39	18		0		
Oshkosh	33,200	7	37	111	3.34	2	.06	1.8
Racine	67,700	6	405	104	1.54			
Sheboygan	33,500	6	87	166	4.96	4	.12	2.4
Superior		6	103	388		3		.8
Waukesha	14,700	1	101	37	3.52	0		
Wausau	20,100	7	38	211	10.50	1	.05	.5
West Allis	18,400	5	27	46	2.50	0		
Wyoming:								
Cheyenne	15,500			14	.90	0		

SEPTIC SORE THROAT

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:						
Tuscaloosa	13,100	15	1.15	0		
California:						
Santa Ana	19,500	1	.05	1	.05	1.0
Colorado:						
Colorado Springs		2		0		
Connecticut:						
Danbury		2		0		
Fairfield	14,500	3	21	1	.07	3.0
Manchester	21,000	1	.05			
Norwich	23,100	2	.09	0		
Stratford	16,100	1	.06	0		
Georgia:						
Lagrange	23,500	3	.13	0		
Illinois:						
Aurora	40,300	3	.07	0		
Danville	37,000	20	.54	0		
Quincy		1		1		1.0
Indiana:						
Jeffersonville		3				
Kansas:						
Lawrence	12,300	1	.08	0		
Kentucky:						
Henderson	12,600	1	.08	0		
Paducah	25,900	1	.04	0		
Maine:						
Auburn	18,100	5	.28	0		
South Portland		15				
Waterville	14,400	2	.14	0		
Massachusetts:						
Belmont	15,300	1	.07	0		
Beverly	22,700	3	.13	0		
Dedham	13,900	1	.07	0		
Framingham	21,100	2	.09	0		
Haverhill	49,200	2	.04	0		
Lawrence	93,500	1	.01	1	.01	1.0
Medford	47,600	2	.04	0		

Reported Prevalence for the Year 1925—Continued

SEPTIC SORE THROAT—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Massachusetts—Continued.						
Peabody	19,900	2	0.10	0		
Salem	42,800			1	0.02	
Somerville	99,000	2	.02	0		
Taunton	39,300	1	.03	0		
Westfield	19,300	1	.05	0		
Winchester	11,600	1	.09	0		
Winthrop	16,200	1	.06	0		
Michigan:						
Muskegon	43,100	1	.02	0		
Pontiac	47,500	405	8.53	0		
Port Huron	30,000	102	3.40	0		
Mississippi:						
Biloxi	12,600	1	.08	0		
Missouri:						
Springfield	42,100	1	.02	0		
Montana:						
Butte	42,900	1	.02	0		
Nebraska:						
Lincoln	60,900	2	.03	2	.03	1.0
New Hampshire:						
Manchester	83,100	1	.01	0		
New Jersey:						
Belleville	18,900	1	.05	0		
East Orange	60,000			2	.03	
Montclair	32,900	2	.06	0		
Orange	35,400	1	.03	1	.08	1.0
Passaic	69,000			1	.01	
New York:						
Amsterdam	35,300	42	1.19	0		
Dunkirk	19,900	12	.60	0		
Elmira	48,400	4	.08	2	.04	2.0
Jamestown	43,400	4	.09	0		
Johnson City		1		0		
Kingston	28,100	1	.04	0		
Lackawanna	20,200	1	.05	0		
Mount Vernon	50,400	8	.16	1	.02	8.0
Newburgh	30,400	1	.03	0		
Olean	21,300	2	.09	0		
Rome	30,300	3	.10	0		
Saratoga Springs	13,900	1	.07	0		
Schenectady	92,800	3	.03	0		
Watertown	32,800			3	.09	
White Plains	27,400	3	.11	0		
North Carolina:						
Greensboro	47,100	1	.02	0		
Ohio:						
Fostoria		1		0		
Kenmore	19,400	7	.36	1	.05	7.0
Oklahoma:						
Ardmore	17,200	5	.29	0		
Pennsylvania:						
Pottstown	18,500			1	.05	
Sunbury	16,800	151	8.99			
Rhode Island:						
Cranston	34,500	1	.03	1	.03	1.0
Woonsocket	49,700			2	.04	
Virginia:						
Alexandria	18,500	8	.43	0		
West Virginia:						
Bluefield	19,300			2	.10	
Wisconsin:						
Marinette	13,600			1		

Reported Prevalence for the Year 1925—Continued

SMALLPOX

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Alabama:								
Anniston	20,500	5	6	77	3.76	0		
Mobile	66,000	5	76	8	.12	0		
Montgomery	46,500	3	3	43	.92	0		
Tuscaloosa	13,100			179	13.66	2	0.15	1.1
Arizona:								
Phoenix	38,700			1	.03	0		
Tucson	26,700	4	23	6	.22	0		
Arkansas:								
Hot Springs		3	12	1				
Little Rock	74,200	7	11	2	.03	0		
California:								
Alameda	31,900	7	8	5	.16	0		
Alhambra		2	45	8		0		
Bakersfield	23,500	5	6	2	.09	0		
Berkeley	66,200	7	4	66	1.00	0		
Chico		2	2	2		0		
Eureka		6	3	4	.30	0		
Fresno	58,500	4	17	3	.05	0		
Glendale	21,300	5	5	27	1.27	0		
Long Beach	91,200	3	15	119	1.30	0		
Pasadena	56,700	7	10	29	.51	0		
Pomona	15,400	4	54	29	1.88	0		
Richmond	22,500	5	2	38	1.69	0		
Riverside		6	23	4		0		
Sacramento	72,300	5	10	120	1.66	0		
San Bernardino	22,800	6	7	69	3.03	0		
San Jose	43,600	3	18	56	1.28	0		
Santa Ana	19,500	5	11	22	1.13	0		
Santa Barbara	24,000	4	8	17	.71	0		
Stockton	47,300	4	33	8	.17	0		
Vallejo	26,600	4	2	1	.04	0		
Colorado:								
Pueblo	43,800	3	1	2	.05	0		
Connecticut:								
Norwich	23,100	7	0	1	.04	0		
Florida:								
St. Petersburg	26,800	2	38	86	3.21	0		
Tampa	94,700	3	2	31	.33	0		
West Palm Beach		2	2	1		0		
Georgia:								
Albany	13,500	4	5	1	.07	0		
Augusta	55,200	5	16	75	1.36	1	.02	1.3
Lagrange	23,500	2	23	10	.43	0		
Macon	58,200	7	22	34	.58	0		
Rome	13,900	5	6	2	.14	0		
Savannah	93,100	6	20	3	.03	0		
Idaho:								
Boise	23,000	4	27	46	2.00	0		
Pocatello	18,300	4	9	7	.38	0		
Illinois:								
Alton	26,800	4	8	137	5.11	1	.04	.7
Bloomington	30,400			109	3.59	1	.03	.9
Chicago Heights	22,100	4	2	2	.09	0		
Danville	37,000	6	6	6	.16	0		
Decatur	53,900	2	2	8	.45	0		
East St. Louis	71,400	4	20	101	1.41	1	.01	1.0
Elgin	33,400	5	3	1	.03	0		
Evanston	43,900	7	2	14	.32	1	.02	7.1
Freeport	20,700	2	7	2	.10	0		
Galesburg	24,800	4	9	1	.04	0		
Jacksonville	15,900	4	2	1	.06	0		
Joliet	40,600	4	5	23	.57	3	.07	13.0
Maywood	14,200	7	1	1	.07	0		
Murphysboro	12,500			4	.32	0		
Peoria	81,600	4	23	28	.34	0		
Quincy		7	14	8		0		
Rock Island	40,000	5	22	6	.15	0		
Rockford	76,500	5	10	6	.08	0		
Springfield	63,900	4	4	2	.03	0		
Waukegan	22,000	3	10	20	.91	0		

Reported Prevalence for the Year 1925—Continued

SMALLPOX—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Indiana:								
Anderson	33,900	4	29	19	0.56	0		
Crawfordsville	10,500	5	2	1	.10	0		
Elwood		6	12	30		0		
Fort Wayne	97,800	4	59	13	.13	0		
Frankfort	13,100	7	5	5	.38	0		
Gary	76,900	4	44	32	.42	0		
Hammond	50,400	5	34	16	.32	0		
Huntington	15,900	3	8	26	1.64	0		
Jeffersonville		4	1	6		0		
Kokomo	36,900	5	14	105	2.85	0		
La Fayette	23,800	5	4	8	.34	0		
Logansport	23,100	5	32	173	7.49	0		
Mishawaka	16,700	7	9	4	.24	0		
Muncie	42,500	5	29	15	.35	0		
New Albany		5	2	6		0		
Newcastle	17,000	7	7	1	.06	0		
Peru	12,700			91	7.17	1	0.08	1.1
Richmond	30,500	7	17	7	.23	0		
South Bend	80,100	4	27	56	.70	1	.01	1.8
Terre Haute	71,100	6	45	177	2.49	0		
Iowa:								
Boone	12,800	4	26	37	2.89	0		
Burlington	26,400	7	20	7	.27	1	.04	14.3
Cedar Rapids	50,600	3	11	71	1.40	14	.28	19.7
Clinton	26,400	3	16	24	.91	0		
Council Bluffs	39,800	5	42	170	4.27	0		
Dubuque	41,000	4	8	2	.05	0		
Iowa City	15,300	4	1	1	.07			
Marshalltown	16,900	3	4	1	.06			
Mason City	22,700	7	84	85	3.74	4	.18	4.7
Waterloo	36,800			124	3.37	0		
Kansas:								
Arkansas City	14,000		2		.14	0		
Coffeyville	16,200	6	7	12	.74	0		
Emporia	12,200	2	22	3	.24	1	.08	33.3
Hutchinson	26,000	2	9	4	.15			
Lawrence	12,300	7	6	5	.41	0		
Topeka	55,400	3	6	2	.04	0		
Wichita	88,400	7	253	5	.06	0		
Kentucky:								
Covington	58,300	4	12	11	.19	0		
Henderson	12,600	3	0	4	.32	0		
Newport		5	5	6		0		
Paducah	25,900	7	5	14	.15	0		
Louisiana:								
Baton Rouge	27,800	5	7	5	.18	0		
Lake Charles						0		
Shreveport	57,900			33	.57	2	.03	6.1
Massachusetts:								
Medford	47,600	7	0	1	.02	0		
Michigan:								
Ann Arbor	22,200	7	15	3	.14	0		
Battle Creek	42,300	5	25	3	.07	1	.02	33.3
Benton Harbor	14,000	7	2	22	1.57	0		
Highland Park	72,300	5	45	3	.04	0		
Jackson	58,000	4	27	2	.03	0		
Kalamazoo	53,600	7	34	39	.73	0		
Lansing	70,800	4	48	6	.08	0		
Marquette	13,400	6	18	1	.07	0		
Pontiac	47,500	5	31	20	.42	3	.06	15.0
Port Huron	30,000	6	5	2	.07	0		
River Rouge								
Saginaw	72,100	5	36	4		0		
Sault Ste. Marie		5	15	11	.15	0		
Minnesota:								
Austin	11,900	3	2	5	.42	0		
Faribault	12,300	2	5	3	.24	2	.16	66.7
Hibbing	18,000	5	6	2	.11	0		

¹ Nonresidents.

Reported Prevalence for the Year 1925—Continued

SMALLPOX—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Minnesota—Continued.								
Mankato	13,700	5	13	13	0.95	0		
Rochester	17,000	3	11	6	.35	1	.06	16.7
St. Cloud	18,900	3	7	6	.32	3	.16	50.0
Virginia	16,000	1	41	4	.25	0		
Mississippi:								
Biloxi	12,600	3	1	7	.56	0		
Jackson	23,700	2	1	4	.17	0		
Laurel	15,700			2	.13			
Meridian	24,300	1	57	61	2.51			
Natchez	13,100			22	1.68	0		
Missouri:								
Independence	12,700	2	1	17	1.34	0		
Joplin		5	9	2				
Springfield	42,100			1	.02	0		
Montana:								
Butte	42,900	4	14	10	.23	0		
Great Falls	29,900	5	58	72	2.41	0		
Helena		2	11	36				
Missoula		6	19	4		0		
Nebraska:								
Lincoln	60,900	3	14	14	.23	0		
North Platte	13,700	2	2	5	.36	0		
Nevada:								
Reno	12,700	7	4	36	2.83	0		
New Hampshire:								
Portsmouth	14,900	7	0	1	.07			
New Jersey:								
Bayonne	88,800	6	0	10	.11	0		
Collingswood		1	0	2				
Gloucester City	13,700	3	0	7	.51	0		
Kearny	31,360	7	0	1	.03	0		
New Brunswick	38,000	7	0	1	.03	0		
Plainfield	31,700	7	0	1	.03	0		
Union City	63,100			1	.02			
New York:								
Amsterdam	35,300	4	0	3	.08	0		
Binghamton	71,900	7	1	1	.01	0		
Dunkirk	19,900			1	.05	0		
Geneva	15,900	6	0	3	.19	0		
Gloversville	22,100	7	1	1	.05	0		
Hudson	11,800	5	0	9	.76	0		
Johnstown	10,700	4	0	30	2.80	0		
Watertown	32,300	7	1	1	.03	0		
Watervliet	16,200	5	1	13	.80	0		
North Carolina:								
Asheville	31,500	7	7	10	.32			
Charlotte	53,300	4	25	14	.26	0		
Greensboro	47,100			18	.38	0		
High Point	23,600	1	214	5	.21			
New Bern	12,200	2	0	2	.16	0		
Raleigh	30,400	7	12	73	2.40	0		
Salisbury	17,700	3	11	4	.23	0		
Wilmington	37,100	7	5	66	1.78	0		
Wilson	12,800	2	50	2	.16	0		
Winston-Salem	69,000	3	58	239	3.46	1	.01	.4
North Dakota:								
Fargo	24,900	4	16	2	.08	0		
Ohio:								
Alliance	25,000	2	1	8	.32	5	.20	62.5
Barberton	23,300	6	3	60	2.58	0		
Bucyrus	11,700	4	9	2	.17	0		
Cambridge	14,000	3	0	24	1.71	0		
Chillicothe	16,600	7	12	32	1.93	0		
Conneaut		2	1	2				
East Liverpool	22,000	2	1	11	.50	0		
East Youngstown (Campbell)	16,000	5	11	4	.25	0		
Elyria	23,800	5	4	13	.55			
Findlay	18,200	7	5	3	.16	0		
Hamilton	42,400	7	102	188	4.43	0		
Kenmore	19,400	2	1	1	.05	0		

Reported Prevalence for the Year 1925—Continued

SMALLPOX—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925					
		Number of years	Cases	Cases re- ported	Cases per 1,000 inhabit- ants	Deaths regis- tered	Deaths per 1,000 inhabit- ants	Fatal- ties per 100 cases	
Ohio—Continued.									
Lancaster	16,100	3	9	110	6.83	0			
Lima	46,700			3	.06	0			
Lorain	42,300	4	2	2	.05	0			
Mansfield	31,800	7	5	37	1.16	0			
Marion	32,500	2	7	1	.03	0			
Martins Ferry	15,500	7	1	9	.58	0			
Middletown	30,800	5	34	23	.75	0			
Newark	30,500	5	3	18	.59	0			
Niles	16,600	5	1	135	8.13	1	0.06	0.7	
Norwood	29,900	7	4	3	.10	0			
Piqua	16,000	4	2	2	.12				
Salem	11,100	5	0	1	.09	0			
Sandusky	24,500	7	12	182	7.43	0			
Springfield	68,700	3	5	8	.12	0			
Steubenville	32,000	5	15	9	.28	0			
Zanesville	30,400	5	17	2	.07	0			
Oklahoma:									
Ardmore	17,200	1	249	20	1.16	0			
Sapulpa	14,200	1	10	1	.07	0			
Oregon:									
Eugene	11,400	7	13	5	.44	0			
Pennsylvania:									
Beaver Falls	13,100	4	0	2	.15				
Braddock	21,700	7	1	2	.09	0			
Duquesne	20,900	4	1	1	.05	1	.05	100.0	
Farrell	18,700	5	3	3	.16	0			
Greensburg	16,100	1	0	2	.12	0			
Meadville	15,600	3	4	1	.06				
Sharon	25,000	5	2	3	.12	1	.04	33.3	
Washington	23,000	7	0	1	.04				
Rhode Island:									
Central Falls	25,400	4	0	43	1.69				
Pawtucket	69,800	6	0	11	.16	0			
Woonsocket	49,700	1	0	28	.56	0			
South Carolina:									
Anderson	11,100	2	1	7	.63	0			
Charleston	73,100	1	4	3	.04	0			
Florence	13,200	1	14	1	.08	0			
Greenville	27,300	5	21	138	5.05	0			
Spartanburg	25,500	2	6	14	.55	0			
Sumter		2	1	7		0			
South Dakota:									
Aberdeen	15,000	2	10	2	.13				
Sioux Falls	30,100	7	36	4	.13	0			
Tennessee:									
Chattanooga	66,600	3	65	171	2.57				
Knoxville	95,500	5	76	4	.04	0			
Texas:									
Amarillo	17,800	6	8	20	1.12	0			
Beaumont	50,600	5	10	70	1.38	0			
Cleburne	14,200	3	2	10	.70	0			
Galveston	48,400	7	4	49	1.01	0			
Orange		1	0	12		0			
Texarkana	12,400	6	22	4	.32	0			
Tyler	13,000	6	26	110	8.46	1	.08	.9	
Waco	43,900	6	17	12	.27	0			
Utah:									
Ogden	36,900	4	30	3	.08	0			
Provo	11,200	2	1	4	.36	0			
Virginia:									
Alexandria	18,500	6	2	6	.32	0			
Danville	23,000	7	13	4	.17	0			
Lynchburg	30,400	6	10	6	.20	0			
Newport News	47,100	6	5	2	.04	0			
Petersburg	35,700	7	2	1	.03	0			
Roanoke	58,200	6	43	5	.09	0			
Suffolk				2		0			

¹ Includes nonresidents.

Reported Prevalence for the Year 1925.—Continued

SMALLPOX—Continued.

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Washington:								
Aberdeen	16,200	3	23	93	5.74	0		
Bremerton		2	1	5		0		
Everett	29,300	7	67	91	3.11	0		
Hoquiam	11,100	2	105	12	1.08	0		
Vancouver	14,500	6	15	19	1.31	0		
Walla Walla		3	3	5		0		
Yakima	22,700	4	20	8	.35	0		
West Virginia:								
Bluefield	19,300	3	43	48	2.49	1	0.05	2.1
Charleston	49,000	7	23	52	1.06	0		
Huntington	63,500	4	4	63	.99			
Parkersburg	21,300	5	9	2	.09	0		
Wisconsin:								
Appleton	21,100	5	1	26	1.23	0		
Ashland		6	6	4				
Beloit	24,800	7	7	1	.04	0		
Eau Claire	22,400	7	20	1	.04	0		
Fond du Lac	26,000	7	4	12	.46	0		
Green Bay	34,300	5	4	5	.15	0		
Janesville	20,800	4	6	2	.10	0		
Kenosha	50,900	7	18	100	1.96	0		
La Crosse	30,400	4	13	43	1.41	14	.13	9.3
Madison	46,400	6	40	3	.06			
Oshkosh	33,200	5	26	42	1.27	0		
Racine	67,700	6	55	67	.99	0		
Superior		3	103	11		2		
Wausau	20,100	7	5	5	.25	0		
West Allis	18,400	5	4	7	.38	3	.16	42.9
Wyoming:								
Cheyenne	15,500			1	.06	0		

TUBERCULOSIS (ALL FORMS)

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:						
Anniston	20,500	31	1.51	29	1.41	1.1
Dothan	14,500	10	.99	8	.55	1.2
Florence	12,700	35	2.76	24	1.89	1.5
Mobile	66,000			65	.98	
Montgomery	46,500	74	1.59	42	.90	1.8
Selma	17,000			53	3.12	
Tuscaloosa	13,100	12	.92	10	.76	1.2
Arizona:						
Phoenix	38,700			421	10.88	
Tucson	26,700			377	14.12	
Arkansas:						
Hot Springs		3				
Little Rock	74,200	117	1.58	98	1.32	1.2
California:						
Alameda	31,900	33	1.03	12	.38	2.7
Alhambra		36		8		4.5
Bakersfield	23,500			54	2.30	
Berkeley	66,200	98	1.48	31	.47	3.2
Chico				4		
Eureka	13,500	145	3.33	19	1.41	2.4
Fresno	58,500	62	1.06	46	.79	1.3
Glendale	21,300			46	2.16	
Long Beach	91,200	93	1.02	47	.52	2.0
Pasadena	56,700	77	1.36	52	.92	1.5

¹ Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

TUBERCULOSIS (ALL FORMS)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
California—Continued.						
Pomona.....	15,400	46	2.99	9	0.58	5.1
Richmond.....	22,500	10	.44	2	.09	5.0
Riverside.....		72		40		1.8
Sacramento.....	72,300			137	1.89	
San Bernardino.....	22,800			99	4.34	
San Jose.....	43,600			26	.60	
Santa Ana.....	19,500	28	1.44	19	.97	1.5
Santa Barbara.....	24,000			37	1.54	
Santa Monica.....	19,400			20	1.03	
Stockton.....	47,300	119	2.52	36	.76	3.3
Vallejo.....	26,600			14	.53	
Colorado:						
Boulder.....	11,800			15	1.27	
Colorado Springs.....		226		152		1.5
Greeley.....	12,500			14	1.12	
Pueblo.....	43,800			40	.91	
Trinidad.....	11,000			10	.91	
Connecticut:						
Danbury.....				19		
Fairfield.....	14,500	10	.69			
Greenwich.....	25,300	36	1.42	14	.55	2.6
Manchester.....	21,000	12	.57			
Meriden.....	36,300	22	.61			
Milford.....	13,500			2	.15	
New Britain.....	68,000	133	1.96	30	.44	4.4
New London.....	29,100	40	1.37	21	.72	1.9
Norwich.....	23,100	29	1.26	15	.65	1.9
Shelton.....		3		2		1.5
Stamford.....	40,700			20	.49	
Stratford.....	16,100	22	1.37	5	.31	4.4
Florida:						
St. Petersburg.....	26,800	26	.97	15	.56	1.7
Tampa.....	94,700			91	.96	
West Palm Beach.....				15		
Georgia:						
Albany.....	13,500			18	1.33	
Augusta.....	55,200			110	1.99	
Brunswick.....	16,800			17	1.01	
Lagrange.....	23,500	67	2.85	34	1.45	2.0
Macon.....	58,200	120	2.06	81	1.39	1.5
Rome.....	13,900	21	1.51	19	1.37	1.1
Savannah.....	93,100			161	1.73	
Idaho:						
Pocatello.....	18,300	3	.16	1	.05	3.0
Illinois:						
Alton.....	26,800	29	1.08	10	.37	2.9
Aurora.....	40,300	101	2.51	38	.94	2.7
Berwyn.....	18,900			8	.42	
Bloomington.....	30,400			14	.46	
Blue Island.....	13,200	16	1.21	16	1.21	1.0
Centralia.....	14,100	21	1.49			
Champaign.....	18,200	16	.88	8	.44	2.0
Chicago Heights.....	22,100			12	.54	
Cicero.....	62,200	84	1.35	14	.23	6.0
Danville.....	37,000	90	2.43	20	.54	4.5
Decatur.....	53,900	179	3.32	32	.59	5.6
East Moline.....		3		2		1.5
East St. Louis.....	71,400			70	.98	
Elgin.....	33,400	34	1.02	6	.18	5.7
Evanston.....	43,900	47	1.07	18	.41	2.6
Freeport.....	20,700			14	.68	
Galesburg.....	24,800			10	.40	
Granite City.....	18,200			9	.49	
Jacksonville.....	15,900	51	3.21	30	1.89	1.7
Joliet.....	40,600	57	1.40	15	.37	3.8
Kewanee.....	19,700	19	.96	6	.30	3.2
Le Salle.....	13,900	15	1.08	9	.65	1.7
Maywood.....	14,200	9	.63	6	.42	1.5
Moline.....	33,900	38	1.12	25	.74	1.5
Murphysboro.....	12,500	6	.48	5	.40	1.2
Oak Park.....	51,400	25	.49	14	.27	1.8
Pekin.....	13,300			4	.30	
Peoria.....	81,600			24	.29	
Quincy.....		44		4		
Rochester Island.....	40,000	19	.47	2	.05	11.0 9.5

Reported Prevalence for the Year 1925—Continued

TUBERCULOSIS (ALL FORMS)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Illinois—Continued						
Rockford	76,500	183	2.39	35	0.46	5.2
Springfield	63,900	55	.86	46	.72	1.2
Streator	15,100	5	.33	4	.26	1.2
Waukegan	22,000	12	.55			
Indiana:						
Anderson	33,900			25	.74	
Bloomington	12,600	25	1.98	19	1.51	1.3
Connersville	12,500	3	.24	3	.24	1.0
Crawfordsville	10,500			7	.67	
East Chicago	45,600			27	.59	
Elwood				7		
Fort Wayne	97,800			46	.47	
Frankfort	13,100			8	.61	
Gary	76,900			25	.33	
Hammond	50,400	46	.91	20	.40	2.3
Huntington	15,900			5	.31	
Jeffersonville		4		4		1.0
Kokomo	36,900			23	.62	
Le Fayette	23,800	19	.80	13	.55	1.5
Logansport	23,100	8	.35	5	.22	1.6
Marion	26,300			20	.76	
Michigan City	20,300			19	.94	
Mishawaka	16,700			13	.78	
Muncie	42,500			22	.52	
New Albany				25		
Newcastle	17,000			13	.76	
Peru	12,700			10	.79	
Richmond	30,500			21	.69	
South Bend	80,100			36	.45	
Terre Haute	71,100			58	.82	
Wabash				2	.19	
Whiting	12,200			9	.74	
Iowa:						
Boone	12,800			4	.31	
Burlington	26,400	70	2.65	16	.61	4.4
Cedar Rapids	50,600			22	.43	
Council Bluffs	39,800			20	.50	
Dubuque	41,000			30	.73	
Mason City	22,700			3	.13	
Muscatine	16,800	10	.00	6	.36	1.7
Ottumwa	26,400			7	.27	
Kansas:						
Arkansas City	14,000			12	.86	
Coffeyville	16,200			8	.49	
Emporia	12,200	38	3.11			
Fort Scott	11,800	12	1.02	5	.42	2.4
Hutchinson	26,000	73	2.81			
Independence	10,900			11	1.01	
Lawrence	12,300	20	1.63	4	.33	5.0
Parsons	14,800	16	1.08	11	.74	1.5
Pittsburg	19,200	18	.94	6	.31	3.0
Topeka	55,400	110	1.99	36	.65	3.1
Wichita	88,400	114	1.29	40	.45	2.8
Kentucky:						
Covington	58,300			74	1.27	
Henderson	12,600	15	1.19			
Newport		44		44		1.0
Paducah	25,900			54	2.08	
Louisiana:						
Baton Rouge	27,800			18	.65	
Lake Charles		23				1.5
Shreveport	57,900			15		
Maine:				172	1.24	
Auburn	18,100	11	.61	1	.06	11.0
Bangor	26,600	34	1.28	20	.75	1.7
Bath	17,800	7	.39	5	.28	1.4
Biddeford	18,500	28	1.51	13	.70	2.2
Lewiston	34,900	40	1.15	16	.46	2.5
Portland	75,300	73	.97	30	.40	2.4
Sanford	11,600	7	.60	4	.34	1.7
South Portland		13				
Waterville	14,400	5	.35	4	.28	1.2
Westbrook		3		1		

¹ Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

TUBERCULOSIS (ALL FORMS)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Massachusetts:						
Adams.	13,500	25	1.85	9	0.67	2.8
Amesbury.	11,200	12	1.07	1	.09	12.0
Arlington.	24,900	59	2.37	5	.20	11.8
Athol.		3		2		1.5
Attleboro.	20,600	85	4.13	42	2.04	2.0
Belmont.	15,300	27	1.76	7	.46	3.9
Beverly.	22,700	41	1.81	7	.31	5.9
Braintree.	13,200			43	3.26	
Brockton.	65,300	84	1.29	23	.35	3.7
Brookline.	42,700	46	1.08	24	.56	1.9
Chelsea.	47,200	88	1.86	37	.78	2.4
Chicopee.	41,900	79	1.89	37	.88	2.1
Clinton.	14,200	14	.99	1	.07	14.0
Danvers.	11,800	27	2.29	15	1.27	1.8
Dedham.	13,900	8	.58	3	.22	2.7
Easthampton.	11,600	18	1.55	10	.86	1.8
Everett.	42,100	73	1.73	18	.43	4.1
Framingham.	21,100	54	2.56	14	.66	3.9
Gardner.	18,700	56	2.99	11	.59	5.1
Glocester.	23,400	41	1.75	12	.51	3.4
Greenfield.	15,200	11	.72	5	.33	2.2
Haverhill.	49,200	78	1.59	73	1.48	1.1
Holyoke.	60,300	76	1.26	68	1.13	1.1
Lawrence.	93,500	148	1.58	53	.57	2.8
Leominster.	22,100	30	1.36	13	.59	2.3
Malden.	51,800	119	2.30	22	.42	5.4
Marlboro.	16,200	18	1.11	10	.62	1.8
Medford.	47,600	60	1.26	15	.32	4.0
Melrose.	20,200	29	1.44	16	.79	1.8
Methuen.	20,600	52	2.52	9	.44	5.8
Milford.	14,800	16	1.08	15	1.01	1.1
Milton.		12		2		6.0
Newburyport.	15,700			11	.70	
Newton.	53,000	65	1.23	23	.43	2.8
North Adams.	22,700	17	.75	7	.31	2.4
Northampton.	24,100	1 ¹ 78	3.24	1 ¹ 14	.58	5.6
Northbridge.	10,100	6	.59	3	.30	2.0
Palmer.		10		5		
Peabody.	19,900	21	1.06	5	.25	4.2
Pittsfield.	46,900	42	.90	27	.58	1.6
Plymouth.	13,200	12	.91	7	.53	1.7
Quincy.	60,100	81	1.35	29	.48	2.8
Revere.	33,300	44	1.32	2	.06	22.0
Salem.	42,800	72	1.68	32	.75	2.2
Saugus.	12,700	8	.63	3	.24	2.7
Somerville.	99,000	144	1.45	52	.53	2.8
Southbridge.	15,500	7	.45	4	.26	1.7
Taunton.	39,300	60	1.52	37	.94	1.6
Wakefield.	15,600	17	1.09	6	.38	2.8
Waltham.	34,700	38	1.10	21	.61	1.8
Watertown.	25,500	40	1.57	4	.16	10.0
West Springfield.	15,300	12	.78			
Westfield.	19,300	25	1.30	1	.05	25.0
Winchester.	11,600	12	1.03			
Winthrop.	16,200	11	.68	5	.31	2.2
Woburn.	18,400	13	.71	8	.43	1.6
Michigan:						
Adrian.	12,500	15	1.20			
Ann Arbor.	22,200	124	5.59	11	.50	11.3
Battle Creek.	42,300	81	1.91	12	.28	6.7
Bay City.	48,900	35	.72	29	.59	1.2
Benton Harbor.	14,000	20	1.43	3	.21	6.7
Cadillac.		1		1		1.0
Hamtramck.	81,700	100	1.22	29	.35	3.4
Highland Park.	72,300	61	.84	24	.33	2.5
Holland.	13,100	13	.99	5	.38	2.6
Ironwood.	17,400	22	1.26	19	1.09	1.2
Ishpeming.		14		7		2.0
Jackson.	58,000	55	.95	21	.36	2.6
Kalamazoo.	53,600	56	1.04	28	.52	2.0
Lansing.	70,800	109	1.54	25	.35	4.4
Marquette.	13,400	17	1.27	7	.52	2.4
Muskegon.	43,100	24	.56	18	.42	1.3

¹ Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

TUBERCULOSIS (ALL FORMS)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Michigan—Continued.						
Muskegon Heights		13		4		3.2
Pontiac	47,500	102	2.15	40	0.84	2.5
Port Huron	30,000	29	.97	19	.63	1.5
River Rouge		8		5		1.6
Saginaw	72,100	86	1.19	45	.62	1.9
Sault Ste. Marie		18		6		3.0
Minnesota:						
Albert Lea		2		1		2.0
Austin	11,900	1	.08			
Brainerd				3		
Faribault	12,300			14	1.14	
Hibbing	18,000			8	.44	
Mankato	13,700			8	.58	
Rochester	17,000	64	3.76	122	1.29	2.9
Virginia	16,000	5	.31	5	.31	1.0
Winona	19,500	13	.67			
Mississippi:						
Lillooet	12,600			5	.40	
Jackson	23,700	106	4.47	11	.46	9.6
Laurel	15,700	71	4.52			
Meridian	24,300	29	1.19			
Natchez	13,100	33	2.52	19	1.45	1.7
Missouri:						
Independence	12,700			4	.31	
Joplin		6				
Moberly	13,900			15	.70	
St. Joseph	78,300			49	.63	
Springfield	42,100			38	.90	
Montana:						
Anaconda	12,500			8	.64	
Butte	42,900			86	2.00	
Great Falls	29,900			12	.40	
Helena				25		
Missoula		18		5		3.6
Nebraska:						
Lincoln	60,900	40	.66	25	.41	1.6
North Platte	13,700			5	.38	
Nevada:						
Reno	12,700			4	.31	
New Hampshire:						
Berlin	18,600			3	.16	
Claremont		47		6		
Concord	22,500			24	1.07	
Dover				11		
Keene	11,900			8	.67	
Manchester	83,100			29	.35	
Nashua	29,700			10	.34	
Portsmouth	14,900	90	6.04			
New Jersey:						
Asbury Park	13,700	31	2.26	13	.95	2.4
Bayonne	88,800	89	1.00	34	.38	2.6
Belleville	18,900	31	1.64	11	.58	2.8
Bloomfield	26,000	26	1.00	5	.19	5.2
Bridgeton	14,400	11	.76	7	.49	1.6
Carteret	14,000	20	1.43	6	.43	3.3
Clifton	34,700	49	1.41	18	.52	2.7
Collingswood				6		
Dover		15		5		3.0
East Orange	60,000	63	1.05	33	.55	1.9
Englewood	12,600	18	1.43	7	.56	2.6
Garfield	24,600	36	1.46	10	.41	3.6
Gloucester City	13,700	14	1.02	4	.29	3.5
Hackensack	19,700	22	1.12	12	.61	1.8
Harrison	16,400	28	1.71			
Hoboken		107		42		2.5
Irvington	33,200	34	1.02	14	.42	2.4
Kearny	31,300	30	.96	10	.32	3.0
Lodi		26		8		3.2
Long Branch	13,600	28	2.06	8	.59	3.5
Montclair	32,900	62	1.88	25	.76	2.5
Morristown	12,600	29	2.30	3	.24	9.7
New Brunswick	38,000	78	2.05	15	.39	5.2
Nutley		20		3		6.7
Orange	35,400	71	2.01	23	.65	3.1
Passaic	69,000	70	1.01	31	.45	2.3

¹ Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

TUBERCULOSIS (ALL FORMS)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
New Jersey—Continued.						
Perth Amboy	47,100	61	1.30	29	0.62	2.1
Phillipsburg	18,600	7	.38			
Plainfield	31,700	35	1.10	21	.66	1.7
Rahway	12,000	8	.67	8	.67	1.0
Red Bank		18		4		4.5
Ridgefield Park		7		5		1.4
Rutherford		3		1		3.0
Summit	11,700	18	1.54	8	.68	2.2
Union City	63,100	21	.33			
West New York	39,200	35	.89	11	.28	3.2
West Orange	18,200	21	1.15	3	.16	7.0
New Mexico:						
Albuquerque	21,000	406	19.33	262	12.48	1.5
New York:						
Amsterdam	35,300	54	1.53	17	.48	3.2
Binghamton	71,900	85	1.18	20	.28	4.2
Corning	15,700	20	1.27	5	.32	4.0
Cortland	13,900	14	1.01	5	.36	2.8
Dunkirk	19,900	32	1.61	13	.65	2.5
Elmira	48,400	66	1.36	13	.27	5.1
Freeport		25		3		8.3
Geneva	15,900	19	1.19	8	.50	2.4
Glens Falls	17,900	31	1.73	13	.73	2.4
Gloversville	22,100	20	.90	6	.27	3.3
Hornell	15,800			6	.38	
Hudson	11,800	47	3.98	12	1.02	3.9
Ilion	10,400	10	.96	8	.77	1.2
Ithaca	18,900	29	1.53	16	.85	1.8
Jamestown	43,400	51	1.18	15	.35	3.4
Johnson City		7		3		2.3
Johnstown	10,700	12	1.12	8	.75	1.5
Kingston	28,100	43	1.53	42	1.49	1.0
Lockawanna	20,200	59	2.92	8	.49	7.4
Little Falls	12,400	20	1.61	6	.48	3.3
Lockport	21,700	21	.97	8	.37	2.6
Middletown	20,400	29	1.42	10	.50	2.9
Mount Vernon	50,400	49	.97	21	.42	2.3
New Rochelle	44,200	53	1.20	17	.38	3.1
Newburgh	30,400	52	1.71	38	1.25	1.4
Niagara Falls	57,000	98	1.72	25	.44	3.9
North Tonawanda	17,400	27	1.55	11	.63	2.5
Olean	21,300	64	3.00	4	.19	16.0
Peekskill	18,000	29	1.61	23	1.28	1.3
Plattsburg	11,600			10	.86	
Poughkeepsie	35,700	63	1.76	21	.59	3.0
Rensselaer	11,400	34	2.98	3	.26	11.3
Rome	30,300	48	1.58	27	.89	1.8
Salamanca		5		4		1.2
Saratoga Springs	13,900	22	1.58	20	1.44	1.1
Schenectady	92,500	115	1.24	36	.39	3.2
Troy	72,200	178	2.47	60	.83	3.0
Watertown	32,800	41	1.25	31	.95	1.3
Watervliet	16,200	30	1.85	11	.68	2.7
White Plains	27,400	46	1.68	12	.44	3.8
North Carolina:						
Asheville	31,500	471	14.95	152	4.83	3.1
Charlotte	53,300			43	.81	
Greensboro	47,100			36	.76	
High Point	23,600			19	.81	
New Bern	12,200			15	1.23	
Raleigh	30,400			51	1.68	
Rocky Mount	15,100			15	.99	
Salisbury	17,700	10	.56	6	.34	1.7
Wilmington	37,100			17	.46	
Wilson	12,800			23	1.80	
Winston-Salem	69,000	160	2.32	82	1.19	2.0
North Dakota:						
Fargo	24,900	6	.24	0		
Ohio:						
Ashtabula	25,100			9	.36	
Barberton	23,300	72	3.09	10	.43	7.2
Bellaire	16,300	11	.67	6	.37	1.8
Bellevfontaine		5		4		1.2
Bucyrus	11,700	9	.77	6	.51	1.5
Cambridge	14,000			19	1.36	

Reported Prevalence for the Year 1925—Continued

TUBERCULOSIS (ALL FORMS)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Ohio—Continued.						
Chillicothe	16,600	11	0.66	10	0.60	1.1
Cleveland Heights	22,200	17	.77	4	.18	4.2
Conneaut		4		2		2.0
Coshocton	11,600	16	1.38	3	.26	5.3
Cuyahoga Falls	13,700	27	1.97	1	.07	27.0
East Cleveland	37,600	45	1.20	11	.29	4.1
East Liverpool	22,000	28	1.27	25	1.14	1.1
East Youngstown (Campbell)	16,000			3	.19	
Elyria	23,800			6	.25	
Findlay	18,200	25	1.37	11	.60	2.3
Fostoria		8		4		2.0
Fremont	13,900			8	.58	
Hamilton	42,400			46	1.08	
Ironton	14,500			16	1.10	
Kenmore	19,400	41	2.11	7	.36	5.9
Lakewood	56,800	18	.32	18	.32	1.0
Lancaster	16,100	22	1.37	10	.62	2.2
Lima	46,700			25	.54	
Lorain	42,300	51	1.21	20	.47	2.5
Mansfield	31,800	33	1.04	24	.75	1.4
Marietta	15,300			6	.39	
Marion	32,500	60	1.85	20	.62	3.0
Martins Ferry	15,500			12	.77	
Middletown	30,800	37	1.20	21	.68	1.8
Newark	30,500	69	2.26	23	.75	3.0
Niles	16,600	8	.48	4	.24	2.0
Norwood	29,900	29	.97	10	.33	2.9
Piqua	16,000	12	.75			
Salem	11,100	34	3.06	8	.72	4.2
Sandusky	24,500			11	.45	
Springfield	68,700			48	.70	
Steubenville	32,000	26	.81	10	.31	2.6
Zanesville	30,400	51	1.68	23	.76	2.2
Oklahoma:						
Ardmore	17,200	46	2.67	14	.81	3.3
Guthrie	11,800			15	1.27	
Okmulgee	25,300	34	1.34	27	1.07	1.3
Sapulpa	14,200	6	.42	1	.07	6.0
Oregon:						
Astoria	16,500			5	.30	
Eugene	11,400			7	.61	
Pennsylvania:						
Allentown	92,200			72	.78	
Altoona	66,100	34	.51	25	.38	1.4
Braddock	21,700	30	1.38	18	.83	1.7
Bradford	15,800			12	.76	
Butler	25,200			18	.71	
Canonsburg	13,500			5	.37	
Carlisle	11,400	4	.35			
Carnegie	12,400			5	.40	
Carrick	13,000	2	.15			
Charleroi	12,600	3	.24			
Clairton	14,900	11	.74	3	.20	3.7
Coatesville	16,500	39	2.36	5	.30	7.8
Columbia		4				
Connellsburg	14,300	11	.77	9	.63	1.2
Duquesne	20,900	22	1.05	2	.10	11.0
Easton	36,800			24	.65	
Farrell	18,700	9	.48	2	.11	4.5
Harrisburg	83,400	47	.56	39	.47	1.2
Hazleton	36,100	17	.47			
Homestead	21,400	22	1.03	19	.89	1.2
Jeannette	11,700			5	.43	
Kingston	18,000			9	.50	
Lancaster	56,500			34	.60	
Lewistown				15		
McKees Rocks	18,100	19	1.05	4	.22	4.7
McKeesport	49,100	56	1.14	16	.33	3.5
Monessen	21,200	5	.24	2	.09	2.5
Mount Carmel		5		0		
Nanticoke	24,700			14	.57	
New Castle	49,800			24	.48	
Norristown	34,800			21	.60	
North Braddock	16,700	19	1.14	10	.60	1.9

Reported Prevalence for the Year 1925—Continued

TUBERCULOSIS (ALL FORMS)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Pennsylvania—Continued.						
Oil City	23,300	10	0.43			
Olyphant	11,200	12	1.07	6	0.54	2.0
Pittston	19,800	6	.30			
Plymouth		5				
Pottstown	18,500			6	.32	
Sharon	25,000			16	.64	
Steeltown		15			15	1.0
Sunbury	16,800	11	.65	11	.65	1.0
Swissvale	12,900			9	.70	
Vandergrift				4		
Warren	15,100	74	4.90	8	.58	9.2
Washington	23,000	4	.17			
West Chester				7		
Wilkes-Barre	77,600	55	.71	41	.53	1.3
Wilkinsburg	27,400	15	.55	15	.55	1.0
Windber		2		2		
Woodlawn	18,900	11	.58	3	.16	3.7
York	49,100			25	.51	
Rhode Island:						
Cranston	34,500	13	.38	11	.32	1.2
Newport	27,800			24	.86	
Pawtucket	69,800			19	.27	
Woonsocket	49,700			27	.54	
South Carolina:						
Anderson	11,100	5	.45	2	.18	2.5
Charleston	73,100			135	1.85	
Greenville	27,300			19	.70	
Spartanburg	25,500			35	1.37	
Sumter				16		
South Dakota:						
Sioux Falls	30,100	25	.83	25	.83	1.0
Tennessee:						
Chattanooga	66,600	143	2.15			
Knoxville	95,500			110	1.15	
Texas:						
Beaumont	50,600			33	.65	
Cleburne	14,200	7	.49	4	.28	1.8
Corpus Christi	11,800	8	.68	5	.42	1.6
Galveston	48,400			43	.89	
Greenville	14,400			7	.49	
Orange		8		6		1.3
San Angelo				74		
Texarkana	12,400	7	.56			
Tyler	13,000			4	.32	
Waco	43,900			45	1.03	
Utah:						
Logan		1		1		1.0
Ogden	36,900			6	.16	
Provo	11,200			2	.18	
Vermont:						
Barre				33		
Burlington	24,100			14	.58	
Virginia:						
Alexandria	18,500			16	.86	
Charlottesville	11,200			9	.80	
Danville	23,000	63	2.74	16	.70	3.9
Lynchburg	30,400			31	1.02	
Newport News	47,100			74	1.57	
Petersburg	35,700	84	2.35	53	1.48	1.6
Portsmouth	59,000	84	1.42	65	.93	1.5
Roanoke	58,200			45	.77	
Suffolk				45		
Washington:						
Aberdeen	16,200	17	1.05	17	1.05	1.0
Bremerton		9		1		9.0
Everett	29,300	17	.58	1	.03	17.0
Vancouver	14,500			6	.41	
Walla Walla		28		21		1.3
Yakima	22,700	16	.70	10	.44	1.6
West Virginia:						
Bluefield	19,300			12	.62	
Charleston	49,000			43	.88	
Clarksburg	30,400			20	.66	
Martinsburg	13,500			15	1.11	

Reported Prevalence for the Year 1925—Continued

TUBERCULOSIS (ALL FORMS)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
West Virginia—Continued.						
Morgantown	13,800			11	0.80	
Parkersburg	21,300			10	.47	
Wheeling		184		46		4.0
Wisconsin:						
Appleton	21,100	14	0.66	12	.57	1.2
Beloit	24,800	20	.81	11	.44	1.8
Eau Claire	22,400	25	1.12	12	.54	2.1
Fond du Lac	26,000			2	.08	
Green Bay	34,300	26	.76	19	.55	1.4
Janesville	20,800			5	.24	
Kenosha	50,900	46	.90	15	.29	3.0
La Crosse	30,400	36	1.18	21	.69	1.7
Madison	46,400	35	.75			
Manitowoc	22,100	16	.72	16	.72	1.0
Marinette		37		16		2.3
Oshkosh	33,200	29	.87	12	.36	2.4
Racine	67,700	87	1.29	31	.46	2.8
Sheboygan	33,500	28	.84	15	.45	1.9
Superior				41		
Waukesha	14,700	10	.68	10	.68	1.0
Wausau	20,100	20	1.00	8	.40	2.5
West Allis	18,400	28	1.52	8	.43	3.5
Wyoming:						
Cheyenne	15,500			8	.52	

TUBERCULOSIS (PULMONARY)

Alabama:						
Anniston	20,500	31	1.51	29	1.41	1.1
Dothan	14,500	10	.69	8	.55	1.2
Florence	12,700	35	2.76	24	1.89	1.5
Mobile	66,000			62	.94	
Tuscaloosa	13,100	12	.92	10	.76	1.2
Arizona:						
Phoenix	38,700			303	7.83	
Arkansas:						
Little Rock	74,200	117	1.58	91	1.23	1.3
California:						
Alhambra		35		8		4.4
Bakersfield	23,500			50	2.13	
Berkeley	66,200	93	1.40	22	.33	4.2
Chico				4		
Glendale	21,300			42	1.97	
Long Beach	91,200	53	.58	39	.43	1.4
Pasadena	56,700			44	.78	
Pomona	15,400	46	2.99	9	.58	5.1
Riverside				31		
Sacramento	72,300			101	1.40	
San Bernardino	22,800			88	3.86	
Santa Ana	19,500	14	.72	12	.62	1.2
Santa Monica	19,400			16	.82	
Stockton	47,300	113	2.39	28	.59	4.0
Vallejo	26,600			9	.34	
Colorado:						
Boulder	11,800			14	1.19	
Greeley	12,500			13	1.04	
Pueblo	43,800			36	.82	
Trinidad	11,000			7	.64	
Connecticut:						
Danbury				14		
Fairfield	14,500	10	.69			
Greenwich	25,300	29	1.15	11	.43	2.6
Manchester	21,000	12	.57			
Meriden	36,300	22	.61			
Milford	13,500	6	.44	0		
New Britain	68,000	102	1.50	25	.37	4.1
New London	29,100	36	1.24	15	.52	2.4
Norwich	23,100	28	1.21	15	.65	1.9
Shelton		3		2		
Stamford	40,700			20	.49	
Stratford	16,100	22	1.37	5	.31	4.4

Reported Prevalence for the Year 1925—Continued

TUBERCULOSIS (PULMONARY)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Florida:						
Tampa	94,700			88	0.93	
West Palm Beach				9		
Georgia:						
Albany	13,500			16	1.19	
Augusta	55,200			91	1.65	
Brunswick	16,800			17	1.01	
Lagrange	23,500	63	2.68	32	1.36	2.0
Savannah	93,100			121	1.30	
Idaho:						
Pocatello	18,300	2	11	1	.05	2.0
Illinois:						
Alton	26,800			6	.22	
Aurora	40,300	93	2.31	35	.87	2.7
Berwyn	18,900	15	.79	7	.37	2.1
Bloomington	30,400	58	1.91	9	.30	6.4
Blue Island	13,200			12	.91	
Centralia	14,100	21	1.49			
Champaign	18,200			8	.44	
Chicago Heights	22,100			5	.23	
Cicero	62,200	73	1.17	14	.23	5.2
Danville	37,000	90	2.43	20	.54	4.5
Decatur	53,900			30	.56	
East Moline		3		2		1.5
East St. Louis	71,400			44	.62	
Elgin	33,400	34	1.02	4	.12	8.5
Freeport	20,700	5	.24			
Granite City	18,200			6	.33	
Jacksonville	15,900	51	3.21	26	1.64	2.0
Joliet	40,600			13	.32	
Kewanee	19,700	19	.96	6	.30	3.2
La Salle	13,900	13	.94	9	.65	1.4
Maywood	14,200			6	.42	
Moline	33,900	38	1.12	21	.62	1.8
Murphysboro	12,500			3	.24	
Oak Park	51,400	25	.49	14	.27	1.8
Pekin	13,300			4	.30	
Peoria	81,600			10	.12	
Quincy		44		4		11.0
Rock Island	40,000	19	.47	2	.05	9.5
Rockford	76,500			23	.30	
Springfield	63,900	51	.80	37	.58	1.4
Streator	15,100			4	.26	
Indiana:						
Anderson	33,900			25	.74	
Connersville	12,500	3	.24	3	.24	1.0
Crawfordsville	10,500			4	.38	
East Chicago	45,600			22	.48	
Elwood				6		
Fort Wayne	97,800			42	.43	
Frankfort	13,100			8	.61	
Gary	76,900	46	.60	22	.29	2.1
Huntington	15,900			5	.31	
Jeffersonville		2		2		
Kokomo	36,900			21	.57	
La Fayette	23,800	19	.80	13	.55	1.5
Logansport	23,100	6	.26	3	.13	2.0
Marion	26,300			15	.57	
Michigan City	20,300			16	.79	
Muncie	42,500			16	.38	
New Albany				19		
Richmond	30,500			16	.52	
Terre Haute	71,100			50	.70	
Wabash				1		
Whiting	12,200	15	1.23	7	.57	2.1
Iowa:						
Boone	12,800			3	.23	
Cedar Rapids	50,600			15	.30	
Council Bluffs	39,800			12	.30	
Dubuque	41,000			21	.51	
Muscatine	16,800	10	.60	4	.24	2.5

Reported Prevalence for the Year 1925—Continued

TUBERCULOSIS (PULMONARY)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Kansas:						
Coffeyville	16,200	22	1.36	8	0.49	2.7
Emporia	12,200	35	2.87			
Fort Scott	11,800	12	1.02	5	.42	2.4
Lawrence	12,300	19	1.54	4	.33	4.7
Parsons	14,800			8	.54	
Pittsburg	19,200	16	.83	4	.21	4.0
Kentucky:						
Covington	58,300			68	1.17	
Henderson	12,600	4	.32			
Newport		41		41		1.0
Louisiana:						
Baton Rouge	27,800			2	.07	
Lake Charles		21		12		1.7
Shreveport	57,900			160	1.04	
Maine:						
Auburn	18,100			1	.06	
Bath	17,800	7	.39	5	.28	1.4
Biddeford	18,500	28	1.51	11	.53	2.5
Lewiston	34,900	28	.80	8	.23	3.5
Portland	75,300	50	.66	22	.29	2.3
Sanford	11,600	7	.60	4	.34	1.7
South Portland		13				
Massachusetts:						
Adams	13,500	22	1.63	7	.52	3.1
Amesbury	11,200	10	.89	1	.09	10.0
Arlington	24,900	34	1.37	4	.16	8.5
Athol		3		2		1.5
Attleboro	20,600	69	3.35	39	1.89	1.8
Belmont	15,300	25	1.63	6	.39	4.2
Beverly	22,700	22	.97	7	.31	3.1
Braintree	13,200			35	2.65	
Brockton	65,300	70	1.07	15	.23	4.7
Brookline	42,700	40	.94	22	.52	1.8
Chelsea	47,200	82	1.74	31	.66	2.6
Chicopee	41,900	53	1.26	28	.67	1.9
Clinton	14,200	8	.56	1	.07	8.0
Danvers	11,800	26	2.20	11	.93	2.4
Dedham	13,900	5	.36	3	.22	1.7
Easthampton	11,600	14	1.21	6	.52	2.3
Everett	42,100	56	1.33	18	.43	3.1
Framingham	21,100	48	2.27	14	.66	3.4
Gardner	18,700	56	2.99	8	.43	7.0
Gloucester	23,400	35	1.50	11	.47	3.2
Greenfield	15,200	10	.66	4	.26	2.5
Haverhill	49,200	54	1.10	33	.67	1.6
Holyoke	60,300	64	1.06	56	.93	1.1
Lawrence	93,500	82	.88	41	.44	2.0
Leominster	22,100	23	1.04	10	.45	2.3
Maiden	51,800	71	1.37	14	.27	5.1
Marlboro	16,200	16	.99	9	.56	1.8
Medford	47,600	50	1.05	0		
Melrose	20,200	23	1.14	12	.59	1.9
Methuen	20,600	31	1.50	8	.39	3.9
Milford	14,800	14	.95	10	.68	1.4
Milton		9		2		4.5
Newburyport	15,700			7	.45	
Newton	53,000	51	.96	20	.38	2.5
North Adams	22,700	17	.75	7	.31	2.4
Northampton	24,100	158	2.41	12	.50	4.8
Northbridge	10,100	4	.40	2	.20	2.0
Palmer				3		
Peabody	19,900	14	.70	4	.20	3.5
Pittsfield	46,900	38	.81	24	.51	1.6
Plymouth	13,200			6	.45	
Quincy	60,100	62	1.03	20	.33	3.1
Revere	33,300	32	.96	2	.06	16.0
Salem	42,800	56	1.31	20	.47	2.8
Saugus	12,700	8	.63	3	.24	2.7
Somerville	99,000	116	1.17	39	.39	3.0
Southbridge	15,500	7	.45	4	.26	1.7
Taunton	39,300	56	1.42	33	.84	1.7
Wakefield	15,600	11	.71	5	.32	2.2
Waltham	34,700	31	.89	12	.35	2.6

¹ Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

TUBERCULOSIS (PULMONARY)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Massachusetts—Continued.						
Watertown	25,500	28	1.10	4	0.16	7.0
West Springfield	15,300	12	.78			
Westfield	19,300	24	1.24	1	.05	24.0
Winchester	11,600	7	.60	0		
Winthrop	16,200	8	.49	5	.31	1.6
Woburn	18,400	13	.71	8	.43	1.6
Michigan:						
Ann Arbor	22,200	92	4.14	8	.36	11.5
Bay City	48,900	33	.67	21	.43	1.6
Hamtramck	81,700			27	.33	
Highland Park	72,300			14	.19	
Holland	13,100	13	.99	5	.38	2.6
Ironwood	17,400	21	1.21	18	1.03	1.2
Ishpeming		14		7		2.0
Jackson	58,000	55	.95	20	.34	2.7
Kalamazoo	53,600	51	.95	25	.47	2.0
Lansing	70,800	87	1.23	14	.20	6.2
Marquette	13,400	16	1.19	7	.52	2.3
Muskegon Heights		13		4		3.2
River Rouge		5		3		1.7
Sault Ste. Marie		18		6		3.0
Minnesota:						
Albert Lea		1		1		1.0
Austin	11,900	1	.08			
Faribault	12,300			7	.57	
Mankato	13,700			5	.36	
Rochester	17,000	52	3.06	117	1.00	3.1
Virginia	16,000	5	.31	5	.31	1.0
Winona	19,500	5	.26			
Mississippi:						
Biloxi	12,600			5	.40	
Meridian	24,300	24	.99			
Natchez	13,100	23	2.14	18	1.37	1.6
Missouri:						
Independence	12,700			4	.31	
Joplin		6				
Moberly	13,900			4	.29	
St. Joseph	78,300			41	.52	
Springfield	42,100	50	1.19	30	.71	1.7
Montana:						
Anaconda	12,500			7	.56	
Butte	42,900			84	1.96	
Great Falls	29,900			10	.33	
Helena				21		
Nebraska:						
Lincoln	60,900	40	.66	25	.41	1.6
North Platte	13,700			5	.36	
Nevada:						
Reno	12,700			4	.31	
New Hampshire:						
Berlin	18,600	33	1.77	2	.11	16.5
Concord	22,500			22	.98	
Dover				8		
Keene	11,900	12	1.01	0		
Manchester	83,100			19	.23	
Nashua	29,700			5	.17	
Portsmouth	14,900	75	5.03			
New Jersey:						
Asbury Park	13,700	31	2.26	12	.88	2.6
Bayonne	88,800			30	.34	
Belleville	18,900	20	1.06	10	.53	2.0
Bloomfield	26,000	25	.96	5	.19	5.0
Bridgeton	14,400	11	.76	7	.49	1.6
Carteret	14,000	18	1.29			
Clifton	34,700	49	1.41	18	.52	2.7
Collingswood				4		
Dover		15		5		3.0
East Orange	60,000	58	.97	33	.55	1.8
Englewood	12,600			6	.48	
Gloucester City	13,700	14	1.02	4	.29	3.5
Harrison	16,400	28	1.71			
Hoboken		91				

¹ Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

TUBERCULOSIS (PULMONARY)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
New Jersey—Continued.						
Irvington	33,200	34	1.02	14	0.42	2.4
Kearny	31,300	12	.38	9	.29	1.3
Lodi		16		7		2.3
Long Branch	13,600	24	1.76	6	.44	4.0
Montclair	32,900	62	1.88	25	.76	2.5
Morristown	12,600	16	1.27	3	.24	5.3
Nutley		18		2		9.0
Orange	35,400	45	1.27	18	.51	2.5
Passaic	69,000	52	.75	21	.30	2.5
Phillipsburg	18,600	7	.38			
Plainfield	31,700	30	.95	17	.54	1.8
Rahway	12,000	6	.50	6	.50	1.0
Red Bank		18		4		4.5
Ridgefield Park				5		
Rutherford		3		1		3.0
Summit	11,700			8	.68	
Union City	63,100	4	.06			
New Mexico:						
Albuquerque	21,000			246	11.71	
New York:						
Amsterdam	35,300	.52	1.47	15	.42	3.5
Binghamton	71,900	80	1.11	15	.21	5.3
Corning	15,700	19	1.21	4	.25	4.7
Cortland	13,900	13	.94	4	.29	3.2
Dunkirk	19,900	29	1.46	9	.45	3.2
Elmira	48,400	58	1.20			
Freeport		3		2		1.5
Geneva	15,900	7	.44	5	.31	1.4
Hornell	15,800			5	.32	
Ilion	10,400	10	.96	8	.77	1.2
Ithaca	18,900	23	1.22	15	.79	1.5
Jamestown	43,400	43	.99	12	.28	3.6
Johnson City		7		1		7.0
Johnstown	10,700	9	.84	7	.65	1.3
Kingston	28,100	43	1.53	42	1.49	1.0
Lackawanna	20,200	54	2.67	7	.35	7.7
Lockport	21,700	20	.92	7	.32	2.9
Mount Vernon	50,400	38	.75	17	.34	2.2
New Rochelle	44,200	49	1.11	12	.27	4.1
Niagara Falls	57,000	91	1.60	21	.37	4.3
North Tonawanda	17,400	24	1.38	7	.40	3.4
Olean	21,300	59	2.77	0		
Peekskill	18,000	29	1.61	23	1.28	1.3
Plattsburg	11,600			7	.60	
Poughkeepsie	35,700	50	1.40	12	.34	4.2
Rensselaer	11,400	19	1.67	2	.18	9.5
Rome	30,300	36	1.19	21	.69	1.7
Salamanca		5		4		1.2
Schenectady	92,800	108	1.16	30	.32	3.6
Watervliet	16,200	29	1.79	0		
White Plains	27,400	42	1.53	9	.33	4.7
North Carolina:						
Greensboro	47,100	41	.87	32	.68	1.3
High Point	23,600			17	.72	
New Bern	12,200			12	.98	
Raleigh	30,400			50	1.64	
Rocky Mount	15,100			15	.99	
Salisbury	17,700	10	.56	6	.34	1.7
Wilmington	37,100			12	.32	
Wilson	12,800			21	1.64	
Winston-Salem	69,000	148	2.14	72	1.04	2.1
Ohio:						
Ashtabula	25,100			8	.32	
Barberton	23,800	72	3.09	10	.43	7.2
Bellaire	16,300	9	.55	6	.37	1.5
Bucyrus	11,700	9	.77	4	.34	2.2
Cambridge	14,000			14	1.00	
Cleveland Heights	22,200	17	.77	4	.18	4.2
Coshocton	11,600	16	1.38	3	.26	5.3
East Cleveland	37,600	43	1.14	7	.19	6.1
East Liverpool	22,000			21	.95	
East Youngstown (Campbell)	16,000	9	.56	1	.06	9.0
Elyria	23,800	8	.34	6	.25	1.3
Fostoria		7		5		2.3

Reported Prevalence for the Year 1925—Continued

TUBERCULOSIS (PULMONARY)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Ohio—Continued.						
Fremont	13,900			7	0.50	
Hamilton	42,400			30	.71	
Lakewood	56,800	14	0.25	14	.25	1.0
Lancaster	16,100	22	1.37	10	.62	2.2
Lima	46,700			23	.49	
Lorain	42,300	49	1.16	18	.43	2.7
Marietta	15,300			5	.33	
Marion	32,500	60	1.85	20	.62	3.0
Martins Ferry	15,500			11	.71	
Middletown	30,800	37	1.20	12	.39	3.1
Newark	30,500	69	2.26	23	.75	3.0
Norwood	29,900			10	.33	
Piqua	16,000	11	.69			
Salem	11,100	34	3.06	6	.54	5.7
Sandusky	24,500			11	.45	
Springfield	68,700			46	.67	
Steubenville	32,000	26	.81	10	.31	2.6
Zanesville	30,400	47	1.55	19	.62	2.5
Oklahoma:						
Ardmore	17,200	24	1.40	4	.23	6.0
Guthrie	11,800			15	1.27	
Okmulgee	25,300	7	.28	7	.28	1.0
Sapulpa	14,200	6	.42	1	.07	6.0
Oregon:						
Astoria	16,500			5	.30	
Eugene	11,400			5	.44	
Pennsylvania:						
Altoona	66,100	34	.51	25	.38	1.4
Braddock	21,700	20	.92	12	.55	1.7
Bradford	15,800	1	.06			
Butler	25,200			12	.48	
Canonsburg	13,500			4	.30	
Carnegie	12,400			3	.24	
Farrell	18,700	9	.48	2	.11	4.5
Harrisburg	83,400			34	.41	
Homestead	21,400	22	1.03	19	.89	1.2
Jeannette	11,700			5	.43	
Kingston	18,000	13	.72	8	.44	1.6
Lancaster	56,500	20	.35			
Lewistown				15		
McKeesport	49,100			13	.26	
Monessen	21,200	5	.24	2	.09	2.5
Mount Carmel		5		0		
Nanticoke	24,700			13	.53	
Norristown	34,800	2	.06	0		
North Braddock	16,700	19	1.14	10	.60	1.9
Oil City	23,300	10	.43			
Olyphant	11,200	12	1.07	4	.36	3.0
Pittston	19,800	6	.30			
Pottstown	18,500			6	.32	
Sharon	25,000	12	.48			
Steelton		15		15		1.0
Sunbury	16,800			6	.36	
Swissvale	12,900			9	.70	
Washington	23,000	4	.17			
West Chester				7		
Windber				2		
Woodlawn						
Rhode Island:						
Cranston	34,500	13	.38			
Newport	27,800			20	.72	
Pawtucket	69,800			13	.19	
Woonsocket	49,700			15	.30	
South Carolina:						
Charleston	73,100			122	1.67	
Greenville	27,300			17	.62	
Spartanburg	25,500	1	.04			
Sumter				13		
South Dakota:						
Sioux Falls	30,100	20	.66	20	.66	1.0
Tennessee:						
Knoxville	95,500			89	.93	

Reported Prevalence for the Year 1925—Continued

TUBERCULOSIS (PULMONARY)—Continued

City	Estimated population July 1, 1925	Cases reported, 1925	Cases per 1,000 inhabitants	Deaths registered, 1925	Deaths per 1,000 inhabitants	Cases reported for each death registered
Texas:						
Cleburne	14,200	7	.49	4	0.28	1.7
Corpus Christi	11,800	6	.51	3	.25	2.0
Galveston	48,400			37	.76	
Greenville	14,400			7	.49	
Orange		8		6		1.3
San Angelo				52		
Texarkana	12,400	3	.24	0		
Utah:						
Logan		1		1		1.0
Provo	11,200			2	.18	
Vermont:						
Barre				18		
Burlington	24,100			11	.46	
Virginia:						
Charlottesville	11,200			9	.80	
Danville	23,000			16	.70	
Lynchburg	30,400	39	1.28	25	.82	
Petersburg	35,700	76	2.13	45	1.26	1.6
Portsmouth	59,000	74	1.25	50	.85	1.7
Roanoke	58,200	42	.72	35	.60	1.5
Suffolk				45		1.2
Washington:						
Aberdeen	16,200	11	.68	11	.68	1.0
Bremerton		6		1		6.0
Vancouver	14,500			4	.28	
Yakima	22,700	16	.70	6	.26	2.7
West Virginia:						
Bluefield	19,300			8	.41	
Clarksburg	30,400	17	.56	15	.49	
Martinsburg	13,500			11	.81	1.1
Morgantown	13,800	16	1.16	5	.36	3.2
Parkersburg	21,300			6	.28	
Wheeling		175		38		4.6
Wisconsin:						
Appleton	21,100	14	.66	12	.57	1.2
Beloit	24,800	20	.81	8	.32	2.5
Green Bay	34,300	20	.58	13	.38	1.5
Janesville	20,800			4	.19	
Kenosha	50,900	46	.90	0		
La Crosse	30,400	36	1.18	20	.66	1.8
Manitowoc	22,100			16	.72	
Marinette				12		
Racine	67,700	80	1.18	24	.35	3.3
Superior				22		
Waukesha	14,700	1	.07			
Wausau	20,100			6	.30	
West Allis	18,400	28	1.52	8	.43	3.5
Wyoming:						
Cheyenne	15,500			4	.26	

TYPHOID FEVER

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Alabama:								
Anniston	20,500	7	16	42	2.05	1	0.05	2.4
Dothan	14,500	2	11	4	.28	4	.28	100.0
Florence	12,700	1	11	6	.47	1	.08	16.7
Mobile	66,000	6	41	33	.50	7	.11	21.2
Montgomery	46,500	5	18	54	1.16	11	.24	20.4
Selma	17,000	1	11			4	.24	
Tuscaloosa	13,100			16	1.22	1	.08	6.2

Reported Prevalence for the Year 1925—Continued

TYPHOID FEVER—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Arizona:								
Phoenix	38,700	2	5	7	0.18	0	0.19	7.0
Tucson	26,700	5	12	71	2.66	5		
Arkansas:								
Hot Springs		3	6	25				
Little Rock	74,200	7	63	128	1.73	17	.23	13.3
California:								
Alameda	31,900	7	3	6	.19	1	.03	16.7
Alhambra		2	10	2		0		
Bakersfield	23,500	6	1	2	.09	1	.04	50.0
Berkeley	66,200	7	14	17	.26	0		
Chico		2	2	4		1		25.0
Fresno	58,500	5	6	17	.29	1	.02	5.9
Glendale	21,300	4	6	2	.09	0		
Long Beach	91,200	7	17	17	.19	1	.01	5.9
Modesto		2	3	2		0		
Pasadena	56,700	7	9	10	.18	2	.04	20.0
Pomona	15,400	5	3	1	.06	0		
Riverside		7	9	14		1		7.1
Sacramento	72,300	7	47	44	.61	5	.07	11.4
San Bernardino	22,800	7	9			4	.18	
San Jose	43,600	5	5	6	.14	3	.07	50.0
Santa Ana	19,500	3	4	8	.41	1	.05	12.5
Santa Barbara	24,000	5	5			1	.04	
Stockton	47,300	4	58			4	.08	
Colorado:								
Boulder	11,800	5	7	3	.25	0		
Colorado Springs		7	15	23		4		17.4
Pueblo	43,800	4	25	62	1.42	11	.25	17.7
Trinidad	11,000	7	10	10	.91	1	.09	10.0
Connecticut:								
Danbury		4	9	3		2		66.7
Fairfield	14,500	4	2	3	.21	0		
Greenwich	25,300	7	3	2	.08	0		
Manchester	21,000	6	3	60	2.86			
Meriden	36,300	5	5	2	.06			
Milford	13,500	5	3	2	.15	0		
New Britain	68,000	6	10	12	.18	1	.01	8.3
New London	29,100	7	4	2	.07	1	.03	50.0
Norwich	23,100	7	5	9	.39	1	.04	11.1
Stamford	40,700	2	6	7	.17	1	.02	14.3
Stratford	16,100	4	2	5	.31	0		
Florida:								
St. Petersburg	26,800	2	6	58	2.16	6	.22	10.3
Tampa	94,700	3	35	52	.55	14	.15	26.9
West Palm Beach		2	3	5		3		60.0
Georgia:								
Albany	13,500	4	11	5	.37	0		
Augusta	55,200	5	48	51	.92	18	.33	35.3
Brunswick	16,800	7	18	12	.71	1	.06	8.3
Lagrange	23,500	2	13	18	.77	3	.13	16.7
Macon	58,200	7	42	88	1.51	21	.36	23.9
Rome	13,900	5	29	18	1.29	4	.29	22.2
Savannah	93,100	6	58	35	.38	19	.10	25.7
Idaho:								
Boise	23,000	6	5	7	.30	0		
Pocatello	18,300	6	5	6	.33	0		
Illinois:								
Alton	26,800	6	6			3	.11	
Aurora	40,300	6	18	9	.22	0		
Berwyn	18,900	3	0	2	.11	0		
Bloomington	30,400	5	4	4	.13	1	.03	25.0
Centralia	14,100	6	9	3	.21			
Champaign	18,200	7	6	4	.22	1	.05	25.0
Chicago Heights	22,100	4	1			1	.05	
Cicero	62,200	7	3	2	.03	0		
Danville	37,000	5	5	7	.19	1	.03	14.3
Decatur	53,900	4	18	9	.17	3	.06	33.3
East Moline		2	1	3		0		
East St. Louis	71,400	6	13	4	.06	4	.06	100.0

¹ Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

TYPHOID FEVER.—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Illinois—Continued.								
Elgin	33,400	7	6	7	.21	2	.06	28.6
Evanston	43,900	7	5	8	.18	2	.05	25.0
Freeport	20,700	5	1	7	.34	1	.05	14.3
Galesburg	24,800	7	16	22	.89	4	.16	18.2
Granite City	18,200	4	3			1	.05	
Jacksonville	15,900	7	24	35	2.20	1	.06	2.9
Joliet	40,600	4	45	22	.54	6	.15	27.3
Kewanee	19,700	4	12	9	.46	0		
Maywood	14,200	7	1	1	.07	0		
Moline	33,900	7	14	2	.06		.03	50.0
Murphysboro	12,500	3	6	13	1.04	3	.24	23.1
Oak Park	51,400	7	5	5	.10	2	.04	40.0
Ottawa	11,500	5	1	6	.52	0		
Pekin	13,300	7	3	3	.23	0		
Peoria	81,600	6	9	8	.10	1	.01	12.5
Quincy		7	14	16		0		
Rochester	40,000	6	8	9	.22	3	.07	33.3
Rockford	76,500	7	10	19	.25	2	.03	10.5
Springfield	63,900	6	16	12	.19	4	.06	33.3
Waukegan	22,000	4	13	7	.32	0		
Indiana:								
Connersville	12,500	1	2	2	.16	1	.08	50.0
East Chicago	45,600	7	10	01	.22	3	.07	30.0
Elwood		5	3	10		1		10.0
Fort Wayne	97,800	7	33	76	.78	9	.09	11.8
Gary	76,900	4	3			3	.04	
Hammond	50,400	5	32	15	.30	3	.06	20.0
Huntington	15,900	5	9	23	1.45	1	.06	4.3
Kokomo	36,900	7	11	1	.03	0		
LaFayette	23,800	7	7	3	.1.	2	.08	66.7
Logansport	23,100	7	7	9	.39	0		
Michigan City	20,300	4	4	5	.25	1	.05	20.0
Mishawaka	16,700	6	4	7	.42	0		
Muncie	42,500	6	13	26	.61	3	.07	11.5
New Albany		4	3	2		1		50.0
Newcastle	17,000	7	3	7	.41	2	.12	28.6
Peru	12,700	2	3	1	.08	1	.08	100.0
Richmond	30,500	7	3	5	.16	0		
South Bend	80,100	5	11	7	.09	1	.01	14.3
Terre Haute	71,100	5	7			13	.18	
Whiting	12,200	4	2	1	.08	0		
Iowa:								
Burlington	26,400	6	4	4	.15	1	.04	25.0
Cedar Rapids	50,600	6	2	6	.12	2	.04	33.3
Clinton	26,400	3	2	1	.04	0		
Council Bluffs	39,800			5	.13	2	.05	40.0
Iowa City	15,300			1	.07			
Marshalltown	16,900	3	1	6	.36			
Mason City	22,700	6	1	5	.22	1	.04	20.0
Muscatine	16,800	5	5	2	.12	2	.12	
Ottumwa	26,400			6	.23	1	.04	100.7
Waterloo	36,800	3	25	6	.16	1	.03	16.7
Kansas:								
Arkansas City	14,000			5	.36	0		
Coffeyville	16,200	6	17	25	1.54	1	.06	4.0
Emporia	12,200	2	12	22	1.80	5	.41	22.7
Fort Scott	11,800	7	5	5	.42	0		
Hutchinson	26,000	5	13	57	2.19			
Independence	10,900					2	.18	
Lawrence	12,300	7	7	4	.33	3	.24	75.0
Leavenworth	20,900	7	3	3	.14			
Parsons	14,800	4	5	21	1.42	4	.27	19.0
Pittsburg	19,200	6	13	10	.52	2	.10	20.0
Topeka	55,400	6	21	22	.40	1	.02	4.5
Wichita	88,400	7	39	36	.41	4	.05	11.1
Kentucky:								
Covington	58,300	5	21	17	.29	6	.10	31.3
Henderson	12,600	3	5	4	.32	1	.08	25.0
Newport		4	17	16		6		37.5
Paducah	25,900	6	13	32	1.24	6	.23	18.7

Reported Prevalence for the Year 1925—Continued

TYPHOID FEVER—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Louisiana:								
Baton Rouge	27,800	5	12	5	0.18	11	0.04	20.0
Lake Charles		3	6	15		2		13.3
Shreveport	57,300	3	36	127	2.19	132	.55	25.2
Maine:								
Auburn	18,100	6	2	3	.17	0		
Bangor	26,600	5	11	10	.38	2	.08	20.0
Bath	17,800	5	5	1	.06	0		
Biddeford	18,500	5	6	8	.43	5	.27	62.5
Lewiston	34,900	5	9	6	.17	3	.09	50.0
Portland	75,300	7	34	57	.76	14	.19	24.6
Sanford	11,600	6	2	7	.60	2	.17	28.6
South Portland		1	2	3				
Waterville	14,400	7	5	10	.69	2	.14	20.0
Westbrook				3		0		
Massachusetts:								
Adams	13,500	7	9	1	.07	1	.07	100.0
Arlington	24,900	7	5	6	.24	0		
Attleboro	20,600	7	3	6	.29	1	.05	16.7
Beverly	22,700	7	5	7	.31	0		
Brantree	13,200	5	1			1	.08	
Brockton	65,300	7	9	3	.05	1	.02	33.3
Brookline	42,700	7	5	6	.14	1	.02	16.7
Chelsea	47,200	7	16	13	.28	2	.04	15.4
Chicopee	41,900	7	3	2	.05	0		
Danvers	11,800	7	2	7	.59	0		
Dedham	13,900	5	1	3	.22	2	.14	66.7
Easthampton	11,600	6	0	1	.00	0		
Everett	42,100	7	10	11	.26	0		
Framingham	21,100	7	4	2	.09	0		
Gardner	18,700	7	4	4	.21	0		
Gloucester	23,400			14	.60	1	.04	7.1
Greenfield	15,200	7	2	3	.20	0		
Haverhill	49,200	7	10	5	.10	0		
Holyoke	60,300	7	6	2	.03	1	.02	50.0
Lawrence	93,500	7	37	23	.25	1	.01	4.3
Leominster	22,100	6	4	2	.09	0		
Malden	51,800	7	11	8	.15	2	.04	25.0
Marlboro	16,200	6	6	3	.19	1	.06	33.3
Medford	47,600	7	6	6	.13	0		
Melrose	20,200	7	3	5	.25	0		
Methuen	20,600	6	2	3	.15	2	.10	66.7
Milford	14,800	7	1	2	.14	0		
Newburyport	15,700	7	8	2	.13	0		
Newton	53,000	7	9	10	.19	1	.02	10.0
North Adams	22,700	7	6	11	.48	1	.04	9.1
Northampton	24,100	7	5	6	.25	0		
Northbridge	10,100	7	2	1	.10	0		
Pittsfield	46,900	7	9	9	.19	2	.04	22.2
Plymouth	13,200	5	6	1	.08	0		
Quincy	60,100	7	9	23	.38	1	.02	4.3
Revere	33,300	1	3	6	.18	0		
Salem	42,800	7	4	3	.07	1	.02	33.3
Saugus	12,700	6	2	2	.16	0		
Somerville	99,000	7	15	13	.13	1	.01	7.7
Southbridge								
Wakefield	15,500	7	10	3	.19	0		
Waltham	15,600	5	4	4	.26	0		
Watertown	34,700	7	10	3	.09	0		
West Springfield	25,500	7	3	1	.04	0		
Westfield	15,300	2	2	1	.07			
Winchester	19,300	7	3	3	.16	1	.05	33.3
Winthrop	11,600	7	1	2	.17	0		
Woburn	16,200	7	1	5	.31	0		
Michigan:								
Adrian	12,500	3	11	7	.56	0		
Ann Arbor	22,200	7	8	14	.63	2	.09	14.3
Battle Creek	42,300	7	10	22	.52	0		
Bay City	48,900	7	61	21	.43	5	.10	23.8

¹ Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

TYPHOID FEVER—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Michigan—Continued.								
Benton Harbor	14,000	6	4	2	.14	2	.14	100.0
Cadillac	4	3	5	5	.06	1	.02	20.0
Hamtramck	81,700	5	2	5	.29	2	.02	40.0
Highland Park	72,300	7	12	21	.34	3	.04	14.3
Ironwood	17,400	7	3	2	.12	0		
Ishpeming	6	1	4	4		1		25.0
Jackson	58,000	7	10	14	.24	3	.05	21.4
Kalamazoo	53,600	7	20	20	.37	2	.04	10.0
Lansing	70,800	6	24	24	.34	2	.03	8.3
Marquette	13,400	6	9	3	.22	0		
Monroe	14,200	3	4	3	.21			
Muskegon	43,100	6	22	7	.16	1	.02	14.3
Muskegon Heights	2	2	2	2		0		
Pontiac	47,500	7	12	8	.17	1	.02	12.5
Port Huron	30,000	6	9	5	.17	1	.03	20.0
River Rouge	2	11	7	0				
Saginaw	72,100	5	43	82	1.14	12	.17	14.6
Sault Ste. Marie	7	4	3	0				
Minnesota:								
Albert Lea	1	0	1			0		
Faribault	12,300	5	1	1	.08	1	.08	100.0
Hibbing	18,000	6	4	1	.06	1	.06	100.0
Rochester	17,000	3	6	18	.47	2	.12	25.0
Winona	19,500	6	2	3	.15			
Mississippi:								
Biloxi	12,600	4	9	3	.24	0		
Jackson	23,700	2	37	60	2.53	4	.17	6.7
Laurel	15,700			37	2.35			
Meridian	24,300	1	15	23	.95			
Natchez	13,100			12	.92	1	.08	8.5
Missouri:								
Independence	12,700	6	18	7	.55	1	.08	14.3
Joplin		6	8	8				
Moberly	13,900	3	6	4	.29	1	.07	25.0
St. Joseph	78,300	7	14	6	.08	1	.01	16.7
Springfield	42,100	5	22	10	.24	5	.12	50.0
Montana:								
Anaconda	12,500	6	1	2	.16	0		
Great Falls	29,900	7	12	14	.47	1	.03	28.6
Helena		3	1	2		0		
Missoula	7	3	11			1		9.1
Nebraska:								
Grand Island	15,600	6	5	1	.06			
Lincoln	60,900	7	10	5	.08	2	.03	40.0
Nevada:								
Reno	12,700	7	11	1	.08	0		
New Hampshire:								
Berlin	18,600	4	3	5	.27	0		
Dover		6	5	4		2		50.0
Manchester	83,100	5	17	3	.04	2	.02	66.7
Nashua	29,700	3	1			1	.03	
Portsmouth	14,900	7	4	3	.20			
New Jersey:								
Asbury Park	13,700	7	3	10	.73	1	.07	10.0
Bayonne	88,800	6	4	10	.11	4	.05	40.0
Belleville	18,900	7	2	3	.16	0		
Bloomfield	26,000	7	2	3	.12	1	.04	33.3
Bridgeton	14,400	6	4	11	.76	3	.21	27.3
Clifton	34,700	5	4	6	.17	0		
Collingswood		1	2	2		0		
Dover	2	0	2			0		
East Orange	60,000	7	9	6	.10	0		
Englewood	12,600	7	5	8	.63	0		
Gloucester City	13,700	3	2	3	.22	0		
Hackensack	19,700	7	2	11	.56	0		
Harrison	16,400	6	1	1	.06			
Hoboken		5	7	19		2		10.5
Irvington	33,200	5	3	7	.21	0		
Kearny	31,300	7	1	5	.16	0		

¹ Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

TYPHOID FEVER—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925			
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Fatalities per 100 cases
New Jersey—Continued.							
Lodi		1	2	2			
Long Branch	13,600	7	6	7	0.51	0	
Montclair	32,900	7	4	3	.09	1	0.03
Morristown	12,600	7	6	6	.48	0	
New Brunswick	38,000	7	4	23	.61	5	.13
Orange	35,400	6	2	4	.11	1	.03
Passaic	69,000	7	5	4	.06	1	.01
Perth Amboy	47,100	7	6	10	.21	1	.02
Phillipsburg	18,600	4	4	4	.22		
Plainfield	31,700	7	7	5	.16	1	.03
Rahway	12,000	7	6	1	.08	1	.08
Red Bank		1	1	2			
Ridgefield Park		2	3	2			
Kutherford		2	3	3		0	
Summit	11,700	5	4	8	.68	0	
Union City	63,100			2	.03		
West New York	39,200	7	1	6	.15	0	
New Mexico:							
Albuquerque	21,000	2	25	25	1.19	3	.14
New York:							
Ansterdam	35,300	4	6	11	.31	2	.06
Binghamton	71,900	7	14	13	.18	6	.08
Cohoes	23,000	6	4	3	.13	1	.04
Corning	15,700	5	6	10	.64	1	.06
Cortland	13,900	7	5	6	.43	0	
Dunkirk	19,900	7	3	3	.15	1	.05
Elmira	48,400	5	15	20	.41	4	.08
Freeport		1	3	1		0	
Geneva	15,900	6	6	5	.31	1	.06
Glens Falls	17,900	6	3	6	.34	0	
Gloversville	22,100	7	4	2	.09	0	
Hornell	15,800	6	4	2	.13	0	
Hudson	11,800	5	3	1	.08	0	
Ithaca	18,900	7	11	8	.42	0	
Jamestown	43,400	7	16	5	.12	0	
Johnson City		1	15	5		0	
Johnstown	10,700	4	0	3	.28	0	
Kingston	28,100	6	22	41	1.46	9	.32
Lackawanna	20,200	7	9	22	1.09	1	.05
Lockport	21,700	5	6	6	.28	0	
Middletown	20,400	7	3	9	.49	0	
Mount Vernon	50,400	7	6	12	.24	2	.04
New Rochelle	44,200	6	9	11	.25	1	.02
Newburgh	30,400	7	12	18	.59	2	.07
Niagara Falls	57,000	7	15	8	.14	2	.04
North Tonawanda	17,400	7	13	12	.69	1	.06
Olean	21,300	7	8	5	.23	1	.05
Peekskill	18,000	7	2	3	.17	0	
Plattsburg	11,600	6	7			1	.09
Poughkeepsie	35,700	7	6	16	.45	1	.03
Rome	30,300	7	8	14	.46	1	.03
Salamanca		1	0	2		0	
Schenectady	92,800	7	15	20	.22	3	.03
Troy	72,200	7	26	17	.24	3	.04
Watertown	32,800	7	22	25	.76	2	.06
Watervliet	16,200	5	5	1	.06	0	
White Plains	27,400	7	3	10	.36	0	
North Carolina:							
Asheville	31,500	7	19	14	.44	1	.03
Charlotte	53,300	5	26	26	.49	3	.04
Greensboro	47,100	2	68	21	.45	2	.06
High Point	23,600	1	28	13	.55	2	.08
New Bern	12,200	2	8	1	.08	1	.08
Raleigh	30,400	7	12	17	.56	5	.16
Rocky Mount	15,100	4	5	14	.26	0	
Salisbury	17,700	3	4	1	.06	0	
Wilmington	37,100	7	27	3	.08	1	.03
Winston-Salem	69,000	6	59	21	.30	3	.04

Reported Prevalence for the Year 1925—Continued

TYPHOID FEVER—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Ohio:								
Alliance	25,000	4	3	1	.04	0		
Ashtabula	25,100	7	17	27	1.08	6	.24	22.2
Barberton	23,300	6	7	2	.09	0		
Bellaire	16,300	4	10	2	.12	0		
Bellefontaine				23		0		
Bucyrus	11,700	5	15	2	.17	1	.09	50.0
Cambridge	14,000	5	6	4	.29	1	.07	25.0
Chillicothe	16,600	7	11	14	.84	0		
Cleveland Heights	22,260	3	4	1	.05	0		
Conneaut		2	2	3				
Cuyahoga Falls	13,700	2	9	5	.36	1	.07	20.0
East Cleveland	37,600	5	5	6	.16	0		
East Liverpool	22,000	3	7	1	.05	1	.05	100.0
East Youngstown (Campbell)	16,000	5	3	1	.06	0		
Elyria	23,800	7	5	4	.17	2	.08	50.0
Findlay	18,200	7	2	5	.27	0		
Fostoria		2	4	5		0		
Fremont	13,900	7	14	3	.22	0		
Hamilton	42,400	7	7	8	.19	6	.14	
Ironton	14,500	2	6	25	1.72	1	.07	4.0
Kenmore	19,400	3	6	1	.05	0		
Lakewood	56,800	4	4	2	.04	0		
Lancaster	16,100	4	4	3	.19	1	.06	33.3
Lima	46,700	7	22	44	.94	2	.04	4.5
Lorain	42,300	7	15	5	.12	0		
Mansfield	31,800	7	12	16	.50	1	.03	6.2
Marietta	15,300	2	3			2	.13	
Marion	32,500	4	20	6	.18	3	.09	50.0
Martins Ferry	15,500	5	3	12	.77			
Middletown	30,800	7	10	13	.42	1	.03	7.7
Newark	30,500	7	16	5	.16	0		
Niles	16,600	5	3	3	.18	0		
Norwood	29,900	7	2	4	.13	1	.03	25.0
Piqua	16,000	7	12	2	.12			
Sandusky	24,500	7	12	64	2.61	8	.33	12.5
Springfield	68,700	7	13	11	.16	0		
Steubenville	32,000	7	12	12	.37	2	.06	16.7
Zanesville	30,400	6	10	13	.43	3	.10	23.1
Oklahoma:								
Ardmore	17,200	1	14	58	3.37	18	1.05	31.0
Guthrie	11,800					1	.08	
Okmulgee	25,300	1	15	47	1.86	2	.08	4.3
Sapulpa	14,200	1	5	7	.49	0		
Oregon:								
Eugene	11,400	7	10	12	1.05	2	.18	16.7
Pennsylvania:								
Allentown	92,200	4	52	38	.41	3	.03	7.9
Altoona	66,100	7	14	7	.11	3	.05	42.9
Beaver Falls	13,100	4	7	7	.53			
Braddock	21,700	7	8	3	.14	0		
Butler	25,200	7	13	9	.36	2	.08	22.2
Carbondale	19,500	5	2	6	.31			
Claирton	14,900	2	1	2	.13	0		
Coatesville	16,500	7	8	1	.06	0		
Columbia				5		3		
Connellsburg	14,300	6	4	9	.63	0		
Dubois	14,300	3	4	28				
Easton	36,800	6	10	6	.16	3	.08	50.0
Farell	18,700	5	5	2	.11	1	.05	30.0
Greensburg	16,100	1	0	1	.06	0		
Harrisburg	83,400	7	19	5	.06	0		
Hazleton	36,100	5	5	8	.22	2	.06	25.0
Homestead	21,400	7	16	15	.70	2	.09	13.3
Jeanette	11,700	5	10	7	.60	1	.09	14.3
Lancaster	56,500	7	21	29	.51	9	.16	31.0
Lewistown		3	6	7		0		
McKees Rocks	18,100	3	0	1	.06	0		
McKeesport	49,100	7	9	13	.26	18	.16	61.5

Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

TYPHOID FEVER—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925					
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases	
Pennsylvania—Continued.									
Meadville	15,600	3	3	1	0.06				
Monessen	21,200	6	2	2	.09	0			
New Castle	49,800	6	17	13	.26	3	0.06	23.1	
Norristown	34,800	7	11	7	.20	2	.06	28.6	
North Braddock	16,700	7	5	2	.12	0			
Oil City	23,300	7	3	6	.26				
Phoenixville		3	1	3					
Pittston	19,800	6	1		.05				
Plymouth		6	3	1		0			
Pottstown	18,500	2	4	3	.16	1	.05	33.3	
Sharon	25,000	5	8	2	.08	2	.08	100.0	
Steelton		7	2	1		0			
Sunbury	16,800	7	3	8	.48	3	.18	37.5	
Swissvale	12,900	5	9	4	.31	0			
Uniontown		6	11	12					
Vandergrift		1	1	1		1		100.0	
Warren	15,100	7	5	18	.53	0			
Washington	23,000	7	26	12	.52				
Waynesboro				1					
West Chester		7	4	2		1		50.0	
Wilkes-Barre	77,600	2	10	11	.14	1	.01	9.1	
Wilkinsburg	27,400	3	8	2	.07	1	.04	50.0	
Woodlawn	18,900	5	5	1	.05	1	.05	100.0	
York	49,100	6	27	62	1.26	4	.08	6.5	
Rhode Island:									
Central Falls	25,400	4	2	5	.20				
Cranston	34,500	6	4	2	.06				
Newport	27,800	7	4	5	.18	2	.07	40.0	
Pawtucket	69,800	6	8	1	.01	0			
Woonsocket	49,700	1	4	6	.12	2	.04	33.3	
South Carolina:									
Anderson	11,100	4	11	9	.81				
Charleston	73,100	1	58	98	1.34	13	.18	13.3	
Florence	13,200	1	13	19	1.44	1	.08	5.3	
Greenville	27,300	6	17	46	1.68	8	.29	17.4	
Spartanburg	25,500	4	13			3	.12		
Sumter		2	15	15		2		13.3	
South Dakota:									
Aberdeen	15,000	4	1	11	.07				
Tennessee:									
Chattanooga	66,600	4	14	119	1.79				
Knoxville	95,500	6	60	152	1.59	20	.21	13.2	
Texas:									
Amarillo	17,800	6	12	30	1.69	6	.34	20.0	
Beaumont	50,600	4	8	8	.16	4	.08	50.0	
Cleburne	14,200	5	10	6	.42	0			
Corpus Christi	11,800	4	1	5	.42	1	.08	20.0	
Galveston	48,400	7	32	49	1.01	5	.10	10.2	
Greenville	14,400			16		2	.14		6.2
Orange				3	.26				
Palestine	11,400					1			
San Angelo						4			
Texarkana	12,400	5	5	27	2.18	2	.16	7.4	
Tyler	13,000	7	6	14	1.08	2	.15	14.3	
Waco	43,900	6	15	9	.21	3	.07	33.3	
Utah:									
Logan		1	5			1			
Ogden	36,900	6	14	6	.16	1	.03	16.7	
Vermont:									
Bennington		2	2	1		0			
Burlington	24,100	6	3	1	.04	0			
Rutland	15,800	4	4	2	.13	0			
Virginia:									
Charlottesville	11,200	4	5	15	1.34	1	.09	6.7	
Danville	23,000	7	8	11	.48	5	.22	45.5	
Lynchburg	30,400	6	19	36	1.18	3	.10	8.3	
Newport News	47,100	6	14	5	.11	2	.04	40.0	
Petersburg	35,700	7	25	31	.87	6	.17	19.4	
Portsmouth	59,000	7	37	23	.39	4	.07	17.4	
Roanoke	58,200	6	36	26	.45	6	.10	23.1	
Suffolk				31		0			

¹ Includes nonresidents.

Reported Prevalence for the Year 1925—Continued

TYPHOID FEVER—Continued

City	Estimated population, July 1, 1925	Estimated expectancy		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Fatalities per 100 cases
Washington:								
Aberdeen	16,200	6	4	3	0.19	2	0.12	66.7
Bremerton		2	2	3		0		
Everett	29,300	7	5	13	.44			
Vancouver	14,500	5	4	7	.48	1	.07	14.3
Walla Walla		3	9	14		0		
Yakima	22,700	7	10	4	.18	1	.04	25.0
West Virginia:								
Bluefield	19,300	4	22	29	1.50	3	.16	10.3
Charleston	49,000	7	49	28	.57	2	.04	7.1
Clarksburg	30,400	3	9			10	.33	
Fairmont	21,000	7	26	19	.90			
Martinsburg	13,500	5	17	20	1.48	4	.30	20.
Morgantown	13,800	2	18	55	3.99	4	.29	7.3
Parkersburg	21,300	5	16	3	.14	1	.05	33.3
Wheeling		4	43	58		8		13.8
Wisconsin:								
Appleton	21,100	3	10	1	.05	0		
Eau Claire	22,400	7	5	1	.04	0		
Fond du Lac	26,000	6	4	4	.15	1	.04	25.0
Green Bay	34,300	7	7	6	.17	2	.06	33.3
Kenosha	50,900	7	4	8	.16	0		
La Crosse	30,400	7	5	9	.30	1	.03	11.1
Madison	46,400	7	1	5	.11			
Manitowoc	22,100	5	2	13	.59	3	.14	23.1
Marinette		7	4	4		0		
Oshkosh	33,200	7	6	6	.18	0		
Racine	67,700	6	7	8	.12	1	.01	12.5
Sheboygan	33,500	6	12	4	.12	1	.03	25.0
Wausau	20,100	7	8	6	.30	1	.05	16.7
Wyoming:								
Cheyenne	15,500			10	.65	1	.06	10.0

¹ Includes nonresidents.

TYPHUS FEVER

City	Cases reported, 1925	Deaths registered, 1925	City	Cases reported, 1925	Deaths registered, 1925
Georgia:			North Carolina:		
Augusta	1	0	Wilmington		1
Lagrange	5	0	Texas:		
Indiana:			Palestine	2	
East Chicago		1	Waco	1	0
Massachusetts:					
Winthrop	1	0			

Reported Prevalence for the Year 1925—Continued

WHOOPING COUGH

City	Estimated population July 1, 1925	Average, 1922-1924		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Alabama:								
Anniston	20,500	3	13	9	0.44	2	0.10	4.5
Dothan	14,500	2	9	31	2.14	1	.07	31.0
Florence	12,700	1	10	20	1.57	1	.08	20.0
Mobile	66,000					7	.11	
Montgomery	46,500	2	45	23	.49	0		
Selma	17,000					4	.24	
Tuscaloosa	13,100			24	1.83	1	.08	24.0
Arizona:								
Phoenix	38,700	2	7	20	.52	6	.16	3.3
Tucson	26,700	2	7	10	.37	0		
Arkansas:								
Hot Springs				4				
Little Rock	74,200	3	17	10	.13	3	.04	3.3
California:								
Alameda	31,900	3	47	131	4.11	1	.03	131.0
Alhambra		2	30	86		0		
Bakersfield	23,500	2	4	22	.94	0		
Berkeley	66,200	3	159	648	9.79	1	.02	648.0
Chico		2	13	3		0		
Eureka	13,500	3	39	5	.37	0		
Fresno	58,500	2	32	83	1.42	0		
Glendale	21,300	3	46	116	5.45	0		
Long Beach	91,200	3	81	234	2.57	1	.01	234.0
Pasadena	56,700	3	222	410	7.23	7	.12	58.6
Pomona	15,400	3	23	34	2.21	0		
Richmond	22,500	3	3	6	.27	1	.04	6.0
Riverside		3	54	181		2		90.5
Sacramento	72,300	3	68	83	1.15	11	.15	7.5
San Bernardino	22,800	3	46	68	2.98	5	.22	13.6
San Jose	43,600	3	51	79	1.81	4	.09	19.7
Santa Ana	19,500	3	20	32	1.64	2	.10	16.0
Santa Barbara	24,000	1	5	76	3.16	2	.08	38.0
Santa Monica	19,400	2	26			2	.10	
Stockton	47,300	3	39	454	9.60	7	.15	64.9
Vallejo	26,600			5	.19	2	.08	2.5
Colorado:								
Boulder	11,800	3	69	26	2.20	0		
Colorado Springs		3	106	28		0		
Pueblo	43,800	3	9	37	.84	8	.18	4.6
Trinidad	11,000			27	2.45	3	.27	9.0
Connecticut:								
Danbury				4		1		4.0
Fairfield	14,500	3	24	63	4.34	0		
Greenwich	25,300	3	145	90	3.56	0		
Manchester	21,000	3	11	3	.14			
Meriden	36,300	3	67	131	3.61			
Milford	13,500	3	26	22	1.63	0		
New Britain	68,000	3	96	41	.60	3	.04	13.7
New London	29,100	3	116	206	7.08	0		
Norwich	23,100	3	15	8	.35	1	.04	8.0
Shelton		1	15	7		0		
Stamford	40,700	2	76	88	2.16	2	.05	44.0
Stratford	16,100	2	11	39	2.42	0		
Florida:								
St. Petersburg	26,800			24	.90	0		
Tampa	94,700	3	14	19	.20	8	.08	2.4
West Palm Beach		2	5	2		0		
Georgia:								
Albany	13,500			2	.15	1	.07	2.0
Augusta	55,200	1	2	15	.27	2	.04	7.5
Lagrange	23,500	1	13	7	.30	7	.30	1.0
Macon	58,200	3	311	107	1.84	0		
Rome	13,900	3	10	1	.07	1	.07	1.0
Savannah	93,100	3	28	64	.69	3	.03	21.3
Idaho:								
Boise	23,000	2	2	26	1.13	1	.04	26.0
Pocatello	18,300	2	20	10	.55	0		

Reported Prevalence for the Year 1925—Continued

WHOOPING COUGH—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Illinois:								
Alton	26,800	3	63	82	3.06	1	0.04	82.0
Aurora	40,300	2	106	117	2.90	1	.02	117.0
Berwyn	18,900	3	29	124	6.56	1	.05	124.0
Bloomington	30,400	3	100	149	4.90	0		
Blue Island	13,200	3	17	15	1.14	0		
Champaign	18,200	3	46	42	2.31	0		
Chicago Heights	22,100	2	1	6	.27	1	.05	6.0
Cicero	62,200	3	105	76	1.22	1	.02	76.0
Danville	37,000	2	44	58	1.57	0		
Decatur	53,900	2	51	102	1.89	0		
East Moline		2	29	172		3		57.3
East St. Louis	71,400	3	32	7	.10	1	.01	7.0
Elgin	33,400	3	129	30	.90	0		
Evanston	43,900	3	308	443	10.09	0		
Freeport	20,700	2	77	97	4.69	0		
Galesburg	24,800	3	115	22	.89	0		
Jacksonville	15,900	3	21	116	7.30	0		
Joliet	40,600	1	3	15	.37	0		
Kewanee	19,700	2	22	65	3.30	0		
La Salle	13,900	3	15	104	7.48	3	.22	34.7
Maywood	14,200	3	46	100	7.04	0		
Moline	33,900	3	87	374	11.03	2	.06	187.0
Murphysboro	12,500	2	2	1	.08	0		
Oak Park	51,400	3	401	464	9.03	0		
Pekin	13,300	3	19	2	.15	0		
Peoria	81,600	3	92	200	2.45	4	.05	50.0
Quincy		3	98	11	.29	0		
Rock Island	40,000	3	121	251	6.27	0		
Rockford	76,500	3	156	344	4.50	0		
Springfield	63,900	3	208	65	1.02	1	.02	65.0
Streator	15,100	3	12	2	.13	0		
Waukegan	22,000	2	29	66	3.00	0		
Indiana:								
Anderson	33,900	2	68	19	.56	1	.03	19.0
Connersville	12,500			30	2.40	1	.08	30.0
Crawfordsville	10,500	3	10	2	.19	0		
East Chicago	45,600	3	22	5	.11	4	.09	1.2
Elwood						2		
Fort Wayne	97,800	3	118	76	.78	0		
Frankfort	13,100	3	5	1	.08	0		
Gary	76,900	1	10	24	.31	4	.05	6.0
Hammond	50,400	2	31	22	.44	1	.02	22.0
Kokomo	36,900	3	6	5	.14	0		
La Fayette	23,800	3	5	7	.29	0		
Logansport	23,100			6	.26	0		
Michigan City	20,300	3	4	8	.39	1	.05	8.0
Mishawaka	16,700	3	13	6	.36	1	.06	6.0
Muncie	42,500	3	168	19	.45	0		
Newcastle	17,000	3	4			1	.06	
Peru	12,700			1	.08	0		
Richmond	30,500	3	3	10	.33	0		
South Bend	80,100	3	63	53	.66	0		
Terre Haute	71,100			10	.14	1	.01	10.0
Iowa:								
Boone	12,800	1	7	3	.23	1	.08	3.0
Burlington	26,400	3	51	29	1.10	0		
Cedar Rapids	50,600			52	1.03	0		
Clinton	26,400	1	14	13	.49	1	.04	13.0
Council Bluffs	39,800	3	14	7	.18	0		
Dubuque	41,000	3	14	15	.37	0		
Fort Dodge	21,700			2	.09	0		
Iowa City	15,300	3	5	24	1.57			
Marshalltown	16,900	2	25	22	1.30			
Muscatine	16,800	3	28	23	1.37	0		
Waterloo	36,800	2	90	134	3.64	0		

Reported Prevalence for the Year 1925—Continued

WHOOPING COUGH—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925				Cases reported for each death registered
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	
Kansas:								
Arkansas City	14,000			2	0.14	0		
Coffeyville	16,200	3	31	10	.62	0		
Emporia	12,200	2	9	40	3.28	0		
Fort Scott	11,800	3	14	35	2.97	0		
Hutchinson	26,000	2	25	20	.77			
Lawrence	12,300	3	20	8	.65	0		
Leavenworth	20,900	3	18	19	.91			
Parsons	14,800	3	13	6	.41	0		
Pittsburg	19,200	3	5	9	.47	0		
Topeka	55,400	3	387	186	3.36	0		
Wichita	88,400	3	265	503	5.69	4	0.05	125.7
Kentucky:								
Covington	58,300	3	21	16	.27	2	.03	8.0
Newport		2	16	42		2		21.0
Paducah	25,900	3	44	94	3.63	0		
Louisiana:								
Baton Rouge	27,800	2	113			3	.11	
Lake Charles		2	10	19		1		19.0
Shreveport	57,900	2	8	11	.19	1	.02	11.0
Maine:								
Auburn	18,100	3	73	20	1.10	0		
Bangor	26,600	3	62	23	.86	0		
Bath	17,800	3	27	13	.73	0		
Biddeford	18,500	3	18	19	1.03	0		
Lewiston	34,900	3	119	17	.49	0		
Portland	75,300	3	153	105	1.39	2	.03	52.5
South Portland		1	2	31				
Waterville	14,400	3	36	40	2.78	0		
Massachusetts:								
Adams	13,500	3	11	13	.96	2	.15	6.5
Amesbury	11,200	2	15	9	.80	0		
Arlington	24,900	3	42	113	4.54	0		
Athol			4			0		
Attleboro	20,600	3	37	32	1.55	0		
Belmont	15,300	3	93	69	4.51	0		
Beverly	22,700	3	30	28	1.23	1	.04	28.0
Braintree	13,200	3	41	24	1.82	0		
Brookton	65,300	3	187	188	2.88	0		
Brookline	42,700	3	177	49	1.15	0		
Chelsea	47,200	3	48	97	2.06	1	.02	97.0
Chicopee	41,900	3	18	14	.33	1	.02	14.0
Clinton	14,200	3	13	8	.56	0		
Danvers	11,800	3	10	6	.51	0		
Dedham	13,900	3	14	29	2.09	0		
Easthampton	11,600	3	6	1	.09	0		
Everett	42,100	3	95	88	2.04	3	.07	28.7
Framingham	21,100	3	41	70	3.32	0		
Gardner	18,700	3	20	50	2.67	3	.16	16.7
Gloucester	23,400			3	.13	0		
Greenfield	15,200	3	51	103	6.78	0		
Haverhill	49,200	3	149	98	1.99	1	.02	98.0
Holyoke	60,300	3	62	69	1.14	3	.05	69.0
Lawrence	93,500	3	173	175	1.87	4	.04	43.7
Leominster	22,100	3	39	2	.09	0		
Malden	51,800	3	78	86	1.66	0		
Marlboro	16,200	2	25	8	.49	0		
Medford	47,600	3	65	104	2.18	0		
Melrose	20,200	3	31	49	2.43	2	.10	24.5
Methuen	20,600	3	82	97	4.71	1	.05	97.0
Milford	14,800	3	10	16	1.08	1	.07	16.0
Milton		1	6	44		2		22.0
Newburyport	15,700	3	30	6	.38	0		
Newton	53,000	3	319	326	6.15	0		
North Adams	22,700	3	7	8	.26	1	.04	8.0
Northampton	24,100	3	34	15	.02	0		
Northbridge	10,100	3	16	35	3.47	0		
Palmer		2	2	2		0		
Peabody	19,900	3	26	13	.65	0		

Reported Prevalence for the Year 1925—Continued

WHOOPING COUGH—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Massachusetts—Continued.								
Pittsfield	46,900	3	41	46	0.98	4	0.09	11.5
Plymouth	13,200	2	25	7	.53	0		
Quincy	60,100	3	65	194	3.23	3	.05	64.7
Revere	33,300			23	.69	1	.03	23.0
Salem	42,800	3	68	36	.84	3	.07	12.0
Saugus	12,700	3	28	20	1.57	0		
Somerville	99,000	3	69	184	1.86	5	.05	36.8
Taunton	39,300	3	29	4	.10	0		
Wakefield	15,600	3	16	12	.77	1	.06	12.0
Waltham	34,700	3	82	36	1.04	0		
Watertown	25,500	3	57	77	3.02	0		
West Springfield	15,300	2	20	11	.72			
Westfield	19,300	3	11	3	.16	0		
Winchester	11,600	3	32	37	3.19	0		
Winthrop	16,200	3	68	79	4.88	0		
Woburn	18,400	3	21	13	.71	0		
Michigan:								
Adrian	12,500	2	12	20	1.60	0		
Ann Arbor	22,200	3	48	81	3.65	1	.05	81.0
Battle Creek	42,300	3	104	62	1.47	0		
Bay City	48,900	3	84	102	2.09	1	.02	102.0
Benton Harbor	14,000	3	7	10	.71	0		
Hamtramck	81,700	3	24	17	.21	1	.01	17.0
Highland Park	72,300	3	175	276	3.82	0		
Holland	13,100	3	41	27	2.06	0		
Ironwood	17,400	3	24	19	1.09	1	.06	19.0
Ishpeming		3	7	2		0		
Jackson	58,000	3	137	289	4.98	4	.07	72.2
Kalamazoo	53,600	3	183	212	3.96	3	.06	70.7
Lansing	70,800	3	209	359	5.07	2	.03	179.5
Marquette	13,400	2	20	112	8.36	0		
Monroe	14,200			5	.35			
Muskegon	43,100	3	38	85	1.97	2	.05	42.5
Muskegon Heights		2	15	75		0		
Pontiac	47,500	3	166	124	2.61	2	.04	62.0
Port Huron	30,000	3	126	208	6.93	1	.03	208.0
River Rouge		2	3	2		1		2.0
Saginaw	72,100	3	145	107	1.48	4	.06	26.8
Sault Ste. Marie		3	9	22		0		
Minnesota:								
Albert Lea				4		0		
Austin	11,900			6	.50			
Brainerd				1		0		
Faribault	12,300	3	2	1	.08	0		
Hibbing	18,000			6	.33	0		
Rochester	17,000	2	9	119	7.00	0		
Winona	19,500	3	82	3	.15			
Mississippi:								
Biloxi	12,600	3	11	11	.87	0		
Jackson	23,700	2	127	173	7.30	0		
Laurel	15,700			71	4.52			
Meridian	24,300	1	126	95	3.91			
Natchez	13,100			40	3.05	0		
Missouri:								
Independence	12,700	2	26	40	3.15	0		
Moberly	13,900	3	13			1	.07	
St. Joseph	78,300	3	43	45	.57	5	.06	9.0
Springfield	42,100	2	15	5	.12	3	.07	1.7
Montana:								
Anaconda	12,500	3		11	.88	0		
Butte	42,900	3	0			3	.07	
Great Falls	29,900	3	45	157	5.25	1	.03	157.0
Helena		2	1	27		1		27.0
Missoula		1	9	14		4		3.5
Nebraska:								
Grand Island	15,600	3	1	22	1.41			
Lincoln	60,900	3	200	363	5.96	3	.05	121.0
North Platte	13,700	1	14	3	.22	0		

Reported Prevalence for the Year 1925—Continued

WHOOPING COUGH—Continued

City	Estimated population, July 1, 1925	Number of years	Average, 1922-1924	1925			
			Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants
Nevada:							
Reno.....	12,700	3	9	2	0.16	0	
New Hampshire:							
Concord.....	22,500	3	5	28	1.24	0	
Dover.....		3	20	2		0	
Keene.....	11,900	3	5	10	.84	0	
Manchester.....	83,100	2	19	11	.13	8	0.10
Nashua.....	29,700	3	5			5	.17
Portsmouth.....	14,900	3	56	75	5.03	2	.13
New Jersey:							
Asbury Park.....	13,700	3	33	72	5.26	0	
Bayonne.....	88,800	2	20			8	.09
Belleville.....	18,900	3	33	115	6.08		
Bloomfield.....	26,000	3	130	144	5.54	0	
Bridgeton.....	14,400	3	2	26	1.81	3	.21
Clifton.....	34,700	3	26	11	.32	0	
Collingswood.....		1	33	5		0	
Dover.....		2	56	93		1	93.0
East Orange.....	60,000	3	324	542	9.03	3	.05
Englewood.....	12,600	3	93	36	2.86	0	
Garfield.....	24,600	2	12	4	.16	0	
Gloucester City.....	13,700	2	9	6	.44	0	
Hackensack.....	19,700	3	62	44	2.23	0	
Harrison.....	16,400	3	26	52	3.17		
Hoboken.....		3	19	14		0	
Irvington.....	33,200	2	141	212	6.39	1	.03
Kearny.....	31,300	3	141	112	3.58	0	
Lodi.....		1	14	4		0	
Long Branch.....	13,600	3	49	149	10.96	0	
Montclair.....	32,900	3	112	330	10.03	0	
Morristown.....	12,600	3	25	90	7.14	0	
New Brunswick.....	38,000	3	0	1	.03	0	
Nutley.....				11		0	
Orange.....	35,400	3	189	153	4.32	1	.03
Passaic.....	69,000	3	95	60	.87	3	.04
Perth Amboy.....	47,100	3	11	9	.19	4	.08
Plainfield.....	31,700	3	58	185	5.84	5	.18
Rahway.....	12,000	3	6	7	.58	0	
Red Bank.....		1	18	7		0	
Ridgefield Park.....		2	23	10		0	
Rutherford.....		2	38	104		0	
Summit.....	11,700	3	77	9	.77	0	
Union City.....	63,100			7	.11		
West New York.....	39,200	3	4	2	.05	0	
West Orange.....	18,200	3	102	174	0.56	0	
New Mexico:							
Albuquerque.....	21,000			22	1.05	0	
New York:							
Amsterdam.....	35,300	3	91	20	.57	0	
Binghamton.....	71,900	3	330	244	3.39	3	.04
Cohoes.....	23,000	3	17	28	1.22	0	
Corning.....	15,700	2	35	6	.38	0	
Cortland.....	13,900	3	12	26	1.87	0	
Dunkirk.....	19,900	3	65	6	.30	0	
Elmira.....	48,400	2	188	143	2.95	0	
Freeport.....		1	40	10		0	
Geneva.....	15,900	2	25	12	.75	0	
Glens Falls.....	17,900	3	52	34	1.90	0	
Gloversville.....	22,100	3	44	61	2.76	0	
Hornell.....	15,800	3	139	309	19.56	2	.13
Hudson.....	11,800	3	34	13	1.10	0	
Ilion.....	10,400	1	15	72	6.92	0	
Ithaca.....	18,900	3	120	18	.95	0	
Jamestown.....	43,400	3	233	489	11.27	1	.02
Johnson City.....		1	9	47		0	
Johnstown.....	10,700			17	1.59	0	
Kingston.....	28,100	2	53	21	.75	0	
Lackawanna.....	26,200	3	69	68	3.37	0	

Reported Prevalence for the Year 1925—Continued

WHOOPING COUGH—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925			
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Cases reported for each death registered
New York—Continued.							
Little Falls	12,400	3	19	20	1.61	0	
Lockport	21,700	3	42	18	.83	0	
Middletown	20,400	3	79	50	2.45	0	
Mount Vernon	50,400	3	147	64	1.27	1	.02 64.0
New Rochelle	44,200	3	90	42	.95	0	
Newburgh	30,400	3	27	19	.62	0	
Niagara Falls	57,000	3	121	19	.33	0	
North Tonawanda	17,400	3	30	3	.17	0	
Olean	21,300	3	174	19	.89	0	
Peekskill	18,000	3	58	2	.11	0	
Plattsburg	11,600	3	33			2	.17
Poughkeepsie	35,700	3	97	17	.48	0	
Rensselaer	11,400	3	16	5	.44	0	
Rome	30,300	3	23	2	.07	0	
Salamanca	1	1	46	2		0	
Saratoga Springs	13,900	3	76	67	4.82	0	
Schenectady	92,800	3	296	276	2.97	2	.02 138.0
Troy	72,200	3	81	93	1.29	0	
Watertown	32,800	3	156	222	6.77	0	
Watervliet	16,200	3	18	3	.19	0	
White Plains	27,400	3	128	121	4.42	0	
North Carolina:							
Asheville	31,500	3	111	49	1.56	0	
Charlotte	53,300	1	705	34	.64	1	.02 34.0
Greensboro	47,100	3	232	86	1.83	4	.08 21.5
High Point	23,600	1	229	24	1.02	1	.04 24.0
New Bern	12,200	2	47	4	.33	0	
Raleigh	30,400	3	244	62	2.04	1	.03 62.0
Rocky Mount	15,100	2	275	10	.66	0	
Salisbury	17,700	1	240	5	.28	0	
Wilmington	37,100	3	215	72	1.94	3	.08 24.0
Winston-Salem	69,000	3	346	322	4.67	12	.17 25.8
North Dakota:							
Fargo	24,900			262	10.52	0	
Ohio:							
Alliance	25,000	2	24	8	.32	0	
Ashtabula	25,100	3	52	9	.36	0	
Barberton	23,300	2	8	9	.39	0	
Bellaire	16,300	3	37	5	.31	0	
Bellefontaine			8			0	
Bucyrus	11,700	3	31	31	2.65	1	.09 31.0
Cambridge	14,000	3	13	4	.29	3	.21 1.3
Chillicothe	16,600	3	8	7	.42	0	
Cleveland Heights	22,200	3	158	213	9.59	0	
Conneaut		2	14	21		0	
Cuyahoga Falls	13,700	3	34	54	3.94	2	.15 27.0
East Cleveland	37,600	3	118	115	3.06	0	
East Youngstown (Campbell)	16,000	3	20	4	.25	0	
Elyria	23,800	3	78	33	1.39	0	
Findlay	18,200	3	99	23	1.26	0	
Fostoria		1	2	3		0	
Hamilton	42,400	2	6	7	.17	0	
Ironton	14,500	1	2	13	.90	1	.07 13.0
Kenmore	19,400	3	97	98	5.05	1	.06 98.0
Lakewood	56,800	2	87	40	.70	0	
Lima	46,700	3	37	44	.94	2	.04 22.0
Lorain	42,300	3	158	55	1.30	0	
Mansfield	31,800	3	119	210	6.60	0	
Marietta	15,300	1	74	7	.46	0	
Marion	32,500					4	.12
Middletown	30,900					4	.13
Newark	30,500	3	71	35	1.15	1	.08 35.0
Niles	16,600	3	24	20	1.20	2	.12 10.0
Norwood	29,900	3	55	45	1.51	0	
Salem	11,100	3	88	37	3.33	0	
Sandusky	24,500	3	70	10	.41		

Reported Prevalence for the Year 1925—Continued

WHOOPING COUGH—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925				Cases reported for each death registered
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	
Ohio—Continued.								
Springfield	68,700	3	109	297	4.32	3	0.04	90.0
Steubenville	32,000	2	16	5	.16	2	.06	2.5
Zanesville	30,400	3	9	3	.10	1	.03	3.0
Oklahoma:								
Ardmore	17,200	1	30	20	1.16	2	.12	10.0
Oklmulgee	25,300			36	1.42	0		
Sapulpa	14,200	1	20	1	.07	0		
Oregon:								
Eugene	11,400	2	6	18	1.58	0		
Pennsylvania:								
Allentown	92,200	2	178	196	2.13	5	.05	39.2
Altoona	66,100	3	76	39	.59	0		
Beaver Falls	13,100	3	11	7	.53			
Braddock	21,700	3	48	7	.32	0		
Bradford	15,800	2	82	72	4.56	0		
Butler	25,200	3	53	96	3.81	1	.04	96.0
Canonsburg	13,500	2	2			2	.15	
Carlisle	11,400	3	49	14	1.23			
Carnegie	12,400	3	18	34	2.74	3	.24	11.3
Carrick	13,000	2	17	17	1.31			
Chambersburg	13,900	2	6	22	1.58	0		
Charleroi	12,600	2	12	27	2.14			
Clairton	14,900	2	20	26	1.34	0		
Coatesville	16,500	3	18	29	1.76	2	.12	14.5
Columbia				4				
Connellsburg	14,300	3	9	7	.49	0		
Dubois	14,300	2	17	13	.91			
Duquesne	20,900	2	11	3	.14	1	.05	3.0
Easton	36,800	2	85	65	1.77	3	.08	21.7
Farrell	18,700	3	37	3	.16	0		
Greensburg	16,100	1	7	6	.37	0		
Harrisburg	83,400	3	188	180	2.16	0		
Hazleton	36,100	3	28	31	.86	0		
Homestead	21,400	3	31	9	.42	0		
Jeannette	11,700	3	5	2	.17	0		
Kingston	18,000	2	39	88	4.89	1	.06	88.0
Lancaster	56,500	3	139	151	2.67	0		
Latrobe				35		1		35.0
Lewistown		2	15	23		0		
McKee Rocks	18,100	2	21	18	.99	0		
McKeesport	49,100	3	48	33	.67	0		
Meadville	15,600			7	.45			
Monessen	21,200	3	43	6	.28	0		
New Castle	49,800	3	44	9	.18	4	.08	2.2
Norristown	34,800	3	77	223	6.41	5	.14	44.6
North Braddock	16,700	3	43	8	.48	0		
Oil City	23,300	3	175	131	5.62			
Olyphant	11,200	1	2	3	.27	2	.18	1.5
Phoenixville		3	32	75				
Pittston	19,800	2	6	4	.20			
Plymouth		1	18	2		0		
Pottstown	18,500	2	30	32	1.73	1	.05	32.0
Sharon	25,000	3	23	9	.36	0		
Steeltown		3	19	2		0		
Sunbury	16,800	3	32	57	3.39	1	.06	57.0
Swissvale	12,900	3	49	19	1.47	1	.08	19.0
Uniontown		3	19	33		0		
Vandergrift		1	6	6		0		
Warren	15,100	3	40	102	6.75	2	.13	51.0
Washington	23,000	3	79	193	8.39			
Waynesboro				19				
West Chester		3	34	31		2		15.5
Wilkes-Barre	77,600	1	43	265	3.41	6	.08	44.2
Wilkinsburg	27,400	1	91	53	1.93	1	.04	53.0
Windber		1	9	35		1		35.0
Woodlawn	18,900	3	25	35	1.85	0		
York	49,100	2	45	61	1.24	0		

Reported Prevalence for the Year 1925—Continued
WHOOPING COUGH—Continued

City	Estimated population, July 1, 1925	Average, 1922-1924		1925				
		Number of years	Cases	Cases reported	Cases per 1,000 inhabitants	Deaths registered	Deaths per 1,000 inhabitants	Cases reported for each death registered
Rhode Island:								
Cranston	34,500	3	8	1	0.03	1	0.03	1.0
Pawtucket	69,800			64	.92	1	.01	64.0
Woonsocket	49,700					3	.06	
South Carolina:								
Charleston	73,100	1	28	17	.23	4	.06	4.2
Greenville	27,300	3	102	59	2.16	1	.04	59.0
Spartanburg	25,500	2	8	22	.86	1	.04	22.0
Sumter		2	6	26		0		
South Dakota:								
Aberdeen	15,000	3	31	46	3.07			
Tennessee:								
Chattanooga	66,600				24			
Knoxville	95,500				35	.37	12	.13
Texas:								
Cleburne	14,200				70	4.93	0	
Corpus Christi	11,800	2	10	30	2.54	0		
Galveston	48,400	3	0	1	.02	0		
Palestine	11,400			37	3.25			
San Angelo						2		
Waco	43,900				6	.14	0	
Utah:								
Ogden	36,900	3	117	74	2.01	0		
Provo	11,200	2	16	81	7.23	0		
Vermont:								
Barr		3	34	14		1		
Bennington		2	99	15		0		
Burlington	24,100	3	97	16	.66	0		
Rutland	15,900	1	30	124	7.85	2	.13	62.0
Virginia:								
Alexandria	18,500	3	12	9	.49	0		
Charlottesville	11,200	2	7	1	.09	1	.09	1.0
Danville	23,000	3	41	4	.17	0		
Lynchburg	30,400	3	243	180	5.92	6	.20	30.0
Newport News	47,100	3	129	338	7.18	3	.06	112.7
Petersburg	35,700	3	62	26	.73	1	.03	26.0
Portsmouth	59,000					4	.07	
Roanoke	58,200	2	65	62	1.07	8	.14	7.8
Suffolk				4		0		
Washington:								
Aberdeen	16,200				3	.19	0	
Bremerton		2	62	68		1		
Everett	29,300	3	23	68	2.32	0		
Vancouver	14,500	2	1	45	3.10	1	.07	45.0
Walla Walla		3	5	15		0		
Yakima	22,700	3	103	118	5.20	0		
West Virginia:								
Bluefield	19,300	1	1	4	.21	0		
Charleston	49,000	3	63	77	1.57	1	.02	77.0
Clarksburg	30,400	3	259	302	9.93	5	.16	60.4
Fairmont	21,600	3	31	48	2.29			
Morgantown	13,800	1	12	16	1.16	1	.07	16.0
Wheeling		3	61	41		6		6.8
Wisconsin:								
Appleton	21,100	3	33	26	1.23	0		
Beloit	24,800	3	112	193	7.78	0		
Eau Claire	22,400	3	63	12	.54	0		
Green Bay	34,300	3	30	127	3.70	1	.03	127.0
Janesville	20,800	3	79	72	3.46	0		
Kenosha	50,900	3	258	246	4.83	1	.02	246.0
La Crosse	30,400	3	110	93	3.06	0		
Madison	46,400	3	274	307	6.62			
Manitowoc	22,100	2	43	6	.27	0		
Marinette				21		0		
Oshkosh	33,200	3	53	52	1.57	0		
Racine	67,700	3	208	228	3.37	3	.04	76.0
Sheboygan	33,500	2	15	58	1.67	2	.06	28.0
Superior		2	11	19		1		19.0
Waukesha	14,700	1	5	9	.61	0		
Wausau	20,100	3	78	118	5.87	1	.06	118.0
West Allis	18,400	3	25	45	2.45	0		
Wyoming:								
Cheyenne	15,500			8	.52	0		

DEATHS DURING WEEK ENDED OCTOBER 2, 1926

Summary of information received by telegraph from industrial insurance companies for week ended October 2, 1926, and corresponding week of 1925. (From the Weekly Health Index, October 6, 1926, issued by the Bureau of the Census, Department of Commerce)

	Week ended Oct. 2, 1926	Corresponding week, 1925
Policies in force-----	65, 147, 117	61, 172, 480
Number of death claims-----	11, 041	10, 164
Death claims per 1,000 policies in force, annual rate-----	8.8	8.7

Deaths from all causes in certain large cities of the United States during the week ended October 2, 1926, infant mortality, annual death rate, and comparison with corresponding week of 1925. (From the Weekly Health Index, October 6, 1926, issued by the Bureau of the Census, Department of Commerce)

City	Week ended Oct. 2, 1926		Deaths under 1 year		Infant mortality rate, week ended Oct. 2, 1926 ²
	Total deaths	Death rate ¹	Annual death rate per 1,000 cor- reponding week, 1925	Week ended Oct. 2, 1926	
Total (66 cities)-----	6, 127	11.0	10.9	838	878
Akron-----	37			10	11
Albany ⁴ -----	25	11.0	15.5	3	1
Atlanta-----	69			13	8
White-----	39			8	
Colored-----	30	(3)		5	
Baltimore ⁴ -----	195	12.6	12.2	35	38
White-----	140			25	
Colored-----	55	(3)		10	
Birmingham-----	58	14.3	16.5	14	14
White-----	24			4	
Colored-----	34	(3)		10	
Boston-----	176	11.7	13.2	28	44
Bridgeport-----	22			4	2
Buffalo-----	143	13.7	13.7	20	20
Cambridge-----	16	6.8	10.5	1	3
Camden-----	26	10.3	16.2	9	13
Canton-----	17	8.1	8.3	2	5
Chicago ⁴ -----	587	10.0	9.3	75	91
Cincinnati-----	100	12.7	13.0	8	7
Cleveland-----	169	9.2	10.9	28	29
Columbus-----	75	13.7	11.9	19	7
Dallas-----	41	10.7	11.1	16	16
White-----	34			15	
Colored-----	7	(3)		1	
Dayton-----	48	14.1	9.9	7	3
Denver-----	77	14.1	11.1	7	9
Des Moines-----	28	10.0	11.4	1	2
Detroit-----	269	10.9	10.7	50	54
Duluth-----	19	8.8	9.0	2	5
El Paso-----	19	9.1	14.4	2	2
Erie-----	29			7	
Fall River ⁴ -----	30	11.9	9.3	6	3
Flint-----	21	8.0	10.0	6	5
Fort Worth-----	22	7.2	8.9	4	3
White-----	18			4	
Colored-----	4	(3)		0	
Grand Rapids-----	28	9.4	10.9	3	10
Houston-----	53			9	7
White-----	27			6	
Colored-----	26	(3)		3	
Indianapolis-----	83	11.8	9.7	10	9
White-----	75			10	76
Colored-----	8	(3)		0	87
Jersey City-----	60	9.8	8.4	10	7
Kansas City, Kans.-----	32	14.3	12.6	5	2
White-----	22			4	97
Colored-----	10	(3)		1	89
Kansas City, Mo.-----	84	11.7	12.9	21	7
Los Angeles-----	201			12	14
White-----	82	13.7	13.6	9	6
Colored-----	69			7	77
Louisville-----	13	(3)		2	68

Footnotes at end of table.

Deaths from all causes in certain large cities of the United States during the week ended October 2, 1926, infant mortality, annual death rate, and comparison with corresponding week of 1925. (From the Weekly Health Index, October 6, 1926, issued by the Bureau of the Census, Department of Commerce)—Continued

City	Week ended Oct. 2, 1926		Annual death rate per 1,000 cor- responding week, 1925	Deaths under 1 year		Infant mortality rate, week ended Oct. 2, 1926 ²
	Total deaths	Death rate ¹		Week ended Oct. 2, 1926	Corre- sponding week, 1925	
Lowell.....	34			3	5	58
Lynn.....	13	6.5	15.7	2	2	53
Memphis.....	52	15.3	13.7	8	5	
White.....	25			6		
Colored.....	27	(*)		2		
Milwaukee.....	85	8.6	10.5	21	21	99
Minneapolis.....	88	10.6	8.2	9	10	50
Nashville ⁴	49	18.6	15.7	6	9	
White.....	26			5		
Colored.....	23	(*)		1		
New Bedford.....	18			3	2	52
New Haven.....	38	10.9	11.1	2	5	27
New Orleans.....	133	16.6	15.6	18	14	
White.....	74			7		
Colored.....	59	(*)		11		
New York.....	1,145	10.1	9.8	144	129	59
Bronx Borough.....	146	8.5	8.5	20	10	67
Brooklyn Borough.....	395	9.2	8.1	54	48	55
Manhattan Borough.....	486	13.5	13.0	61	59	68
Queens Borough.....	82	5.6	7.4	9	10	41
Richmond Borough.....	36	13.1	13.6	0	2	0
Newark, N. J.....	83	9.4	8.6	9	15	43
Norfolk.....	36	10.8	7.4	5	5	101
White.....	12			1		33
Colored.....	24	(*)		4		212
Oakland.....	55	11.0	7.8	3	2	35
Oklahoma City.....	14			1	3	
Omaha.....	55	13.3	11.6	6	6	64
Paterson.....	31	11.3	8.8	7	4	118
Philadelphia.....	425	11.0	11.2	53	59	71
Pittsburgh.....	136	11.1	14.0	17	22	56
Portland, Oreg.....	62			5	2	50
Providence.....	63	11.9	7.6	13	3	108
Richmond.....	48	13.2	14.0	8	8	100
White.....	29			5		97
Colored.....	19	(*)		3		104
Rochester.....	80	13.0	11.0	8	5	63
St. Louis.....	190	11.9	10.6	20	12	
St. Paul.....	40	8.4	11.4	5	6	44
Salt Lake City ⁴	29	11.4	11.1	4	3	61
San Antonio.....	33	8.4	11.8	3	9	
San Diego.....	32	15.2	11.8	2	2	42
San Francisco.....	128	11.6	10.2	4	4	24
Schenectady.....	16	9.0	9.6	1	4	29
Seattle.....	62			5	1	48
Somerville.....	17	8.9	10.0	0	3	0
Spokane.....	26	12.4	15.3	1	3	23
Springfield, Mass.....	22	7.9	10.3	0	5	0
Syracuse.....	45	12.8	11.2	3	7	38
Tacoma.....	23	11.3	12.0	1	1	24
Toledo.....	79	14.0	12.7	10	14	96
Trenton.....	36	14.0	11.1	4	4	68
Utica.....	34	17.2	13.3	4	5	91
Washington, D. C.....	123	12.1	12.3	24	25	137
White.....	79			12		100
Colored.....	44	(*)		12		219
Waterbury.....	11			1	4	24
Wilmington, Del.....	18	7.6	10.7	3	6	67
Worcester.....	44	11.9	12.0	2	7	24
Yonkers.....	16	7.2	9.6	1	5	23
Youngstown.....	33	10.4	12.0	6	11	76

¹ Annual rate per 1,000 population.

² Death under 1 year per 1,000 births. Cities left blank are not in the registration area for births.

³ Data for 64 cities.

⁴ Deaths for week ended Friday, Oct. 1, 1926.

⁵ In the cities for which deaths are shown by color, the colored population in 1920 constituted the following percentages of the total population: Atlanta 31, Baltimore 15, Birmingham 39, Dallas 15, Fort Worth 14, Houston 25, Indianapolis 11, Kansas City, Kans. 14, Louisville 17, Memphis 38, Nashville 30, New Orleans 36, Norfolk 38, Richmond 32, and Washington, D. C. 25.

PREVALENCE OF DISEASE

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring

UNITED STATES

CURRENT WEEKLY STATE REPORTS

These reports are preliminary and the figures are subject to change when later returns are received by the State health officers

Reports for Week Ended October 9, 1926

ALABAMA	Cases	CONNECTICUT	Cases		
Chicken pox.....	1	Cerebrospinal meningitis.....	1		
Diphtheria.....	41	Chicken pox.....	9		
Influenza.....	25	Conjunctivitis (infectious).....	1		
Malaria.....	127	Diphtheria.....	17		
Measles.....	6	German measles.....	1		
Mumps.....	4	Influenza.....	5		
Ophthalmia neonatorum.....	1	Malaria.....	1		
Pellagra.....	7	Measles.....	20		
Pneumonia.....	22	Mumps.....	1		
Scarlet fever.....	13	Pneumonia (broncho).....	7		
Tuberculosis.....	33	Pneumonia (lobar).....	12		
Typhoid fever.....	63	Poliomyelitis.....	1		
Whooping cough.....	6	Scarlet fever.....	28		
ARKANSAS					
Cerebrospinal meningitis.....	1	Tetanus.....	1		
Chicken pox.....	13	Tuberculosis (all forms).....	24		
Diphtheria.....	14	Typhoid fever.....	4		
Hookworm disease.....	1	Whooping cough.....	22		
Influenza.....	18	DELAWARE			
Malaria.....	125	Diphtheria.....	4		
Mumps.....	8	Poliomyelitis.....	2		
Pellagra.....	11	Scarlet fever.....	8		
Poliomyelitis.....	1	Tuberculosis.....	1		
Scarlet fever.....	5	Typhoid fever.....	4		
Tuberculosis.....	5	Whooping cough.....	1		
Typhoid fever.....	24	FLORIDA			
Whooping cough.....	25	Diphtheria.....	19		
COLORADO					
Chicken pox.....	8	Influenza.....	4		
Diphtheria.....	18	Malaria.....	7		
Measles.....	3	Measles.....	1		
Mumps.....	2	Mumps.....	1		
Paratyphoid fever.....	1	Pneumonia.....	6		
Pneumonia.....	2	Scarlet fever.....	5		
Scarlet fever.....	25	Smallpox.....	4		
Septic sore throat.....	1	Tetanus.....	1		
Tuberculosis.....	21	Tuberculosis.....	21		
Typhoid fever.....	8	Typhoid fever.....	11		
Vincent's angina.....	2	Vincent's angina.....	1		
Whooping cough.....	3	GEORGIA			
		Cerebrospinal meningitis.....	1		
		Conjunctivitis (acute).....	2		

GEORGIA—continued	Cases	IOWA	Cases
Diphtheria.....	46	Chicken pox.....	6
Dysentery.....	3	Diphtheria.....	26
Hookworm disease.....	2	German measles.....	1
Influenza.....	26	Measles.....	4
Malaria.....	83	Mumps.....	2
Measles.....	3	Scarlet fever.....	32
Mumps.....	2	Smallpox.....	1
Paratyphoid fever.....	2	Tuberculosis.....	10
Pellagra.....	4	Typhoid fever.....	9
Pneumonia.....	12	Whooping cough.....	1
Scarlet fever.....	22		
Septic sore throat.....	20	KANSAS	
Smallpox.....	3	Chicken pox.....	17
Trachoma.....	1	Diphtheria.....	20
Tuberculosis.....	15	German measles.....	1
Typhoid fever.....	46	Influenza.....	2
Typhus fever.....	1	Measles.....	6
Whooping cough.....	12	Mumps.....	1
		Pneumonia.....	8
IDAHO		Poliomyelitis:	
Cerebrospinal meningitis—Shoshone County	2	Dighton.....	1
Chicken pox.....	6	Horton.....	1
Diphtheria.....	6	Hutchinson.....	2
Influenza.....	2	Scarlet fever.....	40
Measles.....	4	Smallpox.....	4
Mumps.....	5	Tuberculosis.....	19
Scarlet fever.....	6	Typhoid fever.....	18
Tuberculosis.....	5	Whooping cough.....	29
Typhoid fever.....	3		
Whooping cough.....	1	LOUISIANA	
		Diphtheria.....	22
ILLINOIS		Hookworm disease.....	76
Cerebrospinal meningitis—Rock Island County	1	Influenza.....	23
Chicken pox.....	63	Malaria.....	32
Diphtheria.....	88	Pneumonia.....	16
Influenza.....	12	Scarlet fever.....	5
Lethargic encephalitis:		Smallpox.....	2
Alexander County.....	1	Tuberculosis.....	47
Cook County.....	2	Typhoid fever.....	27
Measles.....	78	Whooping cough.....	4
Mumps.....	23		
Pneumonia.....	103	MARYLAND ¹	
Poliomyelitis:		Cerebrospinal meningitis.....	1
Cook County.....	4	Chicken pox.....	11
Lawrence County.....	1	Diphtheria.....	20
Richland County.....	1	Dysentery.....	4
Winnebago County.....	1	Influenza.....	7
Scarlet fever.....	168	Lethargic encephalitis.....	1
Smallpox.....	1	Malaria.....	1
Tuberculosis.....	307	Measles.....	5
Typhoid fever.....	104	Mumps.....	2
Whooping cough.....	161	Paratyphoid fever.....	2
		Pneumonia (broncho).....	15
INDIANA		Pneumonia (lobar).....	9
Cerebrospinal meningitis.....	2	Poliomyelitis.....	2
Chicken pox.....	21	Scarlet fever.....	30
Diphtheria.....	65	Tuberculosis.....	53
Influenza.....	16	Typhoid fever.....	39
Measles.....	20	Whooping cough.....	82
Pneumonia.....	2		
Poliomyelitis.....	3	MASSACHUSETTS	
Scarlet fever.....	62	Cerebrospinal meningitis.....	3
Smallpox.....	2	Chicken pox.....	44
Tuberculosis.....	44	Conjunctivitis (suppurative).....	6
Typhoid fever.....	71	Diphtheria.....	62
Whooping cough.....	46	German measles.....	9
		Influenza.....	18

¹ Week ended Friday.

MASSACHUSETTS—continued		Cases	NEBRASKA	Cases
Lethargic encephalitis	2	Chicken pox	2	2
Malaria	1	Diphtheria	6	6
Measles	15	Scarlet fever	23	23
Mumps	64	Smallpox	1	1
Ophthalmia neonatorum	28	Trachoma	4	4
Pneumonia (lobar)	44	Typhoid fever	7	7
Poliomyelitis	6	Whooping cough	11	11
Scarlet fever	143			
Tuberculosis (pulmonary)	115			
Tuberculosis (other forms)	25			
Typhoid fever	35			
Whooping cough	70			
MICHIGAN			NEW JERSEY	
Diphtheria	153	Chicken pox	61	61
Measles	24	Diphtheria	83	83
Pneumonia	36	Influenza	2	2
Scarlet fever	153	Measles	38	38
Smallpox	7	Pneumonia	48	48
Tuberculosis	73	Poliomyelitis	1	1
Typhoid fever	24	Rabies	2	2
Whooping cough	88	Scarlet fever	57	57
MINNESOTA			Typhoid fever	33
Chicken pox	38	Whooping cough	113	113
Diphtheria	48			
Influenza	1			
Measles	26			
Poliomyelitis	3			
Scarlet fever	144			
Smallpox	1			
Tuberculosis	38			
Typhoid fever	6			
Whooping cough	28			
MISSISSIPPI				
Diphtheria	33			
Scarlet fever	15			
Smallpox	5			
Typhoid fever	40			
MISSOURI				
(Exclusive of Kansas City)				
Chicken pox	6			
Diphtheria	24			
Influenza	2			
Malaria	3			
Measles	8			
Mumps	2			
Poliomyelitis	2			
Scarlet fever	41			
Tetanus	2			
Trachoma	1			
Tuberculosis	29			
Typhoid fever	37			
Whooping cough	22			
MONTANA				
Cerebrospinal meningitis	1			
Chicken pox	16			
Diphtheria	5			
Measles	8			
Poliomyelitis	3			
Scarlet fever	46			
Smallpox	5			
Tuberculosis	22			
Typhoid fever	7			
Whooping cough	8			
NORTH CAROLINA				
Chicken pox	10			
Diphtheria	209			
German measles	6			
Malaria	23			
Measles	8			
Poliomyelitis	6			
Scarlet fever	102			
Septic sore throat	2			
Smallpox	27			
Typhoid fever	63			
Whooping cough	134			

OKLAHOMA	Cases	TENNESSEE—continued	Cases		
— (Exclusive of Oklahoma City and Tulsa)					
Cerebrospinal meningitis—Delaware County	1	Diphtheria	95		
Diphtheria	34	Influenza	15		
Influenza	58	Malaria	104		
Malaria	177	Measles	9		
Pellagra	9	Mumps	1		
Pneumonia	12	Ophthalmia neonatorum	1		
Poliomyelitis—Craig County	1	Pellagra	7		
Scarlet fever	21	Pneumonia	15		
Typhoid fever	109	Poliomyelitis—Dyer County	1		
OREGON					
Cerebrospinal meningitis	1	Scarlet fever	50		
Chicken pox	14	Smallpox	3		
Diphtheria	11	Tuberculosis	34		
Influenza	10	Typhoid fever	119		
Lethargic encephalitis	1	Whooping cough	91		
Measles	6	TEXAS			
Mumps	14	Chicken pox	2		
Pneumonia	24	Diphtheria	40		
Poliomyelitis	3	Dysentery	10		
Scarlet fever	45	Influenza	17		
Smallpox	17	Measles	2		
Tuberculosis	24	Mumps	1		
Typhoid fever	9	Pellagra	1		
Whooping cough	5	Pneumonia	5		
PENNSYLVANIA					
Chicken pox	80	Scarlet fever	19		
Diphtheria	136	Smallpox	5		
German measles	4	Tetanus	1		
Impetigo contagiosa	11	Tuberculosis	1		
Malaria	3	Typhoid fever	56		
Measles	162	Whooping cough	15		
Mumps	47	UTAH			
Ophthalmia neonatorum	5	Chicken pox	16		
Pneumonia	31	Diphtheria	10		
Poliomyelitis:		German measles	5		
Bellefonte	1	Influenza	1		
Cambria	1	Measles	26		
Philadelphia	1	Mumps	2		
Scabies	6	Pneumonia	3		
Scarlet fever	114	Scarlet fever	5		
Tetanus—McDonald	1	Smallpox	2		
Trachoma—Philadelphia	1	Typhoid fever	3		
Tuberculosis	63	Whooping cough	14		
Typhoid fever	117	VERMONT			
Whooping cough	201	Chicken pox	8		
SOUTH DAKOTA					
Chicken pox	2	Diphtheria	1		
Diphtheria	3	Measles	53		
Measles	92	Mumps	11		
Pneumonia	3	Poliomyelitis	1		
Poliomyelitis	1	Scarlet fever	2		
Scarlet fever	43	Typhoid fever	2		
Tetanus	1	Whooping cough	52		
Tuberculosis	2	VIRGINIA			
Typhoid fever	3	Poliomyelitis—Shenandoah County	1		
Whooping cough	20	WASHINGTON			
TENNESSEE					
Cerebrospinal meningitis—Maury County	1	Cerebrospinal meningitis:			
Chicken pox	3	Bellingham	1		
* Deaths.		Spokane	2		

WASHINGTON—continued

	Cases
Mumps	14
Scarlet fever	47
Smallpox	17
Tuberculosis	60
Typhoid fever	6
Whooping cough	12

WEST VIRGINIA

Chicken pox	9
Diphtheria	50
Influenza	21
Measles	19
Scarlet fever	48
Tuberculosis	11
Typhoid fever	67
Whooping cough	48

WISCONSIN

Milwaukee:	
Chicken pox	6
Diphtheria	11
German measles	1
Influenza	1
Measles	2
Mumps	13
Pneumonia	9
Scarlet fever	20

Reports for Week Ended October 2, 1926**ALABAMA**

	Cases
Chicken pox	1
Diphtheria	70
Influenza	10
Lethargic encephalitis	1
Malaria	126
Measles	7
Mumps	3
Ophthalmia neonatorum	1
Pellagra	6
Pneumonia	21
Scarlet fever	13
Smallpox	1
Tetanus	1
Tuberculosis	50
Typhoid fever	116
Whooping cough	33

DISTRICT OF COLUMBIA

Diphtheria	16
Measles	1
Pneumonia	11
Poliomyelitis	1
Scarlet fever	12
Tuberculosis	21
Typhoid fever	7
Whooping cough	27

WISCONSIN—continued

Milwaukee—Continued.	
Tuberculosis	5
Typhoid fever	2
Whooping cough	37
Scattering:	
Cerebrospinal meningitis	2
Chicken pox	18
Diphtheria	19
Influenza	16
Measles	159
Mumps	6
Pneumonia	4
Scarlet fever	47
Smallpox	6
Tuberculosis	27
Typhoid fever	6
Whooping cough	95

WYOMING

Chicken pox	3
Diphtheria	1
Measles	1
Mumps	1
Scarlet fever	15
Typhoid fever	2
Whooping cough	3

NORTH DAKOTA

Chicken pox	2
Diphtheria	1
Measles	20
Mumps	31
Paratyphoid fever	1
Pneumonia	1
Scarlet fever	37
Tuberculosis	4
Typhoid fever	6
Whooping cough	16

SOUTH CAROLINA

Chicken pox	1
Dengue	2
Diphtheria	88
Hookworm disease	41
Influenza	197
Malaria	580
Measles	5
Paratyphoid fever	4
Pellagra	59
Poliomyelitis	4
Scarlet fever	12
Smallpox	1
Tuberculosis	40
Typhoid fever	107
Whooping cough	36

SUMMARY OF MONTHLY REPORTS FROM STATES

The following summary of monthly State reports is published weekly and covers only those States from which reports are received during the current week:

State	Cerebro-spinal meningitis	Diphtheria	Influenza	Malaria	Measles	Pellagra	Polio-myelitis	Scarlet fever	Smallpox	Typhoid fever
<i>August, 1926</i>										
Delaware		5						5	0	5
<i>September, 1926</i>										
Arizona	0	6			14		1	13	0	10
Connecticut	6	42	3	4	26	3	11	89	0	34
District of Columbia	0	48	1		3	1	1	25	0	24

GENERAL CURRENT SUMMARY AND WEEKLY REPORTS FROM CITIES

Diphtheria.—For the week ended September 25, 1926, 38 States reported 1,277 cases of diphtheria. For the week ended September 26, 1925, the same States reported 1,272 cases of this disease. Ninety-six cities, situated in all parts of the country and having an aggregate population of more than 29,600,000, reported 615 cases of diphtheria for the week ended September 25, 1926. Last year for the corresponding week they reported 541 cases. The estimated expectancy for these cities was 786 cases. The estimated expectancy is based on the experience of the last nine years, excluding epidemics.

Measles.—Thirty-seven States reported 793 cases of measles for the week ended September 25, 1926, and 330 cases of this disease for the week ended September 26, 1925. Ninety-six cities reported 211 cases of measles for the week this year, and 193 cases last year.

Polio-myelitis.—The health officers of 38 States reported 117 cases of polio-myelitis for the week ended September 25, 1926. The same States reported 284 cases for the week ended September 26, 1925.

Scarlet fever.—Scarlet fever was reported for the week as follows: Thirty-eight States—this year, 1,235 cases; last year, 1,018 cases; 96 cities—this year, 452 cases; last year, 327 cases; estimated expectancy, 404 cases.

Smallpox.—For the week ended September 25, 1926, 38 States reported 123 cases of smallpox. Last year for the corresponding week they reported 102 cases. Ninety-six cities reported smallpox for the week as follows: 1926, 17 cases; 1925, 31 cases; estimated expectancy, 22 cases. No deaths from smallpox were reported by these cities for the week this year.

Typhoid fever.—One thousand two hundred and thirty-eight cases of typhoid fever were reported for the week ended September 25, 1926, by 38 States. For the corresponding week of 1925, the same States reported 1,222 cases of this disease. Ninety-six cities re-

ported 249 cases of typhoid fever for the week this year and 248 cases for the corresponding week last year. The estimated expectancy for these cities was 221 cases.

Influenza and pneumonia.—Deaths from influenza and pneumonia were reported for the week by 90 cities, with a population of more than 28,900,000 as follows: 1926, 393 deaths; 1925, 295 deaths.

City reports for week ended September 25, 1926

The "estimated expectancy" given for diphtheria, poliomyelitis, scarlet fever, smallpox, and typhoid fever is the result of an attempt to ascertain from previous occurrence how many cases of the disease under consideration may be expected to occur during a certain week in the absence of epidemics. It is based on reports to the Public Health Service during the past nine years. It is in most instances the median number of cases reported in the corresponding week of the preceding years. When the reports include several epidemics or when for other reasons the median is unsatisfactory, the epidemic periods are excluded and the estimated expectancy is the mean number of cases reported for the week during nonepidemic years.

If reports have not been received for the full nine years, data are used for as many years as possible, but no year earlier than 1917 is included. In obtaining the estimated expectancy, the figures are smoothed when necessary to avoid abrupt deviations from the usual trend. For some of the diseases given in the table the available data were not sufficient to make it practicable to compute the estimated expectancy.

Division, State, and city	Population July 1, 1925, estimated	Chick-en pox, cases re-reported	Diphtheria		Influenza		Measles, cases re-reported	Mumps, cases re-reported	Pneumonia, deaths re-reported
			Cases, estimated expectancy	Cases re-reported	Cases re-reported	Deaths re-reported			
NEW ENGLAND									
Maine:									
Portland	75,333	1	1	0	0	0	0	0	0
New Hampshire:									
Concord	22,546	0	0	0	0	0	0	0	0
Manchester	83,097		3	0	0	0	0		
Vermont:									
Barre	10,008	0	0	0	0	0	0	0	0
Burlington	24,089	0	0	0	0	0	0	0	5
Massachusetts:									
Boston	779,620	10	34	13	9	1	7	5	19
Fall River	128,993	0	3	2	0	0	1	1	1
Springfield	142,065	3	2	0	1	1	0	0	0
Worcester	190,757	0	5	9	0	0	2	0	2
Rhode Island:									
Pawtucket	69,760	0	1	1	0	0	0	0	0
Providence	267,918	0	4	3	1	0	3	0	0
Connecticut:									
Bridgeport	(1)	0	6	2	0	0	2	0	0
Hartford	160,197	0	5	0	0	0	0	0	8
New Haven	178,927	1	3	1	0	0	1	0	2
MIDDLE ATLANTIC									
New York:									
Buffalo	538,016	0	16	3	0	1	1	1	7
New York	5,873,356	14	112	88	8	3	3	14	85
Rochester	316,786	0	6	0	0	2	2	0	4
Syracuse	182,003	3	6	0	0	2	2	3	2
New Jersey:									
Camden	128,642	1	3	5	0	0	0	0	2
Newark	452,513	2	11	7	2	0	0	2	2
Trenton	132,020	0	4	2	0	0	0	0	2
Pennsylvania:									
Philadelphia	1,979,364	10	54	24	2	5	3	21	
Pittsburgh	631,563	11	19	10	0	5	0	0	12
Reading	112,707	2	3	1	0	0	0	0	2
EAST NORTH CENTRAL									
Ohio:									
Cincinnati	409,333	0	12	3	0	0	2	2	3
Cleveland	936,485	8	32	24	0	3	2	0	6
Columbus	279,836	2	5	2	0	0	1	0	1
Toledo	287,380	1	11	4	0	0	1	0	2

¹ No estimate made.

City reports for week ended September 25, 1926—Continued

Division, State, and city	Population July 1, 1925, estimated	Chick-en pox, cases reported	Diphtheria		Influenza		Measles, cases reported	Mumps, cases reported	Pneumonia, deaths reported
			Cases, estimated expectancy	Cases reported	Cases reported	Deaths reported			
EAST NORTH CENTRAL—continued									
Indiana:									
Fort Wayne	97,846	0	3	1	0	0	0	0	0
Indianapolis	358,819	0	9	9	0	0	0	7	0
South Bend	80,091	0	1	3	0	0	2	0	0
Terre Haute	71,071	0	1	0	0	0	1	0	1
Illinois:									
Chicago	2,995,239	22	86	50	1	1	14	9	28
Peoria	81,564	0	1	0	0	0	2	4	1
Springfield	63,923	1	2	1	1	0	4	0	1
Michigan:									
Detroit	1,245,824	5	39	78	1	1	2	0	11
Flint	130,316	0	8	3	0	0	1	0	1
Grand Rapids	153,698	0	3	1	0	0	0	0	0
Wisconsin:									
Kenosha	50,891	1	1	0	0	0	2	0	0
Madison	46,385		1						
Milwaukee	509,192	3	15	8	0	0	3	4	7
Racine	67,707	0	1	1	0	0	1	2	0
Superior	39,671	0	1	4	0	0	0	0	0
WEST NORTH CENTRAL									
Minnesota:									
Duluth	110,502	0	2	3	0	0	3	0	1
Minneapolis	425,435	6	24	16	0	0	0	2	6
St. Paul	246,001	2	17	10	0	1	1	2	11
Iowa:									
Davenport	52,469	0	1	0	0		3	0	
Des Moines	141,441	0	6	0	0		0	0	
Sioux City	76,411	0	2	1	0		0	0	
Waterloo	36,771	0	1	1	0		0	0	
Missouri:									
Kansas City	367,481	0	7	9	3	3	2	0	2
St. Joseph	78,342	0	2	1	0	0	0	1	0
St. Louis	821,543	1	27	25	0	0	4	5	
North Dakota:									
Fargo	26,403	1	0	0	0	0	0	3	0
Grand Forks	14,811	0	0	0	0		0	0	
South Dakota:									
Aberdeen	15,036	0	0	0	0		1	2	
Nebraska:									
Lincoln	60,941	1	1	2	0	0	0	1	1
Omaha	211,768	0	14	2	0	0	0	0	4
Kansas:									
Topeka	55,411	0	1	2	0	0	0	0	0
Wichita	88,367	0	2	2	0	0	4	1	2
SOUTH ATLANTIC									
Delaware:									
Wilmington	122,049	0	1	0	0	0	0	0	1
Maryland:									
Baltimore	796,296	1	17	14	2	1	0	1	10
Cumberland	33,741	0	0	0	0	0	0	0	0
Frederick	12,035	0	0	0	0	0	0	0	0
District of Columbia:									
Washington	497,906	1	7	8	0	0	2	0	9
Virginia:									
Lynchburg	30,395	0	1	4	0	0	0	0	0
Norfolk	(1)	0	2	3	0	0	0	0	3
Richmond	186,403	0	16	13	0	1	0	0	2
Roanoke	58,208	0	5	4	0	0	0	0	1
West Virginia:									
Charleston	49,019	0	2	0	0	1	0	0	0
Huntington	63,485	0	2	0	0	0	0	0	0
Wheeling	56,208	1	2	1	0	0	1	0	0
North Carolina:									
Raleigh	30,371	0	3	7	0	0	0	0	1
Wilmington	37,061	0	1	2	0	2	0	0	1
Winston-Salem	69,031	2	3	2	0	0	0	0	0

¹ No estimate made.

City reports for week ended September 25, 1926—Continued

Division, State, and city	Population July 1, 1925, estimated	Chick-en pox, cases reported	Diphtheria		Influenza		Measles, cases reported	Mumps, cases reported	Pneumonia, deaths reported
			Cases, estimated expectancy	Cases reported	Cases reported	Deaths reported			
SOUTH ATLANTIC—con.									
South Carolina:									
Charleston	73,125	0	0	0	13	0	0	0	2
Columbia	41,225	0	1	2	0	0	0	0	0
Greenville	27,311	0	1	1	0	0	0	0	1
Georgia:									
Atlanta	(1)	0	6	8	5	0	1	2	8
Brunswick	16,809	0	1	0	0	0	0	0	0
Savannah	93,134	0	2	0	6	0	0	0	1
Florida:									
Miami	60,754	0		12	0	0	0	0	2
St. Petersburg	26,847		0						0
Tampa	94,743	1	1	1	0	0	2	0	2
EAST SOUTH CENTRAL									
Kentucky:									
Covington	58,309	0	2						
Louisville	305,935	0	8	6	0	0	0	1	7
Tennessee:									
Memphis	174,533	0	7	0	0	1	2	1	1
Nashville	136,220	0	3	9	0	0	0	0	3
Alabama:									
Birmingham	205,670	2	6	6	1	0	0	2	1
Mobile	65,855	0	2	0	0	1	0	0	4
Montgomery	46,481	0	2	5	0	0	0	0	0
WEST SOUTH CENTRAL									
Arkansas:									
Fort Smith	31,643	0	1	0	0		0	0	
Little Rock	74,216	0	1	0	0	0	0	0	0
Louisiana:									
New Orleans	414,493	0	8	5	0	0	0	0	7
Shreveport	57,857	0	0	0	0	0	0	1	1
Oklahoma:									
Oklahoma City	(1)	1	2	2	6	0	0	0	0
Texas:									
Dallas	194,450	0	5	4	5	4	0	0	9
Galveston	48,375	0	0	0	0	0	0	0	0
Houston	164,954	0	2	4	0	0	0	0	3
San Antonio	108,069	0	0	3	0	1	0	0	1
MOUNTAIN									
Montana:									
Billings	17,971	0	0	0	0	0	0	0	1
Great Falls	29,883	2	1	0	0	1	0	0	0
Helena	12,037	0	0	0	0	0	0	0	0
Missoula	12,668	0	0	0	0	0	0	0	0
Idaho:									
Boise	23,042	0	0	2	0	0	0	0	0
Colorado:									
Denver	280,911	0	12	8	0		5	0	2
Pueblo	43,787	0	4	0	0	0	1	0	0
New Mexico:									
Albuquerque	21,000	1	0	1	0	0	0	1	0
Arizona:									
Phoenix	38,669	0	1	0	0	0	0	0	0
Utah:									
Salt Lake City	130,948	4	3	5	0	0	7	1	3
Nevada:									
Reno	12,665	0	0	0	0	0	0	0	0
PACIFIC									
Washington:									
Seattle	(1)	5	5	7	0		2	8	
Spokane	108,897	0	3	1	0		2	0	
Tacoma	104,455	0	3	9	0	0	0	1	1
Oregon:									
Portland	282,383	1	5	4	0	0	5	1	4
California:									
Los Angeles	(1)	5	27	39	9	0	2	6	13
Sacramento	72,260	0	2	6	0	0	13	9	2
San Francisco	557,530	16	14	17	2	2	96	7	6

¹ No estimate made.

City reports for week ended September 25, 1926—Continued

Division, State, and city	Scarlet fever		Smallpox			Tuber- culosis, deaths re- ported	Typhoid fever			Whoop- ing cough, cases re- ported	Deaths, all causes
	Cases, esti- mated expect- ancy	Cases re- ported	Cases, esti- mated expect- ancy	Cases re- ported	Deaths re- ported		Cases, esti- mated expect- ancy	Cases re- ported	Deaths re- ported		
NEW ENGLAND											
Maine:											
Portland.....	1	0	0	0	0	0	1	1	0	6	15
New Hampshire:											
Concord.....	1	0	0	0	0	0	0	0	0	0	5
Manchester.....	1	2	0	0	0	0	0	0	0	0	10
Vermont:											
Barre.....	1	0	0	0	0	1	0	0	0	2	1
Burlington.....	1	0	0	0	0	0	0	0	0	0	7
Massachusetts:											
Boston.....	16	14	0	0	0	21	5	3	1	36	238
Fall River.....	1	1	0	0	0	3	3	0	0	2	27
Springfield.....	3	1	0	0	0	0	0	0	0	1	28
Worcester.....	3	5	0	0	0	1	1	0	1	3	47
Rhode Island:											
Pawtucket.....	1	2	0	0	0	0	0	0	0	0	14
Providence.....	3	2	0	0	0	2	1	0	0	5	48
Connecticut:											
Bridgeport.....	2	4	0	0	0	2	0	0	0	2	20
Hartford.....	2	0	0	0	0	5	2	0	0	1	-----
New Haven.....	2	1	0	0	0	1	3	0	0	0	56
MIDDLE ATLANTIC											
New York:											
Buffalo.....	8	2	0	1	0	14	3	1	0	8	116
New York.....	40	51	0	0	0	84	41	50	4	38	1,201
Rochester.....	4	2	0	0	0	0	1	4	0	5	51
Syracuse.....	5	0	0	0	0	4	2	3	0	16	34
New Jersey:											
Camden.....	2	3	0	0	0	1	2	1	0	6	31
Newark.....	6	4	0	0	0	4	2	4	0	0	37
Trenton.....	0	2	0	0	0	3	1	0	0	7	30
Pennsylvania:											
Philadelphia.....	23	38	0	0	0	28	14	21	0	42	424
Pittsburgh.....	17	10	0	0	0	7	4	7	0	27	161
Reading.....	0	0	0	0	0	0	3	0	0	9	33
EAST NORTH CENTRAL											
Ohio:											
Cincinnati.....	6	1	0	0	0	7	2	2	0	6	120
Cleveland.....	13	8	1	0	0	17	4	12	0	54	187
Columbus.....	4	7	0	0	0	5	1	0	0	5	78
Toledo.....	5	6	1	0	0	4	3	2	1	11	76
Indiana:											
Fort Wayne.....	1	1	1	0	0	1	1	1	1	0	17
Indianapolis.....	5	1	1	1	0	8	3	4	0	6	105
South Bend.....	2	2	0	0	0	0	0	0	0	2	15
Terre Haute.....	0	2	0	0	0	1	1	0	0	2	20
Illinois:											
Chicago.....	45	46	1	0	0	39	7	10	0	55	619
Peoria.....	4	1	0	0	0	0	0	1	0	3	23
Springfield.....	1	2	0	0	0	1	1	0	0	7	17
Michigan:											
Detroit.....	31	20	2	0	0	24	6	4	0	78	278
Flint.....	4	3	0	1	0	1	1	1	0	1	20
Grand Rapids.....	4	2	0	0	0	2	1	1	0	3	27
Wisconsin:											
Kenosha.....	1	1	0	0	0	0	0	0	0	19	7
Madison.....	1	0	0	0	0	0	0	0	0	0	-----
Milwaukee.....	15	11	1	0	0	3	0	1	0	60	89
Racine.....	2	0	0	0	0	0	0	1	0	4	7
Superior.....	1	2	0	0	0	1	0	0	0	0	9
WEST NORTH CENTRAL											
Minnesota:											
Duluth.....	4	8	0	0	0	1	1	0	0	0	26
Minneapolis.....	17	27	0	2	0	4	2	1	0	0	88
St. Paul.....	8	18	2	0	0	3	2	3	0	14	69

¹ Pulmonary tuberculosis only.

City reports for week ended September 25, 1926—Continued

Division, State, and city	Scarlet fever		Smallpox			Tuber- culosis deaths re- ported	Typhoid fever			Whoop- ing cough, cases re- ported	Deaths, all causes
	Cases, esti- mated expect- ancy	Cases re- ported	Cases, esti- mated expect- ancy	Cases re- ported	Deaths re- ported		Cases, esti- mated expect- ancy	Cases re- ported	Deaths re- ported		
WEST NORTH CENTRAL—con.											
Iowa:											
Davenport	0	1	0	0			0	0			0
Des Moines	5	0	0	0			0	0			0
Sioux City	1	0	0	0			0	0			1
Waterloo	1	0	0	0			0	0			9
Missouri:											
Kansas City	4	0	0	0	0	3	3	2	2	1	84
St. Joseph	2	1	0	0	0	0	0	1	0	0	13
St. Louis	15	16	0	1	0	4	6	4	2	16	127
North Dakota:											
Fargo	0	0	0	0	0		0	1	0	2	5
Grand Forks	0	4	0	0			0	0		0	
South Dakota:											
Aberdeen	1	0	1	0			0	0		0	
Nebraska:											
Lincoln	1	1	0	0	0	0	0	0	0	4	14
Omaha	2	3	1	0	0	2	1	0	0	2	36
Kansas:											
Topeka	2	0	0	0	0	1	1	1	0	7	9
Wichita	2	3	1	0	0	1	2	0	0	5	31
SOUTH ATLANTIC											
Delaware:											
Wilmington	1	2	0	0	0	0	1	1	0	0	22
Maryland:											
Baltimore	7	7	0	0	0	21	11	9	1	61	210
Cumberland	0	0	0	0	0	1	1	0	0	0	15
Frederick	0	0	0	0	0	0	0	0	0	2	10
District of Columbia:											
Washington	6	7	0	0	0	10	5	6	1	8	116
Virginia:											
Lynchburg	1	2	0	0	0	0	1	3	0	0	11
Norfolk	1	1	0	0	0	3	2	0	4	0	4
Richmond	5	3	0	0	0	3	2	1	0	0	46
Roanoke	2	1	0	1	0	0	2	0	1	0	26
West Virginia:											
Charleston	1	3	0	0	0	0	2	0	1	3	18
Huntington	0	3	0	0	0	2	0	2	0	0	15
Wheeling	2	2	0	0	0	1	2	2	0	0	15
North Carolina:											
Raleigh	1	0	0	0	0	1	0	1	0	9	10
Wilmington	1	2	0	0	0	1	0	0	0	5	8
Winston-Salem	1	9	1	0	0	1	2	1	0	6	13
South Carolina:											
Charleston	0	0	0	1	0	1	3	4	0	0	18
Columbia	0	0	0	0	0	0	0	0	0	0	
Greenville	0	2	0	0	0	0	1	0	0	2	12
Georgia:											
Atlanta	4	1	0	0	0	0	4	18	2	1	56
Brunswick	0	0	0	0	0	0	0	0	0	0	2
Savannah	1	0	0	1	0	5	1	0	0	0	31
Florida:											
Miami	0	0	0	0	0	0	1	0	0	2	103
St. Petersburg	0	0	0	0	0	0	0	0	0	4	4
Tampa	0	0	0	0	0	3	0	0	0	1	45
EAST SOUTH CENTRAL											
Kentucky:											
Covington	1	0	0	0	0	8	0	6	1	3	73
Louisville	2	7	0	0	0	5	5	6	1	3	
Tennessee:											
Memphis	2	2	1	0	0	8	5	0	1	17	58
Nashville	3	3	0	0	0	4	5	16	4	10	39
Alabama:											
Birmingham	5	4	1	0	0	4	6	2	0	2	49
Mobile	0	5	0	0	0	1	1	0	0	0	18
Montgomery	1	0	0	0	0	0	0	8	0	0	5

City reports for week ended September 25, 1926—Continued

Division, State, and city	Scarlet fever		Smallpox			Tuber- culosis, deaths re- ported	Typhoid fever			Whoop- ing cough, cases re- ported	Deaths, all causes
	Cases, esti- mated expect- ancy	Cases re- ported	Cases, esti- mated expect- ancy	Cases re- ported	Deaths re- ported		Cases, esti- mated expect- ancy	Cases re- ported	Deaths re- ported		
WEST SOUTH CENTRAL											
Arkansas:											
Fort Smith	0	1	0	0	0	0	0	0	0	3	-----
Little Rock	1	0	0	0	0	0	2	2	0	0	-----
Louisiana:											
New Orleans	2	0	0	0	0	12	4	8	1	1	105
Shreveport	0	3	0	0	0	1	2	0	0	0	22
Oklahoma:											
Oklahoma City	1	2	0	0	0	1	2	5	1	0	24
Texas:											
Dallas	2	4	0	1	0	2	2	3	0	1	67
Galveston	1	0	0	0	0	1	0	0	0	0	17
Houston	0	1	0	0	0	5	1	0	0	0	53
San Antonio	0	3	0	2	0	6	0	5	1	0	41
MOUNTAIN											
Montana:											
Billings	0	1	0	0	0	0	0	0	0	0	9
Great Falls	0	1	0	0	0	0	1	0	0	1	10
Helena	0	0	0	0	0	0	0	0	0	0	5
Missoula	1	2	1	0	0	0	0	0	0	0	2
Idaho:											
Boise	1	0	1	0	0	0	0	0	0	0	7
Colorado:											
Denver	4	5	2	0	0	10	4	1	0	5	62
Pueblo	1	0	0	0	0	0	1	0	0	1	8
New Mexico:											
Albuquerque	1	0	0	0	0	6	2	1	0	1	14
Arizona:											
Phoenix	0	1	0	0	0	5	1	0	0	0	17
Utah:											
Salt Lake City	2	4	0	0	0	0	3	2	0	3	33
Nevada:											
Reno	0	0	1	0	0	0	0	0	0	0	2
PACIFIC											
Washington:											
Seattle	6	8	0	1	-----	-----	1	4	-----	4	-----
Spokane	5	2	1	0	-----	-----	1	0	0	2	20
Tacoma	2	1	0	3	0	0	1	0	0	1	57
Oregon:											
Portland	4	18	2	0	0	3	2	1	0	1	10
California:											
Los Angeles	8	17	1	2	0	22	5	2	0	10	217
Sacramento	1	1	0	1	0	1	1	0	0	1	26
San Francisco	6	15	1	0	0	6	1	2	0	6	135

City reports for week ended September 25, 1926—Continued

Division, State, and city	Cerebrospinal meningitis		Lethargic encephalitis		Pellagra		Poliomylitis (infantile paralysis)		
	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases, estimated expectancy	Cases	Deaths
MIDDLE ATLANTIC									
New York:									
Buffalo.....	1	0	0	0	0	0	0	13	0
New York.....	8	4	3	1	0	0	13	9	3
Rochester.....	0	0	0	0	0	0	1	1	0
Syracuse.....	0	0	0	0	0	0	1	2	0
New Jersey:									
Newark.....	0	0	2	0	0	0	0	0	0
Pennsylvania:									
Philadelphia.....	0	0	0	0	0	0	1	1	0
EAST NORTH CENTRAL									
Ohio:									
Cincinnati.....	1	0	0	0	0	0	0	0	0
Cleveland.....	0	0	0	0	0	0	1	3	0
Columbus.....	1	1	0	0	0	0	0	0	0
Illinois:									
Chicago.....	0	0	1	1	0	1	5	2	1
Michigan:									
Detroit.....	0	0	2	0	0	1	1	3	0
Flint.....	0	0	0	0	0	0	0	1	1
WEST NORTH CENTRAL									
Iowa:									
Waterloo.....	0	0	1	0	0	0	0	0	0
Missouri:									
Kansas City.....	2	0	0	0	0	0	1	0	0
St. Louis.....	0	0	0	0	0	0	1	1	0
SOUTH ATLANTIC									
Maryland:									
Baltimore.....	0	1	0	0	0	0	1	2	0
Virginia:									
Lynchburg.....	0	0	0	0	0	1	0	0	0
Norfolk.....	0	0	0	0	0	0	0	2	0
Roanoke.....	0	0	0	0	0	2	0	0	0
North Carolina:									
Wilmington.....	1	0	0	0	0	0	0	0	0
Winston-Salem.....	0	0	0	0	1	2	0	0	0
Georgia:									
Savannah.....	1	1	0	0	0	0	0	2	0
Florida:									
Miami.....	0	0	0	0	1	0	0	0	0
Tampa.....	0	2	0	0	0	0	0	0	0
EAST SOUTH CENTRAL									
Tennessee:									
Memphis.....	0	0	0	0	0	1	0	0	6
Alabama:									
Birmingham.....	0	0	0	0	2	0	0	0	0
Mobile.....	0	0	1	0	0	1	0	0	0
WEST SOUTH CENTRAL									
Arkansas:									
Little Rock.....	0	0	0	0	0	3	0	0	0
Louisiana:									
New Orleans.....	2	0	0	0	0	0	0	1	0
Shreveport.....	0	0	0	0	0	1	0	0	0
Texas:									
Dallas.....	0	0	0	0	0	1	0	1	0
Houston.....	0	2	0	0	0	0	0	0	0
MOUNTAIN									
Arizona:									
Phoenix.....	0	0	0	0	0	1	0	0	0
PACIFIC									
Washington:									
Seattle.....	0	0	0	0	0	0	1	1	0
Oregon:									
Portland.....	0	0	0	0	0	0	0	2	0
California:									
Los Angeles.....	1	1	0	0	0	0	1	2	0
San Francisco.....	1	0	2	0	0	0	0	0	0

The following table gives the rates per 100,000 population for 101 cities for the five-week period ended September 25, 1926, compared with those for a like period ended September 26, 1925. The population figures used in computing the rates are approximate estimates as of July 1, 1925 and 1926, respectively, authoritative figures for many of the cities not being available. The 101 cities reporting cases had an estimated aggregate population of nearly 30,000,000 in 1925 and nearly 30,500,000 in 1926. The 95 cities reporting deaths had more than 29,200,000 estimated population in 1925 and more than 29,730,000 in 1926. The number of cities included in each group and the estimated aggregate populations are shown in a separate table below.

Summary of weekly reports from cities, August 22 to September 25, 1926—Annual rates per 100,000 population, compared with rates for the corresponding period of 1925¹

DIPHTHERIA CASE RATES

	Week ended—									
	Aug. 29, 1925	Aug. 28, 1926	Sept. 5, 1925	Sept. 4, 1926	Sept. 12, 1925	Sept. 11, 1926	Sept. 19, 1925	Sept. 18, 1926	Sept. 26, 1925	Sept. 25, 1926
101 cities.....	272	265	270	274	92	76	265	284	297	2108
New England.....	41	50	43	26	74	38	139	25	81	73
Middle Atlantic.....	63	56	61	59	89	53	83	63	81	69
East North Central.....	68	75	57	101	70	80	76	95	101	102
West North Central.....	117	81	100	66	143	75	145	95	153	127
South Atlantic.....	368	62	106	69	119	137	88	111	108	128
East South Central.....	27	57	32	42	74	104	74	116	58	143
West South Central.....	92	34	31	60	119	86	57	77	75	69
Mountain.....	166	73	305	91	194	173	217	237	189	137
Pacific.....	105	92	476	135	75	92	130	1297	102	213

MEASLES CASE RATES

101 cities.....	27	27	22	25	22	26	29	28	35	37
New England.....	86	38	50	33	91	35	108	19	177	38
Middle Atlantic.....	34	15	25	17	25	11	34	10	23	7
East North Central.....	20	32	20	30	16	18	22	21	22	22
West North Central.....	4	20	6	10	4	10	8	12	6	28
South Atlantic.....	23	15	23	9	21	19	15	9	29	11
East South Central.....	11	36	0	31	0	16	5	17	11	11
West South Central.....	0	4	0	0	4	4	4	4	0	0
Mountain.....	28	27	0	36	9	100	9	73	28	118
Pacific.....	6	94	26	92	8	159	14	225	19	310

¹ The figures given in this table are rates per 100,000 population, annual basis, and not the number of cases reported. Populations used are estimated as of July 1, 1925, and 1926, respectively.

² Greenville, S. C., not included.

³ Madison, Wis., not included.

⁴ Spokane, Wash., not included.

⁵ Helena, Mont., not included.

⁶ Racine, Wis., Covington, Ky., and Tacoma, Wash., not included.

⁷ Pittsburgh, Pa., Madison, Wis., Racine, Wis., and Covington, Ky., not included.

⁸ Pittsburgh, Pa., not included.

⁹ Racine, Wis., not included.

¹⁰ Madison, Wis., and Racine, Wis., not included.

¹¹ Covington, Ky., not included.

¹² Tacoma, Wash., not included.

Summary of weekly reports from cities, August 22 to September 25, 1926—Annual rates per 100,000 population, compared with rates for the corresponding period of 1925—Continued

SCARLET FEVER CASE RATES

	Week ended—									
	Aug. 29, 1925	Aug. 28, 1926	Sept. 5, 1925	Sept. 4, 1926	Sept. 12, 1925	Sept. 11, 1926	Sept. 19, 1925	Sept. 18, 1926	Sept. 26, 1925	Sept. 25, 1926
	101 cities	245	355	454	51	51	58	660	667	563
New England	67	54	46	59	62	80	60	76	46	71
Middle Atlantic	27	32	30	25	31	32	46	44	48	54
East North Central	45	55	58	59	57	62	58	64	65	1081
West North Central	110	133	123	131	102	93	133	129	135	153
South Atlantic	239	58	56	38	54	56	36	49	61	79
East South Central	26	62	131	57	110	109	53	127	74	1188
West South Central	18	26	35	26	31	47	40	30	13	52
Mountain	28	64	74	82	37	73	161	82	85	118
Pacific	66	75	50	70	36	89	64	123	77	119

SMALLPOX CASE RATES

101 cities	28	34	45	2	5	2	56	61	55	73
	245	340	438	40	41	45	549	653	644	744
New England	0	0	0	0	0	0	0	0	0	0
Middle Atlantic	1	0	0	1	0	0	0	0	0	1
East North Central	8	7	5	0	2	2	2	0	2	101
West North Central	4	0	4	0	0	2	2	2	2	2
South Atlantic	212	9	2	9	12	2	12	9	6	6
East South Central	53	0	11	10	21	0	37	110	32	110
West South Central	13	9	4	4	4	0	4	4	0	13
Mountain	9	0	9	0	18	0	50	0	38	0
Pacific	28	13	38	13	41	16	47	120	39	19

TYPHOID FEVER CASE RATES

101 cities	245	340	438	40	41	45	549	653	644	744
	245	340	438	40	41	45	549	653	644	744
New England	26	19	29	12	34	17	29	33	22	9
Middle Atlantic	30	39	29	34	27	34	35	55	34	545
East North Central	26	18	17	20	20	20	18	28	29	1026
West North Central	35	42	22	42	57	50	57	26	16	26
South Atlantic	289	56	58	92	48	105	104	81	88	92
East South Central	163	233	168	176	226	285	194	11264	200	11176
West South Central	106	39	167	43	70	39	159	69	97	77
Mountain	111	18	28	9	129	18	85	82	94	36
Pacific	52	38	29	46	28	27	28	1237	22	22

INFLUENZA DEATH RATES

95 cities	23	33	2	3	4	4	5	64	53	76
	245	340	438	40	41	45	549	653	644	744
New England	0	0	0	0	2	0	0	0	0	5
Middle Atlantic	3	3	3	2	3	4	6	3	3	64
East North Central	4	3	3	4	7	4	4	3	4	103
West North Central	2	8	2	4	0	0	6	4	4	8
South Atlantic	2	2	2	0	0	0	2	0	2	9
East South Central	5	0	0	16	5	0	5	116	0	1111
West South Central	15	5	5	9	5	19	10	24	0	24
Mountain	9	18	18	9	28	36	19	0	9	9
Pacific	0	0	0	0	4	0	0	128	4	7

² Greenville, S. C., not included.

³ Madison, Wis., not included.

⁴ Spokane, Wash., not included.

⁵ Helena, Mont., not included.

⁶ Racine, Wis., Covington, Ky., and Tacoma, Wash., not included.

⁷ Pittsburgh, Pa., Madison, Wis., Racine, Wis., and Covington, Ky., not included.

⁸ Pittsburgh, Pa., not included.

⁹ Racine, Wis., not included.

¹⁰ Madison, Wis., and Racine, Wis., not included.

¹¹ Covington, Ky., not included.

¹² Tacoma, Wash., not included.

Summary of weekly reports from cities, August 22 to September 25, 1926—Annual rates per 100,000 population, compared with rates for the corresponding period of 1925—Continued

PNEUMONIA DEATH RATES

	Week ended—									
	Aug. 29, 1925	Aug. 28, 1926	Sept. 5, 1925	Sept. 4, 1926	Sept. 12, 1925	Sept. 11, 1926	Sept. 19, 1925	Sept. 18, 1926	Sept. 26, 1925	Sept. 25, 1926
95 cities.....	61	48	70	51	61	51	60	53	54	65
New England.....	41	33	53	50	50	40	67	54	53	76
Middle Atlantic.....	65	56	84	59	68	65	61	51	66	68
East North Central.....	50	38	59	34	46	37	44	41	39	46
West North Central.....	54	42	32	36	36	30	45	51	26	55
South Atlantic.....	80	58	54	64	60	41	81	54	86	79
East South Central.....	63	47	131	52	142	42	79	50	42	88
West South Central.....	106	76	73	52	82	104	77	123	48	99
Mountain.....	74	73	83	64	37	64	113	118	76	55
Pacific.....	62	21	95	78	91	57	62	57	51	78

² Greenville, S. C., not included.

³ Madison, Wis., not included.

⁵ Helena, Mont., not included.

⁶ Racine, Wis., Covington, Ky., and Tacoma, Wash., not included.

⁷ Pittsburgh, Pa., Madison, Wis., Racine, Wis., and Covington, Ky., not included.

⁸ Pittsburgh, Pa., not included.

⁹ Racine, Wis., not included.

¹⁰ Madison, Wis., and Racine, Wis., not included.

¹¹ Covington, Ky., not included.

¹² Tacoma, Wash., not included.

Number of cities included in summary of weekly reports, and aggregate population of cities in each group, approximated as of July 1, 1925 and 1926, respectively

Group of cities	Number of cities reporting cases	Number of cities reporting deaths	Aggregate population of cities reporting cases		Aggregate population of cities reporting deaths	
			1925	1926	1925	1926
Total.....	101	95	29,900,058	30,427,598	29,221,531	29,733,613
New England.....	12	12	2,176,124	2,206,124	2,176,124	2,206,124
Middle Atlantic.....	10	10	10,346,970	10,476,970	10,346,970	10,476,970
East North Central.....	16	16	7,481,656	7,655,436	7,481,656	7,655,436
West North Central.....	12	10	2,550,024	2,589,131	2,431,253	2,468,448
South Atlantic.....	21	21	2,716,070	2,776,070	2,716,070	2,776,070
East South Central.....	7	7	993,103	1,004,953	983,103	1,004,953
West South Central.....	8	6	1,184,057	1,212,057	1,078,198	1,103,695
Mountain.....	9	9	563,912	572,773	563,912	572,773
Pacific.....	6	4	1,888,142	1,934,084	1,434,245	1,469,144

FOREIGN AND INSULAR

THE FAR EAST

Reports for two weeks ended September 18, 1926.—The following reports for the weeks ended September 11 and September 18, 1926, were transmitted by the Far Eastern Bureau of the Secretariat of the League of Nations, located at Singapore, to the headquarters at Geneva:

Week Ended September 11, 1926

Maritime towns	Plague		Cholera		Smallpox	
	Cases	Deaths	Cases	Deaths	Cases	Deaths
Egypt: Alexandria.....	0	0	0	0	1	0
British India:						
Bombay.....	0			0	5	3
Madras.....	0			0	3	0
Rangoon.....		11		0	1	0
Tuticorin.....	0			0	3	0
Negapatam.....	0	0	0	1	0	0
Siam: Bangkok.....	0	0	7	4	4	3
Dutch East Indies: Cheribon.....	0	0	0	0	2	0
China:						
Anoy.....	0	0	53		0	0
Shanghai.....	0	0	57	21	0	0
Manchuria: Harbin.....	0	0	27	7	0	0
Kwantung: Dairen.....	0	0	3	1	0	0

Telegraphic reports from the following maritime towns indicated that no case of plague, cholera, or smallpox was reported during the week:

ASIA

Arabia.—Aden.

Iraq.—Basra.

British India.—Karachi, Chittagong, Cochin, Vizagapatam.

Ceylon.—Colombo.

Federated Malay States.—Port Swettenham.

Straits Settlements.—Penang, Singapore.

Dutch East Indies.—Batavia, Surabaya, Samarang, Belawan Deli, Palembang, Sabang, Makassar, Banjermasin, Tarakan, Padang Samarinda, Pontianak, Menado, Balik-Papan.

Sarawak.—Kuching.

British North Borneo.—Sandakan, Jesselton, Kudat, Tawao.

Portuguese Timor.—Dilly.

Philippine Islands.—Manila, Iloilo, Jolo, Cebu, Zamboanga.

French Indo-China.—Saigon and Cholon, Turane.

China.—Hongkong.

Formosa.—Keelung.

Japan.—Yokohama, Osaka, Nagasaki, Moji, Kobe, Niigata, Tsuruga, Hakodate, Simonoseki.

Korea.—Chemulpo, Fusan.*Manchuria*.—Antung, Mukden, Changchun.*Kwantung*.—Port Arthur.*U. S. S. R.*.—Vladivostok.

AUSTRALASIA AND OCEANIA

Australia.—Adelaide, Melbourne, Sydney, Brisbane, Rockhampton, Townsville, Port Darwin, Broome, Fremantle, Garnarvon, Thursday Island.*New Guinea*.—Port Moresby.*New Zealand*.—Auckland, Wellington, Christchurch, Invercargill, Dunedin.*New Caledonia*.—Noumea.*Fiji*.—Suva.*Hawaii*.—Honolulu.*Society Islands*.—Papeete.

AFRICA

Egypt.—Port Said, Suez.*Anglo-Egyptian Sudan*.—Port Sudan, Suakin.*Eritrea*.—Massaua.*French Somaliland*.—Jibuti.*British Somaliland*.—Berbera.*Italian Somaliland*.—Mogadiscio.*Kenya*.—Mombasa.*Zanzibar*.—Zanzibar.*Tanganyiki*.—Dar-es-Salaam.*Seychelles*.—Victoria.*Mauritius*.—Port Louis.*Portuguese East Africa*.—Mozambique, Beira, Lourenço-Marques.*Union of South Africa*.—Durban, East London, Port Elizabeth, Cape Town.

Reports had not been received in time for distribution from:

British India.—Calcutta.*French Indo-China*.—Haiphong.*Madagascar*.—Tamatave, Majunga.

Week Ended September 18, 1926

Maritime towns	Plague		Cholera		Smallpox	
	Cases	Deaths	Cases	Deaths	Cases	Deaths
Egypt: Alexandria.....	0	0	0	0	4	0
British India:						
Bombay.....		3		0	3	1
Madras.....		0		1	5	1
Rangoon.....		8		0	0	0
Tuticorin.....		0		0	1	0
Negapatam.....		0		3	4	1
Ceylon: Colombo.....	0	0	0	0	2	0
Straits Settlements: Penang.....	0	0	0	0	1	0
Siam: Bangkok.....	0	0	2	1	8	4
Dutch East Indies: Cheribon ¹	1	0	0	0	0	0
China:						
Amoy.....	0	0	50		0	0
Shanghai.....	0	0	66	20	0	0
Kwantung: Dairen.....	0	0	1	0	0	0

¹ One infected rat was found in the port during the week.

Telegraphic reports from the following maritime towns indicated that no case of plague, cholera, or smallpox was reported during the week:

ASIA

- Arabia*.—Aden.
Iraq.—Basra.
British India.—Karachi, Chittagong, Cochin, Vizagapatam.
Federated Malay States.—Port Swettenham.
Straits Settlements.—Singapore.
Dutch East Indies.—Batavia, Surabaya, Samarang, Belawan Deli, Palembang, Sabang, Makassar, Banjermasin, Tarakan, Padang, Samarainda, Pontianak, Menado, Balik-Papan.
Sarawak.—Kuching.
British North Borneo.—Sandakan, Jesselton, Kudat, Tawao.
Portuguese Timor.—Dilly.
Philippine Islands.—Manila, Iloilo, Jolo, Cebu, Zamboanga.
French Indo-China.—Saigon and Cholon, Turane, Haiphong.
China.—Hongkong.
Formosa.—Keelung.
Japan.—Yokohama, Osaka, Nagasaki, Moji, Kobe, Niigata, Tsuruga, Hakodate, Simonoseki.
Korea.—Chemulpo, Fusan.
Manchuria.—Antung, Mukden, Changchun.
Kwantung.—Port Arthur.
U. S. S. R..—Vladivostok.

AUSTRALASIA AND OCEANIA

- Australia*.—Adelaide, Melbourne, Sydney, Brisbane, Rockhampton, Townsville, Port Darwin, Broome, Fremantle, Carnarvon, Thursday Island.
New Guinea.—Port Moresby.
New Zealand.—Auckland, Wellington, Christchurch, Invercargill, Dunedin.
New Caledonia.—Noumea.
Fiji.—Suva.
Hawaii.—Honolulu.
Society Islands.—Papeete.

AFRICA

- Egypt*.—Port Said, Suez.
Anglo-Egyptian Sudan.—Port Sudan, Suakin.
Eritrea.—Massaua.
French Somaliland.—Jibuti.
British Somaliland.—Berbera.
Italian Somaliland.—Mogadiscio.
Kenya.—Mombasa.
Zanzibar.—Zanzibar.
Tanganyika.—Dar-es-Salaam.
Seychelles.—Victoria.
Mauritius.—Port Louis.
Portuguese East Africa.—Mozambique, Beira, Laurenço-Marques.
Union of South Africa.—Durban, East London, Port Elizabeth, Cape Town.

Reports had not been received in time for distribution from:

- British India*.—Calcutta.
Manchuria.—Harbin.
Madagascar.—Tamatave, Majunga.

CANADA

Communicable diseases—Week ended September 25, 1926.—The Canadian Ministry of Health reports cases of certain communicable diseases in seven Provinces of Canada for the week ended September 25, 1926 as follows:

Diseases	Nova Scotia	New Brunswick	Quebec	Ontario	Manitoba	Saskatchewan	Alberta	Total
Influenza.....	8							8
Lethargic encephalitis.....						2		2
Poliomyelitis.....				12				12
Smallpox.....	1	12	4	25	1	7	4	8
Typhoid fever.....						4	1	54

Communicable diseases—Ontario—September, 1926 (comparative).—During the month of September, 1926, communicable diseases were reported in the Province of Ontario, Canada, as follows:

Disease	September, 1926		September, 1925	
	Cases	Deaths	Cases	Deaths
Cerebrospinal meningitis.....	4		4	1
Chancroid.....	3			
Chicken pox.....	123		88	
Diphtheria.....	239	18	271	16
German measles.....	7		1	
Gonorrhea.....	133		134	
Influenza.....	6			10
Lethargic encephalitis.....			9	
Measles.....	149		59	
Mumps.....	15		29	
Pneumonia.....		88		85
Poliomyeliti.....	22		37	
Scarlet fever.....	141		162	5
Septic sore throat.....			4	
Smallpox.....	23		25	
Syphilis.....	89		79	
Tuberculosis.....	117	43	148	62
Typhoid fever.....	94	3	130	8
Whooping cough.....	232	10	295	7

Smallpox.—Smallpox was reported present in the Province of Ontario during the month of September, 1926, in 10 localities. The largest number of cases was reported at Peterboro, viz., 10.

Vital statistics—Quebec—July, 1926.—Births and deaths in the Province of Quebec for the month of July have been reported as follows:

Estimated population.....	2,570,000	Deaths from—Continued.
Births.....	6,702	Diphtheria.....
Birth rate per 1,000 population.....	31.29	Heart diseases.....
Deaths (all causes).....	2,668	Influenza.....
Death rate per 1,000 population.....	12.45	Measles.....
Deaths under 1 year.....	763	Scarlet fever.....
Infant mortality rate.....	113.84	Syphilis.....
Deaths from—		Tuberculosis (pulmonary).....
Cancer.....	128	Tuberculosis (other forms).....
Cerebrospinal meningitis.....	13	Typhoid fever.....
Diabetes.....	26	Whooping cough.....

CHINA

Cholera—Tsingtao—August 30, 1926.—On August 30, 1926, cholera was reported present at Tsingtao, China. The first case was reported in the person of an American, who died of the disease the day after his arrival in the city and is believed to have become infected en route to Tsingtao. The next occurrence was in the Japanese community, with about 10 fatalities. Among the Chinese population from 30 to 40 deaths from cholera were reported daily, the greater number occurring in villages in the immediate vicinity of the city. A second case in a foreigner occurred in a British subject.

Precautions against spread.—Cholera inoculation was administered to the police, military, and civil employees, but was not compulsory; orders were published forbidding use of uncooked food and fruits; quarantine supervision was exercised over arrivals from Amoy, Shanghai, and other ports in south China.

CHOSEN

Cholera—North Heian Province—September 9–16, 1926.—During the period September 9 to 16, 1926, 70 cases of cholera with 30 deaths, estimated, were reported in the North Heian Province, Chosen.

ESTHONIA

Communicable diseases—July, 1926.—During the month of July, 1926, communicable diseases were reported in the Republic of Estonia as follows: Cases—diphtheria, 36; leprosy, 1; measles, 192; paratyphoid fever, 17; scarlet fever, 169; tuberculosis, 155; typhoid fever, 34. Population, 1,107,059.

JAMAICA

Smallpox (alastrim)—Other communicable diseases—August 1–28, 1926.—During the period August 1 to 28, 1926, 93 cases of smallpox, reported as alastrim, were reported in the island of Jamaica, occurring at localities other than Kingston. Cases of other communicable diseases were reported as follows:

Disease	Kingston	Other localities	Disease	Kingston	Other localities
Cerebrospinal meningitis.....		1	Scarlet fever.....	1	
Chicken pox.....		5	Tuberculosis (pulmonary).....	7	37
Measles.....	3	22	Typhoid fever.....	9	89
Ophthalmia neonatorum.....		1	Yaws.....		2
Pneumonia.....		9			

PANAMA CANAL

Communicable diseases—August, 1926.—During the month of August, 1926, communicable diseases were reported in the Canal Zone and at Colon and Panama, as follows:

Disease	Canal Zone		Colon		Panama		Infected in other localities		Total	
	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
Diphtheria	1		1		13	1	2		17	1
Dysentery	1				6	1		1	7	2
Hookworm disease					55	1			55	1
Leprosy										1
Malaria	139	1	5		17	3	32	2	193	6
Measles	1		3		23		2		29	
Pneumonia ¹		3		6		25		3		37
Tuberculosis ¹		4		6		22		3		35
Whooping cough	2		1		4		1		8	

¹ Only deaths reported.

PERU

Plague—August, 1926.—During the month of August, 1926, 21 cases of plague with 9 deaths were reported in Peru. The occurrence was in the Departments of Cajamarca and Lima and was distributed as follows: *Cajamarca*—In the Province of Contumaza, 1 case; *Lima*—Chancay Province, cases, 5, deaths, 2; Lima Province, at Chosica, cases, 6, deaths, 1; Lima City, cases, 2, deaths, 1; country district of Lima, cases, 7, deaths, 5.

SALVADOR

Quarantine against Guatemala—Smallpox.—According to information dated September 7, 1926, quarantine was in force at that date in the Republic of Salvador against arrivals from Guatemala on account of smallpox.

SIERRA LEONE

Sleeping sickness—August, 1926.—During the month of August, 1926, a case of sleeping sickness was reported in Sierra Leone, West Africa, occurring at Kpai, Kennema District.

UNION OF SOUTH AFRICA

Plague—Cape Province—Orange Free State—August 15–21, 1926.—During the week ended August 21, 1926, three cases of plague, occurring in Europeans, were reported in the Union of South Africa, of which two cases, fatal, occurred in the Cape Province, in Calvinia district, and one case in the Orange Free State, in Hoopstad district. The occurrence was on farms.

Smallpox.—New cases of smallpox were reported in Cape Province, August 15 to 21, 1926, in two districts.

Typhus fever.—During the same period new cases of typhus fever were reported in the Transvaal. Occurrence of typhus fever during the month of July, 1926, was reported as follows: *Cape Province*—Cases, 58; deaths, 15. *Natal*—Cases, 23; deaths, 2. *Orange Free State*—Cases, 7. *Transvaal*—cases, 2. The occurrence was in the colored or native population.

YUGOSLAVIA

Communicable diseases—August, 1926.—During the month of August, 1926, communicable diseases were reported in Yugoslavia as follows:

Disease	Cases	Deaths	Disease	Cases	Deaths
Anthrax.....	40	6	Measles.....	86	1
Cerebrospinal meningitis.....		1	Scarlet fever.....	326	51
Diphtheria.....	120	18	Tetanus.....	32	21
Dysentery.....	236	27	Typhoid fever.....	322	13
Glanders.....	2	2	Typhus fever.....	1	
Lethargic encephalitis.....	1		Whooping cough.....	215	153

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER

The reports contained in the following tables must not be considered as complete or final as regards either the lists of countries included or the figures for the particular countries for which reports are given.

Reports Received During Week Ended October 15, 1926.¹

CHOLERA

Place	Date	Cases	Deaths	Remarks
China:				
Amoy.....	Aug. 22-Sept. 4.....	54		
Foochow.....	Aug. 15-Sept. 4.....	16		
Swatow.....	Aug. 22-Sept. 4.....			
Tsingtao.....	Aug. 30.....			
Chosen:				
North Heian Province.....	Sept. 3-16.....	70	30	Present; not epidemic.
India:				
Madras.....	Aug. 29-Sept. 4.....	1	1	American, 1 case, 1 death; Japanese settlement, 10 deaths; Chinese, 30 to 40 daily; estimated.
Philippine Islands:				
Pampanga Province.....	July 25-31.....	1	1	Deaths estimated.
Siam.....				Aug. 1-7, 1926: Cases, 2,457; deaths, 1,577.
				Aug. 15-21, 1926: Cases, 83; deaths, 62. Apr. 1-Aug. 21, 1926: Cases, 7,466; deaths, 4,997.

PLAQUE

Azores:				
Fayal Island—				
Horta.....	Aug. 23-29.....	1	1	
British East Africa:				
Kenya—				
Kisumu.....	Aug. 17.....	1		
India:				
Bombay.....	Aug. 15-21.....	1	1	Aug. 1-7, 1926: Cases, 298; deaths, 185.
Madras Presidency.....	Aug. 8-14.....	69	46	Aug., 1926: Cases, 21; deaths, 9.
Peru:				
Departments—				
Cajamarca.....				Aug., 1926: Cases, 1.
Contumazá Province.....	Aug. 1-31.....	1		At Jandon.

¹ From medical officers of the Public Health Service, American consuls, and other sources.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued
Reports Received During Week Ended October 15, 1926—Continued
PLAQUE—Continued

Place	Date	Cases	Deaths	Remarks
Peru—Continued.				
Departments—Continued.				
Lima				
Chancay Province—				
Huacho	Aug. 1-31	3	1	
Huaral	do	2	1	
Lima Province				
Chosica	do	6	1	
Lima City	do	2	1	
Country estates.	do	7	5	
Turkey:				
Constantinople	Aug. 29-Sept. 4	1	1	
Union of South Africa:				
Cape Province				
Calvinia District	Aug. 15-21	2	2	In Europeans. On farms.
Orange Free State				
Hoopstad District	do	1		European. On farm.

SMALLPOX

Canada:				
Alberta				
Calgary	Sept. 19-25	5		Sept. 19-25, 1926: Cases, 4.
British Columbia				
Vancouver	Sept. 6-12	1		
Manitoba	Sept. 19-25	1		
Ontario	do	3		Sept. 1-30, 1926: Cases, 23; corresponding period, 1925—cases, 25.
Peterboro	Sept. 1-30	10		
Saskatchewan				
Regina	Sept. 19-25	1		
China:				
Chungking	Aug. 15-21			Present.
France:				
Paris	Sept. 1-10	2		
Great Britain:				
England and Wales				
Sheffield	Sept. 5-11	1		Aug. 29-Sept. 18, 1926: Cases, 305.
India:				
Bombay	Aug. 15-21	2	2	Aug. 1-7, 1926: Cases, 2,012; deaths, 637.
Madras	Aug. 29-Sept. 4	6	2	
Jamaica				Aug. 1-14, 1926: Cases, 31. Reported as alastrim.
Mexico:				
Guadalajara	Sept. 14-27	2		
San Luis Potosi	Sept. 19-25		1	
Siam				
Union of South Africa:				
Cape Province	Aug. 15-21			Aug. 15-21, 1926: Cases, 18; deaths, 4. Apr. 1-Aug. 21, 1926: Cases, 544; deaths, 209. Outbreaks.

TYPHUS FEVER

Algeria:				
Algiers	July 21-31	1		
Mexico:				
Mexico City	Sept. 5-18	16		Including municipalities in Federal District.
Palestine:				
Jerusalem	Aug. 31-Sept. 6	1		July, 1926: Cases, 90; deaths, 17. Native.
Union of South Africa:				July, 1926: Cases, 58; deaths, 15.
Cape Province				July, 1926: Cases, 23; deaths, 2.
Natal				July, 1926: Cases, 7.
Orange Free State				July, 1926: Cases, 2.
Transvaal				Outbreaks.
Do.	Aug. 15-21			Aug., 1926: 1 case.
Yugoslavia				

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued

Reports Received from June 26 to October 8, 1926¹

CHOLERA

Place	Date	Cases	Deaths	Remarks
Ceylon.....				Apr. 18-May 29, 1926: Cases, 31; deaths, 29.
China:				Stated to be present in epidemic form.
Amoy.....	Aug. 8-21.....	13		
Canton.....	June 1-30.....	38	14	
Nanking.....	July 25-Aug. 7.....			Present.
Shanghai.....	Reported July 20.....	35	8	
Do.....	July 25-Aug. 28.....	32	327	Cases, foreign; deaths, native and foreign.
Swatow.....	July 11-Aug. 14.....	20	63	
Tsingtao.....	do.....	3	3	
Chosen:				
Shingishu.....	Sept. 13.....	19		Including places in vicinity.
French Settlements in India.....				Mar. 7-June 26, 1926: Cases, 31; deaths, 30.
India:				Apr. 25-June 26, 1926: Cases, 18,526; deaths, 11,531. June 27-July 31, 1926: Cases, 9,035; deaths, 5,587.
Bombay.....	May 30-June 5.....	1	1	
Do.....	July 18-31.....	2	2	
Calcutta.....	Apr. 4-May 29.....	478	418	
Do.....	June 13-26.....	73	69	
Do.....	June 27-Aug. 21.....	242	215	
Madras.....	May 16-June 5.....	2	1	
Do.....	Aug. 1-7.....	1	1	
Rangoon.....	May 9-June 26.....	67	44	
Do.....	June 27-Aug. 8.....	28	27	
Indo-China:				
Saigon.....	May 2-15.....	52	48	
Do.....	May 22-June 26.....	42	32	
Do.....	June 27-Aug. 14.....	31	17	
Japan:				To September 10, 1926: Cases, 35.
Ken (Prefecture)—				
Hiroshima.....	To Sept. 10.....	1		
Hyogo.....	do.....	7		
Kagakawa.....	do.....	8		
Kanagawa.....	do.....	3		
Kochi.....	do.....	1		
Okayama.....	do.....	7		
Osaka.....	do.....	6		
Wakayama.....	do.....	2		
Philippine Islands:				
Manila.....	May 18-24.....	2	2	
Do.....	June 27-Aug. 21.....	9	2	
Provinces—				
Albay.....	Apr. 18-24.....	1	1	
Davao.....	May 23-29.....	1		
Mindoro.....	Feb. 21-Mar. 6.....	3	3	
Rizal.....	July 18-24.....	1		
Romblon.....	Dcc. 14-31.....	42	43	
Do.....	Jan. 2-23.....	16	12	
Siam:				
Bangkok.....	May 2-June 12.....	1,325	736	Aug. 1-7, 1926: Cases, 47; deaths, 38.
Do.....	June 20-26.....	56	26	
Do.....	June 27-Aug. 7.....	77	28	
Straits Settlements:				
Singapore.....	July 4-17.....	2	1	
On vessel:				
Steamship Macedonia.....	Aug. 5.....	1		At Yokohama, Japan. Vessel sailed from Singapore, July 18, 1926.

PLAQUE

Algeria:				
Algiers.....	June 21-30.....	1		Under date of July 16, 2 cases reported.
Do.....	July 1-20.....	1		
Bona.....	Aug. 14.....	1		
Philippeville.....	Sept. 7.....	1		
Azores:				
Fayal Island—				
Horta.....	Aug. 2-8.....	1	1	
St. Michael's Island.....	May 9-June 26.....	4	1	
Do.....	June 27-July 10.....	3	1	

¹ From medical officers of the Public Health Service, American consuls, and other sources.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued
Reports Received from June 26 to October 8, 1926—Continued
PLAGUE—Continued

Place	Date	Cases	Deaths	Remarks
British East Africa:				
Kisumu.....	May 16-22.....	1	1	
Uganda.....	Mar. 1-May 31.....	414	322	
Canary Islands:				
Teneriffe.....	Aug. 2.....	2	—	
Ceylon:				
Colombo.....	May 20-June 5.....	1	1	
Chile:				
Iquique.....	June 20-26.....	—	1	
China:				
Amoy.....	Apr. 18-June 26.....	40	30	
Do.....	June 27-Aug. 7.....	28	—	
Foochow.....	June 6-July 31.....	—	—	
Nanking.....	May 9-Aug. 7.....	—	—	
Swatow.....	July 25-31.....	14	—	
Ecuador				
Chimborazo.....	January-June.....	9	2	Several cases. Not epidemic.
Guayaquil.....	May 16-June 30.....	6	—	Prevalent.
Do.....	July 1-Aug. 31.....	12	3	
Leon.....	January-June.....	43	19	January-June, 1926: Cases, 385; deaths, 154.
Loja.....	do.....	176	75	Rats taken, 766.
Tungurahua.....	do.....	83	29	Rats taken, 30,914; found infected, 31.
Egypt:				Rats taken, 41,321; found infected, 59.
City—				Localities, 2.
Alexandria.....	July 27-Aug. 12.....	4	1	Cantons, 2.
Suez.....	May 21-July 1.....	9	5	At Ambato, Huachi, and Picay-hua. Rats taken, 1,542.
Do.....	July 29.....	2	—	Jan. 1-Aug. 12, 1926: Cases, 115.
Provinces—				
Behera.....	July 23-Aug. 15.....	4	1	
Beni-Suef.....	May 23-June 8.....	8	2	
Charkiah.....	July 27.....	1	1	
Gharbieh.....	June 2.....	1	1	
Mineh.....	July 24.....	1	1	
France:				
Marseille.....	July 8.....	1	1	Reported July 24.
St. Denis.....	Reported Aug. 2.....	1	—	Vicinity of Paris.
St. Ouen.....	Aug. 14.....	2	—	Suburb of Paris.
Great Britain:				
Liverpool.....	Aug. 29-Sept. 4.....	2	1	
Greece:				
Athens.....	Apr. 1-May 31.....	16	4	Including Piraeus.
Do.....	Aug. 1-31.....	9	2	Do.
Patras.....	May 27-June 12.....	4	1	
Do.....	July 25-Sept. 4.....	7	4	
Zante.....	May 17.....	1	—	
Hawaii:				
Hamakua.....	June 9.....	—	—	1 plague rodent trapped near Hamakua Mill.
Paauhau.....	July 18-24.....	—	—	Plague-infected rat trapped.
India:				
Bombay.....	May 2-June 26.....	16	15	Apr. 25-June 16, 1926: Cases, 53,001; deaths, 41,576. June 27-July 31, 1926: Cases, 1,107; deaths, 676.
Do.....	July 18-Aug. 14.....	4	4	
Karachi.....	May 23-June 26.....	15	13	
Do.....	July 11-17.....	1	1	
Madras Presidency.....	Apr. 25-June 26.....	162	93	
Do.....	July 4-Aug. 7.....	195	93	
Rangoon.....	May 9-June 26.....	20	15	
Do.....	June 27-Aug. 21.....	47	38	
Indo-China:				
Saigon.....	May 23-June 26.....	8	3	
Do.....	July 18-Aug. 7.....	2	1	
Iraq:				
Bagdad.....	Apr. 18-June 12.....	161	108	
Do.....	July 18-31.....	2	2	
Japan:				
Yokohama.....	July 2-30.....	9	5	Total, July 2-Aug. 10, 1926;
Do.....	Aug. 7.....	2	—	Cases, 9; deaths, 8.
Java:				
Batavia.....	Apr. 24-June 19.....	65	65	
Do.....	June 26-Aug. 20.....	44	42	
Cheribon.....	Apr. 11-24.....	3	3	
East Java and Madura.....	June 13-19.....	1	1	
Do.....	July 25-31.....	1	1	

October 15, 1926

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued
Reports Received from June 26 to October 8, 1926—Continued
PLAGUE—Continued

Place	Date	Cases	Deaths	Remarks
Madagascar:				
Ambositra Province	May 1-15	4	4	Septicemic.
Antisirabi Province	June 16-30	4	4	
Itasy Province	do	17	10	
Majunda Province	do	10	6	
Mananjary Province	do	1	1	
Moramanga Province	Apr. 1-15	2	2	Do.
Tananarive Province	May 16-31	1	1	Apr. 1-June 30, 1926: Cases, 130; deaths, 120.
Tamatave (Port)	Apr. 1-June 30	7	7	
Tananarive Town				
Nigeria				
Peru:				
Departments—				
Ancash	May 1-31			
Cajamarca	May 1-June 30	10	4	
Huacho	July 1-31	1		
Huaral	do	5	2	
Huarmey	do			Do.
Ica	May 1-31	1		
Libertad	do	4		
Lima	May 1-June 30	29	12	Pacasmayo, cases, 2; Trujillo district, cases, 2.
Do	July 1-31	8	2	
Haciendas	do	7	3	
Piura	June 1-30	13		
Russia				In Huancabamba district.
Senegal				Jan. 1-Mar. 31, 1926: Cases, 37. Nov. 1-30, 1926: Cases, 3; deaths, 2. Mar. 1-Apr. 30, 1926: Cases, 15; deaths, 4.
Siam:				
Bangkok	May 23-June 26	2	2	
Do	July 18-24	1	1	
Straits Settlements:				
Singapore	May 2-8	1	1	
Do	July 4-17	1	1	
Syria:				
Beirut	July 1-Aug. 10	2		
Tunisia	May 11-June 30	174		
Do	July 1-20	12		
Kairouan	June 9	3		9 cases 33 miles south of Kairouan.
Turkey:				
Constantinople	Aug. 1-28	4	1	
Union of South Africa:				
Cape Province:				
Calvinia District	May 16-22	5	3	
Do	June 13-26	12	6	
Williston District	June 27-Aug. 14	2	1	
Do	June 13-26	2		
Orange Free State—Hoopstad District—	June 27-July 3	1		
Protestpan	May 9-22	3	3	
On vessel:				
Steamship Zaria	Sept. 1926	2	2	At Liverpool, England, from Lagos, Nigeria, West Africa. Four plague-infected rats found on board.

SMALLPOX

Algeria:				
Algiers	May 21-June 30	14		
Do	July 1-Aug. 31	3		
Belgium:				
Antwerp	Aug. 1-7	1	1	
Bolivia:				
La Paz	May 1-June 30	14	7	
Do	July 1-31	2	4	
Brazil:				
Bahia	June 20-26	1		
Do	June 27-Aug. 21	52	25	
Manaus	Apr. 1-30		5	
Para	May 16-June 26	26	25	
Do	June 27-Aug. 14	18	11	

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued
Reports Received from June 26 to October 8, 1926—Continued
SMALLPOX—Continued

Place	Date	Cases	Deaths	Remarks
Brazil—Continued.				
Pernambuco	July 11-Aug. 2	43	7	
Rio de Janeiro	May 2-June 19	132	91	
Do.	July 4-Sept. 4	1,823	897	
Santos	Mar. 1-7		1	
British East Africa:				
Mombasa	July 5-11	5	4	
Tanganyika	May 1-31	252	46	
Uganda	Mar. 1-May 31	3		
British South Africa:				
Northern Rhodesia	May 18-24	17	6	Natives.
Do.	June 8-14	5		
Canada				May 30-June 12, 1926: Cases 46.
Alberta	May 30-June 12	3		
Do.	June 27-Sept. 18	14		
Calgary	Sept. 5-11	1		
British Columbia—				
Vancouver	Aug. 16-22	2		
Manitoba				May 30-June 26, 1926: Cases, 24.
Winnipeg	June 6-12	5		June 27-Sept. 11, 1926: Cases, 19.
Do.	July 4-Sept. 4	12		
Ontario				May 30-June 26, 1926: Cases, 30.
Fort William	July 25-Aug. 7	2		June 27-Sept. 18: Cases, 78.
Kingston	May 23-June 26	5		
Do.	July 11-17	2		
Kitchener	Apr. 26-May 29	3	1	
North Bay	May 2-22	5		
Do.	July 25-31	2		
Orillia	Apr. 26-May 29	7		
Ottawa	July 18-24	1		
Packenham	do	10		
Toronto	July 18-Aug. 11	8		
Waterloo	July 18-24	6		
Saskatchewan				May 30-June 26, 1926: Cases, 16.
Regina	July 4-10	2		June 27-Sept. 18: Cases, 59.
Ceylon				Mar. 14-May 29, 1926: Cases, 44; deaths, 3.
Chile:				
Antofagasta	June 6-12	1		
China:				
Amoy	May 1-June 26	4	8	
Do.	July 4-10	1		
Antung	May 17-June 19	5		
Do.	July 4-18	2		
Canton	May 1-31	4	2	
Changsha	Aug. 8-14	1		
Chungking	May 2-Aug. 7			Present.
Foochow	do			Do.
Hongkong	May 2-June 26	19	10	
Do.	June 27-July 3	1	1	
Manchuria:				Railway stations.
An-shan	July 4-31	18		South Manchurian Railway.
Antung	May 16-June 12	5		Do.
Changchun	May 16-June 19	5		Do.
Do.	May 16-June 26	6		
Dairen	June 27-July 3	1		
Do.	Apr. 26-June 20	69	16	
Fushun	June 28-Aug. 8	5	3	Do.
Harbin	May 16-June 5	4		Do.
Do.	May 14-June 30	21		
Kai-yuan	July 1-28	14		
Kungohuling	May 16-June 30	10		Do.
Liaoyang	June 13-19	1		Do.
Mukden	May 16-June 30	4		Do.
Penhsiu	May 16-June 19	4		Do.
Ssupingkai	May 16-June 30	2		Do.
Teshihchiao	do	2		Do.
Wa-feng-tien	do	3		Do.
Nanking	May 8-Aug. 7			Present.
Shanghai	May 2-June 26	10	25	Cases, foreign: deaths, population of international concession, foreign and native.
Do.	June 27-July 24	3	3	
Swatow	May 9-Aug. 14			Sporadic.
Tientsin	June 2-26			Reported by British municipality.
Wanshien	May 1			Prevalent.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued

Reports Received from June 26 to October 8, 1926—Continued

SMALLPOX—Continued

Place	Date	Cases	Deaths	Remarks
Chosen.				
Fusan.	May 1-31	1		
Seishun.	do	2	1	
Egypt:				
Alexandria.	May 15-July 1	18	3	
Do.	July 23-Aug. 19	11	5	
Cairo	Jan. 29-Apr. 1	16	4	
Estonia.				
France:				
St. Etienne.	Apr. 18-June 15	7	3	
French Settlements in India.	Mar. 7-June 26	282	282	
Gold Coast.	Mar. 1-May 31	662	13	
Great Britain:				
England and Wales.				
Bradford.	May 23-29	1		
Do.	Aug. 29-Sept. 4	1		
Newcastle-on-Tyne.	June 6-12	1		
Do.	July 11-17	1		
Nottingham.	May 2-June 5	7		
Do.	July 18-24	1		
Sheffield.	June 13-19	1		
Do.	July 4-Aug. 7	2		
Greece:				
Athens.	July 1-31	71	6	
Saloniki.	June 1-14		3	
Guatemala:				
Guatemala City.	June 1-30		2	
India:				
Bombay.	May 9-June 26	220	134	
Do.	June 27-Aug. 14	84	45	
Calcutta.	Apr. 4-May 29	171	152	
Do.	June 13-26	24	18	
Do.	June 27-Aug. 21	30	25	
Karachi.	May 16-June 26	44	18	
Do.	June 27-Aug. 21	13	7	
Madras.	May 16-June 26	7	4	
Do.	June 27-Aug. 28	38	12	
Rangoon.	May 9-June 26	10	5	
Do.	July 4-24	3		
Indo-China:				
Saigon.	May 9-June 26	2		
Iraq:				
Bagdad.	do	8	3	
Do.	July 4-10	1	1	
Basra.	Apr. 18-June 22	34	25	
Italy:				
Catania.	Aug. 9-15	2		
Rome.	June 14-20	4		
Jamaica.				
Do.				
Japan.				
Kobe.	May 30-June 5	1		
Nagoya.	May 16-22		1	
Do.	July 4-10	1		
Taiwan Island.	May 11-20	24		
Do.	June 1-20	23		
Do.	July 11-Aug. 10	2		
Tokyo.	June 26-July 17	3		
Yokohama.	May 2-8	2		
Java:				
Batavia.	May 15-June 25	2		Provinces.
Do.	July 24-Aug. 20	3		Do.
East Java and Madura.	Apr. 11-July 3	100	6	
Do.	July 4-Aug. 7	43	1	
Malang.	Apr. 4-10	6	1	Interior.
Surabaya.	May 16-22	14	1	
Do.	July 18-24	15	1	
Latvia.				
Mexico.				
Aguascalientes.	June 13-26	5		
Guadalajara.	June 8-14	2		
Do.	June 29-Aug. 30	6		
Mexico City.	May 16-June 5	3		Including municipalities in Federal District.
Do.	July 25-Aug. 28	4		Do.

October 15, 1926

2378

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued
Reports Received from June 26 to October 8, 1926—Continued
SMALLPOX—Continued

Place	Date	Cases	Deaths	Remarks
Mexico—Continued.				
Saltillo.	July 18-24.		1	
San Antonio de Arenales.	Jan. 1-June 30.			
San Luis Potosi.	June 13-26		7	
Do.	July 4-Sept. 4		10	
Tampico.	June 1-10		2	
Torreón.	May 1-June 30		17	
Do.	July 1-Aug. 31		9	
Netherlands:				
Amsterdam.	July 18-24.		9	
Nigeria.				
Persia:				
Teheran.	Apr. 21-June 22.		7	
Peru:				
Arequipa.	June 1-30.		1	
Poland.				
Portugal:				
Lisbon.	Apr. 26-June 19.	10	3	
Do.	July 11-Sept. 11	21	6	
Oporto.	May 23-June 5.	4		
Do.	July 11-24.	2		
Russia.				
Siam.				
Bangkok.	May 2-June 12.	23	20	
Do.	July 4-Aug. 7.	43	39	
Spain:				
Valencia.	Aug. 22-28	1		
Straits Settlements:				
Singapore.	Apr. 25-May 1.	1		
Do.	July 11-17.	1		
Switzerland:				
Lucerne Canton.	June 1-30.	1		
Do.	July 1-31	2		
Tripolitania.	Apr. 1-30.	11		
Tunisia.				
Tunis.	Aug. 11-30.	2		
Union of South Africa.	June 1-30.	8	1	
Cape Province.	June 20-26			Outbreaks.
Idutywa district.	May 23-29			Do.
Orange Free State.	June 20-July 3.			Do.
Natal.	May 30-June 5.			Do.
Transvaal.				
Johannesburg.	May 9-June 12.	5		June 6-12, 1926: Outbreaks in Pietersburg and Rustenburg districts.
Do.	July 11-17.	1		Do.
Yugoslavia.				Apr. 15-30, 1926: Cases, 2; deaths, 1.
Zagreb.	Aug. 9-15.	2		
On vessels:				
S. S. Karapara.				
Steamship.	July 2.	1		

TYPHUS FEVER

Algeria:				
Algiers.	May 21-June 30...	7	1	
Do.	Aug. 1-31	2		
Argentina:				
Rosario.	Feb. 1-28	2		
Bolivia:				
La Paz.	June 1-30		1	
Bulgaria.				Mar. 1-June 30, 1926: Cases, 87; deaths, 14.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued

Reports Received from June 26 to October 8, 1926—Continued

TYPHUS FEVER—Continued

Place	Date	Cases	Deaths	Remarks
Chile:				
Antofagasta	May 23-June 26	4		
Do.	June 27-July 3	1		
Concepcion	June 1-7		1	
Valparaiso	Apr. 29-May 5		1	
Do.	Aug. 14-28	3		
China:				
Antung	June 14-27	7	1	
Do.	June 28-Aug. 29	26	1	
Canton	May 1-31	1		
Ichang				1
Wanshien				
Chosen:				
Chemulpo	May 1-June 30	38	2	
Do.	July 1-31	7	2	
Gensan	June 1-30	1		
Seoul	do	8	3	
Do.	July 1-31	7		
Czechoslovakia				
Egypt:				
Alexandria	July 16-Aug. 19	3		
Cairo	Jan. 20-Mar. 4	74	17	
Do.	July 23-Aug. 5	1		
Port Said	June 4-24	4	1	
Do.	July 9-Aug. 19	4	1	
Great Britain:				
Scotland—				
Glasgow	July 30-Aug. 21	9	1	
Ireland (Irish Free State):				
Cobh (Queenstown)	May 30-June 5	1		
Do.	June 27-July 3	1	1	
Cork	June 5	1		
Kerr County—				
Dingle	June 27-July 3	1		
Italy				
Japan				
Latvia				
Lithuania				
Mexico				
Durango	July 1-31		1	
Mexico City	May 16-June 5	20		
Do.	June 13-19	9		
Do.	July 25-31	3		
Do.	Aug. 15-Sept. 4	15		
San Luis Potosi	June 13-26			
Morocco				
Palestine:				
Gaza	July 6-12	1		
Haifa	July 13-Aug. 30	5		
Halalal	Aug. 17-23	1		
Jaffa district	June 15-28	5		
Majdal district	July 13-Aug. 2	2		
Nazareth district	do	3		
Tiberias	Aug. 3-9	1		
Yavniel	Aug. 17-23	1		
Persia:				
Teheran	May 23-June 22		1	
Peru:				
Arequipa	Jan. 1-31		2	
Poland				
Rumania				
Russia				
Tunisia				
Tunis	June 11-30	3		
Turkey:				
Constantinople	June 16-22	1		

Reported May 1, 1926. Occurring among troops.
Present among troops, May 1, 1926. Locality in Chungking consular district.
Feb. 1-May 31, 1926: Cases, 887; deaths, 91.

Jan. 1-June 30, 1926: Cases, 136; deaths, 6.

Mar. 28-May 8, 1926: Cases, 3.
Mar. 28-May 29, 1926: Cases, 37.
May 1-June 30, 1926: Cases, 19.
Mar. 1-June 30, 1926: Cases, 199; deaths, 22.
Feb. 1-Apr. 30, 1926: Deaths, 110.

Including municipalities in federal district.

Do.

Do.

Do.

Present, city and country.

Mar. 1-June 30, 1926: Cases, 426.
Mar. 1-June 30, 1926: Cases, 14; deaths, 1. Aug. 10-16, 1926: Cases, 2.

Mar. 28-June 26, 1926: Cases, 1,272; deaths, 85. June 27-July 24, 1926: Cases, 147; deaths, 11.
Mar. 1-May 31, 1926: Cases, 711; deaths, 69.
Jan. 1-Mar. 31, 1926: Cases, 14,814.
Apr. 1-June 30, 1926: Cases, 110.

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER—Continued
Reports Received from June 26 to October 8, 1926—Continued
TYPHUS FEVER—Continued

Place	Date	Cases	Deaths	Remarks
Union of South Africa.....				Apr. 1-May 31, 1926: Cases, 153; deaths, 19.
Cape Province.....				Apr. 1-June 30, 1926: Cases, 202; deaths, 24 native.
Glengray district.....	June 27-July 3.....			Outbreaks.
Grahamstown.....	do.....	1		Apr. 1-June 30, 1926: Cases, 28. July 25-31, 1926: Cases, 11. In native compounds.
Natal.....				Apr. 1-June 30, 1926: Cases, 24; deaths, 4.
Durban.....	July 25-Aug. 7.....	9	1	Outbreaks.
Orange Free State.....				Apr. 1-June 30, 1926: Cases, 10; deaths, 5. Aug. 1-7, 1926: Outbreaks.
Do.....	July 18-24.....			Do.
Transvaal.....				Apr. 1-June 30, 1926: Cases, 48; deaths, 7. July 1-31, 1926: Cases, 2; deaths, 1.
Walkersveld district.....	June 20-26.....			Outbreaks.
Wolmaransstad district.....	do.....			
Yugoslavia.....				
Zagreb.....	May 15-21.....	1		

YELLOW FEVER

Brazil.....	Reported June 26.....			Present in interior of Bahia, Pira-pora, and Minas.
Bahia.....	May 9-June 26.....	10	7	
Do.....	July 4-10.....	1		
Gold Coast.....	Apr. 1-May 31.....	6	3	