CONTENTS

Zinc in relation to general and industrial hygiene
The size frequency of industrial dusts
Relation of arsenoxide content to toxicity of fresh and old samples of
arsphenamine
Studies of the pollution and natural purification of streams—A resurve of the Ohio River between Cincinnati, Ohio, and Louisville, Ky., with a discussion of the changes since 1914–16 and the effects of canalization—Court decision relating to public health————————————————————————————————————
Deaths during week ended July 22, 1933:
Deaths and death rates for a group of large cities in the United States
Death claims reported by insurance companies
PREVALENCE OF DISEASE
United States:
Current weekly State reports:
Reports for weeks ended July 29, 1933, and July 30, 1932
Summary of monthly reports from States
Weekly reports from cities:
City reports for week ended July 22, 1933
Foreign and insular:
Canada:
Provinces—Communicable diseases—Two weeks ended July 15
Quebec Province—Communicable diseases—Ten weeks ender July 15, 1933
Chile—Santiago—Typhus fever
Egypt—Notifiable diseases—Year 1932
Nicaragua—Influenza
Puerto Rico-Notifiable diseases-Four weeks ended July 15, 1933.
Yugoslavia—Communicable diseases—June 1933
Cholera, plague, smallpox, typhus fever, and yellow fever:
Cholera
Plague
Smallpox
Typhus fever