## CONTENTS

|  | Page        |
|--|-------------|
| Milk-sanitation ratings of cities—Cities for which milk-sanitation ratings<br>of 90 percent or more were reported by the State milk-sanitation author-<br>ities during the period July 1, 1933, to June 30, 1935 | 949         |
| Rat-flea survey of the port of Philadelphia, Pa  | 952         |
| Deaths during week ended July 6, 1935:   | 904         |
| Deaths and death rates for a group of large cities in the United   |             |
| Qt - t - r   | 957         |
| Death claims reported by insurance companies   | 957<br>957  |
|  |             |
| PREVALENCE OF DISEASE  |             |
| United States:   |             |
| Current weekly State reports:  |             |
| Reports for weeks ended July 13, 1935, and July 14, 1934   | 958         |
| Summary of monthly reports from States   | 960         |
| Cases of venereal diseases reported for May 1935   | 961         |
| Weekly reports from cities:  |             |
| City reports for week ended July 6, 1935   | 96 <b>2</b> |
| Foreign and insular:   |             |
| Cuba-Provinces-Notifiable diseases-4 weeks ended June 29, 1935_  | <b>966</b>  |
| Germany—Vital statistics—1934—Comparative  | 96 <b>6</b> |
| Cholera, plague, smallpox, typhus fever, and yellow fever:   |             |
| Cholera  | 967         |
| Plague   | 970         |
| Smallpox   | 974         |
| Typhus fever   | 979         |
| Yellow fever   | <b>982</b>  |
|  |             |

(III)