## CONTENTS

\_

| A general view of the causes of illness and death at specific ages—based on records for 9,000 families in 18 States visited periodically for 12 months, | Р |
|---|---|
| 1928–31   | 2 |
| Epidemiological study of plague in the Hawaiian Islands   | 2 |
| Court decision on public health   | 4 |
| Deaths during week ended February 2, 1935:  |   |
| Deaths and death rates for a group of large cities in the United States.  | 2 |
| Death claims reported by insurance companies  | 2 |
| PREVALENCE OF DISEASE   |   |
| United States:  |   |
| Current weekly State reports:   |   |
| Reports for weeks ended Feb. 9, 1935, and Feb. 10, 1934   | 2 |
| Summary of monthly reports from States  | 2 |
| Weekly reports from cities:   |   |
| City reports for week ended Feb. 2, 1935  | - |
| Foreign and insular:  |   |
| Canada-Provinces-Communicable diseases-2 weeks ended Jan.   |   |
| 26, 1935  | 5 |
| Italy—Communicable diseases—4 weeks ended Aug. 19, 1934   | 5 |
| Puerto Rico-Notifiable diseases-4 weeks ended Jan. 26, 1935   | - |
| Cholera, plague, smallpox, typhus fever, and yellow fever:  |   |
| Cholera   | 5 |
| Plague  | - |
| Smallpox  | 2 |
| Typhus fever  |   |
| Yellow fever  | - |

(III)