CONTENTS

Prevalence of communicable diseases in the United States, April 23-May 20, 1939	age
Philadelphia, 1933–1937	969
Influence of castration on the induction of subcutaneous tumors in mice of the C ₃ H strain by 1:2:5:6-dibenzanthracene	972
the C ₃ H strain by 1:2:5:6-dibenzanthracene	012
Deaths during week ended May 20, 1939: Deaths in a group of large cities in the United States	
Deaths in a group of large cities in the United States 10 Death claims reported by insurance companies 10 PREVALENCE OF DISEASE United States:	26
Death claims reported by insurance companies 10 PREVALENCE OF DISEASE United States:	
PREVALENCE OF DISEASE United States:	031
United States:	031
Current weekly State reports:	
Current mounty mounts represent	
Reports for week ended May 27, 1939, with case rates and com-	
parison with former years	32
Summary of monthly reports from States1	36
Weekly reports from cities:	
City reports for week ended May 20, 1939 10	37
Foreign and insular:	
Canada—Provinces—Communicable diseases—Week ended May 6,	
1939 10)40
Cuba—Provinces—Notifiable diseases—4 weeks ended March 4, 1939_ 10	40
Cholera, plague, smallpox, typhus fever, and yellow fever—	
Cholera 10)41
Plague 10	41
Smallpox1)41
Typhus fever 10)41