## CONTENTS

The state of the s
Prevalence of communicable diseases in the United States, January 26-
February 22, 1941
Alcoholism and public health
Hospitals existing singly in counties have similar financial structure——— Human riboflavin requirement estimated by urinary excretion of subjects on controlled intake————————————————————————————————————
Benzene (benzol): Its toxicity and potential dangers
Reported prevalence of the common communicable diseases during 1940
Public Health Service publications. A list of publications issued during the period July-December 1940
Court decision on public health
Deaths during week ended March 1, 1941:
Deaths in a group of large cities in the United States
Death claims reported by insurance companies.
PREVALENCE OF DISEASE
United States:  Reports from States for week ended March 8, 1941, and comparison
with former years
Weekly reports from cities:
City reports for week ended March 1, 1941
Territories and possessions:
Hawaii Territory—Plague (rodent)
Foreign reports:
Canada—Provinces—Communicable diseases—Week ended February 1, 1941
Great Britain—England and Wales—
Infectious diseases—13 weeks ended June 29, 1940
Vital statistics—Second quarter 1940.
Jamaica—Communicable diseases—4 weeks ended February 15, 1941_
Sweden—Notifiable diseases—November 1940
Venezuela—Poliomyelitis
Reports of cholera, plague, smallpox, typhus and fever, yellow fever
received during the current week—
Plague
Yellow fever