WEEKLY ABSTRACT OF SANITARY REPORTS.

Vol. II. {Abstract No. 70. } OFFICE SUPERVISING SURGEON-GENERAL, U. S. MARINE-HOSPITAL SERVICE, Washington, D. C., June 30, 1887.

Abstract of Sanitary Reports received through the Department of State from foreign countries during the week ended June 30, 1887, and information received through other channels.

(Published in accordance with section 4, act approved April 29, 1878.)

England and Wales.—The deaths registered in 28 great towns of England and Wales during the week ended June 11 corresponded to an annual rate of 18.9 per thousand of the aggregate population, which is estimated at 9,245,099. The lowest rate was recorded in Leicester, viz., 11.3, and the highest in Birkenhead, viz., 29.4 per thousand. Small-pox caused 2 deaths in Sheffield and 1 in Birmingham.

London.—One thousand four hundred and fourteen deaths were registered during the week ended June 11, including 114 from measles, 27 from scarlet fever, 9 from diphtheria, 74 from whooping-cough, 1 from typhus fever, 6 from enteric fever, and 9 from diarrhœa and dysentery. There were 259 deaths from diseases of the respiratory organs. Different forms of violence caused 70 deaths, and 9 suicides were registered. The deaths from all causes corresponded to an annual rate of 17.5 per thousand. In greater London 1,745 deaths were registered, corresponding to an annual rate of 16.8 per thousand of the population. In the "outer ring" 22 deaths from measles and 6 from diphtheria were registered.

Ireland.—The average annual death rate represented by the deaths registered during the week ended June 11 in the 16 principal town districts of Ireland was 25.1 per thousand of the population. The low. est rate was recorded in Sligo, viz., 0.0, and the highest in Drogheda, viz., 38.1 per thousand.

Dublin.-Two hundred and eleven deaths were registered during the week lended June 11, including 18 from measles, 2 from whoopingcough, 1 from diphtheria, 2 from enteric fever, and 3 from scarlet fever. Diseases of the respiratory organs caused 37 deaths. Three accidental deaths and 1 suicide were registered, and in 25 instances the causes of death were uncertified. The deaths from all causes corresponded to an annual rate of 31.2 per thousand.

Scotland.—The deaths registered in 8 principal towns during the week ended June 11 corresponded to an annual rate of 21.9 per thousand of the population, which is estimated at 1,299,000. The lowest mortality was recorded in Leith, viz., 18.7, and the highest in Paisley, viz., 27.3 per thousand. The aggregate number of deaths registered from all causes was 546, including 8 from measles, 9 from scarlet fever, 4 from diphtheria, 35 from whooping-cough, and 12 from diarrhœa.

Germany.—The deaths registered in 51 cities of Germany, having an aggregate population of 6,763,812, during the week ended June 4 corresponded to an annual rate of 24.1. The lowest rate was recorded in Metz, viz., 11.5, and the highest in München-Gladbach, viz., 39.2.

Kingston, Jamaica.—One hundred and twenty deaths were registered during the month of May, 1887, including 6 from small-pox and 3 from diphtheria.

Santiago de Cuba.—The sanitary inspector at Havana, from information received through the United States consul, reports that the Spanish brigantine "Catania" arrived at Santiago on the 8th of June, from Montevideo. The vessel's original destination was Porto Rico, where the cargo was not allowed to be discharged, on account of a report that two deaths (cause unknown) had occurred on board. The vessel was allowed to enter at Santiago, for the reason that when she left Montevideo it was officially announced that the cholera epidemic had ceased.

Havana.—Three hundred and three deaths were registered during the two weeks ended June 23, including 57 from yellow fever, 25 from small-pox, and 5 from enteric fever.

MORTALITY TABLE, FOREIGN CITIES.

$\begin{array}{c c c c c c c c c c c c c c c c c c c $		Week ended.	Estimated popula- tion.	from	Deaths from—						
Warsaw June 4. 439, 174 225 21	Cities.			deaths Il causes	Cholera.	1	Small-pox.	Typhus fever.	Enteric fever.	Scarlet fever.	Diphtheria.
Legnorn June 12 101,172 49 1 1 Rheims June 11 97,903 46	Warsaw Amsterdam Rome. Copenhagen Palermo. Bristol. Trieste. Trieste. Stuttgart. Toronto Bremen Pernambuco Leghorn. Rheims Mayence. Guayaquil.	June 4. June 11. May 7. June 11. June 11. June 11. June 4. June 4. June 18. June 18. June 18. June 12. June 11. May 20.	439, 174 378, 686 369, 214 290, 000 259, 000 223, 695 150, 157 150, 157 150, 157 125, 510 120, 000 111, 000 111, 000 111, 172 97, 903 65, 701 35, 000	225 154 151 132 88 57 81 74 37 27 43 98 49 46 23 52			21 3 7 4		2 1 2 2 2 2 1 4 14	5 2 1 3 	26 1 1 17 3 2 1 1 4

Key West-Yellow fever.—The medical officer in charge of the Marine Hospital Service at Key West reports 51 cases of yellow fever, and 20 deaths from that disease, up to June 30.

JOHN B. HAMILTON,

Supervising Surgeon-General, Marine-Hospital Service.