WEEKLY ABSTRACT OF SANITARY REPORTS.

Vol. II. { Abstract No. 75. } TREASURY DEPARTMENT,
OFFICE SUPERVISING SURGEON-GENERAL,
U. S. MARINE-HOSPITAL SERVICE,
Washington, D. C., August 4, 1887.

Abstract of Sanitary Reports received through the Department of State from foreign countries during the week ended August 4, 1887, and information received through other channels.

(Published in accordance with section 4, act approved April 29, 1878.)

England and Wales.—The deaths registered in 28 great towns of England and Wales during the week ended July 16 corresponded to an annual rate of 20.7 per thousand of the aggregate population, which is estimated at 9,245,099. The lowest rate was recorded in Portsmouth, viz., 13.6, and the highest in Preston, viz., 31.1 per thousand.

London.—One thousand seven hundred and seventy-four deaths were registered during the week ended July 16, including 1 from small-pox, 65 from measles, 23 from scarlet fever, 16 from diphtheria, 87 from whooping-cough, 5 from from enteric fever, 312 from diarrhæa and dysentery, and 14 from cholera and choleraic diarrhæa. There were 188 deaths from diseases of the respiratory organs. Different forms of violence caused 60 deaths, and 9 suicides were registered. The deaths from all causes corresponded to an annual rate of 22.0 per thousand. In greater London 2,121 deaths were registered, corresponding to an annual rate of 20.4 per thousand of the population. In the "outer ring" 7 deaths from measles, 43 from diarrhæa, 14 from whooping-cough, and 8 from diphtheria were registered.

Ireland.—The average annual death rate represented by the deaths registered during the week ended July 16 in the 16 principal town districts of Ireland was 24.2 per thousand of the population. The low est rate was recorded in Kilkenny, viz., 4.2, and the highest in Waterford, viz., 39.4 per thousand.

Dublin.—One hundred and eighty-nine deaths were registered during the week ended July 16, including 28 from measles, 2 from whoopingcough, 2 from enteric fever, and 12 from diarrhea. Diseases of the respiratory organs caused 35 deaths. Six accidental deaths were registered, and in 29 instances the causes of death were uncertified. The deaths from all causes corresponded to an annual rate of 27.9 per thousand.

Scotland.—The deaths registered in 8 principal towns during the week ended July 16 corresponded to an annual rate of 19.5 per thousand of the population, which is estimated at 1,299,000. The lowest mortality was recorded in Perth, viz., 14.6, and the highest in Greenock, viz., 28.1 per thousand. The aggregate number of deaths registered from all causes was 487, including 1 from small-pox, 3 from measles, 11 from scarlet fever, 1 from diphtheria, 43 from whooping-cough, and 30 from diarrhea.

Netherlands.—The deaths registered in the principal cities of the Netherlands, having an aggregate population of 1,102,191, during the month of May, 1887, corresponded to an annual rate of 29.4 per thousand of the population. The lowest rate was recorded in Groningen, viz., 16.4, and the highest in Maastricht, viz., 32.0 per thousand.

Cardenas.—The United States consul, under date of July 23, states that "in the town a good deal of yellow fever prevails amongst the unacclimated. In the harbor we have but one vessel with fever, out of which vessel four men have been sent to the hospital, and all alive at this date."

Santiago de Cuba. - Small-pox is epidemic.

MORTALITY TABLE, FOREIGN CITIES.

Cities.	Week ended.	Estimated popula- tion.	from .	Deaths from—						
			Total deaths fall causes.	Cholera.	Yellow fever.	Small-pox.	Typhus fever.	Enteric fever.	Scarlet fever.	Diphtheria.
Glasgow	July 16	545, 678	176					2	4	
Warsaw	July 9	439, 174	191			5		-	•	
Amsterdam	July 16	378, 686	156		i			1		2
Rome	May 28	369, 214	142			3		16	3	3 3
Munich	July 2	269,000	180					1	Ιĭ	3
Munich	July 7	269,000	170					1 -	Îî	3
Palermo	July 16	250,000	130					1	13	2
Belfast	July 9	224, 422	100				2	1 1	ĭ	l ī
Belfast	July 16	224, 422	105				ī	i	·î	· •
Bristol	July 2	223, 695	71					1	4	1
Bristol	July 9	223, 695	69						î	1
Genoa	July 16	179, 305	102			1			Î.,	i
Leipsic	July 16	170,000	60							î
Trieste	July 9	150, 157	67			5			1	2
Stuttgart		125,510	32						1.	ī
Havre	July 16	112,074	72			2		7	1	î
Juayaquil	July 7	35,000	59			13		l	l	l
Guayaquil	July 15		50			7				
Fibraltar	July 10	23, 631	11							

UNITED STATES.

Key West—Yellow Fever.—The medical officer in charge of the Marine-Hospital Service (Passed Assistant Surgeon John Guitéras) reports a total of 208 cases and 44 deaths up to date.

Sapelo Quarantine Station.—The British bark "Lucia," infected with yellow fever, is now undergoing quarantine at this station.

Delaware Breakwater Quarantine Station.—The acting assistant surgeon in charge, (Dr. Wm. P. Orr,) in his dispatch relative to the arrival of infected vessels, states that "ship 'Prince Albert,' Rio de Janeiro; all well. Two cases yellow fever at Rio, and 1 death. One death from fever during passage. Bark 'Carrie L. Tyler,' Havana, via Matanzas; all well. Five cases and 1 death at Havana. Captain and mate died at Matanzas."

JOHN B. HAMILTON,

Supervising Surgeon-General, Marine-Hospital Service.