ABSTRACT OF SANITARY REPORTS.

Vol. VI.

WASHINGTON, D. C., JULY 31, 1891.

No. 31.

[Published at the Marine-Hospital Bureau in accordance with act of Congress of April 29, 1878.]

UNITED STATES.

SPECIAL REPORTS.

Gulf quarantine station.

Under date of July 23, 1891, Surgeon R. D. Murray reports as follows concerning the British steamship *Nigretia*:

I have the honor to report the arrival this day of the British steamship *Nigretia*, one day from Pensacola quarantine, where she had lain for nine days, after three days' voyage from Vera Cruz. No yellow fever on board at Vera Cruz or on passage, but on the 15th, the day after arrival at Pensacola, the second engineer (Rowland) fell ill, and died on 21st July, having had albuminous urine and, as stated by the quarantine physician, yellow fever.

After burial of the corpse the stateroom was locked up and the vessel ordered to proceed to Chandeleur Island. On arrival here 1 case each of ascites, diarrhœa, and bronchitis are found, but no case of fever. Sick men were brought to station, and vessel held for disinfection. Of

entire crew of 25, 24 have never had yellow fever.

Under date of July 25, Surgeon Murray reports as follows concerning the British ship *Ryerson:*

I have the honor to report the arrival in quarantine this day of the

British ship Ryerson, from Rio for Ship Island, Miss.

Said vessel had one case of yellow fever at Rio, who recovered; one case occurred at sea on June 7, and terminated fatally on June 11. She has a crew of 19 all told, 4 of which are negroes; of the remainder 1 only has had yellow fever.

There has been no sickness on board since June 11, and the clothing

of the man who died was immediately thrown overboard.

The vessel is extremely clean throughout, and is in good sanitary condition.

She is held for thorough disinfection.

$Gulf\ quarantine\ station — Statement.$

In view of incorrect newspaper reports that there have been ten cases of yellow fever at the Gulf quarantine station during the present quarantine season, it is deemed proper to state that there have been but two cases of yellow fever at said station during the present season, but that there have been twenty-two vessels disinfected at this station,

53 (347)

of which number eleven were undoubtedly infected. The station is temporarily in charge of Surgeon R. D. Murray, assisted by Dr. Charles Pelaez. The quarantine force, furthermore, comprises a skilled hospital steward and a full corps of attendants, with a disinfecting steamer and full complement of crew.

Since the above was written reports have been received from Surgeon R. D. Murray, dated July 26 and 27, stating that four cases of yellow fever have been removed to the lazaretto from the British steamship *Nigretia* above mentioned. The patients are the chief engineer, third mate, and the fireman and carpenter.

South Atlantic quarantine station.

Under date of July 18, 1891, Passed Assistant Surgeon White reports as follows:

I have the honor to report the following, relative to Norwegian bark

Albion, which arrived here from Santos, Brazil, on July 16.

While in Santos seven men were sent to yellow fever hospital, including two captains, two mates, and sailmaker. Of these seven, four died, as follows: Two captains, one mate, and the sailmaker.

The last death (Captain Halonsen) occurred on April 10, and the

vessel was subsequently subjected to disinfection in Santos.

While on the voyage to Savannah, Georgia, the steward became ill June 30, and second mate July 8, and upon arrival here the second mate died before I could reach the vessel, which I did at night, being informed of the urgency of the case. An autopsy revealed the fact that the cause of death was cardiac valvular disease.

The surviving patient, the steward, presents indications of having had acute nephritis, and although I can not as yet find any albumen, I believe such is the correct diagnosis. He had yellow fever in Santos about March last. Certainly neither of these cases are yellow fever.

The vessel is fairly clean, and the quarters for crew cleanly and fairly ventilated. Ballast of good stone, and the vessel being somewhat

leaky, her bilge water is clean.

I shall treat her as an infected vessel, but do not think her to be fairly rated in that class.

VESSELS REMAINING, ARRIVING AT, AND DEPARTING FROM UNITED STATES QUARANTINE STATIONS.

Cape Charles quarantine, week ended July 17, 1891.

Name of vessel.	Date of arrival.	Where from.	Destina- tion.	Treatment of vessel and cargo.	Date of dep'ture.		
Span. Bk. Armonia	July 11	Barbadoes	Hampton Roads.	Boarded, inspected, and passed.	July	11	
Span. S. S. Saturnina	July 12	Matanzas	Norfolk	Boarded, inspected, quarantined, and fumigated.	July	17	
Span, S. S. Gracia	July 12	Cienfuegos	Newport News.	Boarded, inspected, and passed.	July	17	
Span. S. S. Alava (a)	July 7	do		Boarded, inspected, quarantined, and fumigated.	July	12	
Br. S. S. Acadian	July 16	Quebec	Lam bert's Point.	Boarded, inspected, and passed.	July	16	

a Previously reported.

VESSELS REMAINING, ARRIVING AT, AND DEPARTING FROM UNITED STATES QUARANTINE STATIONS—Continued.

Delaware Breakwater quarantine, week ended July 18, 1891.

Name of vessel.	Date of arrival.	Where from.	Destina- tion.	Treatment of vessel and cargo.	Date of dep'ture.		
Br. Brigantine E.W. Gale	July 15	Demarara	Waiting orders.	Inspected, fumiga- ted and disin- fect'd.	July	17	
Br. S. S. Tangier	July 16	Santiago	Philadelp'ia		July	18	

Fifteen vessels inspected and passed.

a Seven cases of yellow fever at Santos with 4 deaths.

Gulf quarantine, week ended July 23, 1891.

Swedish Bk. Oliva (a)	July	6	Rio Janeiro	Ship Island	Held for disinfec-	July	18
Br. Shp. Revolving Light (a) Br. S. S. Newton (a)	July July	9 12	do Santos via St. Lucia and Pensa- cola.				20 19
Am. Sch. Magnolia Br. S. S. Nigretia (b)			Matanzas	Pensacola	do	Anna dia Ann	
Am. Bk. Mary G. Reed	July	23	Havana	Pascagoula			

a Previously reported. Given free pratique. b One case yellow fever died at Pensacola. Previously reported by telegram from the president of Florida State board of health.

South Atlantic quarantine, week ended July 18, 1891.

Norwegian Bk. Albion (a)	July 16	Santos	Savannah	Inspected and fumi-	
Am. Pilot Sch. Sprite(b)	July 16	Savannah	do	gated. Under observation.	

Reports of States, and yearly and monthly reports of cities.

b Inadvertently boarded the Albion.

Alabama—Mobile.—Month of June, 1891. Population, 31,076. Total deaths, 82, including phthisis pulmonalis 13.

CALIFORNIA.—Month of June, 1891. Reports to the State board of health from 75 cities and towns, having an estimated population of 675, 954, show a total of 995 deaths, including phthisis pulmonalis, 140; enteric fever, 23; scarlet fever, 7; and diphtheria, 47.

COLORADO—Denver.—Month of June, 1891. Population, 106,713. Total deaths, 225, including phthisis pulmonalis, 29; enteric fever, 2; diphtheria, 26; measles, 5; and whooping cough, 4.

MASSACHUSETTS—Springfield.—Month of June, 1891. Population, 44,179. Total deaths, 60, including phthisis pulmonalis, 9; scarlet fever, 1; and measles, 1.

Worcester.—Month of June, 1891. Population, 84,655. Total deaths, 90, including phthisis pulmonalis 8 and influenza 1.

MICHIGAN.—Week ended July 18, 1891. Reports to the State board of health, Lansing, from 61 observers, indicate that typho-malarial fever, pleuritis, diarrhea, intermittent fever, inflammation of bowels, cholera infantum, cholera morbus, and dysentery increased, and that membranous croup, inflammation of brain, pneumonia, puerperal fever, measles, and cerebro-spinal meningitis decreased in area of prevalence.

Diphtheria was reported present during the week at 28 places, scarlet fever at 36 places, enteric fever at 16 places, and measles at 21 places.

MISSOURI—St. Louis — Month of June, 1891. Population, 451,770. Total death's, 840, including phthisis pulmonalis, 70; enteric fever, 11; scarlet fever, 3; diphtheria, 11; croup 3; measles, 7; and whooping cough, 11.

OHIO.—Month of June, 1891. Reports to the State board of health from 54 cities and towns, having an aggregate population of 1,250,734, show a total of 1,433 deaths, including phthisis pulmonalis, 151; enteric fever, 29; scarlet fever, 19; measles, 8; and whooping cough, 3.

TENNESSEE.—Month of June, 1891. Reports to the State board of health, Nashville, show that the principal diseases, named in the order of their greater prevalence, during the month, were malarial fevers, dysentery, diarrhœa, cholera morbus, cholera infantum, phthisis pulmonalis, and pneumonia. Enteric fever was reported in 7 counties, scarlet fever in 2 counties, influenza in 2 counties, diphtheria and croup in 1 county, measles in 5 counties, and whooping cough in 7 counties.

Publications received.

Annual report of the bureau of health, Philadelphia, 1890.

Twenty-fourth annual report of the department of health of Cincinnati, 1890.

Annual report of the department for the insane of the Pennsylvania hospital.

Reports of the session of the Physico Medical Society of Eilangen, 1891.

Thirteenth annual report of the State board of health of Wisconsin, 1889-1890.

The Monthly Sanitary Record of the Ohio State board of health for July.

MORTALITY TABLE, CITIES OF THE UNITED STATES.

			from				I	Deat	hs fr	om-	_			
Cities. Meek ended.	Population, U. Census of 1890	Total deaths from all causes.	Phthisis pul- monalis.	Yellow fever.	Smallpox.	Varioloid.	Varicella.	Typhus fever.	Enteric fever.	Scarlet fever.	Diphtheria.	Measles.	Whooping cough:	
New York, N. Y. Chicago, Ill Philadelphia, Pa. St. Louis, Mo. St. Louis, Mo. St. Louis, Mo. St. Louis, Mo. Baltimore, Md. Cincinnati, Ohio. New Orleans, La. Pittsburgh, Pa. Pittsburgh, Pa. Pittsburgh, Pa. Washington, D. C. Detroit, Mich. Minneapolis, Minn. Rochester, N. Y. Providence, R. I. Indianapolis, Ind Indianapolis, Ind Indianapolis, Ind Indianapolis, Ind Indianapolis, Ind Sticker, Mass. Wilmington, Va. Nashville, Tenn. Fall River, Mass. Wilmington, Del. Lynn, Mass. Lynn, Mass. Portland, Me. Binghamton, N. Y. Yonkers, N. Y. Wobile, Ala. Auburn, N. Y. San Diego, Cal. Rock Island, Ill.	July 25 July 25 July 18 July 25 July 25 July 24 July 11 July 11 July 18 July 25 July 18 July 25 July 25 July 25 July 18 July 18	1, 515, 301 1, 099, 850 11, 046, 964 451, 770 434, 439 296, 908 242, 039 242, 039 242, 039 2438, 617 230, 392 206, 876 164, 738 133, 896 105, 436 1	947 591 499 181 174 230 0 109 136 161 110 108 111 108 55 55 54 47 48 33 33 15 56 13 13 13 19 17 11 11 11 11 11 11 11 11 11 11 11 11	82						111 477 1177 11222 2310	23 2 2 2 1 1 2 1 1 1 	19 9 4 2 5 2 2 2	122333333333333333333333333333333333333	1 1 1 1
Rock Island, III Pensacola, Fla	July 26 July 18	13,634 11,750	3							1				

Table of temperature and rainfall, week ended July 24, 1891.

[Received from Department of Agriculture, Weather Bureau.]

Locality.	Mean ter	nperature Fahrenhe	in degrees it.	Rainfall in inches and hundredths.					
Locality.	Normal.	Excess.	Deficiency.	Normal.	Excess.	Deficiency.			
New England States:		! ————————————————————————————————————							
Eastport, Me	61		28	.98		.50			
Portland, Me	69		22	.84		.02			
Boston Mass	71		14	.82	.08	.02			
Block Island, R. I	68		28	.72		.61			
Middle Atlantic States:						.01			
	73		14	. 91	1.91				
New York, N.Y	74			1.05	. 05				
Philadelphia, Pa	75		14	1.07		.51			
Atlantic City, N. J	73		14	.77	1.41				
Baltimore, Md	80			1.13	.24				
Washington, D. C	79			1.05	. 59				
Washington, D. C Lynchburg, Va	78			.84	1.96				
Norfolk, Va	80		28	1.30	. 94				
South Atlantic States:		1							
Charlotte, N. C	80		14	1.40		.16			
Charlotte, N. C	80			1.68	. 25				
Charleston, S. C	82	····		1.75	3.35				
Augusta, Ga	83		28	1.19	. 31				
Savannah Ga	83		28	1.12	2.84				
Jacksonville, Fla	83			1.49		.53			
Jacksonville, Fla Key West, Fla	84			.98		.98			
Guli States:			1	ł		1			
Atlanta, Ga	80		14	1.05		. 95			
Pensacola, Fla	82		6	1.51	.34				
Mobile, Ala	82			1.47		.65			
Montgomery, Ala	82		14	.91		.84			
Vicksburg, Miss	82			.91		. 57			
New Orleans, La	82			1.45		. 81			
Shreveport, La	84		14	.82		. 82			
Shreveport, La Fort Smith, Ark Little Rock, Ark	82		14	.84		.05			
Little Rock, Ark	82		14	.75		.73			
Palestine, Tex	83			. 62		. 62			
Galveston, Tex	84		14	.54		. 29			
San Antonio, Tex Corpus Christi, Tex	84	4		. 63		. 09			
Corpus Christi, Tex	83			. 42	l	. 42			
Brownsville, Tex	84			.44					
Brownsville, Tex	88			.30		. 20			
				1		1			
Oswego, N. Y	70		14	.70	.34				
Rochester, N. Y	68	14		.70	.26				
Buffalo, N. Y	70		14	.77	.05				
Erie, Pa	72		. 14	.63		. 33			
Cleveland, Ohio	72			.88		. 62			
Sandusky, Ohio Toledo, Ohio	74			.70	. 52	. 24			
Toledo, Óhio	74			.70	. 52				
Detroit, Mich	72		28	.77	.08				
Port Huron, Mich	69			.56		. 34			
Alpena, Mich	66		28	.70		. 14			
Marquette, Mich	67			.70		.04			
Grand Haven, Mich	70		28	.63		.07			
Marquette, Mich Grand Haven, Mich Milwaukee, Wis	68			.74		. 34			
Chicago, IllDuluth, Minn	70			.84		. 82			
Duluth, Minn	68		56	.91	.10				
Ohio Valley and Tennessee : Memphis, Tenn Nashville, Tenn	i								
Memphis, Tenn	82		14	.66		.58			
Nashville, Tenn	80			.98					
Chattanooga, Tenn	1 79		14	.84					
Knoxville, Tenn Louisville, Ky	77			.98		. 58			
Louisville, Ky	78			.84	1.82				
Indianapolis, Ind Cincinnati, Ohio	77			1.10	·	. 66			
Cincinnati, Ohio	78		28	.63		.41			
Columbus. Ohio	77		28	.77		. 35			
_ Pittsburgh, Pa	75		14	1.10	.90				
Pittsburgh, Pa Upper Mississippi Valley:	1				1				
St. Paul, Minn La Crosse, Wis	72		42	.74		.54			
La Crosse, Wis	73			1.02		.12			
Dubuque, Iowa	75		28	.98		. 10			
Davenport, Iowa	76		28	.84		.10			
Des Moines, Iowa	75		42	.70	1.48				
Keokuk, Iowa	78			. 94		.84			
Springfield, Ill	77			.37		. 37			
Cairo, Ill	80		14	.75		. 41			
St. Louis, Mo	80	·····	14	.73	l	. 69			
		-							

Table of temperature and rainfall, week ended July 24, 1891—Continued.

Locality.		nperature Fahrenhe	in degrees it.	Rainfall in inches and hundredths.					
Docanty.	Normal.	Excess.	Deficiency.	Normal.	Excess.	Deficiency			
Missouri Valley:									
Springfield, Mo	78	[28	1.00	.15				
Kansas City, Mo	79		28	.82		. 48			
Concordia, Kans	78		1 77	.79	. 09	• 20			
Omaha, Nebr	78		42	1.12		. 9			
Valentine Nebr	74		42	1.12		1 .10			
Valentine, Nebr			56						
Huron, S. D	73			.84					
Pierre, S. D	76		42	. 55		.0			
Extreme Northwest:									
Moorhead, Minn	69		56	. 93		.0.			
Bismarck, N. D	71		56	. 56					
Buford, Fort, N. D	71		42	. 42		.4			
Rocky Mountain Slope:					l	1			
Assinniboine, Fort, Mont	69		28	. 49	l	.4			
Helena, Mont	67		14	. 21		1 .0			
Custer, Fort, Mont	73			. 21					
Salt Lake City, Utah				.10					
Cheyenne, Wyo	71			. 42					
North Platte, Nebr			14	.63	. 67				
Denver, Colo,		**********	14	.35		.3			
	70	28		.20		.2			
Montrose, Colo		28		.48					
Pueblo, Colo					.40				
Dodge City, Kans	79			.72	. 26				
Sill, Fort, Ind. T	82			. 54		.2			
Santa Fé, N. Mex	69	14		. 70		.3			
Pacific Coast:	!	1		i					
Olympia, Wash		14		.14		.1			
Portland, Oreg	69	28		.14		.1			
Roseburg, Oreg	67	42		.07	. 	.0			
Red Bluff, Cal		42	: 	.00		1 .0			
Sacramento, Cal		42		.00		.0			
San Francisco, Cal						1			
Los Angeles, Cal		28		.00		i .č			
San Diego, Cal		28		.00] :ŏ			
Yuma, Ariz	93			.05		1			

FOREIGN.

(Reports received through the Department of State and other channels.)

Sanitary commission at Constantinople—Report of United States commissioner—Cholera at Aleppo.

REPORT No. 27.

In spite of the optimism of the sanitary physician at Aleppo, cholera has made its appearance again this year in that *vilayet*. It is not astonishing to see this scourge ravaging again the population of the empire. I think, on the contrary, that it would be astonishing to see the

provinces of Turkey in a perfect sanitary condition.

The general sanitary administration sent, a long time ago, a circular to the provincial authorities, ordering preservative measures and generally all that they ought to do, in order to improve the sanitary condition of the cities and villages which cholera had visited that year. Nothing has been done. They begin again with quarantine cordons, the effect of which is already known. Since the first news of the outbreak of cholera, viz, since the 9th of June, up to the 28th of the same month, 55 deaths from cholera occurred, 14 at Herim, 24 at Hamam, 14 at Killi, and 3 at Alay bey.

The ships starting from the Gulf of Alexandretta, from Lovedic, to Caratach burun undergo five days quarantine at Clazomene, near Smyrna, or at Beyrout. At the last epidemic of cholera the Beyrout lazaretto gave a great deal of trouble to the general board of health. I have already mentioned in several reports this lazaretto. Finally it has been decided that another lazaretto will be built, but till now nothing has been done, and again the ships which undergo quarantine are sent to Beyrout temporarily until a new place for lazaretto will be chosen and the lazaretto built. Meanwhile the sanitary inspector at Beyrout states that it is impossible to make use of that lazaretto on account of its imperfections and filthiness.

SPIRIDION C. ZAVITZIANO.

Constantinople, 3d of July, 1891.

BRAZIL—Para.—Month of June, 1891. Population, 80,000. Total deaths, 248, including yellow fever, 24; enteric fever, 9; phthisis pulmonalis, 17; leprosy, 1; and whooping cough, 1.

Cuba—Havana.—Under dates of July 18 and 25, 1891, the United States sanitary inspector makes the following weekly reports:

There were one hundred and forty deaths in this city during the

week ending July 16.

Eleven of these deaths were caused by yellow fever, with approximately 65 new cases; 2 of the deaths were from pernicious fever, 3 from enteric fever, 2 from smallpox, and 1 from diphtheria.

Week ended July 23, 1891. Total deaths, 139, including yellow fever, 22, with 60 new cases; smallpox, 11; diphtheria, 3; pernicious fever, 2; and enteric fever, 4. Twenty-one of the deaths from yellow fever occurred in the military hospital, while only 1 death occurred in the city.

EGYPT.—Week ended June 18, 1891. The towns in upper and lower Egypt, including Gizeh and the Suez Canal, show a total of 1,271 deaths, including phthisis pulmonalis, 58; enteric fever, 65; smallpox, 3; measles, 64; and whooping cough, 13.

FRANCE—Marseilles.—Month of June, 1891. Population, 406,919. Total deaths, 816, including smallpox, 22; enteric fever, 27; scarlet fever, 2; diphtheria and croup, 52; and measles, 25.

GREAT BRITAIN—England—Sunderland.—Two weeks ended June 27, 1891. Population, 131,302. Total deaths, 94, including typhus fever 1.

Ireland.—The average annual death rate, represented by the deaths registered during the week ended July 11, in the 16 principal town districts of Ireland, was 17.2 a thousand of the population. The lowest rate was recorded in Dundalk, viz, 3.9, and the highest in Kilkenny, viz, 28.2 a thousand. In Dublin and suburbs 127 deaths were registered, including influenza, 1; enteric fever, 3; whooping cough, 3; and diphtheria, 1.

Scotland.—The deaths registered in eight principal towns during the week ended July 11 corresponded to an annual rate of 18.8 a thousand of the population, which is estimated at 1,345,563. The lowest mortality was recorded in Perth, viz, 13.5, and the highest in Glasgow, viz, 21.5 a thousand. The aggregate number of deaths registered from all causes was 484, including measles, 12; scarlet fever, 1; diphtheria, 5; whooping cough, 14; fever, 4; and diarrhea, 13.

INDIA—Singapore.—Month of May, 1891. Total deaths, 602, including "fevers," 194; smallpox, 3; cholera, 2; and beri-beri, 30.

NETHERLANDS.—Month of April, 1891. Reports from the 12 principal cities, having an aggregate population of 1,198,116, show a total of 2,580 deaths, including phthisis pulmonalis and throat diseases, 270; typhus and enteric fevers, 3; diphtheria, 31; croup, 23; whooping cough, 48; and measles, 21.

SPAIN—Barcelona.—Month of June, 1891. Population, 272,000. Total deaths, 581, including smallpox, 11; enteric fever, 21; and measles, 24.

SWITZERLAND.—Week ended June 20, 1891. Reports from 15 cities, having an aggregate population of 503,503, show a total of 211 deaths, including phthisis pulmonalis, 39; scarlet fever, 2; diphtheria and croup, 5; measles, 3; and whooping cough, 5.

Zurich.—Month of May, 1891. Population, 91,323. Total deaths, 242, including phthisis pulmonalis, 27; typhus fever, 1; scarlet fever, 1; diphtheria and croup, 7; and whooping cough, 3.

MORTALITY TABLE, FOREIGN CITIES.

		-eln	rom				Deat	hs fi	om-	_	,	
Cities.	Week ended.	Estimated popula- tion.	Total deaths from all causes.	Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Enteric fever.	Scarlet fever.	Diphtheria.	Measles.	Whooping cough.
London	July 4	5, 656, 909	1,718 875					7	12	21 11	28	7
Paris	July 4 July 11	2, 260, 945 2, 260, 945	875 867				•••••	6	5 2	11 18	32 29	5
Hamburg	June 20	570, 534	239					11	î	3		
Hamburg	June 27	570, 534	286		l .			3		1		
Hamburg	July 4	570, 534 567, 143	$\frac{305}{215}$			••••		1		1		
Glasgow	July 4 July 4	567, 143 517, 951	200			•••••		2 1		2		
Liverpool Buda Pesth Brussels Warsaw	July 9	507, 000					2		2	7		
Brussels	July 4	507, 000 482, 158 465, 272	195		l			1	1			
Warsaw	June 27	465, 272	231			4		3	4	8		
Warsaw	July 4 June 6	465, 272	202 169					3 2	1	8	15	2
Pome	June 13	417, 392	147					3		11	13	ī
	July 4	417, 392 417, 392 362, 555	166			1			3	2		
Leipzig	July 11	362 555	141 195					2	1 3	12		
Munich	June 27 July 4	349,000 349,000 320,000	201					1	1	6		
Copenhagen	July 4	320,000	141		••••					4		
Odessa	June 27	295,000	147					1	3	1		ļ
Leipzig. Leipzig. Munich Munich Copenhagen. Odessa. Cologne. Dresden. Dresden.	July 4	284, 117	131 96			•••••	•••••			1		. 2
Dresden	June 27 July 4	276, 085 276, 085	102	• • • • • • • • • • • • • • • • • • • •		•••••		1	1	3 2		
Barcelona	July 3	272, 000 1	117			1		4		1		
Rarcelona	July 10	272,000 261,970	167			3				7		
Edinburgh Belfast	July 4	261,970	103 103						1		•••••	
Belfast	July 4 July 11	255, 896 255, 896	85					2		•••••		
	July 4	250,000	100					3		1		
Antwerp	July 4	250,000 238,788 238,788	87			3		1		1		
Antwerp	July 11	238, 788	84 86		•••••	2				1		
Rotterdam	July 4 July 11	222, 049 209 134	68							•••••		
Palermo Antwerp Antwerp Bristol Rotterdam Pernambuco Pernambuco Trinidad	June 23	209, 134 200, 000 200, 000	92		1							
Pernambuco	June 30	200,000	110			1						
Trinidad	June 27	189, 566	23 28			•••••				•••••		
Trinidad Prague Prague	July 4 July 4	189, 566 182, 530	116					1	1	2		1
Prague	July Il	182,530	117					4	2	4		
Genoa	July 4	180, 797	72						1	1		
Genoa	July 11	180, 797	51 68			•••••	•••••			2		
Frankfort-on-the-Main Hanover	July 4 June 27	179, 850 179, 000	50							2		
Hanover	July 4	179,000	62							4		
Hanover Trieste Ghent	July 4	158,054	79 75							9		
Ghent	June 27 July 4	152, 395 150, 444	60	ļ				1		1	19	
Christiania	July 11	150, 444	46	1	1							
Christiania Nuremberg Stuttgart Hiogo Funchal Cardiff Elberfeld	June 27	142, 523	64									ļ
Stuttgart	July 11	139, 659 136, 012	49 72						i	3		ļ
Hiogo	June 20 June 27	136,012	51						3			
Funchal	July 4	136, 012 133, 250	25		1	1		1			ļ	
Cardiff	July 4	130, 283	37					2				j
Elberfeld	July 4	125, 830 125, 830	36 43							1 2	4 3	2
Elberfeld	July 11 July 4	125,000	38									
Bremen Barmen Barmen	July 4	116, 248 116, 248	29					1		1		
Barmen	July 11	116, 248	40								ļ	ļ
Stettin	June 27 July 4	116,000	62				•••••	9 15		2 3		
Stettin	July 11	116,000	63 72		1		20					
Stettin	July 4	116,000 116,000 112,074	40		ļ			3	1	1		
Catania	July 5	110,000	59 71			••••		3	2	1		
Crefeld	July 12 July 11	110,000 108,000	71 71	1				3	1			
Aix-la-Chapelle	June 5	104, 853	40									
Zurich	July 4	91, 323 80, 000	29			3	7		1	4	9	2
Havre Catania Catania Crefeld Aix-la-Chapelle Zurich Mannheim Pará Pará	July 4 July 11	80,000 80,000	38 40							1		
Pará	July 11 June 28	80,000	33		2			2	ì			1
Pará	July 5		51	ļ	9			4				ļ

MORTALITY TABLE, FOREIGN CITIES—CONTINUED.

-	,	ula-	from				Deat	hs fr	om-	_		
Cities.	Week ended.	Estimated popula- tion.	Total deaths fall causes.	Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Enteric fever.	Scarlet fever.	Diphtherla.	Measles.	Whooping cough.
Mayence	June 27	73, 271	36						1			
Mayence Edinburgh	July 4	73, 271 69, 933	35 34							2		
Jerez de la Frontera	July 4 June 20	51,708	25									
Jerez de la Frontera	June 27	51,708	39			2						ļ
Trapani	July 4	43, 095	13									
Cienfuegos	July 11	41,647	17 23							•••••		
MarsalaGuayaquil	July 4 July 1	40, 131 40, 000	72									
Guayaquil	July 8	40,000	66									
Gibraltar	July 5	25, 755	8									
Schiedam	July 11	25, 437	10									
Curaçoa	July 11	25,000	5									
Vera CruzGirgenti	July 17 July 4	25, 000 23, 547	14 8		5							
Lucerne		20,800							5			
Victoria	July 11	20, 500	9					4				
Licata	July 4	20,000	32									
Kingston, Can	July 17	18, 172	1									
Rio Grande do Sul Rio Grande do Sul	May 9	17,000 17,000	$\frac{25}{14}$					2				
Rio Grande do Sul	May 16 May 23	17,000	15									
Rio Grande do Sul	May 30	17,000	13									
Rio Grande do Sul	June 6	17,000	18									
Matamoras	July 11	16,000	6									
Sagua la Grande	June 11	15,605	9									
Hamilton	July 14 July 21	14, 314 14, 314	$\frac{2}{1}$									
Flushing	July 11	13, 200	3									
St. Thomas, W. I	June 12	12,019										
St. Thomas, W. I	June 19	12,019	31			1						
St. Thomas, W. I	June 26	12,019										
St. Thomas, W. 1	July 3	12,019 12,000	26 5									
Queenstown	July 18 July 4	10, 341	5									
Queenstown	July 11	10, 341	3				*					
Queenstown	July 18	10, 341	4					ļ				
Guelph	July 19	10, 173	1							• • • • • • • • • • • • • • • • • • • •		
Tuxpan	July 4	9,000 8,730										
ChathamLa Guayra	July 18 July 11	7, 641	1 5	•••••								
Santiago, Cape Verd	May 7	4,500	5									
Santiago, Cape Verd	May 14	4,500	5									
Santiago, Cape Verd	May 21	4,500										
Santiago, Cape Verd	May 28 June 7	4,500 4,500	4									
Santiago, Cape Verd Santiago, Cape Verd	June 14	4,500										
Prescott	July 23	2, 988										
Coaticook	July 18	2,860	2									
Amherstburg	July 18	2,260	5									
Puntarenas	June 20	2, 200 2, 200	1							•••••		•••••
Puntarenas	June 27	2, 200	4	•••••	•••••		•••••			•••••		• • • • • •

OFFICIAL:

WALTER WYMAN,

Supervising Surgeon-General Marine-Hospital Service.