ABSTRACT OF SANITARY REPORTS.

Vol. VI. Washington, D. C., September 11, 1891.

No. 37.

[Published at the Marine-Hospital Bureau in accordance with act of Congress of April 29, 1878.]

UNITED STATES.

VESSELS REMAINING, ARRIVING AT, AND DEPARTING FROM UNITED STATES QUARANTINE STATIONS.

CAPE CHARLES QUARANTINE.

Week ended September 4, 1891.

Name of vessel.	Date of arrival.	Where from.			Date of dep'ture.
Spanish Steamship Enrique	Aug. 2	Cienfuegos	Norfolk	Held for disinfection.	

Five vessels inspected and passed. Fifteen vessels spoken.

DELAWARE BREAKWATER QUARANTINE.

Week ended September 5, 1891.

Twelve vessels inspected and passed.

GULF QUARANTINE.

Week ended September 3, 1891.

French ship Emil Postel (a)	Aug. 8		Pensacola	Disinfected	Sept. 1
Swedish b'k'tine Mary Lee(a)	Aug. 23	Para via Pensacola.		Held for disinfec-	
Norwegian bk.Lindesnaes(a)	Aug. 25		Mobile	do	
Argentine Rep. bark Abbottsford (b) .	Sept. 1	and Mobile.	Mobile	do	

a Previously reported. b Four cases of sickness at Rio, the nature of which is doubtful.

PORT TOWNSEND QUARANTINE.

Week ended August 29, 1891.

Five vessels spoken and passed.

SAN DIEGO QUARANTINE.

Week ended September 1, 1891.

Six vessels boarded, inspected, and passed.

64

VESSELS REMAINING, ARRIVING AT, AND DEPARTING FROM UNITED STATES QUARANTINE STATIONS—Continued.

SOUTH ATLANTIC QUARANTINE.

Week ended August 29, 1891.

Name of vessel.	Date of arrival.	Where from.	Destina- tion.	Treatment of vessel and cargo.	Date of dep'ture
Norwegian bark Trofest (a)	Aug. 7	Santos	Savannah	Unballasted and disinfected.	Aug. 26
Argentine bark John Black (a)	Aug. 11	Rio de Jan- eiro.	Brunswick	Unballasted and held for disinfection.	
German bark Wieland (a) Norwegian bark P. A. Munch (a).	Aug. 11 Aug. 22	Rio de Jan- eiro via Barbados		dodo	
British bark Aeronaut	Aug. 23		Fernandina.	do	
Russian ship Vanadis Belgian bark Theodore Engels.		do		Disinfecteddodo.	

a Previously reported.

Week ended September 5, 1891.

Argentine bark John Black (a)	Aug. 11	Rio de Jan-	Brunswick	Unballasted and disinfected.	Sept.	1
German bark Wieland (a) Norwegian bark P. A.		do		do	Sept.	
Munch (a).	Aug. 22	e i ro via Barbados.	ασ	do.,	Sept.	
British brig Aeronaut (a)	Aug. 23	Rio de Jan- eiro.	Fernandina.	do.,		
Norwegian bark Helios	Sept. 3	do	Savannah	Held for disenfec- tion.		

a Previously reported.

Reports of States, and yearly and monthly reports of cities.

DELAWARE—Wilmington.—Month of August, 1891. Population, 61,431. Total deaths, 141, including phthisis pulmonalis, 11; enteric fever, 3; diphtheria, 5; croup, 1; and whooping cough, 6.

FLORIDA—Pensacola.—Month of August, 1891. Population, 11,750. Total deaths, 24, including phthisis pulmonalis 1 and enteric fever 6.

INDIANA—Evansville.—Month of August, 1891. Population, 50,756. Total deaths, 72, including phthisis pulmonalis, 10; enteric fever, 11; diphtheria, 4; and eroup, 1.

Iowa—Keokuk.—Month of August, 1891. Population, 14,101. Total deaths, 13, including phthisis pulmonalis 1 and diphtheria 2.

MICHIGAN.—Week ended August 29, 1891. Reports to the State board of health, Lansing, from 70 observers indicate that membranous croup, pleuritis, typho-malarial fever, inflammation of brain, cerebrospinal meningitis, tonsilitis, and dysentery increased, and puerperal fever, typhoid fever, and pneumonia decreased in area of prevalence.

Diphtheria was reported present during the week at 38 places, scarlet fever at 37 places, enteric fever at 40 places, and measles at 12 places.

Month of August, 1891. Reports from observers, compared with the preceding month, indicate that typho-malarial fever, typhoid fever, dysentery, and cholera infantum increased, and that puerperal fever, membranous croup, pleuritis, measles, influenza, inflammation of brain, diphtheria, erysipelas, and cerebro-spinal meningitis decreased in prevalence.

Compared with the average for the month of August in the five years 1886–'90 scarlet fever was more prevalent, and smallpox, membranous croup, puerperal fever, erysipelas, typho-malarial fever, inflammation of brain, pneumonia, and cerebro-spinal meningitis were less prevalent in August, 1891.

Including reports by regular observers and others, diphtheria was reported present in the month of August, 1891, at 62 places, scarlet fever at 79 places, typhoid fever at 58 places, and measles at 22 places.

Reports from all sources show diphtheria reported at 4 places less, scarlet fever at 3 places less, typhoid fever at 5 places less, and measles at 30 places less in the month of August, 1891, than in the preceding month.

Grand Rapids.—Month of August, 1891. Population, 60,278. Total deaths, 143, including phthisis pulmonalis 11 and diphtheria 11.

MINNESOTA—Winona.—Month of August, 1891. Population, 19,000. Total deaths, 25, including phthisis pulmonalis 3.

MISSOURI—St. Louis.—Month of July, 1891. Population, 451,770. Total deaths, 864, including phthisis pulmonalis, 66; enteric fever, 17; scarlet fever, 2; diphtheria 14; measles, 6; croup, 5; and whooping cough, 9.

NORTH CAROLINA.—Month of July, 1891. Reports to the State board of health from 11 towns, having an aggregate population of 73,370, show a total of 130 deaths, including phthisis pulmonalis, 11; enteric fever, 5; and whooping cough, 1.

OHIO—Cincinnati.—Month of August, 1891. Population, 296,908. Total deaths, 493, including phthisis pulmonalis, 58; enteric fever, 16; scarlet fever, 5; diphtheria, 14; croup, 4; and whooping cough, 2.

Cleveland.—Month of August, 1891. Population, 261,353. Total deaths, 492, including phthisis pulmonalis, 25; enteric fever, 19; scarlet fever, 5; diphtheria, 8; croup, 4; and whooping cough, 5.

Dayton.—Month of August, 1891. Population, 61,220. Total deaths, 96, including phthisis pulmonalis, 5; enteric fever, 1; scarlet fever, 1; diphtheria, 3; croup, 3; and whooping cough, 1.

VIRGINIA—Lynchburg.—Month of August, 1891. Population, 19,709. Total deaths, 36, including 3 from enteric fever.

Publications received.

Ninth annual report of the provincial hoard of health of Ontario for the year 1890.

The relation of land monopoly to population and health, by George Homan, M. D.

MORTALITY TABLE, CITIES OF THE UNITED STATES.

		æ. ∵æ.	rom	ļ			I)eat	hs fr	om-	-			
Cities. Pop uo y y see	Population, U. Census of 1890	Total deaths from	Phthisis pul- monalis.	Yellow fever.	Smallpox.	Varioloid.	Varicella.	Typhus fever.	Enteric fever.	Scarlet fever.	Diphtheria.	Меавіев.	Whooping	
New York, N. Y	Sept. 5	1, 515, 301	736	73		,				10	13	22	5	
Chicago, Ill	Sept. 5	1,099,850	419							39	5	16	3	
Philadelphia, Pa		1,046,964	377							4	2	4	٠	. :
Brooklyn, N. Y	Aug. 29	806, 343	360	: 34						4	3	7	1	
			336								3	7	î	
Brooklyn, N. Y	Sept. 5	806, 343												
St. Louis, Mo	Sept. 5	451, 770	164								- 1	4		• • • • • •
Boston, Mass	Sept. 5	448, 477	188	29								3		
San Francisco, Cal		298, 997									1	2		
Cincinnati, Ohio	Sept. 4	296, 908	103	12						3	1	5		
New Orleans, La	Aug. 29	242, 039	103	14										
Pittsburgh, Pa	Aug. 29	238, 617	132	16						10		4-	2	
Pittsburgh Pa		238, 617	107				١			7	5	4	2	1 :
Washington, D. C	Aug. 29	230, 392	104								1	4		
Detroit, Mich	Aug. 29	205, 876	79								3			
Louisville, Ky	Sept. 5	161, 129	53								·		;	Ή.
Rochester, N. Y		133, 896	36											•••••
Vancas Citas Ma	Sept. 5	100,000									1			
Kansas City, Mo	Aug. 22	132,716	27											• • • • • • • • • • • • • • • • • • • •
Kansas City, Mo	Aug. 29	132,716							•••••	2				
Providence, R. I	Aug. 29	132, 146	54											
Providence, R. I	Sept. 5	132, 146	58	9						2				
Toledo, Ohio	Sept. 4	81, 434	16										·	
Richmond, Va	Aug. 29	81, 388	45	7						2		8,		
Nashville, Tenn		76, 168	14							1				
Fall River, Mass		74, 398	39										1	
Lynn, Mass	Aug. 29	55, 727	24										1	
Portland, Me		36, 425	10										•••••	
Binghamton, N. Y	Sept. 5	35,005	21											
Yonkers, N. Y		32, 033	12	2							. 1		•••••	
Mobile, Ala	Sept. 5	31,076	15											
Altoona, Pa	July 4.,	30, 337	, 7											• • • • • •
Altoona, Pa		30, 337	8						٠		1			
Altoona, Pa	July 18	30, 337	11											
Altoona, Pa	July 25	30, 337	14							l				
Altoona, Pa		30, 337	23	1								·		.
Altoona, Pa		30, 337	16	1			Ē			1				J
Altoona, Pa		30, 337	16							1				
Altoona, Pa	A ng. 22	30, 337	24											
Galveston, Tex		29, 084	17											
San Diègo, Cal	Aug. 29	16, 159	2											
Rock Island, Ill		13, 634	6											
Depos sele Me	Sept. 6	11, 750	1 0											
Pensacola, Fla Pensacola, Fla			4											
		11,750								1 1			1	1

CORRECTION.—ABSTRACT, September 4, page 104, third name in list of cities, for Galveston, Tex., read Philadelphia, Pa.

Table of temperature and rainfall, week ended September 4, 1891.

[Received from Department of Agriculture, Weather Bureau.]

Locality.	Mean ter	mperature Fahrenhe	in degrees oit.	Rainfall in inches and hun- dredths					
Documy.	Normal.	Excess.	Deficiency.	Normal.	Excess.	Deficiency			
New England States: Eastport, Me					1.9				
Eastport, Me	58		0	.74		. 2			
Portland, Me	62			.77		.5			
Boston, Mass	66		14	. 86		. 4			
Boston, Mass	60		14	.70	. 82				
Albany N V	67		14	. 91		. 5			
New York, N. Y	70			.98					
Philadelphia, Pa	71			.94		. 2			
Philadelphia, Pa	69		14	. 88	.21				
Baltimore, Md	72			.97		C			
Washington, D. C	71	•••••		. 98	,,				
Washington, D. C. Lynchburg, Va. Norfolk, Va. outh Atlantic States:	72 74	···········	> 28 14	91					
outh Atlantic States	14		. 14	1.29		.8			
Charlotte N. C.	74		42	1.00		.4			
Wilmington, N. C	76		28	1.75	1.01				
Charlotte, N. C	78			1.50	.94				
Augusta, Ga	79		42	. 98	.78				
				1.68		1.8			
Jacksonville, Fla	80		14	1.63		. 7			
Key West, Fla	83		14	1.43	3.45	;;			
ulf States: Atlanta, Ga	74		28	1.00					
Pansagola Fla	1 20			1.09 1.76		. 4 1. 7			
Mobile Ala	79			1.49					
Montgomery, Ala	78			.80		. 4			
Mobile, Ala Montgomery, Ala Vicksburg, Miss	79			1.02	26	g			
New Orleans, La	80			1.36		1.0			
Shreveport, La	80		42	. 69					
Fort Smith, Ark	76			. 80		. 9			
Little Rock, Ark	77		42	.91					
New Orleans, La Shreveport, La Fort Smith, Ark Little Rock, Ark Palestine, Tex Galveston, Tex	79		28	.74		. 3			
San Antonio Tar	81		0	1.61 1.02					
San Antonio, Tex	80		ő	1.47		1.4			
Brownsville. Tex	82		14	1.43		1.7			
Brownsville, Tex	84	14		.88		.8			
hio Valley and Tennessee:	i			1					
Memphis, Tenn Nashville, Tenn	76		42	.84	. 26				
Nashville, Tenn	74		56	1.02		.4			
Chattanooga, Tenn	74	•••••	28	1.02	. 28				
Knoxville, Tenn Louisville, Ky Indianapolis, Ind Cincinnati, Ohio	73 73		28 42	. 93	96	.1			
Indiananolis Ind	69			.70	. 36	.8			
Cincinnati Ohio	72		42	.66	1.08				
Columbus, Ohio	69		24	.73	1.00	.4			
Columbus, Ohio Pittsburg, Pa	70		42	.66					
ake Region:	1		1						
Oswego, N. Y	64		0	.60	.17				
ake Region: Oswego, N. Y Rochester, N. Y Buffalo, N. Y	65 65			. 59	.11				
Frie De	66		14 14	.77					
Erie, Pa Cleveland, Ohio	66			.82					
Sandusky Ohio	68			.77					
Sandusky, Ohio Toledo, Ohio Detroit, Mich Port Huron, Mich	67			.63	05	·			
Detroit, Mich	66			. 63	. 25				
Port Huron, Mich	64		14	.56	. 23				
				. 82	. 65				
Marquette, Mich	59			.95					
Milmoures Wis	63	•••••		.81					
Chicago Ill	67 70		42 56	.63					
Marquette, Mich		•••••		.95	. 21				
			42	-7**					
La Crosse Wis	65			.77 1.09					
Dubuque, Iowa	. 67			1.09		1			
Davenport, Iowa	68		42	1.02					
St. Paul, Minn	68		42	.84					
Keokuk, Iowa	70		42	.81					
opi ingheia, III	10		42	.77					
Cairo, Ill	74	ſ	42	. 63		.8			
St. Louis, Mo	73	i	. 28	.74	·				

Table of temperature and rainfall, week ended September 4, 1891—Continued.

Locality.		nperature Fahrenhe	in degrees it.	Rainfall in inches and hundredths.					
	Normal.	Excess.	Deficiency.	Normal.	Excess.	Deficiency			
Iissouri Vallev:									
Springfield, Mo	72		42	.94	l	.5			
Kansas City, Mo	72		28	1.09		1			
Concordia, Kans	71		28	.79					
Omaha, Nebr			28	.77	. 25				
Valentine, Nebr			2	.28					
Huron, S. Dak	64		14	.45					
	67		0	.38		1 :			
Pierre, S. Dak	07			.00					
	61	i	15	. 61	1				
Moorhead, Minn			1	.38					
Bismarck, N. Dak	62 62		0	. 24					
Buford, Fort, N. Dak	62	•••••	0	.24					
ocky Mountain Slope:	•				1				
Assinniboine, Fort, Mont	60	28		. 35					
Helena, Mont	62	14	•••••	. 25					
Fort Custer, Mont	64	14		.21					
Salt Lake City, Utah	70	28		. 17					
Cheyenne, Wyo	61			.28	.16				
North Platte, Nebr	67			. 45					
Denver, Colo	66		. 0	. 31					
Montrose, Colo	66	14		. 24					
Pueblo, Colo	69		0	. 42					
Dodge City, Kans			28	. 37					
Sill, Fort, Ind. T	77		38	.77					
Santa Fé. N. Mex			14	. 45	.01				
acific Coast:			1		1				
Olympia, Wash	60		. 0	. 33					
Portland, Oreg		28		.19					
Roseburg, Oreg		42		.07					
Red Bluff, Cal		56		.09					
Sacramento, Cal		28		.03					
San Francisco, Cal		1	0	.00					
Los Angeles, Cal		28		.00					
		29		.00					
San Diego, CalYuma, Ariz		28		.07		:			

FOREIGN.

(Reports received through the Department of State and other channels.)

Sanitary commission at Constantinople—Report of United States commissioner—The cholera in Asiatic Turkey.

REPORT No. 30.

Cholera is spreading. Every day new villages are affected and cholera deaths are announced. The total number of deaths since the official ascertainment of the epidemic in the vilayet of Aleppo—that is to say, from the 9th of June up to the present date, is 950. I must repeat that this number is far below the reality, as those places are without physicians, except the main towns, Aleppo, Alexandretta, and one or two more. We have no news from the surrounding vilayets. such as Marash and Mamuriet-el-Aziz. In the villages where the epidemic is raging they burn the huts in order to disinfect the place. Now five military physicians have been sent to those vilayets, and a sanitary cordon has been established on the Euphrates at Biredjie and Rumkaleh. I must mention a very curious fact, by which it can be easily understood how the Turkish authorities behave. Two villages near Aleppo have been put under quarantine in order to check the outspread of the epidemic. The Moslem and the Chrstians were allowed to go out from the villages, but it was not so for the Jews, who were compelled to stay in. It was a happy thing that many among the Jews were English subjects and the British consul interfered, otherwise poor infidels would die from starvation. Though I do not doubt that with a little sum of money they would be allowed to go out like their neighbors, Moslem and Christians, but the interference of the British consul has saved their money.

The sanitary condition of those places is always imperfect and worse. In the Hedjaz cholera exists always. The total number of deaths, according to the official reports, is 3,154. The pilgrims have begun to withdraw to their respective countries and undergo quarantine at Camaran or at Tor, according as they go by way of the Indian Ocean or the Mediterranean. I must notice that at Tor they have made many improvements. For instance, they have established furnaces for disinfection, an employé for the microscopical examination and culture of the microbes overlooking employés in order to shield the pilgrims, etc., and the water as well as the food will be of better quality.

SPIRIDION C. ZAVITZIANO.

Constantinople, the 19th of August, 1891.

Vessel from infected port bound for the United States.

Under date of August 11, 1890, the United States consular agent at Aleppo reports the departure, on the 6th of August, of the Italian bark Oliva Specioso from Alexandretta, loaded with liquorice root, destined for New York. Alexandretta is a cholera infected port. The health officer at New York has been notified.

BRAZIL—Para.—Month of July, 1891. Population, 80,000. Total deaths, 126, including yellow fever, 12; pernicious fever, 2; enteric fever, 1; phthisis pulmonalis, 12; and diphtheria, 1.

CAPE VERDE ISLANDS—Removal of quarantine against St. Vincent.— The United States consul at Santiago reports that the quarantine heretofore placed on the port of St. Vincent was removed August 12 and the port declared free from all contagious diseases.

CUBA—Havana.—The United States sanitary inspector, under date of August 29, 1891, makes the following report:

There were 116 deaths in this city during the week ended August 27, 1891.

Eleven of those deaths were caused by yellow fever (with approximately 70 new cases), 3 by smallpox (approximately 30 new cases). Five of the deaths were caused by pernicious fever, 3 by enteric fever, 1 by bilious fever, and 2 by paludal fevers.

The majority of the cases at present of yellow fever are of a benignant character, suggesting the idea that now would be a good time to

have it, if ever.

GREAT BRITAIN—England and Wales.—The deaths registered in 28 great towns of England and Wales during the week ended August 22 corresponded to an annual rate of 18.0 a thousand of the aggregate population, which is estimated at 9,405,108. The lowest rate was recorded in Halifax, viz, 8.8, and the highest in Sunderland, viz, 26.6 a thousand.

London.—One thousand four hundred and forty-five deaths were registered during the week, including measles, 20; scarlet fever, 13; diphtheria, 24; whooping cough, 44; enteric fever, 6; and diarrhea and dysentery, 167. The deaths from all causes corresponded to an annual rate of 19.0 a thousand. Diseases of the respiratory organs caused 157 deaths. In greater London 1,800 deaths were registered, corresponding to an annual rate of 16.7 a thousand of the population. In the "outer ring" the deaths included whooping cough, 11.

Newcastle-upon Tyne.—Two weeks ended August 22, 1891. Population, 186,500. Total deaths, 128, including 2 from enteric fever.

Ireland.—The average annual death rate represented by the deaths registered during the week ended August 22, in the 16 principal town districts of Ireland, was 18.0 a thousand of the population. The lowest rate was recorded in Newry, viz, 3.9, and the highest in Sligo, viz, 67.6 a thousand. In Dublin and suburbs 141 deaths were registered, including scarlet fever 1 and whooping cough 1.

Scotland.—The deaths registered in 8 principal towns during the week ended August 22 corresponded to an annual rate of 18.7 a thousand of the population, which is estimated at 1,338,313. The lowest mor-

tality was recorded in Leith, viz, 15.6, and the highest in Greenock, viz, 23.0 a thousand. The aggregate number of deaths registered from all causes was 482, including measles, 7; scarlet fever, 8; diphtheria, 2; whooping cough, 17; fever, 5; and diarrhea, 39.

Dundee—Health report for July, 1891.—During the month of July there were 248 deaths registered in Dundee, representing an annual death-rate of 18.8 per 1,000, and including typhus fever, 1; enteric fever, 1; diphtheria, 1; and whooping cough, 14.

The following table shows the deaths and death rates for the years noted:

	1888.	1889.	1890.	1891.
Deaths in July	189	219	268	248
Death-rate per 1,000	13.86	15.8	19.01	18.8

France—Nice.—Month of July, 1891. Population, 97,720. Total deaths, 178; including phthisis pulmonalis, 8; smallpox, 1; enteric fever, 2; and diphtheria and croup, 1.

Turkey-in-Asia—Aleppo—Deaths from cholera.—The United States consul at Beirut, Syria, under dates of August 5 and August 12, 1891, reports 412 deaths from cholera during the two weeks ended August 12, 1891.

MORTALITY TABLE, FOREIGN CITIES.

		ula-	from.	Deaths from—									
Cities.	Week ended. Estimated population.	Total deaths i	Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Enteric fever.	Scarlet fever.	Diphtheria.	Measles.	Whooping		
Brussels	Aug. 15	482, 158	187		ļ	1		3					
Calcutta	June 27	433, 219	188	5									
Calcutta	July 4	433, 219	162	2								•••••	
Calcutta	July 11	433, 219	172	4							•••••		
Leipzig	Aug. 15	362, 555	229							1			
Munich	Aug. 8	349,000	241							4			
Munich	Aug. 15	349,000	212							6			
Odessa	Aug. 15	295,000	193						ļ			1	
ologne	Aug. 22	286, 631	146						1	2	2	1	
Cologne	Aug. 15	286, 631	136								.		
Dresden	Aug. 15	276, 533	116										
Palermo	Aug. 15	250,000	117										
Pernambuco	Aug. 4	200,000	72										
Pernambuco	Aug. 11	200,000	79										
Prague	Aug. 15	182,530	111						1	2			
Frankfort-on-the-Main	Aug. 15	179, 850	71							4			
Venice	Aug. 15	159, 190	65		l			4		4			
Trieste	Aug. 15	158,054	73							3			
Nuremberg	Aug. 8	142, 523	63						2				
Stuttgart	Aug. 22	139,659	49		l					2			
Madeira	Aug. 15	133, 250	17		l								
Bremen	Aug. 15	125,500	47					3	7	2			
Crefeld	Aug. 15	108,000	78							1			
refeld	Aug. 22	108,000	60				İ			2			
othenburg	Aug. 15	106, 246	27				l						
Aix-la-Chapelle	Aug. 16	105, 014	43				l		1				
Colombo	July 23	97, 129				2							
Mannheim	Aug. 15	80,000	45							1			
Pará	July 26	80,000	32		1					}			
Pará	Aug. 2	80,000	35		5								
Pará	Aug. 9	80,000	32										
Pará	Aug. 16	80,000	46		6		3		1				
adiz	Aug. 8	57, 157	62			3							
adiz	Aug. 15	57, 157	52			2							
rapani	Aug. 15	43,095	13										
Iarsala	Aug. 15	40, 131	31										
ibraltar	Aug. 16	25, 755	5										
irgenti	Aug. 15	23,547	_8										
icata	Aug. 15	20,000	14										
Queenstown	Aug. 15	10, 340	2										
Queenstown	Aug. 22	10,340	5		ļ								
Chatham	Aug. 29	8,730	2	1			1		1			1	

OFFICIAL:

WALTER WYMAN,

Supervising Surgeon-General Marine-Hospital Service.