

ABSTRACT OF SANITARY REPORTS.

VOL. VII.

WASHINGTON, D. C., APRIL 29, 1892.

No. 18.

[Published at the Marine-Hospital Bureau in accordance with act of Congress of April 29, 1878.]

UNITED STATES.

SPECIAL REPORTS.

Gulf Quarantine Station—Infected bark Crown Prince in quarantine.—Under date of April 15, 1892, Assistant Surgeon G. M. Guiteras reports as follows:

I have the honor to report the arrival at this station to-day of the Norwegian bark *Crown Prince*, from Rio de Janeiro, in ballast for Ship Island. At the port of departure there were five cases of fever and one death among the crew, all of whom were treated in hospital; en route there were nine additional cases and two deaths, the first fatal case occurring on February 27, one week after leaving port, and the second two weeks later. The vessel is unquestionably infected, and all requisite sanitary measures at our command will be employed before she is released.

Reports of States, and yearly and monthly reports of cities.

ALABAMA—Mobile.—Month of March, 1892. Population, 31,076. Total deaths, 77, including phthisis pulmonalis 10 and influenza 2.

CONNECTICUT.—Month of March, 1892. Reports to the State board of health from 168 cities and towns, having an aggregate population of 746,258, show a total of 1,304 deaths, including phthisis pulmonalis, 142; influenza, 35; enteric fever, 15; scarlet fever, 25; diphtheria and croup, 53; measles, 5; and whooping cough, 6.

FLORIDA.—Reports to the State board of health from 20 counties, having an aggregate population of 202,943, show a total of 242 deaths, including phthisis pulmonalis, 34; varicella, 1; influenza, 10; enteric fever, 7; croup, 2; and measles, 1.

ILLINOIS—Chicago.—Month of March, 1892. Population, 1,099,850. Total deaths, 2,129, including phthisis pulmonalis, 208; enteric fever, 76; scarlet fever, 42; diphtheria, 91; croup, 50; measles, 11; and whooping cough, 13.

MASSACHUSETTS—Worcester.—Month of March, 1892. Population, 84,655. Total deaths, 128, including phthisis pulmonalis, 19; scarlet fever, 3; diphtheria, 6; croup, 1; and measles, 1.

MICHIGAN.—Week ended April 16, 1892. Reports to the State board of health, Lansing, from 59 observers, indicate that cerebro-spinal meningitis, cholera morbus, whooping cough, puerperal fever, remittent fever, inflammation of brain, typho-malarial fever, and diphtheria increased, and that typhoid fever, inflammation of bowels, intermittent fever, and pneumonia decreased in area of prevalence.

Diphtheria was reported present during the week at 33 places, scarlet fever at 65, enteric fever at 16, and measles at 16.

Detroit.—Month of March, 1892. Population, 205,876. Total deaths, 399, including phthisis pulmonalis, 43; influenza, 9; enteric fever, 11; scarlet fever, 35; diphtheria, 32; croup, 10; and whooping cough, 1.

PENNSYLVANIA—*Williamsport.*—Month of March, 1892. Population, 27,132. Total deaths, 22, including 3 from scarlet fever.

RHODE ISLAND.—Reports to the State board of health from 21 cities and towns, having an estimated population of 283,552, show a total of 487 deaths, including phthisis pulmonalis, 53; influenza, 12; enteric fever, 2; scarlet fever, 7; diphtheria, 8; croup, 12; measles, 3; and whooping cough, 2.

TENNESSEE.—Month of March, 1892. Reports to the State board of health indicate that the principal prevailing diseases during the month were pneumonia, influenza, catarrh, rheumatism, tonsilitis, bronchitis, scarlet fever, typhoid fever, consumption, whooping cough, and measles. Enteric fever was reported in 5 counties, scarlet fever in 5 counties, measles in 4 counties, diphtheria in 2 counties, and chicken pox in 2 counties.

Publications received.

Public Health in Minnesota, for March, 1892, published by the State board of health.

MORTALITY TABLE, CITIES OF THE UNITED STATES.

| Cities. | Week ended. | Population, U. S. Census of 1890. | Total deaths from all causes. | Deaths from— | | | | | | | | | | |
|-------------------------|--------------|-----------------------------------|-------------------------------|----------------------|---------------|-----------|-----------|------------|---------------|----------------|----------------|-------------|----------|-----------------|
| | | | | Phthisis pulmonalis. | Yellow fever. | Smallpox. | Varicoid. | Varicella. | Typhus fever. | Enteric fever. | Scarlet fever. | Diphtheria. | Measles. | Whooping cough. |
| New York, N. Y..... | Apr. 23..... | 1,515,301 | 901 | 124 | | 3 | | | | 2 | 27 | 36 | 23 | 7 |
| Chicago, Ill..... | Mar. 26..... | 1,099,850 | 469 | 48 | | | | | | 16 | 9 | 22 | 1 | 1 |
| Chicago, Ill..... | Apr. 2..... | 1,099,850 | 507 | 60 | | | | | | 18 | 7 | 11 | 4 | 6 |
| Chicago, Ill..... | Apr. 9..... | 1,099,850 | 548 | 51 | | | | | | 21 | 12 | 18 | 5 | 3 |
| Chicago, Ill..... | Apr. 16..... | 1,099,850 | 452 | 43 | | | | | | 11 | 8 | 16 | 3 | 1 |
| Chicago, Ill..... | Apr. 23..... | 1,099,850 | 475 | 47 | | | | | | 13 | 10 | 12 | 3 | 4 |
| Philadelphia, Pa..... | Apr. 9..... | 1,046,964 | 495 | 58 | | | | | | 5 | 17 | 21 | 5 | 1 |
| Philadelphia, Pa..... | Apr. 16..... | 1,046,964 | 442 | 62 | | | | | | 13 | 8 | 18 | 3 | |
| Brooklyn, N. Y..... | Apr. 23..... | 806,343 | 386 | 39 | | | | | | 2 | 14 | 21 | 3 | 1 |
| St. Louis, Mo..... | Apr. 16..... | 451,770 | 163 | | | | | | | 1 | 1 | 6 | | |
| St. Louis, Mo..... | Apr. 23..... | 451,770 | 158 | | | | | | | 1 | 2 | 4 | 1 | |
| Boston, Mass..... | Apr. 23..... | 448,477 | 222 | 35 | | | | | | 2 | 7 | 16 | | |
| Baltimore, Md..... | Apr. 23..... | 434,439 | 193 | 26 | | | | | | 3 | 11 | 8 | 3 | |
| San Francisco, Cal..... | Apr. 16..... | 298,997 | 118 | | | | | | | | | | | |
| Cincinnati, Ohio..... | Apr. 22..... | 296,908 | 108 | 15 | | | | | | 2 | 1 | 7 | | 2 |
| Cleveland, Ohio..... | Apr. 23..... | 261,353 | 100 | 12 | | | | | | 1 | 3 | 5 | | 1 |
| New Orleans, La..... | Apr. 2..... | 242,039 | 149 | 20 | | | | | | | | 2 | | 1 |
| New Orleans, La..... | Apr. 9..... | 242,039 | 132 | 16 | | | | | | | | 1 | 1 | 1 |
| New Orleans, La..... | Apr. 16..... | 242,039 | 154 | 17 | | | | | | | | | | |
| Pittsburg, Pa..... | Apr. 23..... | 238,617 | 100 | 14 | | 1 | | | | 1 | 1 | 3 | 3 | |
| Detroit, Mich..... | Apr. 16..... | 205,876 | 113 | | | | | | | 2 | 5 | 10 | | |
| Detroit, Mich..... | Apr. 23..... | 205,876 | 107 | | | | | | | 9 | 9 | 14 | | |
| Milwaukee, Wis..... | Apr. 23..... | 204,468 | 80 | 9 | | | | | | 1 | 1 | 7 | 1 | |
| Minneapolis, Minn..... | Apr. 16..... | 164,738 | 60 | | | | | | | 1 | 1 | 3 | 1 | |
| Louisville, Ky..... | Apr. 23..... | 161,129 | 59 | 5 | | | | | | | | 1 | | |
| Rochester, N. Y..... | Apr. 23..... | 133,896 | 56 | 5 | | | | | | | | 5 | | 1 |
| Providence, R. I..... | Apr. 23..... | 132,146 | 53 | | | 1 | | | | 1 | | 2 | | |
| Toledo, Ohio..... | Apr. 22..... | 81,434 | 36 | | | | | | | 2 | | | | |
| Nashville, Tenn..... | Apr. 23..... | 76,163 | 27 | 3 | | | | | | | | | | |
| Fall River, Mass..... | Apr. 22..... | 74,398 | 28 | | | | | | | | | 1 | | |
| Portland, Me..... | Apr. 23..... | 36,425 | 14 | | | | | | | | | | | |
| Binghamton, N. Y..... | Apr. 23..... | 35,005 | 11 | | | | | | | | | | | |
| Mobile, Ala..... | Apr. 23..... | 31,076 | 24 | 6 | | | | | | | | | | |
| Galveston, Tex..... | Apr. 8..... | 29,084 | 11 | 1 | | | | | | | | | | |
| Galveston, Tex..... | Apr. 15..... | 29,084 | 8 | 3 | | | | | | | | | | |
| Auburn, N. Y..... | Apr. 23..... | 25,858 | 13 | 4 | | | | | | | | | | |
| San Diego, Cal..... | Apr. 16..... | 16,159 | 4 | | | | | | | | | | | |
| Pensacola, Fla..... | Apr. 16..... | 11,750 | 5 | | | | | | | 1 | | | | |

Table of temperature and rainfall, week ended April 22, 1892.

[Received from Department of Agriculture, Weather Bureau.]

| Locality. | Temperature in degrees Fahrenheit. | | | Rainfall in inches and hundredths | | |
|-----------------------------------|------------------------------------|----------|-------------|-----------------------------------|---------|-------------|
| | Normal. | *Excess. | *Defic'ncy. | Normal. | Excess. | Deficiency. |
| New England States: | | | | | | |
| Eastport, Me..... | 40 | 2 | | .74 | | .58 |
| Portland, Me..... | 43 | | 0 | .70 | | .38 |
| Boston, Mass..... | 47 | | 0 | .84 | | .28 |
| Block Island, R. I..... | 45 | | 2 | .70 | .08 | |
| Middle Atlantic States: | | | | | | |
| Albany, N. Y..... | 49 | | 5 | .59 | | .23 |
| New York, N. Y..... | 50 | | 3 | .77 | .17 | |
| Philadelphia, Pa..... | 52 | | 4 | .64 | .32 | |
| Atlantic City, N. J..... | 48 | | 4 | .76 | .78 | |
| Baltimore, Md..... | 54 | | 7 | .74 | .98 | |
| Washington, D. C..... | 54 | | 7 | .70 | 1.90 | |
| Lynchburg, Va..... | 57 | | 7 | .70 | 1.36 | |
| Norfolk, Va..... | 57 | | 2 | .98 | 1.34 | |
| South Atlantic States: | | | | | | |
| Charlotte, N. C..... | 61 | | 8 | .84 | .56 | |
| Wilmington, N. C..... | 62 | | 2 | .70 | | .44 |
| Charleston, S. C..... | 65 | | 0 | .96 | | .94 |
| Augusta, Ga..... | 65 | | 2 | .85 | | .83 |
| Javannah, Ga..... | 67 | 2 | | .88 | | .88 |
| Jacksonville, Fla..... | 70 | 2 | | .74 | | .74 |
| Key West, Fla..... | 77 | | 0 | .29 | | .29 |
| Gulf States: | | | | | | |
| Atlanta, Ga..... | 63 | | 2 | .84 | | .72 |
| Pensacola, Fla..... | 69 | | | .84 | | |
| Mobile, Ala..... | 69 | | 2 | 1.14 | .23 | |
| Montgomery, Ala..... | 67 | 2 | | 1.24 | | 1.21 |
| Vicksburg, Miss..... | 68 | 3 | | 1.53 | | .77 |
| New Orleans, La..... | 71 | | 0 | 1.26 | 6.50 | |
| Shreveport, La..... | 69 | 1 | | 1.33 | 1.65 | |
| Fort Smith, Ark..... | 64 | 2 | | 1.45 | | .73 |
| Little Rock, Ark..... | 64 | 2 | | 1.14 | 2.74 | |
| Palestine, Tex..... | 68 | 3 | | .98 | | .56 |
| Galveston, Tex..... | 71 | | 0 | .70 | | .69 |
| San Antonio, Tex..... | 71 | 5 | | .81 | | .81 |
| Corpus Christi, Tex..... | 71 | 4 | | .39 | | .37 |
| Brownsville, Tex..... | 75 | | | .26 | | .26 |
| Ohio Valley and Tennessee: | | | | | | |
| Memphis, Tenn..... | 64 | 2 | | 1.32 | 2.22 | |
| Nashville, Tenn..... | 61 | 1 | | 1.16 | 1.94 | |
| Chattanooga, Tenn..... | 62 | | 0 | 1.05 | .24 | |
| Knoxville, Tenn..... | 60 | | 0 | 1.19 | .56 | |
| Louisville, Ky..... | 58 | | 3 | 1.04 | 3.97 | |
| Indianapolis, Ind..... | 54 | | 4 | .81 | .75 | |
| Cincinnati, Ohio..... | 55 | | 7 | .70 | 2.54 | |
| Columbus, Ohio..... | 52 | | 4 | .74 | | .18 |
| Pittsburg, Pa..... | 52 | | 3 | .63 | | .28 |
| Lake Region: | | | | | | |
| Oswego, N. Y..... | 44 | | 3 | .49 | | .19 |
| Rochester, N. Y..... | 45 | | 3 | .56 | | .21 |
| Buffalo, N. Y..... | 43 | | 1 | .56 | | .29 |
| Erie, Pa..... | 45 | | 2 | .63 | | .53 |
| Cleveland, Ohio..... | 46 | | 1 | .53 | | .19 |
| Sandusky, Ohio..... | 47 | | 2 | .56 | | .16 |
| Toledo, Ohio..... | 48 | | | .53 | | |
| Detroit, Mich..... | 47 | | 3 | .49 | | .23 |
| Port Huron, Mich..... | 43 | | 2 | .44 | | .22 |
| Alpena, Mich..... | 39 | | 1 | .49 | | .09 |
| Marquette, Mich..... | 38 | | 4 | .49 | | .49 |
| Grand Haven, Mich..... | 45 | | 3 | .56 | | .33 |
| Milwaukee, Wis..... | 44 | | 2 | .63 | | .26 |
| Chicago, Ill..... | 47 | | 4 | .77 | | .33 |
| Duluth, Minn..... | 39 | | 1 | .55 | | .55 |
| Upper Mississippi Valley: | | | | | | |
| St. Paul, Minn..... | 48 | | 5 | .57 | | .57 |
| La Crosse, Wis..... | 49 | | 5 | .45 | .91 | |
| Dubuque, Iowa..... | 50 | | 5 | .67 | .17 | |
| Davenport, Iowa..... | 51 | | 5 | .63 | | .18 |

*The figures in these columns represent the average daily departure. To obtain the accumulated excess or deficiency of the week these should be multiplied by seven.

Table of temperature and rainfall, week ended April 22, 1892—Continued.

| Locality. | Temperature in degrees Fahrenheit. | | | Rainfall in inches and hundredths. | | |
|---|------------------------------------|----------|--------------|------------------------------------|---------|-------------|
| | Normal. | *Excess. | *Deficiency. | Normal. | Excess. | Deficiency. |
| Upper Mississippi Valley—Cont'd. | | | | | | |
| Des Moines, Iowa..... | 52 | | 7 | .63 | | .06 |
| Keokuk, Iowa..... | 54 | | 7 | .66 | 1.49 | |
| Springfield, Ill..... | 55 | | 7 | .75 | 1.20 | |
| Cairo, Ill..... | 60 | | 1 | .91 | 1.07 | |
| St. Louis, Mo..... | 58 | | 6 | .77 | 1.71 | |
| Missouri Valley: | | | | | | |
| Springfield, Mo..... | 58 | | 0 | 1.03 | | .07 |
| Kansas City, Mo..... | 56 | | 5 | .79 | 1.40 | |
| Concordia, Kans..... | 55 | | 5 | .79 | | .29 |
| Omaha, Nebr..... | 53 | | 7 | .72 | .08 | |
| Yankton, S. Dak..... | 50 | | 8 | .73 | .97 | |
| Valentine, Nebr..... | 48 | | 9 | .53 | .69 | |
| Huron, S. Dak..... | 48 | | 4 | .68 | | .46 |
| Pierre, S. Dak..... | 50 | | 5 | .42 | | .34 |
| Extreme Northwest: | | | | | | |
| Moorhead, Minn..... | 43 | | 1 | .49 | | .49 |
| Saint Vincent, Minn..... | 39 | 3 | | .32 | | .32 |
| Bismarck, N. Dak..... | 45 | | 2 | .56 | | .56 |
| Buford, Fort, N. Dak..... | 45 | | 0 | .31 | | .21 |
| Rocky Mountain Slope: | | | | | | |
| Assiniboine, Fort, Mont..... | 46 | | 5 | .21 | | .07 |
| Helena, Mont..... | 46 | | 6 | .28 | .03 | |
| Spokane, Wash..... | 50 | | 4 | .28 | | .24 |
| Salt Lake City, Utah..... | 52 | | 5 | .56 | | .34 |
| Cheyenne, Wyo..... | 44 | | 8 | .35 | .65 | |
| North Platte, Nebr..... | 51 | | 7 | .57 | 1.59 | |
| Denver, Colo..... | 49 | | 8 | .50 | .98 | |
| Montrose, Colo..... | 50 | | 7 | .40 | | .01 |
| Pueblo, Colo..... | 52 | | 9 | .42 | .43 | |
| Dodge City, Kans..... | 55 | | 5 | .47 | | .33 |
| Abilene, Tex..... | 65 | 2 | | 1.11 | | 1.11 |
| El Paso, Tex..... | 65 | | 4 | .05 | | .05 |
| Santa Fé, N. Mex..... | 49 | | 6 | .18 | | .06 |
| Tucson, Ariz..... | 66 | | 7 | .07 | | .07 |
| Pacific Coast: | | | | | | |
| Olympia, Wash..... | 50 | | 1 | .77 | | .49 |
| Portland, Oreg..... | 54 | | 3 | .70 | | .22 |
| Roseburg, Oreg..... | 53 | | 3 | .63 | .07 | |
| Red Bluff, Cal..... | 61 | | | .55 | | |
| Sacramento, Cal..... | 60 | | 5 | .63 | | .09 |
| San Francisco, Cal..... | 56 | | 4 | .49 | | .05 |
| Los Angeles, Cal..... | 60 | | 5 | .41 | | .41 |
| San Diego, Cal..... | 59 | | | .21 | | |
| Yuma, Ariz..... | 71 | | | .01 | | |

* The figures in these columns represent the average daily departure. To obtain the accumulated excess or deficiency of the week these should be multiplied by seven.

F O R E I G N .

(Reports received through the Department of State and other channels.)

BAHAMAS—*Dunmore Town*.—Four weeks ended April 7, 1892. Population, 1,472. Total deaths, 8. No deaths from contagious disease.

Governor's Harbor.—Two weeks ended April 9, 1892. Population, 1,115. Total deaths, 2.

Green Turtle Cay—Abaco.—Two weeks ended April 6, 1892. Total deaths, 4.

BRAZIL—*Sanitary condition of Bahia*.—Under date of March 12, 1892, the United States consul reports as follows :

I have the honor to state that the health of this city and contiguous country is good. The past season has been excessively hot, but the fall rains have set in, modifying the temperature and reassuring a continued absence of yellow or other climatic fevers.

Santos—Yellow fever.—Under dates of March 7 and 21, the United States consul reports 577 cases of yellow fever and 50 deaths therefrom. He says :

Rain nearly every day. The number of deaths are growing less, but nearly every case, especially among English and American people, proves fatal.

CHINA—*Hongkong*.—Month of February, 1892. Total deaths, 454, including 1 from smallpox.

CUBA—*Havana*.—The following report has been received from the United States sanitary inspector, dated April 16, 1892 :

There were 137 deaths in this city during the week ending April 14, 1882. One of those deaths was caused by yellow fever, 7 by enteric fever, 5 by so-called pernicious fever, 2 by paludal fever, 1 by diphtheria, and 1 by influenza.

GREAT BRITAIN—*England and Wales*.—The deaths registered in 33 great towns of England and Wales during the week ended April 9 corresponded to an annual rate of 23.3 a thousand of the aggregate population, which is estimated at 10,185,736. The lowest rate was recorded in Croydon, viz, 12.3, and the highest in Halifax, viz, 31.6 a thousand.

London.—Eight hundred and twelve deaths were registered during the week, including smallpox, 2; measles, 102; scarlet fever, 19; diphtheria, 34; whooping cough, 65; typhus, 1; enteric fever, 8; and diarrhea and dysentery, 13. The deaths from all causes corresponded to an annual rate of 22.2 a thousand. In greater London 2,266 deaths were registered, corresponding to an annual rate of 20.5 a thousand of the population. In the "outer ring" the deaths included diphtheria, 12; measles, 24; and whooping cough, 25.

Newcastle-upon-Tyne.—Two weeks ended December 12, 1891. Population, 187,500. Total deaths, 254, including enteric fever, 2; scarlet fever, 2; and diphtheria, 3.

Sunderland.—Two weeks ended April 2, 1892. Population, 132,839. Total deaths, 108, including typhus, 1; enteric fever, 1; and diphtheria, 1.

Ireland.—The average annual death rate represented by the deaths registered during the week ended April 9, in the 16 principal town districts of Ireland, was 31.6 a thousand of the population. The lowest rate was recorded in Armagh, viz, 14.8, and the highest in Kilkenny, viz, 42.5 a thousand. In Dublin and suburbs 221 deaths were registered, including scarlet fever, 1; influenza, 3; measles, 23; and whooping cough, 3.

Scotland.—The deaths registered in 8 principal towns during the week ended April 9 corresponded to an annual rate of 24.1 a thousand of the population, which is estimated at 1,447,500. The lowest mortality was recorded in Leith, viz, 18.6, and the highest in Glasgow, viz, 27.7 a thousand. The aggregate number of deaths registered from all causes was 671, including measles, 14; scarlet fever, 4; diphtheria, 3; whooping cough, 30; fever, 5; and diarrhea, 10.

GUIANA—*Parimaribo.*—Month of February, 1892. Population, 28,221. Total deaths, 75. No deaths from contagious disease.

MALTA AND GOZO.—Two weeks ended February 29, 1892. Total deaths, 227, including influenza, 24; diphtheria, 1; and measles, 1.

MEXICO—*Guaymas.*—Month of February, 1892. Population, 6,600. Total deaths, 15.

Month of March, 1892. Total deaths, 24. No deaths from contagious disease.

SPAIN—*Barcelona.*—Month of March, 1892. Population, 272,000. Total deaths, 667, including smallpox, 32; enteric fever, 22; diphtheria, 40; and measles, 15.

SWITZERLAND.—Week ended March 26, 1892. Reports from 15 cities, having an aggregate population of 510,942, show a total of 218 deaths, including phthisis pulmonalis, 34; smallpox, 1; diphtheria and croup, 8; scarlet fever, 1; typhus fever, 8; and whooping cough, 1.

MORTALITY TABLE, FOREIGN CITIES.

| Cities. | Week ended. | Estimated popula- tion. | Total deaths from all causes. | Deaths from— | | | | | | | | |
|-----------------------------|--------------|----------------------------|----------------------------------|--------------|---------------|-----------|---------------|----------------|----------------|-------------|----------|--------------------|
| | | | | Cholera. | Yellow fever. | Smallpox. | Typhus fever. | Enteric fever. | Scarlet fever. | Diphtheria. | Measles. | Whooping cough. |
| Vienna | Mar. 12..... | 1,406,933 | 794 | | | | | 1 | | 32 | 19 | 6 |
| Buda-Pesth | Apr. 8..... | 507,000 | | | | | 2 | | 6 | 16 | | |
| Brussels | Apr. 2..... | 482,158 | 228 | | | | | 2 | | | | |
| Rome | Apr. 11..... | 436,179 | 185 | | | | | | | 6 | 2 | |
| Cairo | Mar. 24..... | 374,838 | 247 | | | 3 | | 10 | | | | |
| Munich | Mar. 19..... | 366,000 | 212 | | | | | | 1 | 9 | | |
| Barcelona | Apr. 8..... | 272,000 | 143 | | | 6 | | 1 | | 5 | | |
| Palermo | Apr. 2..... | 250,000 | 80 | | | | | | | | | |
| Alexandria | Mar. 24..... | 231,396 | 163 | | | | | | | | | |
| Bristol | Apr. 9..... | 223,592 | 108 | | | 4 | | 2 | | 1 | | |
| Pernambuco | Feb. 18..... | 200,000 | 54 | | | | | | | | | |
| Pernambuco | Feb. 25..... | 200,000 | 65 | | | | | | | | | |
| Pernambuco | Mar. 3..... | 200,000 | 66 | | | | | | | | | |
| Pernambuco | Mar. 10..... | 200,000 | 59 | | | | 2 | | | | | |
| Frankfort-on-the-Main | Mar. 26..... | 180,000 | 95 | | | | | | | 2 | | |
| Trieste | Mar. 26..... | 158,054 | 102 | | | | | | | 2 | | |
| Ghent | Apr. 2..... | 150,208 | 64 | | | 6 | | | | 2 | | 1 |
| Nuremberg | Mar. 19..... | 149,507 | 89 | | | | | | 1 | | | |
| Stuttgart | Apr. 2..... | 139,659 | 54 | | | | | | | 5 | | |
| Bremen | Mar. 26..... | 126,000 | 70 | | | | | | 2 | | | |
| Havre | Apr. 2..... | 116,369 | 71 | | | | | 2 | | | | 1 |
| Crefeld | Apr. 2..... | 108,000 | 79 | | | | | | | 1 | | |
| Aix-la-Chapelle | Mar. 27..... | 106,415 | 46 | | | | | | | | | |
| Zurich | Mar. 26..... | 91,323 | 38 | | | | 2 | | 8 | 14 | 8 | |
| Zurich | Apr. 2..... | 91,323 | 20 | | | | | | 4 | 4 | 5 | 1 |
| Georgetown, Demerara | Mar. 5..... | 53,176 | 86 | | | | | | | | | |
| Georgetown, Demerara | Mar. 12..... | 53,176 | 55 | | | | | | | | | |
| Trapani | Apr. 2..... | 43,095 | 12 | | | | | | | | | |
| Marsala | Apr. 2..... | 40,131 | 43 | | | | | | | | | |
| Guayaquil | Mar. 13..... | 40,000 | 45 | | 3 | | | 9 | | | | |
| Guayaquil | Mar. 20..... | 40,000 | 49 | | 2 | | | 17 | | | | |
| Matanzas | Apr. 13..... | 40,000 | 29 | | | 4 | | 1 | | | | |
| Gibraltar | Apr. 3..... | 25,755 | 8 | | | | | | | | | |
| Girgenti | Apr. 2..... | 23,547 | 10 | | | | | | | | | |
| Kingston, Can | Apr. 15..... | 19,264 | 11 | | | | | | | | | |
| Guelph | Apr. 16..... | 10,539 | 2 | | | | | | | 1 | | |
| Tuxpan | Apr. 9..... | 10,280 | 6 | | | | | | | | | |
| Sarnia | Apr. 16..... | 6,600 | 2 | | | | | | | | | |
| Clifton | Apr. 9..... | 3,249 | 2 | | | | | | | | | |
| Amherstburg | Apr. 16..... | 2,260 | 1 | | | | | | | | | |

OFFICIAL :

WALTER WYMAN,

Supervising Surgeon-General Marine-Hospital Service.