ABSTRACT OF SANITARY REPORTS.

Vol. VII. Washington, D. C., February 5, 1892.

No. 6.

[Published at the Marine-Hospital Bureau in accordance with act of Congress of April 29, 1878.]

UNITED STATES.

SPECIAL REPORTS.

SMALLPOX—San Francisco Quarantine Station—Angel Island, Cal.—Passed Assistant Surgeon W. P. McIntosh reports, under date of February 1, that two more cases of smallpox have developed among the detained passengers of the steamer Rio de Janeiro, making a total of eight cases. The patients are isolated in the lazaretto and the passengers, 523 in number, mostly Chinese, are held in the detention barracks.

Reports of States, and yearly and monthly reports of cities.

FLORIDA.—Month of November, 1891. Reports to the State board of health, Jacksonville, from 15 counties show a total of 283 deaths, including phthisis pulmonalis, 32; enteric fever, 13; diphtheria, 1; and croup, 2.

Month of December. Reports from 12 counties show a total of 176 deaths, including phthisis pulmonalis, 25; enteric fever, 9; and influenza, 2.

MICHIGAN.—Week ended January 23, 1892. Reports to the State board of health, Lansing, from 51 observers, indicate that cholera infantum, diphtheria, membranous croup, and scarlet fever increased, and that inflammation of brain, puerperal fever, cholera morbus, cerebro-spinal meningitis, typhoid fever, and remittent fever decreased in area of prevalence.

Diphtheria was reported present during the week at 29 places, scarlet fever at 66, enteric fever at 24, and measles at 8 places.

MINNESOTA—Minneapolis.—Month of December, 1891. Population, 164,738. Total deaths, 186, including phthisis pulmonalis, 13; enteric fever, 5; scarlet fever, 14; diphtheria, 7; and measles, 6.

NEW Hampshire—Salem—Smallpox.—Under date of January 23, 1892, Dr. Irving A. Watson, secretary State board of health, reports one case of varioloid at Salem.

10

(59)

VIRGINIA—Lynchburg.—Month of January, 1892. Population, 19,709. Total deaths, 50, including phthisis pulmonalis, 8; influenza, 3; and diphtheria, 1.

Publications received.

The *Monthly Bulletin* of the State of Rhode Island for January, 1892. Original investigations on the heating and ventilation of school buildings, by R. Harvey Reed, M. D., Mansfield, Ohio.

Report of the sixth annual meeting of the association of executive health officers of Ontario.

MORTALITY TABLE, CITIES OF THE UNITED STATES.

Chicago, Iil			U. S.	rom	Deaths from—										
Cities.	Week ended.		Population, U. Census of 1890	Total deaths from	Phthisis pul- monalis.	Yellow fever.	Smallpox.	Varioloid.	Varicella.	Typhus fever.	Enteric fever.	Scarlet fever.	Diphtheria.	Measles.	Whooping
New York, N. Y			1, 515, 301 1, 099, 850	862 607	120 39					·····	3 66	28 17	33 18	7 2	
		23	806, 343	399	46						ĭ	12	26	1	
		30	806, 343	406	45						ī	23	19	' ī	1
		30	448, 477	225	35						ī	6	6	ļ	
		30	434, 439	213	25						2	14	11	2	
		23	297, 997		. 29						ī		7	1	!
		29	296, 908	154	13						6	1	9		
		30	261, 353	105	6						ĭ	ī	10		
	Jan.	2	242, 039	192	21	,					4				
	Jan.	9	242, 039	186	21						ī		1		
New Orleans, La	Jan.		242,039	165										1	
Pittsburg, Pa		23	238, 617	117	11					•••••	7	1	$-\frac{2}{8}$	I	
Pittsburg, Pa		30	238, 617	98	7						2	$\tilde{2}$. š		
Washington, D. C		23	230, 392	136	15					•••••		ī	ĭ		
Milwaukee, Wis		23	204, 468	116	4					••••	3	5	7	1	
Newark, N. J		30	181, 830	122	15					!	2	6	4	4	
Minneapolis, Minn		30	164, 738	50					****	••••	.	2	4	l	
Louisville, Ky		23	161, 129	73	11				1	• • • • • • • • • • • • • • • • • • • •	1	ī	. 3		
Louisville, Ky		30	• 161, 129	62	5				1		4		. 3		
Kansas City, Mo	Jan.	9	132, 716	46	2		,				3		3		
Kansas City, Mo Kansas City, Mo		16	132, 716	25	2				• • • • • • • • • • • • • • • • • • • •				ĭ		
Providence, R. I		30	132, 146	70	1 2						1	1	î		
ndianapolis, Ind	Jan.	30	105, 436	42	4							î	2		
Toledo, Ohio		29	81, 434	20	2								_	1	1
Nashville, Tenn		30	76, 168	40	4									1	1
Portland, Me		30	36, 425	21	*										
		23	35, 005	10	3								1		• ••••
Binghamton, N. Y			32,033	17	4								-		
Yonkers, N. Y Yonkers, N. Y		23		10											
		30	32,033	25	1					•••••				• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •
Mobile, Ala			31,076	26	1		· i · · · · · ·								
Mobile, Ala			31,076	29	2										
Galveston, Tex	Jan.	15	29, 084	26	3								1		• • • • • • •
Galveston, Tex	Jan.		29,084	12									•	1	• • • • • •
Auburn, N. Y			25, 858	10											
Auburn, N. Y	Jan.		25, 858	6	1 1			······							• • • • • •
San Diego, Cal	Jan.		16, 159		1	• • • • • • • • • • • • • • • • • • • •		·}						• ; • • • • •	
San Diego, Cal	Jan.		16, 159	9			· · · · · ·	·····							• • • • • • •
Rock Island, Ill			13,634	4			· · · · · ·	·····	· · · · · ·				•••••		• • • • • • • • • • • • • • • • • • • •
Pensacola, Fla	Jan.	23	11,750	7											• • • • •

Table of temperature and rainfall, week ended January 29, 1892.
[Received from Department of Agriculture, Weather Bureau.]

Land.	Temp	erature in Fahrenhe		Rainfall in inches and hundredths				
Locality.	Normal.	*Excess.	*Defic'ncy.	Normal.	Excess.	Deficien		
ew England States:								
Eastport, Me	18	2		. 91	l			
Portland Me	18	18		. 84				
Portland, Me Boston, Mass	22	19		. 93				
Block Island, R. I	31		20	1.05		1		
					1	1.0		
Albany, N. Y. Albany, N. Y. New York, N. Y. Philadelphia, Pa. Atlantic City, N. J. Baltimore, Md. Washington, D. C. Lynchburg, Va. Norfolk, Va. unth Atlantic States.	23	\	13	. 63				
New York, N. Y	31		19	. 91				
Philadelphia, Pa	33		20	. 77				
Atlantic City, N. J	33		15	. 84				
Baltimore, Md	35		9	. 77				
Washington, D. C	33	6	· · · · · · · · · · · · · · · · · · ·	.77		ı		
Lynchburg, Va	38	14	¦	. 93				
Norfolk, Va	41		. 7	. 91		i		
uth Atlantic States:		!	i		ł			
Charlotte, N. C	43		5	1.19		1		
Wilmington, N. C	49		35	. 88				
Charlotte, N. C	51		21	. 91				
Augusta, Ga	49		26	1.05		1		
Savannah, Ga	53		25	.77				
Jacksonville, Fla	57		36	. 75		1		
Key West, Fla	71		32	. 49		1		
Key West, Flalf States:								
Atlanta, Ga	44	-	4	1.41		1		
Pensacola, Fla	54		23	1.07		1		
Mobile, Ala	52		17	1.12		1		
Montgomery, Ala	50		19	1.13		1		
Vicksburg, Miss	48	9		1.26]		
New Orleans, La	55		41	1.17		1		
New Orleans, La Shreveport, La	46	32		1.12		1		
Fort Smith, Ark	38	50		. 60				
Little Rock, Ark	42	33		1.24		1		
Fort Smith, ArkLittle Rock, ArkPalestine, Tex	47	45		. 98				
(laiveston Tex	54		12	. 87		1		
San Antonio, Tex.†	53			. 36				
San Antonio, Tex.† Corpus Christi, Tex Brownsville, Tex nio Valley and Tennessee:	56		19	. 91		İ		
Brownsville, Tex	60		15	. 42				
nio Valley and Tennessee:			ì					
Memphis, Tenn	40	35		1.40		1 1		
Nashville, Tenn	39	18		1.26		1		
Chattanooga, Tenn	43	1		1.65		1		
Knoxville, Tenn	40		6	1.33				
Louisville, Ky	35	8		1.01	·····]		
Indianapolis, Ind	28		21	.77				
Cincinnati, Ohio	33		. 9	.81				
Cincinnati, Ohio Columbus, Ohio Pittsburg, Pa	29		14	. 83				
Pittsburg, Pa	31		13	. 70				
rke Kegion.			i i	. 68				
Oswego, N. Y Rochester, N. Y Buffalo, N. Y	21	10						
Duffelo N V	22 22	12		. 70 . 67				
Twie Do	22 26	6		.84				
Erie, Pa	20	11		. 63				
Cleveland, Onio	26 26	4						
Tolodo Obio	26 25	5						
Detroit Mich	25 25	2		.47				
Port Huron, Mich	23	26		. 49				
Alpana Mich	14	63		. 56				
Alpena, Mich	14 13	85		.40				
Marquette, Mich Grand Haven, Mich Milwaukee, Wis	23	32		.49				
Milwankee Wie	23	37		. 49				
Chicago III	25	15		.49				
Duluth Minn	8	130		. 21				
nner Mississinni Valley		100						
Chicago, Ill Duluth, Minn pper Mississippi Valley: St. Paul, Min	10	123	f	. 21	l			
La Crasse Wie	14	107	i	. 28	l			
Dubuque Iowa	17	82				1		
Davennort Iowa	20	63		. 42				
La Crosse, Wis Dubuque, Iowa Davenport, Iowa Des Moines, Iowa	17	117		. 28				
Keokuk, Iowa	23	77			1			
Springfield, Ill	27	77 41						
		36				1		
Cairo, Ill	35	3h						

^{*}The figures in these columns represent the accumulated excess or deficiency for the week. To obtain the average daily departure these should be divided by seven.

†Reports missing.

Table of temperature and rainfall, week ended January 29, 1892—Continued.

Locality.	Temp	erature in Fahrenhe	degrees it.	Rainfall in inches and hundredths.						
	Normal.	*Excess.	*Defic'ncy.	Normal.	Excess.	Deficiency				
Missouri Valley:										
Springfield, Mo	31	58]	. 54		. 54				
Kansas City, Mo	26	97		. 34		.34				
Concordia, Kans	21	122		.21		1				
Omaha, Nebr		132		.14						
Valentine, Nebr		148		.08						
Huron, S. Dak		195		.07		1 * * * * * * * * * * * * * * * * * * *				
Pierre, S. Dak		216		.07						
Extreme Northwest:		210		.07		.07				
Moorhead, Minn	3	156		. 14		. 14				
Bismarck, N. Dak		188				.14				
		182		.14						
Buford, Fort, N. Dak	_ z	182								
Rocky Mountain Slope:										
Assinniboine, Fort, Mont	6	188		.25		. 25				
Helena, Mont	16	99		.28						
Salt Lake City, Utah	28		20	.34						
Cheyenne, Wyo	24	97		.07						
North Platte, Nebr	19	75		.07						
Denver, Colo	28	79		. 12						
Montrose, Colo	27		3	. 10						
Pueblo, Colo	29	52		.08		.08				
Dodge City, Kans	25	118		.07						
Abilene, Tex	43	45		. 21		.21				
Santa Fé. N. Mex	29	65		.14	1	.14				
Pacific Coast:	I			(
Olympia, Wash	38	17		1.89		.08				
Portland, Oreg	38	43		1.68						
Roseburg, Oreg		29		1.42						
Red Bluff, Cal.†				1.01						
Sacramento, Cal.†	47			.84						
San Francisco, Cal	50	3		1.05						
Los Angeles, Cal		54		.68						
San Diego, Cal.†		0.7		.45		1				
Yuma, Ariz.†				.12		1				
I uma, Aliz.	30			. 12		1				

^{*}The figures in these columns represent the accumulated excess or deficiency for the week. To obtain the average daily departure these should be divided by seven.

† Reports missing.

FOREIGN.

(Reports received through the Department of State and other channels.)

Brazil—Ceara.—Month of November, 1891. Population, 35,065. Total deaths, 122. Thirty-five cases of smallpox were treated at the lazaretto outside of town, but no deaths are reported therefrom.

Rio de Janeiro.—Month of July, 1891. Total deaths, 1,984, including yellow fever, 190; smallpox, 309; phthisis pulmonalis, 215; enteric fever, 12; scarlet fever, 1; diphtheria, 7; measles, 3; and whooping cough, 2.

Month of August. Total deaths, 2,315, including yellow fever, 106; smallpox, 786; phthisis pulmonalis, 207; enteric fever, 9; scarlet fever, 2; diphtheria, 8; measles, 12; and whooping cough, 4.

Month of September. Total deaths, 2,318, including yellow fever, 62; smallpox, 1,000; phthisis pulmonalis, 179; enteric fever, 5; scarlet fever, 2; diphtheria, 3; and measles, 13.

Month of October. Total deaths, 2,150; including yellow fever, 105; smallpox, 738; phthisis pulmonalis, 186; enteric fever, 10; scarlet fever, 2; diphtheria, 7; measles, 15; and whooping cough, 2.

Santos—Yellow fever.—The United States consul, under date of December 26, reports 75 cases of yellow fever and 60 deaths therefrom during the week.

CANADA—Smallpox.—Under date of January 29, 1892, the secretary of the board of health of the Province of Quebec furnishes the following statement:

Counties.	Municipalities.	Cases since outbreak.	Deaths.	Recovered.	Still sick.	Houses infected since out- break.	Houses presently infected.
	Quebec City	5	3	2	0	3	0
Bonaventure	Carleton	9	1	8	0	4	. 0
Do	Shoolbred and Nou- velle.	3	0	3	Ō	1	0
Rimouski	St. Damase	17	5	12	0	4	0
Do	Sandy Bay	6	0	5	1	3	1 1
Témiscouata	St. Paul de la Croix	61	11	50	Ō	13	0
Do			-0	8	ň	2	Ŏ
	Ile-Verte	ĭ	ĭ	ň	ň	ī	ň
	Pabos		i	š	ň	2	ì
Do			5	Ä	ň	ī	ň
Onoboo	La Jeune Lorette		2	7	Ä	†	, A
Sherbrooke			1 4	±	, ,	9	, ,
				10	V	2	, V
,Do			4	10	Ų		Ų
Richmond	Brompton	1	0	, 0	1	1	1

CHINA—Hongkong.—Month of October, 1891. Total deaths, 434, including phthisis pulmonalis 39 and enteric fever 1.

CUBA—Havana.—Under date of January 23, 1892, the United States sanitary inspector reports as follows:

There were 134 deaths in this city during the week ended January 21, 1892. Four of those deaths were caused by yellow fever, 2 by la

grippe, 2 by so called pernicious fever, 1 by paludal fever, 1 by diphtheria, and 1 by hydrophobia

Santiago de Cuba.—Two weeks ended December 15, 1891. Total deaths, 37, including 7 from phthisis pulmonalis.

GREAT BRITAIN—England and Wales.—The deaths registered in 28 great towns of England and Wales during the week ended January 16 corresponded to an annual rate of 33.0 a thousand of the aggregate population, which is estimated at 9,405,108. The lowest rate was recorded in Huddersfield, viz, 14.6, and the highest in Portsmouth, viz, 57.0 a thousand.

London.—Three thousand two hundred and seventy-one deaths were registered during the week, including smallpox, 1; measles, 83; scarlet fever, 9; diphtheria, 29; whooping cough, 166; enteric fever, 16; and diarrhea and dysentery, 30. The deaths from all-causes corresponded to an annual rate of 40.0 a thousand. Diseases of the respiratory organs caused 1,248 deaths. In greater London 4,192 deaths were registered, corresponding to an annual rate of 38.0 a thousand of the population. In the "outer ring" the deaths included whooping cough 29 and measles 13.

Newcastle-upon-Tyne.—Two weeks ended January 9, 1892. Population, 187,500. Total deaths, 292, including scarlet fever 1 and diphtheria 2.

Sunderland.—Two weeks ended January 9, 1892. Population, 132,839. Total number of deaths, 127, including 1 from enteric fever and 1 from scarlet fever.

Ireland.—The average annual death rate represented by the deaths registered during the week ended January 9, in the 16 principal town districts of Ireland, was 28.7 a thousand of the population. The lowest rate was recorded in Sligo, viz, 0.0, and the highest in Dundalk, viz, 37.7 a thousand. In Dublin and suburbs 235 deaths were registered, including enteric fever, 4; whooping cough, 10; influenza, 13; and diphtheria, 1.

The average annual death rate represented by the deaths registered during the week ended January 16, in the 16 principal town districts of Ireland, was 33.0 a thousand of the population. The lowest rate was recorded in Londonderry, viz, 22.0, and the highest in Sligo, viz, 51.6 a thousand. In Dublin and suburbs 294 deaths were registered, including enteric fever, 2; influenza, 29; and whooping cough, 5.

Scotland.—The deaths registered in 8 principal towns during the week ended January 16 corresponded to an annual rate of 23.9 a thousand of the population, which is estimated at 1,338,314. The lowest mor-

tality was recorded in Paisley, viz, 16.1, and the highest in Perth, viz, 38.1 a thousand. The aggregate number of deaths registered from all causes was 664, including measles, 4; scarlet fever, 7; diphtheria, 5; whooping cough, 16; fever, 6; and diarrhœa, 12.

Dundee.—Month of December, 1891. During the month there were 384 deaths registered, representing an annual death rate of 29.10 a thousand of the population, and including phthisis pulmonalis, 31; enteric fever, 6; scarlet fever, 36; diphtheria, 6; measles, 5; and whooping cough, 6.

MALTA AND Gozo.—Two weeks ended November 30, 1891. Total deaths, 160, including enteric fever 4 and diphtheria 3.

MEXICO—Paso del Norte.—Four weeks ended January 16, 1892. Total deaths, 30. No deaths reported from contagious diseases.

SWITZERLAND.—Week ended December 26, 1891. Reports from 15 cities, having an aggregate population of 503,503, show a total of 171 deaths, including phthisis pulmonalis, 25; enteric fever, 1; scarlet fever, 1; diphtheria and croup, 4; and whooping cough, 5.

Turkey in Asia—Cholera.—During the week ended December 30, 1892, there were 22 cases of cholera and 22 deaths therefrom reported in the vilayets of Beirut and Syria.

The pilgrimage to Mecca, 1891.

[Translated for this Bureau from Le Journal d'Hygiène, January 7, 1892.]

Some interesting particulars with regard to the last pilgrimage to Mecca have been communicated by Dr. Saleh Soubhy, Egyptian delegate to the Hedjaz.

During the last few years much has been accomplished in the direction of general sanitary measures through the intervention of the several powers interested, but much still remains to be done as regards the medical supervision of the caravans.

Statistics of morbidity and mortality among the pilgrims by caravan for the year 1891 can not be obtained. Dr. Soubhy's report relates only to the pilgrimage by way of the sea. It shows that of 46,953 pilgrims disembarked at Djeddah only 25,253 returned to their homes, making the total of victims to disease, chiefly to cholera, 21,700.

The following is the table of mortality, arranged according to nationalities:

Nationality.	Disembarked.	Reëmbarked.	Died or disappeared.	Mortality per 100.
Javanese	10, 817	6, 920	3, 897	33
Hindus	11,067	4,784	6, 263	56
Persians	1,954	969	986	50
Arabs	2, 154	695	1,659	77
From Yemen	2, 987	932	2,055	68
Soudanese	288	75	213	74
Syrians	5, 091	2, 699	2, 392	46
Egyptians	6, 712	4, 689	2, 230	33
Vogrebins	3, 858	2, 340	1,510	39
Buddharists	2, 053	1, 357	696	33

MORTALITY TABLE, FOREIGN CITIES.

			pula	from .	Deaths from—								
Cities.	Wook ondod		Estimated popula- tion.	deaths Il causes	Cholera.	Yellow fever.	Smallpox.	Typhus fever.	Enteric fever.	Scarlet fever.	Diphtheria.	Measles.	Whooping
		:	Est	Total	Chc	Yel	S.	Ty	Ent	Sca	Ωip	Mea	W
_ondon			5, 752, 204	4, 192						13	34	96	
lasgow	Jan.		669, 143	317		•••••		••••	. 1	5 2	1	·····	•••
Hamburg	Jan.	2	570, 534	303 414	•••••			•••••	5 6	.5	10	•••••	
Liverpool	Jan.	16	507,000	414		•••••				5	18		•••
wong	Jan.	9	517, 951 507, 000 430, 000 417, 392	291							10		
Zyons	Dec	12	417, 392	181					4		6	4	1
Junich	Jan.	2	349,000	181						1	7		
Innich	Jan.	9	349,000	206						3	8		
dessa	Jan.	2	295,000		· · · · · ·		1		1		3		
Odessa Ologne	Jan.	9	295,000	135			 		2		1		ļ
ologne	Jan.	16	289, 955	166					•••••		8	12	
Oresden Edinburgh	Jan.	2	276, 522	123					••••		8	,	
dinburgh	Jan.	16	264,787	104						1			
alermo	Jan.	9	250,000	89									
otterdam	Jan.	16 8	216,678 200,000	171 49				••••	1	1			
ernambuco	Dec.	15	200,000	78			1	2					
ernambuco			200,000	73									
ernambuco	Dec	30	200,000	77								1	١
rague	Jan.	9	182,530	139						1	4		١.,
enoa	Jan.	2	181, 496	227						ļ	1		١.,
enoa	Jan.	9	181,496	271				1		ļ	1		
rankfort-on-the-Main	Jan.	9	180,000	66							5		
Ianover	Dec.	26	179,000	47							3		1
enice	Jan.	2	159, 679	163							3	٠	
rieste	Jan.	9	158, 054	174		•••••	•••••		•••••		9	7	••
Christiania	Jan.	2 2	151, 130 149, 507	$\begin{array}{c} 77 \\ 72 \end{array}$			•••••		1	2	1	•••••	
Tiogo	Dec	19	136, 012	39	1					-	1		
liogo	Jan.	9	133, 250	39	1								
Clberfeld	Jan.	9	128,000	30							1	1	1
Bremen	Jan.	9	126,000	52	1		1					3	١
Iavre	Jan.	9	116, 369	63			l		1		2		٠.
Barmen	Jan.	9	116,000	47			1	·		1	1	3	
atania	Jan.	17	111,000	74							1	••••	. • •
ix-la-Chapelle	Jan.	10	106, 173	63							·····		• [••
theims	Jan.	9	105, 993	66 40		•••••						. 10	
othenburgeghorn	Jan.	9	105, 800 103, 762	40 85									- •
nrich	Jan.	9	91, 323	59				1			6	36	
Zurich	Jan	9	80,000	30		*****		1.	1	1			١.,
eith	Jan.	16	69, 956	27							2		
deorgetown	Jan.	2	53, 176	82									
rapani	Jan.	9	43, 095	10								. ·	٠
Aarsala	Jan.	9	40, 131	20								·	
latanzas	Jan.	20	40,000	25					······				1.
antos	Dec.	26	35,000	118		60				•	· · · · · ·		.
Schiedam	Jan.	16	25, 437	7 6	•••••					•••••			• •••
Vera Cruz	Jan.	22	25,000 23,547	13	•••••	j			2	••••	·····	ļ	• •
Lingston, Can	Jan.	29	19, 264	6	•••••							·	•
agua la Grande	Jan.	16	18, 109	8									
Iamilton, Bermuda	Jan.	25	15,013	3									٠١.,
lusning	Jan.	10	14,000	3									٠.
Iatamoras	Jan.	22	12,000	2									
Sonneberg	Jan.		12,000	5									• •
Huelph	Jan.	23	10,539	14							6		- • •
Tuxpan Chatham, Ont	Jan.	10	10, 280 10, 000	10 4									
Chatham, Ont	Jan. Jan.	30	10,000	3	1		1			1	1		• • •
Fampico	Jan.		8,048	17									
Coaticook	Jan	23	3, 082	, 2									
Amherstburg	Jan	23	2, 266	ĩ									. 1.
			-, -00		1	1	1	.,		1	• • • • • •		

OFFICIAL:

WALTER WYMAN,

Supervising Surgeon-General Marine-Hospital Service.