

List of Supplemental Digital Content

Supplemental Digital Content 1. Reported sexual behaviors among sexually active women by pregnancy at the time of interview and race/ethnicity, 2011-15

Sexual behavior (past 12 months)	Hispanic		Non-Hispanic white		Non-Hispanic black		P Value
	Pregnant	Non-pregnant	Pregnant	Non-pregnant	Pregnant	Non-pregnant	
	% 95%CI	% 95%CI	% 95%CI	% 95%CI	% 95%CI	% 95%CI	
Had penile-anal sex	20.3 12.2, 31.8	21.0 18.6, 23.6	15.0 ^a 10.2, 21.6	22.6 ^a 21.0, 24.3	19.7 11.6, 31.5	15.9 13.3, 18.9	.027
Had oral sex ¹	76.6 64.6, 85.4	73.0 70.3, 75.6	94.7 ^a 91.1, 96.8	83.6 ^a 82.1, 85.0	76.0 64.9, 84.4	70.6 67.9, 73.2	.001
Used condom, last penile-anal sex ²	--	25.7 21.0, 31.1	22.0 11.0, 39.2	17.7 15.3, 20.3	--	31.3 26.0, 37.3	.441
Used condom, last vaginal sex ²	10.4 ^a 5.3, 19.4	30.1 ^a 27.3, 33.1	3.9 ^a 1.7, 8.4	24.9 ^a 23.2, 26.6	13.1 ^a 6.9, 23.6	40.5 ^a 37.8, 43.3	<.001
Used condom, last oral sex ²	--	8.8 7.0, 11.0	--	3.7 3.0, 4.6	--	11.8 10.0, 13.9	--
Had > 1 vaginal sex partners	12.7 5.9, 25.2	15.4 13.3, 17.6	11.2 7.0, 17.4	16.5 15.0, 18.2	17.8 9.7, 30.6	26.1 23.1, 29.3	.007 ⁴
Had > 1 oral sex partners ¹	10.6 4.4, 23.4	11.4 9.7, 13.5	5.9 ^a 3.4, 10.1	12.8 ^a 11.6, 14.0	8.0 ^a 3.2, 18.8	16.0 ^a 14.0, 18.2	<.001
Had sex with partner who engaged in STI/HIV risk behaviors ³	10.3 4.3, 22.7	12.3 10.4, 14.4	4.8 ^a 2.5, 9.0	11.0 ^a 9.9, 12.2	18.0 10.4, 29.4	19.5 17.1, 22.1	.019

Note. Data from non-Hispanic other women was suppressed given small sample sizes (only 23 non-Hispanic other women were early/late pregnancy). Sample sizes differ for each sexual behavior given missing values. -- = data were suppressed because of small numerators.

¹Included gave and/or received oral sex.

²Of respondents who ever engaged in the corresponding sexual behavior in their lifetimes.

³Composite variable that included having a partner who engaged in 1 or more of the following behaviors: had sex with both men and women; had another partner around the same time; injected drugs; and/or was living with HIV.

⁴Statistical differences were for non-Hispanic other only; however those data were suppressed.

^aIndicates a significant difference by pregnancy status within a racial/ethnic group ($p < .05$).

Supplemental Digital Content 2. Reported sexual behaviors among sexually active women by pregnancy status at the time of interview and age, 2011-15

Sexual behavior (past 12 months)	15-24 years old		25-44 years old		P Value
	Pregnant	Non-pregnant	Pregnant	Non-pregnant	
	% 95%CI	% 95%CI	% 95%CI	% 95%CI	
Had penile-anal sex	20.2 12.9, 30.2	22.2 19.8, 24.7	14.3 ^a 10.5, 19.2	20.5 ^a 19.0, 22.1	.027
Had oral sex ¹	82.3 73.8, 88.5	80.5 78.4, 82.4	86.5 ^a 81.5, 90.4	77.7 ^a 76.3, 79.1	.001
Used condom, last penile-anal sex ²	21.6 9.3, 42.6	26.9 22.9, 31.4	15.8 7.1, 31.3	19.2 17.1, 21.6	.441
Used condom, last vaginal sex ²	8.6 ^a 4.8, 14.8	44.6 ^a 41.4, 47.8	7.1 ^a 4.4, 11.2	23.6 ^a 22.2, 25.0	<.001
Used condom, last oral sex ²	--	8.0 6.7, 9.7	1.9 ^a 1.0, 3.9	5.0 ^a 4.3, 5.9	<.001
Had > 1 vaginal sex partners	27.3 19.6, 36.7	30.2 27.8, 32.7	5.9 ^a 3.3, 10.3	12.8 ^a 11.7, 14.1	.007
Had > 1 oral sex partners ¹	17.1 10.8, 26.1	22.8 20.6, 25.1	2.9 ^a 1.4, 5.6	9.3 ^a 8.4, 10.3	<.001
Had sex with partner who engaged in STI/HIV risk behaviors ³	17.6 10.9, 27.3	18.2 16.2, 20.4	4.4 ^a 2.3, 8.2	10.3 ^a 9.4, 11.3	.0192

Note. Sample sizes differ for each sexual behavior given missing values. -- = data were suppressed because of small numerators.

¹Included gave and/or received oral sex.

²Of respondents who ever engaged in the corresponding sexual behavior in their lifetimes.

³Composite variable that included having a partner who engaged in 1 or more of the following behaviors: had sex with both men and women; had another partner around the same time; injected drugs; and/or was living with HIV.

^aIndicates a significant difference by pregnancy status within an age group (p<.05).