

Supporting Information

Floors and toilets: Association of floors and sanitation practices with fecal contamination in Peruvian Amazon peri-urban households

Natalie G. Exum^a, Maribel Paredes Olórtegui^{b,c}, Pablo Peñataro Yori^{b,c}, Meghan F. Davis^a, Christopher D. Heaney^{a,d}, Margaret Kosek^{b,c}, Kellogg J. Schwab^{a*}

^a Department of Environmental Health Sciences, Bloomberg School of Public Health, Johns Hopkins University, Baltimore, MD 21205-2179, USA

^b Department of International Health, Johns Hopkins Bloomberg School of Public Health, Baltimore, Maryland

^c Asociación Benéfica Proyectos de Informática, Salud, Medicina, y Agricultura (A.B. PRISMA), Iquitos, Peru

^d Department of Epidemiology, Bloomberg School of Public Health, Johns Hopkins University, Baltimore, MD 21205-2179, USA

*Corresponding author: Kellogg J Schwab, Department of Environmental Health Sciences Room E6620, Bloomberg School of Public Health, Johns Hopkins University, Baltimore, 615 North Wolfe St, MD 21205-2179, USA, E-mail: kschwab1@jhu.edu

Number of pages: 3

Contents:

Figure S1 Floor plan of typical household in the study communities.....	2
Figure S2 Pearson correlation coefficient of log ₁₀ <i>E. coli</i> CFU per 900 cm ² from entrance floor duplicate samples taken side by side.....	3

Figure S1. Floor plan of typical household in the study communities



Figure S2. Pearson correlation coefficient of \log_{10} *E. coli* CFU per 900 cm^2 from entrance floor duplicate samples taken side by side

