Supplemental Table 1: Odds of Financial Problems After Cancer Diagnosis and Treatment

Factor	Unadjusted Odds Ratio (95% CI)	Adjusted Odds Ratio (95% CI)
Rural-Urban Status		
Rural	1.61 (1.07-2.44)	1.59 (0.98-2.58)
Urban	Ref	Ref
Gender		
Female	1.10 (0.94-1.29)	1.13 (0.78-1.63)
Male	Ref	Ref
Age		
18-49	1.58 (1.10-2.28)	0.43 (0.21-0.90)
50-64	0.91 (0.71-1.17)	0.55 (0.29-1.04)
65+	Ref	Ref
Marital Status		
Not Married	1.09 (0.90-1.24)	0.86 (0.57-1.32)
Married/Living as Married	Ref	Ref
Race/Ethnicity	- -	
Other	1.32 (1.07-1.63)	1.23 (0.76-1.98)
Non-Hispanic White	Ref	Ref
Income		
\$0-19,999	1.71 (1.27-2.29)	2.63 (1.37-5.06)
\$20-49,999	1.10 (0.86-1.41)	1.92 (1.08-3.42)
\$50-74,999	0.84 (0.62-1.14)	1.36 (0.82-2.25)
\$75,000+	Ref	Ref
Census Region	Rei	Ref
Northeast	Ref	Ref
Midwest	1.62 (0.99-2.66)	1.58 (0.92-2.73)
South	1.36 (0.86-2.17)	1.33 (0.78-2.26)
West	1.02 (0.63-1.64)	1.183(0.66-1.94)
Occupational Status	1.02 (0.03 1.04)	1.103(0.00 1.54)
Employed	Ref	Ref
Retired	0.65 (0.48-0.88)	0.74 (0.45-1.24)
Disabled	2.23 (1.23-4.06)	1.39 (0.60-3.24)
Other	0.76 (0.48-1.23)	0.58 (0.29-1.19)
(unemployed/student/homemaker)	0.70 (0.40-1.23)	0.30 (0.25-1.17)
Insurance Status		
No	1.16 (0.73-1.85)	1.02 (0.41-2.53)
Yes	Ref	Ref
Non-Cancer Co-morbidities*	ICI	IXC1
0	Ref	Ref
1-2	0.93 (0.59-1.47)	1.01 (0.62-1.64)
3+	1.47 (0.91-2.37)	1.55 (0.90-2.67)
Receipt of Surgery	1.47 (0.31-2.37)	1.33 (0.70-2.07)
Yes	1.03 (0.85-1.23)	1.16 (0.72-1.87)
No	Ref	1.16 (0.72-1.87) Ref
	IXU	KCI
Receipt of Chemotherapy	1.01 (1.54.2.29)	2 04 (1 96 5 00)
Yes	1.91 (1.54-2.38)	3.04 (1.86-5.00)
No	Ref	Ref
Receipt of Radiation		

Factor	Unadjusted Odds Ratio (95% CI)	Adjusted Odds Ratio (95% CI)
Yes	1.54 (1.29-1.84)	1.78(1.16-2.73)
No	Ref	Ref
Time since last treatment		
No treatment received	Ref	Ref
Current to <1 year	1.53 (1.03-2.11)	1.85 (0.73-4.65)
1-4 years	1.08 (0.81-1.43)	1.27 (0.52-3.06)
5-9 years	1.06 (0.76-1.48)	1.04 (0.39-2.76)
10+ years	0.78 (0.60-1.03)	0.80 (0.33-1.92)

Supplemental Table 2: Factors Associated with Cancer Survivors Noting Financial Problems after Cancer Diagnosis and Treatment (Sensitivity Analysis; excluding non-melanoma skin cancers)

Factor	Adjusted Predicted Probability (95% CI)	Wald P-Value
Rural-Urban Status	• • • • • • • • • • • • • • • • • • • •	
Rural	52.9 (31.6-73.3)	0.21
Urban	44.6 (25.9-64.4)	
Gender		
Female	47.8 (28.3-67.7)	0.68
Male	43.3 (24.7-63.3)	
Age		
18-49	59.5 (35.7-80.0)	0.04
50-64	51.8 (30.9-72.2)	
65+	40.1 (22.8-59.7)	
Marital Status		
Not Married	46.8 (27.2-67.2)	0.54
Married/Living as Married	45.2 (26.4-64.9)	
Race/Ethnicity		
Other	53.2 (31.5-73.9)	0.47
Non-Hispanic White	43.1 (25.0-62.8)	
Income		
\$0-19,999	57.4 (35.6-76.9)	0.06
\$20-49,999	47.2 (27.5-67.3)	
\$50-74,999	43.9 (25.5-63.8)	
\$75,000+	36.5 (19.6-56.7)	
Census Region		
Northeast	43.2 (24.4-63.5)	0.56
Midwest	51.3 (30.7-71.2)	
South	47.8 (28.5-67.3)	
West	40.7 (22.5-61.2)	
Occupational Status		
Employed	49.9 (29.4-70.1)	0.24
Retired	41.0 (23.6-60.3)	
Disabled	68.8 (45.1-86.4)	
Other	41.0 (20.2-65.4)	
(unemployed/student/homemaker)		
Insurance Status		
No	46.5 (21.7-73.3)	0.50
Yes	46.0 (27.2-65.4)	
Non-Cancer Co-morbidities*		
0	42.9 (22.4-65.8)	0.06
1-2	40.9 (23.0-61.0)	
3+	52.7 (32.6-71.4)	

Factor	Adjusted Predicted Probability (95% CI)	Wald P-Value
Receipt of Surgery		
Yes	46.9 (28.2-65.9)	0.56
No	43.3 (22.8-66.1)	
Receipt of Chemotherapy		
Yes	63.9 (41.5-81.5)	0.0005
No	39.2 (21.2-60.1)	
Receipt of Radiation		
Yes	55.0 (34.3-73.8)	0.08
No	41.2 (22.9-61.8)	
Time since last treatment		
No treatment received	33.9 (14.5-59.7)	0.01
Current to <1 year	62.2 (39.7-80.4)	
1-4 years	55.0 (33.9-74.2)	
5+ years	41.1 (23.4-60.7)	