

## Coronavirus Disease 2019 (COVID-19)

# Prevent the spread of COVID-19 if you are sick




**Call your doctor:** If you think you have been exposed to COVID-19 and develop a fever<sup>1</sup> and sympto of respiratory illness, such as cough or difficulty breathing, call your healthcare provider immediately.

Printer friendly version 🔼

# Steps to help prevent the spread of COVID-19 if you are sicl

**Follow the steps below:** If you are sick with COVID-19 or suspect you are infected with the virus that causes COVID-19, follow the steps below to help prevent the disease from spreading to people in your home and community.



#### Stay home except to get medical care

- **Stay home:** People who are mildly ill with COVID-19 are able to isolate at home during their illness. You should restrict activities outside your home, except for getting medical care.
- Avoid public areas:Do not go to work, school, or public areas.
- Avoid public transportation: Avoid using public transportation, ride-sharing, or taxis.



#### Separate yourself from other people and animals in your home

- Stay away from others: As much as possible, you should stay in a specific room and away from other people your home. Also, you should use a separate bathroom, if available.
- Limit contact with pets & animals: You should restrict contact with pets and other animals while you are sic with COVID-19, just like you would around other people. Although there have not been reports of pets or other animals becoming sick with COVID-19, it is still recommended that people sick with COVID-19 limit contact with animals until more information is known about the virus.
- When possible, have another member of your household care for your animals while you are sick. If you are sick with COVID-19, avoid contact with your pet, including petting, snuggling, being kissed or licked, and sharing food If you must care for your pet or be around animals while you are sick, wash your hands before and after you interact with pets and wear a facemask. See COVID-19 and Animals for more information.




#### Call ahead before visiting your doctor

• **Call ahead:** If you have a medical appointment, call the healthcare provider and tell them that you have or may have COVID-19. This will help the healthcare provider's office take steps to keep other people from getting infected or exposed.



#### Wear a facemask if you are sick

- If you are sick: You should wear a facemask when you are around other people (e.g., sharing a room or vehicl or pets and before you enter a healthcare provider's office.
- If you are caring for others: If the person who is sick is not able to wear a facemask (for example, because it causes trouble breathing), then people who live with the person who is sick should not stay in the same room with them, or they should wear a facemask if they enter a room with the person who is sick.



#### Cover your coughs and sneezes

- Cover: Cover your mouth and nose with a tissue when you cough or sneeze.
- **Dispose:** Throw used tissues in a lined trash can.
- **Wash hands:** Immediately wash your hands with soap and water for at least 20 seconds or, if soap and water and available, clean your hands with an alcohol-based hand sanitizer that contains at least 60% alcohol.



#### Clean your hands often

- Wash hands: Wash your hands often with soap and water for at least 20 seconds, especially after blowing you nose, coughing, or sneezing; going to the bathroom; and before eating or preparing food.
- **Hand sanitizer:** If soap and water are not readily available, use an alcohol-based hand sanitizer with at least 60 alcohol, covering all surfaces of your hands and rubbing them together until they feel dry.
- **Soap and water:** Soap and water are the best option if hands are visibly dirty.
- Avoid touching: Avoid touching your eyes, nose, and mouth with unwashed hands.



### Avoid sharing personal household items

- **Do not share:** You should not share dishes, drinking glasses, cups, eating utensils, towels, or bedding with oth people or pets in your home.
- Wash thoroughly after use: After using these items, they should be washed thoroughly with soap and water.



### Clean all "high-touch" surfaces everyday

• Clean and disinfect: Practice routine cleaning of high touch surfaces.

High touch surfaces include counters, tabletops, doorknobs, bathroom fixtures, toilets, phones, keyboards, tablets, and bedside tables.

- Disinfect areas with bodily fluids: Also, clean any surfaces that may have blood, stool, or body fluids on ther
- Household cleaners: Use a household cleaning spray or wipe, according to the label instructions. Labels contains instructions for safe and effective use of the cleaning product including precautions you should take when applying the product, such as wearing gloves and making sure you have good ventilation during use of the product.



#### Monitor your symptoms

- Seek medical attention: Seek prompt medical attention if your illness is worsening (e.g., difficulty breathing).
- Call your doctor: Before seeking care, call your healthcare provider and tell them that you have, or are being evaluated for, COVID-19.
- Wear a facemask when sick: Put on a facemask before you enter the facility. These steps will help the
  healthcare provider's office to keep other people in the office or waiting room from getting infected or exposed
- Alert health department: Ask your healthcare provider to call the local or state health department. Persons who are placed under active monitoring or facilitated self-monitoring should follow instructions provided by the local health department or occupational health professionals, as appropriate.



**Call 911 if you have a medical emergency:** If you have a medical emergency and need to call 911, notify the dispatch personnel that you have, or are being evaluated for COVID-19. If possible, put on a facemask before emergency medical services arrive.



#### Discontinuing home isolation

- Stay at home until instructed to leave: Patients with confirmed COVID-19 should remain under home isolation precautions until the risk of secondary transmission to others is thought to be low.
- **Talk to your healthcare provider:** The decision to discontinue home isolation precautions should be made of a case-by-case basis, in consultation with healthcare providers and state and local health departments.

#### Footnote

<sup>1</sup>Fever may be subjective or confirmed

<sup>2</sup>Close contact is defined as—

1. a) being within approximately 6 feet (2 meters) of a COVID-19 case for a prolonged period of time; close contact occur while caring for, living with, visiting, or sharing a health care waiting area or room with a COVID-19 case

- or -

1. b) having direct contact with infectious secretions of a COVID-19 case (e.g., being coughed on)

If such contact occurs while not wearing recommended personal protective equipment or PPE (e.g., gowns, gloves, NIOSH-certified disposable N95 respirator, eye protection), criteria for PUI consideration are met.

See CDC's updated Interim Healthcare Infection Prevention and Control Recommendations for Persons Under Investigation for 2019 Novel Coronavirus.

Data to inform the definition of close contact are limited. Considerations when assessing close contact include the duration of exposure (e.g., longer exposure time likely increases exposure risk) and the clinical symptoms of the perswith COVID-19 (e.g., coughing likely increases exposure risk as does exposure to a severely ill patient). Special consideration should be given to those exposed in health care settings.

Page last reviewed: March 9