



Published in final edited form as:

*Infect Control Hosp Epidemiol.* 2020 March ; 41(3): 382–384. doi:10.1017/ice.2019.366.

## Sustaining outpatient antimicrobial stewardship: Do we need to think further outside the box?

Holly M. Frost, MD<sup>1,2</sup>, Leisha M. Andersen, MD, MPH<sup>3</sup>, Katherine E. Fleming-Dutra, MD<sup>4</sup>,  
Chuck Norlin, MD<sup>5</sup>, Christopher A. Czaja, MD, MPH<sup>6</sup>

<sup>1</sup>Department of Pediatrics, Denver Health Medical Center, Denver, Colorado,

<sup>2</sup>Department of Pediatrics, University of Colorado School of Medicine, Aurora, Colorado,

<sup>3</sup>American Academy of Pediatrics- Colorado Chapter, Denver, Colorado,

<sup>4</sup>Division of Healthcare Quality Promotion, Centers for Disease Control and Prevention, Atlanta, Georgia,

<sup>5</sup>Department of Pediatrics, University of Utah, Salt Lake City, Utah

<sup>6</sup>Colorado Department of Public Health and Environment, Denver, Colorado

*To the Editor*—Antibiotic overuse is a persistent public health problem that has contributed to an alarming increase in the prevalence of antibiotic resistance.<sup>1</sup> In the United States, >70% of antibiotic courses are prescribed in ambulatory settings.<sup>2</sup> To encourage the appropriate use of antibiotics in outpatient practices, the Centers for Disease Control and Prevention (CDC) released the Core Elements of Outpatient Antibiotic Stewardship (hereafter Core Elements).<sup>3</sup> However, detailed evaluations of how practices implement and sustain the Core Elements are lacking.

From January through June 2019, an antimicrobial stewardship quality improvement initiative was conducted by the American Academy of Pediatrics Chapter Quality Network (AAP-CQN), Colorado Department of Public Health and Environment, and the CDC. In this project, 8 outpatient pediatric practices in Colorado were enrolled: 3 practices that were part of larger systems and 5 independent practices. All practices but 1 were urban or sub-urban. The initiative utilized the Core Elements and Model for Improvement frameworks.<sup>3</sup> Practices implemented interventions to improve prescribing for pharyngitis and acute otitis media. The AAP-CQN provided webinars, learning sessions, monthly tracking and reporting, and Maintenance of Certification (MOC) credit. The ability of the practices to continue antibiotic stewardship following the conclusion of the initiative was assessed.

Using surveys and telephone-based semistructured interviews with physician champions, we assessed the ability of practices to sustain the Core Elements of commitment, tracking and reporting, and education and expertise. Because the initial intervention focused on evaluation of the Core Element “action for policy and practice,” our interviews targeted the

**Author for correspondence:** Holly M. Frost, Holly.frost@dhha.org.

**Conflicts of Interest.** The authors have no conflicts of interest to disclose.

other Core Elements. The project was determined exempt by the AAP Institutional Review Board.

Most practices identified a leader for antibiotic stewardship (7 of 8) and intended to display commitment posters (5 of 7).<sup>4</sup> Most had access to antibiotic expertise (6 of 8) and planned to provide ongoing education regarding antibiotic use (6 of 8). Few practices had established systems for ongoing antibiotic stewardship-related duties (4 of 8), tracking (5 of 8), or reporting (3 of 7).

Interviews identified 6 barriers to sustaining the 3 Core Elements (Table 1). Lack of control and competing priorities complicated practices' capacity to display commitment. Of the 5 practices reporting implementation of a commitment poster on the survey, only 2 affirmed the finding during interviews. Barriers to displaying posters included modifying the CDC template, inserting provider photos, and printing logistics. For practices that were part of a larger healthcare system, the need to obtain administrative approval (for information technology (IT) support or to hang commitment posters) was a key limitation.

Barriers to tracking and reporting included time constraints and lack of information technology (IT) support. Only 2 practices had IT support. Practices reported that manual or electronic abstraction took substantial time (range, 4–20 hours by a physician or clinic manager). Consequently, 5 practices did not plan to continue tracking and reporting, and 3 practices planned abbreviated and less frequent (every 3–6 months) tracking and reporting. Practices were most likely to sustain tracking and reporting if a nonphysician was responsible for data.

Barriers to sustaining education/expertise included scheduling and lack of resources (eg, regional experts). In the absence of MOC and outside support, the structures of most practices did not support scheduled education on antibiotic stewardship.

To sustain antibiotic stewardship, practices would benefit from increased availability of practical strategies and tools. Strategies to support the commitment to the Core Elements might include a centralized online system for practices to design and order custom commitment posters. For our initiative, AAP-Colorado created and supplied posters, which were well received. Because tracking and reporting (with individualized provider feedback) is the most effective way to reduce antibiotic use,<sup>5,6</sup> practices need support to efficiently use metrics for electronic data tracking. Strategies to improve tracking and reporting might include reducing the frequency of tracking and reporting, using a point-prevalence survey,<sup>7</sup> creating tip sheets for electronic health records, and promoting an online forum focused on efficiently pulling data. In this initiative, practices benefitted from sharing tips on how to pull data. To facilitate ongoing stewardship-focused education and expertise, practices could incorporate brief opportunities for stewardship-based education into their routine schedule. Alternative approaches might include virtual learning communities or use of MOC. Practices in our initiative found success in routinely setting aside 5–10 minutes at provider meetings to discuss antibiotic use or asking medical students or residents to present relevant topics.

This study has several strengths including coordinated national expertise in antimicrobial stewardship that included the involvement of the AAP, state health department, CDC, and

highly engaged practices. The study was limited by a small sample, which may have reduced generalizability of the results. However, the challenges identified here likely reflect those at other community-based outpatient clinics. Future steps will include evaluating antibiotic stewardship practices 6 months after the initiative.

In conclusion, although the Core Elements provide a framework for outpatient antibiotic use, further work is needed to develop practical strategies and tools that are simple, evidence based, high impact, and sustainable. In this project, implementing even seemingly simple interventions, such as adding photos to a commitment poster, posed logistical challenges that became barriers. Although several publications<sup>3,8</sup> offer various suggestions to improve outpatient stewardship efforts, ambulatory practices would benefit from additional clear, step-by-step guidance and enhanced sustainability tool kits, analogous to the playbook for antibiotic stewardship produced for hospitals.<sup>9</sup> We consider a few potential approaches to sustaining outpatient stewardship here, but a broader discussion among antibiotic stewards, patient care organizations, public health, and other stakeholders will be important for future success.

## Acknowledgments.

We are grateful for the tremendous support provided by Ellen Brilliant, Jennifer Monti, and Suzanne Emmer from the American Academy of Pediatrics throughout this project. The findings and conclusions in this manuscript are those of the authors and do not necessarily represent the official position of the Centers for Disease Control and Prevention Colorado Department of Public Health and Environment, or the American Academy of Pediatrics.

**Financial Support.** This project was supported by the Centers for Disease Control and Prevention (CDC) through a Cooperative Agreement (grant no. 6NU38OT000292-01-01) with the Chapter Quality Network, a program of the American Academy of Pediatrics. H.F. received salary support from the National Institutes of Health (NICHD grant no. 1K23HD099925-01A1).

## References

1. Antibiotic/Antimicrobial resistance. Centers for Disease Control and Prevention website. <http://www.cdc.gov/drugresistance/index.html>. Published 2016 Accessed July 11, 2016.
2. Suda KJ, Hicks LA, Roberts RM, Hunkler RJ, Matusiak LM, Schumock GT. Antibiotic expenditures by medication, class, and healthcare setting in the United States, 2010–2015. *Clin Infect Dis* 2018;66:185–190. [PubMed: 29020276]
3. Sanchez GV, Fleming-Dutra KE, Roberts RM, Hicks LA. Core elements of outpatient antibiotic stewardship. *Morbidity and Mortality Weekly Report* 2016;65:1–12.
4. Meeker D, Knight TK, Friedberg MW, et al. Nudging guideline-concordant antibiotic prescribing: a randomized clinical trial. *JAMA Intern Med* 2014;174:425–431. [PubMed: 24474434]
5. Gerber JS, Prasad PA, Fiks AG, et al. Durability of benefits of an outpatient antimicrobial stewardship intervention after discontinuation of audit and feedback. *JAMA* 2014;312:2569–2570. [PubMed: 25317759]
6. Meeker D, Linder JA, Fox CR, et al. Effect of behavioral interventions on inappropriate antibiotic prescribing among primary care practices: a randomized clinical trial. *JAMA* 2016;315:562–570. [PubMed: 26864410]
7. Frost HM, Knepper BC, Shihadeh KC, Jenkins TC. A novel approach to evaluate antibiotic utilization across the spectrum of inpatient and ambulatory care and implications for prioritization of antibiotic stewardship efforts. *Clin Infect Dis* 2019. doi: 10.1093/cid/ciz466.
8. Improving antibiotic prescribing for children, change package. American Academy of Pediatrics CQN website. <https://downloads.aap.org/DOCCSA/CQN%20ABX%20Change%20Package%20Final%20October%202019.pdf>. Published 2019 Accessed November 1, 2019.

9. National Quality Partners playbook: antibiotic stewardship in acute care. National Quality Forum website. <https://store.qualityforum.org/collections/antibiotic-stewardship/products/national-quality-partners-playbook-antibiotic-stewardship-in-acute-care>. Published 2016 Accessed November 1, 2019.

Author Manuscript

Author Manuscript

Author Manuscript

Author Manuscript

**Table 1.** Qualitative Survey Results Assessing Sustainability of Antibiotic Stewardship Efforts From 8 Colorado Practices Participating in an Intensive American Academy of Pediatrics Chapter Quality Network (AAP CQN) and Centers for Disease Control and Prevention (CDC) Antibiotic Stewardship Intervention, July 2019

Core Element <sup>a</sup>	Barriers (Themes)	Notes
Commitment	Competing priorities	Clinic has other quality improvement initiatives that are considered higher priority.
		Lack of protected time for stewardship
		Commitment posters are time consuming to alter, print, and hang.
	Lack of control	Providers do not have control over their job descriptions. Low engagement of other providers in the clinic Approval is needed from upper administration to hang commitment posters.
Tracking and reporting	Time consuming	Lack of protected time for stewardship
		Electronic reports are typically created by a provider or clinic staff.
		Although diagnosis codes can be electronically abstracted, manual chart review is often needed for laboratory and antibiotic prescription data.
		Many practices do not plan to continue audit and feedback. Strategies for reducing time to pull reports included: looking at metrics that can be pulled entirely electronically, creating a dot phrase in EPIC (Verona, WI) to allow safety-net antibiotic prescriptions to be pulled electronically, pulling data less frequently.
Education and expertise	No consistent education scheduled	No information technology staff at the clinical site
		Generating formal reports from electronic health record companies is cost prohibitive.
		Support is unavailable and/or secondary to competing clinic priorities.
		Providers sometimes share interesting recommendations informally in clinic or at provider meetings.
		Scheduled education sessions are typically infrequent and are not specific to antibiotic stewardship.
		Strategies for continuing education included discussing antibiotic use for a short amount of time at each provider meeting, creating formal education sessions, and including residents in collaborative teaching.
Lack of Resources		Providers are located at different sites across a larger system.
		Difficult to continue antibiotic stewardship without the education resources provided by the AAP CQN program Would like regional experts to give talks to providers at the clinic site

<sup>a</sup> Action for policy and practice were implemented as part of the AAP CQN collaborative work and were not included in the sustainability assessment of the Core Elements.