## Preliminary Criteria for the Evaluation of Digital Contact Tracing Tools for COVID-19

## **COVID-19 Contact Tracing for Health Departments**

## Introduction

The following preliminary¹ criteria define minimum and preferred characteristics of digital contact tracing tools to help health departments overcome one or more obstacles in the COVID-19 contact tracing workflow². They are based on preliminary research and targeted discussions with contact tracing and informatics experts across county, state, and federal government; national public health associations; academic consortia; and nongovernmental organizations.

The table below lists minimum and preferred criteria for two categories of contact tracing technology: those for case management<sup>3</sup>, and those for proximity tracking<sup>4</sup>. Minimum and preferred criteria of the tools' technical and general attributes are described in Table 2.





**Table 1. Minimum and Preferred Capabilities of Digital Contact Tracing Tools** 

Contact Tracing	Criteria		
Task	Minimum	Preferred	
Patient Identification / Follow-up	• Enables public health authorities (PHAs) <sup>5</sup> to import existing data (e.g., from PHA information systems)	Can be configured for real-time synchronization of data from PHA information systems	
	Enables confidential collection of data     (via PHA manual input) facilitating the connection of laboratory-confirmed patient with services needed to support a 14-day self-isolation process (e.g., safe housing, food)	Enables patients to self-report relevant demographic data, data facilitating the connection with supportive services, and the best means of communication	
Contact Elicitation / Identification	Enables PHAs to manually record data on contacts of index patients	Enables index patients to self-report contacts	
	•	Can seamlessly import proximity data from patient once consent is received	
Contact Notification	<ul> <li>Enables manual and automated notifications<sup>6</sup> to known contacts in the following order of priority: recorded voice message, email, and SMS</li> <li>Messaging can be tailored to the likelihood of exposure, include links to health information resources, and provide next steps (e.g., testing, self-isolation)</li> </ul>	Enables anonymous <sup>7</sup> automated notification to community contacts based on history of proximity to patient (i.e., within 6 feet for 30 minutes or more)	
Contact Follow-up	Enables PHA to initiate direct, manual follow-up with known contacts and collect longitudinal data and data facilitating the connection of contacts with services needed to support a 14-day self-isolation process     Enables seamless restart of logic model / workflow	Enables automated dispatch of reminders to known contacts and community contacts for 14 days with directions to call PHA or electronically self-report symptoms and other information facilitating the connection with supportive services	
	upon confirmation of case status among any known contact	Self-reported data are used for automated prediction of case classification and provide immediate notification to contact and PHA when infection is likely	



**Table 2. Minimum and Preferred Attributes of Digital Contact Tracing Tools** 

Attribute	Minimum	Preferred
	Technical	
Platform Support	Can be easily used within web browser on mobile environment  Can be easily used within web browser	Provides cross-platform functionality     (Android, and iOS, with reasonable backwards     compatibility for older Android and iOS versions
	on desktop environment	A. DE
	Supports offline data entry and caching	Supports offline data entry and caching across platforms
Data Interoperability	<ul> <li>Supports manual data import from PHA information systems</li> <li>Supports manual data export in common formats</li> </ul>	Supports OAuth-secured programmatic means of data transfer <sup>8</sup> between information systems within and between jurisdictions
Trustworthiness	Uses open architectures and open standards	• Is open source
Users	User access for PHAs	User access by patients and their contacts
Availability	Ready to use and rapidly deployable	Already being used successfully by jurisdictions
Customizability	Requires vendor to perform all customizations for PHA	Allows PHAs to perform some of their own customizations (e.g., adding new data elements, implementing data validation rules)
Privacy	All use of personally identifiable information (PII) data is predicated on consent of patient / contact, and all other data are anonymized before sharing     Data are encrypted in transit and at rest	Provides individuals access to their own data, and ability to delete / revoke consent at any time
	Authorized data access only for PHAs and must be limited to	
	General	
Technical Support	Developer / vendor provides comprehensive technical support for PHAs	
Vendor Experience	The developer / vendor has experience working in public health settings	
Localization	Self-reporting features are available in index patient's and contact's language of choice	

- 1. This document should be viewed as a living body of knowledge. It will be updated as more is learned.
- 2. This includes each task included in the first column of Table 1.
- Tools to streamline the electronic capture and management of data on cases and contacts; may also provide means of automating communication and follow up with contacts of an infected individual. Workforce management software (e.g., for orchestrating virtual call centers) is currently beyond the scope of this document.
- 4. Tools that use Bluetooth or GPS technologies to estimate the proximity and duration of an individual's exposure to an infected person; used in addition to contact tracing case management tools.
- 5. Local, state, tribal, and territorial public health departments
- 6. We recommend that automated messaging incorporate rapport-building human elements (e.g., delivered in audio or video by trusted local or national health figure)
- 7. For tools using geolocation-based proximity tracking, we recommend <u>participatory sharing methods</u>. For tools with Bluetooth-enabled proximity tracking, we recommend decentralized, bidirectionally anonymous methods. For an example of a protocol that employs this method, see <u>the PACT protocol</u>. Inclusion does not indicate endorsement.
- 8. E.g., RESTful API conforming to a common standard for data sharing between tools