



National Center for Health Statistics

Daily Updates of Totals by Week and State

Provisional Death Counts for Coronavirus Disease 2019 (COVID-19)

Contents

Daily Updates of Totals by Week and State

[Weekly Updates by Select Demographic and Geographic Characteristics](#)

[Excess Deaths Associated with COVID-19](#)

[Technical Notes](#)

Updated: July 24, 2020



Note: Provisional death counts are based on death certificate data received and coded by the National Center for Health Statistics as of July 24, 2020. Death counts are delayed and may differ from other published sources (see Technical Notes). Counts will be updated periodically. Additional information will be added to this site as available.

The provisional counts for coronavirus disease 2019 (COVID-19) deaths are based on a current flow of mortality data in the National Vital Statistics System. National provisional counts include deaths occurring within the 50 states and the District of Columbia that have been received and coded as of the date specified. It is important to note that it can take several weeks for death records to be submitted to National Center for Health Statistics (NCHS), processed, coded, and tabulated. Therefore, the data shown on this page may be incomplete, and will likely not include all deaths that occurred during a given time period, especially for the more recent time periods. Death counts for earlier weeks are continually revised and may increase or decrease as new and updated death certificate data are received from the states by NCHS. COVID-19 death counts shown here may differ from other published sources, as data currently are lagged by an average of 1–2 weeks.

The provisional data presented on this page include the weekly provisional count of deaths in the United States due to COVID-19, deaths from all causes and percent of expected deaths (i.e., number of deaths received over number of deaths expected based on data from previous years), pneumonia deaths (excluding pneumonia deaths involving influenza), pneumonia deaths involving COVID-19, influenza deaths, and deaths involving pneumonia, influenza, or COVID-19; (a) by week ending date and (b) by specific jurisdictions.

Table 1 has counts of death involving COVID-19 and select causes of death by the week ending date in which the death occurred. For deaths involving COVID-19 by week ending date at the state level, [Click here to download](#).

▼ Table 1. Deaths involving coronavirus disease 2019 (COVID-19), pneumonia, and influenza reported to NCHS by week ending date, United States. Week ending 2/1/2020 to 7/18/2020.*

Updated July 24, 2020

| Week ending date in which the death occurred | All Deaths involving COVID-19 (U07.1) ¹ | Deaths from All Causes | Percent of Expected Deaths ² | Deaths involving Pneumonia, with or without COVID-19, excluding Influenza deaths (J12.0–J18.9) ³ | Deaths involving COVID-19 and Pneumonia, excluding Influenza (U07.1 and J12.0–J18.9) ³ | All Deaths involving Influenza, with or without COVID-19 or Pneumonia (J09–J11), includes COVID-19 or Pneumonia ⁴ | Deaths involving Pneumonia, Influenza, or COVID-19 (U07.1 or J09–J18.9) ⁵ |
|--|--|------------------------|---|---|---|--|--|
| Total Deaths | 132,366 | 1,485,725 | 109 | 140,744 | 57,244 | 6,564 | 221,467 |
| 2/1/2020 | 0 | 58,413 | 98 | 3,783 | 0 | 479 | 4,262 |
| 2/8/2020 | 1 | 59,175 | 99 | 3,786 | 0 | 520 | 4,307 |
| 2/15/2020 | 0 | 58,453 | 99 | 3,812 | 0 | 554 | 4,366 |
| 2/22/2020 | 5 | 58,532 | 101 | 3,673 | 1 | 563 | 4,240 |
| 2/29/2020 | 7 | 58,741 | 102 | 3,790 | 4 | 647 | 4,440 |
| 3/7/2020 | 35 | 58,782 | 102 | 3,920 | 17 | 625 | 4,562 |
| 3/14/2020 | 52 | 57,748 | 101 | 3,907 | 27 | 612 | 4,543 |
| 3/21/2020 | 565 | 58,604 | 103 | 4,502 | 251 | 550 | 5,359 |
| 3/28/2020 | 3,141 | 62,605 | 112 | 6,141 | 1,419 | 440 | 8,253 |
| 4/4/2020 | 9,933 | 71,838 | 128 | 9,856 | 4,724 | 477 | 15,306 |
| 4/11/2020 | 16,076 | 78,566 | 142 | 11,919 | 7,190 | 472 | 20,937 |
| 4/18/2020 | 16,966 | 76,243 | 141 | 11,333 | 7,273 | 265 | 21,102 |
| 4/25/2020 | 15,304 | 73,222 | 136 | 10,295 | 6,561 | 143 | 19,085 |
| 5/2/2020 | 13,024 | 68,580 | 128 | 8,866 | 5,474 | 65 | 16,461 |
| 5/9/2020 | 11,028 | 65,949 | 125 | 7,738 | 4,658 | 47 | 14,145 |
| 5/16/2020 | 9,016 | 63,439 | 121 | 6,642 | 3,719 | 20 | 11,956 |
| 5/23/2020 | 7,046 | 60,476 | 116 | 5,766 | 2,924 | 23 | 9,907 |
| 5/30/2020 | 6,006 | 58,135 | 112 | 5,137 | 2,432 | 11 | 8,722 |
| 6/6/2020 | 4,858 | 56,597 | 108 | 4,728 | 2,088 | 11 | 7,509 |
| 6/13/2020 | 4,033 | 54,499 | 105 | 4,276 | 1,798 | 11 | 6,519 |
| 6/20/2020 | 3,551 | 53,237 | 103 | 4,023 | 1,506 | 5 | 6,073 |
| 6/27/2020 | 3,321 | 52,207 | 101 | 3,751 | 1,360 | 10 | 5,721 |
| 7/4/2020 | 3,554 | 50,417 | 97 | 3,711 | 1,562 | 3 | 5,704 |
| 7/11/2020 | 3,331 | 45,034 | 87 | 3,597 | 1,579 | 5 | 5,354 |

NOTE: Number of deaths reported in this table are the total number of deaths received and coded as of the date of analysis and do not represent all deaths that occurred in that period. Counts of deaths occurring before or after the reporting period are not included in the table. The United States population, based on 2018 postcensal estimates from the U.S. Census Bureau, is 327,167,434.

*Data during this period are incomplete because of the lag in time between when the death occurred and when the death certificate is completed, submitted to NCHS and processed for reporting purposes. This delay can range from 1 week to 8 weeks or more, depending on the jurisdiction and cause of death.

¹Deaths with confirmed or presumed COVID-19, coded to ICD-10 code U07.1

²Percent of expected deaths is the number of deaths for all causes for this week in 2020 compared to the average number across the same week in 2017–2019. Previous analyses of 2015–2016 provisional data completeness have found that completeness is lower in the first few weeks following the date of death (<25%), and then increases over time such that data are generally at least 75% complete within 8 weeks of when the death occurred (8).

³Counts of deaths involving pneumonia include pneumonia deaths that also involve COVID-19 and exclude pneumonia deaths involving influenza.

⁴Counts of deaths involving influenza include deaths with pneumonia or COVID-19 also listed as a cause of death.

⁵Deaths with confirmed or presumed COVID-19, pneumonia, or influenza, coded to ICD-10 codes U07.1 or J09–J18.9.

▼ Table 2. Deaths involving coronavirus disease 2019 (COVID-19), pneumonia, and influenza reported to NCHS by jurisdiction of occurrence, United States. Week ending 2/1/2020 to 7/18/2020.*

Updated July 24, 2020

| Jurisdiction of Occurrence | All Deaths involving COVID-19 (U07.1) ¹ | Deaths from All Causes | Percent of Expected Deaths ² | Deaths involving Pneumonia, with or without COVID-19, excluding Influenza deaths (J12.0–J18.9) ³ | Deaths involving COVID-19 and Pneumonia, excluding Influenza (J12.0–J18.9 and U07.1) ³ | All Deaths involving Influenza, with or without COVID-19 or Pneumonia (J09–J11) ⁴ | Deaths involving Pneumonia, Influenza, or COVID-19 (U07.1 or J09–J18.9) ⁵ |
|----------------------------|--|------------------------|---|---|---|--|--|
| United States ⁶ | 132,366 | 1,485,725 | 109 | 140,744 | 57,244 | 6,564 | 221,467 |
| Alabama | 1,339 | 26,348 | 104 | 1,813 | 409 | 96 | 2,835 |
| Alaska | 12 | 1,876 | 91 | 80 | - | - | 92 |
| Arizona | 2,614 | 34,161 | 118 | 3,319 | 1,454 | 114 | 4,593 |
| Arkansas | 381 | 15,592 | 102 | 1,082 | 156 | 76 | 1,383 |
| California | 7,374 | 137,859 | 106 | 13,085 | 4,077 | 577 | 16,958 |
| Colorado | 1,661 | 21,333 | 113 | 1,914 | 855 | 95 | 2,810 |
| Connecticut | 4,030 | 16,427 | 108 | 1,651 | 903 | 73 | 4,848 |
| Delaware | 517 | 4,823 | 109 | 412 | 200 | 16 | 745 |
| District of Columbia | 654 | 3,595 | 123 | 827 | 634 | - | 856 |
| Florida | 4,674 | 108,256 | 107 | 8,615 | 2,308 | 313 | 11,283 |
| Georgia | 2,613 | 42,479 | 105 | 3,245 | 1,172 | 110 | 4,795 |
| Hawaii | 20 | 5,479 | 97 | 327 | - | 20 | 361 |
| Idaho | 127 | 6,997 | 102 | 335 | 35 | 25 | 452 |

| | | | | | | | |
|-----------------------|---------------|---------|-----|--------|-------|-----|--------|
| Illinois | 6,714 | 59,572 | 117 | 6,641 | 3,333 | 177 | 10,196 |
| Indiana | 2,770 | 34,393 | 108 | 3,311 | 1,145 | 131 | 5,063 |
| Iowa | 795 | 14,720 | 102 | 1,049 | 231 | 84 | 1,697 |
| Kansas | 320 | 12,828 | 101 | 838 | 144 | 89 | 1,103 |
| Kentucky | 661 | 22,263 | 96 | 2,038 | 318 | 98 | 2,478 |
| Louisiana | 3,134 | 24,582 | 112 | 2,451 | 1,481 | 72 | 4,170 |
| Maine | 130 | 7,196 | 103 | 496 | 26 | 31 | 631 |
| Maryland | 3,637 | 28,468 | 119 | 3,032 | 1,341 | 126 | 5,438 |
| Massachusetts | 7,766 | 36,076 | 126 | 4,896 | 2,798 | 163 | 10,019 |
| Michigan | 5,620 | 53,065 | 114 | 5,501 | 2,754 | 240 | 8,602 |
| Minnesota | 1,506 | 22,861 | 108 | 1,725 | 415 | 121 | 2,936 |
| Mississippi | 1,241 | 16,792 | 111 | 1,714 | 583 | 53 | 2,425 |
| Missouri | 1,033 | 30,858 | 99 | 1,893 | 340 | 177 | 2,763 |
| Montana | 31 | 4,881 | 99 | 246 | - | 34 | 305 |
| Nebraska | 286 | 7,957 | 97 | 606 | 110 | 28 | 810 |
| Nevada | 616 | 13,085 | 104 | 1,225 | 455 | 41 | 1,427 |
| New Hampshire | 387 | 6,383 | 108 | 430 | 105 | 30 | 741 |
| New Jersey | 13,825 | 51,997 | 146 | 9,272 | 6,708 | 121 | 16,496 |
| New Mexico | 525 | 9,261 | 104 | 735 | 224 | 29 | 1,065 |
| New York ⁷ | 11,252 | 60,873 | 127 | 9,502 | 5,467 | 209 | 15,478 |
| New York City | 20,470 | 52,276 | 202 | 10,530 | 7,884 | 963 | 23,246 |
| North Carolina | 1,225 | 37,111 | 81 | 2,634 | 457 | 227 | 3,627 |
| North Dakota | 107 | 3,334 | 98 | 284 | 32 | 20 | 379 |
| Ohio | 2,766 | 59,800 | 101 | 3,933 | 1,154 | 261 | 5,805 |
| Oklahoma | 432 | 18,156 | 95 | 1,589 | 166 | 108 | 1,957 |
| Oregon | 265 | 17,448 | 99 | 857 | 90 | 65 | 1,096 |
| Pennsylvania | 7,286 | 67,616 | 103 | 5,785 | 2,624 | 216 | 10,659 |
| Rhode Island | 940 | 5,511 | 109 | 601 | 364 | 25 | 1,202 |
| South Carolina | 967 | 25,505 | 108 | 1,705 | 376 | 99 | 2,394 |
| South Dakota | 129 | 3,832 | 98 | 297 | 56 | 26 | 396 |
| Tennessee | 700 | 36,629 | 103 | 2,688 | 269 | 130 | 3,249 |
| Texas | 4,170 | 101,378 | 105 | 8,315 | 1,899 | 344 | 10,926 |
| Utah | 235 | 9,650 | 106 | 539 | 81 | 40 | 733 |

| | | | | | | | |
|---------------|--------------|--------|-----|-------|-----|-----|-------|
| Vermont | 57 | 2,822 | 102 | 155 | 14 | 16 | 214 |
| Virginia | 2,105 | 35,678 | 109 | 2,209 | 715 | 112 | 3,709 |
| Washington | 1,289 | 27,865 | 101 | 2,175 | 683 | 111 | 2,887 |
| West Virginia | 103 | 8,703 | 80 | 635 | 34 | 58 | 762 |
| Wisconsin | 837 | 26,844 | 106 | 1,370 | 140 | 150 | 2,215 |
| Wyoming | 18 | 2,231 | 103 | 137 | - | - | 157 |
| Puerto Rico | 163 | 12,718 | 90 | 1,579 | 87 | 63 | 1,717 |

NOTE: Number of deaths reported in this table are the total number of deaths received and coded as of the date of analysis and do not represent all deaths that occurred in that period. Counts of deaths occurring before or after the reporting period are not included in the table.

*Data during this period are incomplete because of the lag in time between when the death occurred and when the death certificate is completed, submitted to NCHS and processed for reporting purposes. This delay can range from 1 week to 8 weeks or more, depending on the jurisdiction and cause of death.

¹Deaths with confirmed or presumed COVID-19, coded to ICD-10 code U07.1.

²Percent of expected deaths is the number of deaths for all causes for this week in 2020 compared to the average number across the same week in 2017–2019.

³Counts of deaths involving pneumonia include pneumonia deaths that also involve COVID-19 and exclude pneumonia deaths involving influenza.

⁴Counts of deaths involving influenza include deaths with pneumonia or COVID-19 also listed as a cause of death.

⁵Deaths with confirmed or presumed COVID-19, pneumonia, or influenza, coded to ICD-10 codes U07.1 or J09-18.9.

⁶United States death count includes the 50 states, plus the District of Columbia and New York City.

⁷Excludes New York City.

Understanding the Numbers: Provisional Death Counts and COVID-19

Provisional death counts deliver the most complete and accurate picture of lives lost to COVID-19. They are based on death certificates, which are the most reliable source of data and contain information not available anywhere else, including comorbid conditions, race and ethnicity, and place of death.

How it Works

The National Center for Health Statistics (NCHS) uses incoming data from death certificates to produce provisional COVID-19 death counts. These include deaths occurring within the 50 states and the District of Columbia.

NCHS also provides summaries that examine deaths in specific categories and in greater geographic detail, such as deaths by county and by race and Hispanic origin.

COVID-19 deaths are identified using a new ICD-10 code. When COVID-19 is reported as a cause of death – or when it is listed as a “probable” or “presumed” cause — the death is coded as **U07.1**. This can include cases with or without laboratory confirmation.

Why These Numbers are Different

Provisional death counts may not match counts from other sources, such as media reports or numbers from county health departments. Counts by NCHS often track 1–2 weeks behind other data.

- **Death certificates take time to be completed.** There are many steps to filling out and submitting a death certificate. Waiting for test results can create additional delays.
- **States report at different rates.** Currently, 63% of all U.S. deaths are reported within 10 days of the date of death, but there is significant variation between states.
- **It takes extra time to code COVID-19 deaths.** While 80% of deaths are electronically processed and coded by NCHS within minutes, most deaths from COVID-19 must be coded by a person, which takes an average of 7 days.
- **Other reporting systems use different definitions or methods for counting deaths.**

Things to know about the data

Provisional counts are not final and are subject to change. Counts from previous weeks are continually revised as more records are received and processed.

Provisional data are not yet complete. Counts will not include all deaths that occurred during a given time period, especially for more recent periods. However, we can estimate how complete our numbers are by looking at the average number of deaths reported in previous years.

Death counts should not be compared across states. Some states report deaths on a daily basis, while other states report deaths weekly or monthly. State vital record reporting may also be affected or delayed by COVID-19 related response activities.

For more detailed technical information, visit the [Provisional Death Counts for Coronavirus Disease 2019 \(COVID-19\) Technical Notes](#) page.

