

National Center for Health Statistics

Daily Updates of Totals by Week and State

Provisional Death Counts for Coronavirus Disease 2019 (COVID-19)

Contents
Daily Updates of Totals by Week and State
Weekly Updates by Select Demographic and Geographic Characteristics
Health Disparities: Race and Hispanic Origin
Excess Deaths Associated with COVID-19
Index of Available Data Files
Technical Notes

Updated: July 29, 2020



Note: Provisional death counts are based on death certificate data received and coded by the National Center for Health Statistics as of July 29, 2020. Death counts are delayed and may differ from other published sources (see Technical Notes). Counts will be updated periodically. Additional information will be added to this site as available.

The provisional counts for coronavirus disease 2019 (COVID-19) deaths are based on a current flow of mortality data in the National Vital Statistics System. National provisional counts include deaths occurring within the 50 states and the District of Columbia that have been received and coded as of the date specified. It is important to note that it can take several weeks for death records to be submitted to National Center for Health Statistics (NCHS), processed, coded, and tabulated. Therefore, the data shown on this page may be incomplete, and will likely not include all deaths that occurred during a given time period, especially for the more recent time periods. Death counts for earlier weeks are continually revised and may increase or decrease as new and updated death certificate data are received from the states by NCHS. COVID-19 death counts shown here may differ from other published sources, as data currently are lagged by an average of 1–2 weeks.

The provisional data presented on this page include the weekly provisional count of deaths in the United States due to COVID-19, deaths from all causes and percent of expected deaths (i.e., number of deaths received over number of deaths expected based on data from previous years), pneumonia deaths (excluding pneumonia deaths involving influenza), pneumonia deaths involving COVID-19, influenza deaths, and deaths involving pneumonia, influenza, or COVID-19; (a) by week ending date and (b) by specific jurisdictions.

For an index of all available Provisional Death Counts for Coronavirus Diseas (COVID-19), click here.

Table 1 has counts of death involving COVID-19 and select causes of death by the week ending date in which the death occurred. For deaths involving COVID-19 by week ending date at the state level, © Click here to download.

➤ Table 1. Deaths involving coronavirus disease 2019 (COVID-19), pneumonia, and influenza reported to NCHS by week ending date, United States. Week ending 2/1/2020 to 7/25/2020.*

Updated July 29, 2020

Week ending date in which the death occurred	All Deaths involving COVID- 19 (U07.1) ¹	Deaths from All Causes	Percent of Expected Deaths ²	Deaths involving Pneumonia, with or without COVID-19, excluding Influenza deaths (J12.0- J18.9) ³	Deaths involving COVID-19 and Pneumonia, excluding Influenza (U07.1 and J12.0-J18.9)³	All Deaths involving Influenza, with or without COVID-19 or ₱ Pneumonia (J09–J11), includes COVID-19 or Pneumonia⁴	Deaths involving Pneumonia, Influenza, or COVID-19 (U07.1 or J09–J18.9) ⁵
Total Deaths	135,579	1,529,621	108	144,281	58,749	6,572	226,718
2/1/2020	0	58,442	98	3,785	0	479	4,264
2/8/2020	1	59,204	99	3,787	0	520	4,308
2/15/2020	0	58,474	99	3,811	0	554	4,365
2/22/2020	5	58,564	101	3,675	1	563	4,242
2/29/2020	7	58,825	102	3,797	4	649	4,449
3/7/2020	35	58,902	102	3,924	17	625	4,566
3/14/2020	52	57,794	101	3,911	27	612	4,547
3/21/2020	565	58,624	103	4,505	251	551	5,363
3/28/2020	3,145	62,619	112	6,144	1,421	440	8,258
4/4/2020	9,939	71,857	129	9,860	4,725	477	15,315
4/11/2020	16,082	78,593	142	11,926	7,193	472	20,947
4/18/2020	16,974	76,276	141	11,341	7,278	265	21,113
4/25/2020	15,315	73,264	136	10,303	6,567	143	19,098
5/2/2020	13,030	68,635	128	8,870	5,475	65	16,470
5/9/2020	11,040	66,049	125	7,750	4,662	47	14,165
5/16/2020	9,030	63,543	121	6,647	3,722	20	11,972
5/23/2020	7,052	60,641	116	5,776	2,928	23	9,919
5/30/2020	6,015	58,334	113	5,150	2,436	11	8,740
6/6/2020	4,877	57,050	109	4,758	2,097	11	7,549
6/13/2020	4,057	55,275	107	4,336	1,809	11	6,592

6/20/2020	3,598	54,280	105	4,107	1,527	5	6,183
6/27/2020	3,421	53,401	104	3,844	1,405	10	5,869
7/4/2020	3,758	52,489	101	3,905	1,665	3	5,999
7/11/2020	4,020	50,387	98	4,210	1,915	6	6,321
7/18/2020	2,945	40,694	79	3,092	1,331	8	4,713
7/25/2020	616	17,405	34	1,067	293	2	1,391

NOTE: Number of deaths reported in this table are the total number of deaths received and coded as of the date of analysis and do not represent all deaths that occurred in that period. Counts of deaths occurring before or after the reporting period are not included in the table. The United States population, based on 2018 postcensal estimates from the U.S. Census Bureau, is 327,167,434.

➤ Table 2. Deaths involving coronavirus disease 2019 (COVID-19), pneumonia, and influenza reported to NCHS by jurisdiction of occurrence, United States. Week ending 2/1/2020 to 7/25/2020.*

Updated July 29, 2020

Jurisdiction of Occurrence	All Deaths involving COVID- 19 (U07.1) ¹	Deaths from All Causes	Percent of Expected Deaths ²	Deaths involving Pneumonia, with or without COVID-19, excluding Influenza deaths (J12.0- J18.9) ³	Deaths involving COVID-19 and Pneumonia, excluding Influenza (J12.0–J18.9 and U07.1)³	All Deaths involving Influenza, with or without COVID-19 or Pneumonia (J09–J11) ⁴	Deaths involving Pneumonia, Influenza, or COVID-19 (U07.1 or J09–J18.9) ⁵
United States ⁶	135,579	1,529,621	108	144,281	58,749	6,572	226,718
Alabama	1,453	27,176	103	1,882	443	96	2,984
Alaska	14	1,957	92	82	-	-	95
Arizona	2,816	35,361	117	3,483	1,578	114	4,835
Arkansas	400	16,141	102	1,121	166	76	1,431
California	7,799	142,071	105	13,543	4,315	578	17,603
Colorado	1,688	21,875	112	1,944	869	95	2,853
Connecticut	4,037	16,976	108	1,672	905	73	4,874
Delaware	527	5,008	109	422	207	16	758

^{*}Data during this period are incomplete because of the lag in time between when the death occurred and when the death certificate is completed, submitted to NCHS and processed for reporting purposes. This delay can range from 1 week to 8 weeks or more, depending on the jurisdiction and cause of death.

¹Deaths with confirmed or presumed COVID-19, coded to ICD-10 code U07.1

²Percent of expected deaths is the number of deaths for all causes for this week in 2020 compared to the average number across the same week in 2017–2019. Previous analyses of 2015–2016 provisional data completeness have found that completeness is lower in the first few weeks following the date of death (<25%), and then increases over time such that data are generally at least 75% complete within 8 weeks of when the death occurred (8).

³Counts of deaths involving pneumonia include pneumonia deaths that aso involve COVID-19 and exclude pneumonia deaths involving influenza.

⁴Counts of deaths involving influenza include deaths with pneumonia or COVID-19 also listed as a cause of death.

⁵Deaths with confirmed or presumed COVID-19, pneumonia, or influenza, coded to ICD-10 codes U07.1 or J09-J18.9.

District of Columbia	665	3,681	122	839	644	-	869
Florida	5,098	111,438	106	8,976	2,523	314	11,853
Georgia	2,746	43,696	104	3,345	1,219	110	4,981
Hawaii	22	5,660	97	337	-	20	373
Idaho	141	7,151	101	341	37	25	470
Illinois	6,723	61,238	116	6,692	3,338	178	10,252
Indiana	2,802	34,983	106	3,359	1,156	131	5,132
Iowa	813	15,195	101	1,075	238	84	1,734
Kansas	329	13,158	100	851	144	89	1,125
Kentucky	682	23,028	96	2,105	328	99	2,557
Louisiana	3,208	25,248	111	2,523	1,517	72	4,280
Maine	131	7,376	102	505	26	31	641
Maryland	3,677	29,283	118	3,085	1,356	126	5,516
Massachusetts	7,795	36,948	124	4,947	2,810	163	10,087
Michigan	5,649	54,658	113	5,588	2,766	240	8,706
Minnesota	1,532	23,479	107	1,765	424	121	2,993
Mississippi	1,297	17,324	110	1,790	618	53	2,522
Missouri	1,056	31,713	98	1,937	351	178	2,820
Montana	34	4,971	97	248	-	34	310
Nebraska	287	8,197	97	617	111	28	821
Nevada	644	13,395	103	1,261	478	41	1,468
New Hampshire	393	6,573	107	441	109	30	754
New Jersey	13,869	53,197	144	9,349	6,728	121	16,597
New Mexico	544	9,471	102	749	232	29	1,090
New York ⁷	11,297	62,422	125	9,627	5,484	209	15,631
New York City	20,503	53,116	198	10,589	7,891	963	23,331
North Carolina	1,256	38,669	81	2,741	470	227	3,752
North Dakota	110	3,509	99	292	34	20	388
Ohio	2,837	61,124	100	4,026	1,188	261	5,935
Oklahoma	454	18,604	94	1,629	173	108	2,012
Oregon	277	17,847	98	874	94	65	1,121
Pennsylvania	7,344	69,720	103	5,886	2,646	218	10,798
Rhode Island	949	5,617	107	607	367	25	1,214
South							

Carolina	1,162	26,800	110	1,830	449	99	2,641
South Dakota	129	3,975	98	307	56	26	406
Tennessee	796	37,656	102	2,787	314	130	3,399
Texas	4,840	105,989	105	8,835	2,215	345	11,801
Utah	243	9,717	102	550	85	40	748
Vermont	57	2,966	103	157	14	16	216
Virginia	2,163	36,789	108	2,279	736	112	3,816
Washington	1,319	28,997	102	2,224	695	111	2,954
West Virginia	105	8,714	77	637	36	58	764
Wisconsin	847	27,466	104	1,390	140	150	2,245
Wyoming	20	2,298	102	140	-	-	162
Puerto Rico	176	13,080	89	1,615	91	63	1,762

NOTE: Number of deaths reported in this table are the total number of deaths received and coded as of the date of analysis and do not represent all deaths that occurred in that period. Counts of deaths occurring before or after the reporting period are not included in the table.

^{*}Data during this period are incomplete because of the lag in time between when the death occurred and when the death certificate is completed, submitted to NCHS and processed for reporting purposes. This delay can range from 1 week to 8 weeks or more, depending on the jurisdiction and cause of death

¹Deaths with confirmed or presumed COVID-19, coded to ICD-10 code U07.1.

²Percent of expected deaths is the number of deaths for all causes for this week in 2020 compared to the average number across the same week in 2017–2019.

³Counts of deaths involving pneumonia include pneumonia deaths that also involve COVID-19 and exclude pneumonia deaths involving influenza.

⁴Counts of deaths involving influenza include deaths with pneumonia or COVID-19 also listed as a cause of death.

⁵Deaths with confirmed or presumed COVID-19, pneumonia, or influenza, coded to ICD–10 codes U07.1 or J09-18.9.

⁶United States death count includes the 50 states, plus the District of Columbia and New York City.

⁷Excludes New York City.

Understanding the Numbers: Provisional Death Counts and COVID-19

Provisional death counts deliver the most complete and accurate picture of lives lost to COVID-19. They are based on death certificates, which are the most reliable source of data and contain information not available anywhere else, including comorbid conditions, race and ethnicity, and place of death.

How it Works

The National Center for Health Statistics (NCHS) uses incoming data from death certificates to produce provisional COVID-19 death counts. These include deaths occurring within the 50 states and the District of Columbia.

NCHS also provides summaries that examine deaths in specific categories and in greater geographic detail, such as deaths by county and by race and Hispanic origin.

COVID-19 deaths are identified using a new ICD-10 code. When COVID-19 is reported as a cause of death – or when it is listed as a "probable" or "presumed" cause — the death is coded as **U07.1**. This can include cases with or without laboratory confirmation.

Why These Numbers are Different

Provisional death counts may not match counts from other sources, such as media reports or numbers from county health departments. Counts by NCHS often track 1–2 weeks behind other data.

- **Death certificates take time to be completed.** There are many steps to filling out and submitting a death certificate. Waiting for test results can create additional delays.
- States report at different rates. Currently, 63% of all U.S. deaths are reported within 10 days of the date of death, but there is significant variation between states.
- It takes extra time to code COVID-19 deaths. While 80% of deaths are electronically processed and coded by NCHS within minutes, most deaths from COVID-19 must be coded by a person, which takes an average of 7 days.
- Other reporting systems use different definitions or methods for counting deaths.

Things to know about the data

Provisional counts are not final and are subject to change. Counts from previous weeks are continually revised as more records are received and processed.

Provisional data are not yet complete. Counts will not include all deaths that occurred during a given time period, especially for more recent periods. However, we can estimate how complete our numbers are by looking at the average number of deaths reported in previous years.

Death counts should not be compared across states. Some states report deaths on a daily basis, while other states report deaths weekly or monthly. State vital record reporting may also be affected or delayed by COVID-19 related response activities.

For more detailed technical information, visit the Provisional Death Counts for Coronavirus Disease 2019 (COVID-19) Technical Notes page.

Page last reviewed: July 29, 2020

Content source: National Center for Health Statistics