

**Table 3: Observed means and percentiles for weight (kg) in non-ambulatory steroid-naïve males with Duchenne Muscular Dystrophy, age 8.5-21 years: the MD STARnet**

Age (years)	N	Mean	Standard Deviation	Percentiles				
				10th	25th	50th	75th	90th
8.5-8.99	29	31.5	13.4	18.3	22.0	32.0	36.0	49.0
9.0-9.49	29	31.6	15.7	20.1	22.0	25.0	31.4	54.9
9.5-9.99	30	38.0	17.8	22.0	25.5	34.7	40.8	65.9
10.0-10.49	50	41.1	16.4	22.2	26.9	39.3	50.7	64.2
10.5-10.99	55	42.2	15.6	21.6	28.0	41.9	55.0	60.4
11.0-11.49	61	45.3	19.6	23.4	31.4	44.7	58.3	64.3
11.5-11.99	86	45.9	20.6	21.8	32.1	42.6	59.1	68.1
12.0-12.49	81	48.9	18.9	23.7	34.1	48.1	63.8	73.6
12.5-12.99	96	54.9	21.6	26.7	38.8	53.1	76.0	81.4
13.0-13.49	86	50.0	17.3	29.0	36.7	47.0	67.2	76.6
13.5-13.99	108	55.6	20.3	33.0	37.3	52.6	74.3	81.1
14.0-14.49	99	53.1	20.6	29.8	35.7	47.6	72.0	82.2
14.5-14.99	73	52.7	23.8	28.2	35.5	45.6	65.4	88.5
15.0-15.49	98	52.2	25.7	28.0	34.2	43.5	66.1	85.1
15.5-15.99	89	55.7	23.6	29.6	39.9	50.3	72.4	83.6
16.0-16.49	86	56.5	24.2	26.7	37.0	52.2	75.5	85.3
16.5-16.99	81	55.6	22.4	30.7	38.7	49.9	69.3	81.8
17.0-17.49	81	56.2	25.1	31.4	37.1	47.3	75.5	91.8
17.5 – 17.99	64	52.2	22.1	29.0	36.9	47.5	60.3	87.3
18.0 – 18.49	63	52.7	27.0	25.9	35.7	42.3	72.7	93.2
18.5-18.99	62	48.0	17.5	26.4	38.0	45.0	54.3	76.1
19.0-19.49	58	53.5	22.7	27.3	37.7	50.1	68.4	87.0
19.5-19.99	46	64.9	34.7	30.9	39.5	51.7	87.5	98.2
20.0-20.49	35	61.5	23.2	35.2	47.5	55.8	81.0	90.9
20.5-20.99	45	50.9	16.4	33.2	40.0	50.7	55.0	75.3