



Content on this page was developed during the 2009-2010 H1N1 pandemic and *has not been updated*.


- The H1N1 virus that caused that pandemic is now a regular human flu virus and continues to circulate seasonally worldwide.
- The English language content on this website is being archived for *historic and reference purposes only*.
- For current, updated information on seasonal flu, including information about H1N1, see the [CDC Seasonal Flu website](#).

Novel H1N1 Flu Situation Update

July 10, 2009, 11:00 AM ET

Map: Weekly Influenza Activity Estimates Reported by State and Territorial Epidemiologists (Activity levels indicate geographic spread of both seasonal and novel influenza A [H1N1] viruses)

(Posted July 10, 2009, 4:30 PM ET, for Week Ending July 4, 2009)



For more details about the data in the map above, see the [FluView Surveillance Report](#) for the week ending July 04, 2009. For information about how this map is updated, see [Questions & Answers About CDC's Online Reporting](#).

Summary of Situation

Table. U.S. Human Cases of H1N1 Flu Infection

A Pandemic Is Declared

On June 11, 2009, the [World Health Organization](#) (WHO) signaled that a global pandemic of novel influenza A (H1N1) was underway by raising the worldwide pandemic alert level to [Phase 6](#). This action was a reflection of the spread of the new H1N1 virus, not the severity of illness caused by the virus. At the time, more than 70 countries had reported cases of novel influenza A (H1N1) infection and there were ongoing community level outbreaks of novel H1N1 in multiple parts of the world.

Since the WHO declaration of a pandemic, the new H1N1 virus has continued to spread, with the number of countries reporting cases of novel H1N1 nearly doubling. The Southern Hemisphere's regular influenza season has begun and countries there are reporting that the new H1N1 virus is spreading and causing illness along with regular seasonal influenza viruses. In the United States, significant novel H1N1 illness has continued into the summer, with localized and in some cases intense outbreaks occurring. The United States continues to report the largest number of novel H1N1 cases of any country worldwide, however, most people who have become ill have recovered without requiring medical treatment.

Given ongoing novel H1N1 activity to date, CDC anticipates that there will be more cases, more hospitalizations and more deaths associated with this pandemic in the United States over the summer and into the fall and winter. The novel H1N1 virus, in conjunction with regular seasonal influenza viruses, poses the potential to cause significant illness with associated hospitalizations and deaths during the U.S. influenza season.

Background

Novel influenza A (H1N1) is a new flu virus of swine origin that first caused illness in Mexico and the United States in March and April, 2009. It's thought that novel influenza A (H1N1) flu spreads in the same way that regular seasonal influenza viruses spread, mainly through the coughs and sneezes of people who are sick with the virus, but it may also be spread by touching infected objects and then touching your nose or mouth. Novel H1N1 infection has been reported to cause a wide range of flu-like symptoms, including fever, cough, sore throat, body aches, headache, chills and fatigue. In addition, many people also have reported nausea, vomiting and/or diarrhea.

The first novel H1N1 patient in the United States was confirmed by laboratory testing at CDC on April 15, 2009. The second patient was confirmed on April 17, 2009. It was quickly determined that the virus was spreading from person-to-person. On April 22, CDC activated its Emergency Operations Center to better coordinate the public health response. On April 26, 2009, the United States Government declared a public health emergency and has been actively and aggressively implementing the nation's pandemic response plan.

By June 19, 2009, all 50 states in the United States, the District of Columbia, Puerto Rico, and the U.S. Virgin Islands have reported novel H1N1 infection. While nationwide U.S. influenza surveillance systems indicate that overall influenza activity is decreasing in the country at this time, novel H1N1 outbreaks are ongoing in parts of the U.S., in some cases with intense activity.

CDC is continuing to watch the situation carefully, to support the public health response and to gather information about this virus and its characteristics. The Southern Hemisphere is just beginning its influenza season and the experience there may provide valuable clues about what may occur in the Northern Hemisphere this fall and winter.

CDC Response

CDC continues to take aggressive action to respond to the outbreak. CDC's response goals are to reduce the spread and severity of illness, and to provide information to help health care providers, public health officials and the public address the challenges posed by this new public health threat.

CDC is issuing updated [interim guidance](#) in response to the rapidly evolving situation.

Clinician Guidance

CDC has issued interim guidance for clinicians on [identifying and caring for patients](#) with novel H1N1, in addition to providing interim [guidance on the use of antiviral drugs](#). Influenza antiviral

States and Territories*	Confirmed and Probable Cases	Deaths
STATES		
Alabama	400	
Alaska	122	
Arizona	762	11
Arkansas	42	
California	2461	31
Colorado	146	
Connecticut	1364	6
Delaware	347	
Florida	1781	7
Georgia	138	
Hawaii	722	1
Idaho	115	
Illinois	3259	14
Indiana	273	
Iowa	156	
Kansas	136	
Kentucky	130	
Louisiana	183	
Maine	107	
Maryland	686	2
Massachusetts	1328	4
Michigan	489	8
Minnesota	634	3
Mississippi	188	
Missouri	68	1
Montana	67	
Nebraska	215	
Nevada	327	
New Hampshire	237	
New Jersey	1289	10
New Mexico	232	
New York	2582	52
North Carolina	312	2
North Dakota	58	
Ohio	147	1
Oklahoma	150	1
Oregon	403	4
Pennsylvania	1794	6
Rhode Island	177	2
South Carolina	176	
South Dakota	34	
Tennessee	213	

drugs are prescription medicines (pills, liquid or an inhaled powder) with activity against influenza viruses, including novel influenza H1N1 viruses. The priority use for influenza antiviral drugs during this outbreak is to treat people hospitalized with influenza illness, and to treat people at increased risk of severe illness, including pregnant women, young children, and people with chronic health conditions like asthma, diabetes and other metabolic diseases, heart or lung disease, kidney disease, weakened immune systems, and persons with neurologic or neuromuscular disease.

Public Guidance

CDC has provided guidance for the public on [what to do if they become sick with flu-like symptoms](#), including infection with novel H1N1. CDC also has issued instructions on [taking care of a sick person at home](#) and the use of [facemasks and respirators to reduce novel influenza A \(H1n1\) transmission](#). Everyone should take everyday preventive actions to stop the spread of germs, including frequent hand washing and people who are sick should stay home and avoid contact with others in order to limit further spread of the disease.

Testing

CDC has developed a PCR diagnostic test kit to detect this novel H1N1 virus and has now distributed test kits to all states in the U.S. and the District of Columbia and Puerto Rico. The test kits are being shipped internationally as well. This will allow states and other countries to test for this new virus.

Vaccine

Vaccines are a very important part of a response to novel H1N1 influenza and the U.S. Government is aggressively taking early steps in the process to manufacture a novel H1N1 vaccine, working closely with manufacturers. CDC isolated the new H1N1 virus, made a candidate vaccine virus strain that can be used to create vaccine, and is working with other agencies and industry to begin scaling up for testing and production of a vaccine. Making vaccine is a long multi-step process requiring several months to complete. CDC has developed [guidance for state and local public health departments](#) to assist them in planning for a novel H1N1 influenza vaccination campaign. Additional guidance is forthcoming.

Stockpile Deployment

CDC has deployed 25 percent of the supplies in the Strategic National Stockpile (SNS) to all states in the continental United States and U.S. territories. This included antiviral drugs, personal protective equipment, and respiratory protection devices. These supplies and medicines will help states and U.S. territories respond to novel H1N1 virus.

Surveillance

Novel influenza A (H1N1) activity is being detected through CDC's [routine influenza surveillance systems](#) and reported weekly in FluView. CDC tracks U.S. influenza activity through multiple systems. While our influenza surveillance systems indicate that overall influenza activity is decreasing in the United States, novel H1N1 outbreaks are ongoing in different parts of the U.S., in some cases with intense influenza-like activity. Nearly 100 percent of the influenza viruses being detected now are novel H1N1 viruses.

Shared Responsibility

Individuals have an important role in protecting themselves and their families.

- Stay informed. Health officials will provide additional information as it becomes available
- Everyone should take these everyday steps to protect your health and lessen the spread of this new virus:
 - Cover your nose and mouth with a tissue when you cough or sneeze. Throw the tissue in the trash after you use it.
 - Wash your hands often with soap and water, especially after you cough or sneeze. Alcohol-based hand cleaners are also effective.
 - Avoid touching your eyes, nose or mouth. Germs spread this way.
 - Try to avoid close contact with sick people.
 - If you are sick with a flu-like illness, stay home for 7 days after your symptoms begin or until you have been symptom-free for 24 hours, whichever is longer. This is to keep from infecting others and spreading the virus further.
 - Follow public health advice regarding school closures, avoiding crowds and other social distancing measures.

More on the WHO Pandemic Declaration

- [Statement from HHS Secretary Sebelius & DHS Secretary Napolitano](#)
- [Webcast: U.S. Response to Pandemic Declaration](#)
- [CDC Press Conference Transcript](#)
- [WHO Press Conference](#)

Texas	4463	21
Utah	953	14
Vermont	50	
Virginia	306	2
Washington	636	4
Washington, D.C.	45	
West Virginia	179	
Wisconsin	6031	4
Wyoming	99	
TERRITORIES		
Guam	1	
Puerto Rico	18	
Virgin Islands	15	
TOTAL (54)*	37,246 cases	211 deaths
*Includes the District of Columbia, Guam, Puerto Rico and the U.S. Virgin Islands.		
This table will be updated each Friday at 11 AM ET.		
International Human Cases of H1N1 Flu Infection See: World Health Organization		
NOTE: Because of daily reporting deadlines, the state totals reported by CDC may not always be consistent with those reported by state health departments . If there is a discrepancy between these two counts, data from the state health departments should be used as the most accurate number.		
For more information about how these case counts are updated, see Questions & Answers About CDC's Online Reporting .		

More on the Situation

- [Guidance](#)
- [Reports & Publications](#)
- [Press Briefing](#)
- [Past Updates on the Situation](#)
- [Questions & Answers About CDC's Online Reporting](#)

- Links to non-federal organizations are provided solely as a service to our users. These links do not constitute an endorsement of these organizations or their programs by CDC or the federal government, and none should be inferred. CDC is not responsible for the content of the individual organization Web pages found at these links.

File Formats Help:



[How do you view different file formats\(PDF, DOC, PPT, MPEG\) on this site?](#)

Page last reviewed July 10, 2009, 11:00 AM ET

Page last updated July 10, 2009, 11:00 AM ET

Content source: [Centers for Disease Control and Prevention](#)

Centers for Disease Control and Prevention 1600 Clifton Rd. Atlanta, GA 30333, USA
800-CDC-INFO (800-232-4636) TTY: (888) 232-6348, 24 Hours/Every Day - cdcinfo@cdc.gov

