



Centers for Disease Control and Prevention
CDC 24/7: Saving Lives, Protecting People™

Coronavirus Disease 2019 (COVID-19)



Test for Past Infection

Updated Oct. 29, 2020

[Print](#)

Antibody tests check your blood by looking for antibodies, which may tell you if you had a past infection with the virus that causes COVID-19. Antibodies are proteins that help fight off infections and can provide protection against getting that disease again (immunity). Antibodies are disease specific. For example, measles antibodies will protect you from getting measles if you are exposed to it again, but they won't protect you from getting mumps if you are exposed to mumps.

Antibody tests should not be used to diagnose a current COVID-19 infection, except in instances in which viral testing is delayed. An antibody test may not show if you have a current COVID-19 infection because it can take 1–3 weeks after infection for your body to make antibodies.

Whether you test positive or negative for COVID-19 on a viral or an antibody test, you still should take steps to [protect yourself and others](#).

We do not know how much protection (immunity) antibodies to the virus might provide against getting infected again. Confirmed and suspected cases of reinfection have been reported, but remain rare. Scientists are working to understand this.



Self-checker

A tool to help you make decisions and seek appropriate medical care

Get
Started

[About the Tool](#)

How to get an antibody test

[Guidance on Interpreting COVID-19 Test Results](#)   : A guide for understanding test results and determining what actions to take.

Decisions about testing are made by [state](#) or [local](#)  health departments or healthcare providers.

Antibody tests for COVID-19 are available through healthcare providers and laboratories. Check with your healthcare provider to see if they offer antibody tests and whether you should get one.

What do your results mean?

If you test positive

- A positive test result shows you may have antibodies from an infection with the virus that causes COVID-19. However, there is a chance that a positive result means you have antibodies from an infection with a different virus from the same family of viruses (called coronaviruses). Note: Other coronaviruses cannot produce a positive result on a viral test for SARS-CoV-2.
- Having antibodies to the virus that causes COVID-19 may provide protection from getting infected with the virus again. But even if it does, we do not know how much protection the antibodies may provide or how long this protection may last. Confirmed and suspected cases of reinfection have been reported, but remain rare.
- Talk with your healthcare provider about your test result and the type of test you took to understand what your result means. Your provider may suggest you take a second type of antibody test to see if the first test was accurate.
- You should continue to [protect yourself and others](#) since you could get infected with the virus again.
 - If you work in a job where you wear personal protective equipment (PPE), continue wearing PPE.
- You may test positive for antibodies even if you have never had symptoms of COVID-19. This can happen if you had an infection without symptoms, which is called an asymptomatic infection.

If you test negative

- You may not have ever had COVID-19. Talk with your healthcare provider about your test result and the type of test you took to understand what your result means.
- You could have a current infection or been recently infected.
 - The test may be negative because it typically takes 1–3 weeks after infection for your body to make antibodies. It's possible you could still get sick if you have been exposed to the virus recently. This means you could still spread the virus.
 - Some people may take even longer to develop antibodies, and some people who are infected may not ever develop antibodies.

If you get symptoms after the antibody test, you might need another test called a [viral test](#). Viral tests identify the virus in samples from your respiratory system, such as a swab from the inside of your nose.

Regardless of whether you test positive or negative, the results do not confirm whether you are able to spread the virus that causes COVID-19. Until we know more, continue to take steps to [protect yourself and others](#).

Learn more about [using antibody tests](#) to look for past infection.



For healthcare professionals

For information on evaluating and testing for active infection, see [recommendations for reporting, testing, and specimen collection](#).

For CDC interim guidance on antibody testing in clinical and public health settings, see [Interim Guidelines for COVID-19 Antibody Testing](#).

More Information

- [CDC's work in antibody testing](#)
- [FDA Emergency Use Authorizations for COVID-19](#) 
- [EUA Authorized Serology Test Performance](#) 
- [Antibody \(Serology\) Testing for COVID-19: Information for Patients and Consumers](#) 

Last Updated Oct. 29, 2020

Content source: [National Center for Immunization and Respiratory Diseases \(NCIRD\), Division of Viral Diseases](#)