TABLE 1. Number, percentage, rate,* and ratio† of reported abortions — selected reporting areas, United States, 2008–2017

	Selected reporting areas [§]	Continuously re	porting	areas ¹
Year	No.	No. (%)**	Rate	Ratio
2008	825,564	823,011 (99.7)	15.6	229
2009	789,217 ⁺⁺	786,621 (99.7)	14.9	224
2010	765,651	762,755 (99.6)	14.4	225
2011	730,322	727,554 (99.6)	13.7	217
2012	699,202	696,587 (99.6)	13.1	208
2013	664,435	661,874 (99.6)	12.4	198
2014	652,639	649,849 (99.6)	12.1	192
2015	638,169	636,902 (99.8)	11.8	188
2016	623,471	623,471 (100.0)	11.6	186
2017	612,719	609,095 (99.4)	11.2	185

^{*} Number of abortions per 1,000 women aged 15–44 years.

[†] Number of abortions per 1,000 live births.

[§] For each given year, excludes reporting areas that did not report that year's abortion numbers to CDC: California (2008–2017), District of Columbia (2016), Maryland (2008–2017), and New Hampshire (2008–2017).

¹ For all years, excludes reporting areas that did not report abortion numbers every year during the period of analysis (2008–2017): California, District of Columbia, Maryland, and New Hampshire.

^{**} Abortions from areas that reported every year during 2008–2017 as a percentage of all reported abortions for a given year.

⁺⁺ This number is greater than reported in the 2009 report because of numbers subsequently provided by Delaware (**Source:** Pazol K, Creanga AA, Zane SB, Burley KD, Jamieson DJ. Abortion surveillance—United States, 2009. MMWR Surveill Summ 2012;61[No. SS-8]).

TABLE 2. Number, rate,* and ratio† of reported abortions, by reporting area of occurrence and percentage of abortions obtained by out-of-state residents§ — United States, 2017¶

	Abortions I	reported by are	a of occurrence*	Abortions obtained by out-of-state residents				
State/Area	No.	Rate	Ratio	No. (%)				
Alabama	6,063	6.4	103	840 (13.9)				
Alaska	1,255	8.6	120	9 (0.7)				
Arizona	12,533	9.3	153	125 (1.0)				
Arkansas	3,249	5.6	87	372 (11.4)				
Colorado	8,873	7.8	138	978 (11.0)				
Connecticut	9,584	14.2	272	268 (2.8)				
Delaware	1,890	10.5	174	223 (11.8)				
District of Columbia ^{††}	3,624	19.4	379	2,320 (64.0)				
Florida	69,102	18.1	309	2,771 (4.0)				
Georgia	31,991	14.9	248	4,780 (14.9)				
Hawaii	2,249	8.5	128	25 (1.1)				
Idaho	1,285	3.9	58	50 (3.9)				
Illinois	39,329	15.5	263	5,528 (14.1)				
Indiana	7,778	6.0	95	604 (7.8)				
lowa	3,269	5.5	85	434 (13.3)				
Kansas	6,747	12.1	185	3,376 (50.0)				
Kentucky	3,201	3.8	58	414 (12.9)				
Louisiana	8,706	9.3	143	1,229 (14.1)				
Maine	1,959	8.5	159	93 (4.7)				
Massachusetts	18,285	13.2	259	586 (3.2)				
Michigan	26,594	14.2	239	834 (3.1)				
Minnesota	10,134	9.5	148	938 (9.3)				
Mississippi	2,594	4.4	69	127 (4.9)				
Missouri	3,903	3.3	53	381 (9.8)				
Montana	1,561	8.2	132	146 (9.4)				
Nebraska	1,958	5.3	76	207 (10.6)				
Nevada	7,360	12.5	206	393 (5.3)				
New Jersey§§	21,484	12.5	212	1,164 (5.4)				
New Mexico	3,999	10.1	168	893 (22.3)				
New York	82,966	20.7	361	5,067 (6.1)				
New York City	54,391	28.2	487	3,947 (7.3)				
New York State	28,575	13.8	242	3,587 (12.6)				
North Carolina	27,183	13.5	226	4,735 (17.4)				
North Dakota	1,155	7.9	108	314 (27.2)				
Ohio	20,893	9.5	153	1,276 (6.1)				
Oklahoma	4,681	6.1	93	312 (6.7)				
Oregon	8,506	10.5	195	844 (9.9)				
Pennsylvania	30,011	12.6	218	1,777 (5.9)				
Rhode Island	3,101	14.8	292	461 (14.9)				
South Carolina	5,112	5.3	90	275 (5.4)				
South Dakota	497	3.1	41	74 (14.9)				
Tennessee	10,810	8.2	133	2,160 (20.0)				
Texas	53,277	9.1	139	1,164 (2.2)				
Utah	2,923	4.3	60	164 (5.6)				
Vermont	1,203	10.6	213	211 (17.5)				
Virginia	15,381	9.1	153	920 (6.0)				
Washington	17,207	11.7	197	891 (5.2)				
			77					
West Virginia	1,436	4.5 5.4	90	160 (11.1)				
Wisconsin	5,818	5.4 NA	NA	178 (3.1) NA				
Total	612,719	INA	INA	INA				

Abbreviation: NA = not applicable

^{*} Number of abortions per 1,000 women aged 15-44 years.

[†] Number of abortions per 1,000 live births.

 $^{^{\}S}$ Additional details on the reporting area in which abortions were provided, cross-tabulated by the state of residence, are available at https://www.cdc.gov/reproductivehealth/data_stats/Abortion.htm.

¹ Data from 48 reporting areas; excludes four reporting areas (California, Maryland, New Hampshire, and Wyoming) that did not report or did not meet reporting standards.

^{**} The total abortions include those with known and unknown residence status.

 $^{^{\}mbox{\tiny H}}$ Reporting to the central health agency is not required.

^{§§} Reporting to the central health agency is not required. Data are requested from hospitals and licensed ambulatory care facilities only.

TABLE 3. Reported abortions, by known age group and reporting area of occurrence — selected reporting areas,* United States, 2017

TABLE 3. Reported abou	1	5 5 F		Age group (yrs)				Total abortions reported by known
	<15	15–19	20–24	25–29	30-34	35–39	≥40	age
State/Area	No. (%) [†]	No. (%)	No. (%)	No. (%)	No. (%)	No. (%)	No. (%)	No. (% of all reported abortions)§
Alabama	23 (0.4)	638 (10.5)	1,946 (32.1)	1,783 (29.4)	1,000 (16.5)	539 (8.9)	134 (2.2)	6,063 (100.0)
Alaska	8 (0.6)	130 (10.4)	346 (27.6)	340 (27.1)	270 (21.5)	125 (10.0)	36 (2.9)	1,255 (100.0)
Arizona	29 (0.2)	1,175 (9.4)	3,869 (30.9)	3,490 (27.8)	2,125 (17.0)	1,374 (11.0)	471 (3.8)	12,533 (100.0)
Arkansas	15 (0.5)	335 (10.3)	1,030 (31.7)	949 (29.2)	521 (16.0)	310 (9.5)	89 (2.7)	3,249 (100.0)
Colorado	17 (0.2)	859 (9.7)	2,653 (29.9)	2,604 (29.4)	1,572 (17.7)	855 (9.6)	309 (3.5)	8,869 (100.0)
Connecticut	22 (0.2)	875 (9.3)	2,596 (27.6)	2,815 (29.9)	1,792 (19.1)	954 (10.1)	347 (3.7)	9,401 (98.1)
Delaware	_1	171 (9.0)	592 (31.3)	501 (26.5)	355 (18.8)	201 (10.6)	_	1,890 (100.0)
District of Columbia**	7 (0.2)	351 (9.7)	1,057 (29.2)	1,097 (30.3)	624 (17.2)	358 (9.9)	130 (3.6)	3,624 (100.0)
Florida	105 (0.2)	5,351 (7.8)	18,937 (27.5)	20,243 (29.4)	13,582 (19.7)	7,775 (11.3)	2,778 (4.0)	68,771 (99.5)
Georgia	67 (0.2)	2,592 (8.1)	9,271 (29.0)	9,474 (29.6)	5,977 (18.7)	3,490 (10.9)	1,120 (3.5)	31,991 (100.0)
Hawaii	7 (0.3)	217 (9.6)	628 (27.9)	615 (27.3)	398 (17.7)	275 (12.2)	109 (4.8)	2,249 (100.0)
Idaho	— (0.5)	146 (11.4)	426 (33.2)	305 (23.7)	216 (16.8)	144 (11.2)	— (1.0)	1,285 (100.0)
Illinois ^{††}	91 (0.3)	3,049 (9.3)	10,002 (30.5)	9,542 (29.1)	5,625 (17.2)	3,254 (9.9)	1,177 (3.6)	32,740 (99.7)
Indiana	12 (0.2)	804 (10.3)	2,492 (32.0)	2,217 (28.5)	1,279 (16.4)	739 (9.5)	235 (3.0)	7,778 (100.0)
lowa	6 (0.2)	326 (10.0)	982 (30.0)	881 (27.0)	602 (18.4)	361 (11.0)	110 (3.4)	3,268 (100.0)
Kansas	19 (0.3)	691 (10.2)	2,058 (30.5)	1,868 (27.7)	1,167 (17.3)	705 (10.4)	239 (3.5)	6,747 (100.0)
Kentucky	13 (0.4)	312 (9.7)	896 (28.0)	909 (28.4)	579 (18.1)	373 (11.7)	119 (3.7)	3,201 (100.0)
Louisiana	27 (0.3)	791 (9.1)	2,592 (29.8)	2,532 (29.1)	1,631 (18.7)	869 (10.0)	264 (3.0)	8,706 (100.0)
Maine		234 (12.0)	567 (29.0)	502 (25.7)	372 (19.0)	228 (11.7)		1,957 (99.9)
Massachusetts	26 (0.1)	1,347 (7.4)	4,941 (27.0)	5,364 (29.3)	3,629 (19.9)	2,207 (12.1)	765 (4.2)	18,279 (100.0)
Michigan	70 (0.3)	2,323 (8.8)	8,085 (30.5)	8,251 (31.1)	4,480 (16.9)	2,472 (9.3)	832 (3.1)	26,513 (99.7)
Minnesota	12 (0.1)	829 (8.2)	2,932 (28.9)	2,866 (28.3)	1,954 (19.3)	1,181 (11.7)	358 (3.5)	10,132 (100.0)
Mississippi	14 (0.5)	270 (10.4)	879 (33.9)	732 (28.2)	434 (16.7)	216 (8.3)	49 (1.9)	2,594 (100.0)
Missouri	13 (0.3)	408 (10.5)	1,212 (31.1)	1,108 (28.4)	693 (17.8)	367 (9.4)	102 (2.6)	3,903 (100.0)
Montana		185 (11.9)	484 (31.1)	428 (27.5)	231 (14.8)	165 (10.6)	102 (2.0) —	1,557 (99.7)
Nebraska	6 (0.3)	180 (9.2)	619 (31.6)	529 (27.0)	353 (18.0)	203 (10.4)	68 (3.5)	1,958 (100.0)
Nevada	14 (0.2)	581 (8.1)	1,985 (27.8)	2,060 (28.8)	1,428 (20.0)	795 (11.1)	283 (4.0)	7,146 (97.1)
New Jersey§§	40 (0.2)	1,859 (8.7)	5,890 (27.4)	6,316 (29.4)	4,063 (18.9)	2,422 (11.3)	884 (4.1)	21,474 (100.0)
New Mexico	21 (0.5)	495 (12.8)	1,155 (29.8)	1,019 (26.3)	670 (17.3)	378 (9.8)	135 (3.5)	3,873 (96.8)
New York	180 (0.2)	7,679 (9.3)	22,986 (27.8)	23,644 (28.6)	15,676 (18.9)	9,284 (11.2)	3,352 (4.0)	82,801 (99.8)
New York City	114 (0.2)	4,640 (8.5)	14,492 (26.6)	15,576 (28.6)	10,725 (19.7)	6,474 (11.9)	2,368 (4.4)	54,389 (100.0)
New York State	66 (0.2)	3,039 (10.7)	8,494 (29.9)	8,068 (28.4)	4,951 (17.4)	2,810 (9.9)	984 (3.5)	28,412 (99.4)
North Carolina	53 (0.2)	2,321 (8.9)	7,790 (29.8)	7,828 (29.9)	4,767 (18.2)	2,558 (9.8)	824 (3.2)	26,141 (96.2)
North Dakota	— — — — — — — — — — — — — — — — — — —	116 (10.0)	379 (32.8)	296 (25.6)	216 (18.7)	115 (10.0)	— (3.2)	1,155 (100.0)
Ohio	61 (0.3)	2,024 (9.7)	6,323 (30.3)	6,216 (29.8)	3,646 (17.5)	2,013 (9.6)	610 (2.9)	20,893 (100.0)
Oklahoma	17 (0.4)	476 (10.2)	1,445 (30.9)	1,334 (28.5)	822 (17.6)	457 (9.8)	129 (2.8)	4,680 (100.0)
Oregon	15 (0.2)	817 (9.6)	2,374 (27.9)	2,375 (27.9)	1,601 (18.8)	975 (11.5)	348 (4.1)	8,505 (100.0)
3		2,558 (8.5)		9,001 (30.0)		2,932 (9.8)	938 (3.1)	30,011 (100.0)
Pennsylvania Rhode Island	76 (0.3) 10 (0.3)	261 (8.4)	9,047 (30.1) 939 (30.4)	908 (29.4)	5,459 (18.2) 542 (17.5)	2,932 (9.8)	134 (4.3)	3,091 (99.7)
South Carolina			· '	1,507 (29.5)	885 (17.3)			5,112 (100.0)
	10 (0.2)	488 (9.5) 60 (12.1)	1,500 (29.3) 150 (30.2)	130 (26.2)	77 (15.5)	538 (10.5) 63 (12.7)	184 (3.6)	497 (100.0)
South Dakota	19 (0.2)					1,045 (9.7)		
Tennessee		881 (8.2) 4,806 (9.0)	3,357 (31.1)	3,208 (29.7)	1,953 (18.1) 9,854 (18.5)	5,614 (10.5)	323 (3.0)	10,786 (99.8)
Texas	113 (0.2)		15,839 (29.7)	15,151 (28.4)		, , , , , , ,	1,900 (3.6)	53,277 (100.0)
Utah	15 (0.5)	354 (12.1)	909 (31.2)	736 (25.3)	488 (16.7)	300 (10.3)	112 (3.8)	2,914 (99.7)
Vermont		110 (9.2)	333 (27.7)	330 (27.5)	235 (19.6)	143 (11.9)	— (00 (4 0)	1,201 (99.8)
Virginia	35 (0.2)	1,194 (7.8)	4,313 (28.1)	4,488 (29.2)	2,980 (19.4)	1,742 (11.3)	608 (4.0)	15,360 (99.9)
Washington	33 (0.2)	1,702 (9.9)	4,772 (27.8)	4,697 (27.3)	3,322 (19.3)	1,971 (11.5)	680 (4.0)	17,177 (99.8)
West Virginia	— 17 (0.2)	130 (9.1)	444 (30.9)	416 (29.0)	266 (18.5)	128 (8.9)	— 105 (2.2)	1,436 (100.0)
Wisconsin [#]	17 (0.3)	532 (9.4)	1,684 (29.9)	1,649 (29.2)	1,008 (17.9)	565 (10.0)	185 (3.3)	5,640 (100.0)
Total	1,354 (0.2)	54,033 (9.0)	175,706 (29.1)	175,254 (29.0)	111,419 (18.5)	64,075 (10.6)	21,842 (3.6)	603,683 (99.6)11
Abortion rate***	0.4	6.1	19.2	18.2	12.1	7.1	2.6	<u> </u>
Abortion ratio***	790	315	262	181	121	142	223	—

- * Data from 48 reporting areas; excludes four reporting areas (California, Maryland, New Hampshire, and Wyoming) that did not report, did not report by age, or did not meet reporting standards.
- † Percentages for the individual component categories might not add to 100% because of rounding.
- § Percentage is calculated as the number of abortions reported by known age divided by the sum of abortions reported by known and unknown age. Values ≥99.95% are rounded to 100.0%.
- ¹ Cells with a value in the range of 1–4 or cells that would allow for calculation of these small values have been suppressed.
- ** Reporting to the central health agency is not required.
- " Includes residents only.
- 55 Reporting to the central health agency is not required. Data are requested from hospitals and licensed ambulatory care facilities only.
- ¹¹ Percentage based on a total of 606,044 abortions reported among the areas that met reporting standards for age.
- *** Number of abortions obtained by women in a given age group per 1,000 women in that same age group. Adolescents aged 13–14 years were used as the denominator for the group of adolescents aged <15 years, and women aged 40–44 years were used as the denominator for the group of women aged ≥40 years. For the total abortion rate only, abortions for women of unknown age were distributed according to the distribution of abortions among women of known age.
- ***Number of abortions obtained by women in a given age group per 1,000 live births to women in that same age group. For the total abortion ratio only, abortions for women of unknown age were distributed according to the distribution of abortions among women of known age.

TABLE 4. Reported abortions, by known age group and year — selected reporting areas,* United States, 2008–2017

	Year			-							% change			
Age group (yrs)	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2008 to 2012	2013 to 2017	2016 to 2017	2008 to 2017
Reported abortio	ns by know	n age (%)												
<15	0.5	0.5	0.5	0.4	0.4	0.3	0.3	0.3	0.3	0.2	-20.0	-33.3	-33.3	-60.0
15–19	16.1	15.5	14.6	13.5	12.2	11.4	10.4	9.8	9.4	9.1	-24.2	-20.2	-3.2	-43.5
20–24	32.7	32.7	32.9	32.9	32.8	32.7	32.1	31.1	30.0	29.3	0.3	-10.4	-2.3	-10.4
25–29	24.4	24.4	24.5	24.9	25.4	25.9	26.8	27.6	28.5	29.0	4.1	12.0	1.8	18.9
30–34	14.3	14.8	15.3	15.8	16.4	16.8	17.2	17.7	18.0	18.3	14.7	8.9	1.7	28.0
35–39	8.8	8.8	8.9	8.9	9.1	9.2	9.7	10.0	10.3	10.5	3.4	14.1	1.9	19.3
≥40	3.1	3.3	3.4	3.6	3.7	3.6	3.6	3.6	3.6	3.6	19.4	0.0	0.0	16.1
Abortion rate [†]														
<15	1.2	1.1	1.0	0.9	0.8	0.6	0.5	0.5	0.4	0.4	-33.3	-33.3	0.0	-66.7
15–19	13.8	12.8	11.7	10.5	9.2	8.2	7.3	6.7	6.2	5.9	-33.3	-28.0	-4.8	-57.2
20–24	29.3	27.7	26.8	25.0	23.3	21.9	20.9	19.9	19.1	18.3	-20.5	-16.4	-4.2	-37.5
25–29	21.8	20.7	20.2	19.4	18.9	18.2	18.1	17.9	17.8	17.3	-13.3	-4.9	-2.8	-20.6
30–34	13.8	13.4	13.2	12.7	12.4	11.8	11.7	11.7	11.6	11.5	-10.1	-2.5	-0.9	-16.7
35–39	7.8	7.6	7.6	7.5	7.3	7.0	7.1	7.0	6.9	6.7	-6.4	-4.3	-2.9	-14.1
≥40	2.7	2.8	2.8	2.8	2.8	2.5	2.5	2.5	2.5	2.5	3.7	0.0	0.0	-7.4
Abortion ratio§														
<15	804	832	848	839	804	791	745	700	733	777	0.0	-1.8	6.0	-3.4
15–19	337	328	332	325	304	299	291	289	296	301	-9.8	0.7	1.7	-10.7
20–24	283	281	290	284	272	262	256	250	250	249	-3.9	-5.0	-0.4	-12.0
25–29	186	183	184	178	174	168	166	167	169	171	-6.5	1.8	1.2	-8.1
30–34	140	138	138	132	128	121	116	115	113	114	-8.6	-5.8	0.9	-18.6
35–39	174	172	171	165	158	147	145	140	136	134	-9.2	-8.8	-1.5	-23.0
≥40	271	275	273	275	269	245	239	228	220	211	-0.7	-13.9	-4.1	-22.1
Total (no.)	726,839	695,952	675,732	643,628	614,570	582,260	569,100	556,221	544,663	528,130	_	_	_	_

^{*} Data from 44 reporting areas, excludes eight reporting areas (California, District of Columbia, Florida, Maine, Maryland, New Hampshire, Vermont, and Wyoming) that did not report, did not report by age, or did not meet reporting standards for ≥1 year. By year, these reporting areas represent 87%-99% of all abortions reported by age to CDC during 2008–2017.

[†] Number of abortions obtained by women in a given age group per 1,000 women in that same age group. Adolescents aged 13–14 years were used as the denominator for the group of adolescents aged <15 years, and women aged 40–44 years were used as the denominator for the group of women aged ≥40 years. Women aged 15–44 years were used as the denominator for the overall rate. For the total abortion rate only, abortions for women of unknown age were distributed according to the distribution of abortions among women of known age.

[§] Number of abortions obtained by women in a given age group per 1,000 live births to women in that same age group. For the total abortion ratio only, abortions for women of unknown age were distributed according to the distribution of abortions among women of known age.

TABLE 5. Reported abortions, by known race/ethnicity and reporting area of occurrence — selected reporting areas,* United States, 2017

	Non-Hispanic	•			Total abortions reported by known race/ethnicity
	White	Black	Other	Hispanic	, and a second s
State/Area	No. (%) [†]	No. (%)	No. (%)	No. (%)	No. (% of all reported abortions)§
Alabama	1,820 (30.0)	3,816 (62.9)	144 (2.4)	282 (4.7)	6,062 (100.0)
Alaska	535 (47.4)	79 (7.0)	485 (43.0)	30 (2.7)	1,129 (90.0)
Arizona	4,818 (40.4)	1,221 (10.2)	1,168 (9.8)	4,721 (39.6)	11,928 (95.2)
Arkansas	1,489 (46.1)	1,370 (42.4)	159 (4.9)	214 (6.6)	3,232 (99.5)
Colorado	4,666 (60.0)	550 (7.1)	481 (6.2)	2,078 (26.7)	7,775 (87.6)
Connecticut	3,466 (38.6)	3,115 (34.7)	477 (5.3)	1,922 (21.4)	8,980 (93.7)
Delaware	810 (42.9)	775 (41.0)	115 (6.1)	190 (10.1)	1,890 (100.0)
District of Columbia ¹	721 (20.4)	1,920 (54.2)	465 (13.1)	436 (12.3)	3,542 (97.7)
Florida	20,279 (32.5)	21,286 (34.1)	2,551 (4.1)	18,367 (29.4)	62,483 (90.4)
Georgia	6,971 (23.3)	18,838 (63.0)	1,586 (5.3)	2,499 (8.4)	29,894 (93.4)
Hawaii	562 (28.2)	118 (5.9)	1,104 (55.3)	211 (10.6)	1,995 (88.7)
Idaho	814 (69.8)	28 (2.4)	73 (6.3)	252 (21.6)	1,167 (90.8)
Indiana	4,275 (55.2)	2,354 (30.4)	520 (6.7)	596 (7.7)	7,745 (99.6)
Kansas	3,818 (56.9)	1,548 (23.1)	478 (7.1)	867 (12.9)	6,711 (99.5)
Kentucky	1,967 (61.4)	906 (28.3)	112 (3.5)	216 (6.7)	3,201 (100.0)
Michigan	10,979 (42.0)	13,117 (50.2)	1,291 (4.9)	730 (2.8)	26,117 (98.2)
Minnesota	4,798 (51.4)	2,413 (25.9)	1,369 (14.7)	747 (8.0)	9,327 (92.0)
Mississippi	463 (18.0)	2,026 (78.8)	51 (2.0)	32 (1.2)	2,572 (99.2)
Missouri	1,815 (47.4)	1,613 (42.1)	257 (6.7)	142 (3.7)	3,827 (98.1)
Montana	1,279 (81.9)	21 (1.3)	151 (9.7)	110 (7.0)	1,561 (100.0)
Nevada	2,669 (38.5)	1,139 (16.5)	909 (13.1)	2,207 (31.9)	6,924 (94.1)
New Jersey**	4,920 (24.4)	7,053 (34.9)	3,775 (18.7)	4,449 (22.0)	20,197 (94.0)
New York	19,481 (26.9)	27,600 (38.1)	6,307 (8.7)	18,973 (26.2)	72,361 (87.2)
New York City	7,471 (15.7)	20,569 (43.3)	4,977 (10.5)	14,443 (30.4)	47,460 (87.3)
New York State	12,010 (48.2)	7,031 (28.2)	1,330 (5.3)	4,530 (18.2)	24,901 (87.1)
North Carolina	8,311 (33.7)	12,350 (50.0)	1,096 (4.4)	2,927 (11.9)	24,684 (90.8)
Ohio	8,728 (46.9)	7,605 (40.9)	1,288 (6.9)	973 (5.2)	18,594 (89.0)
Oregon	5,800 (69.0)	459 (5.5)	896 (10.7)	1,254 (14.9)	8,409 (98.9)
South Carolina	2,432 (47.6)	2,089 (40.9)	201 (3.9)	385 (7.5)	5,107 (99.9)
South Dakota	324 (65.2)	55 (11.1)	75 (15.1)	43 (8.7)	497 (100.0)
Tennessee	4,260 (40.3)	5,376 (50.9)	377 (3.6)	551 (5.2)	10,564 (97.7)
Texas ⁺⁺	14,319 (26.9)	14,157 (26.6)	4,065 (7.6)	20,687 (38.9)	53,228 (99.9)
Utah	1,845 (69.4)	107 (4.0)	79 (3.0)	627 (23.6)	2,658 (90.9)
Vermont	1,060 (89.2)	31 (2.6)	57 (4.8)	40 (3.4)	1,188 (98.8)
Virginia	4,816 (35.4)	5,936 (43.7)	1,328 (9.8)	1,514 (11.1)	13,594 (88.4)
Washington	8,745 (57.8)	1,766 (11.7)	2,383 (15.8)	2,224 (14.7)	15,118 (87.9)
West Virginia	1,083 (75.4)	185 (12.9)	§§	_	1,436 (100.0)
Total	165,138 (36.2)	163,022 (35.8)	36,037 (7.9)	91,500 (20.1)	455,697 (92.9) ¹¹
Abortion rate***	7.1	24.8	12.7	12.3	_
Abortion ratio [™]	122	393	218	177	_

^{*} Data from 36 reporting areas; excludes 16 reporting areas (California, Illinois, Iowa, Louisiana, Maine, Maryland, Massachusetts, Nebraska, New Hampshire, New Mexico, North Dakota, Oklahoma, Pennsylvania, Rhode Island, Wisconsin, and Wyoming) that did not report, did not report by race/ethnicity, or did not meet reporting standards.

[†] Percentages for the individual component categories might not add to 100% because of rounding.

[§] Percentage is calculated as the number of abortions reported by known race/ethnicity divided by the sum of abortions reported by known and unknown race/ethnicity. Values ≥99.95% are rounded to 100.0%.

¹ Reporting to the central health agency is not required.

^{**}Reporting to the central health agency is not required. Data are requested from hospitals and licensed ambulatory care facilities only.

^{††} Reporting form contains only one question for race/ethnicity; therefore, abortions reported for women of White, Black, and other races (Asian and Native American) are not explicitly identified as non-Hispanic.

⁵⁵ Cells with a value in the range of 1-4 or cells that would allow for calculation of these small values have been suppressed.

¹¹ Percentage is based on a total of 490,448 abortions reported among the areas that met reporting standards for race/ethnicity.

^{***} Number of abortions obtained by women in a given racial/ethnic group per 1,000 women in that same racial/ethnic group. For the total abortion rate only, abortions for women of unknown race/ethnicity were distributed according to the distribution of abortions among women of known race/ethnicity.

^{***} Number of abortions obtained by women in a given racial/ethnic group per 1,000 live births to women in that same racial/ethnic group. For the total abortion ratio only, abortions for women of unknown race/ethnicity were distributed according to the distribution of abortions among women of known race/ethnicity.

TABLE 6. Reported abortions, by known marital status and reporting area of occurrence — selected reporting areas,* United States, 2017

-	Marital status		us and reporting area of occurrence — selected repo
	Married	Unmarried	Total abortions reported by known marital status
State/Area	No. (%) [†]	No. (%)	No. (% of all reported abortions) [§]
Alabama	625 (10.3)	5,438 (89.7)	6,063 (100.0)
Alaska	272 (22.4)	944 (77.6)	1,216 (96.9)
Arizona	1,718 (13.7)	10,815 (86.3)	12,533 (100.0)
Arkansas	436 (13.4)	2,809 (86.6)	3,245 (99.9)
Connecticut	971 (11.0)	7,866 (89.0)	8,837 (92.2)
Delaware	226 (12.0)	1,664 (88.0)	1,890 (100.0)
Georgia	4,396 (14.2)	26,589 (85.8)	30,985 (96.9)
Idaho	227 (20.0)	909 (80.0)	1,136 (88.4)
Illinois	3,918 (11.2)	30,925 (88.8)	34,843 (88.6)
Indiana	986 (12.7)	6,792 (87.3)	7,778 (100.0)
Iowa	562 (17.2)	2,706 (82.8)	3,268 (100.0)
Kansas	1,050 (16.2)	5,417 (83.8)	6,467 (95.9)
Kentucky	529 (16.5)	2,672 (83.5)	3,201 (100.0)
Louisiana	976 (11.8)	7,329 (88.2)	8,305 (95.4)
Maine	324 (17.0)	1,581 (83.0)	1,905 (97.2)
Massachusetts	3,408 (20.8)	12,985 (79.2)	16,393 (89.7)
Michigan	2,558 (9.7)	23,711 (90.3)	26,269 (98.8)
Minnesota	1,555 (16.2)	8,065 (83.8)	9,620 (94.9)
Mississippi	211 (8.5)	2,274 (91.5)	2,485 (95.8)
Missouri	588 (15.2)	3,279 (84.8)	3,867 (99.1)
Montana	254 (16.3)	1,307 (83.7)	1,561 (100.0)
Nebraska	283 (14.7)	1,648 (85.3)	1,931 (98.6)
Nevada	720 (10.4)	6,194 (89.6)	6.914 (93.9)
New Jersey ¹	2,392 (11.3)	18,818 (88.7)	21,210 (98.7)
New Mexico	595 (15.7)	3,206 (84.3)	3,801 (95.0)
New York City	8,315 (17.3)	39,654 (82.7)	47,969 (88.2)
North Carolina	3,603 (14.6)	21,125 (85.4)	24,728 (91.0)
North Dakota	191 (16.5)	964 (83.5)	1,155 (100.0)
Ohio	2,760 (14.6)	16,188 (85.4)	18,948 (90.7)
Oklahoma	974 (20.8)	3,703 (79.2)	4,677 (99.9)
Oregon	1,677 (20.9)	6,333 (79.1)	8,010 (94.2)
Pennsylvania	3,682 (12.3)	26,310 (87.7)	29,992 (99.9)
South Carolina	602 (11.8)	4,501 (88.2)	5,103 (99.8)
South Dakota	90 (18.1)	407 (81.9)	497 (100.0)
Tennessee	1,438 (13.7)	9,068 (86.3)	10,506 (97.2)
Texas	9,401 (17.6)	43,875 (82.4)	53,276 (100.0)
Utah	599 (21.1)	2,238 (78.9)	2,837 (97.1)
Vermont	197 (16.9)	972 (83.1)	1,169 (97.2)
Virginia	2,340 (15.2)	13,041 (84.8)	15,381 (100.0)
West Virginia	236 (16.4)	1,199 (83.6)	1,435 (99.9)
Wisconsin**	761 (13.7)	4,796 (86.3)	5,557 (98.5)
Total	66.646 (14.6)	390,317 (85.4)	456,963 (95.2) ⁺⁺
Abortion ratio ^{§§}	41	353	_

^{*} Data from 41 reporting areas; excludes 11 areas (California, Colorado, District of Columbia, Florida, Hawaii, Maryland, New Hampshire, New York State, Rhode Island, Washington, and Wyoming) that did not report, did not report by marital status, or did not meet reporting standards.

[†] Percentages for the individual component categories might not add to 100% because of rounding.

[§] Percentage is calculated as the number of abortions reported by known marital status divided by the sum of abortions reported by known and unknown marital status. Values ≥99.95% are rounded to 100.0%.

¹ Reporting to the central health agency is not required. Data are requested from hospitals and licensed ambulatory care facilities only.

^{**} Includes residents only.

^{††} Percentage is based on a total of 479,810 abortions reported among the areas that met reporting standards for marital status.

⁵⁵ Number of abortions obtained by women by marital status per 1,000 live births to women of the same marital status. For the total abortion ratio only, abortions for women of unknown marital status were distributed according to the distribution of abortions among women of known marital status

TABLE 7. Reported abortions, by known number of previous live births and reporting area of occurrence — selected reporting areas,* United States. 2017

States, 2017	No. of previou	live births		1		Total abortions reported by
	0	1	2	3	≥4	known number of previous live births
State/Area	No. (%) [†]	No. (%)	No. (%)	No. (%)	No. (%)	No. (% of all reported abortions)§
Alabama	2,208 (36.4)	1,749 (28.8)	1,263 (20.8)	553 (9.1)	290 (4.8)	6,063 (100.0)
Alaska	532 (42.4)	264 (21.0)	239 (19.0)	113 (9.0)	107 (8.5)	1,255 (100.0)
Arizona	5,441 (43.6)	2,699 (21.6)	2,318 (18.6)	1,196 (9.6)	838 (6.7)	12,492 (99.7)
Arkansas	1,141 (35.1)	913 (28.1)	720 (22.2)	304 (9.4)	171 (5.3)	3,249 (100.0)
Colorado	4,786 (57.7)	1,551 (18.7)	1,131 (13.6)	534 (6.4)	292 (3.5)	8,294 (93.5)
Connecticut	4,127 (43.1)	2,360 (24.6)	1,842 (19.2)	811 (8.5)	444 (4.6)	9,584 (100.0)
Delaware	757 (40.1)	487 (25.8)	354 (18.7)	171 (9.0)	121 (6.4)	1,890 (100.0)
Florida	26,237 (38.0)	18,318 (26.5)	14,514 (21.0)	6,199 (9.0)	3,834 (5.5)	69,102 (100.0)
Georgia	11,845 (37.0)	8,231 (25.7)	6,644 (20.8)	3,135 (9.8)	2,130 (6.7)	31,985 (100.0)
Hawaii	1,192 (54.5)	385 (17.6)	354 (16.2)	163 (7.4)	95 (4.3)	2,189 (97.3)
Idaho	589 (46.1)	267 (20.9)	224 (17.5)	126 (9.9)	72 (5.6)	1,278 (99.5)
Indiana	2,970 (38.2)	2,002 (25.7)	1,603 (20.6)	761 (9.8)	441 (5.7)	7,777 (100.0)
lowa	1,390 (42.5)	723 (22.1)	657 (20.1)	315 (9.6)	183 (5.6)	3,268 (100.0)
Kansas	2,827 (41.9)	1,563 (23.2)	1,299 (19.3)	657 (9.7)	401 (5.9)	6,747 (100.0)
Kentucky	1,201 (37.5)	825 (25.8)	721 (22.5)	286 (8.9)	168 (5.2)	3,201 (100.0)
Louisiana	2,926 (33.6)	2,419 (27.8)	1,870 (21.5)	958 (11.0)	530 (6.1)	8,703 (100.0)
Maine	951 (48.5)	469 (23.9)	331 (16.9)	142 (7.2)	66 (3.4)	1,959 (100.0)
Massachusetts	7,693 (48.6)	3,619 (22.9)	2,827 (17.9)	1,098 (6.9)	598 (3.8)	15,835 (86.6)
Michigan ¹	9,270 (34.9)	7,143 (26.9)	5,789 (21.8)	2,599 (9.8)	1,782 (6.7)	26,583 (100.0)
Minnesota	4,138 (40.8)	2,303 (22.7)	2,057 (20.3)	937 (9.2)	699 (6.9)	10,134 (100.0)
Mississippi	794 (30.6)	757 (29.2)	603 (23.2)	285 (11.0)	155 (6.0)	2,594 (100.0)
Missouri	1,510 (38.7)	964 (24.7)	820 (21.0)	387 (9.9)	222 (5.7)	3,903 (100.0)
Montana	752 (48.2)	349 (22.4)	236 (15.1)	144 (9.2)	79 (5.1)	1,560 (99.9)
Nebraska	796 (40.7)	460 (23.5)	377 (19.3)	186 (9.5)	136 (7.0)	1,955 (99.8)
Nevada	3,034 (41.3)	1,692 (23.0)	1,441 (19.6)	704 (9.6)	484 (6.6)	7,355 (99.9)
New Jersey**	8,165 (38.9)	5,471 (26.1)	4,140 (19.7)	1,928 (9.2)	1,279 (6.1)	20,983 (97.7)
New Mexico	1,590 (42.5)	878 (23.5)	664 (17.8)	336 (9.0)	270 (7.2)	3,738 (93.5)
New York City	21,577 (43.1)	13,300 (26.6)	9,569 (19.1)	3,575 (7.1)	2,037 (4.1)	50,058 (92.0)
North Carolina	9,131 (38.4)	5,622 (23.7)	4,706 (19.8)	2,445 (10.3)	1,848 (7.8)	23,752 (87.4)
North Dakota	470 (40.7)	246 (21.3)	232 (20.1)	114 (9.9)	93 (8.1)	1,155 (100.0)
Ohio	7,620 (36.9)	5,307 (25.7)	4,419 (21.4)	2,079 (10.1)	1,250 (6.0)	20,675 (99.0)
Oklahoma	1,279 (30.7)	1,138 (27.3)	1,021 (24.5)	490 (11.7)	243 (5.8)	4,171 (89.1)
Oregon	4,157 (49.4)	1,833 (21.8)	1,420 (16.9)	618 (7.3)	391 (4.6)	8,419 (99.0)
Pennsylvania	11,608 (38.7)	7,844 (26.1)	6,140 (20.5)	2,772 (9.2)	1,647 (5.5)	30,011 (100.0)
Rhode Island	1,919 (62.0)	508 (16.4)	421 (13.6)	169 (5.5)	77 (2.5)	3,094 (99.8)
South Carolina	2,064 (40.4)	1,299 (25.4)	1,080 (21.1)	450 (8.8)	219 (4.3)	5,112 (100.0)
South Dakota	206 (41.4)	111 (22.3)	93 (18.7)	51 (10.3)	36 (7.2)	497 (100.0)
Tennessee	3,598 (34.3)	2,823 (26.9)	2,272 (21.6)	1,103 (10.5)	707 (6.7)	10,503 (97.2)
Texas	20,522 (38.5)	12,953 (24.3)	11,128 (20.9)	5,385 (10.1)	3,289 (6.2)	53,277 (100.0)
Utah	1,622 (55.7)	502 (17.2)	429 (14.7)	230 (7.9)	128 (4.4)	2,911 (99.6)
Vermont	583 (48.5)	251 (20.9)	243 (20.2)	80 (6.7)	44 (3.7)	1,201 (99.8)
Virginia	5,951 (38.7)	3,976 (25.9)	3,158 (20.5)	1,421 (9.2)	875 (5.7)	15,381 (100.0)
Washington	7,798 (45.4)	3,908 (22.7)	3,203 (18.6)	1,470 (8.6)	812 (4.7)	17,191 (99.9)
West Virginia	437 (30.5)	405 (28.2)	342 (23.8)	163 (11.4)	88 (6.1)	1,435 (99.9)
Total	209,404 (40.1)	130,887 (25.0)	104,914 (20.1)	47,643 (9.1)	29,671 (5.7)	522,519 (97.6) [#]

^{*} Data from 44 reporting areas; excludes eight areas (California, District of Columbia, Illinois, Maryland, New Hampshire, New York State, Wisconsin, and Wyoming) that did not report, did not report by number of previous live births, or did not meet reporting standards.

[†] Percentages for the individual component categories might not add to 100% because of rounding.

 $^{^{5}}$ Percentage is calculated as the number of abortions reported by known number of previous live births, divided by the sum of abortions reported by known and unknown number of previous live births. Values \geq 99.95% are rounded to 100.0%.

¹ Recorded as the number of previous pregnancies carried to term.

^{**} Reporting to the central health agency is not required. Data are requested from hospitals and licensed ambulatory care facilities only.

^{††} Percentage is based on a total of 535,373 abortions reported among the areas that met reporting standards for the number of previous live births.

TABLE 8. Reported abortions, by known number of previous induced abortions and reporting area of occurrence — selected reporting areas,* United States, 2017

·		ious induced abortio			occurrence — selected reporting areas, Officed States, 2017
	0	1	2	≥3	Total abortions reported by known number of previous induced abortions
State/Area	No. (%) [†]	No. (%)	No. (%)	No. (%)	No. (% of all reported abortions) [§]
Alabama	3,972 (65.5)	1,390 (22.9)	480 (7.9)	221 (3.6)	6,063 (100.0)
Alaska	775 (61.8)	309 (24.6)	112 (8.9)	58 (4.6)	1,254 (99.9)
Arizona	8,044 (64.6)	2,995 (24.0)	988 (7.9)	432 (3.5)	12,459 (99.4)
Arkansas	2,038 (62.7)	702 (21.6)	267 (8.2)	242 (7.4)	3,249 (100.0)
Colorado	5,674 (67.2)	1,954 (23.2)	584 (6.9)	226 (2.7)	8,438 (95.1)
Connecticut	5,221 (54.5)	2,230 (23.3)	1,162 (12.1)	971 (10.1)	9,584 (100.0)
Delaware	1,200 (63.5)	435 (23.0)	172 (9.1)	82 (4.3)	1,889 (99.9)
Florida	38,894 (56.3)	17,084 (24.7)	7,499 (10.9)	5,625 (8.1)	69,102 (100.0)
Georgia	19,653 (61.4)	7,629 (23.9)	3,074 (9.6)	1,630 (5.1)	31,986 (100.0)
Hawaii	1,313 (60.2)	527 (24.2)	210 (9.6)	132 (6.0)	2,182 (97.0)
Idaho	958 (75.0)	217 (17.0)	69 (5.4)	34 (2.7)	1,278 (99.5)
Indiana	5,328 (68.5)	1,645 (21.2)	536 (6.9)	268 (3.4)	7,777 (100.0)
Iowa	2,163 (66.2)	687 (21.0)	254 (7.8)	165 (5.0)	3,269 (100.0)
Kansas	4,551 (67.5)	1,444 (21.4)	515 (7.6)	237 (3.5)	6,747 (100.0)
Kentucky	1,982 (61.9)	777 (24.3)	250 (7.8)	192 (6.0)	3,201 (100.0)
Louisiana	5,329 (61.2)	2,179 (25.0)	854 (9.8)	344 (4.0)	8,706 (100.0)
Maine	1,291 (66.5)	422 (21.8)	177 (9.1)	50 (2.6)	1,940 (99.0)
Massachusetts	9,086 (51.8)	4,919 (28.0)	2,060 (11.7)	1,478 (8.4)	17,543 (95.9)
Michigan	13,677 (51.5)	6,769 (25.5)	3,549 (13.4)	2,584 (9.7)	26,579 (99.9)
Minnesota	6,004 (59.3)	2,368 (23.4)	1,004 (9.9)	757 (7.5)	10,133 (100.0)
Mississippi	1,731 (66.7)	565 (21.8)	229 (8.8)	69 (2.7)	2,594 (100.0)
Missouri	2,493 (63.9)	941 (24.1)	314 (8.0)	155 (4.0)	3,903 (100.0)
Montana	552 (35.4)	691 (44.3)	238 (15.2)	80 (5.1)	1,561 (100.0)
Nebraska	1,302 (66.6)	464 (23.7)	113 (5.8)	77 (3.9)	1,956 (99.9)
Nevada	4,094 (55.6)	1,915 (26.0)	791 (10.7)	560 (7.6)	7,360 (100.0)
New Jersey ¹	12,848 (60.1)	4,149 (19.4)	2,158 (10.1)	2,215 (10.4)	21,370 (99.5)
North Carolina	14,850 (62.1)	5,642 (23.6)	2,251 (9.4)	1,162 (4.9)	23,905 (87.9)
North Dakota	764 (66.1)	232 (20.1)	89 (7.7)	70 (6.1)	1,155 (100.0)
Ohio	12,293 (59.6)	5,098 (24.7)	2,040 (9.9)	1,206 (5.8)	20,637 (98.8)
Oregon	5,338 (63.3)	1,823 (21.6)	740 (8.8)	529 (6.3)	8,430 (99.1)
Pennsylvania	15,839 (52.8)	7,786 (25.9)	3,776 (12.6)	2,610 (8.7)	30,011 (100.0)
Rhode Island	2,301 (74.4)	471 (15.2)	189 (6.1)	130 (4.2)	3,091 (99.7)
South Carolina	2,703 (52.9)	1,288 (25.2)	654 (12.8)	467 (9.1)	5,112 (100.0)
South Dakota	368 (74.0)	85 (17.1)	27 (5.4)	17 (3.4)	497 (100.0)
Tennessee	5,587 (53.0)	2,858 (27.1)	1,279 (12.1)	826 (7.8)	10,550 (97.6)
Texas	33,053 (62.0)	13,349 (25.1)	4,627 (8.7)	2,248 (4.2)	53,277 (100.0)
Utah	2,045 (70.4)	547 (18.8)	191 (6.6)	121 (4.2)	2,904 (99.3)
Vermont	745 (61.9)	292 (24.3)	86 (7.1)	80 (6.7)	1,203 (100.0)
Virginia	8,750 (56.9)	3,946 (25.7)	1,620 (10.5)	1,065 (6.9)	15,381 (100.0)
Washington	10,126 (58.9)	4,090 (23.8)	1,699 (9.9)	1,278 (7.4)	17,193 (99.9)
West Virginia	882 (61.4)	341 (23.7)	136 (9.5)	77 (5.4)	1,436 (100.0)
Total	275,817 (59.1)	113,255 (24.3)	47,063 (10.1)	30,770 (6.6)	466,905 (98.9)**

^{*} Data from 41 reporting areas; excludes 11 areas (California, District of Columbia, Illinois, Maryland, New Hampshire, New Mexico, New York City, New York State, Oklahoma, Wisconsin, and Wyoming) that did not report, did not report by the number of previous induced abortions, or did not meet reporting standards.

[†] Percentages for the individual component categories might not add to 100% because of rounding.

[§] Percentage is calculated as the number of abortions reported by known number of previous induced abortions divided by the sum of abortions reported by known and unknown number of previous induced abortions. Values ≥99.95% are rounded to 100.0%.

¹ Reporting to the central health agency is not required. Data are requested from hospitals and licensed ambulatory care facilities only.

^{**} Percentage is based on a total of 472,302 abortions reported among the areas that met reporting standards for the number of previous induced abortions.

TABLE 9. Reported abortions, by known weeks of gestation* and reporting area of occurrence — selected reporting areas,† United States, 2017

	Weeks of gesta	tion						Total abortions reported by known
	≤6	7–9	10-13	14–15	16–17	18–20	≥21	gestational age
State/Area	No. (%)§	No. (%)	No. (%)	No. (%)	No. (%)	No. (%)	No. (%)	No. (% of all reported abortions) ¹
Alabama	1,095 (18.1)	2,976 (49.1)	1,310 (21.6)	279 (4.6)	176 (2.9)	171 (2.8)	56 (0.9)	6,063 (100.0)
Alaska	317 (25.3)	630 (50.2)	276 (22.0)	32 (2.5)	0 (0.0)	0 (0.0)	0 (0.0)	1,255 (100.0)
Arizona	3,947 (31.5)	5,508 (43.9)	1,920 (15.3)	490 (3.9)	256 (2.0)	252 (2.0)	160 (1.3)	12,533 (100.0)
Arkansas**	638 (19.6)	1,528 (47.0)	601 (18.5)	179 (5.5)	130 (4.0)	144 (4.4)	28 (0.9)	3,248 (100.0)
Colorado	3,200 (36.1)	3,850 (43.4)	1,139 (12.8)	202 (2.3)	125 (1.4)	69 (0.8)	286 (3.2)	8,871 (100.0)
Connecticut	4,340 (46.4)	3,242 (34.6)	1,048 (11.2)	307 (3.3)	158 (1.7)	173 (1.8)	89 (1.0)	9,357 (97.6)
Delaware	364 (19.3)	971 (51.5)	425 (22.5)	86 (4.6)	21 (1.1)	15 (0.8)	5 (0.3)	1,887 (99.8)
lorida	48,365 (70.0)	12,810 (18.5)	5,203 (7.5)	1,119 (1.6)	705 (1.0)	701 (1.0)	199 (0.3)	69,102 (100.0)
Georgia	11,419 (35.7)	12,748 (39.9)	4,932 (15.4)	1,026 (3.2)	794 (2.5)	800 (2.5)	268 (0.8)	31,987 (100.0)
Hawaii	639 (28.5)	1,021 (45.5)	385 (17.1)	64 (2.8)	25 (1.1)	75 (3.3)	37 (1.6)	2,246 (99.9)
daho	320 (25.0)	664 (51.8)	252 (19.7)	40 (3.1)	_#` /		_	1,281 (99.7)
ndiana	923 (11.9)	4,489 (57.7)	2,325 (29.9)	12 (0.2)	_	_	13 (0.2)	7,777 (100.0)
owa	1,336 (40.9)	1,381 (42.3)	403 (12.3)	62 (1.9)	48 (1.5)	_		3,267 (99.9)
Kansas	2,458 (36.4)	2,770 (41.1)	979 (14.5)	171 (2.5)	156 (2.3)	174 (2.6)	39 (0.6)	6,747 (100.0)
Kentucky	1,225 (38.3)	1,138 (35.6)	465 (14.5)	117 (3.7)	86 (2.7)	134 (4.2)	36 (1.1)	3,201 (100.0)
ouisiana	3,175 (36.5)	3,582 (41.2)	1,376 (15.8)	349 (4.0)	166 (1.9)	39 (0.4)	0 (0.0)	8,687 (99.8)
Maine	537 (27.4)	1,006 (51.4)	319 (16.3)	38 (1.9)	34 (1.7)	25 (1.3)	0 (0.0)	1,959 (100.0)
Michigan	8,228 (31.0)	11,276 (42.4)	4,331 (16.3)	1,023 (3.8)	669 (2.5)	613 (2.3)	434 (1.6)	26,574 (99.9)
Minnesota	4,206 (41.7)	3,621 (35.9)	1,314 (13.0)	339 (3.4)	236 (2.3)	214 (2.1)	154 (1.5)	10,084 (99.5)
Mississippi	618 (23.8)	1,398 (53.9)	380 (14.6)	160 (6.2)	31 (1.2)	_	_	2,594 (100.0)
Missouri	305 (7.8)	1,971 (50.5)	1,012 (25.9)	212 (5.4)	173 (4.4)	165 (4.2)	63 (1.6)	3,901 (99.9)
Montana	528 (33.8)	671 (43.0)	226 (14.5)	53 (3.4)	34 (2.2)	36 (2.3)	13 (0.8)	1,561 (100.0)
Vebraska	845 (43.4)	674 (34.6)	355 (18.2)	36 (1.8)	19 (1.0)	_	_	1,948 (99.5)
Nevada	2,592 (35.6)	3,152 (43.3)	1,014 (13.9)	240 (3.3)	138 (1.9)	91 (1.3)	51 (0.7)	7,278 (98.9)
New Jersey§§	7,787 (37.0)	6,715 (31.9)	3,185 (15.1)	1,172 (5.6)	753 (3.6)	746 (3.5)	699 (3.3)	21,057 (98.0)
New Mexico	1,642 (46.1)	940 (26.4)	389 (10.9)	105 (2.9)	61 (1.7)	99 (2.8)	326 (9.2)	3,562 (89.1)
New York City	21,705 (39.9)	20,446 (37.6)	7,017 (12.9)	1,600 (2.9)	1,102 (2.0)	1,214 (2.2)	1,247 (2.3)	54,331 (99.9)
North Carolina	8,834 (32.8)	11,524 (42.7)	4,260 (15.8)	1,110 (4.1)	741 (2.7)		_	26,967 (99.2)
North Dakota	404 (35.0)	458 (39.7)	224 (19.4)	53 (4.6)	16 (1.4)	0 (0.0)	0 (0.0)	1,155 (100.0)
Ohio	4,749 (22.7)	9,442 (45.2)	4,327 (20.7)	1,039 (5.0)	653 (3.1)	593 (2.8)	90 (0.4)	20.893 (100.0)
Oklahoma	2,231 (47.7)	1,573 (33.6)	633 (13.5)	87 (1.9)	71 (1.5)	60 (1.3)	21 (0.4)	4,676 (99.9)
Oregon	3,636 (43.0)	3,003 (35.5)	1,085 (12.8)	208 (2.5)	162 (1.9)	193 (2.3)	171 (2.0)	8,458 (99.4)
Rhode Island	808 (26.1)	1,678 (54.3)	345 (11.2)	102 (3.3)	67 (2.2)	63 (2.0)	27 (0.9)	3,090 (99.6)
South Carolina**	1,511 (29.6)	2,295 (44.9)	1,214 (23.7)	70 (1.4)	— (L.L)	13 (0.3)	— (0.5)	5,112 (100.0)
South Dakota	120 (24.3)	265 (53.8)	103 (20.9)	0 (0.0)	_	-	_	493 (99.2)
Tennessee	2,076 (19.3)	5,485 (51.0)	2,433 (22.6)	610 (5.7)	150 (1.4)	_	_	10,764 (99.6)
exas**	20,103 (37.7)	21,101 (39.6)	7,950 (14.9)	1,962 (3.7)	1,086 (2.0)	808 (1.5)	267 (0.5)	53,277 (100.0)
Jtah	1,115 (38.3)	1,166 (40.0)	420 (14.4)	84 (2.9)	52 (1.8)	56 (1.9)	22 (0.8)	2,915 (99.7)
Vermont	424 (35.2)	525 (43.6)	175 (14.5)	31 (2.6)	17 (1.4)	14 (1.2)	17 (1.4)	1,203 (100.0)
/irginia	8,598 (56.0)	4,553 (29.7)	1,703 (11.1)	67 (0.4)	120 (0.8)	208 (1.4)	98 (0.6)	15,347 (99.8)
Washington	7,050 (41.0)	6,524 (38.0)	2,205 (12.8)	406 (2.4)	305 (1.8)	326 (1.9)	361 (2.1)	17,177 (99.8)
West Virginia	161 (11.2)	792 (55.2)	333 (23.2)	93 (6.5)	47 (3.3)			1,436 (100.0)
Total	194,574 (40.1)	181,562 (37.4)	69,991 (14.4)	15,435 (3.2)	9,596 (2.0)	8,864 (1.8)	5,299 (1.1)	485,321 (99.6) ¹¹
	137,377 (70.1)	101,502 (57.4)	(17. 7)	. 5, 455 (5.2)	5,550 (E.U)	3,007 (1.0)	J,=33 (1.1)	100/0=1 (00.0)

^{*} Gestational age based on the clinician's estimate (Alabama, Alaska, Arizona, Connecticut, Colorado, Delaware, Florida, Georgia, Hawaii, Idaho, Indiana, Iowa, Kansas, Kentucky, Louisiana, Maine, Michigan, Minnesota, Mississippi, Missouri, Montana, Nebraska, Nevada, New Jersey, New Mexico, New York City, North Carolina, North Dakota, Ohio, Oregon, Rhode Island, South Dakota, Tennessee, Vermont, Washington, and West Virginia); gestational age calculated from the last normal menstrual period (Oklahoma and Utah); clinician's estimate of gestation based on estimated date of conception (Virginia); probable postfertilization age (Arkansas and Texas); clinical estimate for a portion of the year and probable postfertilization age for a portion of the year (South Carolina).

[†] Data from 42 reporting areas; excludes 10 areas (California, District of Columbia, Illinois, Maryland, Massachusetts, New Hampshire, New York State, Pennsylvania, Wisconsin, and Wyoming) that did not report, did not report by gestational age, or did not meet reporting standards.

⁵ Percentages for the individual component categories might not add to 100% because of rounding.

¹ Percentage is calculated as the number of abortions reported by known gestational age divided by the sum of abortions reported by known and unknown gestational age. Values ≥99.95% are rounded to 100.0%.

^{**} Two weeks were added to the probable postfertilization age to provide a corresponding measure to gestational age based on the clinician's estimate.

⁺ Cells with a value in the range of 1–4 or cells that would allow for calculation of these small values have been suppressed.

^{§§} Reporting to the central health agency is not required. Data are requested from hospitals and licensed ambulatory care facilities only.

¹¹ Percentage based on a total of 487,077 abortions reported among the areas that met reporting standards for gestational age.

TABLE 10. Reported abortions, by known weeks of gestation and year — selected reporting areas,* United States, 2008–2017

	Year	Year % change												
Weeks of gestation	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2008 to 2012	2013 to 2017	2016 to 2017	2008 to 2017
≤13 weeks' gestation (%)	91.5	91.8	91.9	91.5	91.5	91.6	90.9	91.0	91.0	91.1	0.0	-0.5	0.1	-0.4
≤6	32.5	33.8	34.8	34.4	35.2	34.7	33.8	34.3	34.3	35.0	8.3	0.9	2.0	7.7
7–9	40.9	40.4	40.0	40.0	39.3	39.8	39.9	40.0	40.2	40.5	-3.9	1.8	0.7	-1.0
10–13	18.1	17.6	17.0	17.1	17.0	17.1	17.3	16.7	16.4	15.7	-6.1	-8.2	-4.3	-13.3
>13 weeks' gestation (%)	8.5	8.2	8.1	8.5	8.5	8.4	9.1	9.0	9.0	8.9	0.0	6.0	-1.1	4.7
14–15	3.4	3.3	3.3	3.4	3.5	3.4	3.6	3.5	3.6	3.4	2.9	0.0	-5.6	0.0
16–17	1.9	1.8	1.8	1.8	1.9	1.9	2.2	2.1	2.1	2.2	0.0	15.8	4.8	15.8
18–20	1.9	1.8	1.8	1.9	1.9	1.9	1.9	2.0	2.0	2.0	0.0	5.3	0.0	5.3
≥21	1.3	1.3	1.3	1.4	1.3	1.3	1.4	1.4	1.3	1.3	0.0	0.0	0.0	0.0
Total (no.)	537,768	515,176	505,229	478,711	453,496	433,049	421,533	410,505	404,216	389,993	_	_	_	_

^{*} Data from 34 reporting areas; excludes 18 areas (California, Connecticut, Delaware, District of Columbia, Florida, Illinois, Maine, Maryland, Massachusetts, Mississippi, Nebraska, Nevada, New Hampshire, New York State, Pennsylvania, Vermont, Wisconsin, and Wyoming) that did not report, did not report by gestational age, or did not meet reporting standards for ≥1 year. By year, these reporting areas represent 80%–98% of the abortions reported by gestational age to CDC during 2008–2017.

TABLE 11. Reported abortions, by known method type and reporting area of occurrence — selected reporting areas,* United States, 2017

	Surgical [†]			Medical		areas,* United State]		
			Surgical,				1		
	Surgical, ≤13 weeks'	Surgical, >13 weeks'	unknown gestational	Medical, ≤9 weeks'	Medical, >9 weeks'	Medical, unknown	Intrauterine instillation [§]	Hysterectomy/	Total abortions reported
State (Auga	gestation	gestation	age	gestation	gestation	gestational age		Hysterotomy	No. (% of all reported
State/Area	No. (%) ¹	No. (%)	No. (%)	No. (%)	No. (%)	No. (%)	No. (%)	No. (%)	abortions)**
Alabama	3,624 (59.8)	674 (11.1)		1,733 (28.6)	30 (0.5)	0 (0.0)	0 (0.0)	_	6,063 (100.0)
Alaska	916 (73.1)	32 (2.6)	_	302 (24.1)	<u> </u>	0 (0.0)	0 (0.0)	0 (0.0)	1,253 (99.8)
Arizona	6,755 (54.1)	1,078 (8.6)	0 (0.0)	4,519 (36.2)	87 (0.7)	0 (0.0)	52 (0.4)	0 (0.0)	12,491 (99.7)
Arkansas ^{§§}	1,847 (56.8)	480 (14.8)	_	887 (27.3)	34 (1.0)	_	0 (0.0)	0 (0.0)	3,249 (100.0)
Colorado	2,962 (36.6)	349 (4.3)	_	4,679 (57.9)	94 (1.2)	_	0 (0.0)	0 (0.0)	8,086 (91.1)
Connecticut	4,493 (46.9)	714 (7.4)	179 (1.9)	4,129 (43.1)	21 (0.2)	48 (0.5)	0 (0.0)	0 (0.0)	9,584 (100.0)
Delaware	849 (45.0)	121 (6.4)	_	873 (46.3)	42 (2.2)	_	0 (0.0)	0 (0.0)	1,887 (99.8)
District of Columbia ¹¹	2,310 (63.7)	317 (8.7)	_	996 (27.5)	_	0 (0.0)	0 (0.0)	0 (0.0)	3,624 (100.0)
Florida	35,598 (54.0)	2,617 (4.0)	_	27,393 (41.5)	312 (0.5)	0 (0.0)	_	13 (0.0)	65,934 (95.4)
Georgia	16,984 (53.2)	2,878 (9.0)	_	11,910 (37.3)	134 (0.4)		0 (0.0)	0 (0.0)	31,910 (99.7)
Hawaii	1,341 (60.1)	196 (8.8)	_	689 (30.9)	_	0 (0.0)	0 (0.0)	0 (0.0)	2,232 (99.2)
Idaho	684 (53.2)	43 (3.3)	_	546 (42.5)	8 (0.6)	_	0 (0.0)	0 (0.0)	1,285 (100.0)
Indiana	4,934 (63.4)	38 (0.5)	_	2,705 (34.8)	100 (1.3)	_	0 (0.0)	0 (0.0)	7,778 (100.0)
lowa	1,018 (31.4)	140 (4.3)	_	2,050 (63.3)	28 (0.9)	_	0 (0.0)	0 (0.0)	3,238 (99.1)
Kansas	2,269 (33.7)	536 (8.0)	0 (0.0)	3,889 (57.7)	47 (0.7)	0 (0.0)	0 (0.0)	0 (0.0)	6,741 (99.9)
Kentucky	1,339 (41.8)	360 (11.3)	0 (0.0)	1,489 (46.5)	12 (0.4)	0 (0.0)	0 (0.0)	0 (0.0)	3,200 (100.0)
Maine	961 (49.1)	89 (4.5)	0 (0.0)	891 (45.5)	18 (0.9)	0 (0.0)	0 (0.0)	0 (0.0)	1,959 (100.0)
Massachusetts***	NA	NA	11,424 (63.4)	NA	NA	6,577 (36.5)	5 (0.0)	0 (0.0)	18,006 (98.5)
Michigan	14,403 (54.3)	2,673 (10.1)	15 (0.1)	9,184 (34.6)	233 (0.9)	5 (0.0)	_	_	26,517 (99.7)
Minnesota	5,183 (51.2)	924 (9.1)	9 (0.1)	3,929 (38.8)	46 (0.5)	41 (0.4)	0 (0.0)	0 (0.0)	10,132 (100.0)
Mississippi	593 (22.9)	190 (7.3)	0 (0.0)	1,767 (68.1)	44 (1.7)	0 (0.0)	0 (0.0)	0 (0.0)	2,594 (100.0)
Missouri	2,243 (57.5)	593 (15.2)	0 (0.0)	1,028 (26.4)	32 (0.8)	_	0 (0.0)	_	3,900 (99.9)
Montana	521 (33.4)	134 (8.6)	0 (0.0)	896 (57.4)	9 (0.6)	0 (0.0)	0 (0.0)	0 (0.0)	1,560 (99.9)
Nebraska	798 (40.8)	71 (3.6)	_	1,063 (54.3)	16 (0.8)	7 (0.4)	_	0 (0.0)	1,957 (99.9)
Nevada	4,860 (66.9)	515 (7.1)	47 (0.6)	1,784 (24.6)	26 (0.4)	33 (0.5)	_	_	7,266 (98.7)
New Jersey ^{†††}	14,085 (65.6)	3,289 (15.3)	253 (1.2)	3,505 (16.3)	123 (0.6)	174 (0.8)	0 (0.0)	26 (0.1)	21,455 (99.9)
New York	45,102 (55.6)	6,061 (7.5)	5,759 (7.1)	19,835 (24.5)	1,686 (2.1)	2,564 (3.2)	63 (0.1)	8 (0.0)	81,078 (97.7)
New York City	36,180 (66.6)	4,976 (9.2)	41 (0.1)	12,653 (23.3)	423 (0.8)	19 (0.0)	41 (0.1)	8 (0.0)	54,341 (99.9)
New York State	8,922 (33.4)	1,085 (4.1)	5,718 (21.4)	7,182 (26.9)	1,263 (4.7)	2,545 (9.5)	22 (0.1)	0 (0.0)	26,737 (93.6)
North Carolina	12,246 (48.1)	2,192 (8.6)	43 (0.2)	10,760 (42.3)	157 (0.6)	50 (0.2)		_	25,451 (93.6)
North Dakota	765 (66.2)	69 (6.0)	_	318 (27.5)	_	0 (0.0)	0 (0.0)	0 (0.0)	1,155 (100.0)
Ohio	13,242 (63.4)	2,345 (11.2)	_	5,209 (24.9)	93 (0.4)	0 (0.0)	0 (0.0)	—	20,893 (100.0)
Oklahoma	1,982 (42.4)	238 (5.1)	_	2,453 (52.4)	_	_	_	0 (0.0)	4,679 (100.0)
Oregon	4,057 (47.7)	687 (8.1)	39 (0.5)	3,639 (42.8)	68 (0.8)	9 (0.1)	0 (0.0)	7 (0.1)	8,506 (100.0)
Pennsylvania ^{§§§}	14,639 (48.8)	3,868 (12.9)	—	9,812 (32.7)	1,684 (5.6)	0 (0.0)	0 (0.0)	—	30,006 (100.0)
Rhode Island	1,176 (38.1)	250 (8.1)	6 (0.2)	1,637 (53.0)	15 (0.5)	5 (0.2)	—		3,090 (99.6)
South Carolina ^{§§}	2,076 (40.6)	80 (1.6)	- (0.2)	2,730 (53.4)	221 (4.3)	0 (0.0)	0 (0.0)		5,111 (100.0)
South Carolina South Dakota	261 (52.6)	—	_	224 (45.2)	6 (1.2)	— (0.0)	0 (0.0)	0 (0.0)	496 (99.8)
Texas ^{§§}	32,176 (60.4)	4,076 (7.7)	0 (0.0)	16,799 (31.5)	216 (0.4)	0 (0.0)	—	—	53,272 (100.0)
Utah	1,472 (50.8)	199 (6.9)	- (0.0)	1,197 (41.3)	20 (0.7)	- (0.0)	0 (0.0)	 _	2,896 (99.1)
Vermont	489 (40.6)	75 (6.2)	0 (0.0)	632 (52.5)	7 (0.6)	0 (0.0)	0 (0.0)	0 (0.0)	1,203 (100.0)
Virginia	9,987 (65.1)	483 (3.1)	10 (0.1)	4,826 (31.5)	20 (0.1)	8 (0.1)	0 (0.0)	0 (0.0)	15,334 (99.7)
Washington	8,602 (50.0)	1,391 (8.1)	18 (0.1)	7,123 (41.4)	47 (0.3)	12 (0.1)	0 (0.0)	0 (0.0)	17,193 (99.9)
West Virginia	863 (60.1)	1,391 (8.1)	0 (0.0)	390 (27.2)	47 (0.3)	0 (0.0)	0 (0.0)	0 (0.0)	
Wisconsin*** ^{¶¶}				(0 (0.0)	0 (0.0)	1,435 (99.9)
Total	NA 300,116 (55.4)	NA 44,057 (8.1)	4,437 (78.7)	NA 190,833 (35.3)	NA 6,124 (1.1)	1,200 (21.3)	130 (0.0)	79 (0.0)	5,640 (100.0) 541,339 (98.5) ^{\$§§§}

Abbreviation: NA = not available.

- * Data from 44 reporting areas; excludes eight reporting areas (California, Illinois, Louisiana, Maryland, New Hampshire, New Mexico, Tennessee, and Wyoming) that did not report, did not report by method type, or did not meet reporting standards. Areas reporting by method type with unknown gestational age are included.
- † Includes aspiration curettage, suction curettage, manual vacuum aspiration, menstrual extraction, sharp curettage, and dilation and evacuation procedures.
- ⁵ Intrauterine instillations reported at ≤12 weeks' gestation were considered as unknown for method type.
- ¹ Percentages for the individual component categories might not add to 100% because of rounding.
- ** Percentage is calculated as the number of abortions reported by known method type divided by the sum of abortions reported by known and unknown method type. Values ≥99.95% are rounded to 100.0%.
- ^{††} Cells with a value in the range of 1–4 or cells that would allow for calculation of these small values have been suppressed.
- 55 Two weeks were added to the probable postfertilization age to provide a corresponding measure to gestational age based on the clinician's estimate.
- ¹¹ Reporting to the central health agency is not required.
- *** Numbers for surgical procedures at ≤13 weeks versus >13 weeks and for medical abortions at ≤9 weeks versus >9 weeks are not presented because gestational age data were not provided by method type.
- *** Reporting to the central health agency is not required. Data are requested from hospitals and licensed ambulatory care facilities only.
- 555 Gestational age reported in this table as ≤9 weeks includes ≤8 weeks; >9 weeks includes ≥9 weeks; ≤13 weeks includes ≤12 weeks; >13 weeks includes ≥12 weeks.
- Includes residents only. Wisconsin reports as surgical, unspecified and does not differentiate surgical procedures† from hysterectomy/hysterotomy. All abortions were reported as surgical or chemically induced. For this report, all surgical abortions were classified as surgical and all chemical abortions as medical.
- **** For the total only, surgical abortions reported without a gestational age were distributed among the surgical abortion categories according to the distribution of surgical abortions at known gestational age.
- **** For the total only, medical abortions reported without a gestational age were distributed among the medical abortion categories according to the distribution of medical abortions at known gestational age.
- 9555 Percentage is based on a total of 549,697 abortions reported among the areas that met reporting standards for method type.

TABLE 12. Reported abortions, by known weeks of gestation and method type — selected reporting areas,* United States, 2017

	Weeks of gestati	Weeks of gestation										
	≤6	7–9	10-13	14–15	16–17	18–20	≥21	Total				
Method type	No. (%) [†]	No. (%)	No. (%)	No. (%)	No. (%)	No. (%)	No. (%)	No. (%)				
Surgical [§]												
≤13 weeks' gestation	90,157 (48.8)	101,904 (60.0)	62,773 (96.6)	NA	NA	NA	NA	254,834 (55.9)				
>13 weeks' gestation	NA	NA	NA	14,114 (99.2)	9,041 (98.8)	8,367 (97.0)	4,415 (93.9)	35,937 (7.9)				
Medical ¹												
≤9 weeks' gestation	94,562 (51.2)	67,868 (40.0)	NA	NA	NA	NA	NA	162,430 (35.6)				
>9 weeks' gestation	NA	NA	2,216 (3.4)	96 (0.7)	96 (1.0)	203 (2.4)	231 (4.9)	2,842 (0.6)				
Intrauterine instillation	**	_	8 (0.0)	10 (0.1)	9 (0.1)	37 (0.4)	36 (0.8)	100 (0.0)				
Hysterectomy/Hysterotomy	13 (0.0)	11 (0.0)	3 (0.0)	9 (0.1)	5 (0.1)	15 (0.2)	20 (0.4)	76 (0.0)				
Total	184,732 (100.0)	169,783 (100.0)	65,000 (100.0)	14,229 (100.0)	9,151 (100.0)	8,622 (100.0)	4,702 (100.0)	456,219 (100.0)				

Abbreviation: NA = not applicable.

^{*} Data from 39 reporting areas; excludes 13 areas (California, District of Columbia, Illinois, Louisiana, Maryland, Massachusetts, New Hampshire, New Mexico, New York State, Pennsylvania, Tennessee, Wisconsin, and Wyoming) that did not report, did not report method type by weeks of gestation, did not meet reporting standards, or did not have medical abortion as a specific category on their reporting form.

[†] For each gestational age category, percentages of all method types might not add to 100% because of rounding.

⁵ Includes aspiration curettage, suction curettage, manual vacuum aspiration, menstrual extraction, sharp curettage, and dilation and evacuation procedures.

¹ The administration of medication or medications to induce an abortion; at ≤9 weeks' gestation, typically involves the use of mifepristone and misoprostol; at >9 weeks' gestation, typically involves the use of vaginal prostaglandins.

^{**} Intrauterine instillations reported at ≤12 weeks' gestation have not been included with known values.

TABLE 13. Reported abortions, by known weeks of gestation, age group and race/ethnicity — selected reporting areas, United States, 2017

	Weeks of gestation									
	≤6	7–9	10–13	14–15	16–17	18–20	≥21			
Characteristic	No. (%)	No. (%)	No. (%)	No. (%)	No. (%)	No. (%)	No. (%)			
Age group (yrs)* ^{,†}									
<15	198 (18.6)	356 (33.5)	260 (24.5)	83 (7.8)	55 (5.2)	53 (5.0)	57 (5.4)			
15–19	13,684 (31.8)	16,537 (38.5)	7,879 (18.3)	1,898 (4.4)	1,207 (2.8)	1,121 (2.6)	680 (1.6)			
20–24	53,079 (37.9)	53,777 (38.4)	21,625 (15.4)	4,623 (3.3)	2,844 (2.0)	2,595 (1.9)	1,515 (1.1)			
25–29	57,634 (41.1)	52,280 (37.3)	19,742 (14.1)	4,164 (3.0)	2,582 (1.8)	2,368 (1.7)	1,289 (0.9)			
30–34	38,404 (42.8)	33,040 (36.8)	11,719 (13.1)	2,541 (2.8)	1,606 (1.8)	1,501 (1.7)	986 (1.1)			
35–39	22,482 (43.4)	18,813 (36.4)	6,463 (12.5)	1,554 (3.0)	952 (1.8)	906 (1.8)	574 (1.1)			
≥40	8,244 (46.9)	5,982 (34.0)	2,055 (11.7)	503 (2.9)	307 (1.7)	297 (1.7)	183 (1.0)			
Total	193,725 (40.1)	180,785 (37.4)	69,743 (14.4)	15,366 (3.2)	9,553 (2.0)	8,841 (1.8)	5,284 (1.1)			
Race/Ethnicity'	k,§		•							
Non-Hispanic										
White	63,248 (41.6)	56,908 (37.5)	20,417 (13.4)	4,395 (2.9)	2,675 (1.8)	2,730 (1.8)	1,543 (1.0)			
Black	51,375 (33.4)	60,972 (39.7)	26,953 (17.5)	5,798 (3.8)	3,719 (2.4)	3,299 (2.1)	1,590 (1.0)			
Other	14,802 (43.4)	12,300 (36.0)	4,171 (12.2)	1,042 (3.1)	706 (2.1)	667 (2.0)	452 (1.3)			
Hispanic	39,947 (46.3)	29,811 (34.5)	10,571 (12.2)	2,484 (2.9)	1,465 (1.7)	1,304 (1.5)	752 (0.9)			
Total	169,372 (39.7)	159,991 (37.5)	62,112 (14.6)	13,719 (3.2)	8,565 (2.0)	8,000 (1.9)	4,337 (1.0)			

^{*} Percentages for the individual component categories might not add to 100% because of rounding.

[†] Data from 42 reporting areas; excludes 10 reporting areas (California, District of Columbia, Illinois, Maryland, Massachusetts, New Hampshire, New York State, Pennsylvania, Wisconsin, and Wyoming) that did not report, did not report weeks of gestation by age, or did not meet reporting standards.

[§] Data from 34 reporting areas; excludes 18 reporting areas (California, District of Columbia, Illinois, Iowa, Louisiana, Maine, Maryland, Massachusetts, Nebraska, New Hampshire, New Mexico, New York State, North Dakota, Oklahoma, Pennsylvania, Rhode Island, Wisconsin, and Wyoming) that did not report, did not report weeks of gestation by race/ethnicity, or did not meet reporting standards.

TABLE 14. Number of deaths and case-fatality rates* for abortion-related deaths reported to CDC, by type of abortion — United States, 1973–2017[†]

2017		Type o	f abortion		
	Induced				
Year	Legal⁵	Illegal ¹	Unknown**	Total	CFR per 100,000 legal abortions
1973-1977	1	1	2.09		
1973	25	19	3	47	
1974	26	6	1	33	
1975	29	4	1	34	
1976	11	2	1	14	
1977	17	4	0	21	0.70
1978–1982	Ι ο	7	0	16	0.78
1978 1979	9 22	7	0	16 22	
1980	9	1	2	12	
1981	8	1	0	9	
1982	11	1	0	12	
1983–1987		'	0		0.66
1983	11	1	0	12	0.00
1984	12	0	0	12	
1985	11	1	1	13	
1986	11	0	2	13	
1987	7	2	0	9	
1988-1992	•	•			0.74
1988	16	0	0	16	
1989	12	1	0	13	
1990	9	0	0	9	
1991	11	1	0	12	
1992	10	0	0	10	
1993-1997					0.52
1993	6	1	2	9	
1994	10	2	0	12	
1995	4	0	0	4	
1996	9	0	0	9	
1997	7	0	0	7	0.63
1998–2002 1998	9	0	0.63		
1999	4	0	0	9	
2000	11	0	0	11	
2001	7	1	0	8	
2002	10	0	0	10	
2003–2007	10		U U		0.60
2003	10	0	0	10	
2004	7	1	0	8	
2005	7	0	0	7	
2006	7	0	0	7	
2007	6	0	0	6	
2008-2012			0.65		
2008	12	0	0	12	
2009	8	0	0	8	
2010	10	0	0	10	
2011	2	0	0	2	
2012	4	0	0	4	
2013-2017					0.44
2013	4	0	0	4	
2014	6	0	0	6	
2015	6	0	1	3 8	
2016		1	0		
2017	CEP = 63	0 so fatality		2	

Abbreviation: CFR = case-fatality rate.

^{*} Number of legal induced abortion-related deaths per 100,000 reported legal induced abortions. Because a substantial number of legal induced abortions occurred outside reporting areas that provided data to CDC, national CFRs (i.e., number of legal induced abortion-related deaths per 100,000 reported legal induced abortions in the United States) were calculated with denominator data from the Guttmacher Institute's national survey of abortion-providing facilities. Case-fatality rates were computed for consecutive 5-year periods during 1973–2017 because rates based on <20 cases might be unstable.

[†] Certain numbers might differ from those in reports published previously because additional information has been supplied to CDC subsequent to publication.

[§] An abortion is defined as legal if it was performed by a licensed clinician within the limits of state law.

¹ An abortion is defined as illegal if it was performed by any person other than a licensed clinician.

^{**} Unknown whether abortion was induced or spontaneous.