

COAL CONTRACTOR MINING FACTS – 2006

The Mine Safety and Health Administration (MSHA) defines an independent contractor as *any person, partnership, corporation, subsidiary of a corporation, firm, association or other organization that contracts to perform services or construction at a mine.* Contractors that perform specific types of work are required to report the number of employees who work at coal mines and noncoal mines.


Companies

In 2006, a total of 2,724 contracting companies reported employment at coal mines to MSHA, or 36.8% of all independent contracting companies.

Employees

A total of 37,282 employees,¹ corresponding to 23,078 full-time equivalent (FTE)² employees, were reported by coal contractors to MSHA.


- Within the mining sectors,³ coal contractor employees comprised 7.0% of all employee hours reported to MSHA.
- Coal contractor employee hours were reported for both underground (12.6%) and surface (87.4%) work locations.⁴



Fatalities

Five occupational fatalities occurred among coal contractor employees in 2006. These coal fatalities accounted for 41.7% of all contractor fatalities.

The coal contractor fatality rate was 22.7 fatalities per 100,000 FTE employees. The underground fatality rate was 34.4 (n=1) compared to a rate of 20.9 (n=4) for surface work locations.




Nonfatal Lost-time Injuries

There were 557 nonfatal lost-time injuries among coal contractor employees (215 at underground and 342 at surface work locations) occurring at a rate of 2.5 injuries per 100 FTE employees. These injuries resulted in 27,332 days lost⁵ from work.

- The underground nonfatal lost-time injury rate was greater than the surface injury rate (7.4 vs. 1.8 per 100 FTE workers).
- The most frequent classification of nonfatal losttime injuries for coal contractor employees involved handling materials (n=166; 29.8%), followed by slip or fall of person (n=122; 21.9%).
- Sprains and strains were the most frequently reported nature of injury (n=187; 33.6%).
- The back was the most frequently reported body part injured (n=74; 13.3%) and accounted for 3,716 days lost from work.

Distribution of Nonfatal Lost-time Injuries



Note: "Fall of ground" includes MSHA's Accident/Injury/Illness classification for fall of face, rib, pillar, side, or highwall (from in place); fall of roof, back, or brow (from in place); and underground machinery cases when the source of injury was caving rock, coal, ore, or waste.



DEPARTMENT OF HEALTH AND HUMAN SERVICES Centers for Disease Control and Prevention National Institute for Occupational Safety and Health September 2008



Mine and Employment Characteristics, 2006

Commodity and Type of Employer	Number of Mining Operations			Numbe	r of Employ	yees ¹	Number of FTE Employees ²			
	Underground	Surface	Total	Underground	Surface	Total	Underground	Surface	Total	
Coal Operator	675	1,438	2,113	38,253	47,440	85,693	42,598	51,897	94,495	
Metal Operator	92	188	280	4,539	28,335	32,874	4,575	29,397	33,972	
Nonmetal Operator	46	695	741	2,374	20,677	23,051	2,415	20,806	23,221	
Stone Operator	122	4,451	4,573	1,877	80,706	82,583	2,154	83,247	85,402	
Sand and Gravel Operator	NA	7,178	7,178	NA	46,069	46,069	NA	39,796	39,796	
Operator Total	935	13,950	14,885	47,043	223,227	270,270	51,742	225,144	276,886	
Number of Companies										
Coal Contractor	NA	NA	2,724	4,762	32,520	37,282	2,903	20,175	23,078	
Noncoal Contractor	NA	NA	4,686	1,815	54,130	55,945	1,401	29,893	31,294	
Contractor Total	NA	NA	7,410	6,577	86,650	93,227	4,304	50,068	54,372	
TOTAL				53,620	309,877	363,497	56,046	275,212	331,258	

Mining Occupational Fatalities and Injuries, 2006

	Occupational Fatalities (per 100,000 FTE employees)						Nonfatal Lost-time Injuries (per 100 FTE employees)						
Commodity and	Underground		Surface		Total		Underground		Surface		Total		
Type of Employer	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	No.	Rate	
Coal Operator	36	84.5	6	12.4	42	46.2	2,218	5.2	803	1.7	3,021	3.3	
Metal Operator	0	0.0	3	11.9	3	10.1	141	3.1	524	2.1	665	2.2	
Nonmetal Operator	0	0.0	0	0.0	0	0.0	73	3.0	344	2.0	417	2.1	
Stone Operator	0	0.0	10	13.8	10	13.4	43	2.0	2,038	2.8	2,081	2.8	
Sand and Gravel Operator	NA	NA	6	17.2	6	17.2	NA	NA	795	2.3	795	2.3	
Operator Total	36	69.6	25	12.6	61	24.4	2,475	4.8	4,504	2.3	6,979	2.8	
Coal Contractor	1	34.4	4	20.9	5	22.7	215	7.4	342	1.8	557	2.5	
Noncoal Contractor	0	0.0	7	24.8	7	23.6	49	3.5	403	1.4	452	1.5	
Contractor Total	1	23.2	11	23.2	12	23.2	264	6.1	745	1.6	1,009	2.0	
TOTAL	37	66.0	36	14.6	73	24.2	2,739	4.9	5,249	2.1	7,988	2.6	

NA Not applicable.

Data source: Publicly released data files of employment and accident/injury/illness collected by MSHA under 30 CFR 50.

Notes: All analyses of accident data exclude office employees. Occupational fatalities exclude all cases under 17 years of age. Further statistical methodology is available on the NIOSH Internet [<u>http://www.cdc.gov/niosh/mining/statistics/method.htm</u>].

¹Number of employees is the average number of employees working at individual mines during calendar quarters of active operations. ²Full-time equivalent employees computed using reported employee hours (2,000 hours = 1 FTE).

³Mining sectors: coal operators, metal operators, nonmetal operators, stone operators, sand and gravel operators, coal contractors, and noncoal contractors.

⁴Surface work locations include surface operations at underground mines, surface operations (strip or open pit), auger, culm banks, dredge, other surface operations, independent shops and yards, and mills or preparation plants.

⁵Includes actual days away from work and/or days of restricted work activity. For permanently disabling injuries only, statutory days charged by MSHA were used if they exceeded the total lost workdays.

To receive NIOSH documents or for more information about occupational safety and health topics, contact NIOSH at **1-800-CDC-INFO** (1-800-232-4636) 1-888-232-6348 (TTY) e-mail: <u>cdcinfo@cdc.gov</u> or visit the NIOSH Web site at <u>http://www.cdc.gov/niosh</u>

DHHS (NIOSH) Publication No. 2008-164